PRIDE®
MOBILITY



NZ Product Catalogue



05
Brand Message

06
GoGo Travel Scooters

10
GoGo Travel Scooters Comparison Chart

12
Pride Mobility Scooters

20
Pride Mobility Scooters Comparison Chart

28
Jazzy Powerchairs Comparison Chart

30
Ramps

CONTENTS



22

Jazzy Powerchairs

32

Accessories

38

Power Assit

PRIDE® MOBILITY



Jazzy® POWER CHAIRS









GO•GO® TRAVEL MOBILITY



BAJA® MOBILITY









PRIDE® SCOOTERS

Leading the Way with Innovation & Quality

Pride® Mobility Products is the world's leading innovator and manufacturer of personal mobility products. Pride® Mobility's commitment to innovation and market-leading products—along with our reputation as the friendliest company in the industry—has never been stronger.

Pride® Mobility Products New Zealand offers a wide range of mobility products, including Go Go® travel scooters, Pride® everyday scooters, Jazzy® power wheelchairs, and power lift recliners, catering to the diverse needs of our clientele.

For over two decades, the Pride® family of brands has been serving New Zealand, consistently creating products inspired by user needs, integrating the industry's most innovative features, unique designs, and performance-driven details. Our mission is to empower everyone to "Live Your Best!"



GOGO®
TRAVEL MOBILITY

QUEST



Perfect for those with an active lifestyle. The compact design simply folds down in just three steps, allowing for convenient storage in a cupboard or vehicle boot. The Quest includes a lithium ion battery, which is ideal for air travel.

Range per Charge: **<11 km**

Weight Capacity: **113 kg**

Turning Radius: **82 cm**



GO GO® CARBON



The Go Go® Carbon is the perfect blend of strength and portability. Built with a lightweight carbon fibre frame, this scooter weighs only 16 kg without it's (lithium) battery. It folds down in seconds and is powered by an NFC reader and digital display screen.

Range per Charge: **<16 km**

Weight Capacity: **136 kg**

Turning Radius: **136.6 cm**

GO GO ELITE TRAVELLER® 2



The Go Go Elite Traveller 2 boasts the tightest turning radius of all 4-wheel scooters. With Pride's patented EZ Turn Technology, maneuvering through tight spaces has never been easier.

EZ TURN TECHNOLOGY

- Range per Charge: **<16.7 km**
- Weight Capacity: **136 kg**
- Turning Radius: **94 cm**



Go Go® Elite Traveller 2



Quest

GO GO® ENDURANCE Li



A convenient travel companion that provides an effortless mode of transportation for people who are always on the go. Easily disassembles into 5 portable pieces and includes a lithium ion battery, allowing you to reach more destinations on a single charge.

- Range per Charge: **<23 km**
- Weight Capacity: **147 kg**
- Turning Radius: **122.5 cm**



Go Go® Endurance Li



Go Go® Carbon

END-TO-END | Travel Scooter Specifications







	QUEST®	GO GO® CARBON	GO GO® ELITE TRAVELLER 2	GO GO ENDURANCE LI®
RANGE PER CHARGE (MAX) [1]	Up to 11 km	Up to 16 km	Up to 16.7 km	Up to 23 km
MAXIMUM WEIGHT CAPACITY	113.3 kg	136 kg	136 kg	147 kg
TURNING RADIUS	82 cm	134.6 cm	94 cm	122.5 cm
MAXIMUM SPEED[1]	Up to 6 km/h	Up to 6 km/h	Up to 6.8 km/h	Up to 6.7 km/h
LENGTH & WIDTH	**L:** 92.7 cm **W:** 49.5 cm	**L:** 102.3 cm **W:** 44 cm	**L:** 103.6 cm **W:** 49.4 cm	**L:** 107 cm **W:** 52 cm
SEAT TYPE WIDTH & DEPTH (STANDARD)	Compact, foldable, molded plastic seat [5] **W:** 41 cm (16") **D:** 33 cm (13")	Compact, foldable seat **W:** 35.6 cm (14") **D:** 27.5 cm (11")	Compact, foldable seat [5] **W:** 43 cm (17") **D:** 43 cm (17")	Compact, foldable seat [5] **W:** 43 cm (17") **D:** 43 cm (17") or **W:** 50.8 cm (20") **D:** 45.7 cm (18")
SEAT-TO-DECK HEIGHT RANGE	31 cm fixed	43 cm fixed	41.6 cm - 45.3 cm	41.2 cm x 45 cm
SEAT-TO-GROUND HEIGHT RANGE [3]	51 cm fixed	57 cm fixed	46.3 cm - 51.4 cm	53.9 cm x 59 cm
GROUND CLEARANCE	5.8 cm at frame	3.8 cm at motor[3]	3.4 cm at transaxle	3.6 cm at motor
OVERALL WEIGHT (NOT INC. BATTERY)	23.5 kg	16 kg	37.6 kg	42.4 kg
WEIGHT OF HEAVIEST PIECE	23.5 kg (does not disassemble)	16 kg (does not disassemble)	15.8 kg (front section)	18.48 kg (front section)
SUSPENSION	N/A	N/A	N/A	CTS Front & Rear
3W/4W OPTION	4W	4W	4W	4W
FRONT TYRES	1.5" x 7" solid	7" solid	2" x 7" solid	2" x 8" solid
REAR TYRES	1.9" x 7.8" solid	8" solid	2.5" x 8" solid	2.5" x 8" solid
BATTERY REQUIREMENTS	11.5 Ah (lithium-ion)	(1) 12AH, 24V (lithium-ion, 288Wh)[9]	(2) 18Ah	16Ah (lithium-ion)
BATTERY CHARGER	Off-Board 2.5A (lithium-ion)	Off-board, 2A (lithium-ion)	Off-Board, 2A	Off-board, 3.5A (lithium-ion)
BATTERY WEIGHT	2.3 kg	1.8 kg	6 kg	5.4 kg
COLOUR OPTIONS	White	Black, Yellow	Red, Black	Garnet Red, Euro Grey[1]

1 Varies with user weight, terrain type, battery amp hour (AH), battery charge, battery condition and tyre condition **2** Width of base (not including seat) **3** Does not account for anti-tip clearance **4** this scooter airline compliant please remove one of the 8AH batteries before travelling on an aircraft **8** Not suitable for air travel **9** Transport of this item on commercial aircraft is subject to federal subject to change without notice. The information contained herein is correct at the time of publication; we reserve the right to alter specifications without prior notice. Speed and range vary with ground clearance can be subject to variance of 3%

DOWNLOAD OUR
PQ365 APP
FOR EVERYTHING PRIDE AND QUANTUM



PQ-365

Download on the App Store

GET IT ON Google Play

Includes standard seat weight **5** Deep cycle (AGM or gel cell type recommended) **6** All shroud panels included **7** Standard 16AH battery does not meet airline requirements To make regulations and airline policy. Please consult your airline prior to your flight to ensure your Jazzy Carbon® Ultra-lite and its lithium-ion battery are permitted. **NOTE:** All specifications user weight, terrain type, battery charge, battery condition and tyre pressure. Due to manufacturing tolerances and continual product improvement, length, width, turning radius and

PRIDE®

SCOOTERS

BAJA® BANDIT



The first member of the Baja® Mobility family. The Baja® Bandit is bold, adventurous and innovative. With bumpers and a high ground clearance the Baja® Bandit tackles obstacles with ease and it's long-lasting lithium ion battery lets you explore for longer.

Range per Charge: **<23.3 km**

Weight Capacity: **181 kg**

Turning Radius: **134.7 cm**



PATHRIDER® 10 DELUXE



The Pathrider® 10 Deluxe with EZ Turn offers superior comfort and stability for those seeking a safe and enjoyable ride. With features including Pride's CTS suspension, a fully adjustable high back seat and LED lighting package.

Range per Charge: **<25 km**

Weight Capacity: **158 kg**

Turning Radius: **115.5 cm**

PATHRIDER® 10 2.0

NEW



The new and improved Pathrider® 10 2.0 brings a sleek, refreshed design with a high-back, swivel seat and front modesty panel for added style and comfort. Its 10 inch pneumatic tyres, LED headlight, and easy-drive tiller ensure a smooth and comfortable ride wherever you go.

- Range per Charge: **<18 km**
- Weight Capacity: **181 kg**
- Turning Radius: **132.5 cm**

VICTORY® 10 LX WITH CTS SUSPENSION



Rough roads smooth out in front of you with the Victory® 10 LX, featuring Pride's front and rear Comfort-Trac suspension (CTS). Along with an LED lighting package and a deluxe high-back seat, which ensures a comfortable ride every time.

- Range per Charge: **<26 km**
- Weight Capacity: **181 kg**
- Turning Radius: **152 cm**

PATHRIDER® ENDURANCE

Built to handle adventures



MAXIMA



Heavy duty and robust, the Maxima scooter maximises your potential! Experience the comfort of a new high-back, depth adjustable recline seat that swivels for easier access, side bumpers, and a USB charger standard. Available in 3 or 4-wheel configuration.

- Range per Charge: **<31.4 km**
- Weight Capacity: **227 kg**
- Turning Radius: **134.6 cm**

PATHRIDER® 130 XL



The Pathrider® 130 XL incorporates a blend of power, style and performance to handle rugged outdoor terrain. The powerful drivetrain, 24 Volt, 4-pole motor for increased power, front & rear suspension and high back reclining seat will accelerate your active lifestyle.

- Range per Charge: **<25 km**
- Weight Capacity: **158 kg**
- Turning Radius: **170 cm**

PATHRIDER®
ENDURANCE



The Pathrider® Endurance is designed for thrilling adventures. Its pneumatic tyres can handle any terrain, from paved roads to rugged trails. Packed with premium features, this scooter is built to turn the impossible into possible, inviting you to explore new horizons & enjoy every ride.

- Range per Charge: **<54.7 km**
- Weight Capacity: **158 kg**
- Turning Radius: **176 cm**

PATHRIDER® 140 XL



Discover the perfect blend of power and precision with the Pathrider® 140 XL. Equipped with luxurious features, such as front and rear suspension, a high-back pillow-top seat, and an LED lighting package, it offers the perfect outdoor mobility solution.

- Range per Charge: **<35 km**
- Weight Capacity: **181 kg**
- Turning Radius: **210 cm**

MFP CELEBRITY



The Celebrity MFP offers versatility and adaptability, featuring a water-resistant digital display and a supplemental hand brake. With its long battery range and full LED lighting package, this scooter is perfect for travel, whether you're at the park or exploring the city.

Range per Charge: **<30 km**

Weight Capacity: **226 kg**

Turning Radius: **158 cm**



OUTBACK®



Rugged and built to last, the Outback® is your perfect adventure companion! Equipped with front and rear suspension, LED lighting, a user-friendly console and dual hydraulic brakes, the Outback® is designed for embracing the great outdoors!

- Range per Charge: **<35 km**
- Weight Capacity: **158 kg**
- Turning Radius: **243 cm**

SPORT RIDER



The Sport Rider is an extraordinary three-wheel motorcycle inspired outdoor scooter. This scooter boasts impressive features including a full digital display for speed and distance tracking, a robust suspension system, an adjustable high-back seat, and a powerful lighting kit.

- Range per Charge: **<35 km**
- Weight Capacity: **181 kg**
- Turning Radius: **157.3 cm**

END-TO-END | Scooter Specifications







	BAJA® BANDIT	PATHRIDER® 10 DX EZ TURN	PATHRIDER® 10 2.0	VICTORY® 10 LX W/ CTS SUSPENSION	MAXIMA
RANGE PER CHARGE (MAX) [1]	Up to 23.3 km	Up to 25 km with 40AH[13]	Up to 18 km	Up to 26 km	**3W:** Up to 31.4 km **4W:** Up to 31.4 km
MAXIMUM WEIGHT CAPACITY	181 kg	158 kg	181 kg	170 kg	227 kg
TURNING RADIUS	134.7 cm	115.5 cm	132.5 cm	152 cm	**3W:** 124.5 cm **4W:** 134.6 cm
MAXIMUM SPEED[1]	Up to 10 km/h	Up to 8.85 km/h	Up to 8.4km/h	Up to 9 km/h	Up to 9.3 km/h
LENGTH & WIDTH	**L:** 126 cm **W:** 56 cm	**L:** 119.4 cm **W:** 56.2 cm	**L:**120 cm **W:** 56.5 cm[2]	**L:** 119.4 cm **W:** 56.5 cm	**3W L:** 120.7 cm **3W W:** 68.6 cm **4W L:** 120.7 cm **4W W:** 68.6 cm
SEAT TYPE WIDTH & DEPTH (STANDARD)	Compact, foldable seat [5] **W:** 46.5 cm (18.3") **D:** 44 cm (17.3")	Pillow-top, high-back seat **W:** 44.2 cm (17.5") **D:** 43 cm (17")	High-back seat **W:** 43.2 cm (17") **D:** 43.2 cm (17")	Pillow-top, high-back seat **W:** 46 cm (18") **D:** 46 cm (18")	High-back seat **W:** 55.9 cm (22") **D:** 50.8 cm (20")
SEAT-TO-DECK HEIGHT RANGE	47.5 cm suspension seat post	43.8 cm - 47.6 cm	43.8 cm - 47.6 cm	46 cm - 49 cm	44 cm x 60 cm
SEAT-TO-GROUND HEIGHT RANGE [3]	66 cm suspension seat post	60 cm - 63.8 cm	60 cm - 63.8 cm	60 cm - 64.8 cm	56.6 cm - 72.6 cm
GROUND CLEARANCE	4 cm at motor skid plate	8.25 cm at frame	6 cm at motor[3]	5.6 cm at motor	5.7 cm at motor
OVERALL WEIGHT (NOT INC. BATTERY)	72.3 kg	84.8 kg	63 kg[4]	81.2 kg	**3W:** 86.4 kg **4W:** 92 kg
WEIGHT OF HEAVIEST PIECE	31.8 kg (front section)	29.5 kg (front section)	29.5 kg (front section)	35.2 kg (rear section)	**3W:** 61.7 kg **4W:** 67.3 kg (does not disassemble)
SUSPENSION	Front, Rear & Seat Post	Front & Rear	N/A	Front & Rear	N/A
3W/4W OPTION	4W	4W	4W	4W	3W & 4W
FRONT TYRES	2.5" x 9" solid	3.6" x 10.4" solid	10" pneumatic	3.5" x 10" pneumatic	3.6" x 10" solid
REAR TYRES	2.5" x 9" solid	3.6" x 10.75" solid	10" pneumatic	3.5" x 10" pneumatic	3.6" x 10.75" solid
BATTERY REQUIREMENTS	20AH, 36V (lithium-ion)	(2) 31Ah or (2) 40Ah	(2) 31AH[5]	(2) 40Ah	(2) 50Ah
BATTERY CHARGER	Off-Board, 4A (lithium-ion)	Off-Board, 3A (32AH) Off-Board, 5A (40AH)	Off-Board, 3.5A (32AH)	Off-Board, 5A	Off-board, 5A
BATTERY WEIGHT	9.5 kg	10.5 kg or 14 kg	10.3 kg each	14 kg	16.6 kg
COLOUR OPTIONS	Sage, Tan	Viper Blue	Red	Candy Apple Red	Garnet Red, Ocean Blue

1 Varies with user weight, terrain type, battery amp hour (AH), battery charge, battery condition and tyre condition **2** Width of base (not including seat) **3** Does not account for anti-tip clearance **4** I this scooter airline compliant please remove one of the 8AH batteries before travelling on an aircraft **8** Not suitable for air travel **9** Transport of this item on commercial aircraft is subject to federal subject to change without notice. The information contained herein is correct at the time of publication; we reserve the right to alter specifications without prior notice. Speed and range vary with ground clearance can be subject to variance of 3%








PATHRIDER® ENDURANCE	CELEBRITY MFP	PATHRIDER® 130 XL	PATHRIDER® 140 XL	OUTBACK®	SPORT RIDER
Up to 54.7 km	Up to 30 km	Up to 25 km[13]	Up to 35 km[13]	Up to 35 km	Up to 35 km
158 kg	226 kg	158 kg	181 kg	158 kg	181 kg
176 cm	158 cm	170 cm	210 cm right 208 cm left	243 cm	157.3 cm
Up to 9.7 km/h	Up to 10 km/h	Up to 15 km/h	Up to 15 km/h	Up to 15 km/h	Up to 15 km/h
L: 146 cm **W:** 75.3 cm	**L:** 145 cm **W:** 70.7 cm[2]	**L:** 136 cm **W:** 63.6 cm	**L:** 142.8 cm **W:** 69.2 cm	**L:** 156 cm **W:** 83 cm	**L:** 165 cm **W:** 78 cm
High-back seat **W:** 55.9 cm (53") **D:** 50.8 cm (45.7")	Deluxe, pillow-top, high-back seat **W:** 49.5 cm (19.5") **D:** 44.5 cm (17.5")	Deluxe, pillow-top, high-back seat **W:** 49.5 cm (19.5") **D:** 44.5 cm (17.5")	Deluxe, pillow-top, high-back seat **W:** 49.5 cm (19.5") **D:** 44.5 cm (17.5")	Deluxe, pillow-top, high-back seat **W:** 49.5 cm (19.5") **D:** 44.5 cm (17.5")	Captains high-back, adjustable seat **W:** 51 cm (20") **D:** 56 cm (22")
45.5 cm x 53 cm	45.2 cm - 49 cm	47 cm suspension seat post	55.3 cm - 57 cm	50 cm - 53 cm	48 cm fixed
55.6 cm - 63 cm	66.7 cm - 70.5 cm	63.1 cm suspension seat post	66.7 cm - 70.5 cm	76 cm - 80 cm	68 cm fixed
9.6 cm at transaxle	8.8 cm at motor	9 cm at transaxle	13.3 cm at midframe	14 cm at midframe	12.7 cm at shroud
100 kg	104.3 kg[4]	99.8 kg	117.7 kg	124 kg	115 kg
34 kg (rear section)	94 kg (main frame does not disassemble)	34 kg (rear section)	93 kg (does not disassemble)	99 kg (does not disassemble)	92.3 kg (does not disassemble)
Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
4W	4W	4W	4W	4W	3W
3.5" x 13" pneumatic	13" pneumatic	4" x 13" pneumatic	4" x 13" pneumatic	14.5" x 6" pneumatic	2.75" x 19"[16] pneumatic
3.5" x 13" pneumatic	13" pneumatic	4" x 13" pneumatic	4" x 13" pneumatic	14.5" x 6" pneumatic	2.75" x 19"[16] pneumatic
(2) 50Ah (lithium-ion)	(2) 70AH[5]	(2) 55Ah	(2) 70Ah	(2) 100Ah	(2) 70Ah
Off-Board, 8A (lithium-ion)	Off-Board, 8A	Off-Board, 8A	Off-Board, 8A	Off-Board, 8A	Off-Board, 8A
10.8 kg	22 kg each	16.8 kg	23.45 kg	27.9 kg	23.7 kg
Black, Orange	Red, Blue	Candy Apple Red, Mercury Silver	Candy Apple Red, Yellow, Silver	Blue	Black

ncludes standard seat weight **5** Deep cycle (AGM or gel cell type recommended) **6** All shroud panels included **7** Standard 16AH battery does not meet airline requirements To make regulations and airline policy. Please consult your airline prior to your flight to ensure your Jazzy Carbon® Ultra-lite and its lithium-ion battery are permitted. **NOTE:** All specifications user weight, terrain type, battery charge, battery condition and tyre pressure. Due to manufacturing tolerances and continual product improvement, length, width, turning radius and

Jazzy® POWER CHAIRS

Jazzy® ULTRA LIGHT



Experience the ultimate in lightweight performance and strength with the Jazzy® Ultra-Light powerchair. Designed for active lifestyles, it features a durable carbon fibre frame that folds down in a few quick motions and is powered by a reliable lithium-ion battery.

- Range per Charge: **<20 km**
- Weight Capacity: **136 kg**
- Turning Radius: **90 cm**



GO CHAIR®





The Go Chair® NG offers Pride's feather-touch disassembly, and a tight turning radius, the Go Chair® NG is ideal for indoor use and smooth surfaces, allowing you to enjoy greater independence.

Range per Charge: **<14 km**

Weight Capacity: **136 kg**

Turning Radius: **64.5 cm**



Go Chair® NG

Jazzy® EVO 613



The Jazzy® EVO 613 provides the freedom to navigate small spaces and tight corners indoors with a narrow base width of only 56cm. The Jazzy® EVO 613 An optional lithium ion battery that provides longer life and more convenient charging is available.

Range per Charge: **<20 km**

Weight Capacity: **136 kg**

Turning Radius: **56 cm**

Jazzy® SELECT 6



Experience the sporty and sophisticated design of the Jazzy® Select 6 power wheelchair. It provides powerful performance and stability with its superior suspension system. Featuring an adjustable high-back seat with manual recline.

- Range per Charge: **<24 km**
- Weight Capacity: **136 kg**
- Turning Radius: **55.5 cm**

Jazzy® ELITE HD



Experience the ultimate heavy-duty electric wheelchair with the Jazzy® Elite HD. This power wheelchair excels on various terrains, providing superior performance and control with its dual-motor, front-wheel drive technology, that offers a tight turning radius.

- Range per Charge: **<15.7 km**
- Weight Capacity: **204 kg**
- Turning Radius: **61.9 cm**

Jazzy air 2®



Take your life to new heights with the Jazzy Air® 2! With a simple switch, this power wheelchair elevates 30.4 cm in just 11 seconds. Allowing you to safely drive at speeds of up to 6.4 km/h while elevated, enabling face-to-face social interactions.

- Range per Charge: **<27 km**
- Weight Capacity: **136 kg**
- Turning Radius: **61.5 cm**



Jazzy® Air 2

Stealth Products CUSHIONS

GENERAL USE

SKIN PROTECTION

POSITIONING

ADJUSTABLE SKIN PROTECTION

ADJUSTABLE SKIN PROTECTION & POSITIONING

SKIN PROTECTION AND POSITIONING

Stealth Products® Cushions feature patented Coolcore® technology, a chemical free, four-way stretch material that offers moisture wicking, moisture transportation, and moisture evaporation properties. Our cushions also use a colour guide that identifies the suggested function family by a unique patch.

FEATURES

- Chemical free
- Regulates temperature
- Manages and distributes your body heat

CUSHIONS.STEALTHPRODUCTS.COM/

Learn about our Stealth Products range of cushions featuring our exclusive Coolcore® Technology.

Scan here to access the Stealth Cushions Catalogue

POWERED BY coolcore®

CHEMICAL-FREE **COOLING** TECHNOLOGY

30+ UPF | Dry | Chemical Free | Breathable Comfort



END-TO-END | Powerchair Specifications







	JAZZY® ULTRA LIGHT	GO CHAIR® NG	JAZZY® SELECT 6
RANGE PER CHARGE (MAX)[1]	Up to 20 km[10]	Up to 14km	Up to 24.1 km
MAXIMUM WEIGHT CAPACITY	136 kg	136 kg	136 kg
TURNING RADIUS	90 cm	64.5 cm	55.5 cm
MAXIMUM SPEED[1]	Up to 6 km/h	Up to 5.9 km/h	Up to 6.4 km/h
LENGTH & WIDTH[2]	**L:** 95 cm **W:** 62 cm	**L:** 83.8 cm **W:** 57 cm	**L:** 90 cm **W:** 59.6 cm
WEIGHT OF HEAVIEST PIECE	15.3 kg	16.3 kg	44.1 kg
GROUND CLEARANCE	5.5 cm at motor bracket	4.5 cm at frame	4.4 cm at motor mount
SEAT SIZE WIDTH & DEPTH (STANDARD)	**W:** 45 cm (17.7”) **D:** 45 cm (17.7”)	**W:** 45.7 cm x **D:** 43.1 cm (18”x 17”)	**W:** 45.7 cm x **D:** 45.7 cm (18”x 18” - 20”)
STANDARD SEAT WEIGHT	N/A (seat is integrated with the base)	13.6 kg (18”x 17”)	19.9 kg (18”x 18”, comfort, high-back)
HIGH-BACK SEAT-TO-FLOOR RANGE	48 cm fixed	N/A	53.9 cm - 59 cm
SPECIALITY SEATING OPTIONS	N/A	N/A	N/A
STANDARD ELECTRONICS	40A, VR2	40A, PG GC3	40A, PG GC3
SPECIALTY CONTROLS	N/A	N/A	N/A
DRIVE TRAIN	Two-motor, rear-wheel drive	Two-motor, rear-wheel drive	Two-motor, in-line, mid-wheel drive
BRAKING SYSTEM	Electromagnetic	Regenerative & electro-mechanical	Regenerative & electro-mechanical
SUSPENSION TYPE	N/A	Limited	Active-Trac® (ATX)
FRONT WHEELS	8”solid castors	6” solid castors	6” solid castors
DRIVE WHEELS	12” carbon fibre	9” solid	10” solid
REAR WHEELS	N/A	3” solid anti-tips	6” solid castors
BATTERY RREQUIREMENTS	(1) 10Ah, 25.2V (lithium-ion,252Wh)[9, 11]	(2) 18Ah, 12V	(2) 35Ah, 12V
BATTERY CHARGER	Off-board, 3.5A (lithium-ion)	Off-board, 2A	Off-board, 3.5A
BATTERY WEIGHT[7]	2.3 kg[9]	13 kg battery box	10.5 kg each
COLOUR OPTIONS	Carbon	Yellow, Blue, Pink, Black, Orange Ruby Red, Pearl White	Ruby Red

1 Varies with user weight, terrain type, battery amp hour (AH), battery charge, battery condition and tyre condition **2** Width of base (not including seat) **3** Seat weight included, battery weigh
power chair airline compliant **5** Does not account for anti-tip clearance **6** Deep cycle (AGM or gel cell type recommended) **7** Not suitable for air travel **8** Maximum weight capacity is reduced
Standard 10Ah battery range per charge is up to 11.3 km, this figure represents the range per charge with the 20Ah battery upgrade **11** Standard 10.4Ah battery is air travel safe. Transport o
to your flight to ensure your Jazzy Carbon® Ultra-lite and its lithium-ion battery are permitted. **12** An optional 10.4Ah battery can be purchased to make this power chair airline compliant **NO**
publication; we reserve the right to alter specifications without prior notice. Speed and range vary with user weight, terrain type, battery charge, battery condition and tyre pressure. Due to r
can be subject to variance of 3%







JAZZY® EVO 613	JAZZY® AIR 2	JAZZY® ELITE HD
Up to 20 km	Up to 27 km	Up to 15.7 km
136 kg	136 kg	204 kg[6]
56 cm	61.5 cm	61.9 cm
Up to 7.8 km/h	Up to 6.4 km/h	Up to 6.4 km/h
L: 104 cm **W:** 55.8 cm	**L:** 106 cm **W:** 61.5 cm	**L:** 90 cm **W:** 61.5 cm
42.6 kg	91.6 kg[8]	44.9 kg
7.6 cm at motors	3.6 cm at motor mount	7.6 cm at footboard mount 3.8 cm at anti-tip wheel
W: 45.7 cm (18") **D:** 45.7 cm (18" - 20")	**W:** 40.6 cm x **D:** 45.7 cm (16"x 18" - 20") **W:** 45.7 cm x **D:** 45.7 cm (18"x 18" - 20") **W:** 50.8 cm x **D:** 45.7 cm (20"x 18" - 20")	**W:** 45.7 cm x **D:** 45.7 cm (18"x 18" - 20") **W:** 50.8 cm x **D:** 50.8 cm (20"x 20" - 22") **W:** 55.8 cm x **D:** 50.8 cm (22"x 20" - 22")
22.7 kg (18"x 18")	23 kg (18" x 18", high-back)	23.5 kg (18" x 18", high-back)
50.2 cm - 54 cm	53.9 cm - 84 cm	50.8 cm - 55.8 cm
N/A	N/A	N/A
40A, PG GC3	40A, VR2	60A, Dynamic Linx
N/A	N/A	N/A
Two motor, in-line, mid-wheel drive	Two-motor, in-line, mid-wheel drive	Two-motor, front-wheel drive
Regenerative & electro-mechanical	Regenerative & electro-mechanical	Regenerative & electro-mechanical
Active-Trac® (ATX)	Active-Trac® with Mid-Wheel 6 technology	Limited
5" solid	6" solid castors	3" solid anti-tips
13" solid	10" solid	14" solid
5" castors	6" solid castors	6" solid castors
(2) 31Ah, 12V[6]	(2) 40Ah, 12V	(2) 55Ah, 12V
Off-board, 3.5A	Off-board, 5A	Off-board, 5A
8.4 kg	14 kg each	16.8 kg each
Black, Robins Egg Blue, Cardinal Red	Black Oynx, Pearl White, Pink Topaz, Garnet Red, Ruby Red	Jazzy Red, Jazzy Blue

PRIDE® MOBILITY

GOGO® TRAVEL MOBILITY

PRIDE® SCOOTERS

Jazzy® POWER CHAIRS

VivaLIFT!®

t not included **4** Standard 18.2AH battery does not meet airline requirements. Optional 10.4AH battery makes this
d to 181 kg on 18" wide seat configuration **9** Optional battery upgrade: 20Ah, 25.2V (lithium-ion, 504Wh) 3.2 kg **10**
f this item on commercial aircraft is subject to federal regulations and airline policy. Please consult your airline prior
TE: All specifications subject to change without notice. The information contained herein is correct at the time of
manufacturing tolerances and continual product improvement, length, width, turning radius and ground clearance

PRIDE RAMPS

SINGLE FOLD




Single Fold Ramps offer a reliable solution for transitioning curbs, thresholds, and other obstacles. They are 75 cm wide and are available in several different lengths. These high-traction ramps are portable and lightweight, making them ideal for home and travel.

Weight Capacity: **272 kg**

Our range of ramps provide a durable, safe means of navigating uneven household surfaces including small steps, curbs, and doorways.

RUBBER THRESHOLD






Rubber Threshold Ramps provide a safe, durable means of navigiating uneven household surfaces, including small steps and doorways. A hidden dovetail locking system allows for easy installation and incremental ramp height adjustment of up to 10.16cm (4”). A modular design, slip-resistant and maintenance free material makes our Rubber Threshold Ramps a practical and affordable home accessibilty solution.

Weight Capacity: **385 kg**

ACCESSORIES



Sun Canopy & Flag




Rear View Mirror



Rear Pride Scooter Bag



Saddle Pride Bag



Rear Pod



XLR USB Charger






Walking Frame Holder



Oxygen Tank Holder



Mobile Phone Holder




Foldable Cup Holder

ACCESSORIES




Travel bag



Arm Rests



Mesh Cup Holder



Head Rest



Attendant Mount



Arm Rest Padding

Canopy

NEW





EXPLORE OUR



PRIDE®
MOBILITY

RESOURCE HUB

TO GAIN ACCESS PLEASE CONTACT:
MARKETING@PRIDE-MOBILITY.COM.AU

POWERASSIST

POWER ASSIST



The Power Assist attaches directly on to manual wheelchairs easily. It features an easy-to-use squeeze trigger mechanism, along with a speed dial, enabling users to customise speed settings.

- Range per Charge: **10 km**
- Weight Capacity: **120 kg**
- Maximum Speed: **5 km/h**

Give your manual wheelchair an electric boost!

POWER ASSIST HD



Give your manual wheelchair a heavy-duty boost with the Pride Mobility Power Assist HD. It comes with an easy-to-use controller with speed dial, battery indicator and hand-controlled lever. Compatible with manual wheelchairs with widths of 40.6 cm - 61 cm and travels up to 16 km between charges.

- Range per Charge: **16 km**
- Weight Capacity: **182 kg**
- Maximum Speed: **6.4 km/h**

PRIDE®
MOBILITY

Tel: 0800 828 033

Visit pridemobility.co.nz for further details

Certified System
Quality
ISO 9001
SAI GLOBAL

NZ Distibution Centre: 391 Neilson St. Penrose, Auckland NZ 1061

NOTE: All specifications subject to change without notice.
The information contained herein is correct at the time of publication; we reserve the right to alter specifications without prior notice.

NZCAT 26_03_26