




CABLE TRAY, TRUNKING & ACCESSORIES

Designed & manufactured
by **Metpro**

Discover more inside...

Power Trunking	1-5

IP4X Trunking Components	6

Lighting Trunking	7-8

Cable Tray	9-13
Light Duty Cable Tray	10
Medium Duty Cable Tray	11
Heavy Duty Cable Tray	12
Cable Tray Safe Working Loads Data	13


Tray & Trunking Support Products	14-15
Trunklip & Trayclip	14
Tray & Trunking Hangers	14
Stand-Off Brackets	15
Top Hat Brackets	15

Rollatray	16

Further Information	17

Our premises:
113,000 sq/ft *designed to hold over £5m of stock*
In-house QC *designed to ensure only the best products*
Central location *designed to offer seamless deliveries*






Key features & benefits

Compliant to BSEN50085-1:2005+A1:2013 <i>Requirements & tests for cable trunking systems (CTS) and cable ducting systems (CDS)</i>	All accessories manufactured with integral connectors <i>No need to fix couplers to accessories before joining to the system, simply offer accessory to the next part of the installation</i>
All accessories are supplied & complete with fixings <i>No onsite assembly for contractors, simply “plug & play”</i>	Full system features corners with a smooth & safe radius finish <i>No sharp 90 degree corners to cause harm to users/ installers</i>
Complete system features a turnbuckle arrangement lid fixing <i>Ensures speedy & efficient fitting of lids to accessories once cabling is complete</i>	Turnbuckles have tooth designed into the fixing <i>As part of its application, this design feature creates earth continuity throughout the system</i>
All coupling points fitted with M6 bush for fixings <i>Ensures an easy fix when connecting parts together & guarantees no exposed screw threads inside the system</i>	All parts supplied with product labels in line with the latest British Standards <i>Full traceability available for the lifetime of all products & easy identification within a system</i>
Manufactured from pre-galvanised sheet steel <i>In line with the latest British Standards and ideally suited to internal applications</i>	Extended 5 year warranty available <i>When used as a complete system - terms apply. Please contact us for more information</i>


Product Images: Power Trunking



Trunking Body, Lid, Coupler & Conn. Fixings




Trunking 90° Bend Top Cover




Trunking 90° Bend Internal Cover




Trunking 90° Bend External Cover



Trunking Tee Top Cover



45° Bend Top Cover




Trunking 45° Bend Internal Cover




Trunking 45° Bend External Cover



Trunking Four Way




Trunking End Stop




Trunking Flange Outlet



Trunking Hanger



Trunking Cable Reatiner



Trunking Coupler



Trunking Lid & Turnbuckles

SKUs & Descriptions: Power Trunking

Trunking Body, Lid, Coupler
& Connector Fixings - 3mtr

Size	SKU Code
Single Compartment	
50x50mm	TK223
75x50mm	TK323
75x75mm	TK333
100x50mm	TK423
100x75mm	TK433
100x100mm	TK443
150x50mm	TK623
150x75mm	TK633
150x100mm	TK643
150x150mm	TK663
2-Compartment	
75x50mm	TK323/2
100x50mm	TK423/2
150x50mm	TK623/2
150x75mm	TK633/2
150x100mm	TK643/2
3-Compartment	
150x50mm	TK623/3

Trunking 90° Bend
Top Cover

Size	SKU Code
Single Compartment	
50x50mm	TK2290T
75x50mm	TK3290T
75x75mm	TK3390T
100x50mm	TK4290T
100x75mm	TK4390T
100x100mm	TK4490T
150x50mm	TK6290T
150x75mm	TK6390T
150x100mm	TK6490T
150x150mm	TK6690T
2-Compartment	
75x50mm	TK3290T/2
100x50mm	TK4290T/2
150x50mm	TK6290T/2
150x75mm	TK6390T/2
150x100mm	TK6490T/2
3-Compartment	
150x50mm	TK6290T/3

Trunking 90° Bend
Internal Top Cover

Size	SKU Code
Single Compartment	
50x50mm	TK2290I
75x50mm	TK3290I
75x75mm	TK3390I
100x50mm	TK4290I
100x75mm	TK4390I
100x100mm	TK4490I
150x50mm	TK6290I
150x75mm	TK6390I
150x100mm	TK6490I
150x150mm	TK6690I
2-Compartment	
75x50mm	TK3290I/2
100x50mm	TK4290I/2
150x50mm	TK6290I/2
150x75mm	TK6390I/2
150x100mm	TK6490I/2
3-Compartment	
150x50mm	TK6290I/3

Trunking 90° Bend
External Cover

Size	SKU Code
Single Compartment	
50x50mm	TK2290E
75x50mm	TK3290E
75x75mm	TK3390E
100x50mm	TK4290E
100x75mm	TK4390E
100x100mm	TK4490E
150x50mm	TK6290E
150x75mm	TK6390E
150x100mm	TK6490E
150x150mm	TK6690E
2-Compartment	
75x50mm	TK3290E/2
100x50mm	TK4290E/2
150x50mm	TK6290E/2
150x75mm	TK6390E/2
150x100mm	TK6490E/2
3-Compartment	
150x50mm	TK6290E/3

Trunking 45° Bend
Top Cover

Size	SKU Code
Single Compartment	
50x50mm	TK2245T
75x50mm	TK3245T
75x75mm	TK3345T
100x50mm	TK4245T
100x75mm	TK4345T
100x100mm	TK4445T
150x50mm	TK6245T
150x75mm	TK6345T
150x100mm	TK6445T
150x150mm	TK6645T
2-Compartment	
75x50mm	TK3245T/2
100x50mm	TK4245T/2
150x50mm	TK6245T/2
150x75mm	TK6345T/2
150x100mm	TK6445T/2
3-Compartment	
150x50mm	TK6245T/3

Trunking 45° Bend
Internal Cover

Size	SKU Code
Single Compartment	
50x50mm	TK2245I
75x50mm	TK3245I
75x75mm	TK3345I
100x50mm	TK4245I
100x75mm	TK4345I
100x100mm	TK4445I
150x50mm	TK6245I
150x75mm	TK6345I
150x100mm	TK6445I
150x150mm	TK6645I
2-Compartment	
75x50mm	TK3245I/2
100x50mm	TK4245I/2
150x50mm	TK6245I/2
150x75mm	TK6345I/2
150x100mm	TK6445I/2
3-Compartment	
150x50mm	TK6245I/3

Trunking 45° Bend
External Cover

Size	SKU Code
Single Compartment	
50x50mm	TK2245E
75x50mm	TK3245E
75x75mm	TK3345E
100x50mm	TK4245E
100x75mm	TK4345E
100x100mm	TK4445E
150x50mm	TK6245E
150x75mm	TK6345E
150x100mm	TK6445E
150x150mm	TK6645E
2-Compartment	
75x50mm	TK3245E/2
100x50mm	TK4245E/2
150x50mm	TK6245E/2
150x75mm	TK6345E/2
150x100mm	TK6445E/2
3-Compartment	
150x50mm	TK6245E/3

Trunking Tee
Top Cover

Size	SKU Code
Single Compartment	
50x50mm	TK22FT
75x50mm	TK32FT
75x75mm	TK33FT
100x50mm	TK42FT
100x75mm	TK43FT
100x100mm	TK44FT
150x50mm	TK62FT
150x75mm	TK63FT
150x100mm	TK64FT
150x150mm	TK66FT
2-Compartment	
75x50mm	TK32FT/2
100x50mm	TK42FT/2
150x50mm	TK62FT/2
150x75mm	TK63FT/2
150x100mm	TK64FT/2
3-Compartment	
150x50mm	TK62FT/3

SKUs & Descriptions: Power Trunking

Trunking Four Way

Size	SKU Code
Single Compartment	
50x50mm	TK22FW
75x50mm	TK32FW
75x75mm	TK33FW
100x50mm	TK42W
100x75mm	TK43FW
100x100mm	TK44FW
150x50mm	TK62FW
150x75mm	TK63FW
150x100mm	TK64FW
150x150mm	TK66FW
2-Compartment	
75x50mm	TK32FW/2
100x50mm	TK42FW/2
150x50mm	TK62FW/2
150x75mm	TK63FW/2
150x100mm	TK64FW/2
3-Compartment	
150x50mm	TK62FW/3

Trunking End Stop

Size	SKU Code
Single Compartment	
50x50mm	TK22ES
75x50mm	TK32ES
75x75mm	TK33ES
100x50mm	TK42ES
100x75mm	TK43ES
100x100mm	TK44ES
150x50mm	TK62ES
150x75mm	TK63ES
150x100mm	TK64ES
150x150mm	TK66ES

Trunking Flange Outlet

Size	SKU Code
Single Compartment	
50x50mm	TK22FO
75x50mm	TK32FO
75x75mm	TK33FO
100x50mm	TK42FO
100x75mm	TK43FO
100x100mm	TK44FO
150x50mm	TK62FO
150x75mm	TK63FO
150x100mm	TK64FO
150x150mm	TK66FO

Width Trunking Hanger

Size	SKU Code
50mm	TK2HA
75mm	TK3HA
100mm	TK4HA
150mm	TK6HA

Width Trunking Cable Retainer

Size	SKU Code
50mm	TK2CR
75mm	TK3CR
100mm	TK4CR
150mm	TK6CR

Trunking Coupler

Size	SKU Code
Single Compartment	
50x50mm	TK22CO
75x50mm	TK32CO
75x75mm	TK33CO
100x50mm	TK42CO
100x75mm	TK43CO
100x100mm	TK44CO
150x50mm	TK62CO
150x75mm	TK63CO
150x100mm	TK64CO
150x150mm	TK66CO


Trunking Lid & Turnbuckles - 3mtr

Size	SKU Code
50mm	TK2L3
75mm	TK3L3
100mm	TK4L3
150mm	TK6L3


SKUs & Descriptions: Power Trunking

Trunking Reducers

Size	SKU Code	Size	SKU Code
75x50-50x50mm	TK3222R	150x75-100x50mm	TK6342R
75x75-50x50mm	TK3322R	150x100-50x50mm	TK6422R
75x75-75x50mm	TK3332R	150x100-75x75mm	TK6433R
100x50-50x50mm	TK4222R	150x100-100x50mm	TK6442R
100x50-75x50mm	TK4232R	150x100-100x100mm	TK6444R
100x100-50x50mm	TK4422R	150x150-50x50mm	TK6622R
100x100-75x50mm	TK4432R	150x150-75x50mm	TK6632R
100x100-75x75mm	TK4433R	150x150-75x75mm	TK6633R
100x100-100x50mm	TK4442R	150x150-100x50mm	TK6642R
150x50-50x50mm	TK6222R	150x150-100x75mm	TK6643R
150x50-75x50mm	TK6232R	150x150-100x100mm	TK6644R
150x50-100x50mm	TK6242R	150x150-150x50mm	TK6662R
150x75-50x50mm	TK6322R	150x150-150x75mm	TK6663R
150x75-75x75mm	TK6333R	150x150-150x100mm	TK6664R



TK4422R



TK6644R

Multi-Compartment
Trunking Reducer


Size	SKU Code
2-Compartment	
150x50-100x50mm	TK6242R/2

Additional Accessories

Description	SKU Code
Cable Trunking Spare Turnbuckles	TKTB/10
Cable Trunking Earth Links	TKEL
M6x10mm Power Trunking Spare Screws (Bag of 4)	TKCS



Cable Trunking Spare
Turnbuckles




Cable Trunking
Earth Links

IP4X Trunking Components

SKUs & Descriptions


Lid Protection / Cable Retainer

Trunking Size	SKU Code
2"	TK2CR
3"	TK3CR
4"	TK4CR
6"	TK6CR




Base Protection - Universal (Except External Bends)

Size	SKU Code	Size	SKU Code
2x2"	TK22IP4XU	4x3"	TK43IP4XU
3x2"	TK32IP4XU	6x2"	TK62IP4XU
3x3"	TK33IP4XU	6x3"	TK63IP4XU
4x2"	TK42IP4XU		




Base Protection - For 90° External Bend Only

Size	SKU Code	Size	SKU Code
2x2"	TK22IP4X90E	4x3"	TK43IP4X90E
3x2"	TK32IP4X90E	6x2"	TK62IP4X90E
3x3"	TK33IP4X90E	6x3"	TK63IP4X90E
4x2"	TK42IP4X90E		



Base Protection - For 45° External Bend Only

Size	SKU Code	Size	SKU Code
2x2"	TK22IP4X45E	4x3"	TK43IP4X45E
3x2"	TK32IP4X45E	6x2"	TK62IP4X45E
3x3"	TK33IP4X45E	6x3"	TK63IP4X45E
4x2"	TK42IP4X45E		




Please note:
All 4x2" products can be used with 4x4" trunking.
All 6x2" products can be used with 6x4" and 6x6" trunking.


Assembly Detail

Dedicated accessories to ensure an IP4X joint can be assured throughout an installation as shown below.

A wrap around sleeve can be added to the rear of the trunking joint by locating onto the trunking coupler screws, providing ingress protection to the rear of the joint.

Our IP4X lid protector offers dual-purpose use, doubling as a cable retainer in addition to its primary function. Fixed onto the underside of the lid, this accessory provides protection to the trunking face.





Key features & benefits

Compliant to BSEN50085-1:2005+A1:2013
Requirements & tests for cable trunking systems (CTS) and cable ducting systems (CDS)

All accessories manufactured with integral connectors
No need to fix couplers to accessories before joining to the system, simply offer accessory to the next part of the installation

All accessories are supplied & complete with fixings
No onsite assembly for contractors, simply "plug & play"

Full system features corners with a smooth & safe radius finish
No sharp 90 degree corners to cause harm to users/ installers

All coupling points fitted with M5 bush for fixings
Ensures an easy fix when connecting parts together & guarantees no exposed screw threads inside the system


All parts supplied with product labels in line with the latest British Standards
Full traceability available for the lifetime of all products & easy identification within a system

Manufactured from pre-galvanised sheet steel
In line with the latest British Standards and ideally suited to internal applications

Extended 5 year warranty available
When used as a complete system - terms apply. Please contact us for more information

SKUs & Descriptions: Lighting Trunking


Description	SKU Code <i>(by size)</i>
50 x 50mm Lighting Trunking Body - 3mtr	TL223
50 x 50mm Lighting Trunking Clip In Lid - PVC / 3mtr	TLPL3
50 x 50mm Lighting Trunking Clip In Lid - Steel / 3mtr	TLGL3
50 x 50mm Lighting 90° Bend - Top	TL2290T
50 x 50mm Lighting 90° Bend - Internal	TL2290I
50 x 50mm Lighting 90° Bend - External	TL2290E
50 x 50mm Lighting Trunking Tee - Top	TL22FT
50 x 50mm Lighting Trunking Four Way	TL22FW
50 x 50mm Lighting Trunking Stop End	TL22ES
50 x 50mm Lighting Trunking Flange Outlet	TL22FO
50 x 50mm Lighting Trunking Long Coupler	TL22LC
50 x 50mm Lighting Trunking Hanger - 10mm	TL22H/10
50 x 50mm Lighting Trunking Hanger - 20mm	TL22H/20
50 x 50mm Lighting Trunking Suspension Unit	TL22SU
M5 x 18mm Lighting Trunking Accessory Screws (Bag of 4)	TLAS



50 x 50mm Lighting Trunking Body - 3mtr



50 x 50mm Lighting Trunking Clip In Lid - PVC / 3mtr



50 x 50mm Lighting Trunking Clip In Lid - Steel / 3mtr



50 x 50mm Lighting Trunking 90° Bend - Top



50 x 50mm Lighting Trunking 90° Bend - Internal



50 x 50mm Lighting Trunking 90° Bend - External



50 x 50mm Lighting Trunking Tee - Top



50 x 50mm Lighting Trunking Four Way



50 x 50mm Lighting Trunking Stop End



50 x 50mm Lighting Trunking Flange Outlet




50 x 50mm Lighting Trunking Long Coupler



50 x 50mm Lighting Trunking Hanger - 10mm




50 x 50mm Lighting Trunking Hanger - 10mm or 20mm



50 x 50mm Lighting Trunking Suspension Unit

Cable Tray



Key features & benefits

Compliant to BSEN61537:2007

Cable tray systems & cable ladder systems for cable management

All lengths supplied with integral jointing “tongue”

Removing the need for couplers and offering faster installations (light duty tray range only)

Internal/external risers are one fitting

Allowing for SKU consolidation for stockists & offering full flexibility to installers on site

All parts supplied with product labels in line with the latest British Standards

Full traceability available for the lifetime of all products & easy identification within a system

Extended 5 year warranty available

*When used as a complete system - terms apply.
Please contact us for more information*

Versatile pattern designed for the contractor

Offering maximum jointing points for a strong & secure system, with Metpro pattern design allowing for easy hanging/supporting of fixing points

All accessories supplied with integral couplers with flexibility to alter joint angles

All medium duty accessories are designed with an integral coupling piece, increasing jointing strength & offering easier assembly when used with standard straight couplers

Internal/external riser design

Allows installers to manipulate the riser on site to contract or expand to fit the reasonable space available, & also manipulate the angle of degree and radius of any bends required

Manufactured from pre-galvanised Z275 sheet steel

In line with the latest British Standards and ideally suited to internal applications

SKUs & Descriptions: Light Duty Cable Tray

Light Duty Cable Tray - 3mtr

Size	SKU Code
50mm	CTL50
75mm	CTL75
100mm	CTL100
150mm	CTL150
225mm	CTL225
300mm	CTL300
450mm	CTL450
600mm	CTL600

Light Duty Equal Tee

Size	SKU Code
50mm	CTL50ET
75mm	CTL75ET
100mm	CTL100ET
150mm	CTL150ET
225mm	CTL225ET
300mm	CTL300ET

Light Duty 90 Degree Flat Bend


Size	SKU Code
50mm	CTL50FB
75mm	CTL75FB
100mm	CTL100FB
150mm	CTL150FB
225mm	CTL225FB
300mm	CTL300FB

Light Duty Flexible Riser


Size	SKU Code
50mm	CTL50FR
75mm	CTL75FR
100mm	CTL100FR
150mm	CTL150FR
225mm	CTL225FR
300mm	CTL300FR

Fish Plates


Size	SKU Code
150mm	CT150FP
225mm	CT225FP
300mm	CT300FP
450mm	CT1450FP
600mm	CT1600FP



Light Duty Cable Tray - 3mtr



Light Duty 90 Degree Flat Bend



Light Duty Equal Tee



Light Duty Flexible Riser

SKUs & Descriptions: Medium Return Cable Tray

Medium Return Flange Cable Tray - 3mtr*

Size	SKU Code
50mm	CTM50
75mm	CTM75
100mm	CTM100
150mm	CTM150
225mm	CTM225
300mm	CTM300
450mm	CTM450
600mm	CTM600

*750mm and 900mm tray lengths available on request.

Medium Return Flange 90 Degree Flat Bend

Size	SKU Code
50mm	CTM50FB
75mm	CTM75FB
100mm	CTM100FB
150mm	CTM150FB
225mm	CTM225FB
300mm	CTM300FB
450mm	CTM450FB
600mm	CTM600FB

Medium Return Flange Equal Tee

Size	SKU Code
50mm	CTM50ET
75mm	CTM75ET
100mm	CTM100ET
150mm	CTM150ET
225mm	CTM225ET
300mm	CTM300ET
450mm	CTM450ET
600mm	CTM600ET

Medium Return Flange Flexible Riser

Size	SKU Code
50mm	CTM50FR
75mm	CTM75FR
100mm	CTM100FR
150mm	CTM150FR
225mm	CTM225FR
300mm	CTM300FR
450mm	CTM450FR
600mm	CTM600FR

Medium Return Flange Reducer

Size	SKU Code
75-50mm	CTM7550R
100-50mm	CTM10050R
150-100mm	CTM150100R
225-150mm	CTM225150R
300-225mm	CTM300225R
450-300mm	CTM450300R
600-450mm	CTM600450R

Medium Return Straight Couplers

Size	SKU Code
-	CTMC

*Supplied in pairs.

Fish Plates


Size	SKU Code
150mm	CT150FP
225mm	CT225FP
300mm	CT300FP
450mm	CT1450FP
600mm	CT1600FP

Medium Return Four Way

Size	SKU Code
50mm	CTM50FW
75mm	CTM75FW
100mm	CTM100FW
150mm	CTM150FW
225mm	CTM225FW
300mm	CTM300FW
450mm	CTM450FW
600mm	CTM600FW

Medium Return Tray Divider Strip - 3mtr


Size	SKU Code
-	CTMDV



Medium Return Flange Cable Tray - 3mtr



Medium Return Flange 90 Degree Flat Bend



Medium Return Flange Equal Tee



Medium Return Flexible Riser



Medium Return Straight Couplers



Medium Return Four Way



Medium Return Tray Divider Strip - 3mtr

SKUs & Descriptions: Heavy Duty Return Cable Tray

Heavy Duty Return Flange Cable Tray - 3mtr*

Size	SKU Code
50mm	CTH50
75mm	CTH75
100mm	CTH100
150mm	CTH150
225mm	CTH225
300mm	CTH300
450mm	CTH450
600mm	CTH600

*750mm and 900mm tray lengths available on request.

Heavy Duty Return Flange 90 Degree Flat Bend

Size	SKU Code
50mm	CTH50FB
75mm	CTH75FB
100mm	CTH100FB
150mm	CTH150FB
225mm	CTH225FB
300mm	CTH300FB
450mm	CTH450FB
600mm	CTH600FB

Heavy Duty Flange Equal Tee

Size	SKU Code
50mm	CTH50ET
75mm	CTH75ET
100mm	CTH100ET
150mm	CTH150ET
225mm	CTH225ET
300mm	CTH300ET
450mm	CTH450ET
600mm	CTH600ET

Heavy Duty Flange Reducer

Size	SKU Code
75-50mm	CTH7550R
100-50mm	CTH10050R
150-100mm	CTH150100R
225-150mm	CTH225150R
300-225mm	CTH300225R
450-300mm	CTH450300R
600-450mm	CTH600450R

Heavy Return Four Way

Size	SKU Code
50mm	CTH50FW
75mm	CTH75FW
100mm	CTH100FW
150mm	CTH150FW
225mm	CTH225FW
300mm	CTH300FW
450mm	CTH450FW
600mm	CTH600FW

Heavy Duty Return Straight Couplers

Size	SKU Code
-	CTHC


*Supplied in pairs.

Fish Plates

Size	SKU Code
150mm	CT150FP
225mm	CT225FP
300mm	CT300FP
450mm	CT1450FP
600mm	CT1600FP

Heavy Return Tray Divider Strip - 3mtr


Size	SKU Code
-	CTHDV



Heavy Duty Return Flange Cable Tray - 3mtr



Heavy Duty Return Flange 90 Degree Flat Bend



Heavy Duty Return Flange Equal Tee



Heavy Duty Return Flexible Riser



Heavy Duty Return Straight Couplers




Heavy Return Four Way



Heavy Return Tray Divider Strip - 3mtr


Safe Working Loads Data

Light Duty Cable Tray



Heavy Duty Tray published data coming soon. Full detail available on request.

Medium Return Cable Tray



Additional information for both Light Duty and Medium Duty Cable Tray load testing information:

- All products tested to Type II Load Test in line with BSEN61537:2007
- A safety factor of 1.7 has been applied against all results
- A fish plate has been used against results marked with an *
- Loadings provided are max. SWLs and do not account for additional loads or forces such as weather effects
- Loadings provided in good faith and therefore subject to the correct installation of a cable tray system
- Metpro Cable Tray Systems should not be used as a walkway or as a support feature in any circumstance

Cable Tray & Trunking Supporting Products

TRUN(KLIP) & TRAY(KLIP)

Size	Description	SKU Code
2"	2" Trunklip	TK2K
3"	3" Trunklip	TK3K
4"	4" Trunklip	TK4K
-	Medium Return Trayclip	MCTMK
-	Heavy Return Trayclip	MCTHK



2" Trunklip



3" Trunklip



4" Trunklip



Medium Return Trayclip




Heavy Return Trayclip

Over 70% labour savings



Secures tray & trunking
Quickly & efficiently, every time



Greater on-site safety
Especially when working at height



H-frame design
Klips sit in channel for easy positioning



Clean & tidy finish
Trunklip allows for trunking lids to be fitted securely

How they work



Locate.



Klip.



Done.

Tray & Trunking Hangers

Size	SKU Code
100mm	TTH100
150mm	TTH150
225mm	TTH225
300mm	TTH300

One hanger does it all

Accepts both tray & trunking on the same hanger - multiple or single fixing points on all sizes



100mm Trunking Hanger



150mm Trunking Hanger



225mm Trunking Hanger



300mm Trunking Hanger

Cable Tray & Trunking Supporting Products

Stand Off Brackets

Size	SKU Code
50mm	SOB50
75mm	SOB75
100mm	SOB100
150mm	SOB150
225mm	SOB225
300mm	SOB300

**Compliant to
BSEN61537:2007**
*Cable tray systems &
cable ladder systems
for cable management*

A perfect match
*Designed for Metpro
Tray & Trunking
products for the most
secure installations*



50mm Stand Off Bracket




75mm Stand Off Bracket




100mm Stand Off Bracket



150mm Stand Off Bracket



225mm Stand Off Bracket



225mm Stand Off Bracket

Top-Hat Brackets

Size	SKU Code	No. Slots	No. Nuts Per Slot
50mm	THB50	1	1
75mm	THB75	1	1
100mm	THB100	1	2
150mm	THB150	1	2
225mm	THB225	2	2
300mm	THB300	2	2
-	THB/M6	Spare Captive Nut	

M6 captive nut
*Dramatically reduces
installation time &
slides along bracket
length for easy fixing
point alignment*

**Ready for
everything**
*Suitable for the
installation of
tray/trunking &
basket*



50mm Top-Hat Bracket



75mm Top-Hat Bracket



100mm Top-Hat Bracket



150mm Top-Hat Bracket



225mm Top-Hat Bracket



300mm Top-Hat Bracket




Size (w)	Description	SKU Code
150mm	150mm x 15mtr Rollatray	RT150
300mm	300mm x 15mtr Rollatray	RT300
450mm	450mm x 15mtr Rollatray	RT450
-	Rollatray Cutter	RTCUTTER



150mm x 15mtr Rollatray




300mm x 15mtr Rollatray



450mm x 15mtr Rollatray

Up to 90% labour savings




No couplers or brackets

Easily installed anywhere with a solid surface



Ready in 15 seconds

With roll-out flat memory, ready for installation



Flexible fixing

With innovative raised nipples & snail-form M6 thread



Easy bends, tees & 4-ways

Simply cross over units & secure with an M6 screw

How they work



Roll.




Secure.



Done.

Discover our full innovations range.

Scan the QR code below to find out more.



Olympic Park Redevelopment

Rollatray was used in this major project following the close of the London Olympic Games, and selected for its superior installation speed over more traditional counterparts.

Further Information

We hope that the information provided within these slides is helpful and informative.

However, should you have any queries regarding these ranges at any time, please do not hesitate to contact a member of your Metpro Group key contacts shown below, or get in touch with our offices on **0121 552 2100**, or via email at **sales@metpro.co.uk**.

Your Metpro Group Key Contacts



Tom Johnson,
National Account Director
07984 194062
tom.johnson@metpro.co.uk



Paul Hopps,
Specification Sales Director
07825 618560
paul.hopps@metpro.co.uk



Mike Holmes,
Product & Vendor Development Manager
07792 105809
mike.holmes@metpro.co.uk

Follow us on social media
to be kept up-to-date with the latest product news & industry insights.

Search: **metproltd**

