


TRADE TOOLS

RIGHT TOOLS • RIGHT ADVICE • RIGHT NOW



ISSUE 32
November-December 2025

HIGH PERFORMANCE SOLUTIONS





DIGITAL CALIPERS

- The ZERO/ABS button allows the display to be Zero-Set at any slider position along the scale for comparison measurements.
- Large and clear LCD readout.
- Smooth slider movement makes for comfortable operation.
- 20,000 hours battery life expectation.
- Can measure outside and inside dimensions, depth and steps.
- Use SR44 battery only
- 0.01mm resolution
- Metric and Imperial display



**MITUTOYO DIGITAL CALIPERS
NON-COOLANT PROOF**



**MITUTOYO DIGITAL CALIPERS
IP67 COOLANT PROOF**

Code	Measurement Range	Promo Price
500-196-30	6"/150mm x .0005"	\$265.00
500-197-30	8"/200mm x .0005"	\$295.00
500-193-30	12"/300mm x .0005"	\$545.00

Code	Measurement Range	Promo Price
500-752-20	6"/150mm x .0005"	\$295.00
500-753-20	8"/200mm x .0005"	\$395.00
500-754-20	12"/300mm x .0005"	\$595.00



QuantuMike

High-speed & High-accuracy Digimatic Micrometer

A rapid action, waterproof Mitutoyo digital micrometer that enables measurements to be made several times faster than a standard micrometer. The highly stable frame incorporates a heat shield to preserve accuracy over extended measuring sessions. A ratchet thimble guarantees repeatable measurement.

Technical Data

Dust/Water protection level: IP65

Accuracy: Refer to the list of specifications

Resolution: 0.001mm or .00005"

Flatness: 0.3µm/.000012"

Parallelism: 1µm/.00004" for models up to 50mm/2",
2µm/.00008" for models up to 100mm/4"



Code	Measurement Range	Promo Price
293-180-40	0-25mm	\$537.55
293-181-40	25-50mm	\$587.22
293-182-40	50-75mm	\$656.25
293-183-40	75-100mm	\$695.27

OUTSIDE MICROMETERS

Features:

- Ratchet Stop
- Friction thimble for exact repetitive readings
- Hammertone-green, baked-enamel-finished frame
- With a standard, except for 25mm model



Measurement Range	Promo Price
0-25mm	\$75.31
25-50mm	\$95.50
50-75mm	\$117.61
75-100mm	\$133.43
100-125mm	\$173.54
125-150mm	\$195.38



6-piece Set
0-150mm

\$975.00

103-913-50



TELESCOPIC GAUGE SET

Range: 8-150mm
Set Configuration: 6 pcs

\$262.50
155-905



DEPTH MICROMETER SET


A Mitutoyo non-digital depth micrometer using interchangeable measuring rods to cover a wide measuring range. The 100mm base is made from tool steel, hardened and ground with a micro-lapped reference surface.

Range : 0-150mm
No of Rods : 6

\$313.26
129-116

Range: 50-500mm
No. of Rods: 6 pcs

\$519.00
129-153



DIAL INDICATORS (PLUNGE CLOCK)

- Bezel clamp and lifting lever (optional) can be attached to either right or left side. They can be easily installed and removed without tools.
- No through screw holes on the frame as well as the use of an O-ring prevents water or oil penetration.

10mm x 0.01mm
\$66.06
2046A

20mm x 0.01mm
\$129.62
2050A

30mm x 0.01mm
\$175.46
2052A



INSIDE TUBULAR MICROMETER SET



- Tubular micrometer measures the inside dimensions of cylinders, rings, and parallel surfaces.
- Vernier scale in metric units for taking precise inside dimension (ID) measurements.
- Includes interchangeable extension rods for a diversified range of measurement.

Code	Range	Promo Price
137-202	50-300mm	\$312.98
137-203	50-500mm	\$371.10

DIAL TEST INDICATORS (FINGER CLOCK)

- Enhanced durability, sensitivity & visibility.
- Glare-free flat crystal face.
- O-ring seal on the bezel has the effect of providing smooth rotation and prevents dust and oil from penetrating through to the dial face.
- Multi-layer coatings on the crystal.

0-0.8mm x 0.01mm,
40mm dial, Basic Set
\$148.44
513-404-10E

0-0.8mm x 0.01mm,
40mm dial, Full Set
\$187.74
513-404-10T



MAGNETIC BASE

MITUTOYO MAGNETIC STAND WITH FINE ADJUSTMENT

Mitutoyo's Magnetic Stands accept all dial indicators and dial test indicators (with stem 6 and 8mm dia) and clamp to iron or steel surfaces with a strong magnetic force

WAS \$192.71
NOW \$120

7011S-10



GARANT MAGNET MEASURING STAND

- Jointed arms on the dial indicator mounting rotates 360°, can be twisted 180°
- Suitable for dial indicators with shank dia 6 and 8 mm or dovetail.

SKU	Type	Size	Price
HF441600290	Mechanical	290mm Joint (Complete Set)	\$285.00
HF440610300	Hydraulic	300mm Joint (1pc)	\$355.00
HF440610400	Hydraulic	400mm Joint (1pc)	\$420.00
HF4406201	Magnetic Base	-	\$75.00



ABSOLUTE DIGIMATIC HEIGHT GAUGES

- Its built-in ABSOLUTE linear encoder means you don't have to set the reference point at every power-on, improving reliability as over-speed errors cannot occur.
- It comes with large and smooth-acting slider hand wheel
- A carbide-tipped scriber is provided

0-300mm
\$1 519.06
570-412

0-450mm
\$1 944.47
570-413

0-600mm
\$2 068.06
570-414





sutton®

NH+ TAP SERIES



Introducing the NH+ Tap Series: The Next Step in Machining Excellence

NH+ represents a leap forward in material performance, geometry, and coating technology. After 18 months of focused development and investment across our facilities, we're proud to deliver a range that offers superior tool life, improved chip control, and greater versatility.

At the heart of NH+ is **HSSE-PM**, a premium powder metallurgy substrate known for its hardness, toughness, and thermal resistance. This ensures each tap performs reliably, even in demanding applications and tougher materials.

Advanced **proprietary coatings** reduce friction, enhance wear resistance, and support excellent chip evacuation—contributing to cleaner threads and extended tool life. Our **refined universal geometry** means NH+ taps deliver consistent results across a wide range of materials from general steels to harder steels upto 42HRC, but also stainless steels, cast irons & even aluminiums.


Behind the scenes, every NH+ tap has undergone rigorous in-house testing, from material analysis to geometry optimization, ensuring uncompromising quality and consistency.

Whether you're chasing higher productivity or looking for a tool that won't let you down, the NH+ Tap Series is designed to help you push the limits of performance.

**Experience the difference
with NH+, where innovation
meets precision.**


*Originally developed for
Normal to Hard materials,
the NH tap series has now
evolved.*

*— thanks to our ongoing
product improvement
program; into the
all-new NH+*



T840 • SPIRAL POINT (GUN)

- Suitable for harder materials up to 42 HRC
- Through holes
- Depths up to 3 x d₁



TiCN coating for high wear resistance

Enhanced Spiral Point geometry

Post-grinding treatment for improved chip flow




Cobalt based PM HSS grade for high wear resistance

SKU	SIZE	L1	L2	L3	D2	SQ	L4	Z	DRILL(DIA)	LIST	PROMO
T8400300	M3x0.5	56	11	18	3.5	2.7	6	3	2.5	\$57.43	\$31.59
T8400400	M4x0.7	63	13	21	4.5	3.4	6	3	3.3	\$60.47	\$33.26
T8400500	M5x0.8	70	16	25	6	4.9	8	3	4.2	\$56.19	\$30.90
T8400600	M6x1	80	19	30	6	4.9	8	3	5.0	\$56.72	\$31.20
T8400800	M8x1.25	90	22	35	8	6.2	9	3	6.8	\$84.73	\$46.60
T8401000	M10x1.5	100	24	39	10	8.0	11	3	8.5	\$94.81	\$52.15
T8411200	M12x1.75	110	17.5	-	9	7.0	10	3	10.2	\$123.83	\$68.11
T8411400	M14x2	110	20	-	11	9.0	12	3	12.0	\$132.46	\$72.85
T8411600	M16x2	110	20	-	12	9.0	12	4	14.0	\$139.33	\$76.63
T8412000	M20x2.5	140	25	-	16	12.0	15	4	17.5	\$192.76	\$106.02
T8412400	M24x3	160	38	-	18	14.5	17	4	21.5	\$263.88	\$145.13

PURCHASE ANY 5OFF NH+ TAPS & RECEIVE A 250ML BOTTLE OF VENOM CUTTING FLUID FREE OF CHARGE.

T842 • SPIRAL FLUTE

- Suitable for harder materials up to 42 HRC
- For Blind holes
- Depths up to 3 x d₁



TiCN coating for high wear resistance

45° Helix angle with optimised geometry for harder steels

Micro geometry for improved process reliability

Post-grinding treatment for improved chip flow



Cobalt based PM HSS grade for high wear resistance

SKU	SIZE	L1	L2	L3	D2	SQ	L4	Z	DRILL(DIA)	LIST	PROMO
T8420300	M3x0.5	56	5	18	3.5	2.7	6	3	2.5	\$71.90	\$39.55
T8420400	M4x0.7	63	7	21	4.5	3.4	6	3	3.3	\$71.71	\$39.44
T8420500	M5x0.8	70	8	25	6	4.9	8	3	4.2	\$64.40	\$35.42
T8420600	M6x1	80	10	30	6	4.9	8	3	5	\$56.93	\$31.31
T8420800	M8x1.25	90	13	35	8	6.2	9	3	6.8	\$75.14	\$41.33
T8421000	M10x1.5	100	15	39	10	8	11	3	8.5	\$86.02	\$47.31
T8431200	M12x1.75	110	17.5	-	9	7	10	3	10.2	\$103.13	\$56.72
T8431400	M14x2	110	20	-	11	9	12	3	12	\$130.64	\$71.85
T8431600	M16x2	110	20	-	12	9	12	4	14	\$129.58	\$71.27
T8432000	M20x2.5	140	25	-	16	12	15	4	17.5	\$174.34	\$95.89
T8432400	M24x3	160	30	-	18	14.5	17	4	21	\$286.66	\$157.66

PURCHASE ANY 5OFF NH+ TAPS & RECEIVE A 250ML BOTTLE OF VENOM CUTTING FLUID FREE OF CHARGE.



THREAD FORMING TAPS - MULTI COOLANT GROOVE - N

- Suitable for materials with >10% elongation
- Through or blind holes
- Depths up to 3 x d1



ITEM #	D1	L1	L2	L3	D2	SQ	L4	RAD	LIST	PROMO
T3190300	M3	56	11	18	3.5	2.7	6	2.8	\$41.86	\$29.30
T3190400	M4	63	13	21	4.5	3.4	6	3.7	\$39.33	\$27.53
T3190500	M5	70	16	25	6.0	4.9	8	4.6	\$51.22	\$35.85
T3190600	M6	80	19	30	6.0	4.9	8	5.5	\$46.41	\$32.49
T3190800	M8	90	22	35	8.0	6.2	9	7.4	\$54.67	\$38.27
T3191000	M10	100	24	39	10.0	8.0	11	9.3	\$66.88	\$46.82
T3201200	M12	110	29	-	9.0	7.0	10	11.2	\$78.64	\$55.05
T3201400	M14	110	30	-	11.0	9.0	12	13.1	\$91.06	\$63.74
T3201600	M16	110	32	-	12.0	9.0	12	15.1	\$102.56	\$71.79
T3202000	M20	140	34	-	16.0	12.0	15	18.9	\$149.34	\$104.54

161 SOLID CARBIDE 90° 4 FLUTE CHAMFER MILL

- Universal 4-5 flute 90° chamfer mill.
- Especially suited for chamfering de burring and counterboring.
- Capable of machining a variety of materials, AlTiN coated.



ITEM #	D1	L1	L2	L3	D2	Z	LIST	PROMO
FN1610600	6.0	57	-	-	6	4	\$33.73	\$23.61
FN1610800	8.0	63	-	-	8	4	\$46.33	\$32.43
FN1611000	10.0	72	-	-	10	4	\$66.00	\$46.20
FN1611200	12.0	83	-	-	12	4	\$104.04	\$72.83
FN1611600	16.0	92	-	-	16	5	\$142.92	\$100.04

E482 UNI 4FL TISINOS COATED

- 4 Flute Unequal Pitch Endmill & with corner chamfer, making it the most versatile endmill in our range.
- Unique end gash design provides ramping up to 45° in soft steels
- Latest generation TiSiNos coating, offers longer tool life in more materials




ITEM #	D1	L1	L2	L3	D2	D3	Z	LIST	PROMO
E4820400	4.0	57	11	18	6	3.8	4	\$51.90	\$33.74
E4820500	5.0	57	13	18	6	4.8	4	\$51.90	\$33.74
E4820600	6.0	57	13	20	6	5.8	4	\$46.97	\$30.53
E4820800	8.0	63	19	26	8	7.6	4	\$61.80	\$40.17
E4821000	10.0	72	22	30	10	9.5	4	\$86.50	\$56.23
E4821200	12.0	83	26	36	12	11.5	4	\$131.01	\$85.16
E4821400	14.0	83	26	36	14	13.5	4	\$190.26	\$123.67
E4821600	16.0	92	32	42	16	15.5	4	\$217.51	\$141.38
E4822000	20.0	104	38	52	20	19.5	4	\$333.39	\$216.70
E4820004	6.0-12.0 (set)								\$195.00

ISO	P													M			K					N										S										H																																																	
VDI 3323	1	2	3	4	5	6	7	8	9	10	11	12	13	14.1	14.2	14.3	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37.1	37.2	37.3	37.4	37.5	38.1	38.2	39.1	39.2	40	41																																										
T319	●	●	●	●		●								●									●	●	○	○		●		○																																																													
T320	●	●	●	●		●								●										●	●	○	○		●		○																																																												
E482	●	●	●	●	●	●	●	●	●	●	●	●		●	○	○	●	●	●	●	○	○																																																																					
P Steel	M Stainless Steel			K Cast Iron			N Non-Ferrous Metals			S Titanium & Super Alloys					H Hard Materials																																																																												
																																														●	Optimal		○	Effective																																									



																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

- Steel Shank + Wrench to suit x1



- XSE550, XSE720, XSE450, XHF580, XHF780 XVE540

- | Year | 1990 | 1995 | 2000 | 2005 | 2010 |
|------|------|------|------|------|------|
| 1990 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 1995 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 2000 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 2005 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 2010 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |



CIMSTAR 570

CIMSTAR 570 is a micro-emulsion type metalworking fluid designed for moderate to heavy-duty machining and grinding of ferrous and nonferrous materials such as aluminum alloy and stainless steel.

CIMSTAR 570 is to be mixed with water for use. Always add concentrate to water. Fluid may be more difficult to mix when water temperature is below 12.8°C. Add no other substances to the concentrate or mix unless approved by CIMCOOL® Technical Services.

Concentration

The Refractometer Factor is 1.3

A refractometer is only recommended for use in checking the concentration of a fresh charge. Multiply the scale reading obtained on your CIMCOOL® Refractometer by this factor to obtain the mix concentration in percent. Calibrate the refractometer so that it reads 0.0 with water before testing the sample mix. Remove gross contaminants from the sample mixes before testing.

Features & Advantages:

- **Excellent Lubricity:** Can perform a variety of machining and grinding applications.
- **Excellent Mix Stability:** Retains excellent mix stability in hard water.
- **Excellent Corrosion Control:** Rust inhibitors combined with the physical protection of oil prevent in-process corrosion on parts and machine components.
- **Low Foaming:** Can be used in high turnover, high-pressure applications where foam control is required.
- **Rancidity Control:** Contains a microbial control package which extends fluid life for long lasting, trouble-free performance.

Contact your Account Manager for further information



2831168
WAS \$2,700.00

\$1,890.00
205 LITRE DRUM

2831166
WAS \$325.00

\$227.50
20 LITRE PALE

NEW



DOSATRON PUMP EMULSIFIER

The Dosatron pump (D3|L10VF) is integrated into the water circuit and utilises the pressure and flow of the water as its sole source of power. Driven in this manner, the Dosatron can dose various types of additives directly into the metalworking fluid supply to one or several conventional or CNC machines.

The precision and reliability of the Dosatron pump eliminates any risk of errors in the dosing and preparation of products such as mixtures and solutions. It is not affected by the inherent variations of a fluid (pressure, flow rate, temperature, inlet height and viscosity). Constant attention to quality at all stages of the pump's manufacture, both in terms of the materials used, testing and inspection procedures applied, ensures an optimum response to the needs of metalworking machine tool users.

TECHNICAL SPECIFICATION	D3 L10VF
Operating flow rate	101/H MINIMUM - 3M/H MAXIMUM
Max. operating temp	40°C
Operating water pressure	0.5-6 BAR
Dosing percentage range	1%-10%
Connection	3/4" MALE BSP/NPT

D3|L10VF
\$1,995.00
D3|L10VF

30% DISCOUNT OFF ALL CIMCOOL COOLANTS

CIMCLEAN 30 Coolant System Cleaner

Recommended for cleaning individual machine and central system reservoirs, metalworking fluid lines, premix tanks, machines and parts. It improves rancidity control by removing bio-films, dirt, grit, chip-deposits, insoluble soaps and oils. Contains corrosion inhibiting ingredients to protect machines and parts (cast iron and steel) from rusting during cleaning.

CIMCLEAN® 30 can also be used for general purpose floor cleaning. Use at 1:100 (1%) to 1:25 (4%). Can be used in power washers, steam cleaners and automated floor scrubbers.

2L	5L	20L
\$22.74	\$40.59	\$125.10
2831200	2831210	2831220

MILCOOL 1311 High Performance Metalworking Fluid

MILCOOL®1311 is a heavy duty, soluble metalworking fluid blending the reliability of traditional soluble fluids with industry leading technology to deliver performance which meets the market. MILCOOL®1311 is developed for all operation machining, sawing and grinding of steels, stainless steels, alloy steels and most aluminiums.

APPLICATION:

MILCOOL®1311 is recommended for turning, drilling, milling, reaming, boring, tapping, roll/form tapping, broaching, sawing and most grinding applications. It should not be used on magnesium alloys.

20L	205L
\$234.79	\$1 973.08
2831070	2831080

CIMPERIAL 1070 Mineral

Soluble metalworking fluid recommended for a wide variety of heavy duty machining and grinding operations "one fluid for all operations". Suits both individual machine sumps and central system applications.

METALS:

Carbon Steels, High Speed Steel, Cast Steels, Alloy Steels, Tool Steel, Stainless Steel, Cast Iron, Aluminum, Bronze, Brass & Copper Metals. Duty Range: Moderate to heavy-duty operations.

20L	205L
\$333.28	\$2 549.75
2831110	2831130

CIMSTAR 70HFP Semi Synthetic

Recommended for high fluid pressure and high volume. Flow applications where minimization of foam is critical. It can be used for machining and grinding operations of ferrous and some non-ferrous materials, chlorine free.

METALS:

Most aluminum alloys, cast iron, nodular iron, carbon steels, high speed steels, high alloy steels, stainless steels, most non-ferrous alloys. For moderate to heavy-duty operations

20L	205L
\$295.97	\$2 203.75
2831180	2831190

CIMSTAR 585P Metalworking Fluid

CIMSTAR® 585P is a premium semi-synthetic metalworking fluid designed for moderate to heavy-duty machining of ferrous and non ferrous materials. CIMSTAR® 585P can be used in central coolant systems or individual machine sumps.

METALS:

Most aluminum alloys, cast iron, nodular iron, carbon steels, high speed steels, high alloy steels, stainless steels, most non-ferrous alloys. For moderate to heavy-duty operations

20L	205L
\$313.05	\$2 467.37
280880	2830900

CIMGLIDE 68 Slideway Oil

CIMGLIDE® 68 is a specially formulated MACHINE TOOL lubricant for all horizontal slideways. Meeting the Cincinnati Machine P47 Specification, it combines mineral oil and extreme pressure additive to assist in eliminating stick-slip to ensure machines run at their optimal performance. Suitable for use in the following machine tool applications:

- Horizontal slideways, feed mechanisms
- Tables, gear boxes & hydraulic systems
- CIMGLIDE® 68 is designed for minimal impact on water based metalworking fluids.

20L	205L
\$168.00	\$1 200.00
2831300	2831310



CIMCOOL CIMFLO MIX REGULATOR

Fits 205L Drums

Drum mountable proportioning unit to accurately maintain concentration of water soluble metalworking fluid mixes.

\$585.00

2831330

MIGHTY DISC OIL SKIMMER

\$495.74

ABN2012

REFRACTOMETER

\$125.00

2831350



NIMATIC BELT SKIMMER

29MM X 280MM
APPROX LITRES/HOUR: 3L


\$396.96

NIM2030

49MM X 280MM
APPROX LITRES/HOUR: 5L

\$432.45

NIM2050





RAPID TAP CUTTING FLUID

Greatly extended tool life. Super-fine machined finish in operation after operation. Anti-mist protection for a healthier work environment. Excels in tough materials. Contains no 1,1,1- trichloroethane or other ozone depleting chemicals.

SKU	SIZE	PROMO PRICE
2842130	118ml/4oz Bottle	WAS \$8.22 NOW \$5.75
2842140	473ml/1 pint Bottle	WAS \$25.56 NOW \$17.89
2842150	3.785L/1 Gal Bottle	WAS \$153.20 NOW \$107.24
2842160	Cutting Paste	WAS \$30.96 NOW \$21.67



A9 ALUMINIUM CUTTING FLUID

Eases all operations on aluminium: milling, broaching, drilling, threading, tapping, reaming, sawing, etc. Contains anti-mist component for a healthier work environment. Contains a scientific blend of chemicals that asurfaces, forming an extreme-pressure boundary lubricant between tool & work surface.

SKU	SIZE	PROMO PRICE
2842170	118ml/4oz Bottle	WAS \$8.22 NOW \$5.75
2842180	473ml/1 pint Bottle	WAS \$25.56 NOW \$17.89
2842190	3.785L/1 Gal Bottle	WAS \$158.95 NOW \$111.27



COPPER/RAWHIDE HAMMERS

CODE	SIZE	DIAMETER OF FACE	PROMO PRICE
3129170	No.A	25mm	\$38.77
3129180	No.1	30mm	\$51.84
3129200	No.2	38mm	\$68.08
3129220	No.3	45mm	\$86.57
3129240	No.4	50mm	\$122.83
3129260	No.5	70mm	\$286.42



DEAD BLOW HAMMERS

- Shot loaded interior produces a more controlled striking force without rebound.
- Non-marring, non-sparking.
- Resistant to industrial chemicals.
- Moulded in one piece of urethane for increased safety.



Face Diameter & Overall
Length : 45 x 300mm
Weight : 700gm

\$23.65

VRT4202

Face Diameter & Overall
Length : 55 x 350mm
Weight : 1100gm

\$35.75

VRT4204

Face Diameter & Overall
Length : 63 x 365mm
Weight : 1500gm

\$40.68

VRT4205



L-SHAPE AND T-HANDLE HEX KEY SETS



**METRIC - 9 PCE
1.5-10MM WITH
BALL POINT**

BD10999

WAS \$57.59
NOW \$40.31



**METRIC - 8 PCE
2-10MM WITH
BALL POINT**

BD13189

WAS \$196.77
NOW \$137.74

**IMPERIAL -13 PIECE
WRENCH SET .050 - 3/8
WITH BALL POINT**

BD1037

WAS \$69.61
NOW \$48.73



**IMPERIAL 10 PCE
3/32" - 3/8" WITH
BALL POINT**

BD13190

WAS \$214.95
NOW \$150.47



**METRIC/IMPERIAL SET
L/S B/E - 13PCE .050-3/8"
+ 9PCE 1.5-10MM**

BD20199

WAS \$113.76
NOW \$79.63



RACHET T-HANDLE TAP WRENCH

With two-jaw chuck for clamping square shanks. Moveable T-handle with a grooves centred and at each end for engaging the retaining ball. Holder with stainless steel sheath. Ratchet is reversible and can also be locked. All-steel construction for high torque applications. Clamping jaws milled and hardened for high toughness and optimum surface hardness.

Application:
Suitable for tapping holes where access is difficult.



SKU	HAND TAP SIZES	OAL	PROMO PRICE
HF14870185	M3-M10	85mm	WAS \$29.92 NOW \$22.44
HF148701110	M5-M12	110mm	WAS \$41.39 NOW \$31.04
HF149001250	M3-M6	300mm (Long Series)	WAS \$38.36 NOW \$28.77
HF149001300	M5-M12	300mm (Long Series)	WAS \$52.82 NOW \$39.62



PLIER CIRCLIP SET- 4 PC

18-60mm PCJ14
Internal & External

\$229.69

3240160



PLIER SET- 4 PC ERGO SPRING STYLE

Ergo Spring Style
CPE.A4

\$244.72

3240180



END-OF-YEAR CLEAN DOWN



ZEOLITE MINERAL SPONGE 15KG OIL ABSORBENT (22LTR)

Mineral Sponge is a unique, non-toxic mineral that has a large internal surface area. This enables it to absorb large quantities of gases and liquids.

Designed to absorb:

- Liquid chemicals
- Vapours and odors
- Petroleum products.

22Litres
\$27.54
2874680

RAGS MIXED COLOUR COMPRESSED

"T Shirt" type rags compressed in a bag for general clean up and wipe down applications.



10kg 16kg
\$35.00 \$54.00
2874500 2874480

SIMPLE GREEN CONCENTRATE ALL-PURPOSE CLEANER

Non-hazardous, non-flammable, biodegradable, non-abrasive, non-toxic. Contains a blend of synthetic, high grade penetrants activated by water. Customise dilution for specialised cleaning. Can be used in a broad range of applications including dip tanks and parts washers.

4Litres
\$33.52
2874570



SIMPLE GREEN 20 LITRES ALL-PURPOSE CLEANER

Non-hazardous, non-flammable, biodegradable, non-abrasive, non-toxic. Contains a blend of synthetic, high grade penetrants activated by water. Customise dilution for specialised cleaning. Can be used in a broad range of applications including dip tanks and parts washers.

20Litres
\$167.64
2874560



WET & DRY VACUUM CLEANER 25L AERO26- 21 PIECE

Nilfisk Aero 26 Push2Clean offers a semi-automatic filter cleaner in a compact machine. Nilfisk-ALTO exclusive Push2Clean semi-automatic filter cleaning system is featured on all of the Aero machines.

\$448.00
3350160



RUBBER ANTI-FATIGUE MATTS 1500 X 900 X 12MM

Cushion mats with bevelled edges on all sides are a fantastic way to resist fatigue, perfect for building entry areas, shop floors, workshops and counter areas, etc. Hole structure promotes free draining for fluids or debris, safe non-slip pattern, lightweight and easy to move for cleaning.

\$78.11
5841100



CELEBRATING

70 YEARS

TRADE
TOOLS




Our website just got an
UPGRADE!

visit us at


www.tradetools.co.nz

FEATURED WORLD CLASS BRANDS

sutton
SUPERIOR SINCE 1917



 **Seco**



Mitutoyo



CIMCOOL
FLUID TECHNOLOGY

