



SPILL CONTROL & POLLUTION SOLUTIONS



Distributor



Helping companies to overcome their spill and pollution control challenges.

Fosse Liquitrol provide a wide range of spill and pollution control products and services specifically developed to assist companies prevent and cope with liquid spills and pollution.

Established in 1984, Fosse Liquitrol has become the industry's 'first choice' for spill and pollution control products. Our products deliver a blend of quality, performance, reliability and value for money. Our knowledge and expertise has assisted countless companies both in the UK and abroad to find practical, sensible and cost effective solutions to their spill and pollution control requirements, helping them to meet their legal and moral obligations while contributing towards a cleaner, greener, environment. Our work with government and non-government organisations puts us at the forefront of spill and pollution control, both in the UK and overseas.

Our Commitment to Spill and Pollution Control in Industry.

Commitment to the requirements of industry and the ability to innovate in products, services and technology is the key to the rapid development of Fosse Liquitrol.

Fosse Liquitrol is committed to supplying the spill and pollution control market through our extensive distributor network. Our technical specialists work in close partnership with our network of approved distributors. Fosse Liquitrol has extended its distributor network into Europe, the Gulf States, Africa and South America.

Training and Education

Specific training for workers, accredited by the British Safety Industry Federation, is a key component of effective spill and pollution control. Both 1st Responder Spill Awareness and Response, and Train The Trainer Courses can be presented at your location or at our academy in Leicestershire.

Why Choose Us:

- Our standards conform to BS 7959 -1:2004 Materials used for the control of liquid spillages determination of sorbency
- All spill response products are manufactured to BS EN ISO 9001:2015 quality standards
- We provide immediate supply of the highest performance and most cost-effective spill and pollution response products in the marketplace
- Accredited in November 2004 by the British Safety Industry Federation to deliver on-site 1st Responder and Spill Awareness Training Courses.
- As a member of the British Safety Industry Federation, Fosse Liquitrol is integrally involved in promoting industry best practice recommendations for oil and chemical spill response and spill containment and played an active role in the creation of the BS 7959 absorbent test standards.



**UK & Ireland
Spill Association**
THE VOICE OF THE SPILL INDUSTRY
CORPORATE MEMBER

spilkleen

Simple and effective range
of absorbents

Ideal for use on all workplace spills and leaks.

spilchoice

Performance and endurance
range of absorbents

Designed for use in tough environments where
superior performance is required.



Range of fast acting super absorbent powder, foam
wall bunds and lay flat absorbent strips



Leading manufacturer of spill containment,
stormwater management, facility protection and
construction compliance products. Ultratech leads
the way with innovation, creativity, initiative and new
product development.



Wipes with a difference, wet wipes use unique
substrates blended with clever lotions. Non-woven
wipes provide optimum wiping performance to
traditional rags.



Leading brand of chemical neutralisers designed
for safe operator use, with built in pH indicators.



A globally recognised range of high quality spill
containment products incorporating a host of
innovative features.



Provide a flexible solution to the permanent
or temporary containment of liquids.



User friendly method of spill containment
designed to replace traditional drip trays. Able to
withstand all weather conditions and rugged
enough to stand machinery plant on all year round
to contain any oil spills.



UK manufacturer of absorbent products
designed to protect homes and businesses from
leaking and flood water



NOAQ Flood Protection AB is Swedish company
developing products to protect properties in
the event of a flood.

9 Point Emergency Spill Response Procedure

Emergency Spill Plan for First Responders



Contents

6

**Selection Guide
Absorbents & Containment**

10

Prevention & Containment

46

Being Ready

82

Controlling A Spill

100

Flood Water Protection

106

Training & Education

118

Spill Risk Assessment

120

Compatability Charts

122

Index

Absorbents & Spill Kits Selection Guide



Type of liquids to be absorbed ?



General maintenance oil and water based solvents, coolants and mild chemicals

Internal and External Use

Spilkleen Maintenance
Simple and effective performance

Spilchoice Maintenance
Excellent performance and endurance.
Suitable for heavy duty clean up operations



Oil only based liquids, fuels, lubricants and hydrocarbon based products

Internal and External Use

Spilkleen Oil & Fuel
Simple and effective performance

Spilchoice Oil & Fuel
Excellent performance and endurance.
Suitable for heavy duty clean up operations



Aggressive chemicals, acids and alkalis

Internal and External Use

Spilkleen Chemical
Simple and effective performance

Spilchoice Chemical
Excellent performance and endurance.
Suitable for heavy duty clean up operations

Chemical Neutralisation page 98

PRODUCTS

	Page
Boom	104
Cushions	90
Floor Rolls	89
Granules	91
Pads	86-87
Powder	91
Rolls	88-89
Socks	92

Dispensing
Systems

Page

94-95

EMERGENCY SPILL KITS

	Page
Adblue	57
Bag	53
Decorator	59
Fork Lift Truck	57
Kitchen	59
Locker	55
Polymer	59
Vehicle	56-57
Wheelie Bin	54

PRODUCTS

	Page
Boom	92-93
Cushions	90
Drum Topper	90
Granules	91
Marine Booms	92-93
Pads	86-87
Powder	91
Rolls	88-89
Socks	92

Dispensing
Systems

Page

94-95

EMERGENCY SPILL KITS

	Page
Automotive	56-57
Bag	53
Fork Lift Truck	57
Locker	55, 59
Marine	59
Vehicle	56-57
Wheelie Bin	54

PRODUCTS

	Page
Boom	92
Cushions	90
Granules	91
Pads	86-87
Powder	91
Rolls	88-89
Socks	92

Dispensing
Systems


Page

94-95

EMERGENCY SPILL KITS


	Page
Acid	52
Alkali	51
Bag	53
Battery	51-52
Biohazard	58
Body Fluid	58
Haz Mat	50, 55-56
Hospital	58
Laboratory	50
Locker	55
Medical	58
Mercury	50
Solvents	50
Wheelie Bin	54

Containment Product Selection Guide



Other Primary Products

Selection Guide





Prevention & Containment

- Spill Trays
- Work Floors
- Drum Spill Pallets
- Overpacks
- IBC Spill Pallets
- Bunds
- Drum Handling
- Gas Cylinder Storage
- Cabinets
- Bunded Stores
- Tanks

Prevention & Containment

In the UK containers of oil or fuel cannot be stored outside unless they are correctly banded in a secondary containment item (Oil Storage Regulations 2001). This means that if the container of oil leaks it will be contained within the bund. The secondary containment item must be able to hold a minimum of 25% of the total volume or 110% of the largest container whichever is the greater. If a company stores 4 x 205 litre drums the pallet sump must be able to hold 225.5 litres of liquid.

Spill trays - suitable for containing minor spills within the work place and for the safe storage of small containers of liquids.

Work floors - modular internal system designed for use as a liquid dispensing or decanting station within the working environment to contain any incidental spills.

Drum spill pallets - secondary containment systems designed to collect drips, spills or leaks from oil and chemical drums. These prevent the spread of any spilt liquids across the workplace floor and ensure safe working. Fully compliant with current UK Storage Regulations.

Overpacks - designed for the safe storage, containment and transportation of damaged or leaking chemical and fuel drums. Manufactured in accordance with UN packing regulations.

IBC spill pallets - secondary containment system designed to collect liquid drips, spills and leaks from Intermediate Bulk Containers. Fully compliant with current UK Storage Regulations.

Flexible bunds - provides a flexible and mobile means for fuel, chemical and water spill containment. They are widely used as temporary bunds for mobile plant and machinery.

Drum handling - drum handling and dispensing products designed to make the action and dispensation of liquids from drums around site as efficient and as safe as possible.

Gas cylinder storage - gas cylinders need to be stored safely and appropriately to ensure they are not a health hazard. Our range of gas cylinder storage products include wall and floor racks, stands and trolleys.

Cabinets - provide safe storage and segregation of chemicals, paints, flammable and hazardous substances as defined by COSHH guidelines.

Bunded stores - provide safe storage for 205 litre drums, 1000 litre IBCs and other smaller containers. A bunded store can help avoid potential spill hazards and environmental pollution by containing the total volume of liquid stored should a spill occur. Fully compliant with current UK Storage Regulations.

Tanks - manufactured in both polyethylene and steel. These provide for the safe storage and dispensing of waste oil, heating oil, diesel, lubricants and coolants.



Drip Trays Spill Trays



APPLICATION

- Lightweight, durable secondary containment spill trays designed to contain any liquid spills

FEATURES & BENEFITS

- Manufactured from UV and chemical resistant non-corroding polyethylene
- Ensures all liquid spills are retained within the bund
- Makes decanting of liquids safer, cleaner, and more manageable
- Prevents the risk of accidents to your employees by eliminating drips and spills spreading over the working floor space

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
DRIP TRAYS				
FL-205-524	16L Drip Tray With Pouring Spout	530 x 400 x 95	16	1
FL-205-525	28L Drip Tray	645 x 495 x 120	28	1.3
FL-205-526	65L Drip Tray	1000 x 550 x 150	65	2
FL-205-527	100L Drip Tray	1000 x 1000 x 120	100	4

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
POLY SPILL TRAYS				
FL-205-500	10L Spill Tray	574 x 390 x 53	10	0.9
FL-205-511	20L Spill Tray	600 x 400 x 155	20	2
FL-205-513	30L Spill Tray	805 x 405 x 155	30	3
FL-205-510	40L Spill Tray	800 x 600 x 155	40	3.5
FL-205-514	60L Spill Tray	1000 x 600 x 175	60	5
FL-205-515	100L Spill Tray	1200 x 800 x 175	100	6.5
FL-205-504	145L Spill Tray	1460 x 960 x 175	145	20
FL-205-505	230L Spill Tray	1310 x 910 x 380	230	16
FL-10-103	Spill Tray With Pad	574 x 390 x 53	10	1
POLY SPILL TRAYS WITH GRID				
FL-205-523	10L Spill Tray With Grid	400 x 300 x 155	10	2
FL-205-516	20L Spill Tray With Grid	600 x 400 x 155	20	3
FL-205-517	30L Spill Tray With Grid	805 x 405 x 155	30	4.5
FL-205-512	40L Spill Tray With Grid	800 x 600 x 155	40	6.5
FL-205-518	60L Spill Tray With Grid	1000 x 600 x 175	60	9
FL-205-519	100L Spill Tray With Grid	1200 x 800 x 175	100	14
ENPAC POLY SPILL TRAY WITH GRID				
EN-5248-YE	9.4L Spill Tray	648 x 559 x 83	9.4	1.8

Foam Wall SpillPal Drum Drip Trays



■ EN-5600-YE

APPLICATION

- Prevents incidental spills and provides secure containment for liquids

FEATURES & BENEFITS

- Manufactured from tough lightweight, PCV polyethylene
- Low profile soft foam sidewalls
- Removable platform grids for easy cleaning

Code	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
------	----------------------------	-----------------------------------	---------------

ENPAC FOAM WALL SPILL TRAY

EN-5600-YE	600 x 600 x 51	7.6	5.4
EN-5610-YE	1200 x 600 x 51	28.4	11
EN-5620-YE	1200 x 1200 x 51	45.4	20



■ EN-5770-YE

■ EN-5750-YE

APPLICATION

- Provides spill control for the temporary storage of drums

FEATURES & BENEFITS


- Manufactured from tough durable polyethylene
- Low profile soft foam sidewalls for easy loading
- Two way air relief prevents sidewall from blowing out
- Foldable to save space when not required

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
------	-------------	----------------------------	-----------------------------------	---------------

ENPAC FOAM WALL SPILLPAL

EN-5750-YE	1-Drum	600 x 600 x 760	30.3	1.4
EN-5750-YE-G	1-Drum With Grid	600 x 600 x 760	22.7	5.4
EN-5765-YE	4-Drum In Line	2400 x 600 x 760	113.6	4.1
EN-5770-YE	6-Drum	1800 x 1200 x 760	170.3	5
EN-5775-YE	8-Drum	2400 x 1200 x 760	227.1	5.4

Drum Drip Trays



■ FL-205-404

■ FL-205-402



APPLICATION

- Designed for the containment of drips and leaks from small containers up to 205 litre drums

FEATURES & BENEFITS

- Extremely tough, durable and lightweight
- Manufactured from UV chemical resistant non-corroding polyethylene
- Ensures all liquid spills are retained within the bund resulting in a clean, dry and safe work environment
- Ideal for use as a drum decanting station



■ EN-8200-YE

■ FL-205-401



■ EN-8091-YE

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
------	-------------	----------------------------	-----------------------------------	---------------

DRUM TRAYS

FL-205-401	1 Drum	960 dia x 190H	50	5
FL-205-402	2 Drum	1460 x 960 x 120	145	12

ENPAC DRUM TRAYS

EN-8091-YE	Drums-Up	860 dia x 190H	75.7	2.8
EN-8200-YE	Drums-Up-Jnr	580 dia x 190H	28.3	0.9



Work Floors

Steel Work Floors

APPLICATION

- Creates a secure dispensing work area

FEATURES & BENEFITS

- Steel modular flooring panels
- Designed to hold 205 litre drums and small containers
- Manufactured from 2mm mild steel
- Removable galvanised steel flooring platforms
- Multiple sections can be joined together to form bespoke work areas



Code	Description	Dimensions L x W x H mm	Containment Capacity Litres
STEEL WORK FLOORS			
FL-205-715	1 Drum	695 x 695 x 100	43
FL-205-716	2 Drum	1295 x 695 x 100	81
FL-205-717	4 Drum	1295 x 1295 x 100	150
FL-205-718	Ramp for 1 drum	685 x 600 x 100	
FL-205-719	Ramp for 2 & 4 drum	1295 x 600 x 100	
FL-205-720	Joining strip for 1 & 2 drum		
FL-205-721	Joining strip for 2 & 4 drum		

Polyethylene Work Floors



APPLICATION

- Specifically designed to create a bunded work floor in areas where liquids are stored and dispensed into smaller containers

FEATURES & BENEFITS

- Ensures all liquid spills are retained within the bund resulting in a clean, dry and safe work floor reducing the risk of any slips by employees
- Extremely tough and durable
- Manufactured from chemical resistant, UV-stabilised non-corroding polyethylene
- Removable slip resistant platforms for easy cleaning
- Workfloors can be securely joined together using connecting joining strips available as an accessory
- Access ramps available

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
POLYETHYLENE WORK FLOORS				
FL-205-301	2 Drum	1600 x 800 x 150	112	24.5
FL-205-302	4 Drum	1600 x 1600 x 150	232	45
FL-205-303	4 Drum In line	3200 x 800 x 150	224	51
WORK FLOOR RAMPS				
FL-205-310	Small Ramp	1000 x 750 x 150		9
FL-205-311	Large Ramp	1290 x 810 x 180		15
CONNECTING JOINING STRIPS				
FL-205-307		700 x 40 x 40		
FL-205-308		1500 x 40 x 40		



Work Floors



■ EN-5116-YE

■ EN-5117-YE

■ EN-5117-YE

■ EN-5117-YE

■ EN-5111-BK

■ EN-5117-TARP

APPLICATION

- Low-profile spill pallet allows you to create a bespoke liquid dispensing area in a workplace

FEATURES & BENEFITS

- Tough, one-piece 100% polyethylene construction will not rust or corrode
- Internal sump catches any incidental spills
- Removable heavy-duty platform grate allows quick and easy access for cleaning
- Stand alone use, or units can be connected together using the built-in U-channel connection
- Forkliftable when empty
- 2-drum base EN-5117-YE will be supplied in multiples to form larger stations i.e.
4-drum station consists of 2 x EN-5117-YE
6-drum station consists of 3 x EN-5117-YE
8-drum station consists of 4 x EN-5117-YE
- Access ramp and tarpaulins available

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC WORK FLOORS				
EN-5117-YE	2 Drum	1245 x 610 x 166	96	17.24
EN-5116-YE	4 Drum	1245 x 1220 x 166	193	34.47
EN-5115-YE	6 Drum	1245 x 1830 x 166	289	51.71
EN-5110-YE	8 Drum	2490 x 2440 x 166	386	68.94
EN-5111-BK	Ramp	1170 x 640 x 160		13.5
EN-5117-TARP	2 Drum Tarpaulin	1520 x 1000 x 1080		2.4
EN-5116-TARP	4 Drum Tarpaulin	1440 x 1440 x 1120		3.2



Spill Pallets



■ FL-205-112



■ FL-205-104




■ FL-205-106

APPLICATION

- Bunded secondary containment for the storage of 205 litre drums

FEATURES & BENEFITS

- Constructed from chemical resistant UV-stabilised PE
- Compatible with most forklifts, pallet and stacker trucks
- Removable platform grid for easy cleaning
- Platform with hand inserts and holes for inspection and pump insertion
- Resistant to a wide range of chemicals, will not corrode
- Nestable, 4-way entry, 4 drum model available for ease of storing and shipping
- Fully compliant with the current UK Oil Storage Regulations
- Capacity meets/exceeds UK, European and US regulations



■ GN-205-01

Spill Pallet Ramps

- Ramp and block module for spill pallets
- Manufactured from tough, durable chemical resistant polyethylene
- Resistant to both high and low temperatures
- Integrated locking system for added safety
- Easy to clean

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
SPILL PALLETS				
FL-205-103	1 Drum	1000 x 680 x 600	230	19.5
FL-205-104	2 Drum	1300 x 750 x 440	250	20.5
FL-205-113	3 Drum	1785 x 780 x 240	228	30
FL-205-106	4 Drum In-Line	2445 x 660 x 270	235	34
FL-205-112	4 Drum Nestable	1460 x 1460 x 305	249	37

SPILL PALLET RAMPS

GN-205-01	Ramp and block module suitable for 2 drum spill pallet
GN-205-02	Ramp and block module suitable for all 4 drum spill pallets

Spill Pallets Recycled

APPLICATION

- Designed to contain any drips, spills and leaks

FEATURES & BENEFITS

- Manufactured from 100% recycled UV stabilised black polyethylene
- Low profile for easy access
- Removable platform grid for easy cleaning
- 2-way fork lift pockets
- Compliant with all the UK Oil Storage Regulations
- 3-Year manufacturers warranty



■ FL-205-119



■ FL-205-120

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
SPILL PALLETS RECYCLED				
FL-205-119	2 Drum	1220 x 820 x 330	240	23
FL-205-120	4 Drum	1280 x 1285 x 275	230	29

Spill Pallets



APPLICATION

- Bunded secondary containment pallets designed for the storage of 205 litre drums

FEATURES & BENEFITS

- Manufactured from chemical resistant UV-stabilised PE
- Compatible with most forklift, pallet and stacker trucks
- Removable platform grid for easy cleaning of bund
- Low-profile sidewalls for easy access to drums
- Resistant to most chemicals, will not corrode
- Model EN-5444-YE features 4-way entry so can be lifted from all sides and is nestable for ease of storage
- Fully compliant with current UK Oil Storage Regulations and EPA 40 CFR 264.175, SPCC, UFC and NPDES

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC SPILL PALLETS				
EN-5260-YE	2 Drum	1360 x 740 x 430	219	25.9
EN-5400-YE	4 Drum-Low-Profile	1370 x 1370 x 286	250	38.1
EN-5102-YE	4 Drum In-Line	2490 x 640 x 300	250	35.4
EN-5444-YE	4 Drum 4-Way	1245 x 1206 x 311	300	36.3
ENPAC RAMPS				
EN-5039-BK	Ramp	1720 x 780 x 320		29.5
EN-5038-BK	Ramp Extender	750 x 220 x 140		2.7
ENPAC TARPULIN COVER				
GN-5260-TARP	2 Drum Cover	1520 x 1000 x 1080		2.4
GN-5400-TARP	4 Drum Cover	1440 x 1440 x 1120		3.2
GN-5102-TARP	4 Drum In-Line Cover	2530 x 780 x 1090		4

Steel Spill Pallets

APPLICATION

- Designed to store 205 litre drums of liquids

FEATURES & BENEFITS

- Manufactured from high quality sheet steel
- High impact strength
- Leakproof sump
- Removable galvanised spill grid for easy cleaning
- Suitable for both pallet truck and forklift truck conveyance



Code	Description	Dimensions L x W x H mm	Containment Capacity Litres
STEEL SPILL PALLETS			
FL-205-710	1 Drum	800 x 800 x 500	210
FL-205-711	2 Drum	1400 x 800 x 350	280
FL-205-712	4 Drum	1400 x 1400 x 275	290
FL-205-713	4 Drum In-Line	2700 x 800 x 250	290
FL-205-714	8 Drum	2700 x 1400 x 275	590

Drum Storage Cabinet Covered Spill Pallets

APPLICATION

- Provides secure storage for a single 205 litre drum of chemicals or oil

FEATURES & BENEFITS

- Manufactured from medium density polyethylene
- Fitted with a hinged twin lock door
- Built-in 225 litre sump capacity to contain any liquid spills
- 300kgs load capacity
- COSHH compliant

Code	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
POLY SINGLE DRUM STORAGE CABINET			
FL-99-006	920 x 720 x 1835	225	50

■ FL-99-006



APPLICATION

- Secondary containment system designed for the storage of 205 litre drums

FEATURES & BENEFITS

- Prevents rainwater contaminating the bund and avoids the need to pump out
- Manufactured from tough and durable polyethylene resistant to all weather conditions
- UV stabilised and chemical resistant
- Designed to capture and contain any drips, leaks or spills of fluids
- Removable platform grid for ease of cleaning
- Compatible with most forklift, pallet and stacker trucks
- Fully complies with current UK Oil Storage Regulations



MADE IN
THE UK

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
COVERED SPILL PALLETS				
FL-205-110	4 Drum Pallet Frame & Cover	1415 x 1310 x 1870	410	54
FL-205-207	8 Drum Pallet Frame & Cover	2560 x 1350 x 2140	1140	181



■ FL-205-110



■ FL-205-207

Hardcover Drum Storage

APPLICATION

- Suitable for the secure storage of 205 litre drums, chemicals, drum dispensing and hazardous waste

FEATURES & BENEFITS


- Rigid, double walled chemical resistant and weathertight PE construction
- Extremely robust and durable
- Tall head space easily accommodates rotary pump equipment and conical funnels
- Access to both sides (only one at a time) via 2 x sliding shutter doors
- Unit can be padlocked (Please note padlock not included)
- Forkliftable from both sides whilst empty
- Delivered fully assembled and ready for use
- Manufactured in accordance with current UK Oil Storage Regulations



■ FL-205-108



■ FL-205-109



■ GN-205-01

MADE IN
THE UK

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
HARDCOVER DRUM STORAGE				
FL-205-108	2 Drum Hardcover	1565 x 995 x 2110	250	101.5
FL-205-109	4 Drum Hardcover	1565 x 1620 x 2110	485	158
HARDCOVER DRUM STORAGE RAMPS				
GN-205-01	Ramp and block module suitable for 2 drum hardcover			
GN-205-02	Ramp and block module suitable for 4 drum hardcover			

APPLICATION

- Hardcover spill pallet containment system ideal for the storage of 205 litre drums

FEATURES & BENEFITS

- Constructed from high density polyethylene
- Roll up lockable door (Please note padlock not included)
- Two sided accessibility
- Removable grate for easy cleaning
- Forklift pockets enable the units to be transported around site
- Manufactured in accordance with EPA 40 CFR 264.175 and the current UK Oil Storage Regulations
- 5 year guarantee against manufacturing defects

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC HARDCOVER DRUM STORAGE				
EN-4060-YE	2 Drum Hardcover	1520 x 950 x 1840	225	95
EN-4064-YE	4 Drum Hardcover	1650 x 1740 x 1750	251	122
ENPAC HARDCOVER DRUM STORAGE RAMPS				
EN-5039-BK	Ramp	1720 x 780 x 320		29.5
EN-5038-BK	Ramp Extender	750 x 220 x 140		2.7

MADE IN
THE USA

■ EN-4060-YE



Overpack Salvage Drums

Overpack 20

APPLICATION

- Suitable for the secure transportation of small bottles and containers of hazardous liquids

FEATURES & BENEFITS

- Manufactured from heavy duty UV resistant polyethylene
- Excellent resistance against chemicals, acids, caustics and corrosives
- Simple operation half-turn, screw threaded lid with water/air tight rubber gasket seal
- Nestable design for efficient storage and shipping
- Complies fully to UN Approved & DOT Rated Regulations: UN 1H2/X75/S, DOT 49 CFR 173.3 (c), EPA, SPCC and NPDES
- 5 year warranty against manufacturing defects



■ EN-1220-YE

Code	Description	Dimensions Top Dia x Bottom Dia x Height mm	Containment Capacity Litres	Load Capacity kgs	Weight kgs
ENPAC OVERPACK DRUM					
EN-1220-YE	Overpack 20	56.5 x 45.7 x 22.9	75.7	75.3	4.7

Overpack 30

APPLICATION

- Suitable for the secure transportation of damaged bottles and containers of hazardous liquids and contaminated absorbents

FEATURES & BENEFITS

- Manufactured from heavy duty UV resistant polyethylene
- Excellent resistance against chemicals, acids, caustics and corrosives
- Simple operation half-turn, screw threaded lid with water/air tight rubber gasket seal
- Nestable design for efficient storage and shipping
- Complies fully to UN Approved & DOT Rated Regulations: UN 1H2/X100/S, DOT 49 CFR 173.3 (c), EPA, SPCC and NPDES
- 5 year warranty against manufacturing defects



Overpack 65

APPLICATION

- Suitable for the secure transportation of damaged bottles and containers of hazardous liquids and contaminated absorbent materials

FEATURES & BENEFITS

- Manufactured from heavy duty UV resistant polyethylene
- Excellent resistance against chemicals, acids, caustics and corrosives
- Lightweight, easy for a single person to handle
- Simple operation half-turn, screw threaded lid with water/air tight rubber gasket seal
- Ribbed design provides additional strength
- Nestable for efficient storage and shipping
- Complies fully to UN Approved & DOT Rated Regulations: UN 1H2/X200/S, DOT 49 CFR 173.3 (c), EPA, SPCC and NPDES
- 5 year warranty against manufacturing defects



Code	Description	Dimensions Top Dia x Bottom Dia x Height mm	Containment Capacity Litres	Load Capacity kgs	Weight kgs
ENPAC OVERPACK DRUM					
EN-1230-YE	Overpack 30	56.5 x 45.7 x 76.2	113.6	99.8	6.1

Code	Description	Dimensions Top Dia x Bottom Dia x Height mm	Containment Capacity Litres	Load Capacity kgs	Weight kgs
ENPAC OVERPACK DRUM					
EN-1065-YE	Overpack 65	70.5 x 58.4 x 95.3	246.1	199.6	19.6

Overpack Salvage Drums

Overpack 95

APPLICATION

- Designed for the secure storage and transportation of damaged 210-litre drums of fuels and hazardous liquids and for the storage of contaminated absorbent materials

FEATURES & BENEFITS

- Manufactured from heavy duty UV resistant polyethylene
- Excellent resistance against chemicals, acids, caustics and corrosives
- Lightweight
- Simple operation half-turn, screw threaded lid with water/air tight rubber gasket seal
- Ribbed design provides additional strength
- Nestable for efficient storage and shipping
- Complies fully to UN Approved & DOT Rated Regulations: UN 1H2/X295/S, DOT 49 CFR 173.3 (c), DOT 49 CFR 178.601, EPA, SPCC and NPDES
- 5 year warranty against manufacturing defects

Code	Description	Dimensions Top Dia x Bottom Dia x Height mm	Containment Capacity Litres	Load Capacity kgs	Weight kgs
ENPAC OVERPACK DRUM					
EN-1095-YE	Overpack 95	80 x 65.8 x 102.2	359.6	295	21.3



Overpack 110

APPLICATION

- Suitable for the secure storage and transportation of damaged drums of fuels and hazardous liquids and the storage of contaminated absorbents

FEATURES & BENEFITS

- Manufactured from heavy duty UV resistant polyethylene
- Excellent resistance against chemicals, acids, caustics and corrosives
- Lightweight
- Simple operation half-turn, screw threaded lid with water/air tight rubber gasket seal
- Ribbed design provides additional strength
- Nestable for efficient storage and shipping
- Complies fully to UN Approved & DOT Rated Regulations: UN 1H2/X295/S, DOT 49 CFR 173.3 (c), EPA, SPCC and NPDES
- 5 year warranty against manufacturing defects



Code	Description	Dimensions Top Dia x Bottom Dia x Height mm	Containment Capacity Litres	Load Capacity kgs	Weight kgs
ENPAC OVERPACK DRUM					
EN-1040-YE	Overpack 110	80 x 65.5 x 114.3	389.9	295.8	22.3



MADE IN THE UK

IBC Spill Pallets



■ FL-205-211



■ FL-205-202

APPLICATION

- Secondary containment units designed to collect drips, spills and leaks from oil and chemical IBCs reducing the risk of contamination

FEATURES & BENEFITS

- Constructed from chemical resistant UV-stabilised PE
- Removable platform grid for easy cleaning where applicable
- Platforms have hand inserts and holes for inspection and pump insertion
- Nestable options available for ease of storing and shipping
- Compatible with most forklift trucks
- Compliant with the current UK Oil Storage Regulations



■ FL-205-216



■ FL-205-201



FREESTANDING



WITH GRID

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
IBC SPILL PALLETS				
FL-205-210	Single Freestanding	1450 x 1450 x 1000	1120	74
FL-205-202	Single With Platform Grid	1450 x 1450 x 1000	1120	95
FL-205-211	Single Nestable With Platform Grid	1680 x 1680 x 700	1260	86
FL-205-201	Single Freestanding With Integral Dispensing Bucket	2000 x 1490 x 750	1120	91
FL-205-203	Double Freestanding	2300 x 1360 x 575	1238	75
FL-205-216	Double Nestable With Platform Grid	2260 x 1465 x 575	1200	116
FL-205-218	Triple Freestanding Nestable	3255 x 1340 x 470	1300	86

IBC Spill Pallets

Steel IBC Spill Pallets



MADE IN
THE USA

APPLICATION

- Designed to hold and contain any drips, spills and leaks from an IBC

FEATURES & BENEFITS

- Polyethylene construction will not rust or corrode
- Removable platform grates for easy cleaning
- Integrated pail holder for quick and easy dispensing
- 3629kg load capacity allows two x IBCs to be safely stacked on top of the sump
- Forkliftable and nestable for shipment and storage on site
- Weatherproof tarpaulin available as an accessory allows the pallet to be stored outside without the risk of the sump becoming contaminated with rain water
- Compliant with the current UK Oil Storage Regulations



■ EN-5469-YE

■ GN-5469-TARP

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC IBC SPILL PALLET				
EN-5469-YE	IBC Spill Pallet	2040 x 1850 x 750	1457	126
GN-5469-TARP	IBC Tarpaulin	2030 x 1830 x 1870		4.1

Steel IBC Spill Pallets



MADE IN
THE UK

APPLICATION

- Designed to store 1000 litre IBC's

FEATURES & BENEFITS

- Manufactured from high quality sheet steel
- Galvanised spill grid
- Suitable for forklift truck conveyance
- Compliant with the current UK Oil Storage Regulations



■ FL-205-722

■ FL-205-724

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres
STEEL IBC SPILL PALLETS			
FL-205-722	Single IBC	1660 x 1350 x 605	1100
FL-205-724	Double IBC	1660 x 2710 x 410	1300

IBC Funnel and Lid

IBC Spill Pallet Frame & Covers

IBC Funnel and Lid

APPLICATION

- Integral debris strainer for safe decanting of liquids into IBC tanks

FEATURES & BENEFITS

- Manufactured from 100% polyethylene
- Robust and easy to clean
- Compatible with all 1000 litre IBCs
- 50mm spout for no-spill decanting
- Suitable for use with most chemicals and oils

Code	Dimensions Dia x H mm	Weight kgs
IBC FUNNEL & LID		
FL-205-208	640 x 150	4



IBC Spill Pallet Frame & Covers

■ FL-205-206



■ FL-205-207



APPLICATION

- Protects the bund and IBC from the elements making it ideal for outdoor storage

FEATURES & BENEFITS

- Supplied complete with frame, roof and roll-up door
- Manufactured from tough and durable polyethylene resistant to all weather conditions
- Base fork pockets provide easy loading onto a forklift truck when empty
- UV stabilised and chemical resistant
- Prevents rainwater contaminating the bund
- Compliant with current UK Oil Storage Regulations



Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
IBC PALLET FRAME & COVERS				
FL-205-206	Single Frame & Cover	1760 x 1350 x 2410	1100	119
FL-205-207	Double Frame & Cover	2560 x 1350 x 2140	1140	181

IBC Hardcover Spill Pallets

Single IBC Hardcover Spill Pallet

APPLICATION

- Provides secure storage for a single 1000 litre IBC

FEATURES & BENEFITS

- Manufactured from tough, durable polyethylene resistant to most chemicals and able to withstand severe weather conditions
- Double swing doors with integral air vent panels and a three-point locking mechanism
- Roof designed for effective rainwater run-off to the rear
- Internal platform grate incorporates apertures for pump insertion for pumping out any spills
- Spill pallet base incorporates access pockets to allow lifting points with a forklift truck to transport around site
- Fully compliant with the current UK Oil Storage Regulations
- 5 year warranty



Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Max Load kgs	Weight kgs
IBC HARDCOVER SPILL PALLET					
FL-205-225	Single IBC Hardcover Spill Pallet	2265 x 1775 x 1770	1260	2500	221

Twin IBC Hardcover Spill Pallet

APPLICATION

- Designed to store either 2 x 1000 litre IBC's or 8 x 205 litre drums securely

FEATURES & BENEFITS

- Spill pallet is manufactured from medium density UV stabilised polyethylene
- Hardcover manufactured from galvanised steel with a yellow powder-coated paint finish
- Two x steel sliding doors with a central lock system for security
- Removable platform grid allows quick and easy access for cleaning
- Forklift pockets aid transportation around site
- Fully compliant with the current UK Oil Storage Regulations



Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
TWIN IBC HARDCOVER SPILL PALLET				
FL-205-117	Twin IBC Hardcover Spill Pallet	2625 x 1430 x 2110	1140	285



Plant Nappy

APPLICATION

- Designed to be placed under site equipment and machinery allowing any spills of fuel and oil to be contained within the base whilst allowing clean water to escape

FEATURES & BENEFITS

- Robust construction able to withstand all weather conditions
- The mat can be placed on uneven ground or slight inclines with no loss of performance
- The base features a cushioned, non-slip surface which prevents machinery moving
- Lightweight and fully portable for ease of transportation around site
- Four securing tabs can be used in conjunction with pegs to secure the mats in adverse weather conditions
- Any oil or fuel is contained within the base allowing clean, uncontaminated water to pass through the side walls into the surrounding ground
- **We would always recommend the use of a liner to prolong the life of the nappy**
- Shoulder bag kit includes
1 x medium plant nappy, 2 x liners, 2 x pairs of disposable gloves 2 x disposable bags and ties, supplied in a heavy duty PVC carry case

A unique system that works both individually, or combined creating a flexible effective solution against spills

FIND THE RIGHT SYSTEM FOR YOU	PlantMat	PlantNappy	Combined Use
Internal/external	Yes	Yes	Yes
Patent pending tech	Yes	Yes	Yes
Suitable for use in severe wet weather conditions	No	Yes	Yes
Eliminates oil residue on run off	No	Yes	Yes
Solidifies oil	Yes	No	Yes
Reusable	No	Yes	Yes

Code	Description	Dimensions L x W x H mm	Absorbency Up To Litres	Weight kgs
PLANT NAPPY				
FL-93-401	Plant Nappy Mini & Liner	320 x 320 x 70	1	0.5
FL-93-101	Plant Nappy Small	500 x 685 x 70	2	1
FL-93-102	Plant Nappy Liner Small	460 x 645 x 10	2	0.5
FL-93-201	Plant Nappy Medium	1000 x 685 x 70	4.5	2
FL-93-202	Plant Nappy Liner Medium	960 x 645 x 10	4.5	1
FL-93-301	Plant Nappy Large	2000 x 1370 x 70	18	5
FL-93-302	Plant Nappy Liner Large	1960 x 1330 x 10	18	4
FL-94-401	Shoulder Bag Kit	1000 x 685 x 70	9	5



PlantMat Foam Wall Bunds

APPLICATION

- Temporary, portable absorbent mat designed to be placed under site equipment to absorb and contain any oil and fuel spills

FEATURES & BENEFITS

- Turns oil and fuels into a solid mass and contains it within the mat
- When in use a visual colour change indicates when the mat is nearing absorbency capacity as well as the mat becoming more rigid
- Tough construction puncture and tear resistant
- Lightweight
- Lifting loops for easy placing and retrieval of the mat after use
- Can be used independently or with a PlantNappy to offer ultimate protection, allowing only clean water to escape into the ground with as little as 2.6ppm total hydrocarbons
- When the mat is fully contaminated it must be classed as hazardous waste and disposed in line with government guidelines

We recommend that for the PlantMat to remain effective it should only be used in dry to moderate rain conditions as this will avoid any potential rain water run-off. Where there is a risk of excessive rainfall or continuous water contact we would always recommend that the PlantMat be placed inside a PlantNappy to ensure ultimate oil and fuel retention.



Code	Description	Dimensions L x W mm	Absorbency Up To Litres	Weight kgs
PLANTMAT				
FL-93-110	PlantMat Small	440 x 625	3	0.73
FL-93-203	PlantMat Medium	940 x 625	6	1.5
FL-93-303	PlantMat Large	1940 x 1310	24	6

Foam Wall Bunds

**Spill
killmate**

■ FL-93-109

APPLICATION

- Portable bund ideal for placing generators, machinery, fuel and oil drums in when on site to contain any incidental spills of liquids

FEATURES & BENEFITS

- Hard wearing robust PVC construction
- Available with or without a liner
- Portable, lightweight and easily moved around the site
- Folded for storage when not in use
- Replacement oil and fuel absorbent pad liners available



■ FL-93-106

■ FL-93-104

Code	Description	External Dimensions L x W x H mm	Internal Dimensions L x W mm	Containment Capacity Litres	Weight kgs
SPILL MATE FOAM WALL BUNDS					
FL-93-105	Standard Foam Wall Bund	720 x 640 x 80	500 x 400	19.5	0.9
FL-93-109	Standard Foam Wall Bund & Liner	720 x 640 x 80	500 x 400	19.5	0.93
FL-93-108	Replacement Standard Liners Pack of 25		500 x 400		2.2
FL-93-103	Large Foam Wall Bund	1220 x 920 x 80	1000 x 680	75	2.05
FL-93-104	Large Foam Wall Bund & Liner	1220 x 920 x 80	1000 x 680	75	2.11
FL-93-106	Replacement Large Liner Single		1000 x 680		0.36
FL-93-107	Replacement Large Liner Pack of 10		1000 x 680		3.6

Pop Up Pools Foam Wall Bunds


Pop Up Pools

APPLICATION

- Ideal for containing liquid spills from damaged drums, machinery, pipe work and as a decontamination pool

FEATURES & BENEFITS

- No set-up required, simply shake and they instantly expand for quick deployment
- Foam ring around the top perimeter rises with the level of liquid
- Extremely compact, folded units require minimal storage space
- Reusable after decontamination
- Excellent chemical, diesel fuel, anti-freeze, acids, caustics and corrosives resistance



MADE IN
THE USA

Code	Dimensions Dia x H mm	Containment Capacity Litres	Weight kgs
ULTRATECH POP UP POOL			
UL-143-425	889 x 204	76	1.5
UL-143-416	1347 x 305	250	2

Prowler Pools



■ EN-5920-YE

■ EN-5966-YE

■ EN-5900-YE

APPLICATION

- Designed for a quick deployment to contain spills and leaks of hazardous liquids

FEATURES & BENEFITS

- Manufactured from tough durable chemical resistant polyethylene
- Teardrop shaped with a top tension ring for self-support
- Easily folded for compact storage when not required



Code	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC PROWLER POOLS			
EN-5920-YE	460 x 710 x 330	76	1
EN-5966-YE	910 x 1220 x 356	250	1.8
EN-5900-YE	810 x 1220 x 460	378	1.8
EN-5950-YE	1120 x 1520 x 460	567	2.3

NEW

Mini Foam Wall Bunds

APPLICATION

- Designed for quick deployment to contain liquid spills or leaks of hazardous materials

FEATURES & BENEFITS

- Manufactured from tough durable chemical resistant polyethylene
- Material can withstand extreme temperatures
- Easily folded for compact storage when not required

Code	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC MINI FOAM WALL BUNDS			
EN-5623-YE-F	600 x 900 x 152	83	1.8
EN-5646-YE-F	1200 x 1800 x 152	262	4.9



MADE IN
THE USA





Portable Containment Bunds

APPLICATION

- Provides flexible and mobile spill containment. Widely used as a bund for mobile plant and generators, as a method of catching fuel and chemical spills or as a temporary measure for liquid storage

FEATURES & BENEFITS

- Manufactured from chemical, fuel and oil resistant materials
- Drop down walls facilitate easy access
- Simple assembly, no tools required
- Corrosion resistant and easy to clean
- Durable, long lasting
- Easy to transport
- Meets environmental legislation ISO 14001 and Oil Storage Regulations



Code	Dimensions L x W x H mm	Containment Capacity Litres
PORTABLE BUNDS		
FL-25-130	914 x 914 x 305	240
FL-25-131	914 x 2133 x 305	560
FL-25-132	2133 x 2133 x 305	1320
FL-25-133	2438 x 3048 x 305	2160
FL-25-134	2438 x 6096 x 305	4320
FL-25-135	3657 x 4572 x 305	4860



Code	Dimensions L x W x H m	Containment Capacity Litres	Weight kgs
FASTANK PORTABLE BUNDS			
FL-25-107	1 x 1 x 0.25	250	5.2
FL-25-108	1 x 2 x 0.25	500	7.5
FL-25-117	1.5 x 1.5 x 0.25	562	8
FL-25-124	2 x 2.5 x 0.25	1250	12
FL-25-110	2.5 x 3 x 0.25	1875	17
FL-25-125	2.5 x 3.5 x 0.25	2187	18
FL-25-111	2.5 x 6 x 0.25	3750	25
FL-25-112	3.5 x 4.5 x 0.25	3950	28



APPLICATION

- Suitable for wash down applications where contaminated water must be collected, bunding of tanks and drums, construction site equipment and effluent, sewage and waste liquid catchment

FEATURES & BENEFITS

- Manufactured from chemical, fuel and oil resistant materials
- Simple assembly for quick and easy deployment, no tools required
- Easy access drop down walls
- Easily folds away after use
- Reusable, corrosion resistant and easy to clean
- Supplied in a heavy duty carry bag
- Range of optional accessories available
- Bespoke custom sizes available
- Meets environmental legislation ISO 14001 and current UK Oil Storage Regulations

ACCESSORIES

GROUND SHEET

- Provides protection to the bund from rough surfaces.
We would always recommend the use of a ground sheet

PROTECTIVE MAT

- Internal matting designed to reduce wear and tear on the bund fabric when supporting heavy loads, or to allow vehicle access

OVERFLOW KIT

- In the event of a leak from a drum, the contents of the bund can be safely discharged into another container from the valve

LINER

- Provides additional protection against aggressive chemicals and aids cleaning after use prolonging the life of the bund



Portable Containment Wall Bunds

Gorilla Containment Bund

APPLICATION

- Suitable for drum and container containment and decontamination applications

FEATURES & BENEFITS

- Manufactured from heavy weight industrial vinyl-coated polyester
- Chemical resistant
- Snap-Up support stays create a sturdy sidewall when the unit is opened, no parts to lose
- Easily folded for compact storage and transportation
- Cold rated to -55 deg F/-48 deg C
- Conform to EPA 40 CFR 264.175, SPCC and NPDES regulations



Dimensions L x W x H mm Containment Capacity Litres Weight kgs

ENPAC STINGER YELLOW JACKET BUNDS

EN-57-448-YE	1210 x 1210 x 200	302	7
EN-57-468-YE	1830 x 1220 x 200	454	8
EN-57-488-YE	2440 x 1220 x 200	605	13
EN-57-888-YE	2430 x 2430 x 200	1211	14
EN-57-8108-YE	2430 x 3004 x 200	1514	16
EN-57-10108-YE	3005 x 3005 x 200	1896	17

Gorilla Containment Bund

APPLICATION

- Provides long term spill containment for machinery, IBC's and tanks with combined vehicle access

FEATURES & BENEFITS

- Modular construction allows for a containment area of any size to be constructed to suit customers individual requirements
- Polymer-coated foam support blocks provide structure to sidewalls which can be driven over repeatedly without damage
- Moulded-in channels in top of the foam blocks hold 25mm diameter rebar (not included) to secure the liner
- System is not secured to the substrate and can be easily dismantled and removed after use for future projects
- Conforms to EA LFE 5 and CIRIA C736: Design of Containment Systems For The Prevention Of Water Pollution From Industrial Accidents



Bund Dimensions L x W m	No. Of Wall Sections Required	No. Of Corners Required	Sq.m Of Liner Required	Containment Capacity Litres	Weight kgs
2.1 x 4.0	6	4	38	1385	74.5
4.0 x 4.0	8	4	52	2517	100
4.0 x 7.6	12	4	72	4781	150.5
4.0 x 9.4	14	4	82	5917	176
4.0 x 13.1	18	4	113	8180	222.5
4.0 x 16.8	22	4	133	10444	278
4.0 x 18.6	24	4	144	11580	302
7.6 x 16.8	26	4	206	19847	393.5
9.4 x 16.8	28	4	238	24548	455.5
16.8 x 16.8	36	4	387	43351	681.5



Code Description Dimensions L x W x H mm Weight kgs

ULTRATECH GORILLA BUND COMPONENTS

UL-34-300	Wall section	1829 x 406 x 152	8.6
UL-34-301	Corner block	610 x 610 x 152	4.1
FL-34-209	Liner	Liner per sq.m	



Modular Containment Wall Bund

APPLICATION

- Provides long term or temporary containment for machinery, liquid storage tanks, vehicles, drum and IBC spill pallets

FEATURES & BENEFITS

- Modular wall sections and corners are easily assembled to build a containment area to suit the customers requirements
- Versatile system can be easily dismantled after use and relocated to other sites for future use
- Manufactured from fully recyclable, UV resistant polyethylene which offers a high degree of resistance to a wide range of chemicals
- This system does not require fixing to the ground and can be assembled for use on sand, mud, grass, concrete and other stable substrates

Dimensions L x W m	Wall Sections	Corner Sections	Sq.m Of Liner Required	Containment Capacity Litres
3.3 x 3.3	4	4	6 x 6	5000
3.3 x 5.3	6	4	6 x 8	8500
3.3 x 7.2	8	4	6 x 10	12000
5.3 x 5.3	8	4	8 x 10	15000
7.2 x 7.2	12	4	10 x 10	30000
9.1 x 9.1	16	4	12 x 12	50000

Code	Description	Dimensions L x W x H mm	Weight kgs
MODULAR CONTAINMENT WALL BUND			
FL-34-204	Straight section	2030 x 610 x 915	40
FL-34-205	Corner section	745 x 762 x 915	20
FL-34-202	Liner capping section	1700 x 113 x 74.5	2.5
FL-34-209	Liner	Liner per sq.m	
FL-34-213	Access platform		




■ FL-34-205



■ FL-34-205



■ FL-34-204



■ FL-34-204



Drum Lids



■ FL-205-404



MADE IN THE UK



■ FL-205-405



■ FL-205-403



■ EN-3004-YE



■ EN-3065-BK



MADE IN THE USA



■ EN-3040-YE



■ EN-3004-YE-SF

APPLICATION AND BENEFITS

- Drum lids and funnels provide a simple, cost effective solution to collect liquids, keep the tops of drums dry and help prevent spills
- Manufactured from easy to clean polyethylene they are compatible for use with most liquids

Drum Lid FL-205-403

- Prevents rainwater building up on top of a drum and then causing contamination when the drum is opened

Drum Funnel & Lid FL-205-404

- Suitable for use with most open or closed head 205ltr drums

Drum Funnel FL-205-405

- Manufactured from 100% polyethylene
- No spill decanting

Universal Drum Funnel EN-3004-YE

- Lightweight durable funnel
- A wide mouth prevents drips, leaks, and splashes

Poly Drum Topper EN-3065-BK

- Plastic topper easily snaps into place to prevent dirt, debris, and other contaminants from collecting on the tops of drums

Universal Drum Funnel Cover EN-3040-YE

- Prevents dirt and debris from collecting in both the universal and safety drum funnels

Universal Safety Funnel EN-3004-YE-SF

- Lightweight funnel designed for use with flammable liquids
- Built in non-sparking safety bung closure with flame arrestor safety
- Can be used with the universal drum funnel cover EN-3040-YE

Code	Description	Dimensions Dia x H mm	Weight kgs
DRUM LIDS			
FL-205-403	Drum Lid	650 x 70	4
FL-205-404	Drum Funnel & Lid	610 x 230	4
FL-205-405	Drum Funnel	870 x 240	5

Code	Description	Dimensions Dia x H mm	Weight kgs
ENPAC DRUM LIDS			
EN-3004-YE	Universal Drum Funnel	660 x 140	1.4
EN-3065-BK	Drum Topper	640 x 100	0.7
EN-3040-YE	Drum Funnel & Cover	660 x 140	1.4
EN-3004-YE-SF	Drum Safety Funnel	660 x 140	2.3

Drum Rack Dispensing Bunds

Drum Rack

APPLICATION

- Drum rack designed for the storage and safe dispensing of liquids from steel and plastic 205 litre drums

FEATURES & BENEFITS

- Manufactured from, chemical resistant, UV-stabilised PE
- Ideal for easy and safe liquid dispensing
- Compatible with most forklifts, remove drums before lifting
- Do not use plastic drums at load-bearing levels**



■ FL-205-802

■ FL-205-801

 **MADE IN THE UK**

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
DRUM RACK				
FL-205-801	2 Drum Bund	1375 x 1350 x 635	450	46
FL-205-802	2 Drum Cradle	1375 x 940 x 390		25

Poly Rack System

APPLICATION

- Provides a containment and dispensing solution by stacking drums without interrupting liquid transfer and dispensing operations

FEATURES & BENEFITS

- The base of the Poly Rack System holds 2 x 205 litre drums
- The deep dispensing well contains any incidental spills and splashes
- Easily transported by forklift when empty

POLY-STACK

- Can accommodate 2 x 205 litre drums
- Any spills from the second level are collected in the Poly Rack dispensing well for containment and easy clean-up

POLY-SHELF

- Easily attaches to the Poly-Stack and allows simultaneous dispensing from all drums



■ EN-6002-YE

■ EN-6000-YE

 **ENPAC CORPORATION**

 **MADE IN THE USA**

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC POLY RACK SYSTEM				
EN-6000-YE	Poly Rack Base	1240 x 1350 x 580	386	55
EN-6002-YE	Poly Stack	1240 x 1040 x 320		25.3
EN-6003-YE	Poly Shelf	430 x 560 x 440		4.6

Multi Use Drum Cradle

APPLICATION

- Polyethylene construction, this cradle is designed for dual functionality, one side allows for the the dispensing of liquids from a 205-litre drum positioned horizontally, while the other side when flipped is suited for dispensing from 25-litre and 50-litre drums



Code	Description	Dimensions L x W x H mm	Weight kgs
DRUM CRADLE			
FL-205-803	Drum Cradle	760 x 645 x 760	10

Single Poly Rack System

APPLICATION

- The single poly-rack dispensing base is designed to dispense liquids from a 205-litre drum. Durable, chemically resistant design. Fully enclosed and compliant 249.8 litre capacity sump. When used with the single poly-stacker, the system can hold a total of two drums



Code	Description	Dimensions L x W x H mm	Weight kgs
ENPAC POLY RACK SYSTEM			
EN-6006-YE	Dispensing Rack	1350 x 780 x 840	44
EN-6007-YE	Dispensing Stacker	1036 x 787 x 508	20

Poly Dolly Drum Dolly

APPLICATION

- Multi-purpose dispensing station, drum transporter and secondary containment system

FEATURES & BENEFITS

- Rolled-grip handles for easy lifting and kick plate for effortless tipping
- Patented enclosed sump
- Drain plug for easy removal of liquid from sump
- Heavy duty strap to secure drum
- Forkliftable from the rear
- Optional tarpaulin cover for external use
- Optional well liner for dispensing sump
- One-person operation
- Manufactured from tough, polyethylene
- Ensures compliance with current UK Oil Storage Regulations

All Terrain Poly Dolly EN-5300-YE-A

- Has the same features and benefits of the EN-5300-YE Poly Dolly but is fitted with 250mm dia solid rubber go anywhere wheels making this model ideal for exterior use over rough ground

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC POLY DOLLY				
EN-5300-YE	Poly Dolly	1750 x 810 x 670	265	37.2
EN-5300-YE-A	All Terrain Poly Dolly	1750 x 830 x 670	265	41.3
EN-5300-TARP	Tarpaulin Cover	1420 x 860 x 660		1.8
EN-6005-BK	Well Liner	320 x 390 x 60	1.5	0.6



APPLICATION

- Designed for the safe dispensing and fully bunged storage of 205 litre drums

FEATURES & BENEFITS

- Double walled construction for optimum strength and security against leaks
- Easy to clean, liquid drains to the front
- Rubber wheels
- Castors with rotation and swivel brake
- Drum is secured with a ratchet strap
- Vertical spill containment of up to 3 litres
- Forkliftable from the rear
- One-person operation, the safety support locks into place for easy vertical loading and storage
- Manufactured from tough and durable polyethylene
- Ensures compliance with the current UK Oil Storage Regulations

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
DRUM DOLLY				
FL-205-601	Drum Dolly	1740 x 815 x 680	250	41



Drum Trolleys

Folding Handle Drum Dolly

APPLICATION

- Provides a safe and secure method of transporting a single 205 litre drum

FEATURES & BENEFITS

- Polyethylene construction that will not rust or corrode
- Fitted with four swivel castors, two of which are braked
- Fold-away handle
- Dimensions including handle H x Dia 1200 x 960 mm
- Containment capacity: empty 60 litres, containing 205 litre drum 19 litres
- Maximum load capacity 300kgs
- Weight 20kgs



Drum Dolly

APPLICATION

- Provides a safe and secure method of transporting a single 205 litre drum

FEATURES & BENEFITS

- Polyethylene construction that will not rust or corrode
- Fitted with four swivel castors, two of which are braked
- Steel upright handle
- Dimensions including handle H x Dia 990 x 725mm
- Containment capacity 30 litres
- Maximum load capacity 300kgs
- Weight 15.5kgs



Trolley

APPLICATION

- Provides a safe and secure method of transporting multiple liquid containers

FEATURES & BENEFITS

- Polyethylene construction that will not rust or corrode
- Fitted with four swivel castors, two of which are braked
- Steel upright handle
- Dimensions including handle H x L x W 1000 x 700 x 300mm
- Containment capacity 100 litres
- Maximum load capacity 100kgs
- Weight 42kgs



Spill Scooter



APPLICATION

- Provides secondary containment for incidental spills and drips that can occur during vertical applications and transporting liquids

FEATURES & BENEFITS

- Polyethylene construction that will not rust or corrode
- Fitted with four swivel castors
- T-grip steel handle
- Dimensions including handle H x D 880 x 220mm
- Containment capacity 41.6 litres
- Maximum load capacity 227kgs
- Weight 11.8kgs

CODE: EN-5205-YE



Poly Spillcart



APPLICATION

- Designed to transport 2 x 205 litre drums or a number of smaller containers

FEATURES & BENEFITS

- Polyethylene construction that will not rust or corrode
- Large sump to contain any liquid spills
- Removable platform grid for easy cleaning
- Fitted with four rubber wheeled swivel castors, two of which are braked
- Built in tool tray
- Steel handle
- Dimensions including handle H x L x W 1120 x 1690 x 740mm
- Containment capacity 216 litres
- Maximum load capacity 227kgs
- Weight 52kgs

CODE: EN-5200-YE



Gas Cylinder Storage

APPLICATION

- Suitable for the safe transportation of gas cylinders



MADE IN
THE USA

FEATURES & BENEFITS

- Manufactured from non-corrosive, non-sparking trolley materials to help prevent fires and explosions when used with volatile gases
- Ergonomic handle
- Twin trolley features a built-in tool tray for valves and torches
- Safety strap included

Code	Description	Dimensions L x W x H mm	Weight kgs
------	-------------	----------------------------	---------------

ENPAC GAS CYLINDER TROLLEYS

EN-7301-BK	Single Cylinder Trolley	622 x 565 x 1168	12.7
EN-7302-BK	Two Cylinder Trolley	940 x 600 x 1140	25.8



■ EN-7301-BK



■ EN-7302-BK



APPLICATION

- Suitable for the safe and secure storage of gas cylinders



MADE IN
THE USA

FEATURES & BENEFITS

- Manufactured from non-corrosive, non-sparking materials to help prevent fires and explosions when used with volatile gases
- Safety strap included

Code	Description	Dimensions L x W x H mm	Weight kgs
------	-------------	----------------------------	---------------

ENPAC GAS CYLINDER STANDS

EN-7216-YE	Universal Cylinder Wall Bracket	387 x 159 x 83	0.5
EN-7212-YE	Twin Cylinder Stand	711 x 360 x 760	6.4
EN-7213-YE	Four Cylinder Stand	1040 x 740 x 1180	21
EN-7202-YE	Six Cylinder Stand	1220 x 790 x 1040	23.5
EN-7203-BK	Six Cylinder Stand Ramp	490 x 115 x 127	9.3
EN-7205-BK	Cylinder Strap Kit	572 x 25	0.5



■ EN-7213-YE




■ EN-7216-YE



■ EN-7212-YE



■ EN-7205-BK



■ EN-7203-BK

Under Rack Containment Bunds

Poly COSHH Storage Cabinets

APPLICATION

- Designed to capture spills and leaks from drums and containers stored on racking preventing spreading, contaminating other materials and the work floor

NEW

FEATURES & BENEFITS

- Manufactured from durable, chemical-resistant polyethylene
- Low profile for easy access
- Platform free enables easy visual inspection and easy cleaning
- Fork lift pockets for transportation around site when empty
- Rubber hose and cap piece connects the double bunds securely together
- Nestable design for efficient storage when not required
- Compliant with all the UK Oil Storage Regulations

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
UNDER RACK CONTAINMENT BUNDS				
FL-205-805	Single	2665 x 1300 x 500	1100	34
FL-205-806	Double	3200 x 1300 x 520	1100	50



Poly COSHH Storage Cabinets



■ FL-99-001

■ FL-99-002

■ FL-99-003

■ FL-99-004

■ FL-99-006

APPLICATION

- Suitable for the safe storage of chemicals and oils

FEATURES & BENEFITS

- Manufactured from polyethylene for superior chemical resistance and durability
- Lockable door
- Built-in sump to contain any liquid spills
- Removable shelves for versatility
- Easy to clean
- COSHH compliant

Code	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
POLY STORAGE CABINETS			
FL-99-001	534 x 420 x 990	30	15
FL-99-002	650 x 570 x 1650	70	44
FL-99-003	920 x 740 x 1520	100	55
FL-99-004	920 x 720 x 1835	225	60
FL-99-006	920 x 720 x 1835	225	50



Flammable Metal Storage Cabinets

APPLICATION

- Designed for the safe storage of hazardous substances in the workplace

FEATURES & BENEFITS

- Manufactured in mild steel these cabinets have fully welded seams throughout
- Reinforced doors with two-point locking mechanism supplied with two keys
- Built-in liquid sump contains any drips and spills
- Shelves are fully adjustable
- 30-minute fire resistant
- Cabinets are finished in a high visibility yellow powder coat finish and include flammable warning labels
- Cabinets comply with HSG51 The Health & Safety Executives Guidelines For The Storage Of Flammable Liquids and DSEAR ACoP L136 paragraphs 94-96 Dangerous Substance & Explosives Atmosphere Regulations 2002
- Full range of acid, pesticide and COSHH cabinets available to suit all customer requirements. Please contact our sales team for further information



■ PESTICIDE



■ ACID



■ COSHH



■ FLAMMABLE



Code	Description	Dimensions H x W x D mm	Number of Shelves	Containment Capacity Litres
CABINETS				
FL-82-020	Metal Cabinet Single Door	457 x 457 x 305	1	7
FL-82-001	Metal Cabinet Single Door	457 x 457 x 457	1	10
FL-82-002	Metal Cabinet Single Door	915 x 457 x 457	1	10
FL-82-003	Metal Cabinet Double Door	711 x 915 x 457	1	21
FL-82-004	Metal Cabinet Double Door	915 x 915 x 457	1	21
FL-82-005	Metal Cabinet Double Door	1829 x 915 x 457	3	80

Drum Stores

Bunded Safety Store

Drum Stores

APPLICATION

- Provides secure storage for 205 litre drums of chemicals, oils, paints and other liquids



MADE IN
THE UK

FEATURES & BENEFITS

- Manufactured from sheet steel
- Incorporates a built-in leakproof sump
- Up and over lid models have easy action gas spring assist with padlock hasp and staple door
- Lid and door models have easy action gas spring assist with two point locking system doors
- Suitable for both pallet truck and forklift truck conveyance
- Complies with current UK Oil Storage Regulations

Code	Description	Dimensions L x W x H mm	Number of Drums	Containment Capacity Litres
DRUM STORES				
FL-49-014	Drum Store Up & Over Lid	1400 x 800 x 1440	2	250
FL-49-015	Drum Store Up & Over Lid	1400 x 1400 x 1440	4	300
FL-49-016	Drum Store Lid & Door	1400 x 800 x 1440	2	250
FL-49-017	Drum Store Lid & Door	1400 x 1400 x 1440	4	300



Bunded Safety Store

APPLICATION

- Bunded store suitable for the secure storage of chemicals, oils, paints and other liquids with the exception of corrosive acids.

FEATURES & BENEFITS

- Manufactured from corrugated steel with a light grey powder coat paint finish
- Double lockable doors split 3/4 and 1/4 allow for easy access
- High and low natural ventilation
- Fully bunded sump contains any liquid spills
- Removable grid mesh floor
- Forklift pockets and crane lifting points for easy re-location on site
- Delivered fully assembled ready for immediate use or flat packed for self assembly
- Complies with the current UK Oil Storage Regulations
- Weight 600kgs

Please note this unit is not suitable for temperature sensitive liquids, low flash point flammables and corrosive acids

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres
BUNDED SAFETY STORE			
FL-202-004	Safety Store Assembled	2870 x 2060 x 2280	1064
FL-202-004 - FP	Safety Store Flat Packed	2870 x 2060 x 2280	1064



External Drum Storage

Poly Safetpack

APPLICATION

- Provides secure weather-proof external storage containment for 2 x 205 litre drums or a mix of small containers

FEATURES & BENEFITS

- Manufactured from tough, chemically resistant polyethylene UV protected for long life
- Unique gull-wing covers provide for easy drum access and removal
- Security locks secure the lid covers. (Supplied complete with 2 x keyed alike padlock)
- Translucent sidewalls for easy sight of liquids, no need to open the lids to see if there has been a leak
- Easily transported when empty by forklift trucks, access on two sides of unit
- Fully complies with EPA 40 CFR 264.175, SPCC, NPDES and UFC

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Load Capacity kgs	Weight kgs
POLY SAFETPACK					
EN-2038-YE	2 Drum Poly Safetpack	1540 x 950 x 1160	492	544	46.7



■ EN-2038-YE



Hazard Hut

APPLICATION

- Secondary external containment storage unit designed to store hazardous materials

FEATURES & BENEFITS

- Constructed as a one-piece unit from polyethylene capable of containing most liquids
- Moulded side vents for ventilation
- UV protection for increased durability when stored in direct sunlight
- Heavy duty double doors
- Allows storage for up to 4 x 205 litre drums
- Can be forklifted from all four sides for transport around site when empty
- Low incline ramp available as an optional accessory
- Manufactured in accordance with EPA 40 CFR 264.175 and UK Oil Storage Regulations
- 5 year guarantee against manufacturing defects



■ EN-4000-YE



Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC HAZARD HUT				
EN-4000-YE	Hazard Hut	1610 x 1730 x 1840	275.5	122
EN-4001-BK	Ramp	3000 x 790 x 390		70

Job Hut

APPLICATION

- Secondary containment external storage store for up to 8 x 205 litre drums

FEATURES & BENEFITS

- One-piece secondary containment system constructed from high density polyethylene
- Heavy duty double doors
- Forkliftable from front and rear when empty for easy transport around site
- UV protection for increased durability when stored in direct sunlight
- Requires no assembly
- Ramp available as an optional accessory
- 5 year guarantee against manufacturing defects



■ EN-5111-BK



Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC JOB HUT				
EN-4010-YE	Job Hut	2170 x 1560 x 2390	272	218
EN-5111-BK	Ramp	1170 x 640 x 190		13.5



External Drum & IBC Store

General Purpose Safety Stores

APPLICATION

- Designed for the storage of flammable, chemical and other hazardous liquids

FEATURES & BENEFITS

- Manufactured from mild steel sheet
- Fully welded leak proof sump
- Removable galvanised grid platform flooring
- High and low flame arrested ventilation panels
- Galvanised shelving along both sides of the store
- Full width, double doors fitted with two-point flush fitting integral locking system

Code	Dimensions L x W x H mm	Containment Capacity Litres
------	----------------------------	-----------------------------------

GENERAL PURPOSE SAFETY STORES

FL-49-030	2100 x 2100 x 2450	800
FL-49-031	2500 x 2900 x 2450	1300

Please note: This store is not designed to store temperature sensitive liquids, such as low flash point flammables and paint



External Drum Stores

APPLICATION

- Provide secure storage for 25 litre drums or a mix of small containers

FEATURES & BENEFITS

- Manufactured from profiled mild steel sheet
- Lockable double sliding doors complete with warning labels
- Built in perforated storage shelving
- Removable galvanised grid platform flooring
- Fully welded leak proof sump
- High and low level ventilation panels
- Finished in corrosion resistant paint
- Complies with the Control of Pollution (Oil Storage England) Regulations 2001, The Water Health & Safety Executives Guidelines for the Storage Of Flammable Liquids HSG51 and current Health, Safety & Environmental Regulations

Code	Dimensions L x W x H mm	Number of Drums	Containment Capacity Litres
------	----------------------------	--------------------	--------------------------------

EXTERNAL DRUM STORE

FL-49-011	1400 x 810 x 1580	16	250
FL-49-012	2500 x 810 x 2400	48	380
FL-49-013	3000 x 1650 x 2400	80	660



Dual Purpose Drum / IBC Stores

APPLICATION

- Designed for the combined storage of 205 litre drums and 1000 litre IBCs.

FEATURES & BENEFITS

- Constructed from profiled mild steel sheet
- Fully welded leakproof sump
- High and low level vents
- Upper and lower levels have support bearers
- Comply with the Control of Pollution (Oil Storage) (England) Regulations 2001, The Water Environment (Oil Storage) (Scotland) Regulations 2006, E.A. Guidance Note PPG26, The Health & Safety Executives Guidelines for the Storage Of Flammable Liquids HSG51 and current Health, Safety & Environmental regulations
- Storage units can be custom made to suit your storage requirements. Optional extras may include:- insulation, heating, temperature control, lighting and fire detection

Code	Dimensions L x W x H mm	Number of Drums	Number of IBC	Containment Capacity Litres
------	----------------------------	--------------------	------------------	-----------------------------------

DUAL PURPOSE DRUM / IBC STORES

FL-49-001	1720 x 1400 x 2300	4	1	1100
FL-49-002	3000 x 1650 x 2400	8	2	1125
FL-49-003	3000 x 1650 x 3200	16	4	1125
FL-49-004	4500 x 1650 x 3200	24	6	1500
FL-49-005	5900 x 1650 x 3200	32	8	2000
FL-49-006	8900 x 1650 x 3200	48	12	3000
FL-49-007	5900 x 3300 x 3350	64	16	4000
FL-49-008	8900 x 3300 x 3350	96	24	6000



MADE IN
THE UK

Portable Tanks

FASTANK

Fastank 1,3 & 5

■ FL-25-120

■ FL-25-119

■ FL-25-118

Rapide

■ FL-25-114

Fastank 1500/2000

■ FL-25-121

■ FL-25-115

- Fastank is a patented liquid storage container designed for applications in numerous sectors including oil and chemical spill clean-up, civil defence, emergency aid and disaster relief, aquaculture, biosecurity, fire fighting, construction, military, fish-farming, and animal rescue
- Easily transported and carried to the most difficult and remote locations due to their low packaged weight and volume
- Designed to operate in a range of terrains
- Simple assembly for quick and easy deployment, no tools required
- Temperature resistant

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
FASTANK PORTABLE TANK				
FL-25-114	Rapide	1720 x 1670 x 600	1500	15
FASTANK FT1, FT3 & FT5 PORTABLE TANKS				
FL-25-118	FT1	1200 x 1250	1000	11
FL-25-119	FT3	1800 x 1250	3000	28
FL-25-120	FT5	2300 x 1250	5000	36
FASTANK 1500 & 2000 PORTABLE TANKS				
FL-25-121	1500	3200 x 1150	7500	56
FL-25-115	2000	3200 x 1500	10000	60



Polyethylene & Steel Tanks Fuel Tank Water Soakers

Steel and polyethylene tanks suitable for the storage of waste engine, heating and cooking oils, lubricants, diesel and Kerosene in all markets including manufacturing, construction, agriculture and transportation

Precision steel bunded tanks are engineered and manufactured from 43a grade steel and allow for 110% bund capacity

Polyethylene tanks are manufactured in accordance with OFTEC standards

Bunded oil tanks are fully compliant with current regulations and can be supplied fitted with a wide range of dispensing equipment including electric pumps, flow meters, tank alarms and fuel management systems

Tanks can be designed and built to your specification, contact your distributor for further information



Fuel Tank Water Soakers

APPLICATION

- Ideal for use in commercial fuel tanks, domestic heating oil tanks and bulk diesel tanks to prevent corrosion

FEATURES & BENEFITS

- Condensation causes water to collect in the bottom of fuel tanks which if not removed corrodes the inside of the tank
- Water soaker is lowered into the fuel tank and secured with the attached cord,

the nylon bladder absorbs any water in the tank until fully expanded in the mesh filter leaving the fuel oil, diesel or petrol in the tank

- Simply leave the soaker in the tank until the bladder is full of water, then remove and replace
- **We recommend the water soaker is checked and replaced every 3 months**

Code	Description	Dimensions Dia x L mm	Absorbency Capacity ml
WATER SOAKERS			
FL-01-213	Water Soaker Mini	44 x 150	135
FL-01-210	Water Soaker Small	44 x 300	269
FL-01-211	Water Soaker Medium	56 x 300	489
FL-01-212	Water Soaker Large	100 x 300	1590





Being Ready

- Laboratory Spill Kits
- Chemical and Acid Spill Kits
- Industrial Spill Kits
- Vehicle Spill Kits
- Marine Spill Kits
- Signage
- Spill Kit Consumables
- Cleaning and Hygiene Products
- Emergency Repair Products
- Drain Closure System
- Drain Covers and Guards
- Floor Protection Mats
- Bio Security Mats
- Waste and Storage Bins

Being Ready

Absorbents

BS7959 British Standard specifies a system of colour coding of sorbent material which will assist users in identifying the correct material for use with a wide range of liquids.



Maintenance - grey in colour, suitable for absorbing most types of industrial spills including both oil and water based liquids including solvents, coolants and mild chemicals. Recommended for internal use.



Oil & Fuel - white or blue in colour, ideal for where the absorption of oil based liquids such as fuels, lubricants and other hydrocarbon based products is required and for the selective recovery of oil from water. Recommended for external use.



Chemical - yellow in colour, designed to absorb aggressive fluids including acids and alkalis. Recommended for internal use.

Industrial spill kits - designed to contain and clean up spillages and limit environmental damage. Allows you to effectively respond to any oil, chemical or general liquid spills. Range of carry bags, wheelie bins and lockers with different capacities capable of dealing with a spill under a worst case scenario.

Laboratory - required when you are working with hazardous materials and chemicals. Kits contain a variety of absorbent materials used to contain and clean up any acid, chemical and body fluids.

Vehicle spill kits - designed to clean up any spillages in the motor sports and commercial vehicle sector. Hauliers/transport companies of dangerous goods are required by law to provide their trucks with an ADR spill kit.

Marine spill kits - the Ship Oil Pollution Emergency Plan (SOPEP) requires all cruise and cargo vessels to be equipped with spill kits.

Signage - informative signage helps to protect the health and safety of employees and ensure good working practices.

Spill kit consumables - hazardous waste bags, barrier tapes, and safety ties ensure your kits are fully maintained.

Wipes - industrial range of both wet and dry wipes provide optimum wiping performance to traditional rags.

Emergency repair products - enables an emergency repair to damaged pipes and leaking drums.

Drain closure systems - provide instant security against the polluting of controlled waters. Operated manually to isolate part or the whole of a site ensuring the retention of spillages or fire-fighting water run-off on site.

Drain covers - prevents debris and liquid spills entering into the drainage systems and contaminating the sewer system or controlled waters.

Floor protection and biosecurity mats - specialised mats for the, construction, clean room, food and drink, agricultural and food producing industries.

Bins - wheelie bins, larger capacity waste bins, clinical waste and grit bins suitable for industry.



MADE IN THE UK

Laboratory Chemical, Solvent & Acid Spill Kits

spilkleen



Formaldehyde Spill Kit

Suitable for Formaldehyde 37% concentration.

Contents include 2 x 1 litre bottles FNC Formaldehyde neutraliser, 1 trigger spray head, 10 x absorbent chemical pads, 2 x chemical absorbent socks, 2 x waste disposal bags with ties, 1 x pair nitrile gloves, 1 x pair of safety goggles, 1 x dustpan and brush, instruction and content sheet Supplied in a yellow cube bag

Absorbency capacity 18 litres

Store above 0deg C to prevent crystallisation.



Acid, Caustic & Solvent Spill Kit

Spill kit suitable for the containment, clean-up and disposal of acid, caustic and solvent spills. Fast acting treatment minimises the toxic effects of the spill. Shaker bottle provides easy to pour on spill, free flowing neutraliser. Colour indicator shows when neutralisation is complete.

Contents include 2 x 0.9kg pack CS alkali neutraliser, 2 x 1kg pack ACX acid neutraliser, 1 x 500ml super absorbent powder, 10 x chemical absorbent pads, 2 x waste disposal bags with ties, 1 x pair nitrile gloves, 1 x pair of safety goggles, 1 x dustpan and brush, instruction and content sheet Supplied in a yellow PVC bag



Alkali & Acid Spill Kit

Spill kit suitable for the containment, clean-up and disposal of acid and alkali spills. Fast acting treatment minimises the toxic effects of the spill. Shaker bottle provides easy to pour free flowing neutraliser. Colour indicator shows when neutralisation is complete.

Contents include 1 x 0.9kg pack CS alkali neutraliser, 1 x 1kg pack ACX acid neutraliser, 10 x chemical absorbent pads, 1 x chemical absorbent cushion, 2 x yellow waste disposal bags with ties, 1 x pair nitrile gloves, 1 x pair of safety goggles, 1 x dustpan and brush, instruction and content sheet Supplied in a yellow PVC bag. Absorbency capacity 10 litres

Code	Description
FORMALDEHYDE SPILL KIT	
SC-100-311	Formaldehyde Spill Kit

Code	Description
ACID, CAUSTIC & SOLVENT SPILL KIT	
SC-100-312	Acid, Caustic & Solvent Spill Kit

Code	Description
ALKALI & ACID SPILL KIT	
SC-100-310	Alkali & Acid Spill Kit



Acid Spill Kit

Spill kit suitable for the containment, clean-up, and disposal of any acid spills.

Fast acting treatment minimises the toxic effects of the spill. Shaker bottle provides easy to pour free flowing neutraliser Colour indicator shows when neutralisation is complete.

Contents include 6 x 1kg packs ACX acid neutraliser, 10 x chemical absorbent pads, 2 x yellow waste disposal bags with ties, 1 x pair nitrile gloves, 1 x pair of safety goggles, 1 x dustpan and brush, instruction and content sheet Supplied in a yellow PVC cube bag.

Absorbency capacity 12 litres



Solvent Spill Kit

Spill kit suitable for the containment, clean-up and disposal of solvent liquid spills. Fast acting treatment minimises the toxic effects of a spill.

Contents include 2 x 500ml multi-purpose absorbent powder, 10 x chemical absorbent pads, 2 x blue waste disposal bags with ties, dustpan and brush, 1 x pair blue nitrile gloves, 1 x pair of safety goggles, instruction and contents sheet. Supplied in a yellow PVC cube bag



Mercury Spill Kit

Spill kit suitable for the containment, clean-up and disposal of a small mercury liquid spills. Please note this kit contains everything that will be needed apart from a mercury vapour protection respirator. The Health & Safety Commission indicate in their publication, Safe Disposal of Clinical Waste (1999), that a mercury vapour mask is to be used when dealing with spills and should be available in areas where mercury containing apparatus is used.

Contents include 2 x collection units, each containing a mercury aspirator syringe, scrapers, amalgamating powder, collection sponges, protective disposable apron, pair of nitrile gloves, mercury spill warning card, dampening spray, warning tape and instructions. Supplied in a PVC case

Code	Description
ACID SPILL KIT	
SC-100-313	Acid Spill Kit

Code	Description
SOLVENT SPILL KIT	
SC-100-315	Solvent Spill Kit

Code	Description
MERCURY SPILL KIT	
SC-100-317	Mercury Spill Kit

Alkali Spill Kits

NiCd Battery Spill Kit

spilkleen



Alkali Spill Kit 5 Litre

Designed for the clean-up, containment and neutralisation of a small alkali liquid spill. Easy to use, colour change on application indicates neutralisation is complete. Kit contains 2 x CS alkali 0.9kg packs of neutraliser, 8 x chemical absorbent pads, 1 x chemical absorbent sock, dustpan and brush, 1 x yellow waste disposal bag with tie, 2 x litmus papers, instructions and contents list. Supplied in a yellow PVC cube bag. Absorbency capacity 5 litres



Alkali Spill Kit 10 Litre

Designed for the clean-up, containment and neutralisation of a small to medium alkali liquid spill. Easy to use, colour change on application indicates neutralisation is complete. Kit contains 3 x CS alkali 0.9kg packs of neutraliser, 10 x chemical absorbent pads, 2 x chemical absorbent socks, dustpan and brush, 2 x yellow waste disposal bags with ties, 3 x litmus papers, instructions and contents list. Supplied in a yellow PVC cube bag. Absorbency capacity up to 10 litres



Alkali Spill Kit 20 Litre

Designed for the clean-up, containment and neutralisation of an alkali liquid spill. Easy to use, colour change on application indicates neutralisation is complete. Kit contains 5 x CS alkali 0.9kg packs of neutraliser, 20 x chemical absorbent pads, 3 x chemical absorbent socks, dustpan and brush, 3 x yellow waste disposal bags with ties, 4 x litmus papers, instructions and contents list. Supplied in a yellow PVC cube bag. Absorbency capacity up to 20 litres

Code	Description
ALKALI SPILL KIT	
SC-100-318	Alkali Spill Kit

Code	Description
ALKALI SPILL KIT	
SC-100-306	Alkali Spill Kit

Code	Description
ALKALI SPILL KIT	
SC-100-307	Alkali Spill Kit



Alkali Spill Kit 30 Litre

Designed for the clean-up, containment and neutralisation of a large alkali liquid spill. Easy to use, colour change on application indicates neutralisation is complete. Kit contains 1 x CS alkali 3.7kg pack of neutraliser, 4 x CS alkali 0.9kg packs of neutraliser, 30 x chemical absorbent pads, 5 x chemical absorbent socks, dustpan and brush, 4 x yellow waste disposal bags with

ties, 5 x litmus papers, instructions and contents list. Supplied in a white 60 litre pail bin. Absorbency capacity up to 30 litres

Code	Description
ALKALI SPILL KIT	
SC-100-308	Alkali Spill Kit



NiCd Battery Spill Kit

Designed for the safe containment and clean-up of damaged NiCd batteries. NiCd batteries are alkaline therefore a standard battery acid spill kit would not be effective in neutralising and rendering non hazardous. Easy to use, colour change on application indicates neutralisation is complete. Kit contains 5 x 0.9kg pack CS alkali neutraliser, 10 x chemical absorbent pads, 2 x chemical absorbent socks, dustpan and brush, 2 x yellow waste disposal bags with ties, 3 x litmus paper, instructions and contents list. Supplied in a yellow PVC cube bag. Absorbency capacity will safely neutralise 8 litres of 22% - 30% solution of potassium hydroxide

Code	Description
NICD BATTERY SPILL KIT	
FL-204-021	NiCd Battery Spill Kit

MADE IN
THE UK

Battery Acid Spill Kits

spilkleen


Battery Acid Spill Kits

- Designed for the clean-up, containment and neutralisation of any battery acid spills.
- Easy to use, colour change on application indicates neutralisation.
- Returns work area to workable condition quickly.
- Decontaminates and cleans up in one step.
- Reduce hazardous waste, after neutralisation residues of battery acids are environmentally benign and can be disposed of as general waste.



Acid Spill Kit 8 Litre

Designed for the clean-up, containment and neutralisation of a small acid spill. Easy to use, colour change on application indicates neutralisation is complete. After neutralisation residues of acids are environmentally benign and can be disposed of as general waste. Kit contains 4 x 1kg packs of ACX acid neutraliser, 2 x chemical absorbent socks, 10 x chemical absorbent pads, dustpan and brush, 2 x yellow waste disposal bags and ties, 3 x litmus papers and instructions and contents list. Complies fully with BS EN ISO 9001:2015 standards. Supplied in a yellow PVC cube bag.

Absorbency capacity up to 8 litres

Code	Description
BATTERY ACID SPILL KIT	
FL-204-014	Battery Acid Spill Kit



Acid Spill Kit 16 Litre

Designed for the clean-up, containment and neutralisation of a small to medium acid spill. Easy to use, colour change on application indicates neutralisation is complete.

After neutralisation residues of acids are environmentally benign and can be disposed of as general waste.

Kit contains 8 x 1kg packs of ACX acid neutraliser, 3 x chemical absorbent socks, 20 x chemical absorbent pads, dustpan and brush, 3 x yellow waste disposal bags and ties, 4 x litmus papers and instructions and contents list. Complies fully with BS EN ISO 9001:2015 standards.

Supplied in a yellow PVC cube bag

Absorbency capacity up to 16 litres

Code	Description
BATTERY ACID SPILL KIT	
FL-204-015	Battery Acid Spill Kit



Acid Spill Kit 24 Litre

Designed for the clean-up, containment and neutralisation of an acid spill. Easy to use, colour change on application indicates neutralisation is complete. After neutralisation residues of acids are environmentally benign and can be disposed of as general waste. Kit contains 2 x 4kg packs of ACX acid neutraliser, 4 x 1kg packs of ACX acid neutraliser, 4 x chemical absorbent socks, 20 x chemical absorbent pads, dustpan and brush, 4 x yellow waste disposal bags and ties, 4 x litmus papers and instructions and contents list. Complies fully with BS EN ISO 9001:2015 standards. Supplied in a white 60 litre pail bin.

Absorbency capacity up to 24 litres

Supplied in a white 60 litre pail bin

Absorbency capacity up to 24 litres

Code	Description
BATTERY ACID SPILL KIT	
FL-204-016	Battery Acid Spill Kit



Acid Spill Kit 32 Litre

Designed for the clean-up, containment and neutralisation of a large acid spill. Easy to use, colour change on application indicates neutralisation is complete. After neutralisation residues of acids are environmentally benign and can be disposed of as general waste. Kit contains 2 x 4kg packs of ACX acid neutraliser, 8 x 1kg packs of ACX acid neutraliser, 5 x chemical absorbent socks, 20 x chemical absorbent pads, dustpan and brush, 4 x yellow waste disposal bags and ties, 5 x litmus papers and instructions and contents list. Complies fully with BS EN ISO 9001:2015 standards. Supplied in a white 60 litre pail bin.

Absorbency capacity up to 32 litres

Code	Description
BATTERY ACID SPILL KIT	
FL-204-001	Battery Acid Spill Kit

Bag Spill Kits

spilkleen



- Portable, easy to carry emergency spill kits offer an effective and immediate response to spills of oils, chemicals and hazardous liquids
- Absorbents manufactured from high quality melt blown polypropylene
- Suitable for all workplace liquid spills and leaks
- Simple to store, handle and deploy
- Ideal kits for when you are on the move
- Available in maintenance, oil & fuel and chemical versions
- Comply with BS 7959 and ISO 9001:2008 standards

Code Application Absorbency
Litres Capacity

A - SPILKLEEN SINGLE USE

SK-100-108	Maintenance	10
SK-100-208	Oil & Fuel	10
SK-100-308	Chemical	10

B - SPILKLEEN CLIP HANDLE BAG

SK-100-101	Maintenance	15
SK-100-201	Oil & Fuel	15
SK-100-301	Chemical	15
SK-100-102	Maintenance	25
SK-100-202	Oil & Fuel	25
SK-100-302	Chemical	25

Code Application Absorbency
Litres Capacity

C - SPILKLEEN PVC CUBE BAG

SK-100-103	Maintenance	35
SK-100-203	Oil & Fuel	35
SK-100-303	Chemical	35

D - SPILKLEEN PVC SHOULDER BAG

SK-100-104	Maintenance	50
SK-100-204	Oil & Fuel	50
SK-100-304	Chemical	50

E - SPILKLEEN CLEAR PVC HOLDHALL BAG

SK-100-105	Maintenance	70
SK-100-205	Oil & Fuel	70
SK-100-305	Chemical	70

MADE IN
THE UK

Wheelie Bin Spill Kits

spilkleen


MAINTENANCE

Grey in colour, suitable for absorbing most types of industrial spills including both oil and water based liquids including solvents, coolants and mild chemicals. Recommended for internal use.



OIL & FUEL

White or blue in colour, ideal for where the absorption of oil based liquids such as fuels, lubricants and other hydrocarbon based products is required and for the selective recovery of oil from water. Recommended for external use.



CHEMICAL

Yellow in colour, designed to absorb aggressive fluids including acids and alkalis. Recommended for internal use.



80L COMPACT SPILL KIT

- Suitable for workshops, warehouses, maintenance and manufacturing facilities to contain and clean up spills of oils, chemicals and hazardous liquids
- Supplied as a complete kit in a highly visible yellow mobile wheeled bin that allows it to be positioned wherever required
- Absorbents are manufactured from high quality meltblown polypropylene
- Suitable for everyday workplace liquid spills and leaks
- Provides a quick response to any spills as can be wheeled to spill location
- Available in maintenance, oil and fuel and chemical versions
- Fully compliant with BS7959 and ISO 9001:2008 standards

Code	Application	Absorbency Capacity Litres
------	-------------	----------------------------

SPILKLEEN WHEELIE BIN SPILL KITS

SK-142-101	Maintenance	80
SK-142-201	Oil & Fuel	80
SK-142-301	Chemical	80
SK-142-102	Maintenance	120
SK-142-202	Oil & Fuel	120
SK-142-302	Chemical	120
SK-142-103	Maintenance	240
SK-142-203	Oil & Fuel	240
SK-142-303	Chemical	240
SK-142-104	Maintenance	360
SK-142-204	Oil & Fuel	360
SK-142-304	Chemical	360

SPILL KIT REFILL PACKS AVAILABLE FOR ALL WHEELED & STATIC KITS,
ADD RF TO THE PRODUCT CODE

Static & Wheeled Spill Kits

spilkleen




- Suitable for workshops, warehouses, maintenance and manufacturing facilities to respond efficiently and effectively to large spills of oils, chemicals and hazardous liquids
- Supplied as a complete kit
- Suitable for internal and external locations
- Absorbents are manufactured from high quality meltblown polypropylene
- Suitable for everyday workplace liquid spills and leaks
- Provides a quick response to any spills
- Available in maintenance, oil and fuel and chemical versions
- 1200 litre drop front models facilitate easy access to the absorbent products for fast and effective deployment
- Fully compliant with BS7959 and ISO 9001:2008 standards

Wheeled Drop Front

Lid Lock



Brake



Code	Application	Absorbency Capacity Litres
SPILKLEEN PAIL SPILL KITS		
SK-100-106	Maintenance	65
SK-100-207	Oil & Fuel	65
SK-100-307	Chemical	65
SPILKLEEN TROLLEY SPILL KITS		
SK-141-101	Maintenance	70
SK-141-201	Oil & Fuel	70
SK-141-301	Chemical	70
SPILKLEEN BIN SPILL KITS		
SK-201-101	Maintenance	90
SK-201-201	Oil & Fuel	90
SK-201-301	Chemical	90

Code	Application	Absorbency Capacity Litres
SPILKLEEN WHEELED LOCKER SPILL KITS		
SK-141-104	Maintenance	660
SK-141-204	Oil & Fuel	660
SK-141-304	Chemical	660
SK-141-106	Maintenance	1200
SK-141-206	Oil & Fuel	1200
SK-141-306	Chemical	1200
SPILKLEEN DROP FRONT WHEELED LOCKER SPILL KITS		
SK-141-105	Maintenance	1200
SK-141-205	Oil & Fuel	1200
SK-141-305	Chemical	1200

MADE IN
THE UK

Vehicle Spill Kits

spilkleen



Vehicle Tube Spill Kit

- Designed to be stored inside the cab of the vehicle or in an external spill kit box
- Provides a fast response to a small oil or fuel liquid spill
- Absorbents are manufactured from high quality meltblown polypropylene
- Kit contains pads, socks, disposal bag and tie.
- Supplied in a heavy duty, waterproof zipped PVC tube bag



Code	Description	Absorbency Capacity Litres
------	-------------	----------------------------

SPIKLEEN VEHICLE TUBE SPILL KIT

SK-100-215	Vehicle Tube Spill Kit	20
------------	------------------------	----

Tanker Spill Kit

- Specifically designed for HGV and tankers, easy to deploy, use and store within the vehicle
- For use on medium sized spills of oil based liquids such as fuels, lubricants and other hydrocarbon based products
- Absorbents are manufactured from high quality meltblown polypropylene
- Supplied in a clip handle PVC carry bag
- Complies fully with BS 7959 and ISO 9001:2008 standards



Code	Description	Absorbency Capacity Litres
------	-------------	----------------------------

SPIKLEEN TANKER SPILL KIT

SK-100-211	Tanker HGV Spill Kit	30
------------	----------------------	----

ADR Chemical Spill Kit

- Designed to assist haulage contractors meet the ADR obligations when transporting hazardous fluids
- Contains PPE and absorbents required to contain, absorb and clean up spills in accordance with the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR 2017)



Code	Description	Absorbency Capacity Litres
------	-------------	----------------------------

SPIKLEEN ADR SPILL KIT

FL-204-023	ADR Spill Kit	15
------------	---------------	----

Motor Sports Association Spill Kits

- For use within the motor sport industry
- Manages spills of automotive fluids, lubricating oil, coolants, grease and hydraulic oils
- The standard spill kit is supplied in a grip seal bag
- The deluxe spill kit is supplied in a tough, compact carry bag



Code	Description	Absorbency Capacity Litres
------	-------------	----------------------------

SPIKLEEN MOTOR SPORT ASSOCIATION SPILL KITS

SC-100-001	MSA Standard Spill Kit	2
SC-100-002	MSA Deluxe Spill Kit	2

AdBlue Spill Kits

FLT Spill Kits

spilkleen



MADE IN
THE UK

AdBlue spill emergency response spill kits

AdBlue is an exhaust fluid that is used to reduce harmful tailpipe emissions in cars, vans, buses and lorries powered by diesel engines. It is designed to reduce harmful nitrous oxides (NOx) that are specific to diesel engines by neutralising them before they get into the air. NOx emissions are a hazardous pollutant that has been proven to contribute to human lung disease and deteriorating air quality.

AdBlue Bag Spill Kits

Contents include absorbent pads, socks and blue disposal bag with tie.
Complies fully with BS EN ISO 9001:2015



Code	Description	Absorbency Capacity Litres
------	-------------	----------------------------

SPILKLEEN ADBLUE BAG SPILL KITS

SK-100-111	Clip Handled PVC Bag	25
SK-100-112	Heavy Duty Shoulder Bag	50

Wheelie Bin Spill Kits

Contents include absorbent pads, socks, cushions, blue waste disposal bags with ties, contents list and instructions
Supplied in a blue wheelie bin
Complies fully with BS EN ISO 9001:2015

Code	Description	Absorbency Capacity Litres
------	-------------	----------------------------

SPILKLEEN ADBLUE WHEELIE BIN SPILL KITS

SK-142-112	Wheelie Bin Spill Kit	120
SK-142-113	Wheelie Bin Spill Kit	240



Forklift Truck Spill Kits

- Suitable for use where a forklift truck is in operation
- Supplied as a complete kit in a compact, waterproof bag mounted on to the back of forklift trucks using a Velcro strip with an adhesive backing
- Complies fully with BS 7959 and ISO 9001:2008 standards

Code	Application	Absorbency Capacity Litres
------	-------------	----------------------------

SPILKLEEN FORKLIFT TRUCK SPILL KITS

SK-100-401	Oil & Fuel Forklift Truck Spill Kit	12
SK-100-402	Maintenance Forklift Truck Spill Kit	12



MADE IN
THE UK

Medical Specialist Spill Kits

spilkleen



Hospital Acid Spill Kit

Provides a safe method for dealing with and disposing of a hazardous acid spill in a hospital, doctors surgery, dental practice and health care centre
Colour change indicates safe neutralisation prior to disposing
Contents include 4 x 1kg packs ACX acid neutraliser, 2 x 500ml shaker bottles of absorbent powder, 10 x chemical absorbent pads, 2 x chemical socks, 2 x yellow waste disposal bags with ties, 4 x pairs of nitrile gloves, 4 x disposable aprons, 1 x pair of safety goggles, 1 x dustpan and brush, 2 x litmus papers, hospital acid laminate instruction and content sheet
Supplied in a yellow PVC cube bag
Absorbency capacity up to 8 litres



Code	Description	Absorbency Capacity Litres
------	-------------	----------------------------

HOSPITAL ACID SPILL KIT

FL-204-019	Hospital Acid Spill Kit	8
------------	-------------------------	---

Biohazard Spill Kit

Designed for areas where blood and blood-stained body fluid spillages may occur
Conform to the recommendations of the Department of Health for the safe collection and disposal of blood and blood-stained body fluid spillages
Contents include 2 x shakers of haz-tab granules, 1 x tub of 100 haz-tab tablets (4.5g NaDCC), 1 x haz-tab diluter, 25 x plastic scoops and scraper, 25 x paper towels, 25 x pairs of nitrile gloves, 25 x disposable aprons, 25 x small clinical waste bags and instruction card
Supplied in a handy carry case
Absorbency capacity 2 litres



Code	Description	Absorbency Capacity Litres
------	-------------	----------------------------

BIOHAZARD SPILL KIT

FL-204-020	Biohazard Spill Kit	2
------------	---------------------	---

Body Fluid

Designed for use in areas where urine and vomit spillages occur frequently
Facilitates an easy quick clean-up operation to be completed with a minimum of training or supervision
The NQ64 granules within the kit are a special blend of absorbents that will quickly and effectively absorb the liquid, allowing the granules and any solid matter to be easily scooped up and removed to the clinical waste sack with a minimum of fuss using the medical hazard scoops and scrapers provided in the kit
The individually wrapped alcohol surface wipes contained within the kit may then be used to disinfect the area affected by the spillage
Contents include 6 x shakers of NQ64 granules, 8 x plastic hazard scoops and scrapers, 8 x individually wrapped alcohol surface wipes, 8 x pairs of synthetic protective gloves, 8 x disposable aprons, 8 x clinical waste disposal bags and instruction sheet
Supplied in a handy carry case



Code	Description
------	-------------

BODY FLUID SPILL KIT

FL-204-027	Body Fluid Spill Kit
------------	----------------------

Trades Spill Kits

Marine SOPEP Spill Kits



Commercial Kitchen Spill Kit

Designed for the safe clean-up of spills in the hospitality sector including restaurants, hotels, guesthouses, pubs, cafes, hospitals, schools and all dining facilities. Leaves surfaces clean and dry reducing the risk of slips and fall conditions.

Contents include 25 x absorbent pads, 4 x absorbent socks, 1 x 5-litre pouch of fast acting food safe absorbent powder, 2 packs of 10 lay flat absorbent socks, dustpan and brush, 10 x waste disposal bags and ties, supplied in a wheelie bin. Absorbency capacity 150 litres.



Code Description

COMMERCIAL KITCHEN SPILL KIT

SK-142-110 Commercial Kitchen Spill Kit

Painter & Decorators Spill Kit

Designed for the safe clean-up of paint, adhesives and ink. Small and compact for convenient storage in vehicles and workplaces. Suitable for use on ceramic tiles, wood, metals, carpet, concrete, upholstery, leather, plastics, tarmac and brickwork.

Contents include 5 x absorbent pads, 2 x fast acting absorbent powder shaker bottles, 1 x 10-litre plastic tray, 1 x disposal bag c/w tie, supplied in a PVC clip handled bag.



Code Description

PAINTER & DECORATORS SPILL KIT

SK-100-113 Painter & Decorators Spill Kit

Polymer Spill Kit

Designed for the safe and effective clean-up of any polymer spills. Leaves the work floor clean and dry reducing the risk of any slips and fall conditions.

Contents include 100 x absorbent pads, 3 x absorbent socks, 3 x 30-litre bags Safe-Soak non-flam absorbent material, 1 x roll of barrier tape, 10 x waste disposal bags and ties, 1 x broom, 1 x non-spark safety shovel, supplied in a 240-litre yellow wheelie bin. Absorbency capacity 214 litres.



Code Description

POLYMER SPILL KIT

SK-142-109 Polymer Spill Kit

Marine SOPEP Spill Kits

- Supplied as a complete kit with all the products required to deal with a spill
- Oil selective Hydrophobic absorbents only absorb oils and repel water
- Fully conform with the Marpol Convention standards

Code Description IMPA Code Absorbency Capacity Litres

SOPEP SPILL KITS

SK-141-014	Portable Bag	232516	120
SK-141-013	Locker 1.5 Barrel		256
SK-141-012	Locker Standard		550
SK-141-011	Locker 7 Barrel	232531	1100
SK-141-010	Locker 12 Barrel	232532	1900



■ SK-141-012

MADE IN
THE UK

Safety Signs





Safety Signs

APPLICATION

- Informative signs to help protect the health and safety of employees and workplace visitors

FEATURES & BENEFITS

- Draw attention to health and safety hazards
- Indicate where emergency equipment is located
- Provide general information and directions
- Ensures best practice is standard within an organisation

All signs are available in a choice of:

RIGID PLASTIC (RP)

- Manufactured from glossy, lightweight rigid PVC plastic for high impact strength
- Suitable for internal and external use

SELF ADHESIVE VINYL (SAV)

- Manufactured in high gloss, flexible PVC with self adhesive backing
- Suitable for internal use only

Code	Ref	Description
SIGNS		
FL-123-017	A	Spill Kit Aggressive Fluids (Hazchem) RP
FL-123-009	A	Spill Kit Aggressive Fluids (Hazchem) SAV
FL-123-013	B	Spill Kit Non Aggressive Fluids RP
FL-123-005	B	Spill Kit Non Aggressive Fluids SAV
FL-123-016	C	Spill Kit Oil Only RP
FL-123-008	C	Spill Kit Oil Only SAV
FL-123-015	D	Spill Kit For Emergency Spill Team Only RP
FL-123-007	D	Spill Kit For Emergency Spill Team Only SAV
FL-123-014	E	Spill Protective Equipment RP
FL-123-006	E	Spill Protective Equipment SAV
FL-123-018	F	Emergency Spill Kit RP
FL-123-019	F	Emergency Spill Kit SAV
FL-123-022	G	Emergency Oil Spill Kit RP
FL-123-023	G	Emergency Oil Spill Kit SAV

Code	Ref	Description
SIGNS		
FL-123-024	H	Emergency Chemical Spill Kit RP
FL-123-025	H	Emergency Chemical Spill Kit SAV
FL-123-026	I	Spill Kit Located At RP
FL-123-027	I	Spill Kit Located At SAV
FL-123-012	J	In The Event Of An Emergency Spill RP
FL-123-004	J	In The Event Of An Emergency Spill SAV
FL-123-028	K	Spill Kit Station RP
FL-123-029	K	Spill Kit Station SAV
FL-123-021	L	Drain Isolation Kit RP
FL-123-020	L	Drain Isolation Kit SAV

Handling Chemicals Safety Poster

A-Frame Safety Sign

APPLICATION

- Highly visible A-frame folding safety sign to warn employees of a hazardous spill

FEATURES & BENEFITS

- Manufactured from 4mm fluted polypropylene
- Lightweight and waterproof
- Foldable for easy storage when not required
- Double sided
- Dimensions 300 x 600mm



Code	Description
SELF STANDING FOLDING SIGN	
FL-123-030	Caution Hazardous Spill

APPLICATION

- Provides staff and visitors with important safety information

FEATURES & BENEFITS

- Manufactured in rigid plastic
- Height x width 600 x 400mm



Code	Description
HANDLING CHEMICALS SAFELY POSTER	
FL-123-002	Handling Chemicals Safety Poster

MADE IN
THE UK

Spill Kit Accessories

Absorbent Waste Disposal Bags

APPLICATION

- Suitable for disposing of soiled contaminated waste components after a spill

FEATURES & BENEFITS

- Bags marked **CAUTION HANDLE WITH CARE**
- Supplied complete with cable ties to secure the contents
- Available in heavy duty yellow and medium duty blue PVC

Code	Description	Size L x W mm	Quantity Per Pack
HAZARDOUS WASTE BAGS			
FL-121-002	Yellow Heavy Duty Bag & Ties	1200 x 600	10
FL-121-008	Yellow Heavy Duty Bag & Ties	1200 x 600	100
FL-121-009	Blue Medium Duty Bag & Ties	900 x 460	10
FL-121-010	Blue Medium Duty Bag & Ties	900 x 460	100
FL-121-012	Blue Medium Duty Bag & Ties	900 x 460	200



Black General Waste Bags

APPLICATION

- Suitable for disposing of general waste

FEATURES & BENEFITS

- Manufactured from PVC
- Supplied with cable ties to safely secure after use

Code	Description	Quantity Per Pack
GENERAL WASTE BAGS		
FL-121-003	Medium Duty 760 x 1415mm	100
FL-121-004	Heavy Duty 635 x 1244mm	50



Spill Kit Audit Covers

APPLICATION

- Provides additional weatherproof protection for spill kits that are stored outside

FEATURES & BENEFITS

- Manufactured from heavy duty hard wearing weatherproof vinyl
- Ensures that the spill kit contents remain dry at all times
- Any product removed should be documented on the audit form and replaced

Code	Description
AUDIT COVERS	
FL-17-002	Cover for 80 & 120 Litre
FL-17-003	Cover for 240 Litre
FL-17-004	Cover for 360 Litre



Spill Kit Accessories



Security Tape

APPLICATION

- Designed for securing spill kit lids

FEATURES & BENEFITS

- Supplied in a highly visible blue colour
- Leaves a visual indication to alert spill kit users to evidence of tampering
- Dimensions 25m long x 50mm wide



Code Description

SECURITY TAPE

FL-121-001 Security Tape



Barrier Tape

APPLICATION

- Suitable for cordoning off areas that have had a hazardous spill occurrence

FEATURES & BENEFITS

- Manufactured from non-adhesive medium duty PVC
- Black and yellow chevron design
- Dimensions 75mm wide x 50m long



Code Description

HAZARD WARNING TAPE

FL-121-005 Black/Yellow Barrier Tape

Dispensing Hand Scoop

APPLICATION

- Suitable for dispensing absorbent granules, powder and winter salt

FEATURES & BENEFITS

- Manufactured from tough durable chemical resistant polyethylene
- Finger grip handle for comfort
- Lightweight
- Temperature range -30 - +80deg C



Code Description

ABSORBENT GRANULE SCOOP

FL-121-013 Scoop


Tamper Proof Ties

APPLICATION

- Suitable for securing wheelie bin and static locker emergency spill kit lids

FEATURES & BENEFITS

- Indicates clearly if the bins have tampered with
- Seals can be broken by hand allowing quick and easy access without the need for knives or snips
- Highly visible red colour
- Dimensions length x width 230 x 2mm
- Supplied in packs of 100



Code Description

TAMPER PROOF TIES

FL-121-006 Tamper Proof Security Ties Pack of 100

Safety Hand Shovel & Spade



APPLICATION

- Designed for the safe collection of oil and chemical based residues

FEATURES & BENEFITS

- Manufactured from non-sparking, non-rusting material
- Lightweight construction
- FL-121-007 is a two-part construction

Code Description

SAFETY HAND SHOVEL & SPADE

FL-121-007 Safety Spade

FL-121-011 Safety Hand Shovel

Industrial Wipes

spilkleen
DIRTEEZE
MADE IN
THE UK

Industrial Wipe Roll

APPLICATION

- Suitable for dealing with spills of oil and water based liquids

FEATURES & BENEFITS

- Efficient and economical
- Roll length 380m x 40cm wide



Code	Description
SPILKLEEN INDUSTRIAL WIPE ROLL	
SK-08-107	Industrial Wipe Roll


Maintenance Wipe Rolls

APPLICATION

- General purpose industrial maintenance wipes suitable for use in all manufacturing industries

FEATURES & BENEFITS

- Tough absorbent cellulose fibres with good wet and dry strength capabilities
- Resistant to solvents, oils, grease and water
- Tear resistant
- Low lint properties
- 400 sheets per roll
- Colour white
- Pack quantity 2



Code	Description	Sheet size	No. of rolls per pack
SPILKLEEN MAINTENANCE WIPE ROLLS			
FL-67-109	Industrial Wipe	20 x 35cm	2
FL-67-110	Industrial Wipe	30 x 36cm	2



Lax60

Multi-Purpose Industrial Wipes

APPLICATION

- Industrial wipe suitable for use as an alternative to white cotton and mixed rags

FEATURES & BENEFITS

- Highly absorbent, can be used with oils, lubricants, solvents, and water-based products
- Very strong material, low-linting
- Easy to dispense from the pop-up box
- Colour white
- Sheet size 30 x 50cm, 150 sheets per box



Code	Description
LAX60 MULTI-PURPOSE INDUSTRIAL WIPES	
FL-67-100	Lax60 Industrial Multi-Purpose Wipes

Max60

Standard Duty Industrial Wipes

APPLICATION

- Non-woven light duty multi-purpose wipe

FEATURES & BENEFITS

- High water and oil absorbency
- Biodegradable with soft and reusable properties
- Easy to dispense from the pop-up box
- Colour white
- Sheet size 30 x 42cm, 176 sheets per box



Code	Description
MAX60 STANDARD DUTY INDUSTRIAL WIPES	
FL-67-097	Max60 Standard Duty Industrial Wipes

Industrial Wipes

DIRTEEZE 



Max75

Medium Duty Industrial Wipes

APPLICATION

- Non-woven, high quality medium duty multi-purpose wipe

FEATURES & BENEFITS

- Designed for cleaning up both liquid spills, grease and adhesive from compressors, transmission belts and rollers
- High water and oil absorbency, absorbs up to 8 times its own weight
- High wet strength can be wrung out and reused
- Low linting properties
- Easy to dispense from the pop-up box
- Colour white
- Sheet size 30 x 42cm, 200 sheets per box



Code Description

MAX75 MEDIUM DUTY INDUSTRIAL WIPES

FL-67-098 Max75 Medium Duty Industrial Wipes

Max110

Heavy Duty Industrial Wipes

APPLICATION

- Non-woven, premium grade heavy duty multi-purpose wipe designed for cleaning up heavy fluid liquid spills within the engineering, manufacturing, and transport sectors

FEATURES & BENEFITS

- High water and oil absorbency
- Ultra-high tensile strength and abrasion resistance
- Non-linting properties, biodegradable
- Easy to dispense from the pop-up box
- Colour blue
- Sheet size 30 x 42cm, 160 sheets per box



Code Description

MAX110 HEAVY DUTY INDUSTRIAL WIPES

FL-67-099 Max110 Heavy Duty Industrial Wipes

Sontek65

Industrial Multi-Purpose Wipes

APPLICATION

- Multi-purpose wipe suitable for use in the aviation, manufacturing, and machinery repair industries

FEATURES & BENEFITS

- Highly absorbent, up to six times its own weight of fluids
- Tough and durable with low-linting properties
- Designed to clean up oils, lubricants, solvents, and water spills
- Excellent performance both wet and dry
- Colour blue
- Case of 2 rolls, sheet size 30 x 40cm, 280 sheets per roll



Code Description

SONTEK65 INDUSTRIAL MULTI-PURPOSE WIPES

FL-67-101 Sontek65 Industrial Multi-Purpose Wipes

Industrial Wet Wipes



Rough & Smooth Heavy Duty Trade Wipes

APPLICATION

- Universal heavy duty wipes suitable for cleaning both operator's hands, tools, machinery and most surfaces found in the industrial sector

FEATURES & BENEFITS

- Removes semi-cured silicone sealant, decorators caulk, oils, greases, adhesives, water-based paints, inks, expanding foam, dirt and grime
- Dual-sided wipe with micro-beaded side for agitating grime and a smooth side for wiping away
- Pre-moistened so no need for additional water
- Contains aloe vera for keeping hands moisturised, skin-patch tested as safe to use on skin
- Conforms with EC1223/2009 Cosmetic Directive, antibacterial tested to BS EN1276
- Easy to dispense
- Colour blue/white
- Wipe size 22 x 22cm



Code	Description	Pack Qty
------	-------------	----------

ROUGH & SMOOTH HEAVY DUTY TRADE WIPES

FL-67-102	Rough & Smooth Wipes, Tub of 80 wipes	8 x tubs
FL-67-096	Rough & Smooth Wipes, Pack of 40	16 x packs
FL-67-095	Rough & Smooth Wipes Pack, Pack of 2	50 x packs

Rough & Smooth Giant Heavy Duty Trade Wipes

APPLICATION

- Universal heavy duty giant wipes suitable for cleaning both operator's hands, tools, machinery and most surfaces found in the industrial sector

FEATURES & BENEFITS

- Removes semi-cured silicone sealant, decorators caulk, oils, greases, adhesives, water-based paints, inks, expanding foam, dirt and grime
- Dual-sided wipe with micro-beaded side for agitating grime and a smooth side for wiping away
- Pre-moistened so no need for additional water
- Contains aloe vera for keeping hands moisturised, skin-patch tested as safe to use on skin
- Easy to dispense
- Colour blue/white
- Wipe size 38 x 25cm



Code	Description	Pack Qty
------	-------------	----------

ROUGH & SMOOTH GIANT HEAVY DUTY TRADE WIPES

FL-67-131	Rough & Smooth Giant Wipes, Pack of 80	4 x packs
-----------	--	-----------

Industrial Wet Wipes

DIRTEEZE


Smooth & Strong Heavy Duty Trade Wipes

APPLICATION

- Heavy duty apertured soft spun lace wipes designed with excellent grab and high absorbency for use on smooth surfaces

FEATURES & BENEFITS

- High drapability for effective cleaning of the smallest of cracks and surface imperfections
- Pre-moistened so no need for additional water
- Contains aloe vera for keeping hands moisturised, skin-patch tested as safe to use on skin, conforms with EC1223/2009 Cosmetic Directive, antibacterial tested to BS EN1276
- Easy to dispense
- Colour white
- Wipe size 30 x 20cm



Code	Description	Pack Qty
------	-------------	----------

SMOOTH & STRONG HEAVY DUTY TRADE WIPES

FL-67-094	Smooth & Strong Wipes, Tub of 80 wipes	8 x tubs
-----------	--	----------

Smooth & Strong Giant Trade Wipes

APPLICATION

- Ultra soft, soft spun lace wipes designed with excellent grab and high absorbency for use on smooth surfaces

FEATURES & BENEFITS

- High drapability for effective cleaning of the smallest of cracks and surface imperfections
- Pre-moistened so no need for additional water
- Easy to dispense
- Colour white
- Wipe size 38 x 25cm



Code	Description	Pack Qty
------	-------------	----------

SMOOTH & STRONG GIANT TRADE WIPES

FL-67-133	Smooth & Strong Giant Wipes, Pack of 100 wipes	4 x packs
-----------	--	-----------

Glass & Plastic Trade Wipes

APPLICATION

- Manufactured from a unique Hydrocell material providing a streak free finish on glass, plastic and ceramic surfaces

FEATURES & BENEFITS

- Low lint material and fresh smelling
- Easy to dispense
- Colour white
- Wipe size 22 x 22cm

Code	Description	Pack Qty
------	-------------	----------

GLASS & PLASTIC TRADE WIPES

FL-67-093	Glass & Plastic Wipes, Tub of 80 wipes	8 x tubs
FL-67-092	Glass & Plastic Wipes, Pack of 2	50 x packs



Industrial Wet Wipes

DIRTEEZE MADE IN
THE UK

Universal Bucket Wipes

APPLICATION

- Professional universal all-round impregnated wipe for use in the manufacturing and industrial market

FEATURES & BENEFITS

- Designed for cleaning tools, machines, removing oils, grease and paints and for cleaning operator's hands
- Pre-moistened so no need for water
- Conforms with EC1223/2009 Cosmetic Directive.
- Colour white
- Wipe size 27 x 26cm



Code	Description	Pack Qty
------	-------------	----------

UNIVERSAL BUCKET WIPES

FL-67-103	Universal Bucket Wipes, Tub of 150 wipes	4 x tubs
-----------	--	----------

Quat-Free Surface Sanitising Wipes

APPLICATION

- Suitable for cleaning and sanitising food preparation areas, work surfaces, stainless steel utensils and equipment found in the catering and hospitality sectors

FEATURES & BENEFITS

- Triple layer, blue non-woven wiping material
- Quat-free, biguanide free, alcohol free, taint free, food safe
- Biocidal product approved BPR Article 95 as amended by Regulation (EU) 334/2014
- Outstanding microbial performance against gram positive and gram-negative bacteria, yeast and viruses, test strains P.Aeruginosa, S.Aureus, E-Coli, E.Hirae, C.Albicans, Influenza Type A (H1N1), Vaccinia Virus BVBV, Mycobacterium Terrae
- Wipe size 20 x 20cm



Code	Description	Pack Qty
------	-------------	----------

QUAT-FREE SURFACE SANITISING WIPES

FL-67-106	Quat-Free Surface Sanitising Wipes, Bucket of 1000 wipes	2 x buckets
FL-67-107	Quat-Free Surface Sanitising Wipes, Tub of 250 wipes	8 x tubs
FL-67-091	Quat-Free Surface Sanitising Wipes, Pack of 200 wipes	12 x packs

Antiviral Hand & Surface Wipes

APPLICATION

- Disinfecting wipe designed for cleaning operator's hands and work surfaces

FEATURES & BENEFITS

- Sanitises and disinfects in one easy step
- Tested to EN1276 (antibacterial), EN14476 (virucidal), EN16615 (4-field test), EN13727 Medical areas bactericidal and EN13624 Medical areas fungicidal
- Skin-balanced formulation dermatologically tested
- Destroys Human Coronavirus, Influenza Type A, Sars, Novovirus, Bacteria and Fungi
- Wipe size 20 x 20cm



Code	Description	Pack Qty
------	-------------	----------

ANTIVIRAL HAND & SURFACE WIPES

FL-67-090	Antiviral Hand & Surface Wipes, Tub of 200 wipes	8 x tubs
-----------	--	----------

Industrial Wet Wipes



Rayon Bamboo Pro Wet Wipes

APPLICATION

- Environmentally friendly general-purpose wipes suitable for cleaning tools, machinery, work surfaces and operator's hands

FEATURES & BENEFITS

- Removes semi-cured silicone sealant, decorators caulk, oils, greases, adhesives, water-based paints, inks, dirt and grime
- Excellent absorbency with high lift on grime, outperforming polypropylene (plastic) wet wipes
- Manufactured from bamboo which is fully sustainable, 100% biodegradable, no harmful substances
- Antibacterial tested to BS EN1276 and cosmetic approved, with zero recorded irritation on all skin types
- Wipe size 26 x 20cm



Code	Description	Pack Qty
------	-------------	----------

RAYON BAMBOO PRO WET WIPES

FL-67-105	Rayon Bamboo Pro Wet Wipes, Tub of 200 wipes	8 x tubs
FL-67-089	Rayon Bamboo Pro Wet Wipes, Pack of 25 wipes	24 x packs

Rayon Bamboo Giant Pro Wet Wipes

APPLICATION

- Environmentally friendly giant general-purpose wipes suitable for cleaning tools, machinery, work surfaces and operator's hands

FEATURES & BENEFITS

- Removes semi-cured silicone sealant, decorators caulk, oils, greases, adhesives, water-based paints, inks, dirt and grime
- Excellent absorbency with high lift on grime, outperforming polypropylene (plastic) wet wipes
- Manufactured from bamboo which is fully sustainable, 100% biodegradable, no harmful substances
- Oeko-Tex 100 certified and cosmetic-approved
- Wipe size 38 x 25cm



Code	Description	Pack Qty
------	-------------	----------

RAYON BAMBOO GIANT PRO WET WIPES

FL-67-132	Rayon Bamboo Giant Pro Wet Wipes, Pack of 100 wipes	4 x packs
-----------	---	-----------

Fighter Multi-Purpose Wipes

APPLICATION

- Medium duty multi-purpose wipe and degreaser suitable for cleaning operator's hands, tools and removing sealants, paint and oils

FEATURES & BENEFITS

- Manufactured from 100% natural food based organic acids including Tartaric and Lactic acids, lavender and peppermint oil
- Food safe, 100% biodegradable, no harmful residues
- Quat-free, alcohol free and VOC free
- Wipe size 20 x 20cm



Code	Description	Pack Qty
------	-------------	----------

FIGHTER MULTI-PURPOSE WIPES

FL-67-088	Fighter Multi-Purpose Wipes, Tub of 200 wipes	6 x tubs
-----------	---	----------

MADE IN
THE UK

Drum & Pipe Repair

Plug N Dyke Putty

- Provides a temporary seal in damaged leaking drums
- Applied directly over the leak to form an immediate seal
- Oil and petrol resistant
- Can be applied to dirty, greasy or rusty surfaces without any preparation
- Manufactured from a non-toxic material
- 5 year shelf life providing it remains unopened and is stored out of direct sunlight



Code	Description
PLUG N DYKE PUTTY	
FL-42-501	Plug N Dyke Putty 0.5kg
FL-42-502	Plug N Dyke Putty 1.0kg

PLUG N DYKE PUTTY	
FL-42-501	Plug N Dyke Putty 0.5kg
FL-42-502	Plug N Dyke Putty 1.0kg

Drip Sentinel Hose Bibb

APPLICATION

- Designed to wrap disconnected fittings and hose attachment ends to absorb small leaks

FEATURES & BENEFITS

- Manufactured from high visibility yellow, tough durable chemical resistant polyethylene
- Easily attaches to hoses or machinery with the bungee strap
- Internal sorbent absorbs up to 237ml of oil, hydraulic fluid or other hydrocarbons
- Outer membrane prevents excess liquid from escaping
- Box of 5

NEW

Code	Description	Dimensions W x L mm
------	-------------	------------------------

ENPAC HOSE BIBB

EN-4701-YE-BX	Hose Bibb Box of 5	254 x 21.5
---------------	--------------------	------------

Quick Wrap Bandage

- Suitable for emergency repairs to gas, oil, water, waste pipes and chemical lines
- Quick and easy to use
- Good temperature, pressure and chemical resistance
- Sets in under 10 minutes and is fluid compatible
- No mixing or measuring, simply soak in water for 10 seconds
- Food safe when cured



Code	Description	Dimensions W x L
------	-------------	---------------------

QUICK WRAP BANDAGE

FL-42-505	Pipes Up To 45mm External Dia	50mm x 1.5m
FL-42-506	Pipes Up To 75mm External Dia	50mm x 3.6m
FL-42-507	Pipes Up To 75mm External Dia	75mm x 3.6m
FL-42-508	Pipes Up To 100mm External Dia	100mm x 3.6m

Strap It Leak Stopper

- Emergency leak stopper designed for all pipe work systems
- Simply wraps over the leak and locks with hook and loop system
- Seals leaks under pressure without having to shut down the system
- Manufactured from EPDM rubber
- Chemical resistant
- Temperature range -40 to 120 deg C



Code	Description	Pressure Tested Bar
------	-------------	------------------------

STRAP IT LEAK STOPPER

FL-42-509	Pipes 15 - 25mm NB	10.26
FL-42-510	Pipes 25 - 80mm NB	6
FL-42-511	Pipes 50 - 80mm NB	3.9
FL-42-512	Pipes 100mm NB	3.5



Drain Guards

Ultra-Inlet Guard Plus

APPLICATION

- Prevents oil and sediment entering the drain system

FEATURES & BENEFITS

- Manufactured in heavy-duty, reinforced Geotextile material to remove oil and other hydrocarbons from surface water flow
- Quick and simple installation uses built-in magnets to hold the guard in place
- Low profile design can be driven over and is unobtrusive to traffic and personnel
- Dimensions length x width 610 x 610mm

Code	Description	Pack Quantity	Weight kgs
------	-------------	---------------	------------

ULTRATECH DRAIN GUARDS

UL-42-450	Inlet Guard Plus	1	2.5
-----------	------------------	---	-----



Drain Guard

APPLICATION

- Prevents sediment and other pollutants from entering the drain system


FEATURES & BENEFITS

- Quick and easy installation, simply lift the grate, lower the drain guard into position and replace the grate pinching the fabric in place to keep the unit secure
- Excess fabric can be trimmed to suit the drain size
- Easily emptied and reused
- Reduces the amount of sediment, debris, cigarette butts, litter, grasses and leaves from entering the drain system
- Suitable for use on construction sites, industrial car parks, hospitals, and retail facilities
- Avoids the cost of pumping out the drain systems to clear blockages
- Custom sizes available

Oil & Sediment Model Removes hydrocarbons, dirt, sand and other contaminants.

Oil & Sediment Plus Model The addition of Ultra-X Tex filter strips increases oil and grease absorption.

Debris Model Designed specifically to catch larger items and floatables such as leaves, cigarette butts and paper goods.



Code	Description	Dimensions L x W x D mm	Pack Quantity	Weight kgs
ULTRATECH DRAIN GUARDS				
UL-42-421	Oil & Sediment	550 x 400 x 458	1	0.4
UL-42-422	Oil & Sediment	1220 x 915 x 458	1	0.5
UL-42-411	Oil & Sediment	1220 x 915 x 458	10	0.5
UL-42-423	Oil & Sediment	1524 x 1524 x 458	1	1
UL-42-424	Oil & Sediment Plus	1220 x 915 x 458	1	1
UL-42-425	Oil & Sediment Plus	1220 x 915 x 458	10	1
UL-42-426	Oil & Sediment Plus	1524 x 1524 x 458	1	1.5
UL-42-427	Debris	1220 x 915 x 458	1	0.5
UL-42-428	Debris	1220 x 915 x 458	10	0.5

Drain Protection

Ultra Drain Guard

APPLICATION

- Prevents sediment and other pollutants from entering the drain system

FEATURES & BENEFITS

- Metal frame adjusts and keeps the drain guard in place preventing it from falling into the basin even when the cover grate is removed
- Quick and easy installation, no measuring or cutting of the fabric
- Metal frame can be reused
- Dimensions length x width x height
minimum 406 x 508 x 457mm
maximum 711 x 914 x 457mm
- Performance capacity oil 1.9 litres, sediment 18kgs



Code	Description	Pack Quantity	Weight kgs
ULTRATECH DRAIN GUARD			
UL-42-445	Adjustable Frame Drain Guard	1	1.4

Drainblok

APPLICATION

- Allows the temporary sealing, blocking of drains, ducts and pipes without the operator having to gain entry into a confined space or even a hazardous area

FEATURES & BENEFITS

- Quick and easy to install
- Inflates in seconds to provide a liquid tight seal in the pipe system
- Resistant to most oils, fuels and non aggressive chemicals
- Easy to clean after use for future deployment
- Reduces the potential pollution risk of hazard fire water runoff
- Supplied as a kit containing low pressure inflator pump unit, 3m extending pole, stopper fitted with 5m airline, manhole keys, operator instructions and storage bag



Code Drain Kit Diameter

DRAINBLOK

FL-92-110	Drainblok 100mm
FL-92-111	Drainblok 150mm
FL-92-112	Drainblok 225mm
FL-92-113	Drainblok 300mm
FL-92-114	Drainblok 375mm
FL-92-115	Drainblok 425mm
FL-92-116	Drainblok 600mm



Conical Drain Plugs

APPLICATION

- Prevents liquid spills from entering circular drains

FEATURES & BENEFITS

- Easy to install and remove
- Flexible, chemical-resistant polyurethane plug forms a tight seal in conical drains
- Cleans easily with soap and water for reuse
- Non-permanent alternative to sealing drains with cement



Code Dimensions Plug Dia x H mm

CONICAL DRAIN PLUGS

FL-42-405	35 to 70 x 120
FL-42-406	60 to 92 x 120
FL-42-407	85 to 120 x 120

Drain Gully Socks

APPLICATION

- Specifically designed for the absorption of oils and hydrocarbons from drain gullies

FEATURES & BENEFITS

- Easy to deploy and collect
- Lightweight, clean and efficient
- Highly absorbent, can absorb up to 20 times its own weight in oils
- Will float on the surface even when fully saturated
- The bioactive gully sock reduces separator cleaning by digesting up to 2kg of oil every week for up to 6 months



Code	Description	Dimensions L x W mm	Pack Quantity
DRAIN GULLY SOCK			
FL-01-201	Standard Sock	500 x 200	2
FL-01-202	Bio-Active Sock	500 x 200	1

Drain Protection

Drain Barrier

APPLICATION

- Suitable for containing spills and preventing liquids from entering a drain

FEATURES & BENEFITS

- Resistant to oils and most chemicals
- Manufactured from non-absorbent polyurethane
- Quick to deploy and provides essential protection for drains
- Suitable for use on slopes and uneven surfaces
- Washable with detergent and water for reuse



MADE IN THE UK



Code Dimensions L x W x H mm

DRAIN BARRIER

FL-42-401 3000 x 100 x 70

Drain Sediment Filter Sock

APPLICATION


- Stop sediment and other pollutants from entering drains and sewage systems. Use in front of drains, around downpipes, in gullies and ditches, or anywhere there is potential for harmful flood and storm water run off

FEATURES & BENEFITS

- Woven polymer casing allows water to pass through quickly while filtration media inside removes pollutants
- Socks can be overlapped for longer coverage
- Looped ends allow units to be stacked in place and also assist in transport
- Recycled rubber media provides weight to keep the unit in place which allows maximum water flow



MADE IN THE USA



Code Dimensions L x D mm

DRAIN SEDIMENT FILTER SOCK

UL-42-349 2743 x 102

Drain Heavy Metal Filter Sock

APPLICATION

- Custom filter media helps remove zinc, lead, copper and other harmful, heavy metals. Use in front of drains, around downpipes, in gullies and ditches, or anywhere there is potential for harmful flood and storm water run off

FEATURES & BENEFITS

- Woven polymer casing allows water to pass through quickly while filtration media inside removes pollutants
- Socks can be overlapped for longer coverage

- Looped ends allow units to be stacked in place and also assist in transport
- Recycled rubber media provides weight to keep the unit in place which allows maximum water flow



MADE IN THE USA



Code Dimensions L x W x H mm

DRAIN HEAVY METAL FILTER SOCK

UL-42-348 2743 x 178 x 102

MADE IN
THE UK

Drain Covers

Plug Rug Drain Covers

APPLICATION

- Prevents any liquid spills flowing into drains and contaminating controlled waters

FEATURES & BENEFITS

- Can be moulded for use on all types of drains
- 100% seal even on rough ground
- Remains flexible down to -20°C
- Resistant to oil, water and most chemicals
- Single use only
- PVC storage bag available
- 5 year shelf life providing it remains unopened



Code	Dimensions L x W x H mm	Pack Quantity	Weight kgs
PLUG RUGS			
FL-42-305	650 x 450 x 20	2	7
FL-42-306	405 x 405 x 20	2	4
FL-42-304	200 x 200 x 20	12	1
PLUG RUG BAG			
FL-42-102	650 x 460	1	0.5

Neorug Drain Cover

APPLICATION

- Prevents any liquid spills flowing into drains and contaminating controlled waters

FEATURES & BENEFITS

- Manufactured from neoprene
- Can be used on any surface
- Resistant to oil, water and most chemicals
- Reusable after washing for future use
- Storage bag available



Code	Dimensions L x W mm	Weight kgs
NEORUG DRAIN COVER		
FL-42-101	1000 x 1000	3
NEORUG STORAGE BAG		
FL-42-206	1100 x 170	

Magnetic Drain Covers

APPLICATION

- Ideal for placing on steel drum storage units near to drain systems where hazardous liquids are stored and in exposed areas

FEATURES & BENEFITS

- Manufactured from flexible polyurethane that provides tight adherence to metal drains
- Will attach to metal drain surfaces that are free of dirt and debris
- Re-usable, compact and lightweight
- Resistant to weather and temperature -20°C to +80°C
- Resists acids and alkalis
- Supplied complete with a wall mounted storage frame and fixings



Code	Dimensions L x W mm	Weight kgs
MAGNETIC DRAIN COVERS		
FL-42-204	610 x 610	2.5
FL-42-205	1000 x 1000	3.5

Drain Covers

Drain Marking Kit

Sticky Polyurethane Drain Cover

APPLICATION

- Prevents liquid spills entering drain grates, and sealing plates in the event of an accidental hazardous liquid spill

FEATURES & BENEFITS

- Resistant to oil, water, petrol, jet fuel and most chemicals
- Composition: top PES and silicon, bottom 100% polyurethane
- The contact side of the drain cover is sticky creating an effective seal around the drain
- Two strengthened carry handles assist handling and deployment
- A date indicator gives the month and year of manufacture, shelf life 5 years for unused product
- Reusable after washing with soapy water
- Storage bag available



Code	Dimensions L x W x H mm	Weight kgs
------	-------------------------	------------

STICKY POLYURETHANE DRAIN COVER

FL-42-208	450 x 450 x 11	6
FL-42-202	600 x 600 x 11	8
FL-42-201	900 x 900 x 13	13

DRAIN COVER STORAGE BAG

FL-42-203	1100 x 170
-----------	------------

Drain Marking Kit

- The Environment Agency recommends that in line with best practice drain and manhole covers should be colour coded for identification purposes.
- Blue, identifies drains that deal with all surface water and any discharge entering the system will usually be expelled into the environment through a watercourse or soakaway system.
- Red, denotes water discharges into foul drains, these will generally lead towards a treatment facility managed by the water company for the area.
- The marking of drains should include an arrow to indicate the flow direction.
- It is recommended that your site drainage plan includes the colour coding systems for times of crisis.
- Kit contents include: 1 x red, 1 x blue aerosol of metal paint, 1 x arrow stencil board, dustpan and brush, 4 x pairs poly gloves, 2 x disposal bags, supplied in a clip handle carry bag

Code	Description
------	-------------

DRAIN MARKING KIT

FL-42-110	Drain Marking Kit
-----------	-------------------





Capillary Plant Mat

Bio Security Disinfectant Mats

TAKmats

APPLICATION

- Control foot-borne contamination from entering or leaving work areas in electronics industry, food and drink, laboratories, construction and paint spray booths

FEATURES & BENEFITS

- Super dust absorbent
- 36 impregnated cotton covers enclosed in a heavy plastic frame with a super dust absorbent cushion foam interior
- Top layer can be removed when soiled to reveal a clean layer
- Quick to install



Code	Dimensions L x W mm	Pack Quantity
TAKMATS		
FL-04-301	610 x 910	2
FL-04-302	610 x 910	1
FL-04-303	1040 x 910	2
FL-04-304	1040 x 910	1




Capillary Plant Mat

APPLICATION

- Developed for greenhouses, seed trays and indoor plants, capillary mats distribute water so plants are watered evenly

FEATURES & BENEFITS

- Creates a humid atmosphere and prevents over-watering
- Plants take up water direct from the root base as they need it
- Two sided
 - The white side aids ripening during summer months and reflects the light
 - The darker side absorbs light during the winter months
- Mats can be sterilised by gentle steam cleaning and can be used again
- Starter kit includes wick strips and polythene underlay



Code	Description	Dimensions L x W m
CAPILLARY PLANT MATTING		
FL-151-133	Starter kit	2.0 x 0.6

Pedestrian Disinfectant Mats

APPLICATION

- Provide a quick and effective way to disinfect footwear and avoid the spread of contamination

FEATURES & BENEFITS

- Extremely hardwearing and can be positioned on any flat surface
- Absorbent matting contained within a PVC coated polyester envelope
- Disinfectant is transferred evenly without splashing which reduces wastage



Code	Dimensions L x W m	Containment Capacity Litres	Weight kgs
PEDESTRIAN DISINFECTANT MATS			
FL-04-201	1.5 x 1	20	4.6
FL-04-202	2 x 1	30	6.0
FL-04-203	2.5 x 1	50	7.2





Vehicle Disinfectant Mats



APPLICATION

- Dispenses disinfectant onto the tyres of vehicles to aid biosecurity in dairies, farms, poultry sheds, food factories, horticulture units, zoos, stables and agricultural shows.

FEATURES & BENEFITS

- Extremely hardwearing
- Absorbent matting contained within a PVC coated polyester envelope
- The disinfectant is transferred evenly onto the tyres without splashing which reduces wastage
- Disinfectant does not contaminate the surrounding area
- Easy to transport and can be used on any flat surface
- Easy fix bolts provided
- Replenish disinfectant when required



Code	Application	Dimensions L x W m	Containment Capacity Litres	Weight kgs
------	-------------	-----------------------	-----------------------------------	---------------

VEHICLE DISINFECTANT MATS

FL-04-401	Heavy Goods Vehicles	3.5 x 1	50	32
FL-04-402	Farm/Agricultural Vehicles	6 x 1	85	50

Mobile Display Units Bin Storage

Mobile Display Units

APPLICATION

- Mobile display unit for multiple applications including risk information board, first aid point, fire response station, lock-out tag control station, site traffic management board and as an information point

FEATURES & BENEFITS

- Fully mobile, fitted with 200mm diameter wheels
- Easy to assemble and dismantle when no longer required
- Highly customisable to suit varying customer requirements
- Products attach to the backboard using self-tapping screws or bolts (not supplied)
- Ballast or additional tool storage box in base
- Manufactured from recyclable, chemical resistant, UV stabilised MDPE
- Dimensions height x width x depth 1725 x 755 x 595mm
- Weight 26.5kgs

Please note products shown are not included



Code Base Colour

MOBILE DISPLAY UNIT

FL-205-551-G	Green
FL-205-551-R	Red
FL-205-551-Y	Yellow
FL-205-551-B	Blue

Grit Bins

APPLICATION

- Suitable for the storage of absorbent granules, sand and winter salt

FEATURES & BENEFITS

- Manufactured from heavy duty UV stabilised PE
- Angled design allows water to run off
- Large opening for easy access
- Forklift and pallet truck access
- Chemical and temperature range -35 to +50 deg C



Code	Dimensions H x W x D mm	Containment Capacity Litres	Weight kgs
GRIT BIN			
FL-69-001-Y	750 x 850 x 500	130	13
FL-69-003-Y	885 x 1005 x 590	200	17
FL-69-006-Y	885 x 1000 x 755	400	24.5

Static Locker Bin

APPLICATION

- Static locker bin suitable for both internal and external use

FEATURES & BENEFITS

- Manufactured from medium density UV stabilised polyethylene
- Suitable for use with liquids or dry powders
- Integral base fork pockets for easy movement
- Colour yellow



Code	Dimensions H x W x D mm	Containment Capacity Litres	Weight kgs
LOCKER BIN			
FL-143-500	830 x 1265 x 850	500	22

Mobile Storage Cart Wheelie Bins

Mobile Storage Cart

APPLICATION

- Mobile bin cart suitable for applications including the storage of absorbent materials and winter salt

FEATURES & BENEFITS

- Suitable for both internal and external use
- Manufactured from 100% recyclable chemically resistant PE
- Heavy-duty design with robust rubber wheels and angled lid for rain water run-off
- Ergonomic handle for ease of use
- Lid can be secured in the vertical position for convenient dispensing and loading of materials
- Easy to clean
- Containment capacity 75 litre
- Temperature range -35 to +50 degree C



Code	Description	Dimensions L x W x H mm	Containment Capacity Litres
MOBILE STORAGE CART			
FL-69-110	Mobile Storage Cart	590 x 435 x 1070	75

Wheelie Bins



APPLICATION

- Suitable for use in all industrial and domestic environments

FEATURES & BENEFITS

- Manufactured from high density polyethylene
- Resistant to weather conditions and UV rays
- Fitted with sturdy rubber wheels
- Available in blue, grey, green, red and yellow

Code	Description	Weight kgs
------	-------------	------------

WHEELIE BINS

FL-143-75	Wheelie Bin 75 Litre	6
FL-143-120	Wheelie Bin 120 Litre	10
FL-143-140	Wheelie Bin 140 Litre	13
FL-143-240	Wheelie Bin 240 Litre	14.2
FL-143-360	Wheelie Bin 360 Litre	16

Please specify colour when ordering



75L

Wheeled Bins

Bin Accessories

APPLICATION

- Suitable for use in warehouses, factories and construction sites

FEATURES & BENEFITS

- Manufactured from high density polyethylene
- Resistant to extreme temperatures and weather conditions
- Reinforced hinges and ergonomic side handles
- Compatible with standard lifting mechanisms
- 200mm rubber tyres on swivel castors for full mobility
- Two central wheel locks
- Optional accessories include fitted locks, paper slots and bottle bank lids
- Available in blue, grey, green, red and yellow



660L Wheeled Bin

1100L Wheeled Bin

Code	Description
------	-------------

WHEELED BINS

FL-143-660	Wheeled Bin 660 Litre
FL-143-770	Wheeled Bin 770 Litre
FL-143-1100	Wheeled Bin 1100 Litre

Please specify colour when ordering

Drop Front Wheeled Bins

APPLICATION

- Suitable for use in warehouses, factories and construction sites

FEATURES & BENEFITS

- Allows for easy access and avoids unnecessary lifting by allowing waste to be disposed of and removed using the drop front feature
- Manufactured from high density polyethylene
- Resistant to extreme temperatures and weather conditions
- Reinforced hinges and ergonomic side handles
- Compatible with standard lifting mechanisms
- 200mm rubber tyres on swivel castors for full mobility
- Two central wheel locks
- Available in blue, grey, green, red and yellow



Code	Description
------	-------------

DROP FRONT WHEELED BINS

FL-143-660-DFY	Wheeled Bin 660 Litre
FL-143-770-DFY	Wheeled Bin 770 Litre
FL-143-1100-DFY	Wheeled Bin 1100 Litre

Please specify colour when ordering

Bin Accessories



Bottle Bank Lid with Rubber Baffle



Bottle Bank Lid with Brushes



Paper Slot

APPLICATION

- Suitable for use with all wheeled bins

Code	Description
------	-------------

BIN ACCESSORIES

FL-143-101	Drop Front Kit
FL-143-103	Paper Slot Lid
FL-143-104	Bottle Bank Lid with Brushes
FL-143-105	Bottle Bank Lid with Rubber Baffle
FL-143-106A	Lid Lock for 2 Wheeled Bin
FL-143-106B	Lid Lock for 4 Wheeled Bin
FL-143-109	Forklift Attachment for 4 Wheeled Bin

Clinical Waste Bins

APPLICATION

- Suitable for safely collecting and disposing of medical waste and contaminated PPE in hospitals, doctors surgeries, veterinary and dental practices and all other emergency services

FEATURES & BENEFITS

- Manufactured from tough high density polyethylene resistant to all weather conditions, UV rays, acids and alkalis
- Close fitting lid with lock aids security and prevents any spillage and unpleasant odours from emanating reducing exposure and handling risk
- Fitted with sturdy rubber wheels that allow for maximum mobility even when fully loaded
- Supplied complete with lock, key and hazard label
- Compatible with most standard lifting mechanisms
- Available as a standard 2-wheeled wheelie bin, 4-wheeled and 4-wheeled drop front high volume bins
- Colour yellow

Code	Descriptions	Dimensions L x W x H mm	Load cap kgs
2-WHEELED WHEELIE BINS			
FL-143-120-CW	120L Clinical Waste Bin	475 x 558 x 962mm	70
FL-143-140-CW	140L Clinical Waste Bin	480 x 560 x 1022mm	75
FL-143-240-CW	240L Clinical Waste Bin	598 x 731 x 1083mm	100
FL-143-360-CW	360L Clinical Waste Bin	598 x 880 x 1083mm	160
4-WHEELED BINS			
FL-143-660-CW	660L Clinical Waste Bin	1370 x 850 x 1370	264
FL-143-770-CW	770L Clinical Waste Bin	1370 x 870 x 1370	308
FL-143-1100-CW	1100L Clinical Waste Bin	1370 x 1190 x 1470	440
4-WHEELED DROP FRONT BINS			
FL-143-660-CWDF	660L Clinical Waste Bin	1370 x 850 x 1370	269
FL-143-770-CWDF	770L Clinical Waste Bin	1370 x 870 x 1370	313
FL-143-1100-CWDF	1100L Clinical Waste Bin	1370 x 1190 x 1470	445





Controlling A Spill

- Absorbent Powder
- Absorbent Granules
- Absorbent Pads
- Absorbent Rolls
- Absorbent Cushions
- Absorbent Socks
- Absorbent Booms
- Absorbent Dispensing Stations
- Chemical Spill Neutralisation
- Commercial and Domestic Absorbents

Controlling A Spill

Absorbents

BS 7959 British Standard specifies a system of colour coding of sorbent materials which will assist users in identifying the correct materials for use with a wide range of liquids.



Maintenance - Grey in colour, suitable for absorbing most types of industrial spills including both oil and water based liquids including solvents, coolants and mild chemicals. Recommended for internal use.



Oil & Fuel - White or blue in colour, ideal for where the absorption of oil based liquids such as fuels, lubricants and other hydrocarbon based products is required and for the selective recovery of oil from water. Recommended for external use.



Chemical - Yellow in colour, designed to absorb aggressive fluids including acids and alkalis. Recommended for internal use.

HSE recommendation on chemical spills - Liquid spills involving hazardous materials should first be contained to prevent spread of the material to other areas. Once the hazardous material has been contained the material should be neutralised to render it safe. Acids and alkalis should be neutralised with appropriate neutralising agents.

Pads - manufactured from polypropylene fibre in two brands, Spilkleen and Spilchoice, available in maintenance, oil and fuel and chemical and in light, medium and heavy weight options with varying levels of absorption to suit customers requirements.

Spilkleen - simple and effective

Manufactured from a single layer meltblown which provides fast absorption but limited durability.

Spilchoice - performance and endurance

High performance absorbent pads. A layer of spunbond material is attached to both surfaces of these pads which reduces linting and improves the overall strength. Highly absorbent with excellent fluid retention even when fully contaminated

Rolls - manufactured from polypropylene fibre absorbents. Designed to cover large areas and walk-ways. Perforated rolls can be an effective way of dispensing by tearing off the pad at each perforation. Available in maintenance, oil and fuel and chemical variants to suit individual requirements.

Cushions - absorb leaks that are too large for pads and where access is restricted. Manufactured from stitched spunbond outer fabric and fill. Available in maintenance, oil and fuel and chemical variants.

Socks - contain spills around equipment and prevent a spill from spreading. Suitable for both internal and external applications. Manufactured from stitched spunbond outer fabric and fill. Available in maintenance, oil and fuel and chemical variants.

Granules & Powder - provide an effective solution for absorbing chemical, oil, and water spills both internal and external.

Dispensing stations - provide efficient and rapid response to spills, available in mobile, floor and wall mounted options.

Chemical neutralisation - integrating chemical neutralising products into a spill response plan will reduce disposal costs by converting hazardous waste to general waste. Neutralisation is recognised as an important element for spill response safety.

Marine & inland water oil spills - specific products that provide an effective solution for dealing with an oil spill in open and enclosed waters.

Commercial & Domestic Absorbents - providing an effective method of dealing with everyday water spills

Absorbent Pads

spilkleen


MAINTENANCE

Grey in colour, suitable for absorbing most types of industrial spills including both oil and water based liquids including solvents, coolants and mild chemicals. Recommended for internal use.

SK-05-110

PERFORATED

MELTBLOWN


OIL & FUEL

White or blue in colour, ideal for where the absorption of oil based liquids such as fuels, lubricants and other hydrocarbon based products is required and for the selective recovery of oil from water. Recommended for external use.



CHEMICAL

Yellow in colour, designed to absorb aggressive fluids including acids and alkalis. Recommended for internal use.

SK-05-214
SK-05-306

A
PADS

B
DIMPLED

C
PERFORATED

D
BOX

E
BAG

APPLICATION

- Suitable for everyday maintenance, repair and general clean up operations

FEATURES & BENEFITS

- Highly absorbent meltblown absorbent pads
- Bonded and dimpled for additional strength even when contaminated where indicated
- Perforated sheets minimise waste where indicated
- Absorbency rates to suit customers requirements
- Reliable performance
- Dispensing systems available


HSE RECOMMENDATION ON CHEMICAL SPILLS

- Liquid spills involving hazardous materials should first be contained to prevent spread of the material to other areas. Once the hazardous material has been contained the material should be neutralised to render it safe. Acids and alkalis should be neutralised with appropriate neutralising agents. Please see pages 98-99.

Code	Description	Icon ref	Dimensions cm	Absorbency per pad litres	Quantity per pack
SPILKLEEN MAINTENANCE PADS					
SK-05-110	Heavy Weight	A,B,C,D,E	38 x 50	1.2	100
SK-05-101	Medium Weight	A,B,C,D,E	38 x 50	1	100
SK-05-102	Medium Weight 25	A,B,C,D,E	38 x 50	1	25
SK-05-107-B	Medium Weight	A,B,C,E	35 x 40	0.4	100
SK-05-103	Lightweight	A,B,C,D,E	38 x 50	0.5	200
SK-05-104	Lightweight 100	A,B,C,D,E	38 x 50	0.5	100
SPILKLEEN OIL & FUEL PADS					
SK-05-214	Heavy Weight	A,D,E	38 x 50	1.2	100
SK-05-201	Medium Weight	A,D,E	38 x 50	1	100
SK-05-202	Medium Weight 25	A,D,E	38 x 50	1	25
SK-05-209-B	Medium Weight	A,B,C,E	80 x 97	2.4	50
SK-05-203	Lightweight	A,D,E	38 x 50	0.5	200
SK-05-204	Lightweight 100	A,D,E	38 x 50	0.5	100
SPILKLEEN CHEMICAL PADS					
SK-05-306	Heavy Weight	A,D,E	38 x 50	1.2	100
SK-05-301	Medium Weight	A,B,C,D,E	38 x 50	1	100
SK-05-302	Lightweight	A,B,C,D,E	38 x 50	0.5	200

Absorbent Pads

spilchoice



APPLICATION

- Suitable for general, heavy duty clean up operations involving liquid spills

FEATURES & BENEFITS

- High performance meltblown absorbent pads
- A layer of spunbond material is attached to both surfaces of the pad which reduces linting and improves the strength
- Highly absorbent with excellent fluid retention even when fully contaminated
- Bonded, dimpled perforated sheets maximise usage and reduces waste for greater efficiency
- Different absorbency capabilities available to suit most customer applications

Code	Description	Icon ref	Dimensions cm	Absorbency per pad litres	Quantity per pack
SPILCHOICE MAINTENANCE PADS					
SC-05-107	Heavy Weight	A,B,C,D,E,G	38 x 50	1.2	100
SC-05-101	Medium Weight	A,B,C,D,E,G	38 x 50	1	100
SC-05-103	Lightweight	A,B,C,D,E,G	38 x 50	0.5	200
SC-05-104	Lightweight	A,B,C,D,E,G	38 x 50	0.5	100
SPILCHOICE OIL & FUEL PADS					
SC-05-201	Heavy Weight	A,B,C,D,E,G	38 x 50	1.2	100
SC-05-206	Medium Weight	A,B,C,D,E,G	38 x 50	1	100
SC-05-204	Lightweight	A,B,C,D,E,G	38 x 50	0.6	200
SC-05-205	Lightweight	A,B,C,D,E,G	38 x 50	0.6	100
SPILCHOICE CHEMICAL PADS					
SC-05-301	Heavy Weight	A,B,C,D,E,G	38 x 50	1.2	100
SC-05-304	Medium Weight	A,B,C,D,E,G	38 x 50	1	100
SC-05-303	Lightweight	A,B,C,D,E,G	38 x 50	0.6	200
SC-05-310	Lightweight	A,B,C,D,E,G	38 x 50	0.6	100

Absorbent Rolls

spilkleen


MAINTENANCE

Grey in colour, suitable for absorbing most types of industrial spills including both oil and water based liquids including solvents, coolants and mild chemicals. Recommended for internal use.



OIL & FUEL

White or blue in colour, ideal for where the absorption of oil based liquids such as fuels, lubricants and other hydrocarbon based products is required and for the selective recovery of oil from water. Recommended for external use.



CHEMICAL

Yellow in colour, designed to absorb aggressive fluids including acids and alkalis. Recommended for internal use.


MELTBLOWN


APPLICATION

- Designed for the containment of larger spills

FEATURES & BENEFITS

- Manufactured from a single layer of meltblown absorbent
- Bonded and dimpled for additional strength where indicated
- Perforated down their entire length and width to minimise waste where indicated
- Different absorbency rates to suit customers requirements
- Reliable performance

HSE RECOMMENDATION ON CHEMICAL SPILLS

- Liquid spills involving hazardous materials should first be contained to prevent spread of the material to other areas. Once the hazardous material has been contained the material should be neutralised to render it safe. Acids and alkalis should be neutralised with appropriate neutralising agents. Please see pages 98-99.

Code	Description	Icon ref	Dimensions W x L	Absorbency per roll litres
------	-------------	----------	---------------------	-------------------------------

SPILKLEEN MAINTENANCE ROLLS

SK-08-113-B	Medium Weight Narrow Width	A, B, C, E	15cm x 43m	20
SK-08-103	Medium Weight	A, B, C, D, E	30cm x 43m	41
SK-08-112-B	Medium Weight	A, B, C, D, E	38cm x 92m	41
SK-08-102	Medium Weight	A, B, C, D, E	50cm x 43m	74
SK-08-110	Medium Weight	A, B, C, E	76cm x 46m	128
SK-08-115-B	Medium Weight	A, E	90cm x 50m	146

SPILKLEEN OIL & FUEL ROLLS

SK-08-205	Medium Weight	A, B, C, E	30cm x 43m	50
SK-08-209	Medium Weight	A, D, E	38cm x 46m	85
SK-08-208-B	Medium Weight	A, E	76cm x 46m	150

SPILKLEEN CHEMICAL ROLLS

SK-08-301	Medium Weight	A, B, C, D, E	30cm x 43m	40
SK-08-304	Medium Weight	A, B, C, D, E	38cm x 46m	60

Absorbent Rolls Floor Rolls

spilchoice



MELTBLOWN




SPUNBOND

APPLICATION

- Suitable for the containment of larger liquid spills and to protect workbench tops

FEATURES & BENEFITS

- Excellent performance, medium weight absorbent rolls
- A layer of spunbond material attached to both surfaces of these rolls results in a virtually non linting roll
- Bonded and dimpled for strength
- Perforated down the entire length and width to reduce waste
- Available in a box or heavy duty poly bag
- Dispensing systems available



Code	Description	Icon ref	Dimensions W x L	Absorbency per roll litres
------	-------------	----------	---------------------	-------------------------------

SPILCHOICE MAINTENANCE ROLLS

SC-08-106	Medium Weight	A, B, C, D, E, G	38cm x 46m	48
SC-08-105	Medium Weight	A, B, C, E, G	76cm x 46m	120

SPILCHOICE OIL & FUEL ROLLS

SC-08-207	Medium Weight	A, B, C, D, E, G	38cm x 46m	54
SC-08-208	Medium Weight	A, B, C, E, G	76cm x 46m	95

SPILCHOICE CHEMICAL ROLLS

SC-08-302	Medium Weight	A, B, C, D, E, G	38cm x 46m	50
-----------	---------------	------------------	------------	----

Floor Rolls

APPLICATION

- Suitable for installing alongside production lines, walkways, workbenches and counter tops

FEATURES & BENEFITS

- Prevents liquids and dirt being transferred to other work areas
- Heavy weight polyester/polypropylene needle punch fabric
- Suitable for placing on a workbench to provide protection for components and tooling
- Easily cut to size for economy of use
- PVC backed rolls prevent any spilt liquids bleeding through and contaminating the floor



Code	Description	Dimensions W x L
------	-------------	---------------------

SPILCHOICE FLOOR ROLLS

SC-08-107	PVC Backed Grey Floor Roll	91cm x 30m
SC-08-103	Grey Floor Roll	91cm x 46m

Absorbent Cushions Drum Topper

spilkleen



Absorbent Cushion

APPLICATION

- Ideal for absorbing liquids in tight restricted spaces

FEATURES & BENEFITS

- Spunbond outer surface that is both fast wicking and tough
- The absorbent core is secured into the pillow shape at each end with a stitched seam
- Cushions are used to absorb leaks that may be too large for a pad
- Available in boxes or bags

Code	Dimensions mm	Absorbency per cushion litres	Quantity per pack
SPIKLEEN MAINTENANCE CUSHIONS			
SK-06-101	300 x 250	3	20
SK-06-102	350 x 300	4	20
SPIKLEEN OIL & FUEL CUSHIONS			
SK-06-201	300 x 250	3.5	20
SK-06-204	350 x 300	4	20
SPIKLEEN CHEMICAL CUSHIONS			
SK-06-301	300 x 250	3	20
SK-06-304	350 x 300	4.5	20



SPUNBOND FABRIC




Oil Only Drum Toppers

APPLICATION

- Drum pad toppers keep drums, and barrels clean and protect the surrounding workplace

FEATURES & BENEFITS

- Specifically designed for absorbing drips from leaking pumps before they puddle up and run over
- Will only absorb oil or hydrocarbon based liquids and oils
- Water repellent properties mean these can be used outdoors without becoming saturated in wet weather
- Manufactured with pre-cut holes to fit 56cm dia/205 litre drums



Code	Dimensions Dia mm	Absorbency litres per unit	Quantity per pack
SPIKLEEN DRUM TOPPER			
SK-02-201	560	3	25
SK-02-202	560	3	10


Dripillow & Pad

APPLICATION

- Portable pad designed to collect fuel drips from vehicles, hydraulic lines and equipment

FEATURES & BENEFITS

- Polypropylene mesh absorbent encased in a PVC envelope for durability
- Weighted base prevents flips and splashes
- Corner gromets for anchoring to the ground
- UV resistant, able to withstand the harshest weather conditions
- Easily folded with straps for carrying and storage
- Replacement pads available - 5 per pack



Code	Description	Dimensions L x W x H mm	Absorbency capacity L	Weight kg
ENPAC DRIPILLLOW & PAD				
EN-5650-YE	Dripillow Small	510 x 510	3.8	2.7
EN-5655-WH	Dripillow Small Replacement Pad	510 x 510	3.8	2.2
EN-5660-YE	Dripillow Medium	610 x 910	7.6	3.1
EN-5665-WH	Dripillow Medium Replacement Pad	610 x 910	7.6	3.6

Absorbent Powder Absorbent Granules



spilkleen

Super Absorbent Powder

APPLICATION

- Absorbs the vast majority of liquids including oils, fuel, water, chemicals, acids (excluding Hydrochloric), paint, adhesives, food and dairy products, body and animal waste products

FEATURES & BENEFITS

- Extremely fast acting emergency spill response powder
- Leaves no residue on surfaces
- Suitable for use on most surfaces
- Antibacterial, food safe
- Eliminates up to 80% of lingering odours
- Non combustible
- Absorbs up to 10 times its own volume for economical use
- Internal use only



Code	Description	Absorbency capacity litres
------	-------------	----------------------------

SPILL KILL SUPER ABSORBENT POWDER

SK-03-109	Shaker dispenser 500ml	5
SK-03-113	Shaker dispenser 1 litre	10
SK-03-114	Plastic tub including scoop and mixer 5 litres	50
SK-03-115	Grip seal bag 25 litres	250

Absorbent Powder

Absorbent Granules



APPLICATION

- Suitable for use on oil, petrol, diesel, pesticides, solvents, most acids, alkalis, body fluid, paint and anti freeze

FEATURES & BENEFITS

- Can be used on any surface
- Contains no reactive chemicals
- Non toxic and is safe for humans, animals and the environment
- Caddy pack contains 5-litre Spill-Aid pouch, A-frame caddy, dustpan and brush, disposal bag with tie



CLAY
GRANULES

PLUS

SAFE-
SOAK

CLAY GRANULES

- Provide efficient clean-up of oil, fuel and water based liquids
- Remains granular even when saturated
- Non-flammable

PLUS

- Suitable for internal use on oil, fuel and water based spills
- Manufactured from 100% recycled materials

SAFE-SOAK

- Manufactured from 100% recycled materials
- Environmentally acceptable by-product which fulfils government guidelines on recycling
- Non-flammable

Code	Description	Absorbency litres per bag	Volume Litres	Weight kgs	Pallet quantity
SPILL-AID ABSORBENT POWDER					
SK-03-007	Pouch	3.5	5	1	288
SK-03-006	Large Bag	30	30	12	70
SK-03-008	Caddy Pack	3.5	5	5	20

Code	Description	Absorbency litres per bag	Volume Litres	Weight kgs	Pallet quantity
SPILKLEEN ABSORBENT GRANULES					
SK-03-004	Clay Granules	20	20	14	70
SK-03-002	Plus	24	30	12	72
SK-03-003	Safe-Soak	27	30	7	70

Absorbent Socks Chemical Absorbent Boom

spilkleen



spilkleen

APPLICATION

- Used as a barrier to encircle a spill or placed around the base of drums and machinery to absorb any nuisance leaks or drips

FEATURES & BENEFITS

- Spunbond polypropylene outer sleeve
- Absorbent core
- Stitched ends secure the core into the outer spun-bond sleeve
- Available in boxes or bags

Code	Dimensions mm	Absorbency litres per sock	Quantity per pack
------	---------------	----------------------------	-------------------

SPILKLEEN MAINTENANCE SOCKS

SK-09-101-B	1000 x 75	3.75	50
SK-09-102	1200 x 75	4	20
SK-09-103	1200 x 75	4	8
SK-09-104	3000 x 75	11	8

SPILKLEEN OIL & FUEL SOCKS

SK-09-201-B	1000 x 75	3.75	50
SK-09-202	1200 x 75	4	20
SK-09-203	3000 x 75	11	8

SPILKLEEN CHEMICAL SOCKS

SK-09-301	1200 x 75	3.75	20
SK-09-302	3000 x 75	9	8



SPUNBOND FABRIC

Chemical Absorbent Boom

APPLICATION

- Specifically designed for the recovery of chemical spillages

FEATURES & BENEFITS

- Excellent absorbency for a wide range of products including most acids, alkalis, oil and water-based liquids
- Absorbent fill contained within a

strong nylon outer netting with a continuous high tensile draw cord for added strength and handling

- Hooks and rings at each end allow coupling together to form longer runs if required
- Suitable for creating a barrier in the event of a spill to prevent the spill from spreading



Code	Dimensions Length x Dia mm	Containment Capacity Litres Per Boom	Quantity Per Pack
------	----------------------------	--------------------------------------	-------------------

SPILCHOICE CHEMICAL ABSORBENT BOOM

SC-01-301	3000 x 120	29.5	4
-----------	------------	------	---

Oil Absorbent Boom

APPLICATION

- Suitable for the recovery and containment of any lubricants and oil

FEATURES & BENEFITS

- Comprising of an outer plastic netting that contains a spunbond inner sock
- Absorbent core is manufactured from very fine meltblown fibres allowing

more oil to penetrate deeper into the centre

- A tough nylon rope runs the entire length of the boom for additional strength
- Doubled stapled ends for increased strength
- Rust proof metal rings and snap hooks enable booms to be joined together to form long runs



Code	Dimensions Length x Dia mm	Containment Capacity Litres Per Boom	Quantity Per Pack
------	----------------------------	--------------------------------------	-------------------

SPILCHOICE OIL ABSORBENT BOOMS

SC-01-002	3000 x 120	40	4
SC-01-004	1500 x 200	25	8
SC-01-003	3000 x 200	40	4
SC-01-005	5000 x 200	84	2



Marine Booms

Oil Absorbent Boom

APPLICATION

- Designed to capture floating oil at sea, in harbours, lakes and canals and prevent it contaminating the surrounding shoreline

FEATURES & BENEFITS

- Allows water to pass through freely while filtering any oil present on the waters surface
- Booms can be connected with 300mm overlap to ensure maximum containment and coverage
- Float on the surface of the water via an internal closed cell foam float
- Boom is contained in a chemical resistant mesh



Code	Dimensions Length x Dia mm	Containment Capacity Litres	Weight kgs
ULTRATECH OIL FILTER BOOM			
UL-42-354	1800 x 125	19	2.6

Oil Absorbent Skirted Boom

APPLICATION

- Designed to capture floating and submerged oil at sea, in harbours, lakes and canals and prevent contamination of the surrounding shoreline

FEATURES & BENEFITS

- Allows water to pass through freely while filtering any oil present
- 850mm deep weighted skirt hangs below the boom capturing any oil that is under the water but close to the surface
- Multiple booms can be connected for long, continuous runs and easy deployment and retrieval
- Floats on the surface of the water with a 150mm dia closed cell foam float



Code	Description	Dimensions Length x Depth mm	Containment Capacity Litres	Weight kgs
ULTRATECH OIL FILTER SKIRTED BOOM				
UL-42-356	Boom	4000 x 850	41.5	9

Rapid Boom


APPLICATION

- Durable fence boom designed to respond effectively in coastal, inland waterways and offshore

FEATURES & BENEFITS

- Lightweight portable design ensures a rapid response spill containment
- Improves oil spill response effectiveness by containing oil where the spill occurs, stopping the spread
- Easy to deploy within minutes by two operatives
- Helps to avoid and reduce costly clean-up measures, infrastructure shutdowns, negative press, and regulatory fines
- Contains any size of spill with unlimited length capacity as sections can be joined together to form long runs

Code	Dimensions L x H m	Weight kgs
RAPID BOOM		
UL-34-106	15.0 x 0.32	19.6



MADE IN
THE UK

Absorbent Dispensing Stations

Spill-Mate

Wall/Bench Mounted Station

APPLICATION

- Provides a convenient method to store absorbent pads and a single roll in the workshop

FEATURES & BENEFITS

- Manufactured from mild steel with high-quality powder coat yellow paint finish for visibility and to prevent rusting
- Suitable for both wall and bench mounting
- Accepts 50 x 40cm absorbent pads and

- 500mm wide absorbent rolls
- Accessory cradle fitted to both sides to accommodate gloves, goggles etc
- Dimensions H x W x D 860 x 720 x 400mm
- Weight 10.5kgs

Code	Description
WALL/BENCH MOUNTED STATION	
FL-41-109	Wall/Bench Absorbent Station



■ FL-41-109

Mobile Absorbent Dispenser

APPLICATION


- Mobile absorbent station designed to deal with all workplace liquid spills

FEATURES & BENEFITS

- Manufactured from mild steel with high-quality powder coat yellow paint finish for visibility and to prevent rusting
- Accepts 50 x 40cm absorbent pads, 500mm wide absorbent rolls, socks and cushions

- Accessory cradle fitted to both sides to accommodate gloves, goggles etc
- Dimensions H x W x D 1450 x 720 x 550mm
- Weight 42kgs

Code	Description
MOBILE ABSORBENT STATION	
FL-41-108	Mobile Absorbent Station



■ FL-41-108

Absorbent Twin Roll Dispenser

APPLICATION

- Specifically developed for production and maintenance departments that require immediate access to absorbent materials

FEATURES & BENEFITS

- Manufactured in mild steel, powder coated yellow paint finish to prevent rusting
- Facilitates the storage and dispensing of absorbent pads, 2 x 500mm wide absorbent rolls and all absorbent socks
- Dimensions height x width x depth 1820 x 550 x 550mm
- Weight 52kgs
- Contents shown are not included



Code	Description
ABSORBENT STATION	
FL-41-303	Absorbent Station

Absorbent Roll Dispensing Stands

Spill-Mate

CONTROLLING
A SPILL



MADE IN
THE UK



■ FL-41-402

■ FL-41-401



■ FL-41-403



■ FL-41-404

APPLICATION

- Specifically for production and maintenance areas that require immediate accessibility to absorbents

FEATURES & BENEFITS

- Constructed from 1.5mm thick steel
- Allows absorbent rolls to be dispensed easily and quickly
- Visibility of stock levels for re-stocking purposes
- Model FL-41-404 is supplied with 2 x standard and 2 x locking wheels
- Absorbent rolls shown are not included

Code	Description	Roll Dimensions	Weight kgs
ROLL DISPENSERS			
FL-41-401	A-Frame Mobile	30 to 50cm wide	5
FL-41-402	A-Frame Static	30 to 50cm wide	4
FL-41-403	Wall Mounted	30 to 50cm wide	3
FL-41-404	Vertical Mobile	76 to 100cm wide	7

MADE IN
THE UK

Absorbent Spill Strips



Absorbent Spill Strips

APPLICATION


- Industry sectors include industrial MRO, cleaning, supermarkets, fleet management, health care, plumbing and heating

FEATURES & BENEFITS

- Extremely portable, ideal where an immediate response is required for dealing with spills
- Lay flat, super absorbent strip only expands when in contact with water or water based liquids
- Extremely low profile allows the product to access hard to reach restricted areas
- Distinctive, highly visible colour reduces the risks of slip and trip conditions
- Easy to use, simply tear at the perforations for economy of use
- Non-drip even when fully saturated
- Prevents damage due to leaks, spills and condensation in property
- Compact storage, supplied in a handy dispensing box
- Contents of box 25 x 1.2m long strips, minimum absorbency of box 75 litres



■ Flat



■ Inflated



BOX



PERFORATED

Code	Dimensions mm	Absorbency litres per strip	Quantity per pack
SPILL KILL WATER GUARD			
FL-151-120	125 x 1200	3	25

Thirsty Sock

APPLICATION

- Designed to capture water based liquid spills only from leaking pipework, radiators, washing machines, toilets, vending machines, fridges and freezers and general liquid spills

FEATURES & BENEFITS

- Quick and easy to deploy, ideal for use in tight spaces where it may not be possible to fit a bucket or container to contain the spill
- Any liquid spill collected is turned to gel avoiding drips or cross contamination
- Surfaces are left clean and dry preventing further damage and preventing a slip hazard
- Manufactured from a minimum of 50% reclaimed materials
- Non toxic and non hazardous
- Dimensions length x width 1000 x 120mm
- Absorbency capacity per sock 3 litres



osmo



Code	Dimensions mm	Quantity per pack
------	------------------	----------------------

OSMO THIRSTY SOCK

FL-151-151UB	Thirsty Sock	3
FL-151-151UB/10	Thirsty Sock	10

Commercial & Domestic Absorbent Pads

osmo

CONTROLLING
A SPILL



MADE IN
THE UK

Thirsty Pad

APPLICATION

- Designed to capture water based liquid spills only from leaking pipework, radiators, washing machines, toilets and general liquid spills

FEATURES & BENEFITS

- Quick and easy to deploy, ideal for use in tight spaces where it may not be possible to fit a bucket or container to contain the spill
- Any liquid spill collected is turned to gel avoiding drips or cross contamination
- Surfaces are left clean and dry preventing further damage and preventing a slip hazard
- Manufactured from a minimum of 50% reclaimed materials
- Non toxic and non hazardous
- Dimensions length x width 200 x 200mm
- Absorbency capacity per pad 1 litre
- Pack of 20 pads



Code Description

OSMO THIRSTY PAD

FL-151-153UB Thirsty Pad

Mega Thirsty Pad

APPLICATION

- Designed to capture large water based liquid spills only from leaking pipework, radiators, washing machines, toilets and ceilings in public places

FEATURES & BENEFITS

- Quick and easy to deploy, ideal for use in tight spaces where it may not be possible to fit a bucket or container to contain the spill
- Any liquid spill collected is turned to gel avoiding drips or cross contamination
- Surfaces are left clean and dry preventing further damage and preventing a slip hazard
- Manufactured from a minimum of 50% reclaimed materials
- Non toxic and non hazardous
- Dimensions length x width 370 x 365mm
- Absorbency capacity per pad 4 litres
- Pack of 5 pads



Code Description

OSMO MEGA THIRSTY PAD

FL-151-155UB Mega Thirsty Pad

Plumbers Pads

APPLICATION

- Designed to protect carpets and flooring from overhead water based leaks and minor plumbing issues

FEATURES & BENEFITS

- Can be left in location to absorb leaks, no need for repeated mopping
- Easy to position
- Surfaces are quickly made safe from slip hazards
- Avoids lasting damage to flooring
- Manufactured from a minimum of 50% reclaimed materials
- Non toxic and non hazardous
- Dimensions length x width 270 x 370mm
- Absorbency capacity per pad 2 litres
- Pack of 5 pads



Code Description

OSMO PLUMBERS PAD

FL-151-154UB Plumbers Pad

Chemical Spill Response

HSE recommendation on chemical spills

- Liquid spills involving hazardous materials should first be contained to prevent the spread of the material to other areas.
- Once the hazardous material has been contained the material should be neutralised to render it safe.
- Acids and alkalis should be treated with appropriate neutralising agents. Due to the differing properties of the various groups of chemical, an appropriate treatment strategy with suitable chemicals should be established in each case.
- Treated material should be absorbed onto inert carrier material to allow the material to be cleared up and removed to a safe place for disposal or further treatment as appropriate.
- Once the material has been treated the cleared up area should be washed with large volumes of water
- Vytac neutralisation products are recognised as an important element of spill response safety.
- Vytac's unique colour indicator systems allow for safe, easily visualised neutralisation
- Disposal costs can be reduced by converting hazardous waste into general waste




CHEMICAL NEUTRALISATION PROCEDURES

FOR SMALL CHEMICAL SPILLS

1. Identify appropriate neutralisation
2. The application should commence from the outside of the spill, working inwards as this reduces the risk of the responder contacting untreated material
3. Sprinkle neutraliser on chemical until desired colour change indicates complete neutralisation
4. The non hazardous compound can now be swept up and disposed of through the general waste system



Acid Vytac ACXP



Alkali - Vytac CSP

FOR CHEMICAL SPILLS UP TO 20 LITRES


1. Vacuum the spilled chemicals using a chemical wet vacuum
2. Dispense the aggressive chemical into a container for treatment
3. Dilute the chemical to the required dilution to prevent heat build up
4. Add the appropriate Vytac neutraliser until the colour change indicator shows neutralisation is complete
5. Dispose of the neutralised non hazardous chemical through general waste system.

ACID NEUTRALISATION



On adding Vytac ACXP to an acid, the pale pink/orange colour will gradually change. Continue to add and mix Vytac ACXP until the colour is permanently red indicating a neutral solution.

SODIUM HYDROXIDE NEUTRALISATION



On adding Vytac CSP to an alkali, the purple colour will gradually change. Continue to add and mix Vytac CSP until the colour is permanently dark yellow.

FOR CHEMICAL SPILLS GREATER THAN 20 LITRES

- Call Spill Response Team
- Spill Training for chemical spills accredited by British Safety Industry Federation is available for operatives handling chemicals.

Chemical Spill Neutralisation



VYTAC

A DIVISION OF CARTIER CHEMICALS

- Vytac ACXP Acid Neutraliser quickly and effectively neutralises acid spills.
- Vytac CSP Alkali Neutraliser neutralises liquid caustic spills.
- Vytac JCN Bleach Neutraliser is a neutraliser for sodium hypochlorite.
- Vytac FNC Formaldehyde Neutralisers quickly and efficiently absorb the vapours and immobilise formaldehyde spills. Store above 0° C to prevent crystallisation.

Code	Type	Pack Size
VYTAC CHEMICAL SPILL NEUTRALISATION		
FL-12-201	Acid	1 x 1 kg
FL-12-202	Acid	4 x 4 kg
FL-12-203	Acid	20 kg pail
FL-12-204	Alkali	1 x 0.9 kg
FL-12-205	Alkali	4 x 3.7 kg
FL-12-206	Alkali	20 kg pail
FL-12-207	Bleach	1 x 0.58 kg
FL-12-212	Formaldehyde	1 x 1 litre

Please see pages 110-113 for information on our Hazmat Training Courses.



Flood Protection

UK Flood Statistics

- 5.2 million people live in immediate flood risk areas or in areas that are susceptible to surface water flooding
- 1 in 6 homes are at risk of flooding
- 40% of businesses do not reopen after suffering a catastrophic loss after a flood
- Flooding and management costs the UK around £2.2 billion each year
- The mental health impact of flooding can last for more than 2 years

Flood protection - innovative products designed to create a highly effective barrier to the threat of floodwater in the domestic and commercial market.

- Flood Cube
- NOAQ Boxwall
- Flood Water Barriers
- FloodSax
- Roof Drip Diverters
- Pipe Drip Diverters

Flood Cube



APPLICATION

- Water activated flood cube barrier provides protection against flood water in both domestic and commercial properties. Applications include diverting the flood water flow on roads, building/construction sites and to shore up-river banks and lakes to prevent further flood damage

FEATURES & BENEFITS

- Vacuum packed for ease of storage, 4 x flood cubes per pack
- Easy to deploy when required, activate the flood cube by submerging in water using a wheelie bin, hosepipe or even the flood water
- Cube shaped enables an effective barrier to be constructed
- Butt together to form a wall-like construction up to 1.2m high
- Lightweight, weighing only 0.33kg before activation
- Partial activation will occur in under 3 minutes, full activation in approximately 5 minutes
- Carry handles aid lifting and positioning of product when activated
- After use the flood cube should be sent for incineration or to land fill depending on local government guidelines
- 5-year shelf life providing product remains unopened

PRODUCT SPECIFICATION

Composition: Outer bag material ultrasonic polypropylene non-woven fabric
Internal hydrophilic nano-sap functional material as the main medium

Dimensions: Flat L x W x H 400 x 360 x 30mm
Activated L x W x H 400 x 360 x 150mm

Weight: Flat 0.33kg+5%, fully activated 20kgs+5%



Code Description

FLOOD CUBE

- | | |
|------------|--|
| FL-151-163 | Flood Cube Pack of 4 |
| FL-151-161 | Flood Cube Bag of 20 (5 x packs of 4) |
| FL-151-160 | Flood Cube Box of 40 (10 x packs of 4) |

NOAQ Boxwall

NOAQ
Flood Fighting System

APPLICATION

- Boxwall is a freestanding, reusable flood barrier system designed for as a fast response to the threat from a flood
- Specifically designed for closing off roads, streets, pathways, carparks, river and canal banks, industrial and commercial properties to the threat of flooding as well as to divert the flood water

FEATURES & BENEFITS

- Available in two heights (53cm and 106cm)
- Manufactured in hardwearing polypropylene
- Quick and easy to deploy when required in an emergency
- Self-anchoring, no additional fixings required, the higher the water rises the harder the barrier is pressed firm against the ground utilising the weight of the water
- Boxwall can be installed on any firm even surface including asphalt, tarmac, brickwork, concrete, paving and even grass
- Temperature resistance -30° to +90°C
- Easily washed down after use for deployment in future floods
- Stackable for easy transportation and compact storage when not in use
- Corner sections are available to create 90-degree bend (3 x sections are required)



Code	Description	Dimensions L x W x H cm
------	-------------	-------------------------

NOAQ FLOOD BOXWALL

FL-151-174	Straight Section	98 x 68 x 53
FL-151-175	Inward Corner Section	54/21 x 68 x 53
FL-151-176	Outward Corner Section	65/34 x 68 x 53
FL-151-180	Wall connector	
FL-151-185	Gable End/Kirbstone Right	17 x 68 x 53
FL-151-186	Gable End/Kirbstone Left	17 x 68 x 53
FL-151-179	Straight Section	99 x 119 x 106
FL-151-181	Inward Corner Section	54/21 x 119 x 106
FL-151-182	Outward Corner Section	65/34 x 119 x 106



**QUICK &
EASY TO
INSTALL**



■ FL-151-175

■ FL-151-176



**STACKABLE
FOR EASY
STORAGE**

MADE IN
THE UK

Flood Water Barriers

Flood Water Barriers

APPLICATION

- Provides temporary or long term protection to commercial and domestic property from invasive flood water

FEATURES & BENEFITS

- Once inflated, forms a resilient, leak-proof, water tight barrier against most surfaces
- Manufactured from 50% reclaimed materials
- Non toxic and non hazardous
- Allows great flexibility as can be positioned where required very quickly
- Easy to store and roll out in an emergency
- Ideal for use across doorways, gates to property or to divert flood water away from property

osmo



Code	Description	Dimensions L x W mm	Absorbency capacity litres
OSMO FLOOD WATER BARRIERS			
FL-151-150UB	Flood Water Barrier Single	1500 x 210	15
FL-151-150UBO	Flood Water Barrier Pack of 34	1500 x 210	15
FL-151-152UB	Flood Water Barrier Single	3000 x 210	30
FL-151-152UBO	Flood Water Barrier Pack of 16	3000 x 210	30

FloodSax




APPLICATION

- Creates a barrier to the threat of flood water entering properties, ideal for commercial and domestic properties

FEATURES & BENEFITS

- Fully activated in under 3 minutes to form a defence barrier
- Can be activated using a bath, sink, bucket, hosepipe or even using the floodwater itself
- A semi-porous inner liner within the FloodSax contains a special gelling polymer which absorbs up to 20kgs of water
- They are designed to mould into doorways and form a defensive wall to keep floodwater out
- Dimensions when activated length x width x height 500mm x 450mm x 200mm



Code Description

FLOODSAX

FL-151-141 FloodSax Box of 20

Flood Water Boom

APPLICATION

- Designed to protect both domestic and commercial properties from the threat of flood water

FEATURES & BENEFITS

- Strong tubular knitted outer fabric sleeve allows for durability, expansion and improved speed of absorption
- Filled with a super absorbent polymer that retains any liquids absorbed and keeps the boom in place and exposure to flood water increases stability
- Allows flexibility to be positioned where required
- Can be overlapped for continual runs
- Dimensions 3000 x 120mm
- Absorbency capacity per boom 5 litres

spilchoice



Code Description

SPILCHOICE FLOOD WATER BOOM

SC-09-104 Flood Water Boom



Roof Drip Diverters Pipe Drip Diverters



■ UL-34-126



■ UL-34-125



■ UL-34-124



APPLICATION

- Collects water from leaks in roofs and diverts it away to a drainage point avoiding damage to equipment and property

FEATURES & BENEFITS

- Manufactured from lightweight vinyl coated fabric
- Heavy-duty grommets in each corner
- Simple and quick installation, ideal for use in an emergency
- Avoids fluid on the floor and eliminates possible slip hazards
- Kit includes drip diverter, drainage hose and rubber strap kit. Supplied in a clip handle heavy duty PVC carry bag

Code	Description	Dimensions L x W mm	Weight kgs
ULTRATECH ROOF DRIP DIVERTERS			
UL-34-117	Roof Drip Diverter	1524 x 1524	1
UL-34-118	Roof Drip Diverter	2134 x 2134	2
UL-34-121	Roof Drip Diverter	3048 x 3048	3.5
UL-34-119	Roof Drip Diverter	3658 x 3658	7
UL-34-120	Roof Drip Diverter	4572 x 4572	10
UL-34-122	Roof Drip Diverter	6096 x 6096	16
UL-34-126	Drainage Hose Clear 7.6m		
UL-34-125	Adj Bungee Cord Pack of 4		
UL-34-124	Rubber Strap Kit Pack of 4		

ULTRATECH ROOF DRIP DIVERTER KITS

UL-100-003	Roof Drip Diverter Kit	1524 x 1524	
UL-100-002	Roof Drip Diverter Kit	2134 x 2134	
UL-100-004	Roof Drip Diverter Kit	3048 x 3048	
UL-100-005	Roof Drip Diverter Kit	4572 x 4572	

Pipe Drip Diverter

APPLICATION

- Channels water from damaged pipework away from personnel and machinery reducing the risk of potential slip hazards

FEATURES & BENEFITS

- Large 457mm diameter opening captures any overhead water leaks
- Rugged, coated vinyl fabric construction
- Bottom fitting connects to a drainage hose product code UL-34-126 (not supplied) and allows the water to be collected in a drum or tank
- Supplied complete with bungee cord straps and hooks for quick installation
- Weight 1kg



Code	Description	Dimensions L x W mm	Weight kgs
ULTRATECH PIPE DRIP DIVERTER			
UL-34-128	Pipe Drip Diverter	457	1




Training Education & Legislation

The Spill Training Academy provide BSIF and UK Spill accredited courses presented by skilled, professional trainers with current, close experience in spill control with the object of enhancing the awareness and skills of operatives.

Courses provide an awareness of the risks and threats and how to deal with any emergencies.

Courses can be held at the clients location or at our dedicated training facility in Leicestershire.

Please contact us for further details at www.thespilltrainingacademy.com





COURSE:

Level 1 Spill Kit Training Course

This course is suitable for any individual who handles liquids as part of their day-to-day activities and are required to use spill kits and absorbents to deal with 'incidental' spills and leaks in and around the workplace.

Features & Benefits

- Provides individuals with the necessary knowledge to allow them to safely use the spill control products that you provide on your site
- To highlight the importance of having a simple, effective, spill response action plan
- To stress the importance of preventing spillages escaping from site and the consequential impact from environmental pollution
- Ensuring responder safety before, during and following the recovery of spilt material
- Includes a dry demonstration of some simple containment and recovery strategies
- Safety of first responders
- Typical spill products and their uses (identification, selection & deployment)
- Your spill kits/products - safe use and deployment via a practical 'wet' demonstration

Client Provision

- Suitable training room
- Overhead or PC projection equipment, screen, flipchart and pens, DVD system
- Simulation area with preferably, a slope to a surface water drain, water filled IBC, drum with tap or water from a hosepipe (training kit provided)
- A range of site absorbents relevant to attendees

Course Outline

- A short video followed by a Q&A session outlining both good and bad practice in spill response
- The importance of being prepared - a simple effective plan

Duration: The course comprises of 3 sessions, each session lasts 60 minutes

Location: At client location of choice or the Spill Training Academy, Leicestershire

Group Size: Maximum of 15 delegates per session



COURSE:

BSIF Accredited 1st Responder Spill Awareness and Response Course

Features

- Develop an awareness of the risks and threats associated with liquid spills
- Understanding of the safe and effective use of spill control resources
- Simulated emergency spill situation
- Containment techniques and evaluation of best practice

Benefits

- Improvement in operative training and spill awareness
- Reducing environmental incidents on site
- Compliance with environmental legislation
- Delegates gain BSIF accreditation in spill control and awareness
- Continuing Professional Development (CPD) accredited via the BSIF, certificate provided

Course Content

A spill awareness DVD to introduce the subject, covering relevant environmental issues with spills, reasons for spill control, legislation, procedures and emergency response action plans.

Coverage of the products available for storage, handling and dispensing of liquids as well as absorbent materials for containing and dealing with spills and personal safety issues.

Detailed discussion of the principles of best practice with liquid storage, drain protection, legislation covering storage and handling of liquids including the penalties associated with breaches.

Demonstration of relevant products including absorbents manufactured to British Standards, emergency spill kits and ready to use dispensing stations.

Simulated spill exercise conducted in a suitable outside location.

Final test covering all aspects raised in the course.

Summary and final discussion.

Duration: Half Day

Location: At client location of choice or the Spill Training Academy, Leicestershire

Group Size: Max 12

Validity: 2 Years





COURSE:

Train The Trainer Spill Awareness and Response Course

Features

- As the BSIF Accredited 1st Responder Course plus
- Enables the trainer to train their team members in the basics of spill awareness and response, based on the BSIF Accredited 1st Responder Course
- Gives experienced managers and supervisors the fundamental tools to train their staff in oil and chemical spill awareness, prevention and response
- Post qualification support available through secure field on website and telephone hotline

Benefits

- As the BSIF Accredited 1st Responder Course plus
- An effective method of training operators in companies with large staff numbers, high staff turnover and seasonal agency workers
- Cost efficient
- Course delegates gain BSIF Accreditation in spill control, awareness and response
- Continuing Professional Development (CPD) accredited via the BSIF, certificate provided

Course Content

As the BSIF Accredited 1st Responder Course plus:

The principles of training and delivering a training event.

Detailed review of all aspects of the BSIF Course.

Explanation of the course notes, presentation materials and equipment packs.

Communication exercises to emphasise the importance of clear and concise communication.

Examine why operatives / staff need training in spill awareness and response.

Role play – delegates will be encouraged and guided to talk about the different aspects of the 1st Responder Course.

Test presentation – each delegate will be guided to give their own presentation on the subject.

Final summary.

Training Material

- Spill training DVD
- Course manual and information pack for the trainer and any subsequent trainees
- Table top absorbent demonstration kit
- Absorbent presentation samples
- One complete outdoor simulated spill kit
- Post course technical helpline

Duration: One Day

Location: At client location of choice or the Spill Training Academy, Leicestershire

Group Size: Min 4 - Max 8

Validity: 2 Years



COURSE:

HAZMAT Awareness Course

This is an entry level course to provide an overview and awareness of incidents involving hazardous materials.

It aims to develop some generic principles that are consistent with all such incidents.

Prevention of incidents will always be a priority for everyone involved with chemical handling. Unfortunately, accidents happen and a safe, methodical and decisive approach will assist in minimising the impact of such incidents.

Features

- Develop an awareness of the hazards associated with hazardous materials (Hazmat)
- A systematic approach to all incidents following our **SMART** response system
- Key factors to implement to protect the safety of you and others
- Suitability of containment systems and techniques for chemical categories
- Tailored towards your likely incident types, quantities and hazards

Benefits

- Improvement in operative training and hazard awareness
- Reducing staff risk at incidents on site
- More rapid conclusion of incidents and thus return to business as usual
- Delegates receive certification from The Spill Training Academy

Course Contents:

The course is split into 4 modules:

An overview of the different types of hazardous materials, their properties and behaviours, and the regulatory systems to enable their recognition. This will include substances dangerous for supply, labelling and transport, Safety Data Sheets (SDS), Hazard categories and their properties.

An overview of chemical storage and containment. Ways in which containment can fail or hazardous materials can become uncontrolled. This will include container types and transport vehicles, the mnemonic SEDITION (Stressors, Escape, Dispersal, Impingement, Troubles and Reactions) including incompatibility with response equipment.



SMART response system ensures actions taken to manage a chemical release are methodical, risk assessed, timely, practical, and proportionate to the incident.

- **S**creen the scene to quickly assess the scale and context of the release
- **M**obilise response, equipment, and wider support
- **A**cquire information on the hazards, quantity, location, and vulnerable receptors (people, infrastructure, and environment)
- **R**isk assess intervention and ensure it falls within your capabilities
- **T**ime critical actions to be taken to protect people's safety and prevent escalation of the release by stabilising techniques (ventilation, containment, neutralisation etc)

An overview of the level of danger posed by substances and ways to protect yourself. This module will look at toxicity and levels (safe, unsafe, dangerous, or life threatening) and typical Personal Protective Equipment principles and standards.

The modules will be followed by a final test covering all aspects raised in the course with a summary and final discussion.

Where courses are delivered for a specific customer, the content can be tailored towards the quantities, hazards and likely incident types applicable to their business.

Duration: Half Day

Location: At client location of choice or the Spill Training Academy, Leicestershire

Group Size: Max 12

Validity: 3 Years



COURSE:

HAZMAT Train the Trainer Course

This is a basic level trainer course to provide a structured approach to incidents involving hazardous materials. It aims to develop some generic principles that are consistent with all such incidents and a simple mechanism to communicate these principles.

Prevention of incidents will always be a priority for everyone involved with chemical handling. Unfortunately, accidents happen, and a safe, methodical and decisive approach will assist in minimising the impact of such incidents.

Features

- As per the STA accredited Hazmat Awareness Course, plus:
- Provides trainers and instructors with the fundamental tools to train their staff in hazmat awareness and response
- Enable the delivery of a systematic approach to all incidents, following our SMART response system, to their workforce and communicate key factors they should implement to protect the safety of them and others

- Post qualification support available through secure field on website and telephone hotline
- Tailored towards your likely incident types, quantities, and hazards

Benefits

- An effective method of training operators in companies with large staff numbers, high staff turnover and seasonal agency workers
- Reducing staff risk at incidents on site
- More rapid conclusion of incidents and thus return to business as usual

Course Contents:

The course develops an approach for delegates to deliver the 4 hazmat awareness modules to their workforce:

Introductory session to discuss the 4 modules and their relevance to your organisation. Develop a consistent approach and emphasise the strength of using simple mnemonics to aid recollection during infrequent events such as Hazmat incidents. Provide concise handouts in the form of check lists where information is intentionally brief, appropriate for reference during a fast-paced incident response.

An overview of the different types of hazardous materials, their properties and behaviours, and the regulatory systems to enable their recognition. This will include substances dangerous for supply, labelling and transport, Safety Data Sheets (SDS), hazard categories and their properties.

An overview of chemical storage and containment. Ways in which containment can fail or hazardous materials can become uncontrolled. This will include container



types and transport vehicles, the mnemonic **SEDITION** (Stressors, Escape, Dispersal, Impingement, Troubles and Reactions) including incompatibility with response equipment.

SMART response system ensures actions taken to manage a chemical release are methodical, risk assessed, timely, practical, and proportionate to the incident.

- **S**creen the scene to quickly assess the scale and context of the release
- **M**obilise response, equipment, and wider support
- **A**cquire information on the hazards, quantity, location, and vulnerable receptors (people, infrastructure, and environment)
- **R**isk assess intervention and ensure it falls within your capabilities
- **T**ime critical actions to be taken to protect people's safety and prevent escalation of the release by stabilising techniques (ventilation, containment, neutralisation etc)

An overview of the level of danger posed by substances and ways to protect yourself. This module will look at toxicity and levels (safe, unsafe, dangerous, or life threatening) and typical Personal Protective Equipment principles and standards.

The modules will be followed by a final test covering all aspects raised in the course with a summary and final discussion.

Where courses are delivered for a specific customer, the content will be tailored towards the quantities, hazards and likely incident types applicable to their business.

Training Material

- Copies of the four modules in PowerPoint format
- Aide memoir and check list based on our SMART response
- Post course technical helpline

Duration: One day

Location: At client location of choice or the Spill Training Academy, Leicestershire

Group Size: Max 12

Validity: 3 Years



Legislation

Protecting the environment and our planet -

Governments introduce legislation to protect the environment from pollution and to safeguard our health. All companies are responsible for ensuring that oil storage facilities and liquid controls comply with these regulations. There are strict penalties for non-compliance.

The Control of Pollution Oil Storage Regulations

Pollution of a watercourse, groundwater or the sea (controlled waters) by oil is a common type of water pollution incident dealt with by the environment agencies. Many such incidents are caused by leaks and spills from storage facilities, small containers, drums, IBCs or storage tanks.

Each country within the UK has its own legislation governing oil storage, as follows:

- The Control of Pollution (Oil Storage) England Regulations 2001
- The Water Resources (Control of Pollution) (Oil Storage) Wales Regulations 2016
- The Control of Pollution (Oil Storage) Northern Ireland Regulations 2011
- Water Environment (Controlled Activities) Scotland Regulations 2021 (as amended)

Collectively these regulations are known as the Oil Storage Regulations or OSR (detailed information can be found on our web site <https://www.fossiliquitrol.com/pages/legislation-compliance-and-best-practice>)

In brief these regulations ensure that all employers must:

- Ensure that oil stored on their premises does not pollute the water environment including groundwater
- Ensure that oil storage facilities comply with the standards of the Oil Storage Regulations

- Any discharges to surface or ground water must comply with the requirements of the environmental permitting regime in England and Wales, or Controlled Activities Regulations (CAR) in Scotland. In Northern Ireland, the discharge of any waste to surface or ground water is controlled through consents

Pollution of any inland surface water and ground waters by oil is an offence.

The OSRs for England, Wales and Scotland (above) apply to anyone storing oil in containers of

- More than 200 litres, above ground at an industrial, commercial or institutional site, or
- More than 3500 litres at a domestic site (2500 litres in Scotland)
- For England this covers new oil stored outside but not waste oil, for Scotland, Wales and Northern Ireland new and waste oil is covered, stored both inside and outside

In Wales, any person (including domestic) storing more than 200 litres is included under the regulations.

In the case of domestic properties, oil containers installed before 15 March 2016 are exempt. Farms that store oil in Wales are also now covered by the OSR. In Scotland, farms are also covered by the regulations. In England and Northern Ireland, there are separate requirements for storing agricultural fuel oil:

- Storage includes drums and mobile bowsters
- The regulations cover businesses and public sector buildings in the United Kingdom. The regulations for Scotland and Northern Ireland differ slightly from those in England and Wales



Legislation

Requirements of the Regulations

Companies should ensure that their oil storage facilities meet the following requirements:

- Tanks, drums or other containers must be strong enough to hold the oil without leaking or bursting
- If possible, the oil container and associated pipe work must be positioned away from any vehicle traffic to avoid damage from collision
- Valves and taps should be lockable and locked when not in use
- A bund (secondary containment) must be provided to catch any oil leaking from the container or its ancillary pipe work and equipment
- The bund must be sufficient to contain 110% of the maximum contents of the oil container
- A drip tray must be able to hold one quarter of the total capacity of the drums it can hold
- Where more than one container is stored, the bund should be capable of storing 110% of the largest tank or 25% of the total storage capacity, whichever is the greater. Bowsers that are not bunded will need to be kept in a bunded area of 110% capacity when in use
- The bund base and walls must be impermeable to water and oil, and checked regularly for leaks
- Valves, filters, sight gauges, vent pipes or other ancillary equipment must be kept within the bund when not in use
- Drainage valves must not be fitted to the base or side of the bund for the purpose of draining out rainwater
- Fixed tanks must be fitted with an automatic overfill prevention device if the filling operation is controlled from a place where the tank or vent cannot be seen
- Where oil from the tank is delivered through a flexible pipe that is permanently attached to the container, the pipe must be fitted with a tap or valve at the delivery end which closes automatically when not in use
- If a pump is used it must be fitted with a non-return valve in its feed line and positioned so as to minimise any risk of damage by impact and protected from unauthorised use
- If a permanent vent pipe, tap or valve through which oil can be discharged from the tank to the open is fitted, it must be situated within the secondary containment system and arranged so as to discharge the oil vertically downwards and be contained within the system

Enforcement of the Oil Storage Regulations

The Environment Agency is responsible for enforcing the regulations throughout England. In Scotland, Wales, and Northern Ireland, enforcement is by the respective environmental agencies: Scottish Environment Protection Agency (SEPA), Natural Resources Wales, and the Northern Ireland Environment Agency respectively.

Acts of Legalisation

Water Resources Act 1991 - UK law that regulates water resources, including abstraction, pollution control, and flood defences in England and Wales. The Act mandates specific evidence requirements to support its objectives of water resource management, pollution prevention and conservation.



Legislation

Water Industry Act 1991 - applies to water supply and sewerage services across England, Wales, and Scotland. It defines the roles and responsibilities of companies operating in this sector and establishes the legal framework within which they must operate to ensure the efficient provision of high-quality water and wastewater services while safeguarding the environment and consumer interests.

The Groundwater (England and Wales) Regulations 2009 - aims to prevent and control groundwater pollution by establishing a permit system for certain activities that could lead to discharges of hazardous substances or non-hazardous pollutants. The regulations, which implement European Community legislation, require authorization from the Environment Agency for activities that could indirectly impact groundwater. They outline how permits are granted, reviewed, and enforced, including provisions for penalties for non-compliance.

The Controlled Waste (England and Wales) Regulations 2012 (CWR 2012) - defines what constitutes “controlled waste” for the purposes of the Environmental Protection Act 1990. Essentially, it establishes rules for managing waste that is not household, industrial, or commercial, and places a “duty of care” on everyone involved with it. The regulations also address storage, transportation, and disposal of controlled waste, including hazardous waste, used absorbents and require a paper trail to ensure the waste has been disposed of legally.

Environmental Damage Regulations 2015 - formally known as the Environmental Damage (Prevention and Remediation) (England) Regulations 2015, mandate that those causing environmental damage to take preventative and remedial measures. They implement the EU Environmental Liability Directive, and require operators to identify, assess, and prevent potential

damage. These regulations also apply to activities that cause environmental damage, specifying the types of damage and activities covered.

Environmental Permitting (England and Wales) Regulations 2016 - is a framework that streamlines environmental regulation for industrial and waste installations in England and Wales. It consolidates separate environmental consenting regimes into a single permitting structure for activities that could harm human health or the environment. The regulations aim to protect the environment, encourage best practices, and minimize regulatory burdens for operators.

Health & Safety

Control of Substances Hazardous to Health Regulations (COSHH) 2002 & HSE ACOP L5 - mandates employers to assess and control risks from hazardous substances used in the workplace to protect employees from ill health. The HSE Approved Code of Practice (ACOP) L5 provides guidance on how to comply with these regulations. This guidance helps employers understand the steps to take in COSHH assessments, including identifying hazards, assessing risks, selecting appropriate controls, recording findings, and reviewing the effectiveness of controls.

The Dangerous Substances and Explosive Atmosphere Regulations (DSEAR) 2002 - is UK legislation requiring employers to assess and control risks from dangerous substances and explosive atmospheres in the workplace. These risks include fire, explosion, and corrosion of metals. The regulations aim to protect workers and others from these hazards by requiring employers to eliminate or reduce risks as far as is reasonably practicable.



Legislation

Hazardous Waste Regulations 2005 - ensures the safe and responsible management of hazardous waste, placing a duty of care on all parties involved, from producers to final disposal. Key aspects include proper identification, classification, safe storage, and tracking of waste. Organisations must also ensure that hazardous waste is not mixed with non-hazardous waste and that proper waste transfer documentation is maintained.

The Petroleum (Consolidation) Regulations 2014 - consolidate previous regulations related to the storage and dispensing of petrol, aiming to simplify and modernize the existing legislation. They cover the storage of petrol on dispensing premises, including retail and non-retail petrol filling stations, as well as the storage of petrol at domestic or other relevant premises. The regulations also address the manufacture of portable petrol storage containers and the repair of vessels that have contained petrol.

The Control of Major Accident Hazards Regulations 2015 (COMAH) - aims to prevent and mitigate the consequences of major accidents involving dangerous substances, protecting both human health and the environment. Companies handling or storing large quantities of chemicals or hazardous materials are required to take measures to reduce the risk of a major accident.

Guidance

Pollution prevention for businesses <https://www.gov.uk/guidance/pollution-prevention-for-businesses>

Contents

- Polluting substances
- Activities that produce contaminated water
- Correct use of drains
- Storing materials, products and waste
- Unloading and moving potential pollutants
- Construction, inspection and maintenance
- Set up an environmental management system
- Contacting the Environment Agency

The pollution prevention guidance (PPGs) that were previously maintained by the Environment Agency were withdrawn from use in 2015 and can now be found in The National Archives. These documents provided authoritative guidance on best practise application of pollution, prevention to specific applications and industries. The BSIF are currently revising these PPG'S and publishing them on their web site under the headings BSIF Environmental Safeguarding Advice.

Disclaimer

This information provided is accurate as of the date of publication (January 2026) and is provided for informational purposes only. No guarantee is made as to its accuracy, completeness, or suitability for any particular purpose. For current information relating to oil storage please visit www.gov.uk/oil-storage-regulations-and-safety



Spill Risk Assessment

Responsibility for the correct handling and storage of liquids lies with the owner organisation (including protection from wilful acts of vandalism). The pollution of both land and water is regulated against by law and whether accidental or deliberate, can result in prosecution leading to fines and other related costs both tangible and intangible (i.e. damage or harm to both image and reputation).

The Environment Agency's policy is to vigorously pursue prosecution of both company and individuals responsible for any infringements of these regulations.

We are able to assist you in identifying your needs and requirements and in finding solutions to your spillage problems with the following service.

A spill risk assessment of your company's current status to deal with a significant spill. The assessments key aims are to:

- Review all aspects of spillage response on site including liquid types and quantities
- Review how liquids are handled and stored, particularly the condition and suitability of secondary containment systems or fixed bunds
- Identify potential routes for the escape of liquids from site
- Identify potential spill hazards and sensitive areas
- Audit current spillage response products and equipment
- Identify any shortcomings or non-compliance with statutory regulations/legislation
- Provide a comprehensive report incorporating images, recommendations for proposed additions and improvements.
- Address specific training needs

This report can help provide the basis for an Environmental Management Spill Contingency Plan and can be used towards your ISO 14001 compliance to improve upon your site's current level of spill awareness and response.

Please contact your local distributor to arrange a site visit by one of our experienced spill control specialists.

Absorbents - Chemical Compatibility Chart

Fluid	 Maintenance	 Oil Only	 Chemical	Fluid	 Maintenance	 Oil Only	 Chemical
Acetaldehyde	•		•	Hydrofluoric Acid			•
Acetic Acid			•	Hydroquinone	•	•	•
Acetone	•	•	•	Hydrogen Cyanide	•	•	•
Acetyl Chloride	•		•	Hydrogen Peroxide	•		•
Acrylic Acid			•	Isoamyl Acetate	•	•	•
Allyl Alcohol	•		•	Isobutyl Alcohol	•	•	•
Aminobenzoic Acid			•	Isooctane	•	•	•
Ammonia (Anhydrous)	•	•	•	Isopropyl Acetate	•	•	•
Ammonium Fluoride	•	•	•	Isopropyl Alcohol	•	•	•
Ammonium Hydroxide	•	•	•	Kerosene*	•	•	•
Amyl Alcohol	•		•	Ketones	•	•	•
Aniline	•		•	Linoleic Acid			•
Aviation Fuel	•	•	•	Linseed Oil	•	•	•
Benzaldehyde	•	•	•	Lubricating Oil	•	•	•
Benzene*	•	•	•	Methylamine	•	•	•
Benzoic Acid			•	Methyl Alcohol	•	•	•
Benzyl Alcohol	•		•	Methyl Cellulosolve	•	•	•
Boric Acid			•	Methylene Bromide	•	•	•
Brake Fluid	•	•	•	Methyl Chloride	•	•	•
Bromine Inorganic*	•		•	Methyl Ether	•	•	•
Butyl Acetate	•	•	•	Methyl Ethyl Ketone	•	•	•
Butyl Alcohol	•	•	•	Methyl Isobutyl Ketone	•	•	•
Butyl Cellosolve	•	•	•	Methyl Methacrylate	•	•	•
Calcium Hydroxide	•		•	Mineral Oil	•	•	•
Carbolic Acid			•	Mineral Spirits	•	•	•
Carbon Disulfide	•		•	Monoethanolamine	•	•	•
Carbon Tetrachloride	•	•	•	Morpholine	•	•	•
Cellosolve Acetate	•	•	•	Motor Oil	•	•	•
Cellosolve Solvent	•	•	•	Naptha	•	•	•
Chlorobenzene	•		•	Napthalene	•	•	•
Chloroform*	•	•	•	Nitric Acid*			•
Chloronapthalene	•	•	•	Nitromethane	•	•	•
Chlorothene	•	•	•	Octane	•	•	•
Chromic Acid (50%)			•	Paraffin	•	•	•
Citric Acid			•	Perchloroethylene*	•	•	•
Cresol	•	•	•	Phenol		•	•
Cyclohexane	•	•	•	Phosphoric Acid			•
Dibutyl Phthalate	•	•	•	Potassium Hydroxide	•		•
Diethylamine	•	•	•	Propanol	•		•
Diethyl Ether	•	•	•	Propionic Acid			•
Dimethyl Formamide	•	•	•	Propyl Alcohol	•	•	•
Dimethyl Sulfoxide	•	•	•	Propylene Glycol	•	•	•
Diocetyl Phthalate	•		•	Resorcinol	•		•
Ether	•	•	•	Silicone Oil	•	•	•
Ethyl Acetate	•	•	•	Silver Nitrate	•		•
Ethyl Alcohol	•	•	•	Sodium Bicarbonate	•		•
Ethyl Benzene	•	•	•	Sodium Chloride	•		•
Ethyl Chloride*	•	•	•	Sodium Hydroxide	•		•
Ethyl Ether	•	•	•	Sodium Hypochlorite	•		•
Ethyl Propionate	•	•	•	Sodium Nitrate	•		•
Ethylene Dichloride	•	•	•	Styrene	•	•	•
Ethylene Glycol	•		•	Sulphuric Acid*			•
Formaldehyde	•		•	Toluene*	•	•	•
Freon	•	•	•	Transformer Oil	•	•	•
Fuel Oil	•	•	•	Trichlorethylene*	•	•	•
Furfural	•	•	•	Triethylene Glycol	•	•	•
Gasoline	•	•	•	Turpentine*	•	•	•
Gearbox Oil	•	•	•	Xylene*	•	•	•
Glycerol	•		•				
Hexane	•	•	•				
Hydrazine	•		•				
Hydrochloric Acid			•				

* These fluids will react with polypropylene causing it to degrade.

Polyethylene Products Compatibility Chart

ACIDS	KEY
Acetic Acid 100%	N
Acetic Acid 50%	Y
Benzoic Acid	Y
Boric Acid Concentrate	Y
Boric Acid Dilute	Y
Butyric Acid	Y
Chromic Acid 50%	S
Citric Acid	Y
Hydrobromic Acid 50%	Y
Hydrochloric Acid	Y
Hydrofluoric Acid	Y
Maleic Acid 1%	Y
Nitric Acid <50%	Y
Oleic Acid All Concentrate	Y
Oxalic Acid All Concentrate	Y
Perchloric Acid 50%	Y
Phosphoric Acid All Concentrate	Y
Phthalic Acid	Y
Sulphuric Acid 98%	S
Tannic Acid	Y
Tartaric Acid	Y

BASES	KEY
Acid Salt	Y
Ammonia Aqueous	Y
Basic Salt	Y
Calcium Hydroxide	Y
Caustic Soda Sol.10%	Y
Neutral Salt	Y
Potassium Hydroxide	Y

VARIOUS SALTS	KEY
Potassium Bicarbonate	Y
Potassium Permanganate	Y
Sodium Cyanide	Y
Sodium Hypochlorite	Y

ORGANIC SUBSTANCES, SOLVENTS	KEY
Acetone	Y
Aniline 100%	S
Butyl Alcohol 100%	Y
Carbon Disulphide	N
Carbon Tetrachloride	N
Chlorobenzene	Y
Chloroform	N
Ethyl Acetate 100%	S
Ethyl Alcohol	Y
Ethyl Ether	N
Ethylene Dichloride	N
Heptane	Y
Methyl Alcohol 100%	Y
Methyl Ethyl Ketone	S
Nitrobenzene	S
Petroleum	Y
Phenol 90%	N
Toluene	S
Trichloroethylene	N

GASES	KEY
Carbon Dioxide	Y
Carbon Monoxide	Y
Hydrogen Sulphide	Y

KEY:

Y = Product should be suitable for prolonged or repeated contact with these substances under specified conditions.

S = Products may be suitable for short term storage however, some deterioration in properties may occur. It is recommended that the user should perform qualification tests before and during use of the container.

N = Substances aggressively attack the product or have vapour pressures incompatible with containers.

This information is provided as a guide only. No claims or warranties are expressed or implied as to the absolute accuracy of the data supplied. In all cases it is assumed chemicals in question are at ambient temperatures and pressure and are used in basic state, not in combination or mixtures. Small test sampling by users is always recommended to ensure safe application.

Index

PRODUCT	PAGE	PRODUCT	PAGE
A		Blue PVC hazardous waste	62
Absorbents		Yellow PVC hazardous waste	62
Chemical boom	92		
Chemical cushions	90	Barrier tape	63
Chemical pads	86-87	Battery acid spill kits	51-52
Chemical rolls	88-89	Biohazard spill kit	58
Chemical socks	92		
Chemical spill kits	50-58	Bins	
Dispensing stations	94-95	Accessories	80
Granules	91	Clinical waste	81
Maintenance cushions	90	Drop front	80
Maintenance pads	86-87, 97	Grit	78-79
Maintenance rolls	88-89	Locker	78, 80
Maintenance socks	92	Salt	78-79
Maintenance spill kits	53-55	Wheelie bin	79
Oil & fuel booms	92-93		
Oil & fuel cushions	90	Biosecurity mats	76-77
Oil & fuel drum topper	90	Boat spill kits	59
Oil & fuel marine fence	93	Body fluid spill kit	58
Oil & fuel pads	86-87		
Oil & fuel rolls	88-89	Booms	
Oil & fuel socks	92	Chemical	92
Oil & fuel spill kits	53-57, 59	Flood water	104
Powder	91	Marine	92-93
Strips	96	Oil absorbent	92-93
Acid spill kits	50-52, 58	Bunds	
AdBlue spill kits	57	Collapsible wall	29-32
ADR spill kit	56	Containment wall	33
Alkali spill kits	50-51	Foam wall	28-30
Application guide	6-9	Gorilla	32
Audit covers	62	Modular containment wall	33
		Plant Mat	29
B		Plant Nappy	28
Bags		Pop-up pools	30
Black PVC waste	62	Portable	28-32
		Under rack	39

PRODUCT	PAGE	PRODUCT	PAGE
Wall	33	Compatibility tables	
Bunded stores	40-43	Absorbents	120
		Polyethylene containment	121
		Conical drain plugs	72
C		Containment	
Cabinets		Berms	28-33
Chemical	40-43	Bunds	28-33
COSHH	39	Cabinets	39-40
Flammable/hazardous liquid	40-43	Drip trays	14-15
Haz hut	42	Drum	15, 18-23
Hazardous materials	39-40	IBC	24-27
Job hut	42	Overpack drums	22-23
Poly	39	Poly storage cabinets	39
Capillary matting	76	Portable containment tanks	44-45
Ceiling leak diverters	105	Racking	35
Chemical absorbents		Spill pallet drum	18-23
Boom	92	Spill pallet IBC	24-27
Cushions	90	Spill trays	14-15
Neutralisation	98-99	Stores	41-43
Pads	86-87	Tanks	44-45
Pillows	90	Under rack	39
Rolls	88-89	Wall	33
Socks	92	Work floors	16-17
Spill kits	50-55, 58	Cushions absorbent	90
Cleaning & hygiene		D	
Absorbent strips	96	Dirteeze	
Wipes	64-69	Anti-bacterial wipes	68
Clinical waste bins	81	Bamboo wipes	69
Commercial kitchen spill kit	59	Dry	64-65
		Fighter wipes	69
		Food surface wipes	68
		Glass and plastic wipes	67

Index

PRODUCT	PAGE	PRODUCT	PAGE
Hand sanitising wipes	68	Lid	34
Multi-purpose wipes	69	Overpacks	22-23
Plastic wipes	67	Poly dolly	36
Quat-free surface wipes	68	Rack & dispensing bund	35
Rough and smooth wipes	66	Repair putty	70
Sanitising wipes	68	Spill pallets	18-21
Smooth and strong wipes	67	Stores	39-43
Specialist prof wipes	64-69	Topper oil absorbent pads	90
Universal wipes	68	Topper poly lid	34
VOC free wipes	69	Trays	14-15
		Trolley	37
Disinfectant mats	76-77	Work floors	16-17
Dispensing hand scoop	63		
Disposal waste bags	62	Drain gully socks	72
Dolly	36-37	Drip trays	14-15
		Drum dolly	36-37
		Drum trays	14-15
Drain covers & protection		E	
Bags	74-75	Enpac Corporation	
Barrier	73	Berm	30, 32
Clay drain mats	74	Bund	30, 32
Conical plugs	72	Dripillow & pad	90
Drainblok	72	Drip sentinel hose bibb	71
Drain filter socks	73	Drum funnel	34
Drain guards	71-72	Drum lid	34
Drain gully socks	72	Drum scooter	37
Magnetic drain cover	74	Drum spill pallets	19
Neorug drain cover	74	Drum topper	34
Plug rug drain covers	74	Drum trays	15
Polyurethane drain covers	75	Foam wall bunds	30
		Gas cylinder storage	38
Drip trays	14-15	Hardcover drum storage	21
		Haz hut	42
Drum		IBC spill pallet	25
Cart	37	Job hut	42
Dolly	36-37		
Funnel	34		

PRODUCT	PAGE	PRODUCT	PAGE
Overpacks	22-23	G	
Poly dolly	36	Gas storage	
Poly safety pack	42	Cylinder stands	38
Pop up pools	30	Cylinder trolley	38
Prowler pools	30	Cylinder wall bracket	38
Rack & dispensing bund	35		
Salvage drums	22-23	Granules	91
Spillcart	37	Grit/salt bin	78-79
Spill pallets	19, 21, 25		
Spill pallet tarpaulin	19, 25	H	
Spill scooter	37	Hazardous materials cabinets	39-40
Spill trays	14-15	Hazardous materials spill kits	50-59
Workfloors	17	Hazard hut	42
		HGV spill kit	56
		Hospital acid spill kit	58
F			
Fastank		I	
Containment bunds	31	IBC spill pallets	
Tanks	44	Bunded stores	27, 43
		Frame and cover	26
Flammable liquid storage	40-43	Funnel and lid	26
		Hardcover	27
Flood protection		Spill pallets poly	24-25
Barriers	103	Spill pallets steel	25
Booms	104	Stores	27, 43
Flood cube	102	Tarpaulin	25-26
Flood sax	104		
Noaq boxwall system	103	Information display unit	78
Pipe drip diverter	105		
Roof drip diverters	105	J	
Water Guard	96	Job hut	42
Floor rolls	89	K	
Fork lift truck spill kits	57	Kitchen spill kit	59
Fuel tanks	45		
Fuel tank water soakers	45		

Index

PRODUCT	PAGE	PRODUCT	PAGE
L		N	
Laboratory spill kits	50-52, 58	Mercury spill kit	50
Laboratory spill tray	14	Mini foam wall bunds	29-30
Legislation	114-117	Mobile information display units	78
		Modular containment wall	33
		Motor sports spill kits	56
M			
Maintenance absorbents		N	
Cushions	90	NiCd battery spill kit	51
Floor rolls	89		
Pads	86-87	Noaq	
Pillows	90	Boxwall system	103
Rolls	88-89		
Socks	92	Non spark safety shovel	63
Spill kits	53-55		
		O	
Marine & inland water defence		Oil & Fuel absorbents	
Oil & fuel absorbent booms	92-93	Booms	92-93
Oil & fuel skirted booms	93	Cushions	90
PVC fence booms	93	Drum topper	90
SOPEP spill kits	59	Pads	86-87
		Pillows	90
Mats		Rolls	88-89
Agriculture disinfectant	76-77	Socks	92
Biomats	76-77	Spill kits	53-57, 59
Capillary	76		
Disinfectant	76-77	Oil tanks	45
Farm	77		
Floor	89	Osmo	
HGV disinfectant	77	Flood water barrier	104
Pedestrian disinfectant	76	Mega thirsty pad	97
Plant	76	Plumbers pads	97
Plumbers absorbent	97	Thirsty pads	97
TAKmats	76	Thirsty socks	96
Traffic	77		
Vehicle disinfectant	77	Overpack drums	22-23

PRODUCT	PAGE	PRODUCT	PAGE
P		Shovel	63
Painter & decorators spill kit	59	Signage	60-61
Pipe bandage	70	Site information display unit	78
Pipe drip diverter	105	Socks absorbent	90
Plant Mat	29	Solvent spill kit	50
Plant Nappy	28	Solvent wipes	66-69
Plug N Dyke putty	70	SOPEP spill kits	59
Plug rug drain cover	74	Spill risk assessment	118
Plumbers pad	97		
Poly dolly	36	Spill kits	
Poly spill trays	14	Acid	50-52, 58
Poly storage cabinets	39	Adblue	57
Polymer spill kit	59	ADR	56
Pop-Up Pools	30	Alkali	50-51
Powder absorbent	91	Battery acid	51-52
Putty	70	Biohazard	58
		Boat	59
		Body fluid	58
R		Chemical	50-58
Ramps		Commercial kitchen	59
Spill pallet	18-21	Fork lift truck	57
Work floor	15-17	Hazardous materials	50-59
		HGV	56
Repair		Hospital acid	58
Pipe bandage	70	Kitchen	59
Plug N Dyke putty	70	Laboratory	50-52, 58
Strap it leak stopper	70	Maintenance	53-55
		Marine	59
Roof drip diverters	105	Mercury	50
		Motor Sports Association	56
S		NiCd battery	51
Safety scoop	63	Oil & fuel	53-57, 59
Safety shovel	63	Painter & decorators	59
Safety signs	60-61	Polymer	59
Salvage drums	22-23	Ship	59
Security tape	63	Solvent	50
Ship spill kit	59		

Index

PRODUCT	PAGE	PRODUCT	PAGE
SOPEP	59	Spill response training courses	106-113
Tanker	56		
Vehicle	56-57		
Wheelie bin	54, 57		
Spill kit accessories		Storage	
Audit covers	62	Acid	40
Barrier tape	63	Bin	78-80
Repair products	70	Bunded stores	39-43
Scoop	63	Cabinets	39-40
Security tape	63	COSHH	39-40
Shovel	63	Drum	20-21, 41-43
Signage	60-61	Flammable/hazardous	39-43
Tamper proof tape	63	Gas cylinder	38
Tamper proof ties	63	General purpose	43
Waste bags & ties	62	Hazard hut	42
		IBC	24-27, 43
		Job hut	42
		Overpacks	22-23
		Pesticide	40
Spill pallets			
Covered	20-21, 26-27	T	
Drum	18-19	TAKmats	76
Drum hardcover	20-21	Tamper proof ties	63
Drum ramp	18-21	Tanker spill kit	56
IBC	24-27		
IBC hardcover	27	Tanks	
Nestable	18-19	Fuel	45
Recycled drum	18	Oil	45
Stackable	18-19	Portable containment	44
Steel drum	19	Waste oil	45
Steel IBC	25		
Tarpaulin cover	20, 26	Tape	
Spill trays		Barrier	63
Drip	14	Leak stopper	70
Drum	15	Pipe repair	70
Foam wall	15	Security	63
Platform	14-15	Tamper proof	63
Polyurethane	14-15	Training & education	106-113

PRODUCT	PAGE	PRODUCT	PAGE
Trays		W	
Drip	14	Waste oil tanks	45
Drum	15	Water Guard absorbent strip	96
Foam wall	15	Water soaker	45
Platform	14-15	Wheelie bins	79, 81
Polyurethane	14-15	Wheelie bin spill kits	54, 57
Trolley	37	Wipes	
		Anti-bacterial	68
U		Bamboo	69
Ultratech International		Dry	64-65
Booms	93	Food surface	68
Containment bund	32	Glass and plastic	67
Drain filter socks	73	Hand sanitising	68
Drain guards	71-72	Multi-purpose	69
Gorilla containment bund	32	Plastic	67
Oil absorbent booms	93	Quat-free surface	68
Pipe drip diverter	105	Rough and smooth	66
Roof drip diverter	105	Sanitising	68
		Smooth and strong	67
V		Specialist professional	64-69
Vehicle spill kits	56-57	Universal	68
		VOC free	69
Vytac			
Chemical neutralisation	98-99	Work floors	15-17

Product Descriptions

Whilst every endeavour has been made to ensure that the products are accurately described and believed to be fit for the purpose as mentioned in our catalogues, no warranty or representation to this effect is given, and no responsibility will be accepted in the event of any error or incorrect description or any such unfitness, or any damage relating there from.

Photographs, illustrations, advertising matter and technical brochures generally represent the goods offered but are not binding in detail.

Fosse Liquitrol reserve the absolute right to make detailed alterations to the materials and specifications.

Weights and dimensions are estimated and deviations shall not be a ground for a claim against us

All Rights Reserved

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means electronic, mechanical, photographic, recording or otherwise without the prior written permission of the publisher Fosse Liquitrol.

Distributor

