




Visual Product INDEX

LEADER IN LED LIGHTING SOLUTIONS



WE ARE MORE
CUSTOM
THAN EVER

Take your fixtures
to the next level
with Focus Industries



go green
led solutions



LANDSCAPE • ARCHITECTURAL • HOSPITALITY • ENTERTAINMENT • ILLUMINATION

www.focusindustries.com

We Are FOCUS INDUSTRIES

Welcome to the Focus family

We have made it easier to research our great quality products by redesigning the Visual Product Index to meet the needs of customers like you. See in-depth product details, new designs and an array of quality products, accessories and LED's.

Need some design consulting? We can help with that. Speak with one of our knowledgeable sales team members or customer care agents about creating a lighting schedule specific to your project.

We have a great family of sales representatives and distributors located around the United States, which provides you with helpful specs, tips and answers to all your lighting needs. Let us know if you need assistance in finding the nearest one to you.



Stay connected with us

We love seeing how you have incorporated Focus products into the interior or exterior spaces of your project, home or business. Just like you, we love showing it off, and we would love to share your inspirational photos.

Follow us on Facebook, Instagram, and Youtube for great helpful tips, new product releases, clearance items and all the latest happenings with Focus Industries.



#stayfocused



Live Inventory Feed Available.
Email your Gmail account to access to,
orders@focusindustries.com, or
marketing@focusindustries.com

FOCUS CUSTOMS

See what you've been missing

THIS DOCUMENT CONTAINS INFORMATION PROPRIETY OF FOCUS INDUSTRIES, AND ITS POSSESSION DOES NOT GRANT ANY RIGHTS TO REPRODUCE, MANUFACTURE, SELL, OR DISCLOSE THE CONTENTS DESCRIBED IN THIS DOCUMENT. REPRODUCTION, DISCLOSURE, AND MANUFACTURING WITHOUT THE WRITTEN CONSENT AND AUTHORIZATION OF FOCUS INDUSTRIES IS STRICTLY FORBIDDEN.

Table of Contents

04	Area Lighting	52	Direct Burial JBox
07	RXA Series Lighting	53	Direct Burial Transformers
08	Acrylic Light Wands	55	Power Supply
09	Pagoda Series	55	RXT Series
10-11	Commercial Series Lighting	55	M Series
12-13	Torches	56	WT Series
13	Auto Ignite Torches	57	Focus Accessories
14	BBQ Lighting	58	Lens, Louvers, Glass, & Filters
15	Mounting Options	58	Lens Holders, Grates, Eyebrow's
15	Power Kits	58	Canopies, JBoxes, Adapters
16	Directional Lighting	59	Stakes, Wands, & Straps
17	RXD Series	60	Focus LED's
19	Directional Flood Lighting	65	Focus Finishes
20	Directional Spot Lighting		
21	Flood Lighting		
21	LED Panel Flood Lighting		
22	LED Module Flood Lighting		
23	Path Lighting		
25	Bollards		
26	Custom Design Bollards		
26	Address Bollards		
26	Cube Bollards		
27	RXP Series Lighting		
27	Commercial Series Lighting		
28	Putting Green Lighting		
29	Specialty Lighting		
29	Hanging Lighting		
30	RXS Series Hanging Lighting		
31	Pendant Lighting		
32	RXS Pendant Lighting		
34-35	Round Surface Mounts		
35-36	Square Surface Mounts		
37	Decorative Cube		
37	LED Flame Lantern		
37	Post Top Lighting		
38	Acrylic Light Wands Wall Mounts		
39	Cylinder Ceiling Mounts		
39	Ceiling & Wall Mount Directional Lighting		
40	Plasma Cut Wall Sconces		
41	Vinyl Wall Sconces		
42	Small Surface Mounts		
42	Circular Paver Lighting		
43	Circular Up, Down, Horizontal Lighting		
43	Ledge & Rail Lighting		
44	LED Paver Lighting		
45-46	LED Step & Brick Lighting		
47	LED Well Lighting		
48	Underwater Lighting		
49	Umbrella Lighting System		
50	Flag Pole Lighting System		
51	Tree Ring Lighting System		



Custom Design 4-inch Bollard: Monstera Leaf (PL26LGDMCD01830L24BAR)

Adding safety, security and beautification.

Planning and placement of Focus Industries products for outdoor lighting to accent and highlight your business or home.



1 Path Lights

2 Surface Wall Mounts

3 Circular Down Lights

4 Custom Wall Sconces

5 Hanging Fixtures

6 Step Lights



7 Address Bollard

10 Directional Spot Light

8 Well Lights

11 Ledge / Rail Lights

9 Focus Transformer

12 Underwater Lights

LED Area Lighting

12v | 120v (277V available. Consult factory for more information)



AL01L12BLT

Size: 13.50" x 5.50" dia.
Material: Aluminum
Material Options: Brass
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)
CCT: 3000K / 5200K

● ALUM ● BRS



AL04L12BLT

Size: 15.75" x 7.50" dia.
Material: Aluminum
Material Options: Brass
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)
CCT: 3000K / 5200K

● ALUM ● BRS



AL05L12BLT

Size: 19.00" x 10.00" dia.
Material: Aluminum
Material Options: Brass
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)
CCT: 3000K / 5200K

● ALUM ● BRS



AL06L12BLT

Size: 16.00" x 5.50" dia.
Material: Aluminum
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)
CCT: 3000K / 5200K

● ALUM



AL06SML12BRS

Size: 12.00" x 3.75" dia.
Material: Brass
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)
CCT: 3000K / 5200K

● BRS



AL08SMDML12COP

Size: 16.00" x 1.75" dia.
Material: Copper
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

● COP



AL08SMDMS2L4COP

Size: 12.00" x 1.50" dia.
Material: Copper
Material Options: N/A
LED: 2w Omni2 Mini LED (L4)
CCT: 3000K
Lumens: 180lm

● COP



AL08MDDMS2L24BLT

Size: 18.00" x 2.50" dia.
Material: Aluminum
Material Options: Brass/Copper
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● ALUM ● BRS

● COP



AL08LGDMS2L24BLT

Size: 24.00" x 3.00" dia.
Material: Aluminum
Material Options: Brass
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● ALUM ● BRS



Deck Mount
Size: 31.00" x 3.00" dia.



Angle Cut Bottom
Size: 33.00" x 3.00" dia.

AL08DML12BLT

Material: ABS/Aluminum Cap
Material Options: Aluminum/Brass/Copper
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)
CCT: 3000K / 5200K

● ALUM ● BRS

● COP



Deck Mount
Size: 42.00" x 4.50" dia.



Angle Cut Bottom
Size: 49.00" x 4.50" dia.

AL08LGDMLUM42LEDP4120BLT

Material: ABS/Aluminum Cap
Material Options: Brass/Copper
LED: 4w LED Panel
CCT: 3000K
Lumens: 300lm
CCT Option: 5200K

● ALUM ● BRS

● COP

LED Area Lighting

12v | 120v (277v available. Consult factory for more information)



AL12L12BLT
 Size: 24.00" x 8.00" dia.
 Material: Aluminum
 Material Options: Brass
 LED: 3w Omni SS LED (L12)
 CCT: 3000K
 Lumens: 300lm
 LED Option: LED Panel (LEDP)
 CCT: 3000K/5200K
 ● ALUM ● BRS



AL15L12BLT
 Size: 19.00" x 8.00" dia.
 Material: Aluminum
 Material Options: Brass
 LED: 3w Omni SS LED (L12)
 CCT: 3000K
 Lumens: 300lm
 LED Option: LED Panel (LEDP)
 CCT: 3000K/5200K
 ● ALUM ● BRS



AL15SML12BLT
 Size: 13.00" x 5.75" dia.
 Material: Aluminum
 Material Options: N/A
 LED: 3w Omni SS LED (L12)
 CCT: 3000K
 Lumens: 300lm
 LED Option: LED Panel (LEDP)
 CCT: 3000K/5200K
 ● ALUM



AL17L12BLT
 Size: 19.25" x 8.00" dia.
 Material: Aluminum
 Material Options: Brass
 LED: 3w Omni SS LED (L12)
 CCT: 3000K
 Lumens: 300lm
 LED Option: LED Panel (LEDP)
 CCT: 3000K/5200K
 ● ALUM ● BRS



AL17SML12BLT
 Size: 12.50" x 5.50" dia.
 Material: Aluminum
 Material Options: N/A
 LED: 3w Omni SS LED (L12)
 CCT: 3000K
 Lumens: 300lm
 LED Option: LED Panel (LEDP)
 CCT: 3000K/5200K
 ● ALUM



AL17SM2L12BLT
 Size: 13.00" x 5.50" dia.
 Material: Aluminum
 Material Options: Brass
 LED: 3w Omni SS LED (L12)
 CCT: 3000K
 Lumens: 300lm
 LED Option: LED Panel (LEDP)
 CCT: 3000K/5200K
 ● ALUM ● BRS



Hammered Hat

AL19HHAHL12COP
 Size: 18.00" x 8.00" dia.
 Material: Copper
 Material Options: N/A
 LED: 3w Omni SS LED (L12)
 CCT: 3000K
 Lumens: 300lm
 ● COP



Hammered Hat

AL19SMHHAHL12COP
 Size: 17.00" x 5.50" dia.
 Material: Copper
 Material Options: N/A
 LED: 3w Omni SS LED (L12)
 CCT: 3000K
 Lumens: 300lm
 ● COP



Saturn Rings

AL20SMAHL12CAR
 Size: 17.00" x 5.50" dia.
 Material: Copper
 Material Options: N/A
 LED: 3w Omni SS LED (L12)
 CCT: 3000K
 Lumens: 300lm
 ● COP



AL17L12BAR (shown)

LED Area Lighting



12v | 120v (277v available. Consult factory for more information)



AL21L10BPCOP

Size: 17-26.00" x 7.00" dia.
Material: Copper
Material Options: N/A
LED: 3w Omni3 SS LED (L10)
CCT: 3000K
Lumens: 300lm

● COP



AL21S4L4BPCOP

Size: 17.00" x 4.00" dia.
Material: Copper
Material Options: N/A
LED: 2w Omni2 Mini LED (L4)
CCT: 3000K
Lumens: 180lm

● COP



AL21S3L4BPCOP

Size: 17.00" x 3.00" dia.
Material: Copper
Material Options: N/A
LED: 2w Omni2 Mini LED (L4)
CCT: 3000K
Lumens: 180lm

● COP



AL2201L12COP

Size: 24.25" x 9.00" dia.
Material: Copper
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

● COP



AL2202L24COP

Size: 24.25" x 9.00" dia.
Material: Copper
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● COP



AL2203L142COP (120v)

Size: 27.00" x 9.00" dia.
Material: Copper
Material Options: N/A
LED: 8w PAR20 SS LED 36° (L142)
CCT: 3000K
Lumens: 600lm

● COP



AL2301L12COP

Size: 27.00" x 9.00" dia.
Material: Copper
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 180lm

● COP



AL2302L24COP

Size: 27.00" x 9.00" dia.
Material: Copper
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● COP



AL2303L142COP (120v)

Size: 28.00" x 9.00" dia.
Material: Copper
Material Options: N/A
LED: 8w PAR20 36° LED (L142)
CCT: 3000K
Lumens: 600lm

● COP



AL24L24COP

Size: 17.00" x 6.00" dia.
Material: Copper
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● COP



AL21S3L4BPCOP (shown)

LED Area Lighting RX Series

12v | 120v (277v available. Consult factory for more information)



RXA01L12COP

Size: 17.00" x 6.00" dia.
Material: Copper
Material Options: Alum/Brass/SS
LED: 3w Omni3 SS LED (L12)
CCT: 3000K
Lumens: 300lm

● ALUM ● BRS
● COP ● SS



RXA01FL12COP

Size: 17.00" x 6.00" dia.
Material: Copper
Material Options: Aluminum
LED: 3w Omni3 SS LED (L12)
CCT: 3000K
Lumens: 300lm

● ALUM ● COP



RXA012TL12COP

Size: 17.00" x 6.00" dia.
Material: Copper
Material Options: Alum/SS
LED: 3w Omni3 SS LED (L12)
CCT: 3000K
Lumens: 300lm

● ALUM
● COP ● SS



RXA02L12COP

Size: 16.00" x 3.50" dia.
Material: Copper
Material Options: Aluminum
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

● ALUM
● COP



RXA02FL12COP

Size: 16.00" x 3.50" dia.
Material: Copper
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

● COP



RXA022TL12COP

Size: 16.00" x 3.50" dia.
Material: Copper
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

● COP



RXA03L12COP

Size: 18.00" x 10.00" dia.
Material: Copper
Material Options: Aluminum
LED: 3w Omni LED (L12)
CCT: 3000K
Lumens: 300lm

● ALUM
● COP



RXA03FL12COP

Size: 18.00" x 10.00" dia.
Material: Copper
Material Options: Aluminum
LED: 3w Omni LED (L12)
CCT: 3000K
Lumens: 300lm

● ALUM
● COP



RXA01L12COP (shown)

LED Area Acrylic Light Wands



12v | 120v



MR11
IN-GRADE

New

SMALL AREA LIGHT Acrylic Light Wands

AL26SML66S112SBAT

Size: Based on size of acrylic used
Material: Brass
LED: 2.5w MR11 SS LED 15° (L66)
CCT: 3000K
Lumens: 170lm
Acrylic Accent: Clear (S1)
Acrylic Options: Frosted (S2) / Bubble (S4)
Acrylic Size: 12.00" / 18.00" / 24.00"
Cap: Matching Brass Cap
Cap Option: No Cap
Mount: FA033P 3 Prong Stake
Mount Option: Deck Mount (-DM)

● BRS



MR16
IN-GRADE

New


MEDIUM AREA LIGHT Acrylic Light Wands

AL26MDL22S418SBAR


Size: Based on size of acrylic used
Material: Brass
LED: 3w MR16 SS LED 15° (L22)
CCT: 3000K
Lumens: 270lm
Acrylic Accent: Clear (S1)
Acrylic Options: Frosted (S2) / Bubble (S4)
Acrylic Size: 12.00" / 18.00" / 24.00"
Cap: Matching Brass Cap
Cap Option: No Cap
Mount: FA24CST Canopy Deck Mount (-DM)
Mount Option: FA033P 3 Prong Stake
LED Option: 5w MR16 LED 15° (L34)
LED Option: 7w MR16 LED 15° (L46)

● BRS


ACRYLIC SIZES & TYPES




Height: 12.00in
SM dia: 1.57in
MD dia: 2.36in



Height: 18.00in
SM dia: 1.57in
MD dia: 2.36in



Height: 24.00in
SM dia: 1.57in
MD dia: 2.36in



S1: Clear
S2: Frosted
S4: Bubbles



Scan for more
information

LED Area Lights Pagoda Series



12v



AL03L12BLT (12v)

Size: 14.00" x 6.00" dia.

Material: Cast Aluminum

Material Options: N/A

LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

LED Option: LED Panel (LEDP)

● ALUM



AL0310L12BLT (12v)

Size: 14.25" x 10.00" dia.

Material: Cast Aluminum

Material Options: N/A

LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

LED Option: LED Panel (LEDP)

● ALUM



AL033TL12BLT (12v)

Size: 15.50" x 6.00" dia.

Material: Cast Aluminum

Material Options: N/A

LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

LED Option: LED Panel (LEDP)

● ALUM



AL033T10L12BLT (12v)

Size: 16.00" x 10.00" dia.

Material: Cast Aluminum

Material Options: N/A

LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

LED Option: LED Panel (LEDP)

● ALUM



AL034TL12BLT (12v)

Size: 17.375" x 6.00" dia.

Material: Cast Aluminum

Material Options: N/A

LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

LED Option: LED Panel (LEDP)

● ALUM



AL034T10L12BLT (12v)

Size: 17.75" x 10.00" dia.

Material: Cast Aluminum

Material Options: N/A

LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

LED Option: LED Panel (LEDP)

● ALUM



AL033TL12BRT (shown)

LED Area Lights Pagoda Series



120v



AL03LNLBLT (120v)

Size: 8.00" x 6.00" dia.

Material: Cast Aluminum

Material Options: N/A

LED: None

Socket: GY 6.35 Bi-Pin

● ALUM



AL0310NLBLT (120v)

Size: 8.25" x 10.00" dia.

Material: Cast Aluminum

Material Options: N/A

LED: None

Socket: GY 6.35 Bi-Pin

● ALUM



IAL03NLBLT (120v)

Size: 9.50" x 6.00" dia.

Material: Cast Aluminum

Material Options: N/A

LED: None

Socket: Medium Base

● ALUM



IAL0310NLBLT (120v)

Size: 10.00" x 10.00" dia.

Material: Cast Aluminum

Material Options: N/A

LED: None

Socket: Medium Base

● ALUM



IAL04NLBLT(120v)

Size: 11.38" x 6.00" dia.

Material: Cast Aluminum

Material Options: N/A

LED: None

Socket: Medium Base

● ALUM



IAL0410NLBLT (120v)

Size: 11.75" x 10.00" dia.

Material: Cast Aluminum

Material Options: N/A

LED: None

Socket: Medium Base

● ALUM



IAL04NLBLT (shown)

3 Inch Slip Base Commercial Series



12v

Post Ordered Separately. Consult Factory.



AL033T3L12BLT (12v)

Size: 8.50" x 6.00" dia.
Material: Cast Aluminum
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)

● ALUM



AL033T103L12BLT (12v)

Size: 9.00" x 10.00" dia.
Material: Cast Aluminum
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)

● ALUM



AL034TL12BLT (12v)

Size: 8.50" x 6.00" dia.
Material: Cast Aluminum
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)

● ALUM



AL034T103L12BLT (12v)

Size: 9.00" x 10.00" dia.
Material: Cast Aluminum
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)

● ALUM

3 Inch Slip Base Commercial Series



120v (277v available. Consult factory for more information)

Post Ordered Separately. Consult Factory.



IAL03NL3BLT (120v)

Size: 8.50" x 6.00" dia.
Material: Cast Aluminum
Material Options: N/A
LED: None
Socket: Medium Base

● ALUM



IAL0310NL3BLT (120v)

Size: 9.00" x 10.00" dia.
Material: Cast Aluminum
Material Options: N/A
LED: None
Socket: Medium Base

● ALUM



IAL04NL3BLT (120v)

Size: 8.50" x 6.00" dia.
Material: Cast Aluminum
Material Options: N/A
LED: None
Socket: Medium Base

● ALUM



IAL0410NL3BLT (120v)

Size: 9.00" x 10.00" dia.
Material: Cast Aluminum
Material Options: N/A
LED: None
Socket: Medium Base

● ALUM



IAL03NL3RST (shown)



IAL03NL3BRT (shown)

Consult factory for post ordering on all commercial series Pagoda Area Lights.

LED Area Lights Commercial Series

12V | 120v (277v available. Consult factory for more information)



AL05CP36MRL48BRS (12v)
AL05CP36MRL126BRS (120v)

Size: 24.00/36.00" x 7.50" dia.
Material: Brass
Material Options: Aluminum
LED: 7w MR16 SS LED (L126)
CCT: 3000K
Lumens: 550lm
LED Option: 15w LED Module

● ALUM ● BRS



AL12CP36MRL48BRS (12v)
AL12CP36MRL126BRS (120v)

Size: 24.00/36.00" x 5.50" dia.
Material: Brass
Material Options: Aluminum
LED: 7w MR16 SS LED (L126)
CCT: 3000K
Lumens: 550lm
LED Option: 15w LED Module

● ALUM ● BRS



AL15CP36MRL48BRS (12v)
AL15CP36MRL126BRS (120v)

Size: 24.00/36.00" x 8.00" dia.
Material: Brass
Material Options: Aluminum
LED: 7w MR16 SS LED (L126)
CCT: 3000K
Lumens: 550lm
LED Option: 15w LED Module

● ALUM ● BRS



AL17CP36MRL48BRS (12v)
AL17CP36MRL126BRS (120v)

Size: 24.00/36.00" x 8.00" dia.
Material: Brass
Material Options: Aluminum
LED: 7w MR16 SS LED (L126)
CCT: 3000K
Lumens: 550lm
LED Option: 15w LED Module

● ALUM ● BRS



AL05CP36MRL126BAR (shown)



AL12CP36MRL126BAR (shown)



AL15CP36MRL126BAV (shown)



AL17CP36MRL126BRS (shown)

Focus LED Liquid & Light Torches




12v Liquid : Kerosene, Citronella



AL18LGAHL12COP

Size: 77.00" x 7.00" dia.
Material: Copper
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
Fuel Source: Kerosene/Citronella
LED Option: 3w Omni TF (L18)

COP



AL18LGHHHL12BAT

Size: 77.00" x 7.00" dia.
Material: Copper
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
Fuel Source: Kerosene/Citronella
LED Option: 3w Omni TF (L18)

COP



TURTLE FRIENDLY

Option 1: FLEDDOMNI3SSTF
LED: 3w SC (Single Contact) Turtle Friendly, (L18)
CCT: 1500K Amber
590 Nano NM

FOCUS TORCHES

Natural Gas, Propane



AL18LGPCOP

Size: 11.50" x 7.00" dia.
Material: Copper
Material Options: N/A
Fuel Source: Propane
Fuel Source Option: Natural Gas (NG)
Hat Type: Smooth Hat (Standard)

COP



AL18LGHHNGCAR

Size: 11.50" x 7.00" dia.
Material: Copper
Material Options: N/A
Fuel Source: Natural Gas (NG)
Fuel Source Option: Propane (P)
Hat Type: Hammered Hat (HH)

COP



Scan to see more design options.

AL18CYNG110BSS

Size: 15.00" x 3.25" dia.
Material: Stainless Steel
Material Options: N/A
Fuel Source: Natural Gas (NG)
Fuel Source Option: Propane (P)
Cylinder Style: Plumeria Scattered Stars (110B)
CUSTOM DESIGNS WELCOME

SS



PVC SIMULATED BAMBOO

(Deluxe, Unfinished, Black, Green)
6ft lengths
[covers 3/4" gas pipe]



BRASS / COPPER STEM

(Copper Standard) on 12v models
Custom lengths available
Not for Gas Torches



GRASS TIKI SKIRT

FAAL18LGNGPSKIRTBR
For use with simulated bamboo sleeves only

Focus Automatic Ignition Torches

Copper, Stainless Steel

The automatic ignition system provides a flip-of-a-switch convenience for igniting and turning off your gas torch. It can be linked to your existing exterior 12-volt or 120-volt lighting system, or placed on a separate circuit. No need to manually turn on the gas and light the flame. Just flip a switch or connect to a timer. A smart circuit can be used to plug into and use the APP to control your torches.

Flame monitoring by the ignition system is constant and ongoing. Should the torch die out, it will automatically detect the loss of flame and re-ignite. Three failed re-ignition attempts, the ignition controller will turn off the gas and pause five minutes before attempting to re-ignite.



Scan to learn more.



Sleeve
Not Included



Scan to see more
design options.

New

Auto Ignite Copper Torch

AL18LGNGAI120VCOP (Natural Gas) -120V

AL18LGPAI120VCOP (Propane) -120V

Hat Size: 11.50" x 7.50"

Hat Type: Smooth

Hat Type Option: Hammered Hat (HH)

Material: Copper Hat, Brass coupler

Features: Flame Sensor, Auto Igniter, Control Box

Gas: Natural Gas (NG) Propane (P)

Finish: Copper

● COPPER

FIRST OF ITS KIND

Auto Ignite Cylinder Torch

AL18CY001NGAI12VSS (Natural Gas) -12V

AL18CY001PAI12VSS (Propane) -12V

Hat Size: 15.00" x 3.25" dia.

Material: Stainless Steel, Brass coupler

Gas Type: Natural Gas (NG) / Propane (P)

Features: Flame Sensor, Auto Igniter, Control Box

Finish: Stainless Steel Unfinished

Cylinder Style: Sandstone (001)

CUSTOM DESIGNS WELCOME

● SS



Sleeve
Not Included



Scan to see more
design options.

New

Auto Ignite Copper Torch

AL18LGNGAI120VCOP (Natural Gas) -120V

AL18LGPAI120VCOP (Propane) -120V

Hat Size: 11.50" x 7.50"

Hat Type: Smooth

Hat Type Option: Hammered Hat (HH)

Material: Copper Hat, Brass coupler

Features: Flame Sensor, Auto Igniter, Control Box

Gas: Natural Gas (NG) Propane (P)

Finish: Copper

● COPPER

FIRST OF ITS KIND

Auto Ignite Cylinder Torch

AL18CY110BNGAI12VSS (Natural Gas) -12V

AL18CY110BPAI12VSS (Propane) -12V

Hat Size: 15.00" x 3.25" dia.

Material: Stainless Steel, Brass coupler

Gas Type: Natural Gas (NG)

Features: Flame Sensor, Auto Igniter, Control Box

Finish: Stainless Steel Unfinished

Cylinder Style: Plumeria Scattered Stars (110B)

CUSTOM DESIGNS WELCOME

● SS



New

NEW SIMULATED BAMBOO/COPPER

FASBVR62MB (Simulated Bamboo)

For auto ignite torch only

6.00' x 2.00" dia.

UVR

FAAIS6FCOP (Copper Sleeve)



New

AI DIRECT BURIAL CONTROLLER

DBS997AI12V

For 12v Auto Ignite Torch

Bucket Size: 9.00"2 x 7.00"

Components: Controller, Transformer, Valve

12v wiring, Brass gas piping



New

AI DIRECT BURIAL CONTROLLER

DBS997AI120V

For 120v Auto Ignite Torch

Bucket Size: 9.00"2 x 7.00"

Components: Controller, Transformer, Valve

120v wiring, Brass gas piping

LED Barbecue & Grill Lighting



12v | 120v All part numbers reflect (FD) Deck Mount option



BQFD01L48SS (12v)
BQFD01L134SS (120v)
Size: 33.00" x 3.50" dia.
Material: Stainless Steel
Material Options: N/A
LED: 7w MR16 SS LED (L48) (12v)
LED Option: 7w PAR16 SS LED (L134) (120v)
CCT: 3000K
Lumens: 550lm

● SS



BQFD02L48SS (12v)
BQFD02L134SS (120v)
Size: 33.50" x 3.50" dia.
Material: Stainless Steel
Material Options: N/A
LED: 7w MR16 SS LED (L48) (12v)
LED Option: 7w PAR16 SS LED (L134) (120v)
CCT: 3000K
Lumens: 550lm

● SS



BQFD03L48SS (12v)
BQFD03L134SS (120v)
Size: 33.25" x 3.50" dia.
Material: Stainless Steel
Material Options: N/A
LED: 7w MR16 SS LED (L48) (12v)
LED Option: 7w PAR16 SS LED (L134) (120v)
CCT: 3000K
Lumens: 550lm

● SS

Commercial Series

12v | 120v All part numbers reflect (CD) Commercial Deck Mount



BQCD01L48SS (12v)
BQCD01L134SS (120v)
Size: 29.50" x 3.50" dia.
Material: Stainless Steel
Material Options: N/A
LED: 7w MR16 SS LED (L48) (12v)
LED Option: 7w PAR16 LED (L134) (120v)
CCT: 3000K
Lumens: 550lm

● SS



BQCD02L48SS (12v)
BQCD02L134SS (120v)
Size: 29.50" x 3.50" dia.
Material: Stainless Steel
Material Options: N/A
LED: 7w MR16 SS LED (L48) (12v)
LED Option: 7w PAR16 LED (L134) (120v)
CCT: 3000K
Lumens: 550lm

● SS



BQCD03L48SS (12v)
BQCD03L134SS (120v)
Size: 28.25" x 3.50" dia.
Material: Stainless Steel
Material Options: N/A
LED: 7w MR16 SS LED (L48) (12v)
LED Option: 7w PAR16 LED (L134) (120v)
CCT: 3000K
Lumens: 550lm

● SS



BQTC01L48SS (12v)
BQTC01L134SS (120v)
Size: 24.00" x 7.00" dia.
Material: Stainless Steel
Material Options: N/A
LED: x 2 7w MR16 SS LED (L48) (12v)
LED Option: x2 7w PAR16 LED (L134) (120v)
CCT: 3000K
Lumens: 550lm

● SS



BQTC02L48SS (12v)
BQTC02L134SS (120v)
Size: 24.00" x 7.00" dia.
Material: Stainless Steel
Material Options: N/A
LED: x2 7w MR16 SS LED (L48) (12v)
LED Option: x2 7w PAR16 LED (L134) (120v)
CCT: 3000K
Lumens: 550lm

● SS



BQTC03L48SS (12v)
BQTC03L134SS (120v)
Size: 24.00" x 7.00" dia.
Material: Stainless Steel
Material Options: N/A
LED: x2 7w MR16 SS LED (L48) (12v)
LED Option: x2 7w PAR16 LED (L134) (120v)
CCT: 3000K
Lumens: 550lm

● SS



Mounting Hardware Options

12v | 120v



DECK MOUNT
(FD / CD)
12V / 120V
316 Stainless Steel



TOP DECK MOUNT
(TM)
12V / 120V
316 Stainless Steel



QUICK CONNECT
(QC)
12V
316 Stainless Steel



5" CLAMP
(FC5)
12V
316 Stainless Steel

Power Cables



FA05 QUICK CONNECTOR
(BQFA03)
12V



9ft POWER CORD
(BQFA04)
120V



Scan for more
information

LED Directional Lighting

12v | 120v (277V available. Consult factory for more information)



PLUG N PLAY



DL17L68BLT

Size: 4.50" x 2.00" dia.
Material: Aluminum
Material Options: N/A
LED: 2.5w MR11 SS LED (L68)
CCT: 3000K
Lumens: 170lm

● ALUM



DL20ACMR16L24BLT

Size: 8.75" x 3.50" dia.
Material: Aluminum
Material Options: Brass
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
Angle Cap
For PAR LED see page 24

● ALUM ● BRS



DL20MR16L24BLT

Size: 5.25" x 3.50" dia.
Material: Aluminum
Material Options: Brass
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
Extension Cap
For PAR LED see page 24

● ALUM ● BRS



DL21L24BLT

Size: 4.50" x 3.00" dia.
Material: Aluminum
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● ALUM



DL22CWML24BLT

Size: 5.00" x 2.375" dia.
Material: Aluminum
Material Options: Copper
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● ALUM
● COP



DL22CWM2L24BLT

Size: 5.00" x 2.375" dia.
Material: Aluminum
Material Options: Copper
LED: x2 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● ALUM
● COP



DL22L24BLT

Size: 5.50" x 2.60" dia.
Material: Aluminum
Material Options: Stainless Steel
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● ALUM ● SS



DL44L24BLT

Size: 4.50" x 2.25" dia.
Material: Aluminum
Material Options: Brass
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● ALUM ● BRS



DL50L152BRS (120v)

Size: 9.25" x 4.00" dia.
Material: Brass
Material Options: N/A
LED: 10w PAR30 SS LED 15° (L152)
CCT: 3000K
Lumens: 1000lm

● BRS



DL60L162BLT (120v)

Size: 11.22" x 5.20" dia.
Material: Aluminum
Material Options: Brass
LED: 15w PAR38 15° (L162)
CCT: 3000K
Lumens: 1350lm

● ALUM ● BRS



DL60L96BLT (12v)

Size: 7.22" x 5.20" dia.
Material: Aluminum
Material Options: N/A
LED: 15w AR111 15° (L96)
CCT: 3000K
Lumens: 1350lm

● ALUM



Scan for more
information

LED Directional Lighting

12v | 120v (277V available. Consult factory for more information)

INTEGRATED



DL42LEDM740BLT (12v)

Size: 4.50" x 3.125" dia.
Material: Aluminum
Material Options: Brass
LED: 7w LED Module 40°
CCT: 2800K
Lumens: 450lm
Optic Options: 15°/40°/60°
WF No Optics

● ALUM ● BRS



DL43LEDM1140BLT (12v)

Size: 4.50" x 3.125" dia.
Material: Aluminum
Material Options: Brass
LED: 11w LED Module 40°
CCT: 2800K
Lumens: 600lm
Optic Options: 15°/40°/60°
WF No Optics

● ALUM ● BRS



DL45LEDM1540BLT (12v)

Size: 4.50" x 3.125" dia.
Material: Aluminum
Material Options: Brass
LED: 15w LED Module 40°
CCT: 2800K
Lumens: 900lm
Optic Options: 15°/40°/60°
WF No Optics

● ALUM ● BRS



DL46LEDM2040BLT (12v)

Size: 5.50" x 3.125" dia.
Material: Aluminum
Material Options: Brass
LED: 20w LED Module 40°
CCT: 2800K
Lumens: 1500lm
Optic Options: 15°/40°/60°
WF No Optics

● ALUM ● BRS



DL50LEDM2040BRS (12v)

Size: 7.25" x 4.00" dia.
Material: Brass
Material Options: N/A
LED: 20w LED Module 40°
CCT: 2800K
Lumens: 1500lm
Optic Options: 15°/40°/60°

● BRS

RX Series Directional Lighting

12v | 120v

PLUG N PLAY



RXD01L24BRS

Size: 5.00" x 2.50" dia.
Material: Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS



RXD02L24COP

Size: 5.25" x 2.125" dia.
Material: Copper
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● ALUM ● COP



RXD02TSL24COP

Size: 5.25" x 2.125" dia.
Material: Copper
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● ALUM ● COP



RXD03L68COP

Size: 4.75" x 1.77" dia.
Material: Copper
Material Options: N/A
LED: 2.5w MR11 SS LED (L68)
CCT: 3000K
Lumens: 170lm

● COP

RX Series Directional Lighting



12v | 120v (277V available. Consult factory for more information)



RXD03TSL68COP

Size: 4.75" x 1.77" dia.
Material: Copper
Material Options: N/A
LED: 2.5w MR11 SS LED (L68)
CCT: 3000K
Lumens: 170lm

● COP



RXD04L74COP

Size: 3.50" x 1.40" dia.
Material: Copper
Material Options: Aluminum/Brass
LED: 1.5w MR8 SS LED (L74)
CCT: 3000K
Lumens: 65lm

● ALUM ● BRS
● COP



RXD04TSL74COP

Size: 3.50" x 1.40" dia.
Material: Copper
Material Options: N/A
LED: 1.5w MR8 SS LED (L74)
CCT: 3000K
Lumens: 65lm

● COP



RXD05L146BRS (120v)

Size: 7.75" x 3.15" dia.
Material: Brass
Material Options: Aluminum
LED: 8w PAR20 SS LED (L146) (120v)
CCT: 3000K
Lumens: 600lm

● ALUM ● BRS



RXD05TSL146BRS (120v)

Size: 7.00" x 3.15" dia.
Material: Brass
Material Options: Aluminum/Brass
LED: 8w PAR20 SS LED (L146) (120v)
CCT: 3000K
Lumens: 600lm

● ALUM ● BRS



RXD08L24BRS

Size: 4.25" x 2.25" dia.
Material: Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS



RXD08TACL24BRS

Size: 5.50" x 2.25" dia.
Material: Brass
Material Options: Brass
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS



RXD08ETACL24BRS

Size: 9.25" x 2.25" dia.
Material: Brass
Material Options: Brass
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS



RXD09L68BRS

Size: 2.875" x 1.70" dia.
Material: Brass
Material Options: N/A
LED: 2.5w MR11 SS LED (L68)
CCT: 3000K
Lumens: 170lm

● BRS



RXD09TACL68BRS

Size: 4.74" x 1.70" dia.
Material: Brass
Material Options: N/A
LED: 2.5w MR11 SS LED (L68)
CCT: 3000K
Lumens: 170lm

● BRS



RXD10L74BRS

Size: 2.75" x 1.20" dia.
Material: Brass
Material Options: N/A
LED: 1.5w MR8 SS LED (L74)
CCT: 3000K
Lumens: 65lm

● BRS



RXD10TACL74BRS

Size: 3.61" x 1.20" dia.
Material: Brass
Material Options: N/A
LED: 1.5w MR8 SS LED (L74)
CCT: 3000K
Lumens: 65lm

● BRS

LED Directional Flood Lighting



12v | 120v (277v available. Consult factory for more information) For Composite fixtures use (CDL)



DL04L16BLT (12v)

Size: 9.50" x 4.00" x 3.50"
Material: Aluminum
Material Options: Brass/Stainless Steel
LED: 3w Omni3 G2 LED (L16)
CCT: 3000K
Lumens: 270lm
● ALUM ● BRS
● SS



DL04LEDP412VBLT (12v/120v)

Size: 9.50" x 3.50" x 2.50"
Material: Aluminum
Material Options: N/A
LED: 4w LED Panel (LEDP)
CCT: 3000K
Lumens: 350lm
CCT/Lumens Option: 52K/380lm
● ALUM



With hood extension

DL04HELEDP412VBLT (12v/120v)

Size: 10.50" x 3.70" x 3.50"
Material: Aluminum
Material Options: N/A
LED: 4w LED Panel
CCT: 3000K
Lumens: 350lm
CCT/Lumens Option: 52K/380lm
● ALUM



DL08L12BLT (12v)

Size: 10.50" x 5.13" dia.
Material: Cast Aluminum
Material Options: Brass
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
● ALUM ● BRS



DL09SML4BLT (12v)

Size: 6.00" x 3.75" dia.
Material: Aluminum
Material Options: Brass
LED: 2w Omni2 Mini LED (L4)
CCT: 3000K
Lumens: 180lm
LED Option: LED Module
● ALUM ● BRS



DL09L12BLT (12v)

Size: 10.50" x 5.50" dia.
Material: Aluminum
Material Options: Brass
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Module
● ALUM ● BRS



DL10LEDM3030MVB LT (120v/277v)

Size: 9.00" x 5.10" x 3.00"
Material: Aluminum
Material Options: N/A
LED: 30w LED Module
CCT: 3000K
Lumens: 3000lm
LED Option: LED Panel
CCT Option: 2700K/4100K
● ALUM ● BRS



DL10HELEDM3030MVB LT (120v/277v)

Size: 10.50" x 5.10" x 3.00"
Material: Aluminum
Material Options: N/A
LED: 30w LED Module
CCT: 3000K
Lumens: 3000lm
LED Option: LED Panel
CCT Option: 2700K/4100K
● ALUM ● BRS



DL15SMELEDP412VBLT (12v)

Size: 4.25" x 3.25" x 3.75"
Material: Aluminum
Material Options: Brass
LED: 4w Round LED Panel
CCT: 3000K
Lumens: 300lm
CCT/Lumens Option: 52K/320lm
● ALUM ● BRS

LED Directional Flood Lighting



12v | 120v (277v available. Consult factory for more information) For Composite fixtures use (CDL)



DL15LED412VBLT (12v)

Size: 7.50" x 5.25" x 3.75"
Material: Aluminum
Material Options: Brass
LED: 4w LED Panel
CCT: 3000K
Lumens: 350lm
CCT/Lumens Option: 52K/380lm
● ALUM ● BRS
● COMP



CDL15LEDM1030MV (120v/277v)

Size: 7.50" x 5.25" x 3.75"
Material: Composite
Material Options: Aluminum/Brass
LED: 10w LED Module
CCT: 3000K
Lumens: 1,584lm
CCT/Lumens Option: 2700K/lm
CCT/Lumens Option: 4100K/lm
● ALUM ● BRS
● COMP



DL40LEDP812VBLT

Size: 9.33" x 7.75" x 4.20"
Material: Aluminum
Material Options: Brass
LED: 8w LED Panel
CCT: 3000K
Lumens: 630lm
CCT/Lumens Option: 52K/680lm
● ALUM ● BRS



DL40LEDM3041MVBRT

Size: 9.33" x 7.75" x 4.20"
Material: Aluminum
Material Options: Brass
LED: 2x 30w LED Module
CCT: 4100K
Lumens: 2x 7,066lm
CCT/Lumens Option: 2700K/lm
CCT/Lumens Option: 3000K/lm
● ALUM ● BRS

LED Directional Spot Lighting



120v (277V available. Consult factory for more information) Aluminum, Brass, and Composite (CDL)



DL20ECL146BLT

Size: 6.00" x 3.50" dia.
Material: Aluminum
Material Options: Brass/Composite
LED: 8w PAR20 SS LED (L146)
CCT: 3000K
Lumens: 600lm
● ALUM ● BRS
● COMP



DL20ACL146BLT

Size: 8.50" x 3.50" dia.
Material: Aluminum
Material Options: Brass/Composite
LED: 8w PAR20 SS LED (L146)
CCT: 3000K
Lumens: 600lm
● ALUM ● BRS
● COMP



DL30ECL154BLT

Size: 8.13" x 4.50" dia.
Material: Aluminum
Material Options: N/A
LED: 10w PAR30 SS LED (L154)
CCT: 3000K
Lumens: 1000lm
● ALUM



DL30ACL154BLT

Size: 13.25" x 4.50" dia.
Material: Aluminum
Material Options: N/A
LED: 10w PAR30 SS LED (L154)
CCT: 3000K
Lumens: 1000lm
● ALUM



DL38ECL164BLT

Size: 9.125" x 5.50" dia.
Material: Aluminum
Material Options: Brass/Composite
LED: 15w PAR38 SS LED (L164)
CCT: 3000K
Lumens: 1350lm
● ALUM ● BRS
● COMP



DL38ACL164BLT

Size: 16.00" x 5.50" dia.
Material: Aluminum
Material Options: Composite
LED: 15w PAR38 SS LED (L164)
CCT: 3000K
Lumens: 1350lm
● ALUM
● COMP

LED Flood & Sign Lighting



12v | 120v (277v available. Consult factory for more information) LED Panels



Biltmore Estates
Phoenix, Arizona

LFL01LEDP8120VBLT (Shown)



Scan for more
information



LFL01LEDP812VBLT
LFL01LEDP8120VBLT

Size: 4.50" x 8.25" x 3.00"
Material: Aluminum
Material Options: N/A
LED: 8w LED Panel
CCT: 3000K
Lumens: 630lm
CCT/Lumens Option: 52K/680lm



LFL01LED1212VBLT
LFL01LED12120VBLT

Size: 4.50" x 13.00" x 3.00"
Material: Aluminum
Material Options: N/A
LED: 12w LED Panel
CCT: 3000K
Lumens: 1080lm
CCT/Lumens Option: 52K/1160lm



LFL01LEDP2412VBLT
LFL01LEDP24120VBLT

Size: 4.50" x 13.00" x 3.00"
Material: Aluminum
Material Options: N/A
LED: x2 12w LED Panel
CCT: 3000K
Lumens: 2160lm
CCT/Lumens Option: 52K/2320lm



LFL012LEDP812VBLT
LFL012LEDP8120VBLT

Size: 4.50" x 24.00" x 3.00"
Material: Aluminum
Material Options: N/A
LED: x2 8w LED Panel
CCT: 3000K
Lumens: 1260lm
CCT/Lumens Option: 52K/1360lm



LFL013LEDP812VBLT
LFL013LEDP8120VBLT

Size: 4.50" x 34.50" x 3.00"
Material: Aluminum
Material Options: N/A
LED: x3 8w LED Panel
CCT: 3000K
Lumens: 1890lm
CCT/Lumens Option: 52K/2040lm



LFL014LEDP812VBLT
LFL014LEDP8120VBLT

Size: 4.50" x 46.50" x 3.00"
Material: Aluminum
Material Options: N/A
LED: x4 8w LED Panel
CCT: 3000K
Lumens: 2520lm
CCT/Lumens Option: 52K/2720lm



LED Panel flood lights are also available in 6 feet and 8 feet lengths. Consult factory for more information.

LED Flood & Sign Lighting



120v (277v available. Consult factory for more information) LED Modules



LFL01LEDM1027MVBLT

Size: 4.50" x 6.00" x 3.00"
Material: Aluminum
Material Options: N/A
LED: 10w LED Module
CCT: 2700K
Lumens: 1300lm
CCT/Lumens Option: 30K/1584lm
CCT/Lumens Option: 41K/1590lm

● ALUM



LFL012LEDM1027MVBLT

Size: 4.50" x 24.00" x 3.00"
Material: Aluminum
Material Options: N/A
LED: x3 10w LED Module
CCT: 2700K
Lumens: x3 1300lm
CCT/Lumens Option: 30K/x3 1584lm
CCT/Lumens Option: 41K/x3 1590lm

● ALUM



LFL013LEDM1027MVBLT

Size: 4.50" x 34.50" x 3.00"
Material: Aluminum
Material Options: N/A
LED: x4 10w LED Module
CCT: 2700K
Lumens: x4 1300lm
CCT/Lumens Option: 30K/x4 1584lm
CCT/Lumens Option: 41K/x4 1590lm

● ALUM



LFL014LEDM1027MVBLT

Size: 4.50" x 46.50" x 3.00"
Material: Aluminum
Material Options: N/A
LED: x6 10w LED Module
CCT: 2700K
Lumens: x6 1300lm
CCT/Lumens Option: 30K/x6 1584lm
CCT/Lumens Option: 41K/x6 1590lm

● ALUM



LFL016LEDM1027MVBLT

Size: 4.50" x 72.00" x 3.00"
Material: Aluminum
Material Options: N/A
LED: x9 10w LED Module
CCT: 2700K
Lumens: x9 1300lm
CCT/Lumens Option: 30K/x9 1584lm
CCT/Lumens Option: 41K/x9 1590lm

● ALUM



LFL018LEDM1027MVBLT

Size: 4.50" x 96.00" x 3.00"
Material: Aluminum
Material Options: N/A
LED: x12 10w LED Module
CCT: 2700K
Lumens: 10320lm
CCT/Lumens Option: 30K/x12 1584lm
CCT/Lumens Option: 41K/x12 1590lm

● ALUM



Hood Extensions

Hood extensions are available in 2ft, 3ft, and 4ft increments.



Side View



Pikewood National Golf Club
Morgantown, West Virginia
LFL014LEDM1027MV (Shown)

LED Path Lighting

12v | 120v (277v available. Consult factory for more information)



PL01L12BRS

Size: 19.00" x 5.50" dia.

Material: Brass

Material Options: Aluminum

LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

LED Option: LED Panel (LEDP)

● ALUM ● BRS



PL02L12BRS

Size: 22.00" x 4.50" dia.

Material: Brass

Material Options: Aluminum/Copper

LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

LED Option: LED Panel (LEDP)

● ALUM ● BRS

● COP



PL04L12BRS

Size: 22.00" x 4.50" dia.

Material: Brass

Material Options: Aluminum

LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

LED Option: LED Panel (LEDP)

● ALUM ● BRS



PL04LVSL12BRS

Size: 22.00" x 4.50" dia.

Material: Brass

Material Options: Aluminum

LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

LED Option: LED Panel (LEDP)

● ALUM ● BRS



PL05L12BRS

Size: 19.00" x 5.50" dia.

Material: Brass

Material Options: Aluminum


LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

LED Option: LED Panel (LEDP)

● ALUM ● BRS



PL07XSMDML4COP

Size: 16.50" x 0.75" dia.

Material: Copper


Material Options: N/A

LED: 2w Omni Mini SS LED (L4)

CCT: 3000K

Lumens: 180lm

● COP



PL07XSML4COP

Size: 24.00" x 0.75" dia.

Material: Copper

Material Options: N/A

LED: 2w Omni Mini SS LED (L4)

CCT: 3000K

Lumens: 180lm

● COP



PL07L12BRS

Size: 33.00" x 3.00" dia.

Material: Brass

Material Options: Alum/ABS/Cop

LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

LED Option: LED Panel (LEDP)

● ALUM ● BRS

● ABS ● COP



PL07LGDML12BRS

Size: 49.00" x 4.50" dia.

Material: Brass

Material Options: Aluminum/ABS

LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

LED Option: LED Panel (LEDP)

● ALUM ● BRS

● ABS



PL10L12BLT

Size: 19.50" x 6.00" dia.

Material: Aluminum

Material Options: N/A

LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

● ALUM



PL11L12BRS

Size: 24.00" x 8.00" dia.

Material: Brass

Material Options: Aluminum

LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

LED Option: LED Panel (LEDP)

● ALUM ● BRS



PL12L12BLT

Size: 31.50" x 10.00" dia.

Material: Aluminum

Material Options: N/A

LED: 3w Omni SS LED (L12)

CCT: 3000K

Lumens: 300lm

LED Option: LED Panel (LEDP)

● ALUM

LED Path Lighting

12v | 120v (277v available. Consult factory for more information)



PL14L12BRS

Size: 14.00" x 5.25" x 5.25"
Material: Brass
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

● BRS



PL15L12COP

Size: 20.50" x 5.50" dia.
Material: Copper
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

● COP



PL16L12COP

Size: 24.00" x 5.50" dia.
Material: Copper
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

● COP



PL17S1L12BRS

Size: 20.00" x 1.00" x 1.00"
Material: Brass
Material Options: Aluminum
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: 2w LED Strip (LEDS)

● ALUM ● BRS



PL17L12BRS

Size: 20.25" x 1.00" x 2.00"
Material: Brass
Material Options: Aluminum
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)

● ALUM ● BRS



PL19L12BRS

Size: 22.00" x 5.50" dia.
Material: Brass
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

● BRS



PL20L12BRS

Size: 20.00" x 5.75" dia.
Material: Brass
Material Options: Aluminum
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)

● ALUM ● BRS



PL21L12BRS

Size: 20.50" x 5.75" dia.
Material: Brass
Material Options: Aluminum
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)

● ALUM ● BRS



Deck Mount Base

PL22DML12BRS

Size: 18.00" x 2.25" x 2.25"
Material: Brass
Material Options: Aluminum
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)

● ALUM ● BRS



Angle Cut Base

PL22L12BRS

Size: 28.00" x 2.25" x 2.25"
Material: Brass
Material Options: Aluminum
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)

● ALUM ● BRS



Deck Mount Base

PL23DM18L12BRS

Size: 18.00" / 24.00" x 2.25" x 2.25"
Material: Brass
Material Options: Aluminum
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)

● ALUM ● BRS



Angle Cut Base

PL2328L12BRS

Size: 28.00" / 34.00" x 2.25" x 2.25"
Material: Brass
Material Options: Aluminum
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Panel (LEDP)

● ALUM ● BRS

LED Path Lighting

12v | 120v (277v available. Consult factory for more information)



PL23S1WDM18L24BRS

Size: 18.00"/24.00" x 2.25" x 2.25"
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
LED Option: LED Panel (LEDP)
Windows: 1

● ALUM ● BRS



PL23S2WDM18L24BRS

Size: 18.00"/24.00" x 2.25" x 2.25"
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
LED Option: LED Panel (LEDP)
Windows: 2

● ALUM ● BRS



PL23S3WDM18L24BRS

Size: 18.00"/24.00" x 2.25" x 2.25"
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
LED Option: LED Panel (LEDP)
Windows: 3

● ALUM ● BRS



PL23S4WDM18L24BRS

Size: 18.00"/24.00" x 2.25" x 2.25"
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
LED Option: LED Panel (LEDP)
Windows: 4

● ALUM ● BRS



PL23LGS1WDM24L24BRS

Size: 24.00" x 4.00" x 4.00"
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
LED Option: LED Panel (LEDP)
Windows: 1
Size Options: 30.00"/36.00"

● ALUM ● BRS



PL23LGS2WDM24L24BRS

Size: 24.00" x 4.00" x 4.00"
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
LED Option: LED Panel (LEDP)
Windows: 2
Size Options: 30.00"/36.00"

● ALUM ● BRS



PL23LGS3WDM24L24BRS

Size: 24.00" x 4.00" x 4.00"
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
LED Option: LED Panel (LEDP)
Windows: 3
Size Options: 30.00"/36.00"

● ALUM ● BRS



PL23LGS4WDM24L24BRS

Size: 24.00" x 4.00" x 4.00"
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
LED Option: LED Panel (LEDP)
Windows: 4
Size Options: 30.00"/36.00"

● ALUM ● BRS



PL23LGDM24ATL24BRT

Size: 24.00" x 4.00" x 4.00"
Material: Aluminum
Material Options: Brass
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
LED Option: LED Panel (LEDP)
Angle Top Option: Aluminum Only (AT)
Flat Top: Aluminum/Brass
Size Options: 30.00"/36.00"

● ALUM ● BRS

LED Path Lighting Custom Bollards



12v | 120v (277v available. Consult factory for more information)



PL26DMCD001L24BAR

Size: 24.00" x 2.25" x 2.25"
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● ALUM ● BRS



PL26LGDMCD01830L24BAR

Size: 30.00" x 4.00" x 4.00"
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
Angle Top Option: Aluminum Only
Size Options: 30.00"/36.00"

● ALUM ● BRS



PL26LGDMCD01830L24BAR (Shown)



PL26ABDMLEDS812VBLT

Size: 24.00" x 2.25" x 2.25"
Material: Aluminum
Material Options: Brass
LED: x2 4w LED Strip
CCT: 2700K
Lumens: 245lm

● ALUM ● BRS



PL26LGABDMLEDS812VBLT

Size: 36.00" x 4.00" x 4.00"
Material: Aluminum
Material Options: Brass
LED: x2 4w LED Strip
CCT: 2700K
Lumens: 245lm
Angle Top Option: Aluminum Only
Size Options: 30.00"/36.00"

● ALUM ● BRS



Custom Address Bollard
Private Home

New

LED Cube Path Lighting Bollards

12v | 120v (277v available. Consult factory for more information)



Scan for more information



PL27SM1L4BLT

Size: 24.00" x 2.25" x 4.50"
Material: Aluminum
Material Options: Brass
LED: 2w Omni2 Mini LED (L4)
CCT: 3000K
Lumens: 180lm

● ALUM ● BRS



PL27SM2L4BLT

Size: 24.00" x 2.25" x 6.75"
Material: Aluminum
Material Options: Brass
LED: x2 2w Omni2 Mini LED (L4)
CCT: 3000K
Lumens: 180lm

● ALUM ● BRS



Line Voltage

PL27LG1LEDM3030MVBLT

Size: 36.00" x 4.00" x 8.00"
Material: Aluminum
Material Options: Brass
LED: 30w LED Module (LEDM)
CCT: 3000K
Lumens: x2 3967lm
CCT Options: 2700K / 4100K
Size Options: 30.00"

● ALUM ● BRS



Line Voltage

PL27LG2LEDM3030MVBLT

Size: 36.00" x 4.00" x 12.00"
Material: Aluminum
Material Options: Brass
LED: x2 30w LED Module (LEDM)
CCT: 3000K
Lumens: x2 3967lm
CCT Options: 2700K / 4100K
Size Options: 30.00"

● ALUM ● BRS

RX Series Path Lighting

12v | 120v (277v available. Consult factory for more information)



RXP01L24COP
Size: 26.00" x 4.25" x 5.25"
Material: Copper
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● ALUM ● COP



RXP02L24COP
Size: 26.00" x 8.25" x 5.25"
Material: Copper
Material Options: Aluminum
LED: x2 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● ALUM ● COP



RXP03L24BRS
Size: 25.00" x 2.25" dia.
Material: Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS



RXP03TACL24BRS
Size: 25.00" x 2.25" dia.
Material: Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS




RXP04L24BRS
Size: 25.00" x 2.25" dia.
Material: Brass
Material Options: N/A
LED: x2 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS




RXP04TACL24BRS
Size: 25.00" x 2.25" dia.
Material: Brass
Material Options: N/A
LED: x2 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS



Commercial Series Path Lighting

12v | 120v (277v available. Consult factory for more information) Available with 2 sides (Add 2 to part number)



(PL24182)

PL24181L12BRT
Size: 52.00" x 2.00" x 4.00"
Fixture Material: Aluminum
Fixture Material Options: Brass
Post Material: Galvanized Steel
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

● ALUM ● BRS



(PL2407SM2)

PL2407SM1L4BRT
Size: 52.00" x 2.00" x 4.00"
Fixture Material: Aluminum
Fixture Material Options: Brass
Post Material: Galvanized Steel
LED: 2w Omni2 Mini LED (L4)
CCT: 3000K
Lumens: 180lm
LED Option: 3w LED Module

● ALUM ● BRS



(PL24072)

PL2407L12BRT
Size: 52.00" x 2.00" x 4.00"
Fixture Material: Aluminum
Fixture Material Options: Brass
Post Material: Galvanized Steel
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Module

● ALUM ● BRS

LED Golf & Putting Green Lighting

12v | 120v



PGL02L12BLT

Size: 25.00" x 3.25" x 4.50"
Material: Aluminum
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

● ALUM



PGL03L24BLT

Size: 11.00" x 4.75" x 3.00"
Material: Aluminum
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● ALUM




PGL04LEDP12VBLT

Size: 54.00" x 8.25" x 4.50"
Material: Aluminum
Material Options: N/A
LED: 8w LED Panel (LEDP)
CCT: 3000K
Lumens: 630lm
CCT Option: 5200K

● ALUM



Sleeve Supplied



FAFLAG1-9

Size: 22.00"
Material: Clear Acrylic

FAFLAG24NF

Size: 24.00"
Material: Clear Acrylic
Putting green flag pole with knob. No flag.

Cup Supplied By Others



FA11SL33RED



FA11SL33AMBER



FA11SL33GREEN



FA11SL33BLUE



PGL05L24BRS

Size: 4.75" x 3.375" dia.
Material: Brass
Material Options: N/A
LED: 3wMR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
LED Option: 5w/7w MR16

● BRS

Scan for more information
on Backyard Entertainment



LED Specialty Hanging Lighting



12v | 120v (277v available. Consult factory for more information) Custom acrylic lengths available.



SL05L12BRS

Size: 4.75" x 4.50" dia.
Material: Brass
Material Options: Aluminum/Copper
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
12" Brass Chain

● ALUM ● BRS
● COP



SL06L12BRS

Size: 4.75" x 4.50" dia.
Material: Brass
Material Options: Aluminum
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
12" Brass Chain

● ALUM ● BRS



SL14L12BRS

Size: 5.90" x 2.50" dia.
Material: Brass
Material Options: Aluminum/Copper
Material Cap Options: Brass Only
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
12" Brass Chain

● ALUM ● BRS
● COP



SL15LW4CSML12COP

Size: 4.00" x 2.50" dia.
Material: Copper
Material Options: N/A
Material Cap Option: Copper Only
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
12" Brass Chain

● ALUM ● BRS
● COP



SL15LW10CSML12COP

Size: 10.00" x 2.50" dia.
Material: Copper
Material Options: N/A
Material Cap Options: Copper Only
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
12" Brass Chain

● ALUM ● BRS
● COP



SL15L12BRS

Size: 5.90" x 2.50" dia.
Material: Brass
Material Options: Aluminum/Copper
Material Cap Options: Aluminum/Brass
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
12" Brass Chain

● ALUM ● BRS
● COP



SL1510CSML12BRS

Size: 11.25" x 2.50" dia.
Material: Brass
Material Options: Aluminum/Copper
Material Cap Options: Aluminum/Brass
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
12" Brass Chain

● ALUM ● BRS
● COP



SL15S2L12BRS

Size: 8.25" x 2.50" dia.
Material: Brass
Material Options: Aluminum/Copper
Material Cap Options: Aluminum/Brass
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
12" Brass Chain

● ALUM ● BRS
● COP



SL15S2L12COP

Size: 7.50" x 2.50" dia.
Material: Copper
Material Options: Aluminum/Brass
Material Cap Options: Copper Only
LED: 3w MR16 SS LED (L12)
CCT: 3000K
Lumens: 300lm
18.00" Brass Chain

● ALUM ● BRS
● COP



SL1510S2L24BRS

Size: 14.25" x 2.50" dia.
Material: Brass
Material Options: Aluminum/Copper
Material Cap Options: Aluminum/Brass
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
18.00" Brass Chain

● ALUM ● BRS
● COP



SL1510S2L24COP

Size: 13.50" x 2.50" dia.
Material: Copper
Material Options: Aluminum/Brass
Material Cap Options: Copper Only
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
18.00" Brass Chain

● ALUM ● BRS
● COP



SL53L24BLT

Size: 4.50" x 2.50"
Material: Aluminum
Material Options: Brass
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
18.00" Brass Chain

● ALUM ● BRS

RX Series Hanging Lighting

12v | 120v



RXS04L24COP

Size: 5.25" x 2.25" dia.
Material: Copper
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
18.00" Brass Chain

COP



RXS05L68COP

Size: 4.75" x 1.75" dia.
Material: Copper
Material Options: N/A
LED: 2.5w MR11 SS LED (L68)
CCT: 3000K
Lumens: 170lm
18.00" Brass Chain

COP



RXS06L74COP

Size: 3.50" x 1.25" dia.
Material: Copper
Material Options: N/A
LED: 1.5w MR8 SS LED (L74)
CCT: 3000K
Lumens: 65lm
18.00" Brass Chain

COP



RXS11NLBRS

Size: 8.50" x 3.00" dia.
Material: Aluminum
Material Options: Brass/Copper
LED: None. (PAR20 LED)
18.00" Brass Chain

ALUM BRS
COP



RXS12L24BRS

Size: 4.25" x 2.25" dia.
Material: Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
18.00" Brass Chain

BRS



RXS13L68BRS

Size: 3.00" x 1.75" dia.
Material: Brass
Material Options: N/A
LED: 2.5w MR11 SS LED (L68)
CCT: 3000K
Lumens: 170lm
18.00" Brass Chain

BRS



RXS04L24COP (Shown)



RXS14L74BRS

Size: 2.75" x 1.25" dia.
Material: Brass
Material Options: N/A
LED: 1.5w MR8 SS LED (L74)
CCT: 3000K
Lumens: 65lm
18.00" Brass Chain

BRS

LED Specialty Pendant Lighting



12v | 120v (277v available. Consult factory for more information) Custom acrylic lengths available.



SL15PS2L12BRS

Size: 8.25" x 2.50" dia.
Material: Brass
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
12.00" Brass Stem

● BRS



SL15PS2L12COP

Size: 7.50" x 2.50" dia.
Material: Copper
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
12.00" Brass Stem

● COP



SL1510PFPS2L24BRS

Size: 14.25" x 2.50" dia.
Material: Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
12.00" Brass Stem

● BRS



SL1510PS2L24COP

Size: 13.50" x 2.50" dia.
Material: Copper
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
12.00" Brass Stem

● COP



SL16PMR16S2L24BRS

Size: 6.875" x 2.50" dia.
Material: Brass
Material Options: Stainless Steel
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
12" Brass Stem

● BRS ● SS



SL54L24BRS

Size: 5.50" x 2.25" dia.
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
12" Brass Stem

● ALUM ● BRS



Scan for more information

SL15PS2L12BRS (Shown)

MR16 Canopy Options: 4.5" Round Canopy (P), 4.5" Round Flat Plate (PFP)
Omni Canopy Supplied with 3.5" Round Canopy

RX Series Pendant Lighting

12v | 120v (277v available. Consult factory for more information)



RXS07L24COP

Size: 5.25" x 2.25" x 5.25"
Material: Copper
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
12" Copper Stem

COP



RXS08L68COP

Size: 4.75" x 1.75" dia.
Material: Copper
Material Options: N/A
LED: 2.5w MR11 SS LED (L68)
CCT: 3000K
Lumens: 170lm
12" Copper Stem

COP



RXS09L74COP

Size: 3.50" x 1.25" dia.
Material: Copper
Material Options: N/A
LED: 1.5w MR8 SS LED (L74)
CCT: 3000K
Lumens: 65lm
12" Copper Stem

COP



RXS10P24L144BRS (120v)

Size: 8.50" x 3.00" dia.
Material: Brass
Material Options: Aluminum/Copper
LED: 8w PAR20 SS LED 15° (L144)
CCT: 3000K
Lumens: 600lm
12" Brass Stem

ALUM BRS
COP



RXS12PL24BRS

Size: 4.25" x 2.37" dia.
Material: Brass
Material Options: Copper/SS
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
12" Brass Stem

BRS COP
SS



RXS13PFPL68BRS

Size: 3.00" x 1.63" dia.
Material: Brass
Material Options: Copper
LED: 2.5w MR11 SS LED (L68)
CCT: 3000K
Lumens: 170lm
12" Copper Stem

BRS COP



RXS18P24LED740BRS


Size: 3.62" x 3.18" dia.
Material: Brass
Material Options: Copper/Aluminum
LED: 7w LED Module 40°
CCT: 2800K
Lumens: 450lm
12" Brass Stem

ALUM BRS
COP

Brass Canopy Options: 4.5" Round Canopy (P24), 4.5" Round Flat Plate (PFP) 3.00" Brass Round Canopy (Standard)
Copper Canopy Options: 4.5" Round Copper Canopy (P24), 4.5" Round Flat Plate (PFP), 2.65" Copper Round Canopy (Standard)

Scan for more information
on Pendants Entertainment





RXS13P24L68BRS (Shown)



LED Surface & Wall Mount Lighting



12v | 120v (277v available. Consult factory for more information)

CYLINDER WALL MOUNTS



SL16DMR16L24BRS

Size: 4.375" x 3.25" x 2.50" dia.
Material: Brass
Material Options: Stainless Steel
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS ● SS



SL16DMR16ETCL24BRS

Size: 7.50" x 3.25" x 2.50" dia.
Material: Brass
Material Options: Stainless Steel
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS ● SS



SL16MR16L24BRS

Size: 7.00" x 3.25" x 2.50" dia.
Material: Brass
Material Options: Stainless Steel
LED: x2 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS ● SS



SL16MR16ETCL24BRS

Size: 13.50" x 3.25" x 2.50" dia.
Material: Brass
Material Options: Stainless Steel
LED: x2 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS ● SS



SL16DMR16S3L24BRS

Size: 6.875" x 3.25" x 2.50" dia.
Material: Brass
Material Options: Stainless Steel
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
2.50" Frosted Acrylic (S3)

● BRS ● SS



SL16MR16S3L24BRS

Size: 17.00" x 3.25" x 2.50" dia.
Material: Brass
Material Options: Stainless Steel
LED: x2 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
x2 2.50" Frosted Acrylic (S3)

● BRS ● SS



SL16MR16S36L24BRS

Size: 24.00" x 3.25" x 2.50" dia.
Material: Brass
Material Options: Stainless Steel
LED: x2 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
x2 6.00" Frosted Acrylic (S3)

● BRS ● SS



SL16MR16S312L24BRS

Size: 36.00" x 3.25" x 2.50" dia.
Material: Brass
Material Options: Stainless Steel
LED: x2 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
x2 12.00" Frosted Acrylic (S3)

● BRS ● SS



SL16DMR11L68BRS

Size: 3.00" x 2.50" x 1.75" dia.
Material: Brass
Material Options: N/A
LED: 2.5w MR11 SS LED (L68)
CCT: 3000K
Lumens: 170lm

● BRS



SL16DMR8L74BRS

Size: 3.00" x 2.00" x 1.20" dia.
Material: Brass
Material Options: N/A
LED: 1.5w MR8 SS LED (L74)
CCT: 3000K
Lumens: 65lm

● BRS



SL16DPAR20L144BRS (120v)

Size: 5.50" x 3.00" dia.
Material: Brass
Material Options: Aluminum
LED: 8w PAR20 SS LED 15° (L144)
CCT: 3000K
Lumens: 600lm

● ALUM ● BRS



SL16PAR20L144BRS (120v)

Size: 11.00" x 3.00" dia.
Material: Brass
Material Options: Aluminum
LED: x2 8w PAR20 SS LED 15° (L144)
CCT: 3000K
Lumens: 600lm

● ALUM ● BRS

Acrylic Types: S1 (Clear Acrylic) / S2 (Frosted Acrylic) / S3 (Frosted Acrylic with clear polished ends)

LED Surface & Wall Mount Lighting

12v | 120v (277v available. Consult factory for more information)



SL16DPAR30L154BRS

Size: 7.25" x 4.50" dia.
Material: Brass
Material Options: Aluminum
LED: 10w PAR30 SS LED 36° (L154)
CCT: 3000K
Lumens: 1000lm
● ALUM ● BRS



SL16PAR30L154BRS

Size: 13.00" x 4.50" dia.
Material: Brass
Material Options: Aluminum
LED: x2 10w PAR30 SS LED 36° (L154)
CCT: 3000K
Lumens: 1000lm
● ALUM ● BRS



SL58LEDPBRS

Size: 8.25" x 2.25"
Material: Brass
Material Options: Aluminum
LED: 4w LED Panel
CCT: 3000K
Lumens: 300lm
LED Option: Omni3 LED (L12)
● ALUM ● BRS



SL58SMLEDMBRS

Size: 4.50" x 1.00" x 2.00"
Material: Brass
Material Options: Aluminum
LED: 3w LED Module (LEDM)
CCT: 2800K
Lumens: 150lm
● ALUM ● BRS



SL58SMHORLEDSBRS

Size: 1.00" x 2.00" x 4.50"
Material: Brass
Material Options: Aluminum
LED: 2w LED Strip (LEDS)
CCT: 3000K
Lumens: 140lm



SL58LGHORLEDSBRS

Size: 1.00" x 2.00" x 13.25"
Material: Brass
Material Options: Aluminum
LED: 4w LED Strip (LEDS)
CCT: 3000K
Lumens: 245lm
● ALUM ● BRS



SL65SML12BRT

Size: 1.50" x 1.50" x 4.125"
Material: Aluminum
Material Options: N/A
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
● ALUM



SL65MDL24BRS

Size: 2.25" x 2.25" x 4.125"
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
● ALUM ● BRS



Scan for more information

SL58SMHORLEDMBAR (Shown)

LED Surface Mount Lighting



12v | 120v (277v available. Consult factory for more information)

Standard (Canopy No Extension). Options: Flat Panel (-FP), Extension (-E)

SQUARE CEILING MOUNTS



SL63CMFPL24BRS

Size: 4.50" x 2.25"
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
4.50" Flat Plate

● ALUM ● BRS



SL63CMEL24BRS

Size: 4.50" x 2.25"
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
4.50" Canopy with Extension

● ALUM ● BRS



SL63LGCML142BRS (120v)

Size: 8.00" x 4.00"
Material: Brass
Material Options: Aluminum
LED: 8w PAR20 SS LED (L142)
CCT: 3000K
Lumens: 600lm
4.50" Canopy

● ALUM ● BRS



SL63LGCME142BRS (120v)

Size: 8.00" x 4.00"
Material: Brass
Material Options: Aluminum
LED: 8w PAR20 SS LED (L142)
CCT: 3000K
Lumens: 600lm
4.50" Canopy with Extension

● ALUM ● BRS

SQUARE WALL MOUNTS



SL63WMDL24BRS

Size: 4.50" x 2.25"
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
4.50" Canopy with Extension


● ALUM ● BRS



SL63WMUDL24BRS

Size: 7.25" x 2.25"
Material: Brass
Material Options: Aluminum
LED: x2 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
4.50" Canopy with Extension

● ALUM ● BRS



SL63LGWMDL142BRS (120v)

Size: 7.87" x 4.00"
Material: Brass
Material Options: Aluminum
LED: 8w PAR20 SS LED (L142)
CCT: 3000K
Lumens: 600lm
4.50" Canopy with Extension

● ALUM ● BRS



SL63LGWMUDL142BRS (120v)

Size: 12.40" x 4.00"
Material: Brass
Material Options: Aluminum
LED: x2 8w PAR20 SS LED (L142)
CCT: 3000K
Lumens: 600lm
4.50" Canopy with Extension

● ALUM ● BRS

'CUBE' CEILING & WALL MOUNTS



SL64SMDL4BRS

Size: 2.25" x 2.25" x 2.25"
Material: Brass
Material Options: Aluminum
LED: 2w Omni Mini SS LED (L4)
CCT: 3000K
Lumens: 180lm
LED Option: MR8 LED (L74)

● ALUM ● BRS




Up/Down

SL64SM2L4BRS

Size: 2.25" x 2.25" x 2.25"
Material: Brass
Material Options: Aluminum
LED: x2 2w Omni Mini SS LED (L4)
CCT: 3000K
Lumens: 180lm

● ALUM ● BRS



SL64DL24BRS

Size: 4.00" x 4.00" x 4.00"
Material: Brass
Material Options: Aluminum
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● ALUM ● BRS




Up/Down

SL64213EOSBRS (120v)

Size: 4.00" x 4.00" x 4.00"
Material: Brass
Material Options: Aluminum
LED: x2 13w EOS Module LED (EOSM)
CCT: 3000K
Lumens: 900lm

● ALUM ● BRS



Scan for more information

Private Home

SL63LGWML142BRS (Shown)
SL63LGCML142BRS (Shown)

DESIGNER CUBE / PORTABLE DECORATIVE FLAME LANTERNS

Custom designs available.



SL64CD502L24IGDBZ

Size: 4.00" x 4.00" x 4.00"
Material: Aluminum
Material Options: Brass
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

ALUM BRS



Gold
Iridescent
Glass



Solid
White
Acrylic



Cracked
Ice
Acrylic



SL67SQCD404LEDFIGDBZ

Size: 6.00" x 4.00" x 4.00"
Material: Aluminum
Material Options: Brass
LED: USB Simulated Flame w/ Remote
CCT: 1400K-1600K

ALUM BRS



Gold
Iridescent
Glass



Solid
White
Acrylic



Cracked
Ice
Acrylic



SL67RDCD013NLWLBZ

Size: 6.00" x 4.00" dia.
Material: Aluminum
Material Options: Brass
LED: No Lamp
LED Option: USB Simulated Flame w/ Remote

ALUM BRS



Gold
Iridescent
Glass



Solid
White
Acrylic



Cracked
Ice
Acrylic

POST TOP MOUNTS



SL69LGPFTL12WHT

Size: 4.125" x 4.00"
Material: Aluminum
Material Options: Brass
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

ALUM BRS



SL69LGPATL12WHT

Size: 5.125" x 4.00"
Material: Aluminum
Material Options: Brass
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

ALUM BRS

Scan to see more information on SL69.




Scan to see more lantern design options.



LED Wall Acrylic Light Wands

12v | 120v



MR11

New

SMALL SURFACE MOUNT LIGHT Acrylic Light Wands

SL68SMWML68S218BRS

Size: Based on size of acrylic used
Material: Brass
LED: 2.5w MR11 SS LED (L68)
CCT: 3000K
Lumens: 170lm
Acrylic Accent: Frosted (S2)
Acrylic Options: Clear (S1) / Bubble (S4)
Acrylic Size: 12.00" / 18.00" / 24.00"
Cap: Matching Brass Cap
Cap Option: No Cap
Mount: 3" Round Brass Canopy

● BRS



MR16

New


MEDIUM SURFACE MOUNT LIGHT Acrylic Light Wands

SL68MDWML24S112BRS


Size: Based on size of acrylic used
Material: Brass
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
Acrylic Accent: Clear (S1)
Acrylic Options: Frosted (S2) / Bubble (S4)
Acrylic Size: 12.00" / 18.00" / 24.00"
Cap: Matching Brass Cap
Cap Option: No Cap
Mount: 3" Round Brass Canopy

● BRS


ACRYLIC SIZES & TYPES




Height: 12.00in
SM dia: 1.57in
MD dia: 2.36in



Height: 18.00in
SM dia: 1.57in
MD dia: 2.36in



Height: 24.00in
SM dia: 1.57in
MD dia: 2.36in



S1: Clear
S2: Frosted
S4: Bubbles

Scan for more
information



LED Down Lighting

12v | 120v (277v available. Consult factory for more information)

Canopy Options for RXS Series: 4.5" Round Canopy (24), 4.5" Flat Plate (FP)

CYLINDER CEILING MOUNTS



RXS10SM24L142BRS (120v)

Size: 7.1875" x 3.125" dia.
Material: Brass
Material Options: Aluminum/Copper
LED: 8w PAR20 SS LED (L142)
CCT: 3000K
Lumens: 600lm
4.50" Round Canopy

● ALUM ● BRS
● COP



RXS10SMFPL142BRS (120v)

Size: 7.1875" x 3.125" dia.
Material: Brass
Material Options: Aluminum
LED: 8w PAR20 SS LED (L142)
CCT: 3000K
Lumens: 600lm
4.50" Round Flat Plate

● ALUM ● BRS
● COP



RXS12SML24BRS

Size: 4.88" x 2.37" dia.
Material: Brass
Material Options: Copper/Stainless Steel
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
3.00" Round Canopy

● ALUM ● BRS
● COP ● SS



RXS18SM24LEDM740BRS

Size: 4.74" x 3.18" dia.
Material: Brass
Material Options: Aluminum
LED: 7w LED Module (LEDM)
CCT: 3000K
Lumens: 450lm
4.50" Round Canopy

● ALUM ● BRS
● COP



RXS10SMFPL142S2BRS (120v)

Size: 10.18" x 3.125" dia.
Material: Brass
Material Options: Aluminum
LED: 8w PAR20 SS LED (L142)
CCT: 3000K
Lumens: 600lm
4.50" Flat Plate

● ALUM ● BRS
● COP



Scan for more information

American Savings Bank
Hawaii

RXS10SMFPL142WHT(Shown)

CYLINDER CEILING AND WALL MOUNTS



RXS15L24BRS

Size: 4.50" x 2.375" dia.
Material: Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
3.00" Round Canopy
90° Adjustable Swivel

● BRS



RXS16L68BRS

Size: 3.00" x 1.75" dia.
Material: Brass
Material Options: N/A
LED: 2.5w MR11 SS LED (L68)
CCT: 3000K
Lumens: 170lm
3.00" Round Canopy
90° Adjustable Swivel

● BRS



RXS17L74BRS

Size: 3.00" x 1.25" dia.
Material: Brass
Material Options: N/A
LED: 1.5w MR8 SS LED (L74)
CCT: 3000K
Lumens: 65lm
3.00" Round Canopy
90° Adjustable Swivel

● BRS

LED Wall Sconce Lighting



12v | 120v (277v available. Consult factory for more information)

PLASMA CUT SCONCES



Scan to see more information.



SMALL SCONCE SL55S

Size: 7.00" x 6.25" x 4.00"
Material: Brass
Material Options: Aluminum
LED: 4w LED Panel
CCT: 3000K
Lumens: 350lm
Options: 5200K / 380lm

● ALUM ● BRS



MEDIUM SCONCE SL55M

Size: 10.00" x 7.25" x 4.50"
Material: Brass
Material Options: Aluminum
LED: 4w LED Panel
CCT: 3000K
Lumens: 350lm
Options: 5200K / 380lm

● ALUM ● BRS



LARGE SCONCE SL55L

Size: 12.00" x 8.25" x 5.00"
Material: Brass
Material Options: Aluminum
LED: 8w LED Panel
CCT: 3000K
Lumens: 680lm
Option: 5w LED Panel (LEDP) 350lm
Option: 5w 52K (LEDP) 380lm

● ALUM ● BRS



EXTRA LARGE SCONCE SL55X

Size: 16.00" x 9.25" x 5.50"
Material: Brass
Material Options: Aluminum
LED: x2 8w LED Panel
CCT: 3000K
Lumens: 1260lm
Option: x2 8w 52K (LEDP) 1360lm

● ALUM ● BRS



SQUARE SCONCE SL55SQ

Size: Custom Sizes Available
Material: Brass
Material Options: Aluminum
LED: 4w LED Panel
CCT: 3000K
Lumens: 350lm
Option: 5200K / 380lm

● ALUM ● BRS



Custom Sconce
Private Home



Custom Sconce
Private Home



Custom Sconce
Mililani Town Center-Hawaii

LED Wall Sconce Lighting

12v | 120v (277v available. Consult factory for more information)



VINYL PRINT W/ FULL COLOR CAPABILITIES



Scan to see more information.

**CUSTOM
DESIGNS
WELCOME**

TAKE YOUR FIXTURE
TO A NEW LEVEL



Custom Sconce
Kona Brewery Co. - Hawaii




Custom Sconce
Famous Daves. - California



Vinyl Print Sconce SL55L

Size: Custom Size
Material: Aluminum
Material Options: Brass
LED: 4w LED Panel
CCT: 3000K
Lumens: 350lm
Option: 4w 52K 380lm

● ALUM ● BRS



Custom Sconce
Kona Brewery Co. - Hawaii



Vinyl Print Square Sconce Custom

Size: Custom Size
Material: Brass
Material Options: N/A
LED: 4w LED Panel
CCT: 3000K
Lumens: 350lm
Option: 4w 52K 380lm

● ALUM ● BRS

LED Surface Mount Lighting

12v



SL07L12BRS

Size: 3.75" dia. x 2.00"
Material: Brass
Material Options: Aluminum/Stainless Steel
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm
LED Option: LED Module

● ALUM ● BRS
● SS



SL07SML4BRS

Size: 2.75" dia. x 1.50"
Material: Brass
Material Options: Aluminum/Stainless Steel
LED: 2w Omni Mini LED (L4)
CCT: 3000K
Lumens: 180lm
LED Option: LED Module

● ALUM ● BRS
● SS



SL18L12BRS

Size: 2.50" x 3.50" x 2.25"
Material: Brass
Material Options: Aluminum
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

● ALUM ● BRS



DRIVE
OVER

SL20SMMSMLEDPBRS

Size: 4.50" dia.
Material: Brass
Material Options: Aluminum
LED: 4w LED Panel (LEDP)
CCT: 3000K
Lumens: 300lm

● ALUM ● BRS



SL35SM2L10BAR

Size: 3.50" x 1.75"
Material: Brass
Material Options: Aluminum
LED: 3w Omni G4 SS LED (L10)
CCT: 3000K
Lumens: 300lm

● ALUM ● BRS



SL35L12BRS

Size: 3.50" x 2.50"
Material: Brass
Material Options: Aluminum/Copper
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

● ALUM ● BRS
● COP



SL59L10COP

Size: 3.625" x 3.50" x 2.0"
Material: Copper
Material Options: N/A
LED: 3w Omni SS LED (L10)
CCT: 3000K
Lumens: 300lm

● COP



LIGHT
POD

SL66LEDTBRS

Size: 1.50" x 3.50" dia.
Material: Brass
Material Options: Stainless Steel
LED: 2w LED Tape (LEDT)
CCT: 3000K
Lumens: 245lm

● BRS ● SS



Scan for more
information

CIRCULAR UP, DOWN, & HORIZONTAL LIGHTING



SL37MR8L74COP

Size: 3.75" x 2.00" dia.
Material: Copper
Material Options: N/A
LED: 1.5w MR8 SS LED (L74)
CCT: 3000K
Lumens: 65lm

● COP



SL37MR11L68COP

Size: 4.00" x 2.50" dia.
Material: Copper
Material Options: N/A
LED: 2.5w MR11 SS LED (L68)
CCT: 3000K
Lumens: 300lm

● COP



SL37MR16L24COP

Size: 4.25" x 3.00" dia.
Material: Copper
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● COP

LED Surface Mount Lighting



12v

RECESSED UP & HORIZONTAL LIGHTING



SL37BLL24BRS

Size: 2.25" x 3.00" dia.
Material: Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS



SL37PMR16L24BRS

Size: 2.25" x 3.25" dia.
Material: Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS



SL37PL4BRS

Size: 2.25" x 2.00" dia.
Material: Brass
Material Options: N/A
LED: 3w Omni Mini SS LED (L4)
CCT: 3000K
Lumens: 180lm

● BRS



HARDSCAPE LEDGE LIGHTS



SL42SM2LEDSBRS

Size: 2.00" x 5.00" x 0.50"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 2w LED Strip
CCT: 3000K
Lumens: 140lm

● ALUM ● BRS
● COP ● SS



SL42LEDSBRS

Size: 3.00" x 5.00" x 1.00"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 2w LED Strip
CCT: 2700K
Lumens: 140lm

● ALUM ● BRS
● COP ● SS



SL42LGLEDSBRS

Size: 2.00" x 13.00" x 0.50"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 4w LED Strip
CCT: 2700K
Lumens: 245lm

● ALUM ● BRS
● COP ● SS

DECK RAIL LIGHTS



SL43SM2LEDSBRS

Size: 0.75" x 5.00" x 0.50"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 2w LED Strip
CCT: 2700K
Lumens: 140lm

● ALUM ● BRS
● COP ● SS



SL43LEDSBRS

Size: 0.50" x 5.00" x 0.75"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 2w LED Strip
CCT: 2700K
Lumens: 140lm

● ALUM ● BRS
● COP ● SS



SL43LGLEDSBRS

Size: 0.75" x 13.00" x 0.50"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 4w LED Strip
CCT: 2700K
Lumens: 245lm

● ALUM ● BRS
● COP ● SS

LED Paver Lighting

12v



All back boxes are white composite. Cover plates are available in aluminum, brass, copper or stainless steel.



Private Home

SL4466LEDWIR (Shown)

New COMPOSITE PAVER BOX



SL4444LEDSBLT

Size: 4.00" x 4.00"
Material: Aluminum
Material Options: Brass
LED: 2w LED Strip
CCT: 3000K
Lumens: 140lm

ALUM BRS



SL44LEDSBLT

Size: 4.00" x 8.00"
Material: Aluminum
Material Options: Brass/Copper/SS
LED: 2w LED Strip
CCT: 3000K
Lumens: 140lm

ALUM BRS
COP SS



SL4466LEDSBLT

Size: 6.00" x 6.00"
Material: Aluminum
Material Options: Brass/Copper/SS
LED: 2w LED Strip
CCT: 3000K
Lumens: 140lm

ALUM BRS
COP SS



SL4469LEDSBLT

Size: 6.00" x 9.00"
Material: Aluminum
Material Options: Brass/Copper/SS
LED: x2 2w LED Strip
CCT: 3000K
Lumens: 280lm

ALUM BRS
COP SS

LED Step & Brick Lighting



12v | 120v (277v available. Consult factory for more information)

RESIDENTIAL STEP & BRICK FIXTURES WITH BACK BOX

LED Panel Options, See Next Page.



SL02L12BRS

Size: 3.00" x 4.75" x 4.00"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

ALUM BRS
COP SS



SL02ALL12BRS

Size: 3.00" x 4.75" x 4.00"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

ALUM BRS
COP SS



SL021LL12BRS

Size: 3.00" x 4.75" x 4.50"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

ALUM BRS
COP SS



SL023LCL12BRS

Size: 3.00" x 4.75" x 4.00"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

ALUM BRS
COP SS



SL04L12BRS

Size: 3.00" x 9.25" x 4.00"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: x2 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 600lm

ALUM BRS
COP SS



SL04ALL12BRS

Size: 3.00" x 9.25" x 4.00"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: x2 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 600lm

ALUM BRS
COP SS



SL041LL12BRS

Size: 3.00" x 9.25" x 4.50"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: x2 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 600lm

ALUM BRS
COP SS



SL043LL12BRS

Size: 3.00" x 9.25" x 4.00"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: x2 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 600lm

ALUM BRS
COP SS

COMMERCIAL STEP & BRICK FIXTURES WITH BACK BOX

LED Panel Options, See Next Page.



SL08L12BRS

Size: 3.25" x 8.25" x 4.00"
Material: Brass
Material Options: Aluminum
LED: x2 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 600lm

ALUM BRS



SL08ALL12BRS

Size: 3.25" x 8.25" x 4.00"
Material: Brass
Material Options: Aluminum
LED: x2 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 600lm

ALUM BRS



SL17L12BRS

Size: 3.25" x 5.20" x 4.00"
Material: Brass
Material Options: Aluminum
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

ALUM BRS



SL17ALL12BRS

Size: 3.25" x 5.20" x 4.00"
Material: Brass
Material Options: Aluminum
LED: 3w Omni SS LED (L12)
CCT: 3000K
Lumens: 300lm

ALUM BRS



SL60LED12SS

Size: 3.00" x 5.00" x 5.00"
Material: Stainless Steel
Material Options: Aluminum/Brass
LED: 3w LED Module (12v)
CCT: 2800K
Lumens: 400lm

ALUM BRS
SS



SL60LED12OSS

Size: 3.00" x 5.00" x 5.00"
Material: Stainless Steel
Material Options: Aluminum/Brass
LED: 5w LED Module (120v)
CCT: 2700K
Lumens: 200lm

ALUM BRS
SS



SL62LEDM120BRS

Size: 3.00" x 8.25" x 4.00"
Material: Brass
Material Options: N/A
LED: x2 5w LED Module (120v)
CCT: 2700K
Lumens: 400lm

BRS

LED Step and Brick Lighting



12v | 120v (277v available. Consult factory for more information)

LED PANEL RESIDENTIAL STEP & BRICK FIXTURES

No Back Box Required. 52K LED Panel Available.



SL02LEDPBRS

Size: 3.00" x 4.75" x .75"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 4w LED Panel
CCT: 3000K
Lumens: 350lm

● ALUM ● BRS
● COP ● SS



SL02ALLEDPBRS

Size: 3.00" x 4.75" x .75"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 4w LED Panel
CCT: 3000K
Lumens: 350lm

● ALUM ● BRS
● COP ● SS



SL021LEDPBRS

Size: 3.00" x 4.75" x 2.25"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 4w LED Panel
CCT: 3000K
Lumens: 350lm

● ALUM ● BRS
● COP ● SS



SL02VLEDPBRS

Size: 8.00" x 2.13" x .66"
Material: Brass
Material Options: Aluminum
LED: 5w LED Panel
CCT: 3000K
Lumens: 350lm

● ALUM ● BRS



SL04LEDPBRS

Size: 3.00" x 9.25" x .75"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 8w LED Panel
CCT: 3000K
Lumens: 630lm

● ALUM ● BRS
● COP ● SS



SL04ALLEDPBRS

Size: 3.00" x 9.25" x .75"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 8w LED Panel
CCT: 3000K
Lumens: 630lm

● ALUM ● BRS
● COP ● SS



SL041LEDPBRS

Size: 3.00" x 9.25" x 2.25"
Material: Brass
Material Options: Aluminum
Copper/Stainless Steel
LED: 8w LED Panel
CCT: 3000K
Lumens: 630lm

● ALUM ● BRS
● COP ● SS

LED PANEL COMMERCIAL STEP & BRICK FIXTURES

No Back Box Required



SL08LEDPBRS

Size: 3.25" x 8.25" x .60"
Material: Brass
Material Options: Aluminum
LED: 8w LED Panel
CCT: 3000K
Lumens: 630lm

● ALUM ● BRS



SL08ALLEDPBRS

Size: 3.25" x 8.25" x .25"
Material: Brass
Material Options: Aluminum
LED: 8w LED Panel
CCT: 3000K
Lumens: 630lm

● ALUM ● BRS



SL17LEDPBRS

Size: 3.125" x 5.20" x 1.20"
Material: Brass
Material Options: Aluminum
LED: 4w LED Panel
CCT: 3000K
Lumens: 350lm

● ALUM ● BRS



SL17ALLEDPBRS

Size: 3.125" x 5.20" x .90"
Material: Brass
Material Options: Aluminum
LED: 4w LED Panel
CCT: 3000K
Lumens: 350lm

● ALUM ● BRS



SL30LEDPBRS

Size: 3.125" x 5.20" x 2.00"
Material: Brass
Material Options: Aluminum
LED: 4w LED Panel
CCT: 3000K
Lumens: 350lm

● ALUM ● BRS



SL31LEDPBRS

Size: 3.25" x 8.25"
Material: Brass
Material Options: N/A
LED: 8w LED Panel
CCT: 3000K
Lumens: 630lm

● BRS



SL50LEDPBRS

Size: 2.00" x 7.25" x 1.125"
Material: Brass
Material Options: Aluminum
LED: 5w LED Panel
CCT: 3000K
Lumens: 350lm

● ALUM ● BRS

LED Well Lighting



12v | 120v (277v available. Consult factory for more information)



SL03L24BLT

Size: 7.50" x 4.50" dia.
Material: Aluminum
Material Options: Brass
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
Included Convex Lens Cast Lens Holder

● ABS ● ALUM
● BRS



Spun Lens Holder
FA17 Order Separately



Cast Lens Holder
Included



Cast Grate
FA19 Order Separately



Clear Convex Glass Lens
Included



SL03ACL24BLT

Size: 7.50" x 4.50" dia.
Material: ABS/Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
● ABS ● BRS



Angel Cap
SL03ECACL24BRS



Clear Convex Lens
Included



SL20SMLMR16L24

Size: 5.25" x 4.50" dia.
Material: Composite
Material Options: Aluminum/Brass
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● COMP ● ALUM
● BRS



SL20SMLMR16L24

Size: 7.25" x 4.50" dia.
Material: Composite
Material Options: Aluminum/Brass
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm
FA135SM Stamped Eyebrow (Alum/BRS Only)

● COMP ● ALUM
● BRS



SL20SMGMR16L24

Size: 5.50" x 4.50" dia.
Material: Composite
Material Options: Aluminum/Brass
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● COMP ● ALUM
● BRS



SL20SMMLEDPBAR

Size: 6.00" x 4.50" dia.
Material: Brass
Material Options: Aluminum
LED: 4w LED Panel
CCT: 3000K
Lumens: 300lm

● ALUM ● BRS



SL20MDLLEDM1540BRT

Size: 9.25" x 7.25" dia.
Material: Aluminum
Material Options: Brass/Composite
LED: 15w LED Module 40°
CCT: 2800K
Lumens: 900lm

● COMP ● ALUM
● BRS



SL20MDLL142BRT

Size: 11.25" x 7.25" dia.
Material: Aluminum
Material Options: Brass/Composite
LED: 8w PAR20 SS LED (L142)
CCT: 3000K
Lumens: 600lm
FA135MD Stamped Eyebrow (Alum/BRS Only)

● COMP ● ALUM
● BRS



SL20MDGLEDM1540BRT

Size: 9.50" x 7.25" dia.
Material: Aluminum
Material Options: Brass/Composite
LED: 15w LED Module 40°
CCT: 2800K
Lumens: 900lm

● COMP ● ALUM
● BRS



SL20MDLLEDM2040BRS

Size: 9.25" x 7.25" dia.
Material: Brass
Material Options: Aluminum/Composite
LED: 20w LED Module 40°
CCT: 2800K
Lumens: 1500lm
Option: TR2 (Amiable Trim)

● COMP ● ALUM
● BRS



SL20MDLLEDM2040

Size: 9.25" x 7.25" dia.
Material: Composite
Material Options: Aluminum/Brass
LED: 20w LED Module 40°
CCT: 2800K
Lumens: 1500lm
Option: TR1 (Stationary Trim)

● COMP ● ALUM
● BRS



LED Underwater Lighting



12v

LED MODULE UNDERWATER FIXTURES

Integrated LED's. Available in 7w/11w/15w/20w LED Modules.



SL11LEDM740BRS

Size: 2.00" x 3.75" dia.
Material: Brass
Material Options: N/A
LED: 7w LED Module 40*
CCT: 2800K
Lumens: 450lm

● BRS



Angle Cap

SL11LEDM1140ACBRS

Size: 4.25" x 3.75" dia.
Material: Brass
Material Options: N/A
LED: 11w LED Module 40*
CCT: 2800K
Lumens: 600lm

● BRS



Aiming Bracket

SL11LEDM1540ABBRS

Size: 5.75" x 3.75" dia.
Material: Brass
Material Options: N/A
LED: 15w LED Module 40*
CCT: 2800K
Lumens: 900lm

● BRS



Aiming Bracket + Angle Cap

SL11LEDM2040ABACBRS

Size: 7.50" x 3.75" dia.
Material: Brass
Material Options: N/A
LED: 20w LED Module 40*
CCT: 2800K
Lumens: 1500lm

● BRS

MR16 LED UNDERWATER FIXTURES

Plug N/ Play LED's



SL33L24

Size: 3.50" x 3.38" dia.
Material: Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS



Angle Cap

SL33ACL24

Size: 5.40" x 3.38" dia.
Material: Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS



Side Mount

SL33SML24

Size: 3.50" x 3.38" dia.
Material: Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS



Side Mount + Angle Cap

SL33SMACL24

Size: 5.40" x 3.38" dia.
Material: Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS



Aiming Bracket

SL33ABL24

Size: 4.75" x 4.00" dia.
Material: Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS



Aiming Bracket + Angle Cap

SL33ABACL24

Size: 7.50" x 4.00" dia.
Material: Brass
Material Options: N/A
LED: 3w MR16 SS LED (L24)
CCT: 3000K
Lumens: 270lm

● BRS

CONNECTS UP TO 9 PORTS



The Octopus (Underwater Brass JBox)

FAH20JB

Size: 5.00" x 5.00"
Material: Brass
Material Options: N/A
Connection: Up to 9
Liquid Tight Connectors

● BRS



Scan for more
information



SL44ABL24BRS (Shown)

15ft cable standard. Additional length available in 5ft increments.

Umbrella LED Lighting Systems

12v | 120v

LIGHTING SYSTEM



Private Home
UL03DL17L68BRT (Shown)

Any Focus MR11 or MR8 directional bullets is compatible. Including these popular fixtures.




UL03RXD09L68BRS
Size: 4.00" dia.
Material: Brass
Material Options: Aluminum
LED: x3 3w MR11 SS LED (L68)
CCT: 3000K
Lumens: 170lm
● ALUM ● BRS



DL17 **RXD03** **RXD04** **RXD10**

LIGHTING OPTIONS



Flag Pole LED Lighting Systems



12v | 120v (Fixtures Not Included)

LIGHTING SYSTEM



**MUST
BE PROPERLY
ILLUMINATED**
DURING HOURS
OF DARKNESS
§ 36:174.



12v Version
FAPM72H12VBLT
Size: 7.00" dia.
Material: Aluminum
Material Options: Brass
Fixtures sold separately

● ALUM ● BRS



120v Version
FAPM73H120VBLT
Size: 4.00" dia.
Material: Aluminum
Material Options: Brass
Fixtures sold separately

● ALUM ● BRS

Any Focus PAR, MR16 or LED Module directional bullets is compatible. Including these popular fixtures.



RXD01

RXD02

RXD08


DL22

DL20EC

DL21

DL42/43/45
(Shown)

LIGHTING OPTIONS



Hardwire to 12v landscape
lighting system



Scan for more
information

Tree Ring LED Lighting Systems



12v | 120v (Fixtures Not Included)

LIGHTING SYSTEM



Great Wolf Lodge
Anaheim, California

FATR244H120BRT (Shown)
DL20ECL146BLT



(RXD08 Shown)

Any Focus PAR, MR16 or LED Module directional bullets is compatible. Including these popular fixtures.

12v Version

FATR204HBR

Size: 20.00"/24.00"/30.00"/36.00" dia.

Material: Brass

Material Options: Aluminum

LED: Fixtures not included

Hubs: 1/2/3/4/5/6

● ALUM ● BRS

120v Version

FATR204H120BRS

Size: 20.00"/24.00"/30.00"/36.00" dia.

Material: Brass

Material Options: Aluminum

LED: Fixtures not included

Hubs: 1/2/3/4/5/6

● ALUM ● BRS




LIGHTING OPTIONS & TRUNK SIZING

Tree Ring System to Trunk Sizes


Ring Size	Trunk Size
20.00" dia.	7"-11" (4 fixtures)
24.00" dia.	11"-15" (6 fixtures)
30.00" dia.	15"-21" (6 fixtures)
36.00" dia.	21"-27" (6 fixtures)




Scan for more
information



4 Up



2 Up / 2 Down



2 Up / 4 Down

Direct Burial Junction Box

12v | 120v | 277v (No Power Supplied)

ROUND JUNCTION BOXES



DBR55JB

Size: 5.50" x 4.50" dia.

Material: Composite
x2 1/2NPS Threaded Ports
Available on Bottom

● COMP



DBR55JB12NPS

Size: 5.50" x 4.50" dia.

Material: Composite
1/2" NPS Threaded Hole
for Fixture Mounting
x2 1/2NPS Threaded Ports
Available on Bottom

● COMP



DBR55JB12NPS

Size: 4.50" x 5.00" dia.

Material: Composite/Brass
x2 1/2NPS Threaded Ports
Available on Bottom

● COMP ● BRS



DBR55JB12NPSBRS

Size: 4.50" x 5.00" dia.

Material: Composite/Brass
1/2" NPS Threaded Hole
for Fixture Mounting

● COMP ● BRS



DBR79JB

Size: 8.75" x 7.25" dia.

Material: Composite
x2 1/2" NPS Threaded Ports
Available on Bottom

● COMP



DBR79JB12NPS

Size: 8.75" x 7.25" dia.

Material: Composite
1/2" NPS Threaded Hole
for Fixture Mounting
2 x 0.75", 3 x 0.5"
Knockouts Bottom

● COMP



DBR79JB(Shown)

SQUARE JUNCTION BOXES



DBS66JB

Size: 6.00" x 6.00" x 6.00"

Material: Composite
2 x 0.50" & 2 x 0.75" Knockouts

● COMP



DBS66JB12NPS

Size: 6.00" x 6.00" x 6.00"

Material: Composite
1/2" NPS Threaded Hole
for Fixture Mounting
2 x 0.50" & 2 x 0.75" Knockouts

● COMP



DBS97JB

Size: 9.00" x 9.00" x 7.00"

Material: Composite
2 x 0.50" & 2 x 0.75" Knockouts

● COMP



DBS97JB12NPS

Size: 9.00" x 9.00" x 7.00"

Material: Composite/Brass
1/2" NPS Threaded Hole
for Fixture Mounting
2 x 0.50" & 2 x 0.75" Knockouts

● COMP



DBS128JB

Size: 12.00" x 12.00" x 7.75"

Material: Composite
2 x 0.50" & 2 x 0.75" Knockouts

● COMP



DBS128JB12NPS

Size: 12.00" x 12.00" x 7.75"

Material: Composite
Option: 1/2" NPS Threaded Hole
for Fixture Mounting
2 x 0.50" & 2 x 0.75" Knockouts

● COMP

Direct Burial Transformers

12v | 120v | 277v (With Supplied Power)

SMALL DIRECT BURIAL TRANSFORMERS - ROUND



DBR1210LED

Size: 5.50" x 4.50" dia.
Material: Composite
Material Options: Brass Cover
Description: 10w LED
Type: Round Direct Burial

COMP



DBR1260LED

Size: 5.50" x 4.50" dia.
Material: Composite
Material Options: N/A
Description: 60w LED Electronic Driver
Type: Round Direct Burial

COMP



DBR1260M

Size: 8.75" x 7.25" dia.
Material: Composite
Material Options: N/A
Description: 60w Magnetic
Type: Round Direct Burial

COMP



DBR12100M

Size: 8.75" x 7.25" dia.
Material: Composite
Material Options: N/A
Description: 100w Magnetic
Type: Round Direct Burial

COMP



DBR12100M277V

Size: 8.75" x 7.25" dia.
Material: Composite
Material Options: N/A
Description: 100w Magnetic (277v)
Type: Round Direct Burial

COMP



Scan for more information

SMALL DIRECT BURIAL TRANSFORMERS - SQUARE



DBS1225M

Size: 6.00" x 6.00" x 6.00"
Material: Composite
Material Options: N/A
Description: 25w Magnetic
Type: Square Direct Burial

COMP



DBS1225MPC

Size: 6.00" x 6.00" x 6.00"
Material: Composite
Material Options: N/A
Description: 25w Magnetic
Type: Square Direct Burial With Photo Cell

COMP



DBS1260M

Size: 6.00" x 6.00" x 6.00"
Material: Composite
Material Options: N/A
Description: 60w Magnetic
Type: Square Direct Burial

COMP



DBS1260MPC

Size: 6.00" x 6.00" x 6.00"
Material: Composite
Material Options: N/A
Description: 60w Magnetic
Type: Square Direct Burial With Photo Cell

COMP



DBS12100M

Size: 6.00" x 6.00" x 6.00"
Material: Composite
Material Options: N/A
Description: 100w Magnetic
Type: Square Direct Burial

COMP



DBS12100MPC

Size: 6.00" x 6.00" x 6.00"
Material: Composite
Material Options: N/A
Description: 100w Magnetic
Type: Square Direct Burial With Photo Cell

COMP



DBS12100M277V

Size: 6.00" x 6.00" x 6.00"
Material: Composite
Material Options: N/A
Description: 100w Magnetic (277v)
Type: Square Direct Burial

COMP

Direct Burial Transformers

12v | 120v | 277v (With Supplied Power)

SQUARE JUNCTION BOX TRANSFORMERS



DBS12200
Size: 9.00" x 9.00"x 7.00"
Material: Composite
Material Options: N/A
Description: 200w Magnetic
Type: Square Direct Burial

COMP



DBS12200PC
Size: 9.00" x 9.00"x 7.00"
Material: Composite
Material Options: N/A
Description: 200w Magnetic
Type: Square Direct Burial With Photo Cell

COMP



DBS12300 or DBS12300MV
Size: 9.00" x 9.00"x 7.00"
Material: Composite
Material Options: N/A
Description: 300w Magnetic
Type: Square Direct Burial
MV: 12.5v / 13.5v / 14.5v

COMP



DBS212300
Size: 9.00" x 9.00"x 7.00"
Material: Composite
Material Options: N/A
Description: 2x 150w Magnetic
Type: Square Direct Burial

COMP



DBS12300PC
Size: 9.00" x 9.00"x 7.00"
Material: Composite
Material Options: N/A
Description: 300w Magnetic
Type: Square Direct Burial With Photo Cell

COMP



DBS212600
Size: 12.00" x 12.00" x 7.75"
Material: Composite
Material Options: N/A
Description: 2x 300w Magnetic
Type: Square Direct Burial
12.5 volt 1 Core

COMP



DBS212600PC
Size: 12.00" x 12.00" x 7.75"
Material: Composite
Material Options: N/A
Description: x2 300w Core Split Magnetic
Type: Square Direct Burial With Photo Cell

COMP



DBS312900
Size: 12.00" x 12.00" x 7.75"
Material: Composite
Material Options: N/A
Description: x3 300w Magnetic
Type: Square Direct Burial
12.5 volt 2 Core

COMP



Power Supplies Stainless Steel

12v | 120v Above Grade

RXT SERIES TRANSFORMERS

MATERIAL/FEATURES

60, 120, 180, 300 and 600 watt output models available
UL 1838 listed, the standard for low voltage landscape lighting systems
Multi Voltage output (12.5, 13.5 & 14.5 Volts)
Super Terminal Lugs with capacity of 3 x #8, 5 x #10 or 7 x #12 gauge wire
304 Stainless Steel enclosure with #4 brushed finish
Removable Stainless Steel hinged door is lockable and weather sealed
Above grade, NEMA 3R rated, rain tight enclosure
LED indicators for instant recognition of 120v and 12v power
Timer Ready standard (for plug in timers supplied by others)
Optional Mechanical Timer (-T), Digital Timer (-DT) and Astro Timer (-AT)
face plates can be factory or field installed
Photocell Ready with quick connector
Supplied with two 1/2" conduit (trade size) holes & one 1-1/2" inlet with plugs
in bottom panel plus 2 side panel 1/2" conduit (trade size) holes with plugs
Flip down bottom panel swings down for easy access wiring
11 gauge cold rolled steel "L" brackets for stable mounting
Mounting plate and hardware included
Order with Photocell (-PC)

FINISH

Brushed Stainless Steel

ELECTRICAL

Long life, high temperature 266°F (130°C) class "B" rated transformer core
Copper shielded isolation/insulation; No contact between 120v and 12v windings
1500v Isolation between all windings and ground
Grade M19 electric grade steel for superior electrical and magnetic properties
Strip copper secondary windings for lower temperature rise
Single phase, open core and coil
E.L. laminated core has concentric winding and is protected by 130°C thermal switch.
Vacuumed impregnated with black slate flour
Filled varnish for superior heat dissipation and noise reduction - Class 180°C
120v primary, 12.5v secondary 50/60 Hertz/cycle (standard)
6 foot 18/3 SJT-WA weatherproof grounded power cord (120v)
ON/OFF control via rocker switch
Extra heavy duty (80 amp) terminal lug
Resettable circuit breaker for overload and short circuit protection

TIMER READY (STANDARD)



RXT12300MV
5.50" D x 15" H x 6.50" W

TIMER
SUPPLIED BY OTHERS



RXT12180MVT RPC
5" D x 12" H x 5.50" W

REMOTE
PHOTO CELL
(RXTRPC)

MECHANICAL TIMER (OPTION)



ORDERING INFORMATION

Catalog Number	Description	Circuits
RXT1260MV	60w MV Transformer, timer ready	1
RXT12120MV	120w MV Transformer, timer ready	1
RXT12180MV	180w MV transformer, timer ready	1
RXT12300MV	300w MV Transformer, timer ready	1
RXT12600MV	600w MV Transformer, timer ready	2
RXT1260MVAT	60w MV Transformer, astro timer	1
RXT12120MVAT	120w MV Transformer, astro timer	1
RXT12180MVAT	180w MV transformer, astro timer	1
RXT12300MVAT	300w MV Transformer, astro timer	1
RXT12600MVAT	600w MV Transformer, astro timer	2
RXT1260MVDT	60w MV Transformer, digital timer	1
RXT12120MVDT	120w MV Transformer, digital timer	1
RXT12180MVDT	180w MV transformer, digital timer	1
RXT12300MVDT	300w MV Transformer, digital timer	1
RXT12600MVDT	600w MV Transformer, digital timer	2
RXT1260MVT	60w MV Transformer, mechanical timer	1
RXT12120MVT	120w MV Transformer, mechanical timer	1
RXT12180MVT	180w MV transformer, mechanical timer	1
RXT12300MVT	300w MV Transformer, mechanical timer	1
RXT12600MVT	600w MV Transformer, mechanical timer	2

M SERIES TRANSFORMERS

MST Series

MST12200
MST12300/MV
MST212200
MST212300
MST212600/MV2

MLT Series

MLT312900/MV3
MLT4121200/MV4

FACTORY INSTALLED OPTIONS:

- Integral Timer (-T)
- Astro Timer (-AT)
- Digital timer. (-DT)
- Attached photocell (-PC)
- Remote photocell 15' cord. (-RPC)
- Full phase dimmer (draws 1v) (-D)
- Multi-voltage output
(12.5v, 13.5v, 14.5v taps) (-MV)
- Timer-ready. (-TR)

Note: 220v & 240v available 12.5v output in 300w increments only. Not MV output.
For 220v, 240v & 277v no dimmer option

Both series are available in timer-ready.



ASTRO TIMER
Add (-AT)

REMOVABLE
DOOR


SITE
INFORMATION
LOG



MLT-412-1200-2DT-RPC
5" D x 16" H x 12" W

LED INDICATOR

120v power on
12v terminal power on



MST-212-600-DT
5" D x 16" H x 6" W

DIGITAL
TIMER

PHOTOCELL
QUICK
CONNECTOR

REMOVABLE
BOTTOM

SUPER LUGS
Lug Capacity
3 x #08
5 x #10
7 x #12

Power Supplies Aluminum

12v | 120v Above Grade

WT SERIES TRANSFORMERS

FEATURES

- Rocker switch on/off control
- Extra heavy-duty terminal block easily handles extra sets of cable
- Heavy-duty extruded aluminum housing (.115") with slide locking cover
- Quality circuit protection through circuit breaker; mini push-to-reset
- Long-life, high temperature (130°C) rated transformers
- Isolation-type transformers. No contact between 120v and 12v windings
- Single-phase, open core and coil transformers, 120v primary, 12.5v secondary, 60 Hz
- Available in 100w, 200w, 300w, 600w, 900w and 1200w & 1, 2, 3 or 4 circuit output
- 6-foot weather-resistant grounded flat power cord
- Attractive, durable, black semi-gloss powder coat finish. Other finishes available.
- Full range dimmer and dusk-to-dawn photocell options
- Remote photocell or remote motion sensor with 15' cord (up to 50') and mounting hub (FA-111)
- Made in the U.S.A.

Note: For other input voltages 220v, 240v, and 277v consult factory.
220v & 240v available 12.5v output in 300w increments only. Not MV output.
For 277v input available 12.5v output 100w & 300w models only. For 277v no dimmer option



WT212300RPCTDLUN
5" D x 11" H x 5.50" W

CONTROL OPTIONS

- Integral timer (-T)
- Astro timer (-AT)
- Digital timer. (-DT)
- Attached photocell (-PC)
- Remote photocell 15' cord. (-RPC)
- Full phase dimmer (draws 1v) (-D)
(12v relay also available)
- Multi-voltage output (300w increments only)
12.5v, 13.5v, 14.5v (-MV)
- Timer-ready (-TR)
- 24v VAC relay to irrigation controller (-R)



WT12100/200
5" D x 7.75" H x 5.50" W



WT12100PC
5" D x 7.75" H x 5.50" W



WT41212004T
5" D x 16.75" H x 11.00" W



WT212300R
5" D x 11" H x 5.50" W

ADD ONS



Knock-out plate
Conduit feed
for all timer units



Digital Timer Available
add (-DT)

ORDERING INFORMATION


Catalog Number

1 CIRCUIT	2 CIRCUIT	3 CIRCUIT	4 CIRCUIT
WT12100	WT121200	WT312900	WT4121200
WT12200	WT121300	(3x 300w)	(4x 300w)
WT12300	WT121600		

Focus Accessories

Lenses, Louvers, Glass, and Filters

HEX CELL LOUVERS



FA065,7	■	FFL5,7
FA069,13	■	FFL13
FA0626	■	DL40, FFL13/26/263T, 323T/423TCST
FA07	■	DL04
FA0715	■	DL15
FA0716	■	DL16NL
FA0726	■	DL10, DL10HE
FA08	●	DL02
FA0806	●	DL06, DL20/SL20SM/SL01/RXD & RXS PAR's
FA08SL20	●	SL20MD

FA08-SL20LG	●	SL20LG
FA0817	●	DL17/RXD03/RXS05,08/SL23
FA0821	●	DL13,14,21,22,44/RXD01,4/RXS04,07/SL03
FA0821	●	SL16SS,21,22,53,54
FA0823	●	DL23/RXD04/RXS06,09/SL31
FA0823C	●	DL23COP/SL23COP
FA0836C8	●	SL36MR8
FA0836C11	●	SL36MR11
FA0836C16	●	SL36MR16
FA0838	●	DL38

FA0726	■	DL10/LFL01
FA0624	■	LFL012
FA0635	■	LFL013, 016
FA0647	■	LFL014, 018
FA0830	●	DL50, DL50LEDM
FA0838	●	DL60, DL60LEDM
FA9715	●	DL15SM

COLOR LENSES



FA10BLUE/GREEN	■	DL04 (Blue Gel)
FA1015BLUE/GREEN/AMBER/RED	■	DL15
FA1017BLUE/GREEN/AMBER/RED	●	DL17/RXD03/RXS05,08/SL23,26
FA1020BLUE/GREEN	●	DL20/SL21/RXD & RXS PAR's
FA10SL20CLEAR/BLUE/GREEN	●	SL20MD
FA1023BLUE/GREEN	●	DL23, SL36,37,38,39 MR8's
FA1030BLUE/GREEN	●	DL30
FA1038BLUE/GREEN	●	DL38
FA11AMBER/RED	●	DL13,14,21,22,44/RXD01/SL53,54
FA11BLUE/GREEN	●	DL02,13,14,21,22,44/RXD01
FA11BLUE/GREEN	●	SL03/ SL16SS, 21,22/SL53,54
FA11SL33WHITE/AMBER/RED	●	RXD02/RXS04,07/SL16SS/SL33
FA11SL33BLUE/GREEN	●	RXD02/SL16SS/SL33
FA1136C8BLUE/GREEN	●	SL36MR8
FA1136C11BLUE/GREEN	●	SL36MR11
FA1136C16BLUE/GREEN	●	SL36MR16
FA1140	●	SL40

PLASTIC COLOR FILTERS



FA095,7BLUE/GREEN	■	FFL5,7
FA099,13BLUE/GREEN	■	FFL13
FA0926BLUE/GREEN	■	FFL26

ACRYLIC COLOR LENSES



FA35BLUE/GREEN	●	SL11
FA35WHITE/AMBER/RED	●	SL11

HOLIDAY ENHANCEMENTS



FA35SL44WHITE/RED/ORANGE/BLUE/GREEN	■	SL44
FA35SL4466WHITE/RED/ORANGE/BLUE/GREEN	■	SL4466
FA35SL4469WHITE/RED/ORANGE/BLUE/GREEN	■	SL4469

LINEAR SPREAD FLAT TEMPERED GLASS LENSES



FA98	●	DL02,13,14,21,22,44/SL22,25,53,54/RXD01
FA9817	●	DL17/RXD03/SL23,26/RXS05,08
FA9820	●	DL06,20/RXD & RXS PAR's/SL21
FA9823	●	DL23/SL29,39/RXD04/RXS06,09
FA9830	●	DL30
FA9836C8	●	SL36MR8
FA9836C11	●	SL36MR11
FA9836C16	●	SL16/SL36MR16
FA9802	●	RXD02/RXS04,07
FA9838	●	DL38

WIDE SPREAD FLAT TEMPERED SAND BLASTED GLASS LENSES



FA1045B	●	DL02,13,14,21,22,44/RXD01/SL16SS,22,25,53,54
FA10417	●	DL17, SL23,26/RXD03/RXS05,08
FA10420	●	DL06,20/RXD&RXS PAR's/SL21
FA10423	●	DL23/SL29,39/RXD04/RXS06,09
FA10430	●	DL30
FA10433	●	RXD02/RXS07,07
FA10436C8	●	SL36MR8
FA10436C11	●	SL36MR11
FA10436C16	●	SL16/SL36MR16
FA10438	●	DL38

CLEAR CONVEX TEMPERED GLASS LENSES:BULLETS



FA99	●	DL02,13,14,21,22/RXD01/SL16SS,22,25
FA9917	●	DL17/RXD03/SL23,26
FA9920	●	DL06, 20
FA9923	●	SL23
FA9930	●	DL30
FA9938	●	DL38
FA99RX02	●	RXD02
FA9920SM5G	●	SL20SM
FA9920MD5G	●	SL20MD
FA9936SG8/11/16	●	SL36MR8,11,16
FA9937SG8/11/16	●	SL37MR8,11,16

CLEAR AND COLORED CONVEX TEMPERED GLASS: WELL LIGHTS



FA1020BLUE/GREEN	●	SL21
FA10SL20BLUE/GREEN	●	SL20SM/MD/LG
FA12	●	SL01
FA13BLUE/GREEN	●	SL01
FA15	●	SL03
FA16BLUE/GREEN	●	SL03

Focus Accessories

Lens Holders, Grates, and Eyebrows (Aluminum-AL, Brass-BRS, Stainless Steel-SS)



FA14/FA14BRS

Size: 1.00" x 4.560" dia.
Material: Brass
Material Options: Aluminum
Description: For SL01



FA17/FA17BRS

Size: 1.00" x 3.830" dia.
Material: Brass
Material Options: Aluminum
Description: For SL03



FA19/FA19BRS

Size: 1/65" x 4.846" dia.
Material: Brass
Material Options: Aluminum
Description: For SL03



FA20/FA20BRS

Size: 1.925" x 5.866" dia.
Material: Brass
Material Options: Aluminum
Description: For SL01

Focus Accessories

Lens Holders, Grates, Eyebrows, and Trims (Aluminum-AL, Brass-BRS, Stainless Steel-SS)

LENS HOLDERS, GRATES, EYEBROWS, AND TRIMS



FA134SM/FA124SMBRS

Size: 1.65" x 4.50" dia.

Material: Brass

Material Options: Aluminum

Description: For SL20SM



FA134MD/FA124MDBRS

Size: 1.65" x 7.25" dia.

Material: Brass

Material Options: Aluminum

Description: For SL20MD



FA134LG/FA124LGERS

Size: 1.65" x 9.00" dia.

Material: Brass

Material Options: Aluminum

Description: For SL20LG



FA133SM

Size: .50" x 4.50"

Material: Brass

Material Options: Aluminum

Description: For SL20SM



FA133MD/FA133MDBRS

Size: .50" x 7.25"

Material: Brass

Material Options: Aluminum

Description: For SL20MD



FA133LG/FA133LGBRS

Size: .50" x 9.00"

Material: Brass

Material Options: Aluminum

Description: For SL20LG



FA135SM/FA135SMBRS

Size: 2.50" x 4.50"

Material: Brass

Material Options: Aluminum

Description: For SL20SM



FA133MD

Size: 3.375" x 7.25"

Material: Brass

Material Options: Aluminum

Description: For SL20MD



FA133LG

Size: 5.00" x 9.00"

Material: Brass

Material Options: Aluminum

Description: For SL20LG



FA155CAST

Size: 1.60" x 3.38" dia.

Material: Brass

Material Options: N/A

Description: For SL33



FA133SMCMSGTRSS

Size: Custom Sizes Available

Material: Stainless Steel

Material Options: Brass

Description: For SL20SM



FA133SMCMTBRBS

Size: Custom Sizes Available

Material: Brass

Material Options: Stainless Steel

Description: For SL20SM

CANOPIES, JUNCTION BOXES, AND ADAPTERS



FA24MDCSTPC

Size: 1.38" x 2.640" dia.

Material: Cast Brass

Material Options: Cast Aluminum



FA24MDCST

Size: 1.38" x 2.640" dia.

Material: Cast Brass

Material Options: Cast Aluminum



FA24

Size: .84" x 3.00"

Material: Cast Brass

Material Options: Cast Aluminum

For lengths
see FA24STRAP



FA24T10

Size: .84" x 3.00"

Material: Cast Brass

Material Options: Cast Aluminum

See TPS2
for lengths



FA24MDCSTTPS24

Size: 1.38" x 2.640"

Material: Cast Brass

Material Options: Cast Aluminum



FA24TC

Size: .50" x 3.00"

Material: Cast Brass

Material Options: Cast Aluminum

For lengths
see FA24STRAP



FA24MDCSTT10

Size: 1.38" x 2.640"

Material: Cast Brass

Material Options: Cast Aluminum



FA24LG

Size: .875" x 4.50"

Material: Cast Brass

Material Options: Cast Aluminum



FA24LGCST

Size: 1.125" x 4.50" dia.

Material: Cast Brass

Material Options: Cast Aluminum



FA24LGDHCST

Size: 1.125" x 4.50" dia.

Material: Cast Brass

Material Options: Cast Aluminum



FA24LP3BRS

Size: .63" x 3.00"

Material: Brass

Material Options: N/A



FA22CST/BRS

Size: 1.125" x 3.50" x 5.75"

Material: Brass

Material Options: Aluminum



FA23CST

Size: 1.75" x 3.50" x 5.75"

Material: Brass

Material Options: Aluminum



FA22

Size: 2.90" x 4.60" x .60"

Material: Aluminum

Material Options: N/A



FA23

Size: 2.90" x 4.60" x .60"

Material: Aluminum

Material Options: N/A

See TPS2
for lengths



FA22TPS24BRT

Size: 2.89" x 4.63" x 2.68"

Material: Aluminum

Polyester Straps

For lengths
see FA24STRAP



FA22T10BRT

Size: 2.89" x 4.63" x 2.68"

Material: Aluminum

EPDM Rubber Straps



FA111

Size: 1.75" x 5.50" x 1.50"

Material: Brass

Material Options: Aluminum



CFA111BRZ

Size: 1.75" x 5.50" x 1.50"

Material: Brass

Material Options: Aluminum/
Composite



FA111SMH

Size: 1.50" x 2.875" x 1.125"

Material: Copper

Material Options: Aluminum/BRS

Focus Accessories

Lens Holders, Grates, Eyebrows, and Trims (Aluminum-AL, Brass-BRS, Stainless Steel-SS)

CANOPIES, JUNCTION BOXES, AND ADAPTERS CONTINUED



Surface Junction Box
FA111SM
Size: 1.50" x 2.875" x 1.125"
Material: Aluminum
Material Options: Brass



Y-Adapter
FAYAD
Size: 1.65" x 2.25"
Material: Aluminum
Material Options: N/A



T-Adapter
FATAD
Size: 3.45" x 3.00" x 1.25"
Material: Brass
Material Options: Aluminum
x2 1/2" NPS Female x 1/2" NPS Male



Tree Mount Bracket
FATB2A
Size: 1.21" x 5.00"
Material: Brass
Material Options: Aluminum
1/2" Female NPS

STAKES, WANDS, AND STRAPS



Telescopic Stake
FA01
Size: Adjustable Height x
Material: Brass
Material Options: Aluminum



24in Telescopic Stake
FA012F
Size: 1.60" x 3.38" dia.
Material: Brass
Material Options: N/A



Ground Stake
FA03
Size: 8.40" x 1.95" dia.
Material: ABS
Material Options: N/A
1/2" NPS Female



Large Ground Stake
FA03LG
Size: 9.06" x 3.00" dia.
Material: ABS
Material Options: N/A
1/2" NPS Female



Small Ground Stake
FA03RX
Size: 7.58" x 1.94" dia.
Material: Brass
Material Options: Aluminum



2 Prong Stake
FA032P
Size: 6.50" x 3.50" dia.
Material: Stainless Steel
1/2" NPS Female



3 Prong Stake
FA023P
Size: 6.50" x 3.50" dia.
Material: Stainless Steel
1/2" NPS Female



Mounting Post
FA24MDCSTPOST
Size: 13.00" x 2.26" dia.
Material: ABS with Brass Cap
Material Options: Aluminum



Telescopic Stake
FA24MDCSTPOST2
Size: 16.00" + 12.00" x 2.26" dia.
Material: ABS with Brass Cap
Material Options: Aluminum



Mounting Pedestal
C/FA25(12v) C/FA26(120v)
Size: 20.00" x 3.00"
Material: ABS with Brass Cap
Material Options: Aluminum/Composite




Mounting Pedestal
C/FA26GFIC
Size: 20.00" x 3.00"
Material: ABS with Aluminum Cap
Material Options: Brass/Composite
Included: GFIC duplex with weatherproof cover



Mounting Pedestal
FA2260WLEDBAR
Size: 20.00" x 3.00"
Material: Aluminum
Material Options: Brass/Composite
Included: 60w, 120v LED Driver



Mounting Pedestal
C/FA26TMS1 C/FA26TMS2
Size: 20.00" x 3.00"
Material: ABS
Included: GFIC duplex with weatherproof cover



1/2in NPS Extension Wands w/ Coupler
FA30/31/32/33/34
Size: 1/2" NPS x Length Listed Above
Material: Brass
Material Options: Aluminum



Polyester Straps
TPS2 / TPS22
Size: Lengths from 2' to 8'
Material: Polyester w/ Plastic Buckle
Options: 1.00" or 2.00" straps



Rubber Strap for Tree Canopy
FA24STRAP
Size: Lengths from 10.00" to 41.00"
Material: EPDM Rubber
Stretches up to 10.00" greater than size

Focus LED's

Plug N Plays

12v | 120v | 277v

3W OMNI3 LED (DIMMABLE)

12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDOMNI3SC	3w SC (Single Contact)	L8	3000K/160LM	50,000
FLLEDOMNI3BP	3w G4 Bi-Pin	L6	3000K/160LM	50,000

3W OMNI3SS SUPER SAVER LED (DIMMABLE)

12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDOMNI3SS	3w SC (Single Contact)	L12	3000K/300LM	50,000
FLLEDOMNI3SSBP	3w G4 Bi-Pi	L10	3000K/300LM	50,000

3W OMNI3G2SS SUPER SAVER LED (DIMMABLE)

12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDOMNI3G2SS27K	3w SC (Single Contact)	L15	2700K/270LM	50,000
FLLEDOMNI3G2SSBP27K	3w G4 Bi-Pin	L13	2700K/270LM	50,000
FLLEDOMNI3G2SS	3w SC (Single Contact)	L16	3000K/270LM	50,000
FLLEDOMNI3G2SSBP	3w G4 Bi-Pin	L14	3000K/270LM	50,000
FLLEDOMNI3SSTF	3w SC (Single Contact) TF	L18	AMBER/180LM	50,000
FLLEDOMNI3SSBPTF	3w G4 Bi-Pin TF	L17	AMBER/180LM	50,000

1.5W LEDG4BP1.5 SUPER SAVER LED (DIMMABLE)

12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDG4BP1.5	1.5w G4 Bi-Pin	L2	3000K/100LM	50,000

2W OMNI2MINISSBP SUPER SAVER (DIMMABLE)

12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDOMNI2MINISSBP27K	2w G4 Bi-Pin	L3	2700K/180LM	50,000
FLLEDOMNI2MINISSBP	2w G4 Bi-Pin	L4	3000K/180LM	50,000

3W OMNI3120SSBP SUPER SAVER LED (DIMMABLE)

120V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDOMNI3120SSBP	3w GY 6.35 Bi-Pin	L160	3000K/400LM	50,000

1.5W MR8 SUPER SAVER LED (DIMMABLE)

12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDMR8NL	1.5w G4 Bi-Pin 120°	L74	3000K/65LM	25,000

2.5W MR11 SUPER SAVER LED (DIMMABLE)

12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDMR1115	2.5w G4 Bi-Pin 15° Spot	L66	3000K/170LM	50,000
FLLEDMR1138	2.5w G4 Bi-Pin 38° Flood	L68	3000K/170LM	50,000

PLUG N PLAY'S

3W MR16 SUPER SAVER (DIMMABLE)

12V



BP

CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDMR16SS3W15	3w MR16 GU5.3 Bi-Pin 15°	L22	3000K/270LM	40,000
FLLEDMR16SS3W36	3w MR16 GU5.3 Bi-Pin 36°	L24	3000K/270LM	40,000
FLLEDMR16SS3W80	3w MR16 GU5.3 Bi-Pin 80°	L26	3000K/270LM	40,000

5W MR16 SUPER SAVER (DIMMABLE)

12V



BP

CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDMR16SS5W15	5w MR16 GU5.3 BP 15°	L34	3000K/450LM	40,000
FLLEDMR16SS5W36	5w MR16 GU5.3 BP 36°	L36	3000K/450LM	40,000
FLLEDMR16SS5W80	5w MR16 GU5.3 BP 80°	L38	3000K/450LM	40,000
FLLEDMR16SS5W36TF	5w MR16 GU5.3 BP TF	L40	AMBER/150LM	40,000

7W MR16 SUPER SAVER (DIMMABLE)

12V



BP

CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDMR16SS7W15	7w MR16 GU5.3 BP 15°	L46	3000K/550LM	40,000
FLLEDMR16SS7W36	7w MR16 GU5.3 BP 36°	L48	3000K/550LM	40,000
FLLEDMR16SS7W80	7w MR16 GU5.3 BP 80°	L50	3000K/550LM	40,000

3W MR16 SUPER SAVER (DIMMABLE)

120V



GU10

CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDMR16SS1203W15	3w MR16 GU10 15°	L106	3000K/270LM	40,000
FLLEDMR16SS1203W36	3w MR16 GU10 36°	L108	3000K/270LM	40,000
FLLEDMR16SS1203W80	3w MR16 GU10 80°	L110	3000K/270LM	40,000

5W MR16 SUPER SAVER (DIMMABLE)

120V



GU10

CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDMR16SS1205W15	5w MR16 GU10 15°	L114	3000K/450LM	40,000
FLLEDMR16SS1205W36	5w MR16 GU10 36°	L116	3000K/450LM	40,000
FLLEDMR16SS1205W80	5w MR16 GU10 80°	L118	3000K/450LM	40,000
FLLEDMR16SS1205W36TF	5w MR16 GU10 36° TF	L119	AMBER/150LM	40,000

7W MR16 SUPER SAVER (DIMMABLE)

120V



GU10

CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDMR16SS1207W15	7w MR16 GU10 15°	L124	3000K/550LM	40,000
FLLEDMR16SS1207W36	7w MR16 GU10 36°	L126	3000K/550LM	40,000
FLLEDMR16SS1207W80	7w MR16 GU10 80°	L128	3000K/550LM	40,000

8.5W MR16 (DIMMABLE)

12V



BP

CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDMR16GC85D3015	8.5w MR16 GU5.3 BP 15°	L58	3000K/580LM	25,000
FLLEDMR16GC85D3035	8.5w MR16 GU5.3 BP 35°	L60	3000K/580LM	25,000

DISCONTINUED WHEN SOLD OUT

15W AR111 SUPER SAVER (DIMMABLE)

12V



TERMINAL LUG

CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDAR111SS15W15	15w AR111 15°	L96	3000K/1350LM	40,000
FLLEDAR111SS15W40	15w AR111 40°	L98	3000K/1350LM	40,000

10W PAR36 SUPER SAVER (DIMMABLE)
12V


TERMINAL LUG

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP361315	10w PAR36 15°	L84	3000K/400LM	50,000
FLLEDP361338	10w PAR36 38°	L88	3000K/400LM	50,000

7W PAR16 SUPER SAVER (DIMMABLE)
120V


MEDIUM BASE

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP1624	7w PAR16 24°	L132	3000K/550LM	40,000
FLLEDP1636	7w PAR16 36°	L134	3000K/550LM	40,000

8W PAR20 SUPER SAVER (DIMMABLE)
120V


MEDIUM BASE

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP2012015	8w PAR20 15°	L144	3000K/600LM	50,000
FLLEDP2012036	8w PAR20 36°	L146	3000K/600LM	50,000

10W PAR30 SUPER SAVER (DIMMABLE)
120V


MEDIUM BASE

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP3012015	10w PAR30 15°	L152	3000K/1000LM	25,000
FLLEDP3012036	10w PAR30 36°	L154	3000K/1000LM	25,000

15W PAR38 SUPER SAVER (DIMMABLE)
120V


MEDIUM BASE

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP3812015	15w PAR38 15°	L162	3000K/1350LM	25,000
FLLEDP3812036	15w PAR38 36°	L164	3000K/1350LM	25,000

8W PAR20 MULTI-VOLT (NON-DIMMABLE)
120V-277V


MEDIUM BASE

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP20SS15	8w PAR20 15°	L140	3000K/600LM	50,000
FLLEDP20SS36	8w PAR20 36°	L142	3000K/600LM	50,000

10W PAR30 MULTI-VOLT (NON-DIMMABLE)
120V-277V


MEDIUM BASE

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP30SS15	10w PAR30 15°	L148	3000K/1000LM	50,000
FLLEDP30SS36	10w PAR30 36°	L150	3000K/1000LM	50,000

15W PAR38 MULTI-VOLT (NON-DIMMABLE)
120V-277V



MEDIUM BASE

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP38SS15	15w PAR38 15°	L156	3000K/1350LM	50,000
FLLEDP38SS36	15w PAR38 36°	L158	3000K/1350LM	50,000

INTEGRATED

3W HALF MOON LED MODULE

12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
RPLEDM3W	3w HALF MOON	LEDM	2800K/300LM	50,000

7W/11W/15W/20W LED MODULE


12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
RPLEDM7W	7w LED MODULE	LEDM7	28-3000K/450LM	50,000
RPLEDM11W	11w LED MODULE	LEDM11	28-3000K/600LM	50,000
RPLEDM15W	15w LED MODULE	LEDM15	28-3000K/900LM	50,000
RPLEDM20W	20w LED MODULE	LEDM20	28-3000K/1500LM	50,000

10W LED MODULE


120V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLEDM1027MV	10w LED MODULE	LEDM1027	2700K/1300LM	50,000
FLEDM1030MV	10w LED MODULE	LEDM1030	3000K/1584LM	50,000
FLEDM1041MV	10w LED MODULE	LEDM1041	4100K/1590LM	50,000

30W LED MODULE

120V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLEDM3027MV	30w LED MODULE	LEDM3027	2700K/3980LM	50,000
FLEDM3030MV	30w LED MODULE	LEDM3030	3000K/3967LM	50,000
FLEDM3041MV	30w LED MODULE	LEDM3041	4100K/4800LM	50,000

6W/13W LED MODULE

120V-277V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
RFLM106R30120	6w LED MODULE		3000K/500LM	50,000
RFLM106R40120	6w LED MODULE		4000K/550LM	50,000
RFLM113R30120	13w LED MODULE		3000K/900LM	50,000
RFLM113R40120	13w LED MODULE		4000K/1000LM	50,000

14W/23W LED MODULE

120V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
RFLM114R30120	14w LED MODULE		3000K/1350LM	50,000
RFLM114R40120	14w LED MODULE		4000K/1400LM	50,000
RFLM123R30120	23w LED MODULE		3000K/1850LM	50,000
RFLM123R40120	23w LED MODULE		4000K/1900LM	50,000

2W LED STRIP

12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
RPLEDs2W	2W LED STRIP	LEDs	2700K/140LM	50,000
RPLEDs2WTF	2W LED STRIP TURTLE	LEDSTF	AMBER/590NM	50,000

4W LED STRIP

12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
RPLEDs4W	4W LED STRIP	LEDs	2700K/245LM	50,000
RPLEDs4WTF	4W LED STRIP TURTLE	LEDSTF	AMBER 590NM	50,000

INTEGRATED

4W ROUND EGG LED PANEL

12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDP4W35002	4W LED PANEL	LEDP	3000K/480LM	50,000
FLLEDP4W3500252	4W LED PANEL	LEDP52	5200K/480LM	50,000

4W LED PANEL


12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDP4W35001	4W LED PANEL	LEDP	3000K/350LM	50,000
FLLEDP4W3500152	4W LED PANEL	LEDP52	5200K/380LM	50,000

5W LED PANEL

12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDP5W35001	5W LED PANEL	LEDP	3000K/350LM	40,000
FLLEDP5W3500152	5W LED PANEL	LEDP52	5200K/380LM	40,000

8W LED PANEL

12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDP8W70001	8W LED PANEL	LEDP	3000K/630LM	40,000
FLLEDP8W7000152	8W LED PANEL	LEDP52	5200K/680LM	40,000

8W LED ROUND PANEL

12V



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDP8W70002	8W LED PANEL	LEDP	3000K/630LM	50,000
FLLEDP8W7000252	8W LED PANEL	LEDP52	5200K/680LM	50,000

12W LED PANEL

12v



CATALOG NUMBER	DESCRIPTION	L #	CCT/LUMENS	HOURS
FLLEDP12W	12w LED PANEL	LEDP	3000K/1080LM	50,000
FLLEDP12W52	12w LED PANEL	LEDP52	5200K/1160LM	50,000



Finishes

Reference Guide


STANDARD POWDER COAT FINISHES



Black Texture
(BLT)



Bronze Texture
(BRT)




Dark Bronze
(DBZ)



Black Magic
(BKM)

OPTIONAL POWDER COAT FINISHES



Chrome Powder
(CPR)



Weathered Iron
(WIR)



Weathered Brown
(WBR)



Rust
(RST)



Hunter Texture
(HTX)




LUNA
(LUN)




White Gloss
(WHT)



White Texture
(WTX)




Rubbed Verde
(RBV)




Stucco
(STU)

ACID FINISHES Brass and Copper fixtures only



Acid Rust
Copper (CAR)
Brass (BAR)



Black Acid Treatment
Copper (BAT)
Brass (BAT)



Acid Verde
Copper (CAV)
Brass (BAV)

Finishes over Brass and Copper are considered custom, and therefore non-returnable.



CONTACT US

www.focusindustries.com
(949)830-1350 | Toll Free: (888)882-1350
orders@focusindustries.com
marketing@focusindustries.com

STAY FOCUSED — WE'LL MAKE IT YOUR WAY!

FOCUS INDUSTRIES, INC. © VISUAL PRODUCT INDEX



2024 First Edition