

AUDIO STANDS

MICROPHONE & SPEAKER STANDS



guil.es



GUIL®

Since 1983



PM-22

MICROPHONE STAND WITH BOOM ARM



Microphone stand with boom arm, perfect for concerts, recording studios, rehearsal rooms and any event where a lightweight microphone stand is required. It is height adjustable by means of a metallic blocking system.

Boom arm: Our mic stand ref. PM-22 is fitted with an 81 cm long boom arm.

Base: Nylon injected base with metallic folding legs that makes this stand very easy to transport. Its folding legs have non-skid rubber feet, giving a perfect grip on the floor and thus perfect stability of the stand without damaging the surface it is placed on.

Double thread: The boom arm has double thread fittings (3/8" and 5/8"), that makes it possible to attach any sort of clamp onto it.

Cable management: Includes clip-on cable holder to keep the cables organized.

PM-22

- ▶ Adjustable Height: **97 cm - 159 cm**
- ▶ Boom Arm: **81 cm** - Thread: **3/8" & 5/8"**
- ▶ Base: **Ø 64 cm**
- ▶ Net Weight: **2.20 Kg** - Material: **Steel** - Colour: **Black**



PM-46

MICROPHONE STAND WITH TELESCOPIC BOOM ARM



Heavy-duty microphone stand with telescopic boom arm and a very practical one-handed height adjustment.

One-handed height Adjustable: It has a special one-handed system to regulate the height quickly and conveniently with just one hand.

Telescopic boom arm: Our professional mic stand has a telescopic boom arm adjustable from 48 cm to 85 cm long.

Metallic base: It has a very sturdy metallic base with folding legs that have non-skid rubber feet, giving maximum grip on the floor and thus perfect stability of the stand without damaging the surface it is placed on.

Double thread: It has double thread fittings (3/8" and 5/8"), that makes it possible to attach any sort of clamp onto it.

Cable management: Includes clip-on cable holder to keep the cables organized.

PM-46

- ▶ Adjustable Height: **110 cm - 163 cm**
- ▶ Boom Arm: **48 cm - 85.5 cm** - Thread: **3/8" & 5/8"**
- ▶ Base: **Ø 70 cm**
- ▶ Net Weight: **2.64 Kg** - Material: **Steel** - Colour: **Black**





PM-20

MICROPHONE STAND WITH TELESCOPIC BOOM ARM



Heavy-duty microphone stand with telescopic boom arm. It is height adjustable by means of a metallic blocking system.

Telescopic Boom arm: Our professional mic stand ref. PM-20 has a telescopic boom arm. Minimum length: 49 cm, Maximum length: 87 cm.

Metallic base: It has a very sturdy metallic base that guarantees unbeatable stability and robustness. Its folding legs have non-skid rubber feet, giving maximum grip to the floor and thus perfect stability of the stand without damaging the surface it is placed on.

Double thread: It has double thread fittings (3/8" and 5/8"), that makes it possible to attach any sort of clamp onto it without having to use any adaptors.

Cable management: Includes clip-on cable holder to keep the cables organized.

PM-20

- ▶ Adjustable Height: **102 cm - 174 cm**
- ▶ Boom arm: **49 cm - 87 cm** - Thread: **3/8" & 5/8"**
- ▶ Base: **Ø 68 cm**
- ▶ Net Weight: **2.80 Kg** - Material: **Steel** - Colour: **Black**



PM-21

LOW-LEVEL MICROPHONE STAND WITH TELESCOPIC BOOM ARM



Low-level microphone stand with telescopic boom arm. Specially designed to put a microphone to percussion instruments, guitar amplifiers and drums. It is height adjustable by means of a metallic blocking system.

Telescopic boom arm: Our professional low-level mic stand has a telescopic boom arm from 49 cm to 87 cm.

Metallic base: It has a very sturdy metallic base that guarantees unbeatable stability and robustness. Its folding legs have non-skid rubber feet, giving maximum grip on the floor and thus perfect stability of the stand without damaging the surface it is placed on.

Double thread: It has double thread fittings (3/8" and 5/8"), that makes it possible to attach any sort of clamp onto it.

Cable management: Includes clip-on cable holder to keep the cables organized.

It is manufactured in steel and finished in a textured, black, anti-scratch powder coating that guarantees a maximum durability and sturdiness. The PM-21 mic stand is an essential backline component for any event, perfect for flamenco drums, bass drums, symphonic percussion instruments, stack and combo amplifiers amongst others.

PM-21

- ▶ Adjustable Height: **55 cm - 81 cm**
- ▶ Boom arm: **49 cm - 87 cm** - Thread: **3/8" & 5/8"**
- ▶ Base: **Ø 56 cm**
- ▶ Net Weight: **2.10 Kg** - Material: **Steel** - Colour: **Black**





PM-40

MICROPHONE STAND WITH METALLIC ROUND BASE



Heavy-duty microphone stand with round base and one-handed height adjustment.

One-handed height adjustable: It has a special one-handed system to regulate the height quickly and conveniently with just one hand.

Metallic round base: Our professional microphone stand has a metallic round base (Ø 25 cm) with a rubber pad which prevents vibration noises (ensures acoustic insulation) and guarantees great stability without damaging the surface it is placed on.

Double thread: It has double thread fittings at the top (3/8" and 5/8"), that makes it possible to attach any sort of clamp onto it.

Cable management: Includes clip-on cable holder to keep the cables organized.



PM-40/J

MICROPHONE STAND WITH TELESCOPIC BOOM ARM



Heavy-duty microphone stand with telescopic arm and round base. One-handed height adjustment.

One-handed height adjustable: It has a special one-handed system to regulate the height quickly and conveniently with just one hand.

Telescopic boom arm: Our professional mic stand has a telescopic boom arm adjustable from 48 cm to 85 cm long.

Metallic round base: Our professional microphone stand has a metallic round base (Ø 25 cm) with a rubber pad which prevents vibration noises (ensures acoustic insulation) and guarantees great stability without damaging the surface it is placed on.

Double thread: It has double thread fittings (3/8" and 5/8"), that makes it possible to attach any sort of clamp onto it.

Cable management: Includes clip-on cable holder to keep the cables organized.

PM-40

- ▶ Adjustable height: **96 cm - 150 cm**
- ▶ Thread: **3/8" & 5/8"**
- ▶ Base: **Ø 25 cm**
- ▶ Net Weight: **4.15 Kg** - Material: **Steel** - Colour: **Black**

PM-40/J

- ▶ Adjustable height: **106 cm - 161 cm**
- ▶ Boom arm: **48 cm - 85.5 cm** - Thread: **3/8" & 5/8"**
- ▶ Base: **Ø 25 cm**
- ▶ Net Weight: **4.85 Kg** - Material: **Steel** - Colour: **Black**





PM-32

MICROPHONE STAND WITH TELESCOPIC BOOM ARM



Heavy-duty microphone stand with telescopic boom arm, chrome. It is height adjustable by means of a metallic blocking system.

Telescopic boom arm: Our professional mic stand ref. PM-32 has a telescopic boom arm. Minimum length: 57 cm, Maximum length: 105 cm.

Metallic base: It has a very sturdy metallic base that guarantees unbeatable stability and robustness. Its folding legs have non-skid rubber feet, giving maximum grip to the floor and thus perfect stability of the stand without damaging the surface it is placed on.

Double thread: It has double thread fittings (3/8" and 5/8"), that makes it possible to attach any sort of clamp onto it without having to use any adaptors.

Cable management: Includes clip-on cable holder to keep the cables organized.

PM-32

- Adjustable Height: **95 cm - 165 cm**
- Boom Arm: **57 cm - 105 cm** - Thread: **3/8" & 5/8"**
- Base: **Ø 76 cm**
- Net Weight: **2.70 Kg** - Material: **Steel** - Colour: **Chrome**



BL-04/2

BAG FOR 2 MICROPHONE STANDS



Very strong padded carry bag, designed to transport or store two microphone stands. Our practical bag will protect your microphone stands going to and from gigs.

The BL-04/2 mic stand carry bag has two padded sections with velcro and two handles to carry it comfortably on your shoulder. It is manufactured in Nylon with double stitching for extra strength.

Suitable for all GUIL microphone stands and also compatible with mic. stands from other brands.

Inner dimensions of each compartment: Ø 12 cm. Length: 97 cm



BL-04/2

- Measure: **53 x 122 cm**
- Net Weight: **0.50 Kg**
- Material: **Nylon** - Colour: **Black**



PM-28

TABLE-TOP MICROPHONE STAND

Telescopic table-top microphone stand with metallic round base. It is height adjustable by means of a metallic blocking system. It is the perfect desktop stand for radio stations, interviews, podcasts, home studios, etc.

Metallic round base: Our table-top microphone stand ref. PM-28 has a metallic round base (Ø 16 cm) with a rubber pad which prevents vibration noises (ensures acoustic insulation) and offers great stability without damaging the table surface.



Double thread: It has double thread fittings at the top (3/8" and 5/8"), that makes it possible to attach any sort of clamp onto it.

Cable management: Includes clip-on cable holder to keep the cables organized.

Detachable: This table-top microphone stand can be dismantled offering the possibility to use the base independently for other purposes.

PM-28

- Adjustable Height: **20 cm - 33 cm**
- Base: **Ø 16 cm** - Thread: **3/8" & 5/8"**
- Net Weight: **1.26 Kg** - Material: **Steel** - Color: **Black**





Microphone stand with boom arm and adaptor to secure it to GUIL stage platforms and choral risers (any version or size).

This practical mic. stand can be fitted to any of our platforms by attaching it to their multifunctional rail. It slides along the platform profile so it can be positioned wherever you need it. With this adaptor there is no need for the conventional base of the microphone stand which takes up space. This product leaves the whole platform free for the user.

This useful mic. stand for platforms is manufactured in steel and finished with a textured, black, anti-scratch paint.

The mic. stand is adjustable in height using a metallic locking system and has a telescopic boom arm with double thread fittings (3/8"- 5/8").

The PM/TM-01 microphone stand can be used at the same time as the music stand for platforms ref. AT/TM-01; both are very practical accessories for any kind of event that is carried out in a reduced space, with a small platform/stage.

PM/TM-01

- ▶ Adjustable Height: **75 cm - 140 cm**
- ▶ Boom Arm: **49 cm - 87 cm** - Thread: **3/8" & 5/8"**
- ▶ Net Weight: **2.29 Kg** - Material: **Steel** - Color: **Black**





PM-19

TELESCOPIC AUXILIARY BOOM ARM



Telescopic auxiliary boom arm that can be attached to any tube or microphone stand of up to 25 mm diameter. Pressure knob fitted with a protective plate to prevent tube damage.

This useful telescopic boom arm adapter is specially designed to be attached to other stands for reduced set-up spaces; to prevent having to use 2 stands. It is the perfect accessory for miking drums, trumpets, acoustic guitars, etc.

PM-19

- Adjustable Height: **48 cm - 85 cm** - Thread: **3/8" & 5/8"**
- Net Weight: **0.89 Kg** - Material: **Steel** - Colour: **Black**



JR-05

TELESCOPIC BOOM ARM FOR MICROPHONE



Heavy-duty telescopic boom arm with a minimum length: 49 cm and a maximum length: 87 cm. Includes clip-on cable holder to keep the cables organized.

It has double thread fittings (3/8" and 5/8"), that makes it possible to attach any sort of clamp onto it without having to use any adaptors

JR-05

- Adjustable Height: **49 cm - 87 cm** - Thread: **3/8" & 5/8"**
- Net Weight: **0.66 Kg** - Material: **Steel** - Colour: **Black**



PZ-05

ADAPTOR TO ATTACH A MICROPHONE CLAMP TO A DRUM



PZ-05

- Height: **10 cm** - Thread: **3/8"**
- Net Weight: **0.10 Kg**
- Material: **Steel**
- Colour: **Black & Chrome**

Microphone clamp holder to attach to a drum rim (clamp not included). Thanks to its adjustable design the microphone can be slid up and down along the mounting rail to be as close to the drums as needed. Its special curved design makes this clamp holder perfect for recording studios, bands, live performances and any musician who wants to mic their instrument.

Our adjustable microphone holder for drums offers the best microphone placing thanks to its special curved design reducing feedback on the mic. The clamp to attach to the drum rim is made of rubber so as not to damage it. Comes with a 3/8" thread (it can be converted into a 5/8" thread using the RC-06 adaptor, not included).



PZ-04

ARTICULATED MICROPHONE CLAMP



Standard articulated microphone clamp with 5/8" thread. It is compatible with stands with a 3/8" thread using the RC-06 adaptor (not included).

PZ-04

- Thread: **5/8"**
- Net Weight: **10g** - Colour: **Black**



RC-06

ADAPTOR FOR MICROPHONE STANDS. THREAD ENLARGER/REDUCER



Adaptor to enlarge the thread on a microphone stand. It converts a 3/8" thread to 5/8" thread allowing the user to attach microphone clamp or accessories on stands that only have a 3/8" thread.

- Net Weight: **0.027 Kg** - Material: **Steel**



RC-06/A



Adaptor to reduce the thread on a microphone stand. It converts a 5/8" thread to 3/8" thread allowing the user to attach microphone clamp or accessories on stands that only have a 5/8" thread.

- Net Weight: **0.027 Kg** - Material: **Steel**

MICROPHONE CLAMP

NON-DEFORMABLE

Profesional unbreakable & articulated microphone clamp

Unbreakable and non-deformable microphone clamp. It has double thread fittings (3/8" and 5/8"), allowing it to be attached to any type of microphone stand without having to use any adaptors.

Its **exclusive elastic material**, allows the clamp to be opened up to 180°. Then, thanks to its intelligent material it will return to its original shape and size in seconds. Your microphone is fully protected with this clamp. The clamp can't be deformed.



PZ-01

- Height: **7 cm**
- Double Thread: **3/8" & 5/8"**
- Net Weight: **40 g** - Colour: **Black**



PZ-02

- Height: **8 cm**
- Double Thread: **3/8" & 5/8"**
- Net Weight: **45 g** - Colour: **Black**



PZ-02

PZ-01

THE BEST INSURANCE FOR YOUR MICROPHONE






ALT-16

SPEAKER WALL BRACKET. FULLY ARTICULATED

Heavy-duty speaker wall bracket with a 35 mm diameter mounting rod. Its high load capacity (50 kg) makes it the perfect option for active and passive speakers.



ALT-16/G


SPEAKER BRACKET TO ATTACH TO TRUSS

Heavy-duty speaker mount bracket with two couplers to attach it firmly to the truss. Its high load capacity (50 kg) makes it the perfect option for active and passive speakers.



The ALT-16 and ALT-16/G supports feature a fully adjustable design that ensures perfect speaker positioning:

- **Telescopic design:** Telescopic arm that allows the distance to be adjusted, making it easy to position the speaker at the desired distance with precision.
- **Swivelling arm:** The arm can also rotate 180° from left to right, allowing the speaker to be positioned exactly as required.
- **Angle adjustable insertion tube:** It has two angle positions: 90° and 101° (being a perfect mount for installations that are more than 2m high)



REFERENCES	ALT-16	ALT-16/G
► Maximum Load:	50 Kg	50 Kg
► Insertion Tube:	Ø 35 mm	Ø 35 mm
► For attachment to:	Wall	Trusses & tubes Ø45-52mm
► Distance from the wall:	22 cm – 35.2 cm	28,5 cm – 41.5 cm
► Supplied with:	Bolts	2 couplers ref. ABZ-29/N
► Net Weight:	1.90 Kg	2.70 Kg
► Colour/Material:	Black/Steel	Black/Steel & Aluminium

If desired, the couplers can be removed to fix the mount to the wall. The mounting plate has six anchor points and we supply it with the wall mounting hardware (for 4 points).



ADT-28

MULTIPURPOSE ADAPTOR WITH Ø 28 MM TERMINAL. Fitted with ø 16 mm tv spigot.



Multipurpose adaptor for stands or towers with a Ø 25mm, Ø 30 mm and Ø 35mm insertion spigot.

At the top of the adaptor there are two holes, of Ø 28 mm and Ø 17 mm, making it a very practical accessory in the sector. This spigot included in the Ø 17 mm hole allows the devices to be lifted.



REFERENCES	ADT-28/30	ADT-28/35	*ADT-28/35A
► Insertion spigot:	Ø30	Ø35	Ø35
► Net Weight:	1.19 Kg	1.19 Kg	1.20 Kg

* ADT-28/35A: Fitted with a washer



**ALT-34****ALT-12****TELESCOPIC SPEAKER STANDS WITH DOUBLE SAFETY LOCKING SYSTEM**

Telescopic speaker stand with Ø 35 mm top tube. It has a maximum **load capacity of 50 kg**.

It is equipped with double safety locking system by means of pressure knob and safety bolt (locking pin), offering maximum durability and resistance. They are fitted with an anti-vibration ring.

Our speaker stand has a folding reinforced base with screws and large rubber feet, giving maximum grip on the floor and thus perfect stability of the stand. The tripod is manufactured in steel and finished in a textured, black, anti-scratch powder coating.

With our adapters, the speaker can be tilted, and the stand can even be turned into a lighting stand, follow spot stand, TV screen stand, etc. At GUIL we manufacture a wide range of accessories to offer solutions. If you have any suggestions, let us know and we will try to manufacture it for you.

ALT-34

- Adjustable Height: **131 cm - 219 cm**
- Maximum Load: **50 Kg**
- Top Tube Diameter: **Ø 35 mm**
- Base: **Ø 138 cm**
- Folded Dimensions: **14 x 13 x 109 cm**
- Net Weight: **4.60 Kg** - Material: **Steel** - Colour: **Black**



Professional speaker stand, with Ø 35 mm top tube. It is specially designed to handle heavy loads (**up to 100 kg**), making it one of the strongest speaker stands on the market.

It is equipped with double safety locking system by means of pressure knob and safety bolt (locking pin), guaranteeing maximum strength and durability. They are fitted with an anti-vibration ring.

Our ALT-12 speaker stand has a folding reinforced base and large rubber feet, giving maximum grip on the ground and thus perfect stability of the stand. The tripod stand is manufactured in steel and finished in a textured, black, anti-scratch powder coating.

With our adapters, the speaker can be tilted, and the stand can even be turned into a lighting stand, follow spot stand, TV screen stand, etc. At GUIL we manufacture a wide range of accessories to offer solutions. If you have any suggestions, let us know and we will try to manufacture it for you

ALT-12

- Adjustable Height: **131 cm - 219 cm**
- Maximum Load: **100 Kg**
- Top Tube Diameter: **Ø 35 mm**
- Base: **Ø 138 cm**
- Folded Dimensions: **13 x 14 x 109 cm**
- Net Weight: **6.75 Kg** - Material: **Steel** - Colour: **Black**





ALT-37

SPEAKER STAND WITH HAND WINCH LIF-



Speaker stand with mechanical lifting system and winch. Made of aluminium with a Ø 35 mm top tube. Designed for a **maximum load of 50 kg**.

The winch allows the load to be raised effortlessly by means of a self-locking rack-and-pinion system. Fewer components mean less wear.

The ALT-37 speaker stand features a double safety locking system, combining a pressure knob with the self-locking rack-and-pinion mechanism to ensure maximum strength and durability.

Made of aluminium with a scratch-resistant black paint finish, it features a double-reinforced base. Its legs are fitted with highly resistant non-slip rubber feet.

ALT-37

- ▶ Adjustable Height: **140 cm - 225 cm**
- ▶ Maximum Load: **50 Kg**
- ▶ Top Tube Diameter: **Ø 35 mm**
- ▶ Base: **Ø 160 cm**
- ▶ Folded Dimensions: **16 x 13 x 136 cm**
- ▶ Net Weight: **6 Kg** - Material: **Aluminium** - Colour: **Black**



ALT-40

STAND WITH HAND WINCH LIFTING SYSTEM



Tripod stand with winch-operated lifting system. Made of steel with a Ø 28 mm top tube. Designed for a **maximum load of 85 kg**. The winch allows the load to be raised effortlessly.

Equipped with a double safety locking system using a safety pin and winch mechanism.

Double reinforcement: reinforced base and rubber feet for maximum grip on the floor. All components are made of metal.

Extremely strong yet lightweight. It provides maximum durability and stability, while its particularly compact folded dimensions make transport easy.

Finished with a textured, scratch-resistant black paint.

ALT-40

- ▶ Adjustable Height: **154 cm - 304 cm**
- ▶ Maximum Load: **85 Kg**
- ▶ Top Tube Diameter: **Ø 28 mm & Ø 35 mm**
- ▶ Base: **Ø 158 cm**
- ▶ Folded Dimensions: **26 x 32 x 145 cm**
- ▶ Net Weight: **12 Kg** - Material: **Steel** - Colour: **Black**

**TELESCOPIC SPEAKER STAND WITH CONNECTOR TO FASTEN IT TO THE FRAME OF OUR PLATFORM**

Telescopic speaker stand (type ref. ALT-34 – without legs-) with connector to fasten it to the frame of our platforms.

With this adaptor there is no need for the conventional base of the speaker stand which takes up space. This product leaves the whole platform free for the user.

The ALT/TM-01 speaker stand can be used at the same time as the mic. stand ref. PM/TM-01 and the music stand ref. AT/TM-01; both are very practical accessories for any kind of event that is carried out in a reduced space, with a small platform/ stage.

It is equipped with double safety locking system by means of pressure knob and safety bolt (locking pin), offering maximum durability and resistance. They are fitted with an anti-vibration ring.

“ INTEGRATED ”**ALT/TM-01**

- ▶ Adjustable Height: **127 cm - 207 cm**
- ▶ Maximum Load: **50 Kg** - Net Weight: **4.60 Kg**
- ▶ Top tuber diameter: **Ø 35 mm**
- ▶ Material: **Steel** - Color: **Black**





BLC-03

BAG FOR TWO SPEAKER STANDS

Very strong padded carry bag, designed to transport or store two speaker stands. Our practical bag will protect your speaker stands going to and from gigs.

Includes two padded sections with Velcro and two handles to carry it comfortably on your shoulder. They are manufactured in Nylon with double stitching for extra strength.

Inner dimensions of each compartment: Ø 15 cm. Length: 128 cm.

Our reinforced carry bag is suitable for our speaker stands ref.: ALT-12 and ALT-34. It is also compatible with speaker stands from other brands.



BLC-03

- Measures: **50 x 128cm**
- Net Weight: **0.65 Kg**
- Material: **Nylon** - Colour: **Black**



LTA-10

TILTING SPEAKER ADAPTOR





Tilting adaptor that gives the speaker the perfect angle for your installation when fitted to a stand with a Ø 35 mm ending.

Our professional adaptor can be tilted using a metallic adjusting system, allowing the speaker to be positioned at the desired angle.


LTA-10

- Insertion Tube: **Ø 35 mm**
- Female terminal: **Ø 35 mm**
- Net Weight: **1.30 Kg**
- Material: **Steel** - Colour: **Black**



ALT-01

SPEAKER WALL BRACKET



Articulated speaker wall bracket. Its articulated rotating ball system allows the support to be adjusted to any desired angle (360°). It includes a safety sling.

Adaptor plate (support to speaker):

46 x 88 mm. (with 6 attachment holes, 2 of them sliding)

Wall plate:

110 x 100 mm (with 6 attachment holes)

ALT-01

- Maximum Load: **10 Kg** - Measures: **14 x 10 x 11 cm**
- Wall/ceiling clearance: **13 cm** - Net weight: **0.45 Kg**
- Material: **Steel** - Colour: **Black**



LTA-07

STEEL SPEAKER FLANGE

Steel flange for speakers with a 35 mm diameter ending. Allows the diameter of the support tube to be increased from 35 to 40 mm.



- Dimensions: **Ø 11 x 10 cm** - Material: **Steel**