CATALOG 2021

Home Access
QUALITY OF LIFE



We Transform House to Homes

- SANITARY WARE
- KITCHEN WARE
- LIGHTING
- WATER SOLUTIONS
- COVERING
- OFFICE FURNITURE

myhomeaccess.com

Home Access

Home Access provides a wide range of mid-to high-end products for our customers. Our product ranges from sanitary ware, kitchenware, office furnitures, water treatment to lighting & covering (Tiling).

Here at Home Access we value our customers feedback to refine our services. We have designed a total solution concept which promotes efficiency and effectiveness in our workforce. Implementing this concept ensures that home owners, contractors and architects are able to work with an experienced professional team from inspection to installation.

With a well built support chain from our suppliers, we are able to communicate our products knowledge before sales. This ensures proper usage and maintenance of the products. Our professional team is highly committed to providing the most efficient advice and outcome to build trust and maintain a long-term relationship with our customers.

Our Believes

Here at Home Access we believe in making a difference by influencing our customers lifestyle. By listening and understanding our customers wants and needs, we ensure to deliver customer-focused products and services.

We demonstrate integrity by respecting, trusting, and empowering our employees. The company focuses on protecting the environment and quality of human welfare in our communities, by being actively involved as a company, giving time and resources to contribute to the sustainability of the places we operate in.





Home Access

QUALITY OF LIFE

MISSION

Our mission is to offer everyone the ability to create an environment that best suits their lifestyle.

VISION

Our vision is to enrich stakeholders' lifestyles, offering inspirations and solutions through high quality products and services, transforming houses to homes.

CORE VALUES

BOLDNESS

The ability and confidence to be creative and take risks.

RESPECT

Creating trust in the community and building strong relationships with customers and colleagues to achieve mutual goals.

OPTIMISTIC

Understanding different perspectives, to be open-minded and confident about the company's future.

STEWARDSHIP

Taking care of the company.

Contents



Page 5 - Page 36

Page 37 - Page 84

Page 85 - Page 113



Rockworth
Working progress

TREE
FURNITURE

L&E

AQUA
mazuma
Technology for Water
T.C.FILTER

Tsurumi Pump
KIKAWA
by C.R.GROUP
HITACHI
Inspire the Next

GRUNDFOS

Page 114 - Page 123
Page 124 - Page 131
Page 132 - Page 141


KOHLER®


Sanitary-ware
Collections



INTELIGENT TOILET



Eir

KOHLER

K-77795X-EX-O
K-77795X-EXSG-0

- Overall Dimentions 700 x 418 x 523 mm
- Elongated Bowl
- Rimless Design
- Bidet functionality with stainless steel (front wash, rear wash)
- Auto open/close seat (antibacterial seat) and adjustable thermal warming
- Heated seat/Deodorizer/UV sanitizing/Dryer
- Dual Flush system 3/3.8 liter per flush
- Wireless LCD with Touch Button Remote Control
- Emergency manual Flush during power outage



Veil

KOHLER

K-5401X-S-0

- Overall Dimensions 670 x 438 x 533 mm
- Elongated bowl
- Dual jet Flush system 3/4.8 liter per flush
- Rimless design
- Automatic open/close seat (antibacterial seat) and adjustable thermal warming
- Bidet functionality with stainless steel (front wash, rear wash)
- Heated seat/Deodorizer/UV sanitizing/dryer
- Wireless LCD with Touch Button Remote Control
- E water (Sterilized water)
- Night light
- Rough-in S-trap 305 mm



Karing® 2.0

KOHLER

K-77780x-0

- Overall Dimensions 424 x 670 x 528 mm.
- Elongated Bowl
- Automatic opening and closing of the lid and seat
- Power Lite flushing system with 4.8 litre per flush
- Rough-in S-Trap 305 mm.
- Remote control and remote control holder



ONE-PIECE TOILETS



KOHLER.

K-3854X-C-0

Tresham,Skirted One-piece 3/4.8L Toilet with Class 5 Flushing Technology
723 x 417 x 746 mm

Quiet-Close



KOHLER.

K-3902X-S-0

Karess, Skirted One-piece Dual Flush 3/4.8L Toilet with Class 5 Flushing Technology
730 x 367 x 750 mm

Quiet-Close



KOHLER.

K-3869X-S-0

Aerodyne™, Skirted One-piece Dual Flush 3/4.8L Toilet with Class 5 Flushing TechnologyFlushing Technology,
749 x 392 x 708 mm

Quiet-Close



KOHLER.

K-75920X-S-0

San Raphael, Skirted One-piece 4.8L Toilet with Class 5 Flushing Technology and Ceramic S-trap,
734 x 520 x 620 mm

Quiet-Close



KOHLER.

K-5171X-C-0

Adair, Skirted One-piece 4.2L Toilet with Class 5 Flushing Technology
720 x 411x 694 mm

Quiet-Close



KOHLER.

K-76815X-S-0

Reach, Skirted One-piece Dual Flush 3/4.8L Toilet with Class 5 Flushing Technology and Ceramic S-trap
724 x 361x 722 mm

Quiet-Close



New

KARAT
A KOHLER COMPANY

K-72479X-C-Wk, K-72479X-SP-WK

Moonstone II, 1-PC Toilet 4.5 LPF, Washdown Action
479 x 725 x 647 mm

Quiet-Close



KARAT
A KOHLER COMPANY

K-99192X-S-WK

Pine 1-PC Toilet 3/4.5 LPF
725 x 336 x 715 mm

Quiet-Close



TWO -PIECE TOILETS



KOHLER.

K-22248K-C-0
Adair, Two-piece 4L Washdown Toilet with Concealed Trapway
725 x 423 x 746 mm

Quiet-Close



KOHLER.

K-7591X-S-0
Karess, Skirted Two-piece 3/4.8L Toilet with Class 5 Flushing Technology
730 x 370 x 805 mm

Quiet-Close



KOHLER.

K-75991X-S-0
Reach, Skirted 2-PC Dual Flush 3/4.8L Toilet with Class 5 Flushing Technology and Ceramic S-trap
732 x 388 x 790 mm

Quiet-Close



KOHLER.

K-445363X-C-0
Adair, Two-piece 4L Washdown Toilet with Concealed Trapway
702 x 360 x 800 mm

Quiet-Close



KOHLER.

K-18187X-S-0
Odeon, Two-piece Dual Flush 3/6L Washdown Toilet with Concealed Trapway
733 x 390 x 786 mm

Quiet-Close



KOHLER.

K-15246X-S-0
Panache, Skirted Two-piece Dual Flush 3/6L Washdown Toilet with S-trap
700 x 370 x 775 mm

Quiet-Close



KOHLER.

K-22244K-S-0
Reach Concealed 2PC 3/4.5L Toilet
391 x 738 x 780 mm



KARAT
A KOHLER COMPANY

K-75750X-S-WK
Fern 2-PC Toilet 3/4.8 LPF
726 x 374 x 790 mm

Quiet-Close



KARAT
A KOHLER COMPANY

K-99295X-S-WK
Kool 2-PC Toilet 4.5 LPF
699 x 374 x 805 mm

Quiet-Close



KARAT
A KOHLER COMPANY

K-72452X-S-WK
Florence 2-PC Toilet 4.5 LPF
699 x 460 x 780 mm

Quiet-Close



KARAT
A KOHLER COMPANY

K-72455X-S-WK
Sorrento 2-PC Toilet 4.5 LPF
699 x 416 x 811 mm

Quiet-Close



KARAT
A KOHLER COMPANY

K-17285X-WK
Kanok 2-PC Toilet 3.75 LPF
460 x 714 x 760mm



KARAT
A KOHLER COMPANY

K-45535X-WK
Oasis 22-PC Toilet 3.75 LPF
388 x 725 x 750 mm



KARAT
A KOHLER COMPANY

K-22946X-S-WK
Kurve PC Toilet 4.5 LPF
704 x 377 x 783 mm



KARAT
A KOHLER COMPANY

K-75750X-S-WK
FERN
2-PC Toilet 3 75 LPF
726 x 374 x 790 mm



KARAT
A KOHLER COMPANY

K-22945X-S-WK
Kurve (Top Push)
2-PC Toilet 6 LPF
704 x 377 x 783 mm



KARAT
A KOHLER COMPANY

K-20841X-S-WK
Maple 2-PC Toilet 3/4.5 LPF
726 x 394 x 780 mm

WALL HUNG TOILETS





KOHLER.
K-3594X-S-0
Via Wall-Hung Toilet
586 x 366x 426 mm

Quiet-Close



KOHLER.
K-9310X-0
Hydro-Tower 100 In-Wall Tank 3/6 LPF
478 x 91-200 x 1190-1385 mm

KOHLER.
K-19957K-0
Ove Wall-Hung Toilet
540 x 360 x 391 mm



Flush Valve Toilets



KOHLER.
K-22274X-0
Highcliff Ultra Flash Blow, 4.8 Liter exposed flush valve
391 x 738 x 780 mm



ENGLEFIELD
K-117X-CP
Toilet Flush Valve 6 LPF, adjustable Connector

KARAT A KOHLER COMPANY
K-18838X-WK
Virgo, Flush valve toilet, S-Trap with elongated Seate
665 x 418 x 745 mm

Pail Flush & Squat Toilets



KARAT A KOHLER COMPANY
K-17713X-WK
Kanok Pail Flush toilet, S-trap with elongated seat
503 x 364 x 423 mm



MARVEL
MV- MCA545
Squat with Pedestal Flush Valve Toilet (Excluding Flush Valve)
810 x 460 x 900 mm



MARVEL
MV-MCA547
Squat with Pedestal Toilet
810 x 460 x 900 mm



KARAT A KOHLER COMPANY
K-17918K-WK
Pedestal Squat Bowl
590 x 435 x 265 mm

KARAT A KOHLER COMPANY
K-17909X-WK
Eastern Squat Bow
520 x 425x240 mm



Urinal & Flush valve



KOHLER.
K-8988X-C03-CP
Patio Urinal Sensor 1LPF
K-16306X-NA
Ac Power unit



KOHLER.
K-8791X-YC03-CP
Patio Urinal Sensor 0.50 LPF
K-16306X-NA
Ac Power unit



KOHLER.
K-8787X-B03-CP
Bardon Urinal Sensor 3 LPF
K-16306X-NA
Ac Power unit



KOHLER.
K-18645X-Y-0
Patio Eco Urinal
335 x 332 x 642 mm



KOHLER.
K-4986X-ER-0
Steward Eco Urinal, Rear Spud
415 x 381 x 750 mm



KOHLER.
K-5889X-ER-0
Struktura floor standing urinal rear inlet
370 x 398 x 952 mm



MARVEL
MV-MU-104-3
Urinal for Water Inlet Pipe Top
710 x 465 x 340 mm



MARVEL
MV-MU5208T
Urinal for Water Inlet Pipe Top
760 x 365 x 320 mm



karat FAUCET
KAR-KV-02-221-50
Urinal Flush Valve

KARAT A KOHLER COMPANY
K-17392X-ET-WK
Gemstone Urinal, Washdown Action
296 x 306 x 430 mm



KARAT A KOHLER COMPANY
K-530X-WK
Urinal Division
145 x 295 x 605 mm



KARAT A KOHLER COMPANY
K-23981X-ET-WK
Citrine Urinal
277 x 337 x 545 mm



Semi Lavatories



KOHLER.
K-72907K-1-0/8-0
Ladena® Semi-Recessed Lavatory
545 x 465 x177 mm



KARAT
A KOHLER COMPANY
K-17066X-1-WK
Milano Semi -Reccessed Lavatory
512 x 463 x 160 mm

Vessels & Self-Rimming Lavatories



KOHLER.
K-2660X-1-0 /8-0
Forefront Rectangular Vessel
584 x 460 x 173 mm



KOHLER.
K-2991X-1-0 / 8-0
Tresham Self-Rim-ming Lavatory
554 x 420 x 205 mm



KOHLER.
K-2196X-1-0/8-0
Modesto Self-Rim-ming Lavatory
514 x 445 mm



KOHLER.
K-2661X-0
Forefront Square Vessel
413 x 413 x 175 mm



KOHLER.
K-14800X-0
Chalice Round Vessel
420 x 420 x 203 mm



KOHLER.
K-2772X-0
Karess, Semi-recessed Lavatory with single faucet hole
615 x 442 mm



KARAT
A KOHLER COMPANY

K-18806X-1-WK
Self-rimming
Lavatory Cat Eyes
546 x 470 x 200 mm



KARAT
A KOHLER COMPANY

K-17717X-1-WK
Pearl Self-Rimming
Lavatory
504 x 432 x193 mm



KARAT
A KOHLER COMPANY

K-1129-1-WK
Zircon Self-Rimming
Lavatory
514 x 450 x 210 mm

Undercounter Lavatories



KOHLER.
K-2214X-0
Under counter
Lavatory 18"
575 x 421 x 178 mm



KOHLER.
K-2219X-0
Linia®, Undercounter
Lavatory 17"
488 x 413 x 203 mm



KOHLER.
K-2211X-0
Caxton®
Under-counter
Lavatory 19"
540 x 438 x 191 mm



KOHLER.
K-2215X-0
Ladena 21" Under-
Counter
Lavatory
591 x 413 x 206 mm



KOHLER.
K-2210X-0
Caxton 17" Under-
counter
Lavatory
540 x 438 x 191 mm



KARAT
A KOHLER COMPANY

K-18808X-WK
Tourmarine Under-
counter
Lavatory
565 x 450 x 205 mm

Wall-hung & Pedestal Lavatories



KOHLER.
K-8703X-1-0
K-8705X-0
Sacramento
Pedestal Lavary
538 x 470 x 854 mm



KOHLER.
K-18564-1-0
K-18566X-0
Reach Simi
Pedestal Lavatory
572 x 454 x 410 mm



KOHLER.
K-17156X-0
K- 17154X-0
Panache Semi-
Pedestal Lavatory
570 x 454 x 410 mm



KARAT
A KOHLER COMPANY

K-17298X-1-WK
K-17299X-WK
kanok
Pedestal Lavatory
560 x 428 x 860 mm

KARAT
A KOHLER COMPANY

K-45355X-1-1WK
Sorrento
Pedestal Lavatory
530 x 450 x 851 mm



KARAT
A KOHLER COMPANY

K-20834x-1-WK
K-20844X-WK
Fern Half Pedestal
Lavatory
520 x 420 x480 mm



KARAT
A KOHLER COMPANY

K-17299X-WK
Florance
Pedestal Lavatory
510 x 365 x 198 mm



KARAT
A KOHLER COMPANY

K-21135X-1-Wk
Rainbow Wall Hung
Lavatory
410 x 320 x 194 mm



KARAT
A KOHLER COMPANY

K-45355X-1-WK
K-20845X-WK
Sorrento Wall Hung
Lavatory
515 x 405 x 410 mm.



Bathroom Furniture



KOHLER
Flexispace
Bathroom Cabinet 24"
K-75836X-B08
Flexispace
600 Vanity Lavatory
with single faucet hole
K-96110T-1-0
Flexispace
Legs
K-75853T-NA

KOHLER
New Reach 1000mm
Vanity Top
K-18571T-1-0
700 x 500 x 150mm
Cabinet
K-76663T-GLW
1020 x 483 x 510mm
Adjustable Leg 280mm
K-15045T-NA
80 x 80 x 280mm





KOHLER
Aleutian 900mm
K-2746X-1-0 / 8-0
909 x 525 x 220mm
Aleutian Cabinet
K-45764X-0
892 X 517 X 550mm
Aleutian feet
K-45765X-NA
70 x 70 x 175mm

KOHLER
Toobi 900mm
Vanity Top
K-45471X-0
900 x 500 x 160mm
Cabinet
K- 45470X-BWP
890 x 490 x 450
Feet for Toobi
K- 45405X-NA
80 x 80 x 360mm



Mirrored Cabinet



KOHLER.
K-12098X-NA
Sequoia Mirror Cabinet
800 x 700 x 125 mm



KOHLER.
K-3073T-NA
Archer Mirror Cabinet
788 x 508 x 124 mm



KOHLER.
K-15030T-NA
Elosis Mirror Cabinet
381 x 362 x 122 mm



KOHLER.
K-15033T-NA
Elosis Mirror Cabinet
763 x 743 x 122 mm



KOHLER.
K-15032T-NA
Elosis Mirror Cabinet
635 x 616 x 122 mm



KOHLER.
K-15511T-NA
M Modula Mirror Cabinet
386 x 762 x 136 mm





WHIRLPOOLS & BATHS

Dual System
Bubble Massage™ System
Whirlpool System



KOHLER
Karess ™
1.8 Massae System Bath

K- 76445X- NWGR - O

Feature

Feature Material:	Acrylic and reinforced with fiberglass
Dimensions:	1800 x 900 x 6620 mm.
Capacity:	276 liters
Weight:	32kg
Jets:	12 massage WP jets
Pump:	1.8 hp, 220-240 V
Included parts:	Electronic drain, Massage Pillow,Grip Rail and electronic breaker (ELCB)

KOHLER
Presquile ™
Whirlpool

K-6047X-K-0



Feature

Feature Material:	Acrylic and reinforced with fiberglass
Dimensions:	1850 x 900 x 580 mm.
Capacity:	200 liters
Weight:	40kg
Jets:	5 adjustable jets
Pump:	0.75 hp, 220-240 V
Included parts:	Pop-up drain, adjustable leg and electronic breaker (ELCB)



KOHLER
Evora™
1850 Two-Person
Rectangulatar Dual System

K-18749X-W03-3

Feafure

Matarial:	Acrylic and reinforced with fiberglass
Dimensions:	1850 x 1100 x 600 mm.
Capacity:	320 liters
Weight:	Back jets 12 jets,
Airjets:	Adjustable body jets 6 jets, 18 jets
Pump:	1.5 hp, 220-240 v
Included part:	2 dark grey pillow heads, hand grip, pop-up drain overflow and electronic breaker (ELCB)

New Arrival



KOHLER
COMULUS™
Freestanding1.7 integrated
K- 98155x - GGR58 - 0

Feature

Feature Material:	Acrylic
Dimensions:	1700 x 800 x 722 mm.
Capacity:	277 liters
Weight:	70kg
Jets:	120 BM Airjet
Pump:	Blower motor, 220-240 V
Included parts:	Electronic drain, Adjustable Bath Pillow, Soft Grip Rail and electronic breaker (ELCB)



KOHLER
Cleo™
Freestanding Cast Iron bath
K - 11195x - 0
K - 11194x - 0 (bath leges)

Feature

Feature Material:	Cast Iron Bath
Dimensions:	1870 x 800 x 540 mm.
Capacity:	226 liters
Weight:	154kg



KOHLER
Evok® Oval
Freestanding Plain Bath
K-18347X-0

Feature

Feature Material:	Acrylic
Dimensions:	1700 X 800 X 600 mm
Capacity:	224 liters
Weight:	62 kg

New Arrival



KARAT
Maple™ 1600
W/Pop-Up Drain, Pillow, Grip
K - 75818X-GR58-WK

Feature

Feature Material:	Acrylic
Dimensions:	1600 x 700 x 420 mm.
Capacity:	20 liters
Weight:	154kg
Included parts:	Pop up drain, Pillow and Hand grips



KARAT
Valencia 1700
W/Pop-Up Drain,Hand Grip
K- 45971X-WK

Feature

Feature Material:	Acrylic
Dimensions:	750 x 1700 x 420 mm.
Capacity:	20 liters
Weight:	23 kg
Included parts:	Pop up drain and Hand grips



KOHLER
SUNSTRUCK® Oval
Freestanding Bath
K-20124X-0

Feature

Feature Material:	Acrylic
Dimensions:	1700 X 800 X 600 mm
Capacity:	226 liters
Weight:	62 kg



KARAT
K-45970X-WK
Valencia 1600
Size: W750 x L1600 x H450 mm.
Weight 20 kg

New Arrival



KOHLER
PATIO™ 1500
Plain Bath Drop-in
K-45703X-0

Feature

Feature Material:	Acrylic & reinforced fiberglass
Dimensions:	1500 X 750 X 450 mm
Capacity:	145 liters
Weight:	20 kg



Bathroom Faucets

Lavatory Faucets



KOHLER
K-97345T-4-CP
Avid Single-hole Lav Faucet



KOHLER
K-72762T-9M-CP
Artifacts single-hole lav faucet



KOHLER
K-77751X-4CD-CP
ALEO MINI COLD WATER LAVATORY FAUCET



KOHLER
K-13491T-4-CP
Kelston Widespread Lav Faucet



KOHLER
K-98827T-4-CP
Kumin Sgl-Hole Lav Faucet



ENGLEFIELD
K-76954X-4-CP
Aricia Single Lever Lavatory Faucet Mixer



ENGLEFIELD
K-98096X-4-CP
Ovia Single Lever Lavatory Faucet (Cold Water Only)



Karat FAUCET
KAR-EC-03-100B-50
Gamma Single Lever Lavatory Faucet (Cold Water)



Karat FAUCET
KAR-KF-43-640-50
Flamingo Wall-mounted Lavatory Faucet Mixer



Karat FAUCET
KAR-KF-20-620-50
Draco Single Lever Lavatory Faucet Mixer



Karat FAUCET
KAR-HO29-50
Hawk Single Lever Lavatory Faucet (Cold Water)



Karat FAUCET
KAR-HO29-50
Hawk Single Lever Lavatory Faucet (Cold Water)



Karat FAUCET
KAR-KF-73-620-53
Scarlett Single Lever Basin Mixer Faucet (without pop up)



VRH
VRH-HFDSP-200135
Riviera Deck single control mixer basin faucet



Karat FAUCET
KAR-HO29-50
Aster Tall Cold Faucet



VRH
VRH-HFVSP-2000A6
Tall Cold Faucet

Bathroom Faucets



VRH
VRH-HFDSP-312131
Wall single control mixer shower with hand shower



Karat FAUCET
KAR-KF-29-720-50
Single Lever Wall Mounted Bath Mixer Faucet
(without hand shower set)



ENGLEFIELD
K-76954X-4-CP
Aricia Single Lever Exposed Bath and Shower Mixer
(Without hand shower set)



KOHLER
K-97360T-B4-CP
Avid
Deck-Mount Bath and Shower Faucet with Handshower and Diverter
- Reach: 198 mm Height: 173 mm
- Includes 2-function handshower



Karat FAUCET
KAR-KF-44-714-50
Deck-Mt B & S Faucet
Hand shower



KOHLER
K-99097T-B4-CP
Kelston Free Standing Bath Shower Faucet



KOHLER
K-97905T-NA
Free-standing bath filler mounting base



Karat FAUCET
KAR-KF-41-771-50
Floor Standing Mixer Faucet
(Hand Shower + Diverter)



SENSOR FAUCET



KOHLER

K-13471X-CP
Geometric
Geometric Touchless Lavatory Faucet
• Reach: 128 mm Height: 108 mm
• Includes AC power supply box
• 389 mm flexible supply hose for easy installation

Includes

K-16306X-NA
AC Power Unit





Invisible Sensor Technology

KOHLER

K-18655X-B-CP
Kumin
Cold Water Sensor Faucet without Power Unit
• Reach: 135 mm Height: 101 mm
• 1000 mm flexible supply hose for easy installation
• Automatically stop when used continuous more than 1 minute

Includes

K-16306X-NA
AC Power Unit
or
K-24484T-NA
DC Power Unit





Invisible Sensor Technology

KOHLER

K-18655X-B-CP
Strayt
Cold Water Sensor Faucet without Power Unit
• Reach: 133 mm Height: 115 mm
• 1000 mm flexible supply hose for easy installation
• Automatically stop when used continuous more than 1 minute

Includes

K-16306X-NA
AC Power Unit
or
K-24484T-NA
DC Power Unit





MARVEL

MV-MF-1509
Automatic Faucet



MARVEL

MV-MF-1503/S
Automatic Faucet



MARVEL

MV-MF-119/S
Automatic Faucet



Hand shower



KOHLER
K-76368T-CP
Rain Duet
Renew multi-function handshower with hose and bracket-organic
- Push button, 3-function handshower
- 130 mm spray-plate diameter
- Katalyst air-induction technology
- Includes 1.5 m shower hose
- Includes handshower bracket with angle adjustment

Katalyst Spray | Champaign Spray | Intense Massage Spray



KOHLER
K-76367T-CP
Rain Duet
Renew multi-function handshower with hose and bracket-organic
- Push button, 3-function handshower
- 130 mm spray-plate diameter
- Katalyst air-induction technology
- Includes 1.5 m shower hose
- Includes handshower bracket with angle adjustment

Katalyst Spray | Champaign Spray | Intense Massage Spray



KOHLER
K-76399T-CP
Rain Duet
Renew multi-function handshower with hose and bracket-organic
- Push button, 3-function handshower
- 130 mm spray-plate diameter
- Katalyst air-induction technology
- Includes 1.5 m shower hose
- Includes handshower bracket with angle adjustment

Katalyst Spray | Champaign Spray | Intense Massage Spray



Karat FAUCET
KAR-BA03-50
Hand Shower Set



Karat FAUCET
KAR-KS-04-255-50
Hand Shower Set
(5 functions)



reddot award 2016 winner

K-23178X-CP
Click 4-Way Handshower Set



K-99088X-CP
Supply Elbow



K-99089X-CP
Supply Elbow



K-45362X-CP
Round Slide bar 60cm



Karat FAUCET
KAR-KS-04-255-50
Shower Rail 70cm with Soap Holder



SHOWER



ENGLEFIELD
Trusted in New Zealand Since 1982
K-73187X-CP
Beat 4-Way Hand shower Set



KOHLER.
K-72351T-4-CP
Aleo Wall-Mt Shower
Faucet with hand shower



Karat FAUCET
KS-07-213-50
3-level adjustable hand shower, size Ø 9.2 cm., With metal hose and chrome-colored hanging hook.



VRH
VRH-FJV F-110ACS
1-Way Hand shower Set



Karat FAUCET
KRA-BA01-50
Hand Shower Set



ENGLEFIELD
Trusted in New Zealand Since 1982
K-22396X-CP
1-Way Hand shower Set



VRH
VRH-HFVSP-312172
Forte Single Lever Exposed
Shower - Mixer



Karat FAUCET
KRA-HO40-50
Virgo Single Lever Exposed
Shower Valve Mixer



ENGLEFIELD
Trusted in New Zealand Since 1982
K-7698X-4-CP
Tozzo Single Lever Exposed
Shower - Mixer



KOHLER.
K-16316X-4-CP
July Recessed B & S Trim



ENGLEFIELD
Trusted in New Zealand Since 1982
K-76959X-4-4-CP
Aricia Single Lever Exposed
Shower Valve Mixer



Karat FAUCET
KRA-KF-26-860-50
Single Lever Concealed
Shower Mixer
Faucet (without shower head)



KOHLER.
K-882X-CP
July Recessed B & S Trim



ENGLEFIELD
Trusted in New Zealand Since 1982
K-76955X-4-CP
Aricia Single Lever Exposed
Shower Valve Mixer



Karat FAUCET
KRA-KF-29-760-50
Virgo Single Lever Exposed
Shower Valve Mixer



VRH
VR-FJDHP-144ICS
Post Shower 10" with arm



K-22324X-CP
Round Rain Shower Arm, Ceiling



Karat FAUCET
KRA-KF-29-760-50
Hand Shower Set (3 functions) Chrome



VRH
VR-HFDSP 313134
Riviera Concealed single control mixer shower with diverter



K-37473X-CP
Round Rain Showerhead 11.5" x 11.5"



K-15693X-CP
Milford square rain showerhead 8"x8"

SHOWER COLUMN



KOHLER
K-97389T-9-CP
Avid Thermostatic Shower Column



KOHLER
K-99474T-C4-CP
Kumin Angular Shower Column



KOHLER
K-73194T-4-CP
TAUT SHOWER COLUMN



K-76233X-CP
Pine Shower Column



VRH
VR-FJDHS-144RDS
External shower set 10" RIVIERA



Karat FAUCET
KRA-KRS-073-780-53
Scarlett Rose Gold Shower Column

ELECTRIC SHOWER

ENGLEFIELD
A KOHLER COMPANY

Trusted in New Zealand Since 1982





K-27846X-3L

Orbis X Plus Eletric Shower

(4,500 Watt Power Rating)

Grillon boiler tank 10 years warrenty on anti-leak for heater tank

LED Digital temperature display



K-27846X-BL

Orbis X Plus Eletric Shower

(4,500 Watt Power Rating)

Grillon boiler tank 10 years warrenty on anti-leak for heater tank

LED Digital temperature display



K-27846X-WHP

Orbis X Plus Eletric Shower

(4,500 Watt Power Rating)

Grillon boiler tank 10 years warrenty on anti-leak for heater tank

LED Digital temperature display



K-5627X-WHP

ORBIS Electric Shower White Pearl (4500 W)



K-5627X-BL

ORBIS Electric Shower Matte Black (4500 W)



K-5627X-SMT

ORBIS Electric Shower Silver Metallic (4500 W)



K-78221X-WK

Shore Electric Shower 6.5 KW



K-78222X-WK

Shore Electric Shower 8 KW



K-75992X-WK

ORBIS Electric Shower White (3500 W)



mazuma
MA-MZM-ASTON 100L
Storage tank water heater (V) & (H)



mazuma
MA-MZM-ASTON 80L
Storage tank water heater (V) & (H)



mazuma
MA-MZM-ASTON 50L
Storage tank water heater (V) & (H)



mazuma
MA-MZM-ASTON 30L
Storage tank water heater (V)



mazuma
MA-MZM-ASTON 30L
Storage tank water heater (V)



mazuma
MA-MZM-ASTON 15L
Storage tank water heater (V)



mazuma
MA-MZM-ASTON 15L
Storage tank water heater (V)



mazuma
MA-IDEO 3500 W
Electric Shower



mazuma
MA-IDEO 3500 W
Electric Shower



mazuma
MA-INNOVA 3500W
Electric Shower

Shower Enclosures





Description
Shower room with print screen

Spec
Code: BSX -003
Size: 80 x120 x185 cm
Material: Tempered glass with aluminum frame



Description
Slide door with print screen

Spec.
Code: BSX -70
Size:120 x 185 cm
Material: Tempered glass with aluminum frame



Description
Slide door with print screen

Spec
Code: BSX 71
Size:150 x185 cm
Material: Tempered glass with aluminum frame

Bathroom Accessories



KOHLER®
Artifacts & July™ Collection



KOHLER®
K-72571T-CP
Single Towel Ring



KOHLER®
K-72572T-CP
Double Robe Hook



KOHLER®
K-72568T-CP
July 24" Single Towel



KOHLER®
K-72573T-CP
Single Towel Ring



KOHLER®
K-72576T-CP
Toilet Tissues Holder



KOHLER®
K-45400T-CP
24" Towel Shelf



KOHLER®
K-45397T-CP
24" Double Towel



KOHLER®
K-45396T-CP
24" Single Towel



KOHLER®
K-4501T-CP
Single Towel Ring



KOHLER®
K-72903T-S
Double Covered Tissues Holder



KOHLER®
K-9316T-CP
Double Tissues Holder



KOHLER®
K-45403T-CP
Single Covered Tissues



KOHLER®
K-45402T-CP
Single Tissues Holder



KOHLER®
K-45395T-CP
Soap Dish



KOHLER®
K-9317T-CP
Double Robe Hook



KOHLER®
K-45394T-CP
Robe Hook

ENGLEFIELD
A KOHLER COMPANY
Trusted in New Zealand Since 1982

Ario™



K-13291X-CP
Double Towel



K-13289X-CP
Single Towel 63cm



K-13294X-CP
Soap Dish



K-13293X-CP
July Double Robe Hook



K-13292X-CP
Towel Ring



K-13295X-CP
Covered Tissues Holder

VRH Riviera



VRH
VRH-FBVHR-V101AS
Towel bar 600mm



VRH
VRH-FBVHR-V104CS
Dual Tissue Holder



VRH
VRH-FBVHR-V104CS
Single Tissue Holder



VRH
VRH-FBVHR-V107AS
Soap Holder



VRH
VRH-FBVHR-V103AS
Square Towel Ring



VRH
VRH-FBVHR-V104AS
Tissue Holder



VRH
VRH-FBVHR-V102BS
Dual Tower Hook



VRH
VRH-FBVHR-V102AS
Single Tower Hook

Karat FAUCET Topaz



Karat FAUCET
KAR-KB-42-632-ST
Double Towel bar 600mm



Karat FAUCET
KAR-KB-42-631-ST
Single Towel bar 600mm



Karat FAUCET
KAR-KB-42-332-ST
Tissue Holder



Karat FAUCET
KAR-KB-42-352-ST
Towel Ring



Karat FAUCET
KAR-KB-42-131-ST
Single Tower Hook

Bathroom Accessorys



MARVEL
MV-MBS-103
Trash can with stainless steel tissue inserts in the wall.



MARVEL
MV-MS-304-19
Trash can with stainless steel tissu inserts in the wall.



MARVEL
MV-MH-101
Automatic Hand Dryer, hot air blow dryer 1800W



MARVEL
MV-MH-108
Automatic Hand Dryer, hot air blow dryer 1300W



MARVEL
MV-MS-304-26
Stainless steel trash pedal



MARVEL
MV-MS-304-25
Stainless steel trash pedal



MARVEL
MV-MH-107
Air-jet Automatic Hand Dryer, high power wind 850W





TP-111 TW



DH-600-W



DH-800-1W



DH-700-1VP



DH-700-1W



DH-700-2VP

Shower curtain



EVA018 SN 2002 EVA 012 A 7213



T-2C



TS-26-8



BM-110-5



BM-112-8



BMX 210



KOHLER
K-98100X-0
Cuff Hygiene Spray
w / Hose & Bracket



KOHLER
K-98100X-CP
Cuff Hygiene Spray
w / Hose & Bracket



VRH
VRH-FXVH0-0040ES
Rising spray set SS304



VRH
VRH-FXVH0-0040KS
Rising spray set SS304



ENGLEFIELD
K-72688X-WK
Tozzo Rinsing Spray



ENGLEFIELD
K-5419X-CP
Tozzo Rinsing Spray



Karat FAUCET
KAR-BW01-50
Rinsing Spray
Chrome



Karat FAUCET
KAR-09-321-11
Rinsing Spray
White



Karat FAUCET
KAR-KA-03-321-11
Rinsing Spray white
with SSH



Karat FAUCET



Globo
KAR-GA-05-325-37
Rising spray set



HOY
HOY-FXHOY-0040WZ
Rising spray set

Accessory & Fitting Solutions



Karat FAUCET
KAR-EB71-50
One - Way Stop



Karat FAUCET
KAR-EB73-50
Two -way Stop valve



ENGLEFIELD
K-45528X-CP
One - Way Stop



ENGLEFIELD
K-17218X-CP
Stop Valve Double
Outlet Double Control



HOY
HOY-HFHZC-9120Y1
One - Way Stop



HOY
HOY-HFHZC-9120Y2
Two - Way Stop Valve



VRH
VRH-HFVJC-9120K1
One - Way Stop



VRH
VRH-HFVJC-9120K2
Two - Way Stop Valve



Orca
THS-ST100001
Two - Way Stop Valve



ENGLEFIELD
K-77154X-4CD-CP
Two - Way Stop Valve



VRH
VRH-HFVSB-7120G2
Two - Way Stop Valve



ENGLEFIELD
K-28860X-C
Two - Way Stop Valve



KOHLER
K-7119T-CP
Touch Activated
Drain Ø60mm



ENGLEFIELD
K-11682X-CP
Brass Touch Activated
Drain For Wash Basin
Without Overflow



Karat FAUCET
KAR-BAD5-50
Brass Touch Activated
Drain For Wash Basin
With Overflow



HOY
HOY-HLS14-201SS
SS Touch Activated
Drain For Wash Basin
With Overflow



ENGLEFIELD
K-11684X-CP
Brass Touch Activated
Drain For Wash Basin
With Overflow



Karat FAUCET
KAR-BAD3-50
Brass Touch Activated
Drain For Wash Basin
With Overflow



HOY
HOY-HLA01-LA001
Brass Touch Activated
Drain For Wash Basin
With Overflow



K-76771X-CP
Bliss Single Faucet Set (Cold Water)



KAR-KFA-029-610-50
Hawk Single Faucet Set (Cold Water)



KAR-KFA-003-100B-50
Gamma Single Faucet Set (Cold Water)



VRH-FUVHU-W001GS
Roof drain 4"
2" or 3" PVC connection



K-76980X-CP
Shower Floor Drain Size 12" x
1-1/2" or 2" PVC connection



K-76979X-CP
Floor Drain Size 5" Tile insert
1-1/2" or 2" PVC connection



KAR-KA-41-832-ST
Square flange 4" PVC 2"



VRH-FUVHU-W002FS
Roof drain 4.8"
2.5" or 4" PVC connection



K-5276X-CP
Brass chrome Floor Drain 3"
2" PVC Female Thread Pipe



K-5277X-CP
Floor Drain 4" PVC 3"



KAR-KA-41-831-ST
Floor Drain 4" PVC 1.5"/3"



K-16953X-CP
Bottle Trap Long for
Lavatory (39 cm)



KAR-BAT3-50
Bottle Trap for Lavatory
(25 cm)



HOY-FAVHL-AD240S
Bottle Trap for Lavatory
(24 cm)



K-16954X-CP
P-Trap for Lavatory
(40.5 cm)



KAR-BAT2-50
P-Trap for Lavator
(26 cm)



HOY-FAVHL-AP240S
P-Trap for Lavatory
(24 cm)



THS-AC100001-40C
Brass Flexible Hoses 40cm



THS-AC100001-60C
Brass Flexible Hoses



THS-AC100001-80C
Brass Flexible Hoses 80cm

Grab Bar









K-45116X-BS
Grab Bar 35 cm

K-45118X-BS
Grab Bar 60 cm



K-45120X-BS
Grab Bar 90 cm



K-45126X-BS
Grab Bar V-Shap



K-45122X-BS
Grab Bar 120 cm



VRH-FBVHC-TS791B
GRAB BAR C-TS795 OD32
300 x 500 mm



VRH-FBVHC-TS797A
Wall mounted foldable chair 400 x 420 x 420mm



K-45124X-BS
Grab Bar L-Shape



K-45128X-BS
Grab Bar T Shape



VRH-FBVHC-TS797B
Wall mounted foldable chair with leg
400 x 420 x 420mm



VRH

VRH-FBVHS-0102CS
Swing Rail Support
grab bar 580 x 220 mm



VRH

VRH-FBVHS-0102CS
Flip-up Rail Support
grab bar 580 x 220 mm



VRH

VRH-FBVHS-TS795B
GRAB BAR C-TS795
OD32 mm 800 x 700 mm



VRH

VRH-FBVHC-T001BS
CONER GRAB BAR OD32
800 X 700 MM



VRH

VHR- FBVHK-L108FS
GRAB BAR OD 25
895 X 325 MM



SAFETY

THE PRODUCT OF CARE
AND ATTENTION

Step floor use format



Toilet use format






Covering
Collections



ITALGRANITI



INTERIOR



ITALGRANITI GROUP
CALACATTA GOLD
MARBLE EXPERIENCE



ITALGRANITI GROUP
STATUARIO LUX
MARBLE EXPERIENCE



ITALGRANITI GROUP
SAHARA NOIR
MARBLE EXPERIENCE



ITALGRANITI GROUP
OROBICO GRAY
MARBLE EXPERIENCE



ITALGRANITI GROUP
IMPERIAL CREAM
BEIGE EXPERIENCE



ITALGRANITI GROUP
BEIGE ROYAL
BEIGE EXPERIENCE



ITALGRANITI GROUP
BRONZE PULPIS
BEIGE EXPERIENCE



ITALGRANITI GROUP
DARK EMPERADOR
BEIGE EXPERIENCE



ITALGRANITI GROUP
APUANO
WHITE EXPERIENCE



ITALGRANITI GROUP
PULPIS
WHITE EXPERIENCE





ITALGRANITI GROUP
Land
ALNUS



ITALGRANITI GROUP
Almond
ALNUS



ITALGRANITI GROUP
Leaden
ALNUS



ITALGRANITI GROUP
Vanilla
ALNUS



ITALGRANITI GROUP
Pure
ALNUS



ITALGRANITI GROUP
ROYAL GRAY
IMPERIAL MARBLES



ITALGRANITI GROUP
STREAKED ELEGANCE
IMPERIAL MARBLES



ITALGRANITI GROUP
ZEBRINO GOLD
IMPERIAL MARBLES



ITALGRANITI GROUP
REAL FALLOW DEER
IMPERIAL MARBLES



ITALGRANITI GROUP
EMPERADOR TUANA
IMPERIAL MARBLES



ITALGRANITI GROUP
UP_WHITE
UP_STONE



ITALGRANITI GROUP
UP_BEIGE
UP_STONE



Exterior



ITALGRANITI GROUP
UP_CLOUD
UP_STONE



ITALGRANITI GROUP
UP_LEAD
UP_STONE



ITALGRANITI GROUP
UP_BLACK
UP_STONE

ITALGRANITI GROUP
UP_BLACK
UP_STONE



ITALGRANITI GROUP
BEIGE
SANDS EXPERIENCE



ITALGRANITI GROUP
GRAY
SANDS EXPERIENCE



ITALGRANITI GROUP
GRAY
SANDS EXPERIENCE



ITALGRANITI GROUP
MUD
SANDS EXPERIENCE



ITALGRANITI GROUP
BLACK
SANDS EXPERIENCE



ITALGRANITI GROUP
ICELAND
NORDIC STONE



ITALGRANITI GROUP
DENMARK
NORDIC STONE



ITALGRANITI GROUP
NORWAY
NORDIC STONE



ITALGRANITI GROUP
SWEDEN
NORDIC STONE



ITALGRANITI GROUP
FINLAND
NORDIC STONE



ITALGRANITI GROUP
WHITE VALS
STONE PLAN



ITALGRANITI GROUP
GRAY LUSERNA
STONE PLAN



ITALGRANITI GROUP
LUSERNA TURTLE-DOVE
STONE PLAN



ITALGRANITI GROUP
BEIGE VALS
STONE PLAN



ITALGRANITI GROUP
VALS
STONE PLAN



ITALGRANITI GROUP
CARDOSO
STONE PLAN



ITALGRANITI GROUP
LAVAGNA GRIGIA
STONE PLAN



ITALGRANITI GROUP
LAVAGNA NERA
STONE PLAN



ITALGRANITI GROUP
CHIANCA
STONE AGE



ITALGRANITI GROUP
SALENTO
STONE AGE





Sizes Available:

WALL + FLOOR



Facade



All Italgraniti Group Project Department systems can be used on both new and existing buildings, the latter to improve the thermal/ aesthetic characteristics of the building.

There are two main types of system, depending on the type of mounting used:

Systems with visible anchoring
Systems with hidden anchoring



BENEFITS

- elimination of all cold bridges
- strong barrier against weather
- effective barrier against direct sunlight
- chimney effect
- soundproofing
- lower energy consumption
- smog and dirt reduction
- rugged and inexpensive structure

OUTFLOOR 20





The Visual continuity is an aesthetic advantage that characterises the most exclusive architectural solutions. **Loft ensures outstanding technical preformance for indoor and outdoor spaces wth a skilful mix of comfort**

60x120 cm
23 1/2″x47 1/4″

BLACK FLAX







GRADONE CON TORO ARROTONDATO
Steptread with rounded bullnose



GRADONE ANGOLARE CON TORO ARROTONDATO
Corner step tread with bull nose Right/Left



GRADONE ASSEMBLATO (*)
Step Tread with glued full skirting



GRADONE ANGOLARE ASSEMBLATO (*)
Corner step tread with glued full skirting



GOCCIOLATOIO LUCIDATO IN COSTA
Drainer



GRIGLIA
Grid



CANALINA (*)
Water drain



BORDO L (*)
L shape trim



ALZATA CON SCURETTO
Two levels raise






UMI
GROUP



GLAZED WALL TILES

(12" x 24") 30 x 60 cm.



LL-111

Glossy



Ayoze

Glossy Structure Relief



Richmond White

Glossy Mould



Bowkv

Glossy



Verena

Glossy Randoms



Boss White

Glossy Mould



Ava White

Glossy Mould



Ava Black

Glossy Mould



Veneto (D)

Glossy



Alpina

Matte





Eshal White

Glossy | Mould



Mahrez Grey

Glossy | Structure Relief | Randoms



Fay Blue

Glossy | Mould | Randoms



Fayruz Blue

Glossy | Mould

Cleo

Matte



Riviera (D)

Glossy | Structure Relief | Randoms



Augusta Grey (D)

Glossy | Structure Relief | Randoms



LL-111

Glossy



Rubidium White

Glossy | Structure Relief



Victor White

Glossy | Mould



Campbell White

Glossy | Mould



Rainbow White

Glossy | Structure Relief



Tempo White

Glossy | Mould



Seiya White (D)

Glossy | Structure Relief | Mould



Seiya Black (D)

Curly White

Glossy | Mould



Curly Beige



Omo White

Glossy | Mould



Omo Green









Lausanne White (D)

M Matte



Piccolo White

GI Glossy

Mould



Piccolo Blue



Piccolo Black



Mary White (D)

GI Glossy



Mary Colorful (D)



Origi Beige (D)

GI Glossy

Mould



Origi Red Oak (D)



Origi Ash (D)



Origi Matt Beech (D)

M Matte

Mould



Napier Silver

GI Glossy



Chester White (D)

Chester Ivory (D)

Masaru Grey

Masaru Beige

Wafer White

Feria Beige (D)

Hiro Grey (D)

Hikaru Grey (D)

L-111

L-101

L-202

L-298

L-614

L-801

L-802

Amity earth (D)
อมิตี้เอิร์ท (D)



Leville Beige (D)

Lemuria Beige (D)

Halona Grey (D)

Honolulu Grey (D)

Kevin Grey (D)

Nice White

Nice Black

Duo White

Duo Ivory

Vienna Silver

DURAGRES

FLOOR TILES 30x60 cm.

ANWAR





ANWAR BEIGE

M Matte

TRIPLE WOOD





TRIPLE WOOD GREY

M Matte

CELICA

4 Random designs

Sa Satin | Randoms | Rec Rectified





CELICA



MERDEKA SERIES

4 Random designs

Sa Satin | Randoms



MERDEKA BEIGE



MERDEKA OAK



MACHO SERIES

4 Random designs

M Matte | Randoms



MACHO BEIGE



MACHO BROWN

DURAGRES

WALL TILES 30x45 cm.



RACHEL SERIES

4 Random Designs



RACHEL GREY



RACHEL BEIGE

KEIRA SERIES

4 Random Designs



KEIRA BEIGE



KEIRA GREY

DURAGRES

FLOOR TILES 16”x16” (40x40 cm.)



BOLIN

4 Random Designs

Rectified

Matte



BOLIN BLACK



4 Random Designs

SANTINO

Matte



SANTINO BROWN

Cergres

MIDNIGHT STONE SERIES

PORCELAIN TILES 60x60 cm. & 40x40 cm.

MIDNIGHT STONE BEIGE



MIDNIGHT STONE LIGHT GREY



MIDNIGHT STONE DARK GREY

Cergres

PORCELAIN TILES 60x60 cm.

MIDNIGHT STONE SERIES

M Matte



UZI SERIES

6 Random designs

M Matte





UZI GREY



UZI DARK GREY

Cergres

PORCELAIN TILES 30x60 cm.

8 Random Designs



MIDNIGHT STONE SERIES



MIDNIGHT STONE BEIGE

MIDNIGHT STONE LIGHT GREY

MIDNIGHT STONE DARK GREY

BENJAMIN SERIES



BENJAMIN HOWLITE



BENJAMIN GRIS



BENJAMIN ARGENTO



BENJAMIN AVORIO



Cergres

PORCELAIN TILES 40x40 cm.



Cergres

PORCELAIN TILES 40x40 cm.

ZUMA SERIES

4 Random designs

M Matte แมท

Rec Rectifiled ขัดขอบ



ZUMA BEIGE



ZUMA BROWN



ZUMA GREY



ZUMA LIGHT GREY



TIGER COLORFUL

4 Random designs



TIGER COLORFUL

JAGUAR SERIES



JAGUAR BLACK

JAGUAR GREY



4 Random designs

Cergres

PORCELAIN TILES 40x40 cm.

VONGOLE SERIES

4 Random designs

M Matte Rec Rectifiled



VONGOLE BEIGE



VONGOLE BROWN



VONGOLE WALNUT



Cergres

PORCELAIN TILES 60x60 cm.



TESIA SERIES



Cergres

PORCELAIN TILES 60x60 cm.

TESIA SERIES

6 Random designs M Matte



TESIA BROWN



TESIA GREY



TESIA DARK GREY

MANICA

4 Random designs M Matte











MANICA BROWN





HERITAGE
CERAMICS

STUDIO CERAMICS

BYBLOS

9 faces . 4 colors . 3 sizes

Bianco



Pearl



Grigio



Tortora



Decor Tortora





STUDIO CERAMICS

CLIFFSTONE

8 faces . 5 colors . 3 sizes



Ice

Sand



Moka



Grigio



Carbon



Carbon Deco



STUDIO CERAMICS

DAMASCUS

9 faces . 4 colors . 3 sizes



Cream

Grigio

Smoke

Bronze

STUDIO CERAMICS

SILVERSTONE

9 faces . 4 colors . 3 sizes



Bianco

Grigio

Noce

Anthracite

STUDIO CERAMICS

ALLEYWOOD

9 faces . 4 colors . 3 sizes



Beige



Brown



Grey



Ash



STUDIO CERAMICS

GEMS

4 faces . 6 colors . 4 sizes



Antique Carrara



CARRARA



PALOMA



SILVERMINK



GRIGIO IMPERIAL



GRIGIO TUNDRA



STUDIO CERAMICS

Element

1 faces . 10 colors . 6 size s



STONE SABBIA

STONE TORTORA

STONE GRIGIO

STONE TABACCO

PIOMBO

WOOD SABBIA

WOOD TORTORA

WOOD GRIGIO

WOOD TABACCO

WOOD PIOMBO

HAVANNASTONE

9 faces . 4 colors . 3 sizes



ICE



GRIGIO



SAND



CARBON



CONWOOD by INSEE

Beautify your house with...CONWOOD



A wood replacement product which produced from high technology production with particular selected raw materials. It is unique in characteristics with superb aesthetic and durability comparing with natural wood. A termite-free and non combustible product which compatible to any natural woodwork. **CONWOOD** can be applied to any part of residential building ie. wall, floor, eaves, ceiling lath, fence and be practically used in various building decorations.

- Beauty as a real wood
- Weather resistant
- Easy to in stall & Time-saving
- Fire resistant
- Termite free
- Asbestos free



CONWOOD can beautify any part of your house

- **A** FLOOR APPLICATION
- **B** WALL APPLICATION
- **C** EAVE & CEILING APPLICATION
- **D** MULTI-FUNCTION DECORATIVE APPLICATION

CONWOOD Floor Decoration





CONWOOD Deck



CONWOOD Mold



CONWOOD
Decorative Stalr



CONWOOD
Decorative Starlr Handrall



CONWOOD
Decorative Deck



CONWOOD
Decorative Deck
Liner

CONWOOD Wall Decoration





CONWOOD Lap Siding 6 " BG



CONWOOD Decorative
Panel Array



CONWOOD Decorative
Panel Liner



CONWOOD Lath U-Groove



CONWOOD Lap Siding C-Lock



CONWOOD Lap Siding
G-series 8

CONWOOD Eaves and Ceiling Decoration





CONWOOD Ceiling Border



CONWOOD Decorative Lath 4"



CONWOOD Eave 2in1



CONWOOD Eave 8"



CONWOOD Eave Fit



CONWOOD Lath U-Groove

CONWOOD Multifunction Decorative





CONWOOD Board



CONWOOD Sunshade



CONWOOD Plank 2"



CONWOOD Fence

CONWOOD EAVE

Description	Thickness(mm)	Width(mm)	Length(mm)	Weight(Kg/Piece)	Color
1 Eave 6"	16	150	3050	9.0	Natural/ Cream Teak/ Mahogany/ Brown Primer
2 Eave 8"	16	200	3050	12.1	
3 Eave 2 in1	22	235	3050	17.6	
4 Eave Modern	22	238	3050	18.5	Natural



CONWOOD CEILING BORDER

Description	Thickness(mm)	Width(mm)	Length(mm)	Weight(Kg/Piece)	Color
5 Ceiling border	11	50	3050	2.3	Cream



CONWOOD DECORATIVE LATH

Description	Thickness(mm)	Width(mm)	Length(mm)	Weight(Kg/Piece)	Color	Piece/m²
6 Lath 2"	11	50	3050	2.3	Cream	6.55
7 Lath 3"	11	75	3050	3.5		4.37
8 Lath 4"	11	100	3050	4.6		3.27
9 Lath 3" U-Groove	8	60	1200	7.3	Natural	1.38



CONWOOD SIDING

Description	Thickness(mm)	Width(mm)	Length(mm)	Weight(Kg/Piece)	Color	Piece/m²
10 Siding	8	150	3050	5.0	Natural / Cream	2.62
	11	150	3050	6.9		
11 Karaked	8	150	3050	5.0	Natural	



CONWOOD LAP SIDING BG

Description	Thickness(mm)	Width(mm)	Length(mm)	Weight(Kg/Piece)	Color	Piece/m²
12 Lap siding BG	11	150	3050	6.9	Cream	2.15



CONWOOD LAP SIDING 12"

Description	Thickness(mm)	Width(mm)	Length(mm)	Weight(Kg/Piece)	Color	Piece/m²
13 Lap siding 12"BG	11	300	3050	12.7	Natural	1.09
14 Lap siding 12"	11	300	3050	12.7		



CONWOOD LAP SIDING G-Series

	Thickness(mm)	Width(mm)	Length(mm)	Weight(Kg/Piece)	Color	Piece/m²
15 Lap siding G0	11	200	3050	9.0	Cream	1.63
16 Lap siding G1	11	200	3050	8.9		
17 Lap siding G2	11	200	3050	8.7		
18 Lap siding G5	11	200	3050	8.2		



CONWOOD DECORATIVE PANEL

Description	Thickness(mm)	Width(mm)	Length(mm)	Weight(Kg/Piece)	Color	Piece/m²
19 Panel Brick	11	600	1200	10.5	Natural	1.38
20 Panel U-Groove	11	600	1200	10.5		
21 Stick"1	25	100	3050	8.2	Natural	3.27
22 Panel Modern	16	200	1500	5.7		3.33
23 Panel Liner	11	150	3050	6.4		2.18
24 Panel Rhythm	16	200	1500	4.9		3.3
25 Panel V-Groove	11	305	3050	12.8	Cream	1.07



Sheet Size
600x1200 mm





CONWOOD DECORATIVE PANEL ARRAY

Description	Thickness(mm)	Width(mm)	Length(mm)	Weight(Kg/Piece)	Color	Piece/m²
26 Array N	11	200	1500	3.8	Natural	3.33
27 Array W	11	200	1500	3.6		



CONWOOD DECORATIVE PANEL ECP

Description	Thickness(mm)	Width(mm)	Length(mm)	Weight(Kg/Piece)	Color	PPiece/m²
28 ECP 600 mm	11	600	600	4.9	Natural	2.77
29 ECP 1200 mm	11	600	1200	9.9		1.38



CONWOOD DOOR FRAME

Description					Height (mm)	Cross section
30 Classic	Width (mm)	700	800	900	2100	
	Weight (kg)	29.47	30.27	30.87		
31 Connect	Width (mm)	700	800	900		
	Weight (kg)	26.43	27.03	27.47		
32 Single	Width (mm)	700	800	900		
	Weight (kg)	21.98	22.37	22.77		

- Install 4 pieces of door hinge and tightening screw every place for strength
- Door weight should not over than 40 kg
- The weight shown does not include packaging



CONWOOD MOULD

Description	Thickness(mm)	Width(mm)	Length(mm)	Weight(Kg/Piece)	Color
33 Classic	11	100	3050	4.4	Cream / Teak/Mahogany
	14	100	3050	5.2	
34 Louis	11	100	3050	4.4	
	14	100	3050	5.2	



CONWOOD DECORATIVE STAIR

Description	Thickness(mm)	Width(mm)	Length(mm)	Weight(Kg/Piece)	Color
35 Vertical 7"	16	180	1200	4.4	Natural
	16	180	1500	5.4	
36 Vertical 8"	16	200	1200	4.9	Natural / Teak / Mahogany
37 Horizontal 10"	25	250	1200	9.6	
38 Horizontal 12"	25	300	1200	11.3	Natural
	25	300	1500	14.2	
39 Handrail	30	85	3050	9.0	Natural / Teak / Mahogany

Installation on concrete stairs only



CONWOOD DECORATIVE DECK

Description	Thickness(mm)	Width(mm)	Length(mm)	Weight(Kg/Piece)	Color	Piece/m²
40 Deck 4"	14/25	100	3050	5.2/9.8	Natural	3.27
41 Deck 4" Corrugate	14/25	100	3050	5.4/9.8		3.27
42 Deck 6"	14/25	150	3050	8.2/14.7		2.18
43 Deck 6" liner	14/25	150	3050	8.1/14.7		2.18
44 Deck 8"	14/25	200	3050	10.9/19.5		1.63

Installation on concrete slab only



Onduline®

Lightweight building systems



AESTHETIC

An aesthetic solution you are sure to be proud of.

AESTHETIC

ACOUSTIC-FRIENDLY

Ensuring acoustic comfort even during heavy rains.

SOUND INSULATION

SEALSMART TM

waterproofing Guaranteed.

SEALSMART

WIND RESISTANT

ONDULINE can resist a wind speed of upto346 km/h.

LIGHTWEIGTH

Lightweight and easy to transport.

LIGHTWEIGHT

UV RESISTANT

Outstanding light transmission creates a visually comfortable and productive environment.

UV RESISTANT

Legth	200 mm
Width	950 mm
Area per sheet 1.9 m2	
Useful surface covered by sheet	1.6 m2
Thickness	3 mm
Width of corrugation	95 mm
Heigth of corrugation	83 mm
Number of corrugation per sheet	10
Weigth per m2	4 kg
Weiht per sheet	6.4 kg
Color	Red, Brown, Green,Black



ONDUVILLA



LIGHTWEIGHT:

- Weighting only 4kg per square meter or 1.27kg per tile.
- Easy handling on the jobsite.
- Saving cost of transportation.
- Particularly suited for roofing onto lightweight pitched roof structures and renovation projects.

LIMITLESS OF DESIGN:

- ONDUVILLA tiles are highly flexible, can take in many forms such as; hip roof, gable roof or lean-to roof. Over roofing reduces to a minimum the disruption to a building function and allows
- the thermal and vapour control characteristics of a roof to be upgraded to improve the environmentalperformance of the building to conform to the latest energy conservation requirements.
- Easy to cut, shape and fix.

MECHANICAL RESISTANT:

Backed by exclusive SealSmartTM Technology the elasticity of ONDUVILLA's

- composite material allows it to shrink firmly around eachscrew/nail, creating permanently leak-resistant barrier. And the waterproofing is secured.
- Strength and impact loading, flexibility, unbreakable.
- Toxicity and resistance to chemical, ONDUVILLA cannot rust. Resistance to all climatic conditions, no heat deformation. Onduline
- can be used effectively in temperatures up to 70 degree Celsius (Tested at Yarsley Research Centre UK).

SECURE AND ECO RESPONSIBILITY:

- ONDUVILLA has achieved a low carbon footprint (4kg eq CO2/m2) and recycles some 200,000tons of material each year.
- Natural pigments are used for coloration.
- Products contain no traces of asbestos.
- Materials composed of recycled fibers, verified by a third party (ICC_ES), whose certificates can help for LEED.
- Ecological lifecycle performance.

THERMAL AND NOISE INSULATIONS:

- ONDUVILLA can reduce temperature under the roof, low coefficient of thermal conductivity.
- No problems caused by noise of rain hitting the roof.

Length	400 mm
Width	1060 mm
Area per tile	0.424 m^2
Useful surface covered	031 m^2
Tite Per m^2	3.23 tiles
Thickness	3 mm
Heigth of corrugation	40 mm
Weight per m^2	4 kg
Weight pertile	1.27 kg
Color	Shaded Red, Shaded Brown,
	Shaded Green, Classic Red 3D,
	Terracotta 3D Forest Green 3D,
	Black






KOHLER®

KITCHEN CABINETS





KOHLER KITCHEN CABINET



A Creative Tradition of Inspired Design

2012- Kohler started another initiative in cabinet industry-the launch of Kohler Cabinet Artist Edition, which has invited famous artists in its design and creation.

International Quality and Customized Design Concepts for the Chinese Kitchen

Kohler designers are valuable creativity sources, feeding the US-based Kohler head-quarters. Meticulously harnessed and perfectly integrated by designers at the HQ, the creative ideas are turned into global classic kitchens in various styles. "Human being" is the first element to consider when designing a kitchen. We listen attentively to opinions from Chinese households, study in-depth the Chinese user's habits and innovate in terms of functionality, space utility and lighting, material and new art forms. The professional R&D team helps make our design idea a reality step by step.

Kohler production facilities meet stringent international standards-guaranteeing safety, quality and reliability.

Kohler is the only international brand with a kitchen cabinet production facility in China. The facility operates under Kohler's 'Global Quality System. Kohler's Changshu plant is spread over nearly 10,000M2 and is equipped with state-of-the-art imported manufacturing technology. The Changshu facility operates to European standards including advanced dust removal and other environmental technologies that exceed European green factory requirements by 15%. All plates and paints meet European environmental protection standards, making Changshu the first plant to receive SGS ISO 14000 certification in China. Independent laboratories are also invited to test moisture content, hinge fatigue and other key measure ensuring the

Wear-Resistant Textured Series



- The inspiration of this product came from Kuranda,
- This product focuses on wood grains, to create a natural environment for family members to communicate
- Humanistic and symmetric design.

Lacquer Series



Design Style

- Use new material and craftsmanship and pursue unique space using and structure features.
- Unreservedly and boldly using colors to pursue dramatic contrast, either gorgeous-colored or strong white-black contrast.
- Free plane composition with full use of all art ways such as exaggeration, deformation, breaking, refraction and distortion to break the horizontal and vertical limits in internal room. Using mixtures of abstract patterns, curves, curved surfaces, straight lines and planes to get a unique effect.

Q10 Series



Crafts and technology features

- This product uses imported environmental friendly products, no heavy metal like lead.
- The craft of this series is to do an additional calculation. Firstly put the frames with profiles, then use high temperature to attach the membrane onto door panel.

Rigid Series



- Use roller to press special rigid film onto MDF base material to make special rigid door panels. PUR glue temperature will be controlled around 40°C.

Advantage: High glossy and flat surface, wearand scratch-resistant, durable for long time use. Surface hardness can be 4H. And because temperature is controlled around 40°C during production, which is close to normal temperature, avoid many problems caused by expansion and contraction of temperature differences.

Solid Wood Series



Solid wood door panels are made by selected wood after several processes such as steaming, drying and humidity conditioning. Solid wood door panels have natural wood grain, which are beautiful and luxury.

Core boards can be made by solid wood or by wood veneer MDF. Divided by painting types, there are clean paint and colored paint.

Wood Veneer Series



Usually, Wood Veneer uses mid-density board as substrate material, then paste a coat of wood about 0.2-0.5mm.

It can keep the special visual effect of wood and protect it from crack. (but daily maintenance is necessary)









Crestone™

Natural rough rock is combined with neutral-tone wood, make a realistic touch sense on the door surface. LED light works together with rock as covering the rock like cascading water. Incomparable natural concave-convex surface to dramatically present the vivid grain and texture of the rock surface. It brings us into a world of serenity and harmony.

KOHLER®

NATURAL STONE SERIES











Purist™

Pleasing minimalist designs expressed in soothing and elegant tones. A simple, understated style that combines refinement with perfection, right down to the finest details. Pure colors that convey a sense of luxury a poetic expression of purity designed for your pleasure.

KOHLER®

MIRROR SERIES











Jadore™

The rare blooming "R. Centifolia" the rose among kitchens, graceful yet daring in tones of pink and burgundy, Jadore™ is coziness and warmth, a place you will want to retreat to after a long day, truly a haven in your home.

KOHLER®

LACQUER SERIES









Ipswich™ / Valmont

Named after a small city in England, this timeless design turns the kitchen into a uniquely romantic space, at once graceful and elegant. The details and finishing remain modern but are balanced with subtle echoes of more classical styles.

KOHLER®















Karess™

Combines an all-over metal surface with robust lines of futurism. This is the first kitchen infused with Kohler's exclusive Oil-Resistant Finish (ORF) patented for oil-free cooking enjoyment.

KOHLER®

METAL SERIES













Notiz™ C

The fusion of beauty and function is an expression of perfection and harmony. The art lies in finding balance between aesthetic forms that lift the soul and features that make being in the kitchen a sheer pleasure. The secret lies in the details: clever but discreet storage, durable easy-to-maintain surfaces and pure clean lines.

KOHLER®

Wood Venner Series


BORCCI柏厨

















PURE 礼白

BORCCI PRODUCTS
IN 2019

The combination of marbella and red oak incoprotates the natrual life of people. Simple and elegant design full of life and energy for a simple life.

BORCCI柏厨













时光印象
OCA TIME

The Simple and rigorous design creates a natural and comfortable space. Every minute detail, focus on quality and care. This project was in collaborations of German & Chinese design has won the red dot award and the IF Award many times.

+

reddot

product design award

BORCCI柏厨











曼哈顿 Manhatt

Wonderful life in Manhattan is day and night. People, who live in this city, like urban living.

BORCCI柏厨











原色地带 Colourful City

According to the cooking habit of Chinese people, BORCCI combined with ergonomic research to issue a gold storage system

BORCCI柏厨













醉花间

Drunk In A Dream

The stone grain door panel has a strong three-dimensional effect, natural texture and sense of depth, which give you the feeling of being in nature. There are two colors to choose. One is black and the other is white.

BORCCI柏厨













Modularity means being flexible. According to different functional requirement and decorative styles, you will find out the most suitable plan.











柏厨

BORCCI Style

BORCCI Style is not only carries the humanistic spirit, but also has a lot of innovative functions. Designers combine different elements to bring out the harmony of Chinese ancient and modern culture, which let Chinese people enjoy the cooking time.

BORCCI柏厨











Big City Mini Love

大-城-小-爱

Love in City

The design of the Roman column is simple, which has natural and rural feelings. Good design never separates the connection of detail and whole. The high-end life can't coarse. People can't control everything in the whole life, so it is important for people to improve the quality of the life

BORCCI柏厨


FOTILE
FOTILE

Kitchen Appliances



FOTILE

For Love We Do



FOTILE
Range Hood
FT- EH 23

Feature

1. 90cm wide stainless surface
2. patented clean & Clean filter
3. Chimney hood
4. 92.2% Oil Filtration Rate
5. 98.3% Odor Filtration Rate
6. Power Supply 220v-240v/ 50-60Hz
7. Dimension W*D*H: 900*520*(566-947)



FOTILE
Range Hood
FT- EMS 9020

Feature

1. 90cm wide stainless surface desgin
2. Corrugated Filter
3. Chimney hood
4. 92% Oil Filtration Rate
5. 97% Odor Filtration Rate
6. Power Supply 220v-240v/ 50-60Hz
7. Dimension W*D*H: 950*520*(650-940)



FOTILE
Range Hood
FT- EMS90921-R

Feature

1. 90cm wide stainless surface
with black planel desgin
2. Allumnium & carbon Filter
3. Chimney hood
4. 97% Oil Filtration Rate
5. NIL Odor Flitration Rate
6. Power Supply 220v-240v/ 50-60Hz
7. Dimension W*D*H: 895*525*(850-945)



FOTILE
Range Hood
FT-JQG9009S

Feature

1. Touch Control
2. Max air flow: 1450m³/h
3. Oil Filtration rate: 90%
4. Smell Reduction Rate: 98%
5. Noise Level: ≤51dB
6. Size:W900*D430*H848-1238mm



FOTILE
Range Hood
FT- EMG 9030

Feature

1. 90cm wide steel, crystal black
timeless elegant surface
2. Double layer clean & clean fikter
3. Chimney hood
4. 92% Oil Filtration Rate
5. 98% Odor Flitration Rate
6. Power Supply 220v-240v/ 50-60Hz
7. Dimension W*D*H: 900*515*(645-950)



FOTILE
Range Hood
FT- EA03

Feature

1. 120cm wide stainless surface
2. Clean & clear Filter
3. Island hood
4. 90% Oil Filtration Rate
5. 98% Odor Flitration Rate
6. Power Supply 220v-240v/ 50-60Hz
7. Dimension W*D*H: 1200*700*(890-490)



FOTILE
FT- EEG 30202

Feature

1. Size: W300*D520
2. Bui-in size: W277*D495
3. Shott Glass surface
4. 220V/50Hz
5. Touch Control
6. Power Level: 1-9



FOTILE
FT- EEG 75203

Feature

1. Size: W750*D420
2. Bui-in size: W720*D390
3. Shott Glass surface
4. 220V/50Hz
5. Touch Control
6. Power Level: 1-12



FOTILE
Ceramic Hood
FT-EEG60301

Feature

1. Size:W600×D510mm
2. Built-in size:W578×D488mm
3. SHOTT glass surface
4. 220V/50Hz
5. Touch control
6. Power: L-Upper 1.8Kw, L-Down 1.2Kw, R 2.2Kw



FOTILE
Range Hood
FT- D12B

Feature
1. Size: W300*D490
2. Bui-in size: W280*D460
3. Tempered Glass surface
4. Heating Load: L4.85kw
5. Heating Efficiency: 60%
6. Number of Burners: 1



FOTILE
Range Hood
FT- GHG 78211

Feature
1. Size: W780*D450
2. Bui-in size: W650-710*D350-400
3. Tempered Glass surface
4. Heating Load: L5.00kw, R5.00kw
5. Heating Efficiency: 60%
6. Number of Burners: 2



FOTILE
Gas Hob
FT-GAG86309

Feature
1. Size: W860×D500mm
2. Built-in size: W816×D460mm
3. Tempered glass surface
4. Heating Load: L4.85Kw, M1.75Kw, R4.85Kw
5. Heating Efficiency: ≥60%
6. Burners Number: 3



FOTILE
Range Hood
FT- GAG86210

Feature
1. Size: W860*D500
2. Bui-in size: W816*D460
3. Tempered Glass surface
4. Heating Load: L4.85kw, R4.85kw
5. Heating Efficiency: 60%
6. Number of Burners: 2



FOTILE
Range Hood
FT- HW25800K-C2G

Feature
1. Dimensions: 595*385*368
2. Control mode: Touch control
3. Capacity: 25L
4. Rated Voltage: 22-240v/ 50-60Hz
5. Material: Black Tempered Glass
6. Power inpute: Microwave 1350w Grill 850w



FOTILE
Range Hood
FT- HW25800K-C2G

Feature
1. Dimensions: 595*385*368
2. Control mode: Touch Control
3. Capacity: 25L
4. Rated Volltage: 220-240/ 50-60Hz
5. Material: Black Tempered Glass
6. Power inpute: Microwave 1300w Grill 800w



FOTILE
Range Hood
FT- HW25800K-C2G

Feature
1. Dimensions: 595*455*513
2. Control mode: Touch control
3. Capacity: 26L
4. Rated Voltage: 22-240v/ 50-60Hz
5. Power: 1400w
6. Engergy Class: A
7. LED Display



FOTILE
Electrical Oven
FT-KSG7003A

Feature
1. Size: W595*H595*D552
2. Built-in Size: 598*598*≥580
3. 220V/50~60Hz
4. Electrical Touch Control
5. Capacity:70L
6. 2*Low-E glass+ 1 tempered glass
7. Power: 3200W
8. Energy Class: A
9. LED display



FOTILE
Electrical Oven
FT-KSS7002A

Feature
1. Size: W595*H595*D552
2. Built-in Size:598*598*≥580
3. 220V/50~60Hz
4. Electrical Touch Control
5. Capacity:70L
6. 2*Low-E glass+ 1 tempered glass.
7. Power: 3200W
8. Energy Class: A
9. LED display



Blomberg

Stainless Steel Island 37 hood

BLB-DIC2440X

- Capacity: 880 m3/h
- Island type, Stainless Steel
- Remote control (optional)
- Filter saturation indicator
- Washable cassette filters
- Height adjustable chimney section
- Dimension: W370 x D370 x H870-1215 mm



Blomberg

HOOD (CHIMNEY)

BLB-DKP5160X

- Capacity: 820m3/h
- Chimney type, Stainless Steel
- Remote control (optional)
- Filter saturation indicator
- Washable cassette filters
- Height adjustable chimney section
- Dimension: W370 x D370 x H870-1215 mm



Blomberg

BUILT IN OVEN (E)

BLB-BEO5422X

- Capacity: 65L oven cavity
- Stainless Steel
- 6 cooking functions: Booster, fast to the degree heating, Door closed grilling, Smooth surface,
- Dimension: W594 x D567 x H595 mm
- Built In Dimension: W560 x D550 x H590 mm



Blomberg

BUILT IN HOB Burner 4 Induction

BLB-MIN54302X

- 4 Zones, Color: Black
- Control Type & Place Touch Control(front)
- Front Right (kw) Ø 145 - 1400W, 1800W (Max/Boost)
- Central (kw) No
- Rear Right (kw) Ø 210 - 2200W, 3200W (Max/Boost)
- Rear Left (kw) Ø 180 - 1800W, 2500W (Max/Boost)
- Front Left (kw)Ø 180 - 1800W, 2500W (Max/Boos)
- Dimension: W580xD520xH44 mm
- Built In Dimension: W560xD490 mm



Blomberg

BUILT IN OVEN (E)

BLB-BEO1690X

- 58L oven capacity
- Color: Stainless Steel
- 13 cooking functions
- Energy-conventional heating: 0,88kWh
- Energy consumption-fan heating: 0,79kWh
- Dimension: W594 x D550 x H595 mm



Blomberg

BUILT IN OVEN (E)

BLB-BEO1690X

- Total gross volume: 265L
- Freezer net volume: 227L
- Number of drawers: 5
- Defrost: Automatic
- Number of flaps: 2
- Energy efficiency class: A+
- Number of compressor: 1
- Freezing capacity, kg/24 h: 20
- Temperature rise time, h: 13
- Reversible door: Yes
- Dimension: W1710 x H595 x D633mm



Blomberg

BUILT IN HOB Burner 4 Induction

BLB-BUILT IN HOB (G+V)

- 2 Gas and 2 Vitro-ceramic Zones, back Glass
- Front and Back Stainless Steel Frame
- 180 mm - 1700 W
- 140 mm - 1200 W
- Integrated Ignition
- Cast Iron Pan Support
- Safety Valves

Dimensions:

- Product: H98 x W590 x D522 mm
- Built in: H98 x W560 x D480-490 mm



BOSCH
Invented for life

Stainless Steel
Chimney hood

BO-DWB097E50B

- Air extraction: 730 (m³/h)
- Chimney type
- Stainless steel
- Wall mounted hood
- Dimension: W900 x D500 xH642-1064mm



BOSCH
Invented for life

BUILT IN COFFEE

BO-CTL636ES1

- One-touch preparation: Ristretto, Espresso, Espresso Macchiato, Coffee, Cappuccino, Latte Macchiato, Coffee Latte at the touch of a button
- dimensions: W594xD375xH455 mm
- Built In: W558x D356xH449 mm



BOSCH
Invented for life

Serie | 8 Induction hob, autarkic

BO-PPI82560MS

Feature
1. Size: (HxWxD mm) : 59 x 780 x 450
2. Built-in size: (HxWxD mm) : 59 x 700 x 400
3. Black ceramic glass base
4. Heating Load: 2 stage residual heat indicator 1.8kW power, boost to 3.1kW for each zone
5. Two Induction cooking zones



BOSCH
Invented for life

BUILT IN OVEN

BO-HBN331E1K

Dimension:
W595 x D548 x H595 (mm)
Cut out:
W568 x D550 x H570 (mm)
Volume cavity: 66L
Cooking method : 3D hot air, Bottomheat, Conventional heat, Full width variable grill, Hot air grilling



BOSCH
Invented for life

REFRIGERATOR (SBS)

BO-KAG90AI20

Feature
1. Total Net Capacity: 522L
2. External ice dispenser, internal water filter
Accessories:
- 1 x connection hose
- 1 x egg tray
- Net weight 115 kg
- Power: 374 W
- Current: 10 A
- Voltage: 220 - 240 V
- Frequency: 50 Hz
- Dimension including door and exclude
- handle : W910 x D720 x H1770 (mm)

Wireware Solutions







VRH

VRH-HW106-W106D7
Size: 215 x 600 x 180mm
VRH-HW106-W106D6
Size: 215 x 800 x 180mm
VRH-HW106-W106D5
Size: 215 x 1000 x 180mm



VRH

VRH-HW106-W106O
Size: 260 x 530 x 170mm



VRH

VRH-HW106-W106
Size: 300 x 400 x 400mm



VRH

VRH-HW108-W108B
Size: 160 x 310 x 380mm



VRH

VRH-HW106-W106Y3
Size: 281 x 495 x 340mm



VRH

VRH-HW102-W102E
Size: 20 x 450 x 410mm



Stainless Steel Kitchen Sinks



Anti-Bacterial Drain Pipe
Anti-Bacterial Drain Pipe prevents growth of bacteria.



Faster Drainage
Water drains faster with double swirl strainer and larger drain pipe. Additional strainer basket prevents clogging.



Durable and Sturdy
Using 304 Stainless steel with maximum thickness of 2.0 mm. for durability.



Reduce Noise and Coagulation
Special coating and rubber layer at bottom of sink reduces noise and prevents coagulation.



Fabricated Kitchen Sink
Hand-crafted from premium gauge stainless steel with thickness ranging from 1.2 - 2.0 mm.



Oil Resistance Finish (ORF)
Kohler's exclusive Oil-Resistant Finish (ORF) patented for oil-free cooking enjoyment



KOHLER
Indio
Cast Iron 1½ Bowl Kitchen Sink
K-3886X-2S-0

Feature

- Dimensions 840 x 480 x 220 mm.
- Includes Strainer, Overflow Trap, Soap dispenser and Wire Rinse Basket



KOHLER
K-12177X-CP
Fairfax Kitchen Faucet
Pullout spray H/C Water



KOHLER
K-13963X-4-CP
Elate Kitchen Faucet
Pullout spray H/C Water

KOHLER
MORAINE 1.5 BOWL
1½ Bowl Under-Mount Kitchen Sink SS304
K-99064X-F-NA

Feature

- Dimensions 838 x 400 x 234mm
- With drain hose, overflow pipe, nail, quicksilver flow, glass cutting board, wood chopping board, glass pan, food basket, stainless steel sheet, splash water And installation equipment





KOHLER
Geog
34" Large/Medium Self-rim-ming/Under-Mount Kitchen Sink
K-3882X-F-NA

Feature

- Dimensions 860 x 480 x 206 mm.
- Including Quickflow strainer, 50mm anti-bacterial trapway, double-layered drain rack and cutting board



KOHLER
K-99480T-4-CP
Kumin Kitchen Faucet
H/C water



KOHLER

Indio

Geog Under-mount 1½ Bowl, 1 tap hole Kitchen Sink SS304

K-3748X-2S-0

Feature

- Dimensions 860 x 480 x 210 mm.
- With drain hose, overflow pipe, navel, quilting sink, wood boards, food preparation tray And installation equipment



KOHLER

K-6332X-4-CP

Evoke Kitchen Faucet Pullout spray H/C Water



KOHLER

PROLOGUE

SINGLE-BASIN SINK W / DRAINBOARD Kitchen Sink SS304

K-3592X-S-NA

Feature

- Dimensions 800 x 440 x 213mm.
- With overflow joints, overflow pipes, Installer And basket



KOHLER

K-99480T-4CD-CP

Kumin Kitchen Faucet Cold water



VRH

VRH-HFVSB-1000D1

Deck Single Sink Faucet (High body with Spring spout and 2 alternative water flow system)

VRH

2bowl SINK W / DRAINBOARD Kitchen Sink SS304

VRH-HLS14-4732-2

Feature

- Dimensions 500 x 1200 x 200mm.
- With tray and drainer set





VRH

Single bowl Sink Kitchen Sink SS304

VRH-HLS14-4735-1

Feature

- Dimensions 480 x 620 x 270mm.
- With tray and drainer set



VRH

VRH-HFVSB-1000D1

+Smooth Deck single sink faucet

Total Office Solutions





Rockworth®
Working progress





EXECUTIVE Design

taste simplicity sturdiness

A Forward-thinking collection of Zen's executive desks that provides the freedom to create innovative, appealing private office solutions with unsurpassed performance in scale, function & aesthetic range. If the meaning of Zen is calm and neat, Zen is Luxury design with simplicity and sturdiness.

DESKING SYSTEMS

The components are designed with a purpose. It easily accommodates changes in configuration, changes to cabling requirements, and changes in height. Their range of sizes, configurations, worksurface shapes, and finishes, allow them to be adapted to the design and finish of any space from contemporary to transitional.



FILING & STORAGE

To harmonize with the new trend of hot desking, one desk shared between several people who use the desk at different times, a mobile cabinet is created to keep each user documents and belongings.





SEATING & LOUNGES

Our soft seating ranges are the bridge between formal clarity, elegance and comfort. Our ranges have what it takes to become classic, timeless and prestigious design whether in a private area, a lounge or a reception area. There are different designs for different applications.

Ideal for a swift change the workspace to myriad collaborative pattern.

New mobile freestanding table, connectable with ganging set for more sturdiness. Complete the innumerable forms with trapezoid and hexagon table to upgrade the standard row configuration. With trapezoid shape table at the middle, a sine wave configuration is created, hence an effective training atmosphere are in your control. Personal belongings are finely organized in belonging shelf.



THE PERFECTION!
ON THE ELEGANCE

ZEN S.32



Level Cabinet Return Desk
(Glass Top)
W 2400
D 2400
H 728

Credenza Set
(Glass Sliding Door)
W 2400
D 640
H 1986

Rockworth®
Working progress

ISO 9001 BUREAU VERITAS Certification
ISO 14001 BUREAU VERITAS Certification
OHSAS 18001 BUREAU VERITAS Certification
ISO 50001 BUREAU VERITAS Certification

rockworth.com

BIFMA INTERNATIONAL
U.S. GREEN BUILDING COUNCIL MEMBER
CERTIFIED INDOOR AIR QUALITY
INDOOR ADVANTAGE GOLD FURNITURE



MYRIAD

Unlock the creativity with modular forming, adaptive and glamorous community style.

Single seat with back
W 900
D 700
H 800

2 Seat with back and 1 side arm
W 1600
D 700
H 800

Extention seat with tablet and power outlets
W 300
D 700
H 650

Double with lamp and power outlets
W 700
D 1300
H 1700

4 Seat with back
W 1300
D 1300
H 800

2 Seat
W 1400
D 700
H 420

Corner connector
W 1300
D 1300
H 420

Side table
W 560
D 500
H 650

ERSA

360° versatile workplace storage system



Vertical tambour door

Tambour door is the solution, rolled back inside the cabinet and allow space to be fully utilized.





PLEAT

Magnificent lounge to create coziness and comfort.

Pleat Highback
W 720
D 720
H 1200

Pleat Midback
W 720
D 720
H 1020



FLEX
S.99



EMMA
S.33



A.LINE
S.89



GLEE
S.52



PLATFORM
S.43



RUBIX
S.72

Experiencing Our Seating Unfolded

Folding as a process in architectural design is essentially experimental.

Rockworth interest lies on the process in which the sequence of human behavior transformation that affect the functionally of object. Considering this an open and dynamic developing process where the design evolves with alternate periods of imbalance. We can appreciate the function of folding as a design generator by phase transitions and as power to reveal.

This experiment allows us to understand how human being interacts with a chair at different space and time at work, we responds to these differences by carefully study the harmony among seating, supporting and synchronizing.



S1 Seating

Our chairs are assembled with high quality material and components, featuring high density molded foam seat cushion that conforms to your body movement. This providing excellent stress relieving comfort and enhance better blood circulation. Wide range of fabric is available for selection to match your overall color scheme.



S2 Supporting

Our chairs provide comfortable, full body sedentary support of which you can sit in at least eight hours without encountering back strains, neck pains or overall body aches. Our chair design was inspired by the simple fact that each of users is unique. The position we sit and move in our chair are subtly different too. We constantly find a better way to provide individual comfort and support.

S3 Synchronizing

A fully adjustable chair is indisputable the must features in which a decent chair should have. Back height adjustable, seat depth and arm support should all be adjustable to better support you in any position. An ergonomic chair should have pneumatic lever adjustment to adjust the seat height. A tension knob allows you to adjust reclining back rest to proper with your body weight. Also an adequate back rest for curvature your spine while providing lumbar support. An appropriate ergonomic designed chair, hence, should accommodate people with a wide range of body size and posture.

Arti An artistic design

combines with articulated flexible ergonomic functions, provides an excellent comfort and correct seating for individuals.



QM

Innovative seating

design with maximum ergonomically comfort for any postural position.



TREE
FURNITURE

TAKE A BRAKE?

OUR NEW COFFEE TABLE AND CHAIRS ARE READY TO SERVE YOU AT HOME







TABLE MADE FROM 100% PARAWOOD

CHAIR COMES WITH VENEER FRAME + COMFORT SEAT
[2 COLORS OF FRAME | 5 COLORS OF SEAT]

Table: 800W X 800D X 700H MM.
Chair: 600W X 600D X 920H MM.

TRee
FURNITURE

Our Story...

We are 2 sisters interested in *minimal* & modern style funiture. We would like to share our happiness by creating a new brand called "Trae", meaning wood/ furniture in Denish, to let everyone experience the beauty of a 100% of parawood made by our factory based in Thailand.



DOUBLE CLOTHES RACK
+ 1 DRAWER
(1860W X 500D X 1600H MM.)



(560W X 520D X 810H MM.)



SIDEBOARD / TV SHELF
(1600W X 500D X 610H MM.)





Bedside Table
(550W X 400D X 600H MM.)

Feel the SUMMER breeze
with colorful PP plastic chairs
(560W X 520D X 810H MM.)

RESISTANT
TO
RAIN & SUN



SINGLE CLOTHES RACK
+ 1 DRAWER
(960W X 500D X 1600H MM.)

Why Parawood?
Parawood is the secondary product of a rubber tree, which also goes many other names. The idea behind the using of Parawood are the unique color, outstanding durability, Long-life span (up to 20 years), easy care, and more importantly resonable price.



Total Lighting Solutions



L&E

more than light



MAJOR MILESTONE

Lighting & Equipment Public Company Limited operates a fully integrated business in lighting products, from research and product development, has its own IEC/ISO 17025 accredited laboratory and ISO 9001 accredited manufacturing factories as well as distributes the products to all customer groups in domestic and abroad. In addition, the company provides various services for maximum benefit to customers, i.e. recommend proper products including provide lighting designs for each application, as well as offer rental products and rental lighting systems for various events. The company has diverse and complete range of lighting products that can meet the requirement of all customer groups. i.e. residential, office, commercial building, department store, showroom, retail store, museum, manufacturing factory, warehouse, historical structure, public park, stadium, street, airport, advertising box, etc.

L&E LUMAX
Easy way to create your smart life




CIRCUIT
WIRING ROBOT
WITH AOI / ESD
PROTECTION
CAPACITY 300 PCS/SHIF


IP
SYSTEM
IP (INGRESS PROTECTION) TESTING
The IP Code, International Protection Marking, IEC standard 60529, sometimes interpreted as Ingress Protection Marking, classifies and rates the degree of protection provided against intrusion (body parts such as hands and fing
ISO/IEC 17025 Accredited / Testq


AOI MACHINE
AUTOMATIC OPTICAL INSPECTION MACHINE








H
PD11,PD12
PD13,PD14
I
PD23
20,22
23,24



INDOOR



TRL76/114
Power: 14/20/25W
Source: LED-COB



SLPL105
Power: 18/36W
Source: LED Module



SPOT48 / PDL100
Power: 14W
Source: LED



IRDL155/127
Power: 20/36W
Source: LED COB



LED RECESSED FLUORESCENT
Power: 20/30W
Source: LED



ISDP145/C
Power: 50W
Source: LED



IRSDL126
Power: 20/25W
Source: LED-COB



HBL35
Power: 100W
Source: LED Module



Central Shopping Mall Jakarta, Indonesia



Tops Market Chaengwattana, Thailand



Vidyasirimedhi Institute of Science and Technology (VISTEC), Thailand

OUTDOOR



SLA06
Power: 70W
Source: LED



INL604
Power: 7W
Source: LED Module



WMS220
Power: 60/100W
Source: Lamp



WMS220 - Underwater
Power: 11.5W
Source: LED



BLL404
Power: 15W
Source: LED Module



BLL802
Power: 3W
Source: LED Module



PTP510/LED
Power: 28W
Source: LED Module



ARL904/A
Power: 35/60W
Source: LED Module



The Wharf Samui, Thailand



Adora Wedding Hall, Ho Chi Minh City, Vietnam



DECORATIVE



PSS90-042
Power: 55W + 43W
Source: LED



TWS20-011
Power: 6W
Source: LED



PSS28-034
Power: 40W
Source: Candle Lamp



PSF100-218
Power: 25W
Source: LED



TWS20-011
Power: 6W
Source: LED



CSG18-041/WH/CH
Power: 60W
Source: LED



PSS-107-118
Power: 40W
Source: Candle Lamp



PSG62-086
Power: 40W
Source: LED





Engergy Saving Lamples / Street Lamps



LED Solar Flood Light
Power: 20W
Source: LED-SMD



LED Solar Flood Light
Power: 6W
Source: SMD



LED Solar Wallmount
Power: 25W
Source: LED-SMD



Solar LED Wallmount
Power: 2W
Source: LED-Moduel



Smart Solar Light
Power: 3W
Source: LED-SMD



LED Solar FloodLight
Power: 25W
Source: LED-SMD



LED Street Light
Power: 60W
Source: LED Moduel



ARL511
Power: 130W
Source: LED-Moduel



SLL210
Power: 80/130/160W
Source: LED Moduel



FLL436
Power: 130W
Source: LED Moduel



FRAME B80
Power: 10W
Source: LED



PTL214
Power: 10W
Source: LED

Total water solutions

FARM

Waste & Wastewater to Biogas



LANDFILL LEACHATE
TREATMENT FACILITY



Prefabrication Concrete Tank

RURAL WASTEWATER
TREATMENT FACILITY







Water Storage Tank

Prefabrication Steel Tank



Grease Trap+Septic Tank




CONTINUOUS SAND FILTER
AERATION
AQUA FULL-BRIDGE SCRAPER
WATER PURIFICATION FACILITY
Water Storage Tank
Big Tank Water Storage
CONDOMINIUM / OFFICE
Septic Tank
DEPARTMENT STORE
Wastewater Treatment System For High Building
Water Storage Tank
FACTORY
Wastewater Treatment System For Industrial
WASTEWATER TREATMENT FACILITY
Wastewater Treatment System For Restaurant

Aqua Nishihara Corporation Limited

A leader of water professional and water utilization



- ***Water***, one the most important natural resource which is indispensable for the existence of life and all living organism.
- *Even* though circulation of water plays a major role in maintaining the balance of the natural environment, clean water is not an inexhaustible natural resource.
- *Water,* which have been used by households and various industries, is so contaminated that it is beyond redemption by natural means. And it should be noted that the more a country is developing, the more wastewater is produced.
- *Without* control or proper management of the water, there will be less and less water for consumption and on the contrary, there will be more and more wastewater.
- *Undoubtedly,* the task of minimizing environmental pollution demands highly professional personnel, expert in applying appropriate technologies to

WASTWATER TREAMENT TANKS
SEPTIC TANKS



AQUA ST-BF

A new product designed to combine the functions of the Aqua PAC and Aqua Biofilm into one tank. This cost-effective treatment is ideal for sites with limited space and is also efficient at reducing odor and effluent BOD



AQUA PAC

2-in 1 treatment tank designed to have the dual funtion of Aqua ST and Aqua filter. Aqua PAC that is an ideal treatment unit for any site with a limited installation area



AQUA Bio Compact (ABC Series)

The extremely Compact Wastewater treatment system designed to specifically treat domestic wastewater from public buildings.



AQUA NBF Seriea (Fibrglass)

The most practical and effective system perfectly designed to serve the domestic wastewater



AQUA Aerokit Enzyme Tank (AKZ)

AQUA-AKZ series uses aerobic treatment process with bio-augmentation Sludge process. it consists of greasedigestion tank followed by low Rate Aerobic Submerged Bio-film. This combination ensures the quality of effuentstandard.



AQUA Greasw Trap

Ideal for efficent, low-cost separation of grease and food scraps in the discharge from kitchens, restaurants, canteens, fast-food kichens and mess-halls

MAXA

AQUA
Water Quality For Life

Quality with Economy

Anaerobic wastewater treatment tank
Suitable for housing and village project

MAXA is a complex wastewater treatment tank that contain septic zone and special anaerobic filtration together, which will provide maximum wastewater treatment. With very thick tank wall and robust structure that passed AQUA's testing standard. This tank is a perfect one that offer to you in very economy price!



an be install at depth
30 cm.





Aqua Cover (PE)
Strong for receiving load, easy for open, also never rust



Aqua Flex
Premium quality flexible jointing that come with belt, to help protect a pipe from broken from shrinking of building's foundation.



Pallring media
Making from PE material that provide long life time. This media is designed as a house of microbial cell to adheres its cell with the rough surface



Aqua Seed
Selected strain of microbial that provide the maximum efficiency for treatment in tropical climate

• WORKING PROCESS •



HE NEW CHOICE THAT VERY ECONOMY

- Robust structure guaranty by our advanced standard testing.
- Wastewater full tank volume design, so the tank will smaller than another tank.



Load Test
Passed to load (weigh) test



Vacuum Test
Passed to all direction force test



Impact Test
Passed to impact (drop) test

Model	MAXA-800	MAXA-1000	MAXA-1200	MAXA-1600	MAXA-1800	MAXA-2000	MAXA-3000
Wide(mm)	1100	1240	1315	1390	1510	1550	1760
High(mm)	1450	1335	1400	1545	1635	1650	2030
Wastewater volume (Liter)	800	1000	1200	1600	1800	2000	3000
Wastewater volume (Liter)	950	1085	1305	1670	1900	2215	3150
User (people among)	2	2	3	5	6	7	8

Aqua Garbage Container

AQUA
Water Quality For Life





Top cover that allows user to put garbage inside home and also protect the odor.



Stainless steel door handle that robust, no rush and luxury.



Magnetic door to provide easy and tight lock.



Smart board door type louver with net to protect from a bug.



A robust hasp at cover for more safety to your home.



Inner garbage tank for more cleaner

Convenience, clean, and safety!
150 Litre wall garbage.

Model	Material	Litre	Wide (mm.)	Height (mm.)	Deep (mm.)
GAB-150A	ALUMINIUM	150	575	767	636
GAB-150S	SMARTBOARD	150	575	767	636



WATER FILTER SYSTEMS



mazuma Technology for Water

Drinking Water Purifier

M3F 1 UV



mazuma Technology for Water

Drinking Water Purifier

AQ-5F-UVS



mazuma Technology for Water

Drinking Water Purifier

RO-Purelife Auto



mazuma Technology for Water

Drinking Water Purifier

QTT 5UF Plus NSF



mazuma Technology for Water

Drinking Water Purifier

AQ-30PC



mazuma Technology for Water

Drinking Water Purifier

AQ-40CR



mazuma Technology for Water

Water Purifier

FH-500



mazuma Technology for Water

Water Purifier

M1F-3



mazuma Technology for Water

Standing Water Dispenser With tank

DP-571



mazuma Technology for Water

Water Purifier Dispenser

WPU-6440F





mazuma Technology for Water

TORAY Counter Top Dringking water Purifier

SX-902V WS5-EG



T.C.FILTER

Water Purifier Fiberglass

B27



T.C.FILTER

Water Purifier

S27



T.C.FILTER

Ultraviolet (UV)



T.C.FILTER

TC Filter Tank TC Filter Ceramic Tank



T.C.FILTER

RO 24,000 L



T.C.FILTER

RO 84,000 L

WATER TANKS



AQUA NISHIHARA CORPORATION LIMITED
A leader of water professional and waste utilization

Turbid Polyethylene (Opaque)

Turbid Polyethylene was developed to prevent light from passing through the tank walls to prevent moss build up inside the tank. In addition the tank lid is aslo made from the same material and has sufficient thickness to ensures that sunlight will not pass through the walls and cause moss build up inside the tank.





AQUA NISHIHARA CORPORATION LIMITED
A leader of water professional and waste utilization

Linear Low Density Polyethylene

High density, shock resistance made from cheap materials. It is suitable for the Storage of water. Typical installed inside or buried underground or covered on the roofs protected from sunlight.

AQUA NISHIHARA CORPORATION LIMITED
A leader of water professional and waste utilization

Granite Polyethylene

An alternative to bucketless tanks. The colors are usually granite or sandstone to match the atmosphere of the house. In addition, the tank lid is made of the same material as the tank and has a sufficient thickness to ensures that sunlight will not pass through the wall and cause moss build up inside the tank.

WATER PRESSURE SOLUTIONS
PROFESSIONAL PUMP SYSTEM



• Model: KQ 200 / KQ 400 / KQ 800
• Multistage Booster Pump System
• Motor Watt: 200W~800W
• Dimension: 410 X 210 X 270 mm
• Weight: 9.5 kg



• Model: KP825
• Regenerative Pressure controlled Automatic Booster
• Motor Watt: 220~240V
• Dimension: 290X240X450 mm
• Weight: 11.0 kg



• Model: KQ 200Vz/KQ 800VZ (V)
• Integrated Flow-controlled hot water booster pump
• Motor Watt: 220~240V
• Dimension: 290X240X450 mm
• Weight: 11.0 kg



• Compact Type – Shallow Well
Model: WM-P150XS
• Motor Watt: 150W
• Dimensions: 354 ×312 ×320 MM
• Weight: 13/14 Kg



• Tank Type – Shallow Well
• Model: WT-P300XS
• Motor Watt: 300W
• Dimensions: 384 ×384 ×629 MM
• Weight: 19/21 Kg



• Inverter Type
• Model: WT-P750XV
• Motor Watt: 750W
• Weight: 12 Kg



• Constant pressure booster set with 2 pumps (2 ULTRA+VSD) controlled by variable speed drive VSD (EPIC/IPFC).
• Horizontal pumps, stainless steel impellers, diffusers, shaft and pump body.
• Stainless steel suction and delivery manifolds.



• Line of automatic boosterset with 3 pumps. Compositionhorizontal or vertical monobloc electric pumps
- suction and delivery manifolds; unit base and support for control panel
- pressure gauge with radial connection
- control panel; preset pressure switches.

Our Clinets


CHIP MONG LAND
HYATT REGENCY
CHIP MONG SENSOK MALL
SKYLAR
Bodaiju Residences
AEON MALL
ISPP
THE PARK LAND SEN SOK
THE GATEWAY
1st Global City in Phnom Penh CAMKO CITY
URBAN VILLAGE
Vattanac Bank
THE LANDMARK 271
PHNOM PENH PARK
DARA HOTELS
SOFITEL HOTELS & RESORTS
toyoko-inn.com 東横INN
CHIP MONG MALLS
ROYAL PHNOM PENH HOSPITAL
NOKOR TEP THE WOMEN'S HOSPITAL
HOPITAL Calmette
Sunrise Japan Hospital
INDEPENDENCE HOTEL
CAMBODIA AIRPORTS
R&F CAMBODIA
The PIZZA Company
HOLIDAY PALACE CASINO & RESORT
PNN
ptt
CASA MERIDIAN RESIDENCE
Managed by The Ascott Limited
makro
THE PARK LAND 598
GRAND PHNOM PENH INTERNATIONAL CITY
SSCS
NC MARKET
cellcard Cambodia's No.1
TOYOTA
Mercedes-Benz
Prince Real Estate Group
SOK SAN BEACH RESORT
Apsara Angkor Resort & Conference
STATE SECRETARIAT OF CIVIL AVIATION
RAINTREE
GALLERIA
90 RESIDENCE


The Royal Group


SMC


ORKIDĒ
VILLA


NW


ROSEWOOD
PHNOM PENH


Elite Town


SORYA
Center Point
PHNOM PENH · CAMBODIA




SIX SENSES
KRABEY ISLAND, CAMBODIA


RAFFLES
HOTEL LE ROYAL
PHNOM PENH CAMBODIA


ONE
PARK
DEFINING GLOBAL LIVING


Boulevard


FRANGIPANI VILLA HOTELS


LiGER Learning Center




SHUKAKU


Memoire
HOTELS & RESORTS


Lumiere


NAGAWORLD
PHNOM PENH
金界


CIS


Veranda
Natural Resort
Kep · Cambodia
Established in 2002


AIS


PHNOM PENH CITY CENTER
The Pearl of Cambodia


L.Y.P. GROUP CO., LTD.


PH
BOREY PENG HUOTH


SOFITEL
HOTELS & RESORTS
PHNOM PENH PHOKEETHRA


Borey Hi-tech


THANSUR SOKHA
Hotel
KAMPOT


PARKSON


CMED
Construction Co., Ltd.


NATIONAL BANK OF CAMBODIA
Riel. Stability. Development.


Vattanac Bank


CAMBODIA BREWERY
LIMITED


CANADIA BANK PLC.


EMBASSY
CENTRAL


PLANTATION
HOTEL
urban resort & spa
- Phnom Penh -


Angkor


CAMBODIA


Heineken


Tiger

Nataya

BOREY YARINA

SEN SOK TOWN

NORTHBRIDGE
CAMBODIA
Communities

CR
HOTEL CARA

Hotel Zing

UK CONDO

QUALITY OF LIFE

Home Access
QUALITY OF LIFE

(PNH) +855 23 216 195
(SR) +855 98 216 195
Home Access
myhomeaccess

#46 Than's Building, Mao Tse Toung
12305, Phnom Penh, Cambodia

#02446, Center III, Slor Kram, Siem Reap City, Siem Reap Province Siem Reap, 17251