


CRUISE LINE CATALOGUE

ULTIMATE CABIN EXPERIENCE

PROFESSIONAL MINIBARS AND SAFES FOR CRUISE SHIPS


 **DOMETIC** **PROFESSIONAL**





MINIBARS

HiPro minibars	12 – 13
Drawer minibar	14 – 15
Ventilation guidelines	16 – 17



SAFES

Dometic safes intro	18 – 21
Dometic Premium Class	22 – 25
Dometic Standard Class	26 – 29

DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogues.

DOMETIC.COM/PROFESSIONAL

DOMETIC CRUISE LINE SOLUTIONS

Offer the ultimate cabin experience

Add comfort and convenience to your ship cabins. Dometic offer premium, space-efficient minibars and safes. The minibar ranges include silent, state-of-the art refrigeration technology, beneficial both for the environment and for your costs. For Dometic safes, featuring the latest security technology, choose between wall-hanging or in-drawer-installed safes - all tested to withstand any kind of a day at sea.

1. COST REDUCTION

Best-in-class energy efficiency – no matter which cooling technology is used.

2. SUSTAINABILITY

Sustainability is part our corporate culture and a major driving force in our research and development. All our minibars meet the most stringent regulatory criteria, this means environmental and health protection for production workers, customers and users.

ALWAYS AT YOUR SERVICE

We believe in sustainable innovation for a better guest experience.

3. GUEST EXPERIENCE

Strong cooling performance, robust build and noiseless operation allows guests to fully enjoy their travels.

4. STRONG PARTNERSHIP

After more than 50 years in the industry we have a strong promise to ensure care free maintenance.



DRIVING SUSTAINABILITY IN OUR INDUSTRY

After recently having been granted the “Most Efficient 2025” EnergyStar certification in the USA, Dometic also scored the “Leader Level” for its minibar products in the MindClick Sustainability Assessment Program (MSAP) of the hospitality sector. These accomplishments stand as a testament to the dedication and hard work of our exceptional team. We are committed to maintaining and even elevating our efforts in driving sustainability in our industry.

More and more cruise ship guests today expect a sustainable travel experience. Dedicated to a more sustainable lifestyle, they seek to reduce their overall carbon footprint – including that of their travels. When it comes to choosing their holiday accommodation, they are likely to prefer cruise ships that share their mindset. The MindClick Sustainability Assessment Program (MSAP) helps traveller and cruise ship brands to make well informed decisions in the jungle of labels and certifications.

The MindClick methodology rates candidates into three levels based on their scores: Starter, Achiever or Leader. Dometic achieved notably high scores in the rating, with emphasis on cruise ship impact, end-of-use considerations, packaging, and social/environmental aspects of production. That means that Dometic minibars are currently performing at “Leader Level”, which is not only an achievement we are proud of, but also a motivation to keep up our efforts in developing sustainable solutions for the future.



**Most Efficient
2025**
www.energystar.gov



HIPRO CRUISE LINE MINIBARS

Efficient, silent, and maintenance-free

Dressed in all-black, the Dometic HiPro Cruise Line offers a timeless look that complements any cabin interior. Available in totally silent thermoelectric and highly efficient compressor versions, it's perfect for an undisturbed night's sleep and boasts an outstandingly low energy consumption. Thanks to a versatile layout, guests will benefit from access to neatly displayed snacks and beverages. Ensure passenger satisfaction with our efficient, silent, and maintenance-free in-cabin minibars. Specifically designed for the cruise industry, it is no wonder these small-but-mighty refrigerators, with their advanced cooling technology, are so popular with cruise line owners and guests alike.



Plastic door racks
Adjustable transparent door racks.



Control panel
Easy to use control panel with status LED.



Lock (optional)
Secure storage of minibar contents.

HIPRO LINE
TECHNICAL DATA


MODEL	ALPHA N30S	ALPHA N40S	ALPHA C40S
Cooling technology	Thermoelectric	Thermoelectric	Compressor
Model class (litre)	30	40	40
Storage volume (litre)	26	33	33
Door type	Metal sheet door	Metal sheet door	Metal sheet door
Product dimensions (H × W × D, mm)	520 × 384 × 415	550 × 405 × 435	550 × 405 × 481
Can be built-in/integrated	With ventilation	With ventilation	With ventilation
Sliding hinge kit	Yes	Yes	Yes
Variable door hinge	Yes	Yes	Yes
LED interior light	LED top light	LED top light	LED top light
Input rating (W)	55	55	45
Energy consumption (kWh/24 h)	0.259	0.262	0.130
Noise level (dB[A])	0	0	33
Energy class	F	F	C
Features	- Noiseless - Low energy consumption 1 x door rack 1 x plastic shelf - Adjustable shelf	- Noiseless - Low energy consumption 2 x door rack 1 x plastic shelf - Adjustable shelf	- High performance - Lowest energy consumption - Integrated silent mode 2 x door rack 1 x plastic shelf - Adjustable shelf
Options	Key lock	Key lock	Key lock



ALPHA N30S



ALPHA N40S



ALPHA C40S



Convenient slide-out access, noiseless operation, low energy consumption: Dometic DM 50 NTE provides 50 litres capacity featuring an automatic slide-out tray for snacks and mini bottles and an adjustable drawer for bottles and cans.

- Unique design for convenient slide-out access
- Thermoelectric cooling unit for low energy consumption
- Noiseless cooling comfort
- Patented and design awarded technology



DM 50 NTE F



TECHNICAL DATA

MODEL

DM 50 NTE D/F

Model class (litre)	50
Storage volume (litre)	45
Cabinet colors	Anthracite
Dimensions built-in version (H × W × D, in mm)	DM 50 NTE D: 418 × 550 × 524 DM 50 NTE F: 418 × 550 × 496
Can be built-in/integrated	with ventilation
LED interior light	●
Input rating (W)	75
Energy consumption (kWh/24 h)	0.33
Noise level (dB[A])	0
Features	• Highly flexible system of dividers and bottle fingers • DM 50 D: with a decorative anthracite panel and handle • DM 50 F: prepared for a decor panel to match the furniture design of the room
Options	• Lock



Pull-out cool

Removeable and smooth running sliding rails for convenient use.



Light the way

LED interior light – nicely features the snacks and beverages inside.



Organized storage

Simply slides out and self closing drawer provides easy access to the contents.

VENTILATION GUIDELINES

Important note

Please read these instructions carefully and follow all instructions, guidelines, and warnings included in all our product manuals in order to ensure that you install, use, and maintain our products properly at all times.



By using our products, you hereby confirm that you have read all instructions, guidelines, and warnings carefully and that you understand and agree to abide by the terms and conditions as set forth herein. You agree to use our products only for the intended purpose and application and in accordance with the instructions, guidelines, and warnings as set forth in the product manuals as well as in accordance with all applicable laws and regulations. A failure to read and follow the instructions and warnings set forth herein may result in an injury to yourself and others, damage to your product or damage to other property in the vicinity. Our product manuals, including the instructions, guidelines, and warnings, and related documentation, may be subject to changes and updates. For up-to-date product information, please visit dometic.com.

The heat which the cooling unit extracts from the refrigerator interior is emitted at the back of the fridge. If you have a free-standing model, sufficient ventilation is provided in most cases. If you want to integrate the fridge into a piece of furniture, however, the following instructions need to met.

Please note that there must be sufficient room for ventilation behind the refrigerator to prevent heat build-up. During installation, make



sure that the refrigerator is standing on a stable, level surface, and not directly near a heat source.

You can find all our documents, manuals and guidelines at documents.dometic.com.




			Air inlet	Air outlet
N30, N40	—	 ≥	200 cm ²	200 cm ²
A30, A40, C40	—	 ≥	150 cm ²	200 cm ²


HIPRO MINIBARS



	A	B	C	D
A30	384 mm	446 mm	520 mm	356 mm
N30	384 mm	415 mm	520 mm	356 mm
A40	405 mm	466 mm	550 mm	376 mm
N40	405 mm	435 mm	550 mm	376 mm
C40	405 mm	481 mm	550 mm	376 mm



DM50 NTE DRAWER MINIBARS



2* : Minimum 15 mm distance between the minibar's back (incl. the cooling unit) and the surrounding structure)







FROM STANDARD TO PREMIUM

The range of Dometic ProSafe models

Security is an essential requirement for cruise guests, and one of the main reasons for choosing or discarding a cruise line. The Dometic Group, aware of this, is always developing and improving all of its products in order to meet the needs of customers.

The Dometic ProSafe range goes one step further in terms of design, functionality, technology and security. All Standard and Premium safes have a very modern design with a LED display with white digits, an ADA-compliant keypad, confirmation buzzer, screw fastened battery slot, smooth automatic opening*, optional EU socket with an USB-A and USB-C charging slot**, solid locking 19mm steel bolts,

LED interior light, and a soft carpet. Forgotten PIN? No problem. A master code is standard, with optional master key for all models. The ProSafe Premium line includes an anti-tampering system, a tracking system that logs the last 1000 operations and an online tool which offers the possibility to operate the safe with the strictest security.

The elegant cabinets of the ProSafe Premium line have laser cut doors and frames with rounded corners and edges and include a soft beige colored carpet.



Batteries included
Ready to use with lids secured by screws



Automatic opening *
Safe door opens automatically



EU socket with USB-A and USB-C slots**
Optional EU socket for charging mobile devices



Low battery indicator
Standard models displays "LO-BAT," while the Premium model shows "BAT-LO" on its screen

*not available on MD400T and MD400D
**not available on MD280, MD310 and MD400D



Premium Class

Excellence in form and function: Dometic safes offer features like iAudit tracking and the REOS Remote Emergency Opening System ensure security on all levels.



Standard Class

High security level combined with easy operation for perfect comfort and convenience.

PRODUCT FINDER - THE QUICK WAY TO FIND THE RIGHT PRODUCT

Laser-cut door

Our doors are precisely cut and crafted by a laser beam. This allows us to achieve 100% accuracy in dimensions and an extremely small clearance between the door and casing, making the door impossible to pry open.

SAM

The unique Dometic safe management system (SAM) allows for iAudit Trail and one time emergency code generation (REOS) from a user friendly but PIN secured online tool.

Anti-Tamper system

The anti-tamper system protects the unit from unauthorized interference. If an attempt is made to manipulate the electronics—such as prying open the control board or tampering with internal components—the system automatically blocks the user interface. Once activated, the safe cannot be opened or closed until it is reset through the Safe Management system.

REOS code

REOS stands for Dometic's Remote Emergency Opening System. The emergency-opening system from Dometic is based on an innova-

tive encoding system. The unique solution combines advanced electronics with state-of-the-art online technology to allow simple yet highly secure emergency opening by authorised cruise staff.

iAudit tracking

All operations effected on a safe must be documented – for your own security and for your insurance provider. This is where Dometic's Premium iAudit system offers a truly convenient solution: the integrated microchip provides storage capacity for the last 1,000 events.

● Yes / – No / ○ Optional

WHAT'S IMPORTANT TO YOU?	PREMIUM CLASS	STANDARD CLASS
Soft carpet	● (Beige)	● (Grey)
Automatic opening*	●	●
LED interior light	●	●
LED display	●	●
Emergency opening with master key	●	●
Emergency opening with master code	●	●
Emergency opening with REOS Code	○	–
Anti-Tamper System	○	–
iAudit tracking	●	–
SAM	○	–
Laser-cut door	●	–
USB charging slot (EU)**	○	○

*not available on MD400T and MD400D

**not available on MD280, MD310 and MD400D

SAFE TO SAY IT'S MORE CONVENIENT

PREMIUM CLASS IN-ROOM SAFES

DOMETIC PREMIUM CLASS SAFES

Protection for more privacy – comfortably and with absolute reliability. With a Dometic Premium class safe, a guest cabin becomes a perfectly private haven for the guest. A safe place for storage, conceived and implemented according to the newest standards. Its innovative design suits every cruise ship in a stylish way, available in both left- and right-hinged or top opening and drawer versions. Smooth surfaces and rounded edges make it easy to look after and give it long-lasting character. An easy to read LED display and the integrated

soft-touch keypad make operation effortless. The Premium ProSafe line also breaks new ground when it comes to protective properties: technology like the iAudit and the anti-tampering system ensure security on all levels. The demand for contemporary security systems with added convenience is supported by special features such as REOS software with its emergency code-opening system (optional).

- LED interior light and Automatic opening
- Enough room to fit laptop and tablet computers
- Beige soft carpet
- Laser-cut door and frame
- iAudit for convenient documentation
- Emergency opening with key and master code
- Anti-tamper system (optional)
- Remote Emergency Opening System (optional)



WIDE CHOICE OF MODELS AND SIZES

Dometic ProSafe Premium class safes are available in various sizes to suit different capacity demands, interior designs and installation conditions. Sizes range from 8 to 28.7 litres.



Beige carpet

Soft beige carpet for clear visibility and gentle placement



Laser-cut door and frame

Elegant design with precise and robust construction



iAudit for convenient documentation

Special microchip with storage capacity for the last 1000 event



Safe Management System (optional)

Secure one-time emergency code generation and Anti-Tamper system

			
			
TECHNICAL DATA			
MODEL	MD 280	MD 360	MD 380
Type of product	Electronic safe		
Capacity (litres)	8	23.7	27.8
Exterior dimensions (H × W × D, mm)	165 × 280 × 235	190 × 360 × 410	190 × 380 × 450
Interior dimensions (H × W × D, mm)	160 × 277 × 184	185 × 357 × 359	185 × 377 × 399
Steel thickness (mm)	Door: 5.0 / Body 1.5	Door: 5.0 / Body 1.5	Door: 5.0 / Body 1.5
Net weight (kg)	6.15	10.18	11.08
Keypad	ADA-compliant rubber keypad		
Display	White LED color display, 4-digit guest code, English language		
Locking mechanism	Two 19 mm solid steel bolts		
Locking system	Motorised with automatic opening		
Power	4 LR6/AA 1.5 V batteries (incl.)		
Carpet color	Beige		
FEATURES			
Confirmation buzzer	●	●	●
LED interior light	●	●	●
Laser cut technology	●	●	●
Battery level check	●	●	●
Mastercode opening	●	●	●
Anti-tampering System	○	○	○
REOS	○	○	○
iAudit	●	●	●
Laptop size	–	15"	17"
OPTIONS			
	• Left-hand hinge • Anti-tampering System • Two steps emergency code opening (REOS) • Fixing Kit • Master key*	• Left-hand hinge • Anti-tampering System • Two steps emergency code opening (REOS) • Integrated socket (EU) • Fixing Kit • Master key*	• Left-hand hinge • Anti-tampering System • Two steps emergency code opening (REOS) • Integrated socket (EU) • Fixing Kit • Master key*

*Master keys are optional, must be ordered separately, and are model-specific.

TECHNICAL DATA					
	MODEL		MODEL		
MODEL		MD 405		MD 490	
Type of product		Electronic safe			
Capacity (litres)		22.2		28.7	
Exterior dimensions (H × W × D, mm)		190 × 405 × 350		190 × 490 × 370	
Interior dimensions (H × W × D, mm)		185 × 402 × 299		185 × 487 × 319	
Steel thickness (mm)		Door: 5.0 / Body 1.5		Door: 5.0 / Body 1.5	
Net weight (kg)		10.19		12.17	
Keypad		ADA-compliant rubber keypad			
Display		White LED color display, 4-digit guest code, English language			
Locking mechanism		Two 19 mm solid steel bolts			
Locking system		Motorised with automatic opening			
Power		4 LR6/AA 1.5 V batteries (incl.)			
Cabinet color		Beige			
FEATURES					
Confirmation buzzer		●		●	
LED interior light		●		●	
Laser cut technology		●		●	
Battery level check		●		●	
Mastercode opening		●		●	
Anti-tampering System		○		○	
REOS		○		○	
iAudit		●		●	
Laptop size		15"		17"	
OPTIONS					
		• Left-hand hinge • Anti-tampering System • Two steps emergency code opening (REOS) • Integrated socket (EU) • Fixing Kit • Master key*		• Left-hand hinge • Anti-tampering System • Two steps emergency code opening (REOS) • Integrated socket (EU) • Fixing Kit • Master key*	

*Master keys are optional, must be ordered separately, and are model-specific.

● Yes / – No / ○ Optional

DOMETIC STANDARD CLASS SAFES

Robustly made with user-friendly features and functions

It puts cruise ship guests' mind at rest to have a safe place for their valuables while travelling. Providing a secure space for important or valuable objects yet it is a distinctive feature when choosing a guest cabin or suite. With a Standard class ProSafe, you can create a reliable spot in a guest room that is worth every penny. Security and functionality are paramount with all Dometic safe models. The Standard class safe models offer your guests a high level of security thanks to their robust construction. Their simple and intuitive usability provides perfect comfort and convenience.

- LED interior light and Automatic opening
- Enough room to fit laptop and tablet computers
- Grey soft carpet
- Master key and master code emergency opening
- Wide choice: horizontal, top-opening, drawer

DOMETIC PROSAFE MD 310 / 390 / 450 SAFE INVESTMENT



With quality and security at their core, these value-for-money in-room safes significantly enhance the security of existing guest cabins.

The doors on all the Standard Class safe models are precisely cut and crafted. Their robust construction and a locking system with extra-strong steel bolts leave no point of attack for burglars. The LED interior light minimises the risk of forgotten valuables. Fast and secure emergency opening is possible with a master key or master code.

- Value-for-money solution for upgrading guest cabins
- Left- and right-hinged models – from 7.5 to 28.2 litres capacity



DOMETIC PROSAFE DRAWER-OPENING SAFE

The doors on all the Standard Class safe models are precisely cut and crafted. Their robust construction and a locking system with extra-strong steel bolts leave no point of attack for burglars. Fast and secure emergency opening is possible with a master key or master code (depending on the model).

- Robust, reliable construction for optimal safety
- Sturdy rails for smooth opening and closing



Simply slide

Sturdy rails for smooth opening and closing



Pull-out Handle

Integrated handle for easy opening and closing.



DOMETIC PROSAFE TOP-OPENING SAFE

Part of the Dometic Standard class range, the Dometic ProSafe MD 400 T top-opening safe provides a simple, yet ingenious solution that is easy to operate and safe to use. The top-opening safe can be integrated in an existing furniture drawer and provides easy access to guests' valuables. At the same time it meets the highest demands on ergonomic design, comfort and security with an LED inside light for standard, master key and master code opening possibility in case of emergency, digital keypad, four-digit code and top-opening stabilizer arm. An audio signal confirms that the safe is securely locked.

- Convenient access from above
- Ideal for installation into existing guest cabin drawer
- Stabilizer arm for smooth opening and closing of the lid



Easy operation

ADA-compliant keypad and an elegant LED display with white digits



Handle

Integrated handle for easy opening and closing.



Hydraulic arm

Stabilizer arm for smooth opening and closing



Soft close

Muted door closing.

			
TECHNICAL DATA			
MODEL	MD 310	MD 390	MD 450
Type of product	Electronic safe		
Capacity (litres)	7.5	29.5	28.2
Exterior dimensions (H × W × D, mm)	165 × 310 × 235	200 × 390 × 470	200 × 450 × 400
Interior dimensions (H × W × D, mm)	153 × 306 × 161	188 × 386 × 406	188 × 446 × 336
Steel thickness (mm)	Door: 5.0 / Body 2		
Net weight (kg)	7.07	13.26	13.47
Keypad	ADA-compliant keypad		
Display	White LED 4-digit guest code, English language		
Locking mechanism	Two 19 mm steel bolts		
Locking system	Motorised with automatic opening		
Power	4 LR6/AA 1.5 V batteries (incl.)		
Carpet color	Grey		
FEATURES			
Confirmation buzzer	●	●	●
LED interior light	●	●	●
Laser cut technology	–	–	–
Battery level check	–	–	–
Mastercode opening	●	●	●
Anti-tampering System	–	–	–
REOS	–	–	–
iAudit	–	–	–
Laptop size	–	17"	15"
OPTIONS			
	• Left-hand hinge • Fixing kit • Master key*	• Integrated socket (EU) • Left-hand hinge • Fixing kit • Master key*	• Integrated socket (EU) • Left-hand hinge • Fixing kit • Master key*

*Master keys are optional, must be ordered separately, and are model-specific.

TECHNICAL DATA		
MODEL	MD 400T	MD 400D
Type of product	Electronic safe	
Capacity (litres)	10.7	15
Exterior dimensions (H × W × D, mm)	130 × 400 × 350	200 × 400 × 440
Interior dimensions (H × W × D, mm)	79 × 394 × 344	131 × 312 × 368
Steel thickness (mm)	Door: 3.0 / Body 1.5	Door: 5.0 / Body 1.5
Net weight (kg)	9.12	16.49
Keypad	ADA-compliant keypad	
Display	White LED 4-digit guest code, English language	
Locking mechanism	Two 19 mm steel bolts	
Locking system	Hydraulic arm	Sliding rails
Power	4 LR6/AA 1.5 V batteries (incl.)	
Carpet color	Grey	
FEATURES		
Confirmation buzzer	●	●
LED interior light	●	–
Laser cut technology	–	–
Battery level check	–	–
Mastercode opening	●	●
Anti-tampering System	–	–
REOS	–	–
iAudit	–	–
Laptop size	15"	15"
OPTIONS		
	- Integrated socket (EU) - Fixing kit - Master key*	- Fixing kit - Master key*

● Yes / – No / O Optional

BELGIUM, NETHERLANDS**& LUXEMBOURG****Dometic BeNeLuX**

In der Steinwiese 16

D-57074 Siegen

Tel +49 (0) 271 692 134 / 142

+49 (0) 271 692 127

Mail hospitality_nl@dometic.com

DENMARK**Dometic Denmark A/S**

Nordensvej 15, Taulov

DK-7000 Fredericia

Tel +45 75585966

Mail hospitality_ne@dometic.com

FINLAND**Dometic Finland Oy**

Valimotie 15

FIN-00380 Helsinki

Tel +358 20 7413220

Mail hospitality_ne@dometic.com

FRANCE**Dometic SAS**

6 Avenue du Poteau

Batiment B1

60300 Chamant

Tel +33 3 44633521/33

Mail hospitality_fr@dometic.com

GERMANY, AUSTRIA**& SWITZERLAND****Dometic GmbH**

In der Steinwiese 16

D-57074 Siegen

Tel +49 (0) 271 692 134 / 142

+49 (0) 271 692 127

Mail hospitality_de@dometic.com

ITALY**Dometic Italy S.r.l.**

Via Virgilio, 3

I-47122 Forlì (FC)

Tel +39 0543 754901

Mail hospitality_it@dometic.com

MIDDLE EAST & AFRICA**Dometic Middle East FZCO**

P.O. Box 17860

S-D 6, Jebel Ali Freezone

Dubai

Tel +971 4 883 3858

Mail hospitality_ae@dometic.com

NORWAY**Dometic Norway AS**

Elveveien 30B

3262 Larvik

Tel +47 33428450

Mail hospitality_ne@dometic.com

SWEDEN**Dometic Scandinavia AB**

Gustaf Melins gata 7

S-421 31 Västra Frölunda

Tel +46 31 7341100

Mail hospitality_ne@dometic.com

SPAIN**Dometic Spain, S.L.**

Avda. Sierra del Guadarrama, 16

E-28691 Villanueva de la Cañada

Madrid

Tel +34 91 833 6089

Mail hospitality_es@dometic.com

PORTUGAL**Dometic Spain, S.L.**

Branch Office em Portugal

Rot. de São Gonçalo nº 1- Esc. 12

2775-399 Carcavelos

Tel +351 219 244 173

Mail hospitality_pt@dometic.com

UNITED KINGDOM & IRELAND**Dometic UK Ltd.**

Dometic House, The Brewery,

Blandford St. Mary's

Dorset DT11 9LS

Tel +44 125 841 4581

Mail hospitality_uk@dometic.com

**FOR SALES IN POLAND, EASTERN
EUROPE, TURKEY & ISRAEL, PLEASE
CONTACT**

HOSPITALITY_EE@DOMETIC.COM

**FOR SALES IN GREECE, PLEASE
CONTACT**

HOSPITALITY_GR@DOMETIC.COM

We distribute our products in around 100 markets. Please mail us at: hospitality@dometic.com, or check our website dometic.com/hospitality

USA & CANADA**Dometic Corporation**

Columbia Centre 1

5600 N. River Rd

Suite 250

Rosemont, IL 60018

Tel +1 574 326 7635

Tel +1 574 294 2511

Mail hospitality_us@dometic.com

MEXICO**Dometic MX**

Circuito Médicos No. 6 Local 1

Colonia Ciudad Satélite

CP 53100 Naucalpan de Juárez

Estado de México

Tel +52 55 5374 4108

Mail hospitality_mx@dometic.com

EXPORT**Dometic Competence Center**

Circuito Médicos No. 6 Local 1

Colonia Ciudad Satélite

CP 53100 Naucalpan de Juárez

Estado de México

Tel +52 55 5374 4108

Mail hospitality_mx@dometic.com

AUSTRALIA**Dometic Austria**

7 Nursery ave

Clayton South

Victoria 3169

Tel +61 1800 212 121

Mail hospitality_au@dometic.com

CHINA**Dometic Asia Co., Ltd**

Room 803-805A, Waterfront Place Block E,

No.31, Lane 168, Daduhe Road, Putuo

District, Shanghai, China

Tel +86-21-60325088

Mail hospitality_cn@dometic.com

JAPAN**Dometic KK**

Maekawa-Shibaura, Bldg. 2

2-13-9 Shibaura Minato-ku

Tokyo 108-0023

Tel +81 3 5445 3333

Mail hospitality_jp@dometic.com