

**BLACK
PANTHER**

HRC58
ROCKWELL
HARDNESS

HIGH TENSILE 185mm | 7 1/4"

Code: 29-702

LONG CUT 200mm | 8"

HRC53
ROCKWELL
HARDNESS

Code: 29-700

**THE ORIGINAL
INDUSTRIAL SNIPS**

SAFETY

ROUNDED TIP 185mm | 7 1/4"

HRC53
ROCKWELL
HARDNESS

Code: 29-704

THE ORIGINAL 185mm | 7 1/4"

HRC53
ROCKWELL
HARDNESS

Code: 29-701

DISCOVER 25 WAYS



TO USE THIS ULTIMATE ALL-ROUNDER!

INDUSTRIAL & TRADE

Sterling Black Panther Industrial Snips are the perfect toolbox must-have. Suitable for multiple industries and trades like mining, electrical, horticulture, farming, fishing, mechanics, plumbing, food preparation, tailoring, textiles, flooring installation, plastering and much more.



SCAN FOR MORE

**BLACK
PANTHER**
INDUSTRIAL SNIPS

Sterling



MULTI-TOOL BLADES

Designed for trade and industrial use.

Durable and reliable, these blades are built to withstand demanding jobs and provide consistent performance.

TOUGH ENOUGH.



100% PLASTIC FREE PACKAGING

TRADESMEN SET - 3 PIECE



TIMBER WOOD & PLASTIC
BI-METAL WOOD & METAL

CONTENTS

1x TIMBER FINE TOOTH	WPSL3555
1x TIMBER JAPANESE TOOTH	WPSLT3550
1x BI-METAL WOOD & METAL	WNSL4455

CODE

MT3TRSL

TRADESMEN SET - 4 PIECE



TIMBER WOOD & PLASTIC
BI-METAL NAIL BUSTER

CONTENTS

1x TIMBER FINE TOOTH	WPSL3555
1x TIMBER JAPANESE TOOTH	WPSLT3550
1x BI-METAL NAIL BUSTER	WNSL3550
1x BI-METAL WOOD & METAL	WNSL4455

CODE

MT4TRSL

TRADESMEN SET 3 PIECE



TIMBER WOOD & PLASTIC
BI-METAL WOOD & METAL

CONTENTS	CODE
1x TIMBER JAPANESE TOOTH	WPJT6842
1x TIMBER FINE TOOTH	WP4478
1x BI-METAL WOOD & METAL	WN2860

TRADESMEN SET 4 PIECE



TIMBER WOOD & PLASTIC
BI-METAL NAIL BUSTER

CONTENTS	CODE
1x TIMBER JAPANESE TOOTH	WPJT6842
1x TIMBER FINE TOOTH	WP3440
1x BI-METAL WOOD & METAL	WN2860
1x BI-METAL NAIL BUSTER	WN3440

ELECTRICIANS SET 4 PIECE



TIMBER WOOD & PLASTIC
BI-METAL NAIL BUSTER

CONTENTS	CODE
1x TIMBER FINE TOOTH	WP3440
1x TIMBER JAPANESE TOOTH	WPJT3440
1x BI-METAL WOOD & METAL	WN2860
1x BI-METAL NAIL BUSTER	WN3440

PLUMBERS SET 4 PIECE



TIMBER WOOD & PLASTIC
BI-METAL NAIL BUSTER

CONTENTS	CODE
1x BI-METAL WOOD & METAL	WN6842
1x BI-METAL WOOD & METAL	WN2860
1x TIMBER FINE TOOTH	WP3440
1x TIMBER JAPANESE TOOTH	WPJT3440



IMPACT HEX & TORX SOCKETS & SOCKET SET

The perfect match for air electric or manual impact wrenches.

TOUGH ENOUGH.

Impact HEX Socket 1/2" drive



Square Drive Head

Hex

Size mm	Code
Hex 4	TISHX04
Hex 5	TISHX05
Hex 6	TISHX06
Hex 7	TISHX07
Hex 8	TISHX08
Hex 10	TISHX10
Hex 12	TISHX12
Hex 14	TISHX14
Hex 17	TISHX17

Impact TORX Socket 1/2" drive



Square Drive Head

Torx

Size mm	Code
Torx 10	TISTX10
Torx 15	TISTX15
Torx 20	TISTX20
Torx 25	TISTX25
Torx 27	TISTX27
Torx 30	TISTX30
Torx 40	TISTX40
Torx 45	TISTX45
Torx 50	TISTX50
Torx 55	TISTX55

Impact HEX Socket Set 1/2" drive

H4, H5, H6, H8, H10,
H12, H14, H17



Code: TISHXSET8

Impact TORX Socket Set 1/2" drive

T20, T25, T27, T30,
T40, T45, T50, T55, T60



Code: TISTXSET9



STEEL HEAD HAMMER TACKER



6, 8, 10
& 12mm



15% Less
Fatigue**



Up to
26% Less
Weight*

- Low staple indicators on the top & sides.
- Anti-slip handle sleeve for a firm grip on every hit.
- Capacity for 2 full strips of heavy duty staples.
- Compatible with Arrow T50 or Sterling Rapid 140 Series.
- Bottom loading for easy loading & jam clearing.

*Compared to other steel body models. **Reduces fatigue based on feedback from user testing.

Code: TSH-865I



Sterling

140 Series Staples Stainless Steel

8mm x 2000 pcs

10mm x 2000 pcs

12mm x 2000 pcs



Code: A1108-2MSS

Code: A1110-2MSS

Code: A1112-2MSS

Sterling

Tape Measure Easyread 8m x 27mm - Metric



Non-slip
ABS casing

Superior internal
mechanism

**ultimax
PRO**
Tape Measure

Code: TMFXE8027

Double sided
blade printing

Reinforced
dual-hook

Clear markings

Wide nylon
coated blade

Sterling

T-Rex Shark Tooth Hand Saw - 550mm



Code: 50-770

- The Sterling T-REX Handsaw has a 550mm (22") 8TPI Blade with triple ground shark point teeth for fast cuts even in hardwood
- Hardened teeth are durable and will cut a wide range of materials including timber, laminated boards, plastic pipe, plasterboard, cornices, etc.
- Rubber grip handle is comfortable, secure, and has 900 and 450 angles for accurate marking out.

Sterling

Rhino Grip Kneepads



Code: 18-530

- Anti-compression air injection gel pad
- Foam core gives maximum cushioning
- One size fits all.
- Elastic Straps with Velcro fasteners
- Large low profile cap designed to prevent 'roll over' onto hard surfaces



ECO.30
Magnetic Base Drill
30mm Capacity

THE LIGHTEST 30MM MACHINE IN THE MARKET. ONLY 8.5KG!

- Powerful 900 W motor cuts holes in metal up to Ø 30mm easily and quickly.
- Ideal for drilling in tight and narrow spaces
- Integrated tool cooling and lubrication
- Direct spindle drive
- Integrated Gearbox Slide system



ECO-TUBE.30
Magnetic Base Drill
30mm Capacity

ADJUSTABLE MAGNETS FOR THE BEST POSITION ON ROUND AND FLAT SURFACES

- No electricity required for magnetic base
- Unique flexible features for pipes of various sizes
- Highly stable wide stance
- Easy to handle
- Direct spindle drive
- No special add-ons needed for flat or curved surfaces



ECO.32
Magnetic Base Drill
32mm Capacity

AN EFFICIENT SINGLE SPEED MACHINE IN AN EAGER MOTOR

- Single speed gearbox
- Compact design
- Detachable spindle
- Practical long stroke
- Clear and easy controls
- Fits a 1/2" chuck with adaptor*

*Sold separately.



VAC.50S+
Vacuum Base Drill
50mm Capacity

ESPECIALLY MADE FOR HORIZONTAL APPLICATION ON NON-MAGNETIC SURFACES

Sticks to almost all smooth surfaces (such as aluminium, stainless steel, plastics, composites, brass, bronze, zinc, lead or even copper) by using unique vacuum technology.

- Two-speed oil bath gearbox
- Powerful 1250 W motor
- 300kg adsorption force



ECO.50S
Magnetic Base Drill
50mm Capacity

THE MOST RELIABLE MAG DRILL ON THE MARKET

- 2-speed gearbox
- High precision slide & rail construction
- Integrated oil bath gearbox
- Morse Taper 3 Spindle
- Practical long stroke



ECO.50+/T
Magnetic Base Drill
50mm Capacity

EQUIPPED WITH INNOVATIVE ELECTRONICS FOR INCREASED SAFETY

- 2-speed gearbox with adjustable speed and rotation
- High efficiency 1250 W motor with less heat generation
- Direct spindle drive
- Integrated tool cooling and lubrication
- Suitable for both drilling and tapping

HEAVY WORKLOADS



ECO.32T
Magnetic Base Drill
32mm Capacity

**THE BEST ALL-ROUND
DRILL & TAP MACHINE
IN ITS RANGE!**

- 1000 W motor to complete your tailor-made work at all altitudes.
- Drilling and tapping with one machine
- Variable speed & reverse gear box
- Electronically adjustable rotating speed
- Fits a 1/2" chuck with adaptor*



ECO.36
Magnetic Base Drill
Low Profile 36mm Capacity

**THE LOWEST
MAG DRILL
ON THE
MARKET!**

- Single speed gearbox
- Compact design
- Detachable spindle
- Fits a 1/2" chuck with adaptor*



ECO.36+/T
Magnetic Base Drill
Low Profile 36mm Capacity

**THE LOWEST
MAG DRILL
FOR DRILLING
AND TAPPING!**

- Variable speed
- Tap function for fast and efficient thread tapping
- Left and right mountable feed handle.

TRADE
\$2,826.00+



ECO.40S
Magnetic Base Drill
40mm Capacity

**THE THE LIGHTEST 40MM
MAG DRILL AVAILABLE!**

- Oil lubricated one-speed gearbox
- High efficiency motor with less heat generation
- High accuracy capstan hub
- Direct spindle drive
- Integrated tool cooling and lubrication
- Strong dual coil CNC machined 2-way magnet
- Reversible handles enables to change the operation side of the feed handles in confined spaces



ECO.80S+
Magnetic Base Drill
80mm Capacity

**POWERFUL FOUR-SPEED
MOTOR FOR TWIST DRILLING
AND 80MM WIDE CUTTERS**

- 1700 W motor to tackle any task
- Four-speed oil lubricated gearbox
- Overheat and Overload protections
- Twist drilling and big diameter cutters
- Heavy scale fabrication jobs



ECO.100S+/T
Magnetic Base Drill
100mm Capacity

**SAFER AND SMARTER
TECHNOLOGY THAT FINDS THE
IDEAL WORKLOAD FOR YOU.**

- Four-speed oil lubricated gearbox with adjustable speed particularly suitable for tapping
- Torque control on motor house
- Overheat and Overload protections
- R/L rotating functionality & electronic speed adjustment



EDC.355
Bladerunner Cut-off Saw
Free 80T Saw Blade*

**IDEAL FOR CUTTING
METAL PROFILES, PIPES
AND SHEET MATERIAL.**

- Molded aluminum base with adjustable angle indication
- Extremely powerful 2480W motor with built-in soft start functionality
- 3 attachment points to fix the machine to a workbench
- Safety button for protection against accidental start-up
- Adjustable cutting angle from 0° to 45°
- *355 x 80T saw blade for regular construction steel included



STAINLESS Plus Drill bits

The Ultimate drill for drilling Stainless Steel

- 5x the life of Cobalt drills in Stainless Steel
- 40° Helix fast spiral flute for controlled chip evacuation
- Full length TiAlN coated for ultimate wear resistance
- 130° special point angle for quick penetration & reduced work hardening

**5x
LIFE**

**FAST
spiral
FLUTE**

**TiAlN
COATING**
for ultimate
wear
resistance




Aluminium



Steel



Stainless
Steel



SUITS



POWER
DRILL



PEDESTAL
DRILL



TUFFBOX PRO

INOX Series Jobber Drill Set

1.0 - 13.0mm in 0.5mm increments

**25
PCE
Metric**



Code: **SM25SPTP**

1.0 - 3.0mm Card of 2pc
3.5 - 13mm Card of 1pc

*Proven by independent controlled testing, Alpha STAINLESS Plus drills last 5 times the life of Cobalt drills in stainless steel

Size mm	Code
1.0	C9LMP010
1.5	C9LMP015
2.0	C9LMP020
2.5	C9LMP025
3.0	C9LMP030
3.5	C9LMP035
4.0	C9LMP040
4.5	C9LMP045
5.0	C9LMP050
5.5	C9LMP055
6.0	C9LMP060
6.5	C9LMP065
7.0	C9LMP070
7.5	C9LMP075
8.0	C9LMP080
8.5	C9LMP085
9.0	C9LMP090
9.5	C9LMP095
10.0	C9LMP100
10.5	C9LMP105
11.0	C9LMP110
11.5	C9LMP115
12.0	C9LMP120
12.5	C9LMP125
13.0	C9LMP130



THUNDER MAX

Step Drills

New

A range of step drills available in spiral and straight flute with a tempered black finish



Self-starting split point removes the need for a pilot hole

Tempered black finish maximises lubricant hold, therefore assisting chip flow & heat dissipation

2 flute design for smooth cutting

Laser etched hole ø



3 flats on shank, prevents slippage in chuck

Corrosion resistant finish

**2x
LIFE**

**TEMPERED
BLACK
FINISH**

**Stainless
STEEL**
1.5mm THICK



Sheet Metal



Steel



Plastic



Stainless
Steel



**IMPACT
DRIVER**



Hammer Action



BULK - 1 PCE
Supplied in
hangable
plastic pack

Ideal for: Non-ferrous metals, sheet metal and plastic up to 3mm thick. Stainless steel up to 1.5mm thick.

Suits: Non-hammer action portable power drills.
Cutting Speed: 400 - 1,500 RPM.




**NON-SLIP
SHANK**



**1/4"
QUICK
CHANGE**

Size ø	No. of Steps	ø Included	Shank ø	BULK Code
4 - 12mm	9	4, 5, 6, 7, 8, 9, 10, 11 & 12mm	6.0	9STSM4-12TM
4 - 20mm	9	4, 6, 8, 10, 12, 14, 16, 18 & 20mm	8.0	9STSM4-20TM
6 - 30mm	13	6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, & 30mm	10.0	9STSM6-30TM
4 - 20mm	9	4, 6, 8, 10, 12, 14, 16, 18 & 20mm	1/4"	9STSIM4-20TM
1/4" - 3/4" (Straight flute)	9	1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", & 3/4"	9.5	9STI14-34TM

4 OVERALL LENGTHS (OAL) AVAILABLE:



- Hardened self-feeding screw** for durability, easy starting and fast drilling.
- Ultra-hard cutting edge** for fast drilling and longevity.
- Non-stick coating** reduces friction, increases product life and productivity.
- Strengthened core structure** provides increased bit rigidity.



Hardwood
& Softwood



Wood
& Nails

HEAVY DUTY


- Engineered for fast, smooth, extra heavy-duty drilling.
- Smoother, low friction drilling
- Faster chip ejection
- Reduction of wear
- Protection against corrosion

Ideal for: Power poles, fence posts and railway sleepers.

Size mm	Overall Length	Code
10	205	WAH100205
	330	WAH100330
	457	WAH100457
	600	WAH100600
11	205	WAH110205
	330	WAH110330
	457	WAH110457
	600	WAH110600
12	205	WAH120205
	457	WAH120457
	600	WAH120600
	600	WAH120600
12.7	205	WAH127205
	330	WAH127330
	457	WAH127457
	600	WAH127600
14	205	WAH140205
	330	WAH140330
	457	WAH140457
	600	WAH140600
16	205	WAH160205
	330	WAH160330
	457	WAH160457
	600	WAH160600

Size mm	Overall Length	Code
18	205	WAH180205
	330	WAH180330
	457	WAH180457
	600	WAH180600
19	205	WAH190205
	330	WAH190330
	457	WAH190457
	600	WAH190600
20	330	WAH200330
	205	WAH220205
22	330	WAH220330
	457	WAH220457
	600	WAH220600
	205	WAH250205
25	330	WAH250330
	457	WAH250457
	600	WAH250600
	600	WAH250600
26	457	WAH260457
	205	WAH290205
	330	WAH290330
	457	WAH290457
29	600	WAH290600
	205	WAH320205
	330	WAH320330
	457	WAH320457
32	600	WAH320600
	600	WAH320600


Supplied in clear tubes for maximum drill visibility



HEAVY DUTY Extension Bars to suit WAH Augers

- Suits all 7/16" hex accessories • Suits Heavy Duty Augers (WAH range)
- Holesaw Arbor ARB-2 & Holesaw Arbor kit ARB-5

140, 305, & 460mm / **Grub Screw**



Supplied with allen key

OAL mm	Code
Grub Screw	
140	WAH-EXT140
305	WAH-EXT305
460	WAH-EXT460

300mm / **Quick Release**



Quick Release	
300	WAH-QREXT300



- **Multiple ejection slots** for rapid removal of thick and thin plugs (HSV40 & over).
- **Unique multiple grinding technology** for faster cutting and longer life.
- **4/6 variable tooth configuration** reduces vibration for a smooth, accurate cut.
- **Bi-Metal construction with 8% Cobalt** welded teeth for extended life in industrial applications.



Steel



Stainless
Steel



Cast Iron



Wood




Plastic

Size mm	Code	Size mm	Code	Size mm	Code	Size mm	Code
14	HSV14	38	HSV38	64	HSV64	102	HSV102
16	HSV16	40	HSV40	65	HSV65	105	HSV105
17	HSV17	41	HSV41	67	HSV67	108	HSV108
19	HSV19	43	HSV43	68	HSV68	111	HSV111
20	HSV20	44	HSV44	70	HSV70	114	HSV114
21	HSV21	45	HSV45	73	HSV73	121	HSV121
22	HSV22	46	HSV46	75	HSV75	127	HSV127
24	HSV24	48	HSV48	76	HSV76	140	HSV140
25	HSV25	50	HSV50	79	HSV79	146	HSV146
27	HSV27	51	HSV51	83	HSV83	152	HSV152
29	HSV29	52	HSV52	86	HSV86	160	HSV160
30	HSV30	54	HSV54	89	HSV89	168	HSV168
32	HSV32	55	HSV55	92	HSV92	177	HSV177
33	HSV33	57	HSV57	95	HSV95	185	HSV185
35	HSV35	59	HSV59	98	HSV98	200	HSV200
37	HSV37	60	HSV60	100	HSV100	210	HSV210

Type	Contents	Code
Electrician's 11 pc	• 7x Holesaws: 16, 20, 25, 32, 40, 51 & 64mm • Spade bit (TurboBORE): 25mm • Pilot drill: 3/16" • Adaptor: (ARB-ADP) • Small arbor w/ pilot drill: suits 14-30mm holesaws • Large arbor w/ pilot drill: suits 32-250mm holesaws	HSKELW11
Plumber's 11 pc	• 7x Holesaws: 19, 22, 30, 35, 44, 51 & 57mm • Spade bit (TurboBORE): 16mm • Pilot drill: 3/16" • Adaptor: (ARB-ADP) • Small arbor w/ pilot drill: suits 14-30mm holesaws • Large arbor w/ pilot drill: suits 32-250mm holesaws	HSKPLW11
Tradie's 13 pc	• 10x Holesaws: 16, 20, 22, 25, 32, 35, 38, 40, 51, 54, 64, & 92mm • Pilot drill: 3/16" • Adaptor: (ARB-ADP) • Small arbor w/ pilot drill: suits 14-30mm holesaws	HSKTRW13
Tradie's 21 pc	• 17x Holesaws: 16, 20, 22, 25, 29, 32, 35, 38, 40, 51, 54, 60, 64, 70, 76, 92, & 114mm • Spade bit (TurboBORE): 25mm • Small arbor w/ pilot drill: suits 14-30mm holesaws • Hex drill set (15pc): 1.5-6.5mm • Adaptor: (ARB-ADP) • Large arbor w/ pilot drill: suits 32-250mm holesaws • Pilot drill: 3/16"	HSKTRW21

Heavy Duty Extension Bars - Quick Release



QUICK RELEASE COMPATIBILITY




1/4" EXTENSION BAR

1/4" Hex Fitment fits here



Length mm	Code
150	TS08-QREXTH150
300	TS08-QREXTH300
450	TS08-QREXTH450
600	TS08-QREXTH600
900	TS08-QREXTH900



The next evolution of the Alpha Onsite+ range, this tool is designed for maximum efficiency so you can save time on the job and clock-off earlier than ever before.

10mm Cutting Depth - Suitable for thicker workpieces up to 10mm, unlike conventional step drills which are limited to 4mm.

Fast Drilling Process - The overall drill time is 6x faster than regular step drills thanks to four high-performance cutting edges.

No Pre-drilling needed - Patented Step Tip design eliminates the need to pre-drill a pilot hole.

Deburring Eliminated - The next larger step diameter performs the function of deburring while drilling.

Less Tool Wear - Premium AlCrN multi-layer protection coating ensures durability and tool longevity.

Ideal for:



Steel



Wood



Plastic



Stainless Steel



Sustainable Packaging



Scan & Learn more | ▶

Steps	Code
3.3, 4.2, 5.0, 6.8, 8.5, & 10.2mm M4 - M12	9STM4-M12DSD
4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0 & 12.0mm	9STM4-12DSD
8.0, 10.0, 12.0, 14.0, 16.0, 18.0 & 20.0mm	9STM8-20DSD
9.0, 11.0, 13.0, 15.0, 17.0 & 19.0mm	9STM9-19DSD

XTRA Clean & Strip Discs

Surface Finishing



Purple Ultra | Clean & Strip Discs

Stronger stripping power for removal work without damaging the surface.

PERFORMANCE



SURFACE FINISH



USABILITY



MATERIAL REMOVAL

Non-woven cleaning discs achieve no edge fraying or grain shredding for a consistent finish.

Ideal for: aggressive cleaning or removing rust, paint, epoxy or weld spatter

SUITS



ANGLE GRINDER

IDEAL FOR



STEEL



STAINLESS STEEL



ALUMINIUM



WOOD



FIBREGLASS

TYPE 27

DEPRESSED CENTRE DESIGN

Size ø mm	Grit	Max. RPM	Opt. RPM	Code 5 PCE - Wrapped
100	Purple Ultra	12,800	7,000	GSPD100PU
115	Purple Ultra	12,250	6,000	GSPD115PU
125	Purple Ultra	12,250	5,600	GSPD125PU

- Greater surface area than wire brushes
- Coarse silicon carbide grain dispersed throughout a strong nylon web
- Aggressively removes rust, weld spatter, paint & coatings without loading or clogging, & tough enough for deburring
- Easier, safer & faster alternative to wire brushes

DCD/spiro premium dry core bits.

A premium dry core bit
with spiral barrel design
for swift dust removal



PRO PERFORMANCE

DCD/SPIRO PREMIUM DRY CORE BITS

Size mm	Length mm	Code
22	300	DB00740
28	300	DB00750
32	145	DB00760
38	145	DB00770
42	145	DB00771
48	145	DB00780
52	145	DB00790
65	145	DB00800
78	145	DB00810
82	145	DB00811
91	145	DB00812
102	145	DB00813
107	145	DB00820
117	145	DB00830
127	145	DB00840
142	145	DB00841
152	145	DB00850
162	145	DB00860
172	145	DB00861
182	145	DB00870
200	145	DB00871

Suitable for use in masonry, brick, concrete with light or medium steel reinforcing. Also effective for granite, marble and stone.

Do not use with SDS Hammer Action when drilling. Voids any warranty.

PRO PERFORMANCE

DCD/SPIRO CORE KIT

Description	Code
5 piece Core Kit	DB00880

Includes:

38mm, 52mm, 65mm, 117mm & 127mm Spiro Cores, SDS Adaptor, Hex Adaptor, Drift Key, 1/2" BSP Extension (200mm), A-Taper Pilot Drill, in a heavy duty lockable carry case.



CORE BIT ACCESSORIES

Description	Code
Hex Adaptor Pack includes: • Hex adaptor • A-Taper Pilot Drill • Drift Key	DB02340
SDS Adaptor Pack includes: • SDS Adaptor • A-Taper Pilot Drill • Drift Key	DB02350
1/2" BSP Drive Extension Rod (250mm)	DB02370
A-Taper Pilot Drill	DB02390
Drift Key	DB02410
Hex Adaptor	DB02420
SDS Adaptor	DB02430

90° FLAT EDGE SQUARE WITH HEAVY BASE




Made
in Italy



Dasqua measuring tools are
guaranteed for **TWO years**
(Starting from invoice date)
on accuracy and workmanship.



**DIN
875**



- Precision ground base for measuring and checking the flatness error
- Used for checking the straightness, parallelism and perpendicularity
- Strictly made in accordance with DIN875
- Made of hardened stainless steel
- Satin chrome finish for glare-free easy reading
- Measuring surfaces are precision ground and lapped

Size (HxLmm)	C	D	B	E	Code
50x40	16	16	1.8	10	DFES50
75x50	16	16	1.8	10	DFES75
100x70	20	20	2.0	12	DFES100
150x100	24	24	2.7	15.5	DFES150
200x130	29	29	2.7	15.5	DFES200
250x160	35	35	4.0	16	DFES250
300x200	35	35	4.0	16	DFES300

DIGITAL BLUETOOTH OIL & WATERPROOF VERNIER CALIPER



Code: DBC150-1005A

- With calibration certificate
- Made of solid stainless steel
- Strictly made in accordance with DIN862
- With inductive measurement system
- Large easy-to-read LCD screen
- Glass grating adapted
- IP67 protection against liquid



IP67
COOLANT & FLUID
RESISTANT



Battery
+
CR2032



**DIN
862**



**mm
in
F**



Made
in Italy



Supplied in
a heavy duty
storage case



Alpha THUNDER MAX IMPACT DRIVER BITS

50x LIFE

EXTREME TORSION

Maximum strength for high impact & extreme torque loads

Perfect for metal to metal fastening when extreme tightening down is required.



Black oxide finish for extreme corrosion resistance



Ideal for cordless drills and impact drivers



Superior magnetism helps the bit grip the screw and prevent cam-out



Scan & Learn more |

Hex Impact Power Bit

1/4" POWER	CARD QTY	CODE
Type/Size	OAL mm	CARD 1 PCE
HEX4	50	1 CHEX450SM
	50	1 CHEX550SM
	50	3 CHEX550SM-3
HEX5	50	5 CHEX550SM-5
	75	1 CHEX575SM
	75	3 CHEX575SM-3
	150	1 CHEX5150SM
	150	3 CHEX5150SM-3
HEX6	50	1 CHEX650SM

Phillips® Impact Power Bit

1/4" POWER	CARD QTY	CODE
Type/Size	OAL mm	
PH1	25	2 CPH125SM
	50	1 CPH150SM
PH2	25	2 CPH225SM
	50	1 CPH250SM
	75	1 CPH275SM
	100	1 CPH2100SM
	50	3 CPH250SM-3
	50	5 CPH250SM-5
	150	1 CPH2150SM
	150	3 CPH2150SM-3
PH2 Double Ended	65	1 CPH265DSM
PH3	50	1 CPH350SM

Square Impact Power Bit

1/4" POWER	CARD QTY	CODE
Type/Size	OAL mm	
SQ1	50	1 CSQ150SM
	50	3 CSQ150SM-3
SQ2	25	2 CSQ225SM
	50	1 CSQ250SM
	50	3 CSQ250SM-3
	50	5 CSQ250SM-5
	75	1 CSQ275SM
	75	3 CSQ275SM-3
	75	5 CSQ275SM-5
	100	1 CSQ2100SM
	100	3 CSQ2100SM-3
	150	1 CSQ2150SM
	150	3 CSQ2150SM-3
SQ2 Double Ended	65	1 CSQ265DSM
SQ3	50	1 CSQ350SM

Nutsetter Anti-shock Magnet

1/4" POWER	CARD QTY	CODE
Type/Size	OAL mm	
5/16"	45	1 CNS51645SM
	65	1 CNS51665SM
	65	3 CNS51665SM-3
	150	1 CNS516150SM
1/4"	45	1 CNS1445SM
	65	1 CNS1465SM
3/8"	150	1 CNS1465SM
	45	1 CNS3845SM
	65	1 CNS3865SM
	65	3 CNS3865SM-3

Magnetic Bit Holder

Spring-loaded Quick Release



1/4" POWER	CARD QTY	CODE
Type/Size	OAL mm	QUICK RELEASE
1/4"	75	1 CMBHQR75SM
	75	1 CMBHC75SM
	150	1 CMBHC150SM

Pozidrive® Impact Power Bit

1/4" POWER	CARD QTY	CODE
Type/Size	OAL mm	
PZ2	25	2 CPZ225SM
	50	1 CPZ250SM

Torx® Impact Power Bit

1/4" POWER	CARD QTY	CODE
Type/Size	OAL mm	
T10	50	1 CTX1050SM
T15	50	1 CTX1550SM
	50	1 CTX2050SM
	50	3 CTX2050SM-3
T20	50	5 CTX2050SM-5
	50	1 CTX2550SM
	50	3 CTX2550SM-3
T25	50	5 CTX2550SM-5
	50	1 CTX3050SM
T30	50	3 CTX3050SM-3
	50	1 CTX4050SM
T40	50	3 CTX4050SM-3
	50	1 CTX5050SM
T50	50	3 CTX5050SM-3

Adaptor Hex Drive to Square

1/4" POWER	CARD QTY	CODE
Type/Size	OAL mm	
1/4"	65	1 CADP14-65SM
3/8"	65	1 CADP38-65SM
1/2"	72	1 CADP12-72SM



Carded
1 & 2 PCE

Carded
3 & 5 PCE

Suitable for retail
Hangable Cards

Handy Packs



Suitable for bulk or retail.
Hangable Plastic Packs

1/4" POWER	PACK QTY	CODE
Type/Size	OAL mm	
HEX5	50	10 HEX550SMH
	50	10 PH250SMH
PH2	75	10 PH275SMH
	50	10 SQ250SMH
T20	75	10 TX2050SMH
T30	50	10 TX3050SMH
T40	40	10 TX4050SMH
T50	50	10 TX5050SMH
5/16" Nutsetter	65	5 NS51665SMH
3/8" Nutsetter	65	5 NS3865SMH

Sheffield GROUP

t: 0800 65 69 11
e: sales@sheffieldgroup.co.nz
www.sheffieldgroup.co.nz

Valid until 31/10/2026.

©COPYRIGHT SHEFFIELD GROUP LTD.

T's and C's apply. If an item is not in stock a freight charge may apply. Prices exclude GST. E&OE.

DISTRIBUTED BY: