

Commercial Tablet PC

RK3128/RK3288/RK3566/RK3588/RK3399

1/2/4/8 GB RAM, 8/16/32/64GB ROM

Android 6.0/7.1/8.1/9.0/10/11/12 OS

POE /NFC/ RFID/ OEM APP Instation



WTDTM


WORLD TRADE DISPLAY

World Trade Display

Display & Digital Signage Solutions

www.worldtradedisplay.com

WA LED Light Series- 2 Sides Light



Card access
Control



> Detailed product parameters

Parameters

Screen size	10.1 " / 13.3" / 15.6"	Speaker	2*1.5W/ 2W/ 3W
CPU	RK3288/RK3566/RK3588/RK3399	Camera	2.0M/P,Front camera
Memory	2/4GB RAM+16/32GB ROM	POE	IEEE802.3at/af
Operation system	Android 8.1/ 9.0/10/11 /12	LED Light bar	Red/Green/Blue Color Led Light Bar
Touch screen	10-Point capacitive touch	Adapter	12V/1.5A
Viewing angle	85/85/85/85(L/R/U/D)	Tablet PC Color	Black/ white
Network	WiFi+Ethernet+Buletooth		
Interface	SD Card /USB/Micro USB /RJ45/Earphone		

WA LED Light Series- 4 Sides Light




Meeting
Appointment

> Detailed product parameters

Parameters

Screen size	10.1 " / 13.3" /15.6"	Speaker	2*1.5W/ 2W/ 3W
CPU	RK3288/RK3566/RK3568/RK3399	Camera	2.0M/P or 5.0 M/P,Front camera
Memory	2/4GB RAM+16/32GB ROM	POE	IEEE802.3at/af
Operation system	Android5.1/ 7.1/8.1/10.0/11	LED Light bar	LED light bar with RGB and mixed color
Touch screen	10-Point capacitive touch	Adapter	12V/1.5A
Viewing angle	85/85/85/85(L/R/U/D)	Tablet PC Color	Black/ white
Network	WiFi+Ethernet+Buletooth	Function	Optional NFC/RFID
Interface	SD Card /USB/Type-c/RJ45/Earphone		

POE Series Android Tablet PC



Fitness Display

> Detailed product parameters

Parameters

Screen size	8" /10.1" /15.6"	Speaker	1.52* W
CPU	RK3288/RK3566/RK3568/RK3399	Camera	2.0M/P or 5.0 M/P,Front camera
Memory	2GB RAM+16GB ROM	POE	IEEE802.3at/af
Operation system	Android 8.1/ 9.0/10/11	MIC	Built-in MIC
Touch screen	10-Point capacitive touch	Adapter	12V/1.5A
Viewing angle	85/85/85/85(L/R/U/D)	Tablet PC Color	Black/ white
Network	WiFi+Ethernet+Buletooth		
Interface	SD Card /USB/Micro USB /RJ45/Earphone		

WH Medical Series



Daily broadcast



Emergency calling

> Detailed product parameters

Parameters

Screen size	10.1" / 13.3" /15.6"	Speaker	2*2W/3W
CPU	RK3288/RK3566/ RK3588/RK3568/RK3399	Camera	2.0M/P or 5.0 M/P,Front camera
Memory	2/4GB RAM+16/32GB ROM	Button	POWER/VOLUME+/VOLUME-/CALL
Operation system	Android7.1/8.1/11/12	Adapter	12V/2A
Touch screen	10-Point capacitive touch	Tablet PC Color	White
Viewing angle	85/85/85/85(L/R/U/D)	Function	Optional NFC/RFID
Network	WiFi+Ethernet+Buletooth		
Interface	Type-c/RJ45/Voice control port/USB Serial port/Earphone		

WD Series Android Tablet PC



> Detailed product parameters

Parameters

Screen size	Dual Screen, 8" /10.1 "	Speaker	1.52* W
CPU	RK3288/RK3568	Camera	Single camera 5.0MP Option Dual camera 5.0MP
Memory	2GB RAM+16GB ROM	Usage way	Desktop
Operation system	Android 8.1/11	MIC	Built -in MIC
Touch screen	Standart dual display with dual touch	Adapter	12V/2A
Viewing angle	85/85/85/85(L/R/U/D)	Tablet PC Color	Black/ white
Network	WiFi+Ethernet+Buletooth		
Interface	SD Card /USB/Type-c/RJ45/Earphone		

WD Series Android Tablet PC



Retail payment



> Detailed product parameters

Parameters

Screen size	10.1 "+7" / 13.3"+8" /15.6"+10.1"	Speaker	2*3W
CPU	RK3568	Camera	Front camera 5.0M/P
Memory	2GB RAM+16GB ROM	Internal Microphone	Single one ,optional dual microphone
Operation system	Android 11	Adapter	12V/2A
Touch screen	10-Point capacitive touch	Tablet PC Color	Black
Viewing angle	85/85/85/85(L/R/U/D)	Function	Optional NFC/RFID
Network	WiFi+Ethernet+Buletooth		
Interface	Type-c/RJ45/Voice control port/USB Serial port/Earphone		


WT Series Android Tablet PC



> Detailed product parameters

Parameters			
Screen size	8" /10.1 "	Speaker	2*2W
CPU	RK3128/3288/3568/339 9	Camera	no
Memory	1/2GB RAM+16GB ROM	Usage way	Desktop
Operation system	Android 6.0/7.1/8.1/11	MIC	Standard Single microphone
Touch screen	10-Point capacitive touch	Adapter	12V/1.5A
Viewing angle	85/85/85/85(L/R/U/D)	Tablet PC Color	Black
Network	WiFi+Ethernet+Buletooth		
Interface	SD Card /USB/Type-c/RJ45/Earphone		

WL Series Android Tablet PC



> Detailed product parameters

Parameters			
Screen size	7"8" /10.1 "/13.3"/15.6"/17.3"	Speaker	2*2W
CPU	RK3128/3288/3566/3568/ 3399	Camera	2.0M/P, front camera Dual camera option
Memory	1/2GB RAM+16GB ROM	Speaker	2*1/2W
Operation system	Android 6.0/8.1/9.0/11	MIC	Built -in MIC
Touch screen	10-Point capacitive touch	Adapter	12V/1.5/2A
Viewing angle	85/85/85/85(L/R/U/D)	Tablet PC Color	Black/ White
Network	WiFi+Ethernet+Buletooth		
Interface	Card slot/USB/Micro USB/HDMI/RJ45/ Earphone		

WF Series Android Tablet PC



15.6"




18.5"/21.5"



24"/27"



32"



43"/55"

> Detailed product parameters

Parameters

Screen size	14" / 15.6"/18.5"/21.5"/24"/27"/32"/43"/55"	Speaker	2*2/3/5W
CPU	RK3288/3568 /3588/3399	Camera	2.0M/P,Front camera/ Routine angle 5.0MP
Memory	2/4GB RAM+16/32GB ROM	Wall mount	100mm*100mm/400x400mm wall mounting
Operation system	Android 5.1/7.1/8.1/9.0/11/12	MIC	Standard Single microphone
Touch screen	10-Point capacitive touch	Adapter	12V/1.5A
Viewing angle	85/85/85/85(L/R/U/D)	Tablet PC Color	Black
Network	WiFi+Ethernet+Buletooth		
Interface	Card slot/USB/Micro USB/HDMI/RJ45/earphone		



Advertising Display



Catering Display




Fitness Display

Interactive Digital Signage



> Detailed product parameters

Parameters			
Screen size	21.5"/24"/32"	Speaker	2*2/3/5W
CPU	RK3588/3399	Camera	2.0M/P,Front camera/ Routine angle 5.0MP
Memory	4GB RAM+64GB ROM	Wall mount	100mm*100mm/400x400mm wall mounting
Operation system	Android 12	MIC	Standard Single microphone
Touch screen	10-Point capacitive touch	Adapter	12V/1.5A
Viewing angle	85/85/85/85(L/R/U/D)	Tablet PC Color	Black / white
Network	WiFi+Ethernet+Buletooth		
Interface	USB/USB TOUCH/HDMI IN/RJ45/Type-c/ Earphone Output/MIC IN		




Lcd Led Monitor Gaming Monitor

10.1" - 49" Screen Size

1K/2K/4K/5K Resolution

Frameless design, curved or flat model

PIB/PBP/AMD Free Sync/Low blue light/Flicker- free/ etc



PIP/PBP

Split Screen



1.07B



Quantum dots



IPS Flat



120%sRGB


Popula Lcd Led Monitor - H215



> Detailed product parameters

Parameters			
screen size	18.5"-24"	screen refresh rate	60/75HZ
panel type	IPS / TN	Response time	5ms
border type	Frameless	Vesa mount	75mm*75m/100mm/10mm
resolution	1366*768/1440*900/1600*900/1920*1080	Viewing angle	178°/178°
curvature	Flat	Color	Black
display color	16.7M	interface	VGA/HDMI/DP/USB/AUDIO/DC
color saturation	100%sRGB		
aspect ratio	16:9		
brightness	300cd/m2		

Y2381



> Detailed product parameters

Parameters			
screen size	23.8 inches	screen refresh rate	165HZ
panel type	IPS / VA	Response time	1ms
border type	Rimless	contrast	1000:1
resolution	1920x1080 / 2560x1440	Viewing angle	178°/178°
curvature	3000R (Optional) /Flat	power consumption	42W
display color	16.7M	interface	VGA/HDMI/DP/USB/AUDIO/DC
color saturation	120%sRGB		
aspect ratio	16:9		
brightness	300cd/m2		

DS270W



> Detailed product parameters

Parameters

Model	DS270W	Refresh rate	60Hz / 165Hz
Screen Size	23.8" / 27"	Response time	5ms
Panel Type	IPS	Contrast	1000:1
Border Type	Rimless	Viewing angle	178°/178°
Resolution	1920x1080 / 2560x1440 / 3840x2160	Power consumption	35W
Display Color	16.7M	Interface	VGA/HDMI/DP/Type-C/USB-A/USB-B/earphone/DC
Aspect Ratio	16:9		
Brightness	300cd/m2		

FD3201



> Detailed product parameters

Parameters

screen size	27" / 32"	Screen refresh rate	60Hz / 165Hz
panel type	IPS	Response time	1ms
border type	Rimless	contrast	1000:1
resolution	1920x1080 / 2560x1440 / 3840x2160	Viewing angle	178°/178°
curvature	plane	Backlight	Mixed color
display color	16.7M	interface	VGA/HDMI/DP/USB/AUDIO/Type-C/ DC
color saturation	120%sRGB		
aspect ratio	16:9		
brightness	300cd/m2		

NK2706



> Detailed product parameters

Parameters

screen size	24.5" / 27"	Response time	1ms
panel type	VA	contrast	1000:1
border type	Rimless	brightness	300cd/m2
resolution	1920×1080 / 2560×1440	contrast	1000:1
display color	16.7M	Viewing angle	178°/178°
color saturation	99%sRGB	power consumption	42W
aspect ratio	16:9	interface	VGA/HDMI/DP/USB/AUDIO/DC
brightness	300cd/m2		
refresh rate	60Hz / 165Hz / 240Hz		

Z3201



> Detailed product parameters

Parameters

screen size	23.8" / 27" / 32"	screen refresh rate	60Hz / 165Hz
panel type	IPS	Response time	1ms
border type	Rimless	contrast	1000:1
resolution	1920x1080 / 2560×1440	Viewing angle	178°/178°
curvature	plane	power consumption	42W
display color	16.7M	interface	VGA/HDMI/DP/USB/AUDIO/DC
color saturation	120%sRGB		
aspect ratio	16:9		
brightness	300cd/m2		

DQ3201U



> Detailed product parameters

Parameters			
screen size	27" / 32"	screen refresh rate	60Hz / 75Hz / 165Hz
panel type	IPS / VA	Response time	1ms
border type	Rimless	Contrast (Static)	4000:1
resolution	1920x1080 / 2560x1440 / 3840x2160	Viewing angle	≥178°(H)/≥178°(V)
curvature	1800R(Optional)	power consumption	65W
display color	16.7M	interface	VGA/HDMI/DP/USB/AUDIO/DC
color saturation	135%sRGB		
aspect ratio	16:9		
brightness	350cd/m2		

DQ3401U



> Detailed product parameters

Parameters			
screen size	34"	screen refresh rate	144Hz
panel type	IPS / VA	Response time	1ms
border type	Rimless	Contrast (Static)	4000:1
resolution	3840x1440 (4K)	Viewing angle	≥178°(H)/≥178°(V)
curvature	1500R(Optional)	power consumption	65W
display color	16.7M	interface	HDMI/DP/USB/AUDIO/DC/Type-C
color saturation	135%sRGB		
aspect ratio	21:9		
brightness	350cd/m2		

XM3207



> Detailed product parameters

Parameters

screen size	23.8" / 24.5" / 27" / 32 "	screen refresh rate	60Hz / 165Hz
panel type	IPS	Response time	1ms
border type	Rimless	contrast	1000:1
resolution	1920x1080 / 2560x1440	Viewing angle	178°/178°
curvature	plane	power consumption	35W
display color	16.7M	interface	VGA/HDMI/DP/USB/AUDIO/DC
color saturation	99%sRGB		
aspect ratio	16:9		
brightness	300cd/m2		

H3CQR-HQ



> Detailed product parameters

Parameters

screen size	49"	screen refresh rate	120HZ when 5K/165HZ when 4K
panel type	VA	Response time	1ms
border type	3-frameless bezel	contrast	1000:1
resolution	5120*1440/3840*1080	Viewing angle	178°/178°
curvature	1800R	VESA Mount	75*75mm
HDR	HDR400	interface	2HDMI+2DP+Type-C 65W+ USB + RJ45
color saturation	120%sRGB		
aspect ratio	32:9		
brightness	350cd/m2		

Touch Monitor

Resistive / Capacitive / IR touch
Desktop/wall mount/Embedded
Customized Logo /CE RoHs FCC KC Certified
Widely used for pos system, industrial area etc.



PRODUCTION EQUIPMENT



MEDICAL MACHINERY



SURVEILLANCE SYSTEM



SELF-CHECK



ORDER CASHIER



AUTOMATED INDUSTRY

Plastic Model Touch Monitor - HOP97



> Detailed product parameters

Parameters			
Screen size	9.7" IPSLED	Input	100-240 VAC, 50-60 Hz
Resolution	1280×800 @60Hz	MTBF	50000 hr at 25°C
Touch	Capacitive Touch	Mount Interface	VESA 75mm and 100mm
Viewing angle (v/h)	89°/89°(CR>10)		Installation bracket, horizontal or vertical
Interface	VGA/HDMI/USB	Components	USB cable 180cm * 1 piece,
Response Time	5ms		VGA cable 180cm * 1 piece,
Support Color	16.7M colors		1 power cord with switch adapter,
OSD controls	Allow on-screen adjustments of Brightness, Contrast Ratio, Auto-adjust, Phase, Clock, H/V Location, Languages, Function, Reset		Bracket * 2 pieces

Plastic Model Touch Monitor - HOP1001



> Detailed product parameters

Parameters			
Screen size	10.1" IPSLED	Input	100-240 VAC, 50-60 Hz
Resolution	1280×800 @60Hz	MTBF	50000 hr at 25°C
Touch	Capacitive Touch	Mount Interface	VESA 75mm and 100mm
Viewing angle (v/h)	89°/89°(CR>10)		Installation bracket, horizontal or vertical
Interface	VGA/HDMI/USB	Components	USB cable 180cm * 1 piece,
Response Time	5ms		VGA cable 180cm * 1 piece,
Support Color	16.7M colors		1 power cord with switch adapter,
OSD controls	Allow on-screen adjustments of Brightness, Contrast Ratio, Auto-adjust, Phase, Clock, H/V Location, Languages, Function, Reset		Bracket * 2 pieces

Plastic Model Touch Monitor - HOP104



> Detailed product parameters

Parameters			
Screen size	10.1 / 12 inch TFT-LCD	Input	100-240 VAC, 50-60 Hz
Resolution	1024*768	MTBF	50000 hr at 25°C
Touch	Capacitive Touch/ Resistive Touch	Mount Interface	VESA 75mm and 100mm
Viewing angle (v/h)	80/80/60/80(Typ.)(CR≥10)		Installation bracket, horizontal or vertical
Contrast	VGA/HDMI/USB	Components	USB cable 180cm * 1 piece,
Response Time	5ms		VGA cable 180cm * 1 piece,
Support Color	16.2M colors		1 power cord with switch adapter,
OSD controls	Allow on-screen adjustments of Brightness, Contrast Ratio, Auto-adjust, Phase, Clock, H/V Location, Languages, Function, Reset		Bracket * 2 pieces

Plastic Model Touch Monitor - HOP121



> Detailed product parameters

Parameters			
Screen size	12 inch TFT-LCD	Power supply	External Power Supply:100 to 240V (DC 12V)
Resolution	1280*800	Frequency	30~80KHz/60~75Hz
Touch	Capacitive Touch	Duration	50000hours
Viewing angle (v/h)	Horizontal:178° Vertical:178°	Components	VGA for video signals
Contrast	450:1		USB (or RS232) for touch
Response time	5ms		
Support Color	16.7M colors		
OSD controls	AUTO,+,POWER,-,MENU brightness,contrast ratio auto adjustment,phase position,clock, Languages,function,Install,reset		

Plastic Model Touch Monitor - 1503M



> Detailed product parameters

Parameters			
Screen size	15 / 17 inch TFT-LCD	Power supply	External Power Supply:100 to 240V (DC 12V)
Resolution	1024*768 (15") / 1280*1024 (17")	Frequency	30~80KHz/60~75Hz
Brightness	300cd/m2 / 450cd/m2	Duration	50000hours
Viewing angle (v/h)	Horizontal:178° Vertical:178°	Components	VGA/HDMI for video signals
Frequency	30~80KHz/60~75Hz		USB (or RS232) for touch
Response time	5ms		
Touch	Capacitive Touch/ Resistive Touch		
OSD controls	AUTO,+,POWER,-,MENUbrightness,contrast ratio,auto adjustment,phase position, clock,Languages,function,Install,reset		

Plastic Flat Touch Monitor - 1503M



> Detailed product parameters

Parameters			
Screen size	15 / 17 inch TFT-LCD	Power supply	External Power Supply:100 to 240V (DC 12V)
Resolution	1024*768 (15") / 1280*1024 (17")	Frequency	30~80KHz/60~75Hz
Brightness	300/450cd/m2	Duration	50000 hours
Viewing angle (v/h)	Horizontal:178° Vertical:178°	Supporting O.S	Windows, Linux, Mac.
Frequency	30~80KHz/60~75Hz	Interface	VGA for video signal
Response time	5ms		HDMI, AV, TV, USB, BNC, DVI optional
Touch	Capacitive Touch		
OSD controls	AUTO,+,POWER,-,MENUbrightness,contrast ratio, auto adjustment,phase position,clock, Languages,function,Install,reset		

Plastic Flat Touch Monitor - 1506M



> Detailed product parameters

Parameters			
Screen size	15.6" / 19.5" / 21.5" / 23.6"	Power supply	External Power Supply:100 to 240V (DC 12V)
Resolution	1600*900 / 1920*1080	Frequency	30~80KHz/60~75Hz
Brightness	300cd/m2	Duration	50000hours
Viewing angle (v/h)	Horizontal:178° Vertical:178°	Components	VGA /HDMI for video signals
Frequency	30~80KHz/60~75Hz		USB (or RS232) for touch
Response time	5ms		
Touch	Capacitive Touch		
OSD controls	AUTO,+,POWER,-,MENUbrightness,contrast ratio, auto adjustment,phase position,clock, Languages,function,Install,reset		

Plastic Case Touch Monitor - 1901M



> Detailed product parameters

Parameters			
Screen size	17 / 19 inch TFT-LCD	Power supply	External Power Supply:100 to 240V (DC 12V)
Resolution	1280*1024	Frequency	30~80KHz/60~75Hz
Brightness	450cd/m2	Duration	50000hours
Viewing angle (v/h)	Horizontal:178° Vertical:178°	Supporting O.S	Windows, Linux, Mac.
Contrase ratio	1000:1	Interface	VGA for video signal
Response time	5ms		HDMI, AV, TV, USB, BNC, DVI optional
Support Color	16.7M colors		
OSD controls	AUTO,+,POWER,-,MENUbrightness,contrast ratio, auto adjustment,phase position,clock, Languages,function,Install,reset		

Metal Case Touch Monitor-HOP Series




> Detailed product parameters

Parameters

Size	Resolution	Viewing angle	Video Input	Mount Interface
10.4"	1024*768	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
12.1"	1024*768	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
15"	1024*768	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
15.6"	1600*900 1920*1080	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
17"	1280*1024@75Hz	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
18.5"	1366*768	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
19"	1280*1024@75Hz	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
19"	1440*900	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
21.5"	1920*1080	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
24"	1920*1080	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
32"	1920*1080	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
43"	1920*1080	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical

Metal Case Touch Monitor-HSP Series



> Detailed product parameters

Parameters				
Size	Resolution	Viewing angle	Video Input	Support Operating System
15"	1024×768	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
15.6"	1920×1080	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
18.5"	1366*768	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
21.5"	1920*1080	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
23.6"	1920*1080	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical



Metal Case Touch Monitor-HYP Series



> Detailed product parameters

Parameters				
Size	Resolution	Viewing angle	Video Input	Mount Interface
32"	1920*1080	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical
43"	1920*1080	178°/178°	VGA; DVI , HDMI - optional	VESA 75mm and 100mm Mount bracket, horizontal or vertical


POG Gaming Monitor



> Detailed product parameters

Parameters					
Size	Resolution	Touch screen	Response time	Brightness	Support Operating System
19"	1280*1024	Infrared touch screen	5ms	250cd/m2	Working on T340 (POT O GOLD) or WMS or FOX340
21.5"	1920*1080	Infrared touch screen	5ms	250cd/m2	Working on T340 (POT O GOLD) or WMS or FOX340
22"	1680*1050	Infrared touch screen	5ms	250cd/m2	Working on T340 (POT O GOLD) or WMS or FOX340
24"	1920*1080	Infrared touch screen	5ms	250cd/m2	Working on T340 (POT O GOLD) or WMS or FOX340

Plastic Model Touch Monitor-Y Series



> Detailed product parameters

Parameters					
Size	Resolution	Master chip	Screen ratio	Brightness	Support Operating System
10.1"	1280*800	MstarV59	16:10	300cd/m2	SD card slot+HDMI+AV+Headphone jack +USB 2.0*2+Power socket(4.0*1.7 mm)
15.6"	1920*1080	MstarV56	16:9	300cd/m2	SD card slot+HDMI+AV+Headphone jack +USB 2.0*2+Power socket(5.5*2.1 mm)
21.5"	1920*1080	MstarV59	16:9	300cd/m2	SD card slot+HDMI+AV+Headphone jack +USB 2.0*2+Power socket(4.0*1.7 mm)

Plastic Model Touch Monitor-S Series



> Detailed product parameters

Parameters					
Size	Resolution	Master chip	Screen ratio	Brightness	Support Operating System
12.1"	1280*800	MstarV56	16:9	250cd/m2	SD card slot+HDMI+AV+USB 2.0*2+Power socket(5.5*2.1 mm)
17.3"	1600*900	MstarV56	16:9	300cd/m2	SD card slot+HDMI+AV+Headphone jack+USB 2.0*2+Power socket(5.5*2.1 mm)
17.3"	1920*1080	MstarV56	16:9	300cd/m2	SD card slot+HDMI+AV+Headphone jack+USB 2.0*2+Power socket(5.5*2.1 mm)
17.3"	1920*1080 IPS	MstarV56	16:9	300cd/m2	SD card slot+HDMI+AV+Headphone jack+USB 2.0*2+Power socket(5.5*2.1 mm)
18.5"	1366*768	MstarV59	16:9	300cd/m2	SD card slot+HDMI+AV+Headphone jack+USB 2.0*2+Power socket(4.0*1.7 mm)

Plastic Model Touch Monitor-ZP Series



> Detailed product parameters

Parameters					
Size	Resolution	Master chip	Screen ratio	Brightness	Support Operating System
14"	1920*1080	MstarV56	16:9	300cd/m2	SD card slot+HDMI+AV+USB 2.0*2+Power socket(5.5*2.1 mm)
15.6"	1600*900	MstarV56	16:9	300cd/m2	SD card slot+HDMI+AV+Headphone jack+USB 2.0*2+Power socket(5.5*2.1 mm)
21.5"	1920*1080	MstarV59	16:9	300cd/m2	SD card slot+HDMI+AV+Headphone jack+USB 2.0*2+Power socket(4.0*1.7 mm)
23.8"	1920*1080 IPS	MstarV59	16:9	300cd/m2	SD card slot+HDMI+AV+Headphone jack+USB 2.0*2+Power socket(4.0*1.7 mm)

Laptop

FHD Blue Filter

Celeron / i3 / i5 / i7 / i9 / CPU

Plastic or metal case,OEM APP,brand etc



AU61



> Detailed product parameters

Parameters			
Screen size	16 inch	Graphics card	RTX 3060 6GB/RTX 3070 8GB
Material	A C hardware D plastic parts	Camera	2.0M
Display screen	IPS FHD	Memory	8GB/16GB/32GB
Resolution	2560*1660	Hard drive	128GB /256GB/512GB/1TB
CPU	12th i5- 12450H/12500H /i7- 12650h/ 12700H/i7- 12900H /i9- 12900HGeneration Intel® Core Aderlake Lake H	Interface	USB3.0*2/ usb2.0*1/Audio/DC/HDMI/SD Card/Type-C
		Battery	6000mAh
		Size	358*265*29mm
		Weight	2.2kg
		Colour	Silvery

AU62



> Detailed product parameters

Parameters			
Screen size	15.6 inch	Interface	USB3.0*2/USB2.0*1/Audio/Type-C/ DC/HDMI/SD Card / RJ45
Material	Metal case	Battery	4800mAh
Display screen	EDP FHD	Size	375*240*20MM
Resolution	1920*1080 16:9	Weight	2kg
CPU	i5-- 1035G4 / i7-- 1065G7	Colour	silver grey
Graphics card	MX330 2G		
Memory	8GB/16GB/32GB		
Hard drive	128GB/256GB/512GB/1TB		

AU64



> Detailed product parameters

Parameters			
Screen size	15.6 inch	Interface	USB3.2*2/USB2.0*1/Audio/Type-C/DC/HDMI/Mini DP/SD Card Microphone jack / RJ45
Material	Aluminum alloy housing	Battery	4000mAh
Display screen	IPS FHD	Size	361x258x27.9mm
Resolution	1920*1080 16:9	Weight	2.2kg
CPU	Intel® Core™ i7-11800H processor	Colour	silver grey
Graphics card	NVIDIA® GeForce RTX™ 3060 Laptop		
Memory	8GB/16GB/32GB/64GB		
Hard drive	128GB /256GB/512GB/1TB/2TB		

AU53



> Detailed product parameters

Parameters			
Screen size	14 inch	Interface	2*USB3.0/1*USB2.0/Audio/DC/HDMI/SD Card/Type-C
Material	Aluminum alloy housing	Battery	4650mAh
Display screen	IPS FHD	Size	320*215*19mm
Resolution	1920*1080 16:9	Weight	1.56kg
CPU	11th 1135G7.1145G7.12th i5-1240p.i7-1260p	Colour	silver grey
Graphics card	Intel® Iris® Xe Graphics Nvidia MX450		
Camera	2.0M		
Memory	8GB/16GB/32GB		
Hard drive	128GB /256GB/512GB/1TB		

HL156T



> Detailed product parameters

Parameters			
Screen size	15.6 inch	Interface	USB3.0*2/Type-C/Audio/DC/HDMI/SD Card
Material	A-shell hardware, BCD plastic	Battery	2600mAh
Display screen	IPS FHD	Size	1.78kg
Resolution	1920*1080 16:9	Weight	silver grey
CPU	Core 10G Series-i5 10210U 1.6GHz Quad Core Eight Thread/N5105	Colour	
Graphics card	Collective display		
Memory	8GB/16GB/32GB		
Hard drive	128GB /256GB/512GB/1TB		

HL160G



> Detailed product parameters

Parameters			
Screen size	16.1 inch	Graphics card	MX450 2G
Material	Plastic shell	Camera	2.0M
Display screen	IPS FHD	Memory	8GB/16GB/32GB
Resolution	2560*1660 16:10	Hard drive	128GB /256GB/512GB/1TB
CPU	Core i7-1165G7 11th generation series with four cores and eight threads, with a maximum core frequency of 4.7GHz N5095	Interface	USB3.0*2/Audio/DC/HDMI/SD Card/Type-C
		Battery	3800mAh
		Size	356*241*17mm
		Weight	1.66kg
		Colour	Silvery

Y116SP



> Detailed product parameters

Parameters			
Screen size	11.6 inch	Graphics card	Intel® HD Graphics 600 / 605
Material	A C hardware D plastic parts	Camera	3.0M
Display screen	IPS FHD	Memory	8GB/16GB/32GB
Resolution	1920*1080 16:9	Hard drive	128GB /256GB/512GB/1TB
CPU	Intel Celeron N5030 4-Core, 4T; Speed: 1.1GHz~3.1GHz	Interface	USB3.0*2/ USB2.0*1/Audio/DC/HDMI/ SD Card/RJ45
	Intel Celeron N4020 2-Core, 2T; Speed: 1.1GHz~2.8GHz	Battery	5000mAh
	Intel Celeron N4120 4-Core, 4T; Speed: 1.1GHz~2.6GHz	Size	277.1*189.45*17.4mm
		Weight	1.15kg
		colour	Silvery

HL140S



> Detailed product parameters

Parameters			
Screen size	14.1 inch	Hard drive	128GB /256GB/512GB/1TB
Material	PC transparent plastic	Interface	USB3.0*2/Audio/DC/HDMI/ SD Card
Display screen	IPS FHD	Battery	4500mAh
Resolution	1920*1200	Weight	1.45kg
CPU	Intel Celeron N5105 Quad Core Four	Colour	silvery
	Thread 2.9GHz		
Graphics card	integrated graphics		
Camera	2.0M		
Memory	8GB/16GB/32GB		

F145S



> Detailed product parameters

Parameters			
Screen size	14.1 inch	Hard drive	128GB /256GB/512GB/1TB
Material	PC transparent plastic	Interface	USB3.0*1/USB2.0*1/Audio/DC/HDMI/SD Card/Type-C
display screen	IPS FHD	Battery	6000mAh
Resolution	1920*1080	Size	323*212*21.6mm
CPU	Intel® N5095	Weight	1.5kg
Graphics card	Intel HD Graphics 750MHZ / Nvidia MX940 2 GB Memory	colour	grey
Camera	3.0M		
Memory	8GB/16GB/32GB		

S30T



> Detailed product parameters

Parameters			
Screen size	17.3 inch	Memory	8GB/16GB/32GB
Material	PC transparent plastic	Hard drive	128GB /256GB/512GB/1TB
Display screen	IPS FHD		RJ45*1/HDMI2.0*1/USB3.0*3/Type-C*2/DP/
Resolution	1920*1080	Interface	MIC*1/HP*1/SD*1 DC-in*1
CPU	I3, I5, I7 full series of desktop level CPUs, capable of supporting up to Intel® CoRE™ I9-9900K	Battery	6000mAh
		Size	398*330*43mm
Graphics card	GeForce RTX™ 3060/2070/2060/1650/1050Ti	Weight	4.12kg
		colour	grey

DS16



> Detailed product parameters

Parameters			
Screen size	16.1 inch	Memory	8GB/16GB/32GB
Material	PC transparent plastic	Hard drive	128GB /256GB/512GB/1TB
Display screen	IPS FHD	Interface	USB3.0*3/Audio/DC/HDMI/Type-C/
Resolution	16" 1920*1200 +14" 1920*550	Battery	6000mAh
CPU	Intel® Core™ i7-10750H Processor Total	Size	356.8x247.2x28.6mm
	Cores 6 Total Threads 12	Weight	2.5kg
Graphics card	Intel® UHD Graphics for 10th Gen Intel® Processors	colour	grey
Touch screen	14"		

DS156



> Detailed product parameters

Parameters			
Screen size	15.6 inch	Hard drive	128GB /256GB/512GB/1TB
Material	PC transparent plastic	Interface	USB3.0*2/Audio/DC/HDMI/Type-C/Micro SD
Display screen	IPS FHD	Battery	5000mAh
Resolution	1920*1080	Size	335*218*17mm
CPU	Intel Celeron N5105 Quad Core Four	colour	grey
	Thread 2.9GHz		
Graphics card	integrated graphics		
Camera	1.0M		
Memory	8GB/16GB/32GB		

Consumer Tablet PC

Android / Windows system

1/4/8GB RAM+16/32/64/128GB ROM

OEM APP , brand, memo, camera

Battery /Waterproof / Fingerprint

Suitable for entertainment, learning, office, meeting usage



C700



> Detailed product parameters

Parameters			
Model	C700	Interface	Micro, audio interface, SD/TF card slot, SIM card slot
Size	7 inch	Bluetooth	4.0
CPU	MTK 6582	Battery	2500~3000mAh
TP	P+G	language	Support multi-language
Camera	Front0.3M and rear 2.0M	OS	Android 5.0
LCD	1024*600		
Memory	1+8GB		
Network	WiFi/3G		

E77GC



> Detailed product parameters

Parameters			
Model	E77GC	Interface	Micro, audio interface, SD/TF card slot, SIM card slot
Size	7 inch	Bluetooth	2.0
CPU	7731E	Battery	2500~3000 mAh
TP	G+P	language	Support multi-language
Camera	Front0.3M and rear 2.0M	OS	Android 10.0
LCD	1024*600		
Memory	1+16GB		
Network	WiFi/3G		

E88GC



> Detailed product parameters

Parameters			
Model	E88GC	Interface	Type-c, audio interface, SD/TF card slot, SIM card slot
Size	8 inch	Bluetooth	4.0
CPU	MTK 6753	Battery	3000~4000mAh
TP	G+P	language	Support multi-language
Camera	Front2.0M and rear 5.0M	OS	Android 8.1
LCD	1280*800		
Memory	2+32GB		
Network	WIFI / 3G / 4G		

E8765



> Detailed product parameters

Parameters			
Model	E8765	Interface	Type-c, audio interface, SD/TF card slot, SIM card slot
Size	8 inch	Bluetooth	4.0
CPU	MT 8765	Battery	3000~4000mAh
TP	G+P	language	Support multi-language
Camera	Front2.0M and rear 5.0M	OS	Android 12.0
LCD	1280*800		
Memory	2+32GB		
Network	WIFI / 3G / 4G		

E109G



> Detailed product parameters

Parameters

Model	E109G	Interface	Type-c, audio interface, SD/TF card slot, SIM card slot
Size	10.1 inch		
CPU	MTK 6735	Bluetooth	4.0
TP	G+P	Battery	6000mAh
Camera	Front2.0M and rear 5.0M	language	Support multi-language
LCD	1280*800	OS	Android 7.0
Memory	2+32GB		
Network	WIFI / 3G		

P31



> Detailed product parameters

Parameters

Model	P31	Interface	Type-c, audio interface, SD/TF card slot, SIM card slot
Size	10.1 inch		
CPU	SC9863	Bluetooth	4.0
TP	G+G	Battery	6000mAh
Camera	Front2.0M and rear 5.0M	language	Support multi-language
LCD	1280*800	OS	Android 10.0
Memory	3+32GB		
Network	WIFI / 3G / 4G		

E109M



> Detailed product parameters

Parameters

Model	E109M	Interface	Type-c, audio interface, SD/TF card slot, SIM card slot
Size	10.1 inch	Bluetooth	4.0
CPU	MTK 6753	Battery	6000mAh
TP	G+P	language	Support multi-language
Camera	Front2.0M and rear 5.0M	OS	Android 8.1
LCD	1280*800		
Memory	2+32GB		
Network	WIFI / 3G / 4G		

P30



> Detailed product parameters

Parameters

Model	P30	Interface	Type-c, audio interface, SD/TF card slot, SIM card slot
Size	10.1 inch	Bluetooth	4.0
CPU	SC9863	Battery	6000mAh
TP	P+G	language	Support multi-language
Camera	Front2.0M and rear 5.0M	OS	Android 11.0
LCD	1920*1200		
Memory	4+64GB		
Network	WIFI / 3G / 4G		

P37



> Detailed product parameters

Parameters

Model	P37	Interface	Type-c. TF card slot, SIM card slot
Size	11.97 inch	Bluetooth	4.0
CPU	MTK 8788/MT6789	Battery	7000mAh
TP	G+G	language	Support multi-language
Camera	Front 8.0M and rear 13.0M	OS	Android 13.0
LCD	incell 2000*1200		
Memory	4+128/6+128GB		
Network	WIFI / 3G / 4G		

M133




> Detailed product parameters

Parameters

Model	M133	Interface	Type-c.audio interface, TF card slot, SIM card slot
Size	13.3 inch	Bluetooth	4.0
CPU	MTK 6762	Battery	7000mAh
TP	P+G	language	Support multi-language
Camera	Front 8.0M and rear 13.0M	OS	Android 13.0
LCD	1920x1200		
Memory	8+128GB		
Network	WIFI / 3G / 4G		

E140C



> Detailed product parameters

Parameters

Model	E140C	Interface	Type-c.audio interface, TF card slot,
Size	14 inch		SIM card slot
CPU	MTK 6762	Bluetooth	4.0
TP	G+G	Battery	8000mAh
Camera	Front5.0M and rear 13.0M	language	Support multi-language
LCD	1920*1200	OS	Android 8.1
Memory	4+64GB		
Network	WIFI / 3G / 4G		

R1561



> Detailed product parameters

Parameters

Model	R1561	Interface	Type-c
Size	15.6 inch	Bluetooth	2.0
CPU	RK3566	Battery	8000mAh
TP	G+F	language	Support multi-language
Camera	Front8.0M	OS	Android5.0
LCD	1920*1200		
Memory	6+128GB		
Network	WIFI / 3G / 4G		

Car CCTV Monitor

Plastic case / Metal Case
AV/HDMI/VGA/BNC1/BNC2/BNCout/USB



H101A



> Detailed product parameters

Parameters

Screen size	10.1inch,16:9	Best resolution	1280*800
Material	Plastic	For power supply	12V
Contrast	400:1	Interface	HDMI+VGA+BNC+AV / 2*AV
Brightness	250cd/m ²	Function	For car / bus security
Response time	5ms		
Viewing angle	178°/178°		

H1041 / H1202



> Detailed product parameters

Parameters

Screen size	10.4 / 12 inch	Best resolution	1024*768
Display	HDMI+VGA+BNC+AV	For power supply	12V/3A
Brightness	250cd/m ²	Interface	HDMI+VGA+BNC+AV
Contrast	500:1	Monitor size	26.6* 21.2 * 3 CM
Response time	5ms	Function	For car / bus security
Viewing angle	178°/178°		

H1501/ H1701/H1901



> Detailed product parameters

Parameters

Screen size	15 / 17 / 19 inch	Response time	5ms
Display	HDMI/VGA/BNC1/BNC2/BNCout/USB	Viewing angle	178°/178°
	3D digital comb filter (PAL / NTSC)	Best resolution	1024*768/ 1280*1024
	3D digital noise reduction	Format	PAL, NTSC, SECAM
	HD high-definition signals	For power supply	12V
Brightness	300cd/m ²	Function	For car / bus / shop security etc
Contrast	400:1		

H104MA/H121MA/H150MA/ H170MA/H190MA/H220MA



> Detailed product parameters

Parameters

Size	10.4" / 12.1" / 15" / 17" / 19" / 22"	Viewing angle	168°/168°
Material	Metal Case	Color	16.7M
Aspect ratio	4: 3 / 16: 10	Life span	50,000(hours)
Dot Pitch	0.297(H)×0.297(V)	Interface	15pin VGA input+1*BNC input+HDMI interface
Resolution	1024×768/1280×1024/1680×1050		1*video signal input,2*audio input+PC audio
Contrast ratio	500:1		inputPC audio output(Digital) +DC 12V
Brightness	450cd/m ²	Function	Industrial metal shell,Wearable and Shockproof,
Response time	5ms		anti-jamming, suitable for different
			environment, Great Radiating

H7708/ H7078/ H8078/ H097A



> Detailed product parameters

Parameters

Size	7" / 8" / 9.7"	Viewing angle	168°/168°
Material	Metal Case	Color	16.7M
		Life span	50,000(hours)
Aspect ratio	4: 3 / 16: 9	Interface	VGA+BNC+HDMI+AV+DC
Dot Pitch	0.297(H)×0.297(V)		
Resolution	800×600 / 1024*600/1024*768	Function	Industrial metal shell,Wearable and Shockproof
Contrast ratio	500:1		anti-jamming, suitable for different environment
Brightness	250cd/m2		Great Radiating
Response time	5ms		

H260M/H320M/H420M/
H470MA/H580MA



> Detailed product parameters

Size	26" 32" 45" 47" 58"	Function	1.Industrial metal shell,Wearable and Shockproof, anti-jamming, suitable for different environment, Great Radiating
Interface	VGA+HDMI+2*BNC INPUT+BNC OUTPUT +YPBPR R/L+Audio input+Audio output+ AC 100-240V,50/60Hz		2.Can make as digital TV, industrial equipment display, Closed-circuit monitor display, computer display
			3.4D color management and image processing technology Mult inputs available
Material	Metal case		4.High Brightness, Full screen display uniformity

POS All in One PC

Fulfill all your needs in commercial scenarios



POS all-in-one machine



> Detailed product parameters

Parameters			
Model#	RS607	Adapter	12V/5A
Operating system	Windows 7/10	Touch screen	Ten point touch capacitive screen
Motherboard/CPU	N2840+2G+32G	Display	No digital display
Size	15.6" (1366*768) capacitive touch	Interface	USB*6+VGA*1+HDMI*1+audio port*2 +network port*1

POS all-in-one machine



> Detailed product parameters

Parameters			
Model#	RS602	Adapter	12V/5A
Operating system	Windows 7/10	Touch screen	Ten point touch capacitive screen
Motherboard/CPU	N2840+2G+32G	Display	No digital display
Size	15.6" (1366*768) capacitive touch	Interface	USB*6+VGA*1+HDMI*1+audio port*2 +network port*1

POS all-in-one machine



> Detailed product parameters

Parameters

Model#	RS602P	Adapter	12V/5A
Operating system	Windows 7/10	Touch screen	Ten point touch capacitive screen
Motherboard/CPU	N2840+2G+32G	Display	13.3" (1366*768) Secondary screen
Size	15.6" (1366*768) capacitive touch	Interface	USB *6+1*serial port+1*network port 2*audio port+1*VGA

POS all-in-one machine



> Detailed product parameters

Parameters

Model#	RS609P	Adapter	12V/5A
Operating system	Windows 7/10	Touch screen	Ten point touch capacitive screen
Motherboard/CPU	N2840+2G+32G	Display	14" (1024*768) Secondary screen
Size	15" (1024*768) capacitive touch	Interface	USB *6+1*serial port+1*network port 2*audio port+1*VGA

POS all-in-one machine



> Detailed product parameters

Parameters

Model#	Q8	Network	WIFI/Ethernet port
Operating system	Windows 7/Android 7.1	Touch screen	Ten point touch capacitive screen
Motherboard/CPU	N2840 Dual Thread 2.16Ghz Processor	Harddisk/memory	32 solid-state drive+2G memory
Screen/Display	15.6 inches/resolution 1366 * 768/single screen with 8-bit	Interface	Parallel port 1/USB interface 6/Serial port 1

POS all-in-one machine



> Detailed product parameters

Parameters

Model#	C6	Touch screen	Ten point touch capacitive screen
Operating system	Windows 7	Printer	Built in 58mm print er
Motherboard/CPU	N2840 Dual Thread 2.16Ghz Processor	Harddisk/memory	32G solid-state drive+2G memory
Screen/Display	15.6 inches/resolution 1366 * 768/single screen with 8-bit	Interface	USB interface 6/VGA (series is HDMI) serial port 1/network port/audio port

POS all-in-one machine



> Detailed product parameters

Parameters

Model#	Q3	Network	WIFI/Ethernet port
Operating system	Windows7	Touch screen	Ten point touch capacitive screen
Motherboard/CPU	N2840 Dual Thread 2.16Ghz Processor	Harddisk/memory	32 solid-state drive/2G memory
Screen/Display	15.6 inches/resolution 1366 * 768/single screen with 8-bit	Interface	USB interface 6/VGA (series is HDMI) serial port 1/network port/audio port

POS all-in-one machine



> Detailed product parameters

Parameters

Model#	P3	Touch screen	Ten point touch capacitive screen
Operating system	Windows7	Printer	Built in 58mm print er
Motherboard/CPU	N2840 Dual Thread 2.16Ghz Processor	Harddisk/memory	32 solid-state drive/2G memory
Screen/Display	15.6 inch+11.6 inch resolution 1366 * 768	Interface	USB interface 6/VGA (series is HDMI) serial port 1/network port/audio port

POS all-in-one machine



> Detailed product parameters

Parameters

Model#	K115	accessories	Body/keyboard/cash box/monitor/printer
Operating system	Windows7	Printer	Built in 58mm printer
Motherboard/CPU	N2840 Dual Thread 2.16Ghz Processor	Harddisk/memory	32 solid-state drive/2G memory
Screen/Display	14 inches/resolution 1366 * 768/8-bit	Interface	USB interface 6/VGA (series is HDMI) serial port 1/network port/audio port

POS all-in-one machine



> Detailed product parameters

Parameters

Model#	K12	accessories	Body/keyboard/cash box/monitor/printer
Operating system	Windows7	Printer	Built in 58mm printer
Motherboard/CPU	N2840 Dual Thread 2.16Ghz Processor	Harddisk/memory	32 solid-state drive/2G memory
Screen/Display	14-inch LCD screen with a resolution of 1366 * 768	Interface	USB interface 6/VGA (series is HDMI) serial port 1/network port/audio port

POS all-in-one machine



> Detailed product parameters

Parameters			
Model#	I8	Network	WIFI/Ethernet port
Operating system	Windows 7/Android 7.1	Touch screen	Ten point touch capacitive screen
Motherboard/CPU	N2840 Dual Thread 2.16Ghz Processor	Harddisk/memory	64G solid-state drive+4G memory
Screen/Display	15.6 inches/resolution 1366 * 768/single screen with 8-bit	Interface	USB interface 6/VGA (series is HDMI) serial port 1/network port/audio port

POS all-in-one machine



> Detailed product parameters

Parameters			
Model#	Q7	Touch screen	Ten point touch capacitive screen
Operating system	Windows 7/Android 7.1	Printer	Built in 58mm printer
Motherboard/CPU	N2840 Dual Thread 2.16Ghz Processor	Harddisk/memory	64G solid-state drive+4G memory
Screen/Display	15.6 inches/resolution 1366 * 768/single screen with 8-bit	Interface	USB interface 6/VGA (series is HDMI) serial port 1/network port/audio port

POS all-in-one machine



> Detailed product parameters

Parameters			
Model#	C5	Scale body	Top OS2 Scale Body Scheme
Operating system	Windows 7	Touch screen	Ten point touch capacitive screen
Motherboard/CPU	N2840 Dual Thread 2.16Ghz Processor	Harddisk/memory	32 solid-state drive+2G memory
Screen/Display	15.6 inches/resolution 1366 * 768/single screen with 8-bit	Interface	Parallel port 1/USB interface 6/Serial port 1

POS all-in-one machine








> Detailed product parameters

Parameters			
Model#	D7	Touch screen	Ten point touch capacitive screen
Operating system	Windows 7	Printer	Built in 58mm printer
Motherboard/CPU	N2840 Dual Thread 2.16Ghz Processor	Harddisk/memory	32G solid-state drive+2G memory
Screen/Display	15.6 inches/resolution 1366 * 768/single screen with 8-bit	Interface	USB interface 6/VGA (series is HDMI) serial port 1/network port/audio port

Windows All in One PC

Plastic case / Metal Case
i3 / i5 / i7 / i9 Os
WiFi / Bluetooth / Ethernet



23.8" All in One PC



> Detailed product parameters

Parameters						
Size	Resolution ratio	Memory	Hard Disk	Display Core	CPU	Interface
23.8"	1920*1080	4G/DDR4	128G	HD600	J4125(2G-2.7G)	HDMI/VGA/USB 6/Audio/Network Card
23.8"	1920*1080	8G/DDR4	256G	HD600	N5095(2G-2.9G)	HDMI/VGA/USB 6/Audio/Network Card
23.8"	1920*1080	8G/DDR3	256G	HD630	I5-7500T(2.7G-3.3G)	HDMI/VGA/USB 6/Audio/Network Card
23.8"	1920*1080	16G/DDR4	512G	UHD630	I7-10750H(2.6-5G)	HDMI/VGA/USB 6/Audio/Network Card
23.8"	1920*1080	8G/DDR4	256G	Iris Xe	I5-1135G(2.4G-4.2G)	HDMI/VGA/USB 6/Audio/Network Card
23.8"	1920*1080	16G/DDR4	512G	Iris Xe	I7-1165G(2.8G-4.7G)	HDMI/VGA/USB 6/Audio/Network Card

27" All in One PC



> Detailed product parameters

Parameters						
Size	Resolution ratio	Memory	Hard Disk	Display Core	CPU	Interface
27"	1920*1080	4G/DDR4	128G	HD600	J4125(2G-2.7G)	HDMI/VGA/USB 6/Audio/Network Card
27"	1920*1080	4G/DDR4	128G	HD600	N5095(2G-2.9G)	HDMI/VGA/USB 6/Audio/Network Card
27"	1920*1080	8G/DDR3	256G	HD630	I5-7500T(2.7G-3.3G)	HDMI/VGA/USB 6/Audio/Network Card
27"	1920*1080	16G/DDR4	512G	UHD630	I7-10750H(2.6-5G)	HDMI/VGA/USB 6/Audio/Network Card
27"	1920*1080	8G/DDR4	256G	Iris Xe	I5-1135G(2.4G-4.2G)	HDMI/VGA/USB 6/Audio/Network Card
27"	1920*1080	16G/DDR4	512G	Iris Xe	I7-1165G(2.8G-4.7G)	HDMI/VGA/USB 6/Audio/Network Card

30" All in One PC



> Detailed product parameters

Parameters						
Size	Resolution ratio	Memory	Hard Disk	Display Core	CPU	Interface
30"	2560*1080	4G/DDR4	128G	HD600	J4125(2G-2.7G)	HDMI/VGA/USB 6/Audio/Network Card
30"	2560*1080	4G/DDR4	128G	HD600	N5095(2G-2.9G)	HDMI/VGA/USB 6/Audio/Network Card
30"	2560*1080	8G/DDR3	256G	HD630	I5-7500T(2.7G-3.3G)	HDMI/VGA/USB 6/Audio/Network Card
30"	2560*1080	16G/DDR4	512G	UHD630	I7-10750H(2.6-5G)	HDMI/VGA/USB 6/Audio/Network Card
30"	2560*1080	8G/DDR4	256G	Iris Xe	I5-1135G(2.4G-4.2G)	HDMI/VGA/USB 6/Audio/Network Card
30"	2560*1080	16G/DDR4	512G	Iris Xe	I7-1165G(2.8G-4.7G))	HDMI/VGA/USB 6/Audio/Network Card

Apple Model All in One PC



> Detailed product parameters

Parameters						
Size	Resolution ratio	Memory	Hard Disk	Display Core	CPU	Interface
18.5"	1366*768	4G/DDR4	128G	HD600	J4125(2G-2.7G)	HDMI/VGA/USB 6/Audio/Network Card
		4G/DDR4	128G	HD600	N5095(2G-2.9G)	HDMI/VGA/USB 6/Audio/Network Card
21.5"	1920*1080	8G/DDR3	256G	HD630	I5-7500T(2.7G-3.3G)	HDMI/VGA/USB 6/Audio/Network Card
23.6"	1920*1080	16G/DDR4	512G	UHD630	I7-10750H(2.6-5G)	HDMI/VGA/USB 6/Audio/Network Card
27"	1920*1080	8G/DDR4	256G	Iris Xe	I5-1135G(2.4G-4.2G)	HDMI/VGA/USB 6/Audio/Network Card
		16G/DDR4	512G	Iris Xe	I7-1165G(2.8G-4.7G)	HDMI/VGA/USB 6/Audio/Network Card

F-series All in One PC



> Detailed product parameters

Parameters

Model#	CPU	Motherboard	Memory	Hard Disk	Core	Resolution ratio	Interface
F240, 24"	I5/10400	H510	8G	256G	Intel 630	1920*1080/2K/4K	USB3.0*2 & USB 2.0*4/VGA*1/HDMI*1/RJ45*1/DC-IN*1
F270, 27"	I5/10400	H510	8G	256G	Intel 630	2560*1440/2K/4K	USB3.0*2 & USB 2.0*4/VGA*1/HDMI*1/RJ45*1/DC-IN*1
F300,30"	I5/10400	H510	8G	256G	Intel 630	1920*1080/2K/4K	USB3.0*2 & USB 2.0*4/VGA*1/HDMI*1/RJ45*1/DC-IN*1

E-series All in One PC



> Detailed product parameters

Parameters

Model#	CPU	Motherboard	Memory	Hard Disk	Core	Resolution ratio	Interface
E240,24"	I5/10400	H510	8G	256G	Intel 630	1920*1080	USB3.0*2 & USB 2.0*4/VGA*1/HDMI*1/RJ45*1/DC-IN*1
E270,27"	I5/10400	H510	8G	256G	Intel 630	1920*1080	USB3.0*2 & USB 2.0*4/VGA*1/HDMI*1/RJ45*1/DC-IN*1
E240-A	I5/10400	H510	8G	256G	Intel 630	1920*1080	USB3.0*2 & USB 2.0*4/VGA*1/HDMI*1/RJ45*1/DC-IN*1
E240-A	I5/10400	H510	8G	256G	Intel 630	1920*1080	USB3.0*2 & USB 2.0*4/VGA*1/HDMI*1/RJ45*1/DC-IN*1

M-series All in One PC



> Detailed product parameters

Parameters

Model#	CPU	Motherboard	Memory	Hard Disk	Core	Resolution ratio	Interface
M220,22"	I5/10400	H510	8G	256G	Intel 630	1920*1080	USB3.0*2 & USB 2.0*4/VGA*1/HDMI*1/RJ45*1/DC-IN*1
M240,24"	I5/10400	H510	8G	256G	Intel 630	1920*1080	USB3.0*2 & USB 2.0*4/VGA*1/HDMI*1/RJ45*1/DC-IN*1

N-series All in One PC



> Detailed product parameters

Parameters

Model#	CPU	Motherboard	Memory	Hard Disk	Core	Resolution ratio	Interface
N220,22"	I5/10400	H510	8G	256G	Intel 630	1920*1080	USB3.0*2 & USB 2.0*4/VGA*1/HDMI*1/RJ45*1/DC-IN*1
N240,24"	I5/10400	H510	8G	256G	Intel 630	1920*1080	USB3.0*2 & USB 2.0*4/VGA*1/HDMI*1/RJ45*1/DC-IN*1

B-series All in One PC



> Detailed product parameters

Parameters							
Model#	CPU	Motherboard	Memory	Hard Disk	Core	Resolution ratio	Interface
B220,22"	I5/10400	H510	8G	256G	Intel 630	1920*1080	USB3.0*2 & USB 2.0*4/VGA*1/HDMI*1/RJ45*1/DC-IN*1
B240,24"	I5/10400	H510	8G	256G	Intel 630	1920*1080	USB3.0*2 & USB 2.0*4/VGA*1/HDMI*1/RJ45*1/DC-IN*1

21.5" All in One PC



> Detailed product parameters

Parameters						
Size	Resolution ratio	Memory	Hard Disk	Display Core	CPU	Interface
21.5"	1920*1080	4G/DDR4	128G	HD600	J4125(2G-2.7G)	HDMI/VGA/USB 6/Audio/Network Card
21.5"	1920*1080	4G/DDR4	128G	HD600	N5095(2G-2.9G)	HDMI/VGA/USB 6/Audio/Network Card
21.5"	1920*1080	8G/DDR3	256G	HD630	I5-7500T(2.7G-3.3G)	HDMI/VGA/USB 6/Audio/Network Card
21.5"	1920*1080	16G/DDR4	512G	UHD630	I7-10750H(2.6-5G)	HDMI/VGA/USB 6/Audio/Network Card
21.5"	1920*1080	8G/DDR4	256G	Iris Xe	I5-1135G(2.4G-4.2G)	HDMI/VGA/USB 6/Audio/Network Card
21.5"	1920*1080	16G/DDR4	512G	Iris Xe	I7-1165G(2.8G-4.7G)	HDMI/VGA/USB 6/Audio/Network Card

Industrial Model All in One PC



> Detailed product parameters

Parameters						
Size	Resolution ratio	Memory	Hard Disk	Display Core	CPU	Interface
12.1"	1024*768	4G/DDR3	128G	HDGrp	J1900(2G)	COM * 2/HDMI/VGA/USB 6/Network Card
15"		4G/DDR3	128G	HD4000	I3-3217U(1.7G)	COM * 2/HDMI/VGA/USB 6/Network Card
18.5"		4G/DDR3	128G	HD4000	I5-3317U(1.7G-2.6G)	COM * 2/HDMI/VGA/USB 6/Network Card
21.5"	1280*1024	8G/DDR4	256G	HD540	I5-6360U(2.8-3.8G)	COM * 6/485 * 1/USB * 6
		8G/DDR4	256G	HD620	I7-8550U(1.8G-4.0G)	COM * 6/485 * 1/USB * 6
		2G	16G	T764	RK3288(1.8G)	HDMI/USB 2/Network Card

Industrial Model All in One PC



> Detailed product parameters

Parameters						
Size	Resolution ratio	Memory	Hard Disk	Display Core	CPU	Interface
13.3"	1366*768	4G/DDR3	128G	HDGrp	J1900(2G)	COM * 2/HDMI/VGA/USB 6/Network Card
15.6"		4G/DDR3	128G	HD4000	I3-3217U(1.7G)	COM * 2/HDMI/VGA/USB 6/Network Card
18.5"		4G/DDR3	128G	HD4000	I5-3317U(1.7G-2.6G)	COM * 2/HDMI/VGA/USB 6/Network Card
21.5"	1920*1080	8G/DDR4	256G	HD540	I5-6360U(2.8-3.8G)	COM * 6/485 * 1/USB * 6
		8G/DDR4	256G	HD620	I7-8550U(1.8G-4.0G)	COM * 6/485 * 1/USB * 6
		2G	16G	T764	RK3288(1.8G)	HDMI/USB 2/Network Card

Industrial Model All in One PC



> Detailed product parameters

Parameters						
Size	Resolution ratio	Memory	Hard Disk	Display Core	CPU	Interface
12.1"	1024*768	4G/DDR3	128G	HDGrap	J1900(2G)	COM * 2/HDMI/VGA/USB 6/Network Card
15"		4G/DDR3	128G	HD4000	I3-3217U(1.7G)	COM * 2/HDMI/VGA/USB 6/Network Card
18.5"		4G/DDR3	128G	HD4000	I5-3317U(1.7G-2.6G)	COM * 2/HDMI/VGA/USB 6/Network Card
21.5"	1280*1024	8G/DDR4	256G	HD540	I5-6360U(2.8-3.8G)	COM * 6/485 * 1/USB * 6
		8G/DDR4	256G	HD620	I7-8550U(1.8G-4.0G)	COM * 6/485 * 1/USB * 6
		2G	16G	T764	RK3288(1.8G)	HDMI/USB 2/Network Card

21.5" Industrial Model All in One PC



> Detailed product parameters

Parameters			
Size	Resolution ratio	Interface	standard configuration
10.1"	1280*800	VGA/HDMI	VGA cable/HDM cable/USB cable /instruction manual/certificate of conformity
13.3"	1920*1080	VGA/HDMI	
15.6"	1920*1080	VGA/HDMI	
18.5"	1366*768	VGA/HDMI	
21.5"	1920*1080	VGA/HDMI	
23.6"	1920*1080	VGA/HDMI	
27"	1920*1080	VGA/HDMI	

Mini PC



MINI PC



> Detailed product parameters

Parameters				
CPU	Memory	Hard Disk	Display Core	Interface
J4125 (2G-2.7G) 10W	4G/DDR4	128G	HD600	HDMI/VGA/USB 6/Audio/Network Card
N5095 (2G- 2.9G) 15W	4G/DDR4	128G	UHD	HDMI/VGA/USB 6/Audio/Network Card
Core I5 - 7500T (2.7G-3.3G) 35W	8G/DDR3	256G	UHD630	HDMI/VGA/USB 6/Audio/Network Card
Core I7 - 10750H (2.6G -5G) 45W	16G/DDR4	512G	UHD630	HDMI/VGA/USB 6/Audio/Network Card
Core I5 - 1135G7 (2.4G -4.2G) 28W	8G/DDR4	256G	Iris Xe	HDMI/VGA/USB 6/Audio/Network Card
Core I7 - 1165G7 (2.8G-4.7G) 28W	16G/DDR4	512G	Iris Xe	HDMI/VGA/USB 6/Audio/Network Card

MINI PC



> Detailed product parameters

Parameters				
CPU	Memory	Hard Disk	Display Core	Interface
2955U (1.4G) 15W	4G/DDR3	64G	HD Grap	COM * 2/Dual Ethernet/HDMI/VGA/USB 4/Audio
2955U (1.4G) 15W	4G/DDR3	128G	HD Grap	COM * 2/Dual Ethernet/HDMI/VGA/USB 4/Audio
3556U (1.7G) 15W	4G/DDR3	128G	HD Grap	COM * 2/Dual Ethernet/HDMI/VGA/USB 4/Audio
3556U (, 1.7G) 15W	8G/DDR3	256G	HD Grap	COM * 2/Dual Ethernet/HDMI/VGA/USB 4/Audio
I3 - 4005U (1.7G) 15W	4G/DDR3	128G	HD4400	COM * 2/Dual Ethernet/HDMI/VGA/USB 4/Audio
I3-4005U (1.7G) 15W	8G/DDR3	256G	HD4400	COM * 2/Dual Ethernet/HDMI/VGA/USB 4/Audio
I5-4200U (1.6G-2.6G) 15W	4G/DDR3	128G	HD4400	COM * 2/Dual Ethernet/HDMI/VGA/USB 4/Audio
I5-4200U (1.6G-2.6G) 15W	8G/DDR3	256G	HD4400	COM * 2/Dual Ethernet/HDMI/VGA/USB 4/Audio
I7-4500U (1.8G-3.0G) 15W	8G/DDR3	256G	HD4400	COM * 2/Dual Ethernet/HDMI/VGA/USB 4/Audio

MINI PC



> Detailed product parameters

Parameters				
CPU	Memory	Hard Disk	Display Core	Interface
J1900 (2.0G) 15W	4G/DDR3	128G	HDGrap	COM * 2/HDMI/VGA/USB 6/Audio/Network Card
Core I3-3217U (1.7G) 15W	4G/DDR3	128G	HD4000	COM * 2/HDMI/VGA/USB 6/Audio/Network Card
Core I5-3317U (1.7G-2.6G) 15W	4G/DDR3	128G	HD4000	COM * 2/HDMI/VGA/USB 6/Audio/Network Card
Core I5-6360U (2.8G-3.8G) 15W	8G/DDR4	256G	HD540	COM*6/485*1/USB*6
Core I7-8550U (1.8G-4.0G) 15W	8G/DDR4	256G	HD620	COM*6/485*1/USB*6

MINI PC



> Detailed product parameters

Parameters			
Model#	GX55	WIFI	IEEE 802.11a/b/g/n 2.4G+5.8G+BT
CPU	Intel® JAPER LAKE R™N5105 11TH	Extend	Internal support for expanding 2.5 'hard drive
System	support WIN11 Ubuntu	Size	126mm*113mm*41mm
Memory	SO-DIMM x2 DDR4 NVME/PCIE: M.2 SSD	Interface	HDMI *2+DC*1+USB *4+LAN*1+HP&MIC*1



World Trade Display Srl

Via della Lontra 43, 47923 Rimini, Italy IT
+39 0541 753344 - marketing@worldtradedisplay.com



www.worldtradedisplay.com

A Company Certified ISO9001 - ISO14001

Copyright© by World Trade Display

