

PODIUMS

FOR CONDUCTORS



guil.es



GUIL®

Since 1983



OUR ORCHESTRA CONDUCTOR'S PODIUMS BRING TOGETHER DESIGN, ELEGANCE AND ERGONOMICS OFFERING THE CONDUCTOR A PRIME POSITION ABOVE THE MUSICIANS, WITH A STURDY BUT STYLISH DESIGN.

Conductor's podiums, made with **extruded aluminium** and high quality, **birch plywood** panel (WBP) from Finland. It is provided with a **detachable rail** made in aluminium and finished in **black powder-coat paint**.

Its **detachable design** and reinforced aluminium structure make it lightweight yet strong but at the same time easy to transport and store.

"What happens on a conductor's podium is magical, and GUIL wants to play its part in helping that magic come to life"





A WIDE RANGE OF ACCESSORIES: The continuous rail design of the profile allows you to add any of our handy accessories. The most popular accessory among conductors is our music stand ref. AT/TM-01 which thanks to its innovative adaptor can be attached to the platform profile keeping the surface of the platform free of stands.

TECHNICAL SPECIFICATIONS

- ✓ Material (Structure & Legs): **Aluminium (EN AW 6063 80-T6)**
- ✓ Surface: **Birch plywood panel (WBP). Thickness: 15 mm**
- ✓ Aluminium Rail: **Included. Detachable**
- ✓ Uses: **Indoor and Outdoor**
- ✓ Maximum Load: **750 kg/m²**

- ✓ Certified to comply with: **Norm DIN 15921**
- ✓ Non-slip Surface: **R-13 (Norm DIN 51130)**
- ✓ Environment: **FSC and PEFC Certifications**
- ✓ Reaction to fire: **Classification: B-s1**
- ✓ Podium Height: **20 cm + regulation of 5 cm**



TMD- ORCHESTRA CONDUCTOR'S PODIUM

ORCHESTRA CONDUCTOR'S PODIUMS WITH RAIL. Models **TMD-09** | **TMD-10** | **TMD-11** | **TMD-12**

Available in different sizes, with or without base covering, all models include safety rail as standard.

ENVIRONMENTALLY FRIENDLY: The panels we use at GUIL have the **FSC and PEFC stamps** (Forest Stewardship Council and Programme for the Endorsement of Forest Certification), which guarantees that the wood comes from sustainable forestry, giving the consumer the option to choose responsibly.


REFERENCES	TMD-09	TMD-10	TMD-11	TMD-12
► Podium Dimensions:	100x100 cm	120x100 cm	100x100 cm	120x100 cm
► Net Weight:	26 kg	27,5 Kg	32 Kg	34 Kg
► Wooden Skirting:	-	-	Included in the 4 laterals. Detachable	




TMD-10
120x100 cm



TMD-09
100x100 cm



Equipped with four removable aluminium legs providing a height of 20 cm. One of the legs features a stainless-steel leveller, allowing height adjustment of up to 5 cm to ensure maximum stability on slightly uneven surfaces.



DETACHABLE DESIGN
Quick assembly

Adjustment to uneven
surfaces

INDOOR/OUTDOOR USE





DETAILS THAT MAKE THE DIFFERENCE

ACOUSTIC INSULATION: In order to prevent sound resonance, the contact surfaces between frame and panel are cushioned. The plywood panel is secured to the frame structure by means of strong adhesive foam, stainless steel screws and silicone, which prevent possible noises and vibrations.

INDOOR AND OUTDOOR USE: Thanks to its weather resistant panel, composed of phenolic resin coated layers, and its aluminium legs and framework, GUIL Conductor's platform is the best option for both indoor and outdoor events.

FIRE-RESISTANT TREATMENT: GUIL conductor's podiums have a fire-resistant treatment for venues with the strictest health and safety requirements, meeting the B-s1 fire classification.

VERSATILE – PERSONALISE YOUR PODIUM: Our conductor's podiums can be personalised in size, colour and height. As manufacturers we can make any size podium you require, with the possibility of painting the profile and legs whatever colour you like. Thanks to their detachable design you can achieve different heights by simply adding different sets of legs (for fixed and also adjustable height).



MODELS TMD-11 & TMD-12 FEATURE AN ELEGANT 20 CM WOODEN SKIRTING AROUND THE PERIMETER OF THE PLATFORM. ITS DETACHABLE DESIGN ALLOWS FOR QUICK AND EASY ASSEMBLY.

HIGH QUALITY COMPONENTS

BASE / FRAME: It is made with high strength extruded aluminium (EN AW 6063 80-T6 Alloy) making it very strong and durable but at the same time portable.

ALUMINIUM LEGS: 50 x 50 mm detachable legs with round edges with a heavy-duty, non-skid rubber foot ensuring a perfect grip on the floor at the same time as protecting the floor surface. One of the legs has a screw jack leveller which allows you to make the platform level on uneven ground.

PANEL: Weather resistant 15 mm thick, best quality Birch plywood panel (VBP). It is composed of phenolic resin coated layers making them resistant to bad weather conditions and humidity. Anti-slip and anti-noise surface. The panel edges have been sealed and it is also treated to protect it against commonly used chemicals.

RAIL: Detachable guardrail with horizontal bar made of reinforced aluminium with a black paint finish, that guarantees maximum safety of the conductor. The 72 x 110 cm rail (1m high when installed) it is attached to the platform profile keeping the surface of the platform totally free. It includes the required connectors for attaching the rail to the deck.

GUIL PODIUMS

BECAUSE EVERY CONDUCTOR NEEDS THE RIGHT SPACE FROM WHICH TO HOLD THE SOUL OF THE ENSEMBLE.



THE STABILITY AND PRECISION REQUIRED BY THOSE WHO LEAD WITH
A SINGLE GESTURE.

