VENTILATION FANS

VENTILATION AND FANS

5th Edition



Electrical Products

Air Conditioning Products

Building Service Products

Plumbing Products

Hardware Products

HVAC Products

ARROW SALES

Arrow Sales Pty Ltd is a proudly Australian, family-owned and operated company that has been supplying quality products to the building, HVAC, plumbing, electrical and trade industries since 2000.

With decades of industry experience, we specialise in sourcing, manufacturing, importing, wholesaling and distributing an extensive range of products to customers throughout Australia. Our commitment is to provide reliable products, competitive pricing and exceptional customer service.

Our motto, **"Offering Trade Solutions"** and **"Connecting the Trade"**, reflects our dedication to helping businesses and tradespeople find the right products when they need them most. We understand that time is critical, which is why we strive to deliver orders quickly and efficiently, whether to your business, job site or home, helping keep your projects on schedule.

Backed by knowledgeable staff, trusted brands, an extensive product range and our commitment to value, **Arrow Sales** has built a reputation as a dependable supply partner for Australian trades and DIY customers alike.

Tradestore.com.au is the official online store of **Arrow Sales Pty Ltd**, offering customers a convenient way to browse and purchase our extensive product range with the same trusted service and support that **Arrow Sales** has delivered for over 25 years.

Kind Regards,

Dale Richardson
Managing Director



TABLE OF CONTENTS

CONTENTS	PAGES
Ventilation Fans	1 - 2
Ducting and Ventilations	3 - 7
Insulated Flexible Ducting	8 - 9
Return Air Boxes	10 - 14
Uni Boots	15 - 16
End Boots	16
Side Boots	17
V-Boxes	18 - 19
Cushion Boxes	20
Drip Trays	21
Branch Take Offs	22 - 25
Starting Collars	26 - 27
Dampers	27 - 29
Ventilation Products	30 - 34
Ventilation Fans Technical Guide	35 - 48

VENTILATION FANS

MEC Mixed Flow 2 Speed Fan	Nominal Size	Code	QTY
	100mm	FANMF100	1
	125mm	FANMF125	1
	150mm	FANMF150	1
	200mm	FANMF200	1
	250mm	FANMF250	1
	315mm	FANMF315	1

MEC EC Mixed Flow 2 Speed Fan	Nom. Size	Code:	QTY
	125mm	FANMEF125	1
	150mm	FANMEF150	1
	200mm	FANMEF200	1
	250mm	FANMEF250	1
	315mm	FANMEF315	1

MEC Silent Mixed Flow 2 Speed Fan	Nom. Size	Code:	QTY
	125mm	FANMFS125	1
	150mm	FANMFS150	1
	200mm	FANMFS200	1

MEC Silent EC Mixed Flow 2 Speed Fan	Nom. Size	Code:	QTY
	150mm	FANMFSEC150	1
	200mm	FANMFSEC200	1

Inline Axial Fan	Nom. Size	Code:	QTY
	150mm	FANAX150	1
	200mm	FANAX200	1
	250mm	FANAX250	1

Centrigual In-Line Fan	Nom. Size	Code:	QTY
	150mm	FANMAN150	1
	200mm	FANMAN200	1
	250mm	FANMAN250	1
	315mm	FANMAN315	1

VENTILATION FANS

Ducted Ventilator /Premium Fascia	Description	Code:	QTY
	100mm Ducted Ventilator	FANDV100	1
	150mm Headbox Fan Spigot	FANDV150	1
	200mm Side Round Fans White	FANDV200	1
	250mm White Round Side Entry	FANDV250	1
	250mm Premium Body Only	FANDV250B	1
	250mm White Round	FANDV250B1	1
	250mm Matte Black Round	FANDV250B2	1
	250mm White Square	FANDV250B3	1
	250mm Matte Black Square	FANDV250B4	1
	250mm White Glass Round	FANDV250B7	1
	200mm Side Ducted Exhaust	FANDVSQ200	1
	250mm Side Ducted Exhaust	FANDVSQ250	1

Blauberg Silent Mixed Flow 2 Speed Fan	Nominal Size	Code	QTY
	150mm	FANMFBS150	1
	200mm	FANMFBS200	1
	250mm	FANMFBS250	1
	315mm	FANMFBS315	1

Blauberg Quatro Exhuast Fan	Nom. Size	Code:	QTY
	150mm	FANSLB150	1

Blauberg Mixed Flow 2 Speed Fan	Nominal Size	Code	QTY
	100mm	FANMFB100	1
	125mm	FANMFB125	1
	150mm	FANMFB150	1
	200mm	FANMFB200	1
	250mm	FANMFB250	1
	315mm	FANMFB315	1

General Usage Roof Cowl	Nom. Size	Code:	QTY
	125mm	FANRCG5	1
	150mm	FANRCG6	1
	200mm	FANRCG8	1
	250mm	FANRCG10	1
	150mm Roof Cowl Kit (no fan)	FANRCG6GU	1

DUCTING AND VENTILATION

Ecoduct Flat Duct Clip	Description	Code:	QTY
	300x70mm ECO DUCT Clips	PDECOCLIP	1

Ecoduct Duct Connector	Description	Code:	QTY
	300x70mm Low Profile Duct Connector	PDECOCONN	1

Ecoduct Flat Duct 2m Length	Description	Code:	QTY
	300x70mm Low Profile Duct 2m	PDECOV2	1

Ecoduct Horizontal 45 Degree Bend	Description	Code:	QTY
	300x70mm ECO DUCT 45 Horizontal Bend	PDECOHOR45	1

Ecoduct Horizontal 90 Degree Bend	Description	Code:	QTY
	300x70mm ECO DUCT 90 Horizontal Bend	PDECOHOR90	1

Ecoduct Rangehood Adaptor	Description	Code:	QTY
	300x70mm ECO DUCT Range Hood Adaptor	PDECORH	1

Ecoduct T-Piece	Description	Code:	QTY
	300x70mm ECO DUCT T-Piece	PDECOTEE	1

DUCTING AND VENTILATION

Ecoduct Rectangular to Round 150	Description	Code:	QTY
	300x70mm ECO DUCT Rectangular to Round 150	PDECORTR150	1

Ecoduct Rectangular to Round 200	Description	Code:	QTY
	300x70mm ECO DUCT Rectangular to Round 200	PDECORTR200	1

Ecoduct Vertical 45 Bend	Description	Code:	QTY
	300x70mm ECO DUCT Vertical 45 Bend	PDECOVER45	1

DUCTING AND VENTILATION

Channel Duct 2M Non-Centre Bar	Nom. Size	Code:	QTY
	220x90	PDED220CD2M	1
	300x60	PDED300CD2M	1
	350x75	PDED350CD2M	1
	500x75	PDED500CD2M	1

Duct Connector	Nom. Size	Code:	QTY
	220x90	PDED220CONN	1
	300x60	PDED300CONN	1
	350x75	PDED350CONN	1
	500x75	PDED500CONN	1

Support Clip - Metal	Nom. Size	Code:	QTY
	220x90	PDED220CLIP	1
	300x60	PDED300CLIP	1
	350x75	PDED350CLIP	1
	500x75	PDED500CLIP	1

45 Degree Horizontal Bend	Nom. Size	Code:	QTY
	220x90	PDED220HOR45	1
	300x60	PDED300HOR45	1
	350x75	PDED350HOR45	1
	500x75	PDED500HOR45	1

90 Degree Horizontal Bend	Nom. Size	Code:	QTY
	220x90	PDED220HOR90	1
	300x60	PDED300HOR90	1
	350x75	PDED350HOR90	1
	500x75	PDED500HOR90	1

Rectangular to Round 150mm	Nom. Size	Code:	QTY
	220x90	PDED220RTR150	1
	300x60	PDED300RTR150	1
	350x75	PDED350RTR150	1
	500x75	PDED500RTR150	1

DUCTING AND VENTILATION

Rectangular to Round 200mm	Nom. Size	Code:	QTY
	220x90	PDED220RTR200	1
	300x60	PDED300RTR200	1
	350x75	PDED350RTR200	1
	500x75	PDED500RTR200	1

Rectangular to Oval 150mm	Nom. Size	Code:	QTY
	220x90	PDED220RTO150	1
	300x60	PDED300RTO150	1
	350x75	PDED350RTO150	1

Rectangular to Oval 200mm	Nom. Size	Code:	QTY
	220x90	PDED220RTO200	1
	300x60	PDED300RTO200	1
	350x75	PDED350RTO200	1

Rangehood Adapter 150mm	Nom. Size	Code:	QTY
	220x90	PDED220RH150	1
	300x60	PDED300RH150	1
	350x75	PDED350RH150	1

45 Degree Vertical Bend	Nom. Size	Code:	QTY
	300x60	PDED300VER45	1
	350x75	PDED350VER45	1
	500x75	PDED500VER45	1

90 Degree Vertical Bend	Nom. Size	Code:	QTY
	300x60	PDED300VER90	1
	350x75	PDED350VER90	1

DUCTING AND VENTILATION

T Piece Connector	Nom. Size	Code:	QTY
	220x90	PDED220TEE	1
	300x60	PDED300TEE	1
	350x75	PDED350TEE	1
	500x75	PDED500TEE	1

Round to Round Reducer	Nom. Size	Code:	QTY
	150 - 125mm	PDED125RND	1
	150 - 200mm	PDED200RND	1

Flexible Connector 90cm	Nom. Size	Code:	QTY
	300x60	PDED300FLX90	1
	350x75	PDED350FLX90	1

Non-Return Damper	Nom. Size	Code:	QTY
	300x60	PDED300NRD	1

90 Degree Elbow	Nom. Size	Code:	QTY
	220x90	PDED220ELB90	1

INSULATED FLEXIBLE DUCTING

PRODUCT INFO			
Type	Thermaflex	**Colour**	Silver
Function	Air Diffusion	**Material**	Metallised Outer Sleeve
Mount			Fire Rated to AS4254

Thermaflex R1.0 - 3 Zero



Product Code	Diameter Metric	Diameter Imperial	Length Metres
VRITFP66	150	6	6
VRITFP86	200	8	6
VRITFP106	250	10	6
VRITFP126	300	12	6
VRITFP146	350	14	6
VRITFP166	400	16	6
VRITFP186	450	18	6
VRITFP206	500	20	6

Thermaflex R1.0 - 4 Zero



Product Code	Diameter Metric	Diameter Imperial	Length Metres
VRITFPW66	150	6	6
VRITFPW86	200	8	6
VRITFPW106	250	10	6
VRITFPW126	300	12	6
VRITFPW146	350	14	6
VRITFPW166	400	16	6
VRITFPW186	450	18	6
VRITFPW206	500	20	6

Thermaflex R1.5




Product Code	Diameter Metric	Diameter Imperial	Length Metres
VRI5TFP66	150	6	6
VRI5TFP86	200	8	6
VRI5TFP106	250	10	6
VRI5TFP126	300	12	6
VRI5TFP146	350	14	6
VRI5TFP166	400	16	6
VRI5TFP186	450	18	6
VRI5TFP206	500	20	6

INSULATED FLEXIBLE DUCTING

Acoustiduct				
	Product Code	Diameter Metric	Diameter Imperial	Length Metres
	VAC66	150	6	6
	VAC86	200	8	6
	VAC106	350	10	6
	VAC126	400	12	6
	VAC146	350	14	6
	VAC166	400	16	6
	VAC186	450	18	6
	VAC206	500	20	6

Double Layered Nude Flex - 4 Zero				
	Product Code	Diameter Metric	Diameter Imperial	Length Metres
	VSBN46	100	4	6
	VSBN56	125	5	6
	VSBN66	150	6	6
	VSBN86	200	8	6
	VSBN106	250	10	6
	VSBN126	300	12	6
	VSBN146	350	14	6
	VSBN166	400	16	6
	VSBN186	450	18	6
	VSBN206	500	20	6

Double Layered Duct	Design	Code:	QTY
	150mm PVC Flex Duct 6m	VSBPN66	1
	200mm PVC Flex Duct 6m	VSBPN86	1

Semi Rigid Ducting	Nom. Size	Code:	QTY
	100mm x 3mtr	VSRD100	1
	125mm x 3mtr	VSRD125	1
	150mm x 3mtr	VSRD150	1
	200mm x 3mtr	VSRD200	1

RETURN AIR BOX

Return Air Boxes	
Product Code	**Description**
VRAB121210	RAB 300 x 300 x 1-250 (10)
VRAB121212	RAB 300 x 300 x 1-300 (12)
VRAB161610	RAB 400 x 400 x 1-250 (10)
VRAB161612	RAB 400 x 400 x 1-300 (12)
VRAB161614	RAB 400 x 400 x 1-350 (14)
VRAB161616	RAB 400 x 400 x 1-400 (16)
VRAB181812	RAB 450 x 450 x 1-300 (12)
VRAB181814	RAB 450 x 450 x 1-350 (14)
VRAB181816	RAB 450 x 450 x 1-400 (16)
VRAB201614	RAB 500 x 400 x 1-350 (14)
VRAB201616	RAB 500 x 400 x 1-400 (16)
VRAB202014	RAB 500 x 500 x 1-350 (14)
VRAB202016	RAB 500 x 500 x 1-400 (16)
VRAB222210	RAB 550 x 550 x 1-250 (10)
VRAB222212	RAB 550 x 550 x 1-300 (12)
VRAB59559512	RAB 550 x 550 x 1-300 (12)
VRAB222214	RAB 550 x 550 x 1-350 (14)
VRAB59559514	RAB 550 x 550 x 1-350 (14)
VRAB222216	RAB 550 x 550 x 1-400 (16)
VRAB59559516	RAB 550 x 550 x 1-400 (16)
VRAB222218	RAB 550 x 550 x 1-450 (18)
VRAB241614	RAB 600 x 400 x 1-350 (14)
VRAB241616	RAB 600 x 400 x 1-400 (16)
VRAB241814	RAB 600 x 450 x 1-350 (14)
VRAB241816	RAB 600 x 450 x 1-400 (16)
VRAB242014	RAB 600 x 500 x 1-350 (14)
VRAB242016	RAB 600 x 500 x 1-400 (16)
VRAB2420214	RAB 600 x 500 x 2-350 (14)
VRAB2420216	RAB 600 x 500 x 2-400 (16)
VRAB242416	RAB 600 x 600 x 1-400 (16)
VRAB281614	RAB 700 x 400 x 1-350 (14)
VRAB281616	RAB 700 x 400 x 1-400 (16)
VRAB2816214	RAB 700 x 400 x 2-350 (14)






RETURN AIR BOX

Return Air Boxes	
Product Code	**Description**
VRAB2816216	RAB 700 x 400 x 2-400 (16)
VRAB282016	RAB 700 x 500 x 1-400 (16)
VRAB2820214	RAB 700 x 500 x 2-350 (14)
VRAB2820216	RAB 700 x 500 x 2-400 (16)
VRAB2822214	RAB 700 x 550 x 2-350 (14)
VRAB2822216	RAB 700 x 550 x 2-400 (16)
VRAB3016212	RAB 750 x 400 x 2-300 (12)
VRAB301614	RAB 750 x 400 x 1-350 (14)
VRAB3016214	RAB 750 x 400 x 2-350 (14)
VRAB301616	RAB 750 x 400 x 1-400 (16)
VRAB3016216	RAB 750 x 400 x 2-400 (16)
VRAB301618	RAB 750 x 400 x 1-450 (18)
VRAB301814	RAB 750 x 450 x 1-350 (14)
VRAB3018214	RAB 750 x 450 x 2-350 (14)
VRAB301816	RAB 750 x 450 x 1-400 (16)
VRAB3018216	RAB 750 x 450 x 2-400 (16)
VRAB302214	RAB 750 x 550 x 1-350 (14)
VRAB3020214	RAB 750 x 500 x 2-350 (14)
VRAB30214	RAB 750 x 500 x 2-350 (14)
VRAB302016	RAB 750 x 500 x 1-400 (16)
VRAB3020216	RAB 750 x 500 x 2-400 (16)
VRAB3022116	RAB 750 x 550 x 1-400 (16)
VRAB302018	RAB 750 x 500 x 1-450 (18)
VRAB3022214	RAB 750 x 550 x 2-350 (14)
VRAB3022216	RAB 750 x 550 x 2-400 (16)
VRAB302218	RAB 750 x 550 x 1-400 (18)
VRAB361614	RAB 900 x 400 x 1-350 (14)
VRAB3616212	RAB 900 x 400 x 2-300 (12)
VRAB3616214	RAB 900 x 400 x 2-350 (14)
VRAB3616116	RAB 900 x 400 x 1-400 (16)
VRAB3616216	RAB 900 x 400 x 2-400 (16)
VRAB361618	RAB 900 x 400 x 1-450 (18)
VRAB3618214	RAB 900 x 450 x 2-350 (14)






RETURN AIR BOX

Return Air Boxes	
Product Code	**Description**
VRAB361816	RAB 900 x 450 x 1-400 (16)
VRAB3618216	RAB 900 x 450 x 2-400 (16)
VRAB362014	RAB 900 x 500 x 1-350 (14)
VRAB3620214	RAB 900 x 500 x 2-350 (14)
VRAB362016	RAB 900 x 500 x 1-400 (16)
VRAB3620216	RAB 900 x 500 x 2-400 (16)
VRAB362018	RAB 900 x 500 x 1-450 (18)
VRAB3620218	RAB 900 x 500 x 2-450 (18)
VRAB3622114	RAB 900 x 550 x 1-350 (14)
VRAB3622214	RAB 900 x 550 x 2-350 (14)
VRAB3622116	RAB 900 x 550 x 1-400 (16)
VRAB3622216	RAB 900 x 550 x 2-400 (16)
VRAB362218	RAB 900 x 550 x 1-450 (18)
VRAB3622218	RAB 900 x 550 x 2-450 (18)
VRAB3624214	RAB 900 x 600 x 2-350 (14)
VRAB3624216	RAB 900 x 600 x 2-400 (16)
VRAB4016214	RAB 1000 x 400 x 2-350 (14)
VRAB401616	RAB 1000 x 400 x 1-400 (16)
VRAB4016216	RAB 1000 x 400 x 2-400 (16)
VRAB4020214	RAB 1000 x 500 x 2-350 (14)
VRAB4020216	RAB 1000 x 500 x 2-400 (16)
VRAB4622212	RAB 1150 x 550 x 2-300 (12)
VRAB1195595214	RAB 1150x550 Insul 2x14
VRAB462216	RAB 1150 x 550 x 1-400 (16)
VRAB1195595216	RAB 1150x550 Insul 2x16
VRAB4622218	RAB 1150 x 550 x 2-450 (18)
VRAB4824216	RAB 1200 x 600 x 2-400 (16)
VRAB4824218	RAB 1200 x 600 x 2-450 (18)

Custom boxes are available and made to order





RETURN AIR BOX

Custom Return Air Boxes Plenums		
	**Product Code**	**Description**
	VRABSE02900	Custom RAB Side Entry
	VRAB01600	Custom RAB Top Entry
	VRABFS02900	Custom RAB Side Entry With Filter


Daikin Return Air Boxes			
	**Product Code**	**Size Metric**	**Spigots Size**
	VRABD925350-16	925 x 350	2 x 400
	VRABD925350-18	925 x 350	2 x 450
	VRABD1120350-16	1120 x 350	2 x 400
	VRABD1120350-18	1120 x 350	2 x 450
	VRABD1120350-314	1120 x 350	3 x 350

Fujitsu Return Air Boxes			
	**Product Code**	**Size Metric**	**Spigots Size**
	VRABF1065355-14	1065 x 360	2 x 350
	VRABF1065355-16	1065 x 360	2 x 400
	VRABF1255375-16	1255 x 375	2 x 400
	VRABF1255375-18	1255 x 375	2 x 450
	VRABF1295320-14	1295 x 320	2 x 350
	VRABF1295320-16	1295 x 320	2 x 400
	VRABF870330-14	870 x 330	2 x 350
	VRABF870330-16	870 x 330	2 x 400

MElectric Return Air Boxes			
	**Product Code**	**Size Metric**	**Spigots Size**
	VRABME1105255-12	1105 x 255	2 x 300
	VRABME1105355-14	1105 x 335	2 x 350

RETURN AIR BOX

MHI FDUA Return Air Boxes



Product Code	Size Metric	Spigots Size
VRABMH900350-14	900 x 350	2 x 350
VRABMH900350-16	900 x 350	2 x 400

Panasonic Return Air Boxes



Product Code	Size Metric	Spigots Size
VRABP1025265-14	1030 x 270	2 x 350
VRABP1025335-16	1030 x 340	2 x 400

Samsung Return Air Boxes



Product Code	Size Metric	Spigots Size
VRABS1270275-14	1270 x 270	2 x 350
VRABS1270275-16	1270 x 270	2 x 400
VRABS1285365-16	1290 x 360	2 x 400
VRABS1290360-14	1290 x 360	2 x 350

TD Swirl Box



Product Code	Size Metric	Spigots Size
VDBC2424BK6	600 x 600 M6 Bracket	
VDBC2424BK8	600 x 600 M8 Bracket	
VDBCB242408R1	600 x 600	200
VDBCB242410R1	600 x 600	250
VDBCB242412R1	600 x 600	300
VDBCB242414R1	600 x 600	350


UNI BOOTS

UNI BOOTS		
	**CODE**	**Description**
	VUB666	UNI Boot 150 x 150 x 150 (6)
	VUB668	UNI Boot 150 x 150 x 200 (8)
	VUB886	UNI Boot 200 x 200 x 150 (6)
	VUB888	UNI Boot 200 x 200 x 200 (8)
	VUB1198	UNI Boot 225 x 175 x 200 (8)
	VUB10106	UNI Boot 250 x 250 x 150 (6)
	VUB10108	UNI Boot 250 x 250 x 200 (8)
	VUB1246	UNI Boot 300 x 100 x 150 (6)
	VUB1248	UNI Boot 300 x 100 x 200 (8)
	VUB1268	UNI Boot 300 x 150 x 200 (8)
	VUB12610	UNI Boot 300 x 150 x 250 (10)
	VUB1448	UNI Boot 350 x 100 x 200 (8)
	VUB1468	UNI Boot 350 x 150 x 200 (8)
	VUB14610	UNI Boot 350 x 150 x 250 (10)
	VUB1646	UNI Boot 400 x 100 x 150 (6)
	VUB1648	UNI Boot 400 x 100 x 200 (8)
	VUB16410	UNI Boot 400 x 100 x 250 (10)
	VUB1668	UNI Boot 400 x 150 x 200 (8)
	VUB16610	UNI Boot 400 x 150 x 250 (10)
	VUB16612	UNI Boot 400 x 150 x 300 (12)
	VUB1686	UNI Boot 400 x 200 x 150 (6)
	VUB16826	UNI Boot 400 x 200 x 2 x 150 (6)
	VUB1688	UNI Boot 400 x 200 x 200 (8)
	VUB16810	UNI Boot 400 x 200 x 250 (10)
	VUB16812	UNI Boot 400 x 200 x 300 (12)
	VUB18410	UNI Boot 450 x 100 x 250 (10)
	VUB18610	UNI Boot 450 x 150 x 250 (10)
	VUB18612	UNI Boot 450 x 150 x 300 (12)
	VUB2048	UNI Boot 500 x 100 x 200 (8)
	VUB20410	UNI Boot 500 x 100 x 250 (10)
	VUB20610	UNI Boot 500 x 150 x 250 (10)
	VUB2446	UNI Boot 600 x 100 x 150 (6)
	VUB2448	UNI Boot 600 x 100 x 200 (8)

UNI BOOTS

UNI BOOTS		
	**CODE**	**Description**
	VUB24410	UNI Boot 600 x 100 x 250 (10)
	VUB24412	UNI Boot 600 x 100 x 300 (12)
	VUB2468	UNI Boot 600 x 150 x 200 (8)
	VUB24610	UNI Boot 600 x 150 x 250 (10)
	VUB24612	UNI Boot 600 x 150 x 300 (12)
	VUB30610	UNI Boot 750 x 150 x 250 (10)
	VUB3648	UNI Boot 900 x 100 x 200 (8)
	VUB36410	UNI Boot 900 x 100 x 250 (10)
	VUB36412	UNI Boot 900 x 100 x 300 (12)
	VUB3668	UNI Boot 900 x 150 x 200 (8)
	VUB36610	UNI Boot 900 x 150 x 250 (10)
	VUB36612	UNI Boot 900 x 150 x 300 (12)
	VUB40410	UNI Boot 1000 x 100 x 250 (10)
	VUB40412	UNI Boot 1000 x 100 x 300 (12)
	VUB4068	UNI Boot 1000 x 150 x 200 (8)
	VUB40610	UNI Boot 1000 x 150 x 250 (10)
	VUB46410	UNI Boot 1150 x 100 x 250 (10)
	VUB4848	UNI Boot 1200 x 100 x 200 (8)
	VUB48410	UNI Boot 1200 X 100 x 250 (10)
	VUB48412	UNI Boot 1200 x 100 x 300 (12)
	VUB484210	UNI Boot 1200 x 100- 2x 250 (10)
	VUB48610	UNI Boot 1200 x 150 x 250 (10)
	VUB48612	UNI Boot 1200 x 150 x 300 (12)
	VUB60610	UNI Boot 1500 x 100 x 250 (10)
	VUBMIS	CUSTOM SIZES AVAILABLE

END ENTRY BOOTS

End Entry Boots		
	**Product Code**	**Description**
	VUBE1246	300x100-150
	VUBE1248	300x100-200
	VUBE1268	300x150-200
	VUBE12610	300x150-250
	VUBE1468	350x150-200
	VUBEMIS	CUSTOM SIZES AVAILABLE

SIDE BOOTS



SIDE BOOT	
Product Code	**Description**
VUBS1468	SIDE Boot 350 x 150 x 200
VUBS14610	SIDE Boot 350 x 150 x 250
VUBS1648	SIDE Boot 400 x 100 x 200
VUBS16410	SIDE Boot 400 x 100 x 250
VUBS2448	SIDE Boot 600 x 100 x 200
VUBS24410	SIDE Boot 600 x 100 x 250
VUBS2468	SIDE Boot 600 x 150 x 200
VUBS24610	SIDE Boot 600 x 150 x 250
VUBS3648	SIDE Boot 900 x 100 x 200
VUBS36410	SIDE Boot 900 x 100 x 250
VUBS36412	SIDE Boot 900 x 100 x 300
VUBS3668	SIDE Boot 900 x 150 x 200
VUBS36610	SIDE Boot 900 x 150 x 250
VUBS36612	SIDE Boot 900 x 150 x 300
VUBS4848	SIDE Boot 1200 x 100 x 200
VUBS48410	SIDE Boot 1200 x 100 x 250
VUBS48412	SIDE Boot 1200 x 100 x 300
VUBS4868	SIDE Boot 1200 x 150 x 200
VUBS48610	SIDE Boot 1200 x 150 x 250
VUBS48612	SIDE Boot 1200 x 150 x 300
VUBSMIS	CUSTOM SIZES AVAILABLE

V-BOXES

Panasonic V-Box			
	**Product Code**	**Size Metric**	**Spigot Size**
	VVBPA071022	7-10kw 1030 x 270	2 x 300
	VVBPA071024	7-10kw 1030 x 340	2 x 350

Daiken Supply V Box			
	**Product Code**	**Size Metric**	**Spigot Size**
	VVBDA071022	7-10kw 855 x 190	2 x 300
	VVBDA071024	7-10kw 855 x 190	2 x 350
	VVBDA121622	12-16kw 1155 x 245	2 x 300
	VVBDA121624	12-16kw 1155 x 245	2 x 350
	VVBDA121626	12-16kw 1155 x 245	2 x 400
	VVBDA121632	12-16kw 1155 x 245	3 x 300
	VVBDA121634	12-16kw 1155 x 245	3 x 350
	VVBDA141624	14-16kw 1155 x 320	2 x 350
	VVBDA141626	14-16kw 1155 x 320	2 x 400
	VVBDA141634	14-16kw 1155 x 320	3 x 350
	VVBDA182024	18-20kw 830 x 380	2 x 350
	VVBDA182026	18-20kw 830 x 380	2 x 400
	VVBDA180026	18kw 925 x 350	2 x 400
	VVBDA202526	20-25kw 1120 x 350	2 x 400
	VVBDA250026	25kw 940 x 380	3 x 350
	VVBDA250034	25kw 940 x 380	3 x 350
	VVBDA250036	25kw 940 x 380	3 x 400

Samsung V-Box			
	**Product Code**	**Size Metric**	**Spigot Size**
	VVBSA101424	10-14kw 1270 x 270	2 x 350
	VVBSA101426	10-14kw 1270 x 270	2 x 400
	VVBSA162024	16-20kw 1290 x 360	2 x 350


V-BOXES


Fujitsu Supply V-Box			
	**Product Code**	**Size Metric**	**Spigot Size**
	VVBFU091024	9-10kw 850 x 295	2 x 350
	VVBFU091026	9-10kw 850 x 295	2 x 400
	VVBFU101422	10-14kw 1170 x 220	2 x 300
	VVBFU101424	10-14kw 1170 x 220	2 x 350
	VVBFU121524	12-15kw 925 x 310	2 x 350
	VVBFU121526	12-15kw 925 x 310	2 x 400
	VVBFU121534	12-15kw 925 x 310	3 x 350
	VVBFU121624	12-16kw 1170 x 280	2 x 350
	VVBFU121626	12-16kw 1170 x 280	2 x 400
	VVBFU152526	15kw 1205 x 355	2 x 400


MElectric V-Box			
	**Product Code**	**Size Metric**	**Spigot Size**
	VVBME071024	7-10kw 1065 x 190	2 x 350
	VVBME101424	10-14kw 925 x 255	2 x 350
	VVBME101426	10-14kw 925 x 255	2 x 400
	VVBME1014H24	H 10-14kw 1330 x 270	2 x 350
	VVBME121622	12.5-16kw 1105 x 345	2 x 300

Custom V-Boxes are available and made to order


CUSHION BOXES

Cushion Box 5mm Rubber		
	**Product Code**	**Size Metric**
	VCUSH10108	250x250-200
	VCUSH101010	250x250-250
	VCUSH12128	300x300-200
	VCUSH121210	300x300-250
	VCUSH18188	450x450-200
	VCUSH181810	450x450-250

Cushion Box 5mm Rubber - Low Profile (230 High)		
	**Product Code**	**Size Metric**
	VCSCBL3052	305X305X-200
	VCSCBL3055	305X305-250
	VCSCBL3302	330X300-200
	VCSCBL3305	330X330-250

Cushion Box Rubber Insulated		
	**Product Code**	**Size Metric**
	VCSCB1666	150X150-150
	VCSCB1886	200X200-150
	VCSCB1888	200X200-200
	VCSCB998	225X225-200
	VCSCB10108	250X250-200
	VCSCB101010	250X250-250
	VCSCB12128	300x300-200
	VCSCB121210	300x300-250
	VCSCB121212	300x300-300
	VCSCB151512	375x375-300
	VCSCB151514	375x375-350
	VCSCB181810	450x450-250
	VCSCB181812	450x450-300
	VCSCB181814	450x450-350
	VCSCB181816	450x450-400
	VCSCB181818	450x450-450
	VCSCB24246	590 x 590-150
	VCSCB242410	590 x 590-250
	VCSCB242412	590 x 590-300

DRIP TRAYS

Drip Tray		
	**Product Code**	**Perimeter Range**
	VDT8383	830x830
	VDT8070	800x700
	VDT9040	900x400
	VDT9050	900x500
	VDT9060	900x600
	VDT11070	1100x700
	VDT11383	1130x830
	VDT12060	1200x600
	VDT12075	1200x750
	VDT12080	1200x800
	VDT14080	1400x800
	VDT14383	1430x530
	VDT15050	1500x500
	VDT15055	1500x550
	VDT15060	1500x600
	VDT15080	1500x800
	VDT15950	1500x1000
	VDT150100	1700x800
	VDT16060	1700x900
	VDT16090	1700x800
	VDT17080	1500x1000
	VDT17090	1700x800

BRANCH TAKE OFFS

Fittings Branch Take Off Externally Sprayed Insulation Metal Construction			
	Code	Nominal Size	QTY
	VPB866	BTO 200x150x150	1
	VPB886	BTO 200x200x150	1
	VPB888	BTO 200x200x200	1
	VPB1066	BTO 250x150x150	1
	VPB1086	BTO 250x200x150	1
	VPB1088	BTO 250x200x200	1
	VPB10108	BTO 250x250x150	1
	VPB101010	BTO 250x250x250	1
	VPB1288	BTO 300x200x200	1
	VPB12106	BTO 300x250x150	1
	VPB12108	BTO 300x250x200	1
	VPB121010	BTO 300x250x250	1
	VPB12128	BTO 300x300x150	1
	VPB121210	BTO 300x300x250	1
	VPB121212	BTO 300x300x300	1
	VPB1488	BTO 350x200x200	1
	VPB14108	BTO 350x250x200	1
	VPB141010	BTO 350x250x250	1
	VPB141210	BTO 350x300x250	1
	VPB141212	BTO 350x300x300	1
	VPB14148	BTO 350x350x200	1
	VPB141410	BTO 350x350x250	1
	VPB141412	BTO 350x350x300	1
	VPB141414	BTO 350x350x350	1
	VPB161010	BTO 400x250x250	1
	VPB16128	BTO 400x300x200	1
	VPB161210	BTO 400x300x250	1
	VPB161212	BTO 400x300x300	1
	VPB16148	BTO 400x350x200	1
	VPB161410	BTO 400x350x250	1
	VPB161412	BTO 400x350x300	1
	VPB161414	BTO 400x350x350	1
	VPB16168	BTO 400x400x200	1
	VPB161610	BTO 400x400x250	1
	VPB161612	BTO 400x400x300	1
	VPB161614	BTO 400x400x350	1
	VPB161616	BTO 400x400x400	1


BRANCH TAKE OFFS

Poly Branch Take Off			
	**Code**	**Nom. Size**	**QTY**
	VPPD866	200x150x150	1
	VPPD886	200x200x150	1
	VPPD1086	250x200x150	1
	VPPD1086	250x200x150	1

Fittings Double Branch Take Off Externally Sprayed Insulation Metal Construction			
	**Code**	**Nom. Size**	**QTY**
	VPD6666	150x150x150x150	1
	VPDB8666	200x150x150x150	1
	VPDB10866	250x200x150x150	1
	VPDB10888	250x200x200x200	1
	VPDB101088	250x250x200x200	1
	VPDB12888	300x200x200x200	1
	VPDB121088	300x250x200x200	1
	VPDB12101010	300x200x200x200	1
	VPDB121288	300x300x200x200	1
	VPDB1212108	300x300x250x250	1
	VPDB12121010	300x300x200x200	1
	VPDB14888	350x200x200x200	1
	VPDB141088	350x250x200x200	1
	VPDB14101010	350x250x250x250	1
	VPDB14121010	350x300x250x250	1
	VPDB14121212	350x300x300x300	1
	VPDB141488	350x350x200x200	1
	VPDB14141010	350x350x250x250	1
	VPDB16101010	400x200x200x200	1
	VPDB16121010	400x300x200x200	1
	VPDB16121212	400x300x300x300	1
	VPDB161488	400x350x200x200	1
	VPDB16141010	400x350x200x200	1
	VPDB16141212	400x350x300x300	1
	VPDB16141414	400x350x350x350	1
	VPDB16161010	400x400x250x250	1
	VPDB16161212	400x400x300x300	1

BRANCH TAKE OFFS

Poly Branch Double Take Off			
	**Code**	**Nom. Size**	**QTY**
	VPPDB8666	200x150x150x150	1
	VPPDB10666	250x150x150x150	1

Fittings Y Branch Externally Sprayed Insulation Metal Construction			
	**Code:**	**Nom. Size**	**QTY**
	VPY444	100x100x100	1
	VPY666	150x150x150	1
	VPY866	200x150x150	1
	VPY888	200x200x200	1
	VPY1066	250x150x150	1
	VPY1088	250x200x200	1
	VPY101010	250x250x250	1
	VPY1288	300x200x200	1
	VPY121010	300x250x250	1
	VPY121212	300x300x300	1
	VPY1488	350x200x200	1
	VPY141010	350x250x250	1
	VPY141212	350x300x300	1
	VPY141414	350x350x350	1
	VPY161010	400x250x250	1
	VPY161212	400x300x300	1
	VPY161414	400x350x350	1
	VPY161616	400x400x400	1
	VPY181412	450x350x300	1
	VPY181414	450x350x350	1
	VPY181612	450x400x300	1
	VPY181614	450x400x350	1
	VPY181616	450x400x400	1
	VPY181818	450x450x450	1
	VPY201616	500x400x400	1
	VPY201816	500x450x400	1

BRANCH TAKE OFFS

Y Branch Poly	Nom. Size	Code:	QTY
	150x150x150	VPY666P	1
	200x150x150	VPYP866	1

Reducer	Nom. Size	Code:	QTY
	125 - 100	VR54	1
	150 - 100	VR64	1
	150 - 125	VR65	1
	200 - 150	VR86	1
	250 - 150	VR106	1
	250 - 200	VR108	1
	300 - 200	VR128	1
	300 - 250	VR1210	1
	350 - 250	VR1410	1
	350 - 300	VR1412	1
	400 - 300	VR1612	1
	400 - 350	VR1614	1
	450 - 400	VR1816	1
	500 - 450	VR2018	1

Poly Reducer	Nom. Size	Code:	QTY
	150 - 125	VR65P	1
	200 - 150	VR86P	1
	250 - 200	VR108P	1

STARTING COLLARS

Starting Collar	Nominal Size	Code:	QTY
	100	VSC4	1
	125	VSC5	1
	150	VSC6	1
	200	VSC8	1
	250	VSC10	1
	300	VSC12	1
	350	VSC14	1
	400	VSC16	1
	450	VSC18	1
	500	VSC20	1

Oval Starting Collar	Nominal Size	Code:	QTY
	150	VSCO6	1
	200	VSCO8	1
	250	VSCO10	1
	300	VSCO12	1
	350	VSCO14	1
	400	VSCO16	1

Castellated Starting Collars	Dia. Size	Code:	QTY
	150	VCSC06	1
	200	VCSC08	1
	250	VCSC10	1
	300	VCSC12	1
	350	VCSC14	1
	400	VCSC16	1
	450	VCSC18	1
	500	VCSC20	1

Castellated Oval Starting Collars	Dia. Size	Code:	QTY
	150	VCSCO06	1
	200	VCSCO8	1
	250	VCSCO10	1
	300	VCSCO12	1
	350	VCSCO14	1

STARTING COLLARS

Oval Starting Collar With Damper	Dia. Size	Code:	QTY
	150	VSCOD06	1
	200	VSCOD08	1
	250	VSCOD10	1
	250	VSCOD10	1
	250	VSCOD10	1

Starting Collar With Damper	Nom. Size	Code:	QTY
	100	VSCD4	1
	150	VSCD6	1
	200	VSCD8	1
	250	VSCD10	1
	300	VSCD12	1
	350	VSCD14	1
	400	VSCD16	1
	450	VSCD18	1
	500	VSCD20	1

DAMPERS

Spun Spigots with dampers	Nom. Size	Code:	QTY
	200	VSSD8	1
	250	VSSD10	1
	300	VSSD12	1
	350	VSSD14	1

Back Draft Damper	Dia. Size	Code:	QTY
	100	VBDD4	1
	125	VBDD5	1
	150	VBDD6	1
	200	VBDD8	1
	250	VBDD10	1
	300	VBDD12	1


DAMPERS

240V Dampers Metal Motorised	Nom. Size	Code:	QTY
	200	VMZD8	1
	250	VMZD10	1
	300	VMZD12	1
	350	VMZD14	1
	400	VMZD16	1

24V Damppers Metal Motorised	Nom. Size	Code:	QTY
	200	VMZDIC8	1
	250	VMZDIC10	1
	300	VMZDIC12	1
	350	VMZDIC14	1
	400	VMZDIC16	1
	450	VMZDIC18	1

Cable for Motorised Damper	Length	Code	QTY
	15m	VMZDIC8	1

Manual dampers Externally Sprayed Insulation	Nom. Size	Code:	QTY
	100	VMLD4	1
	125	VMLD5	1
	150	VMLD6	1
	200	VMLD8	1
	250	VMLD10	1
	300	VMLD12	1
	350	VMLD14	1
	400	VMLD16	1
	450	VMLD18	1

Damper Blade with Rapit Kits	Nom. Size	Code:	QTY
	150	VDBK6	1
	200	VDBK8	1
	250	VDBK10	1
	300	VDBK12	1
	350	VDBK14	1
	400	VDBK16	1

DAMPERS

Joiner With Damper	Nom. Size	Code:	QTY
	150	VJCD6	1
	200	VJCD8	1
	250	VJCD10	1
	300	VJCD12	1
	350	VJCD14	1
	400	VJCD16	1

Joiner	Nom. Size	Code:	QTY
	100	VJC4	1
	125	VJC5	1
	150	VJC6	1
	200	VJC8	1
	250	VJC10	1
	300	VJC12	1
	350	VJC14	1
	400	VJC16	1
	450	VJC18	1
	500	VJC20	1

Cowl Tube	Nom. Size	Code:	QTY
	125mm x 600mm	FANRCT5	1
	150mm x 600mm	FANRCT6	1
	200mm x 600mm	FANRCT8	1
	250mm x 600mm	FANRCT10	1

Canvass Connection Fan	Nom. Size	Code:	QTY
	Canvass Connection Fan	FANXCC	1


VENTILATION PRODUCTS

Cable	Nom. Size	Code:	QTY
	8 Pin RJ45 10mtr	VDZCAB08	1
	15mtr	VDZCAB15	1

Touch Pad	Nom. Size	Code:	QTY
	Touch Pad	VDZTP	1
	Touch Pad 8 Zone	VDZTP8	1

Transformer	Nom. Size	Code:	QTY
	Transformer	VDZTRANS	1

Universal Remote	Code:	QTY
	VACUNI	1

Delay Fan Timer	Nom. Size	Code:	QTY
	7 Minutes	FANTM	1

DUCTWORK STRAPPING SUPPORT	Nom. Size	Code:	QTY
	Blue Strapping 50mm	FS50	1
	Blue Strapping 75mm	FS75	1
	Steel Strapping 30kg	FS415M	1
	Steel Strapping 60kg	FS715M	1

Access Panel	Nom. Size	Code:	QTY
	300 x 150	VAPL25	1
	200 x 125	VAPL37	1
	460 x 250	VAPL65	1
	530 x 635	VAPL85	1
	635 x 430	VAPL86	1

VENTILATION PRODUCTS

iZONE 435 NEXUS KITS	
MODEL NO	**DESCRIPTION**
VDZIC435D	NEXUS + 8 ZONE + DAIKIN + WIFI KIT
VDZIC435F	NEXUS + 8 ZONE + FUJITSU + WIFI KIT
VDZIC435H	NEXUS + 8 ZONE + HITACHI + WIFI KIT
VDZIC435HI	NEXUS + 8 ZONE + HAIER + WIFI KIT
VDZIC435L	NEXUS + 8 ZONE + LG + WIFI KIT
VDZIC435M	NEXUS + 8 ZONE + MITSU ELECTRIC + WIFI KIT
VDZIC435MD	NEXUS + 8 ZONE + MIDEA + WIFI KIT
VDZIC435MHI	NEXUS + 8 ZONE + MHI + WIFI KIT
VDZIC435P	NEXUS + 8 ZONE + PANASONIC + WIFI KIT
VDZIC435S	NEXUS + 8 ZONE + SAMSUNG + WIFI KIT
VDZIC435T	NEXUS + 8 ZONE + TOSHIBA + WIFI KIT
VDZIC435TZ	NEXUS + 8 ZONE + TEMPERZONE + WIFI KIT
VDZIC435Y	NEXUS + 8 ZONE + YORK + WIFI KIT
VDZIC435KAD	NEXUS + 8 ZONE + KADEN + WIFI KIT





435 Nexus kits include: 1 x white Nexus touch screen (CCTSLW) + 1 x RJ45 cable + 1 x 8 zone CPU + 1 xTransformer + Wifi. Optional extras can be added to any kit such as: 6 zone extender, FOB, bridge, Nanos, Nexus, wireless sensors, iSense, iSave, iZone Lights, iZone Reticulation, Multiplexer and network extension module. See component parts below.
Upgrade costs for other Nexus colours see "iZone Controllers". All Fujitsu 20kw and 25kw systems require an Intensis Box and a unique CPU, module and screen.

iZONE Nova C545K Climate Control	
MODEL NO	**DESCRIPTION**
VDZIC545	NOVA + 8 ZONE + WIFI KIT - NO UNIT MODULE
VDZIC545D	NOVA + 8 ZONE + DAIKIN + WIFI KIT
VDZIC545F	NOVA + 8 ZONE + FUJITSU + WIFI KIT



iZONE Nimble C110K Kit	
MODEL NO	**DESCRIPTION**
VDZIC100K	NIMBLE C110 KIT
VDZIC110WC	NIMBLE C110 WALL CONTROLLER
VDZIC110MC	NIMBLE C110 MASTER CONTROLLER



VENTILATION PRODUCTS

iZONE Naked 8 Zones Kit	
MODEL NO	**DESCRIPTION**
VDZIC410D	NAKED - 8 ZONE + DAIKIN + FOB KIT
VDZIC415D	NAKED - 8 ZONE + DAIKIN + WIFI KIT
VDZIC410F	NAKED - 8 ZONE + FUJITSU + FOB KIT
VDZIC415F	NAKED - 8 ZONE + FUJITSU + WIFI KIT
VDZIC410HI	NAKED - 8 ZONE + HAIER + FOB KIT
VDZIC415HI	NAKED - 8 ZONE + HAIER + WIFI KIT
VDZIC410H	NAKED - 8 ZONE + HITACHI + FOB KIT
VDZIC415H	NAKED - 8 ZONE + HITACHI + WIFI KIT
VDZIC410L	NAKED - 8 ZONE + LG + FOB KIT
VDZIC415L	NAKED - 8 ZONE + LG + WIFI KIT
VDZIC410MHI	NAKED - 8 ZONE + MHI + FOB KIT
VDZIC415MHI	NAKED - 8 ZONE + MHI + WIFI KIT
VDZIC410MD	NAKED - 8 ZONE + MIDEA + FOB KIT
VDZIC415MD	NAKED - 8 ZONE + MIDEA + WIFI KIT
VDZIC410M	NAKED - 8 ZONE + MITSU ELECTRIC + FOB KIT
VDZIC415M	NAKED - 8 ZONE + MITSU ELECTRIC + WIFI KIT
VDZIC410P	NAKED - 8 ZONE + PANASONIC + FOB KIT
VDZIC415P	NAKED - 8 ZONE + PANASONIC + WIFI KIT
VDZIC410S	NAKED - 8 ZONE + SAMSUNG + FOB KIT
VDZIC415S	NAKED - 8 ZONE + SAMSUNG + WIFI KIT
VDZIC410TZ	NAKED - 8 ZONE + TEMPERZONE + FOB KIT
VDZIC415TZ	NAKED - 8 ZONE + TEMPERZONE + WIFI KIT
VDZIC410T	NAKED - 8 ZONE + TOSHIBA + FOB KIT
VDZIC415T	NAKED - 8 ZONE + TOSHIBA + WIFI KIT
VDZIC410Y	NAKED - 8 ZONE + YORK + FOB KIT
VDZIC415Y	NAKED - 8 ZONE + YORK + WIFI KIT
VDZIC400	NAKED - 8 ZONE ONLY + FOB KIT





VENTILATION PRODUCTS

iZONE WIRELESS SENSOR	
MODEL NO	**DESCRIPTION**
VDZICRFSB	WIRELESS SENSOR BLACK
VDZICRFSW	WIRELESS SENSOR WHITE



iZONE WIRED SENSORS	
MODEL NO	**DESCRIPTION**
VDZICWSMK	WIRED SENSOR MODULE KIT
VDZICSB	WIRED SENSOR BLACK
VDZICSW	WIRED SENSOR WHITE
VDZICZCOB	ZONE CONTROLLER + iSENSE BLACK
VDZICZCOW	ZONE CONTROLLER + iSENSE WHITE
VDZICDTS	IN DUCT SA TEMPERATURE SENSOR





	iZONE CONTROLLERS
MODEL NO	**DESCRIPTION**
VDZICCTSLW	NEXUS TOUCH SCREEN WHITE
VDZICCTSW	NANO TOUCH SCREEN WHITE
VDZICCTSLS+	NEXUS PLUS SCREEN
VDZIC110WC	NIMBLE C110 WALL CONTROLLER
VDZIC110MC	NIMBLE C110 MASTER CONTROLLER
VDZSTEZT	SMART ZONE TOUCH
VDZSTEZTT	SMART ZONE TOUCH TRANSFORMER
VDZSTESS	SMART ZONE TOUCH SENSOR
VDZI100AB	24V ZONE MOTOR IZONE
VDZICCOCB	IZONE OPEN CONNECTION WIFI BRIDGE







VENTILATION PRODUCTS

iZONE Spigots

MODEL NO	DESCRIPTION
VPZ-BSCREW	iZone Ductboard Plastic Screw
VPZ-BCIS20	iZone 200 Round Clip-In Spigot
VPZ-BCIS25	iZone 250 Round Clip-In Spigot
VPZ-BCIS30	iZone 300 Round Clip-In Spigot
VPZ-BCIS35	iZone 350 Round Clip-In Spigot
VPZ-BCIS40	iZone 400 Round Clip-In Spigot
VPZ-BCIS45	iZone 450 Round Clip-In Spigot
VPZ-BCIS50	iZone 500 Round Clip-In Spigot
VPZ-BLPCIS25	iZone 250 Low Profile Clip-In Spigot
VPZ-BLPCIS30	iZone 300 Low Profile Clip-In Spigot
VPZ-BLPCIS35	iZone 350 Low Profile Clip-In Spigot
VPZ-BLPCIS40	iZone 400 Low Profile Clip-In Spigot
VPZ-BLPCIS45	iZone 450 Low Profile Clip-In Spigot
VPZ-BCIBC20	iZone Plastic Bulldog Clip 20mm






iZONE DAMPERS

MODEL NO	DESCRIPTION
VPZ-CDK20	iZone 200 Round In-line Barrel Damper Kit
VPZ-CDK25	iZone 250 Round In-line Barrel Damper Kit
VPZ-CDK30	iZone 300 Round In-line Barrel Damper Kit
VPZ-CDK35	iZone 350 Round In-line Barrel Damper Kit
VPZ-CDK40	iZone 400 Round In-line Barrel Damper Kit
VPZ-CCDK20	iZone 200 Round Clip-In Zone Damper Kit
VPZ-CCDK25	iZone 250 Round Clip-In Zone Damper Kit
VPZ-CCDK30	iZone 300 Round Clip-In Zone Damper Kit
VPZ-CCDK35	iZone 350 Round Clip-In Zone Damper Kit
VPZ-CCDK40	iZone 400 Round Clip-In Zone Damper Kit
VPZ-CCDKLP25	iZone 250 Low Profile Clip-In Zone Damper Kit
VPZ-CCDKLP30	iZone 300 Low Profile Clip-In Zone Damper Kit
VPZ-CCDKLP35	iZone 350 Low Profile Clip-In Zone Damper Kit
VPZ-CCDKLP40	iZone 400 Low Profile Clip-In Zone Damper Kit
VPZ-CDKLP25	iZone 250 Low Profile In-line Barrel Damper Kit
VPZ-CDKLP30	iZone 300 Low Profile In-line Barrel Damper Kit
VPZ-CDKLP35	iZone 350 Low Profile In-line Barrel Damper Kit
VPZ-CDKLP40	iZone 400 Low Profile In-line Barrel Damper Kit







Your Air Solutions Partner



FANMF - Mixed Flow Inline Duct Fan

• Fan body is made of environmental protection material with beautiful lines and light weight, double insulation.

• Fan blade is designed with hydromechanical principles for optimal airflow and air pressure, high efficiency working, low energy consumption and low noise.

• Joint design facilitates installation and dismounting for easy installation and maintenance.

• Outer rotor motor with Japanese brand NMB ball bearing, long working life over 50000 hours.

• Protection class: IP44

• Can be designed with user friendly features such as time delay, temperature sense, humidity sensor or other customised functions.

• Operating temperature range: -20ºC ~ 60ºC

• Perfect for homes, apartments, offices, public places, hotels, hospitals, gyms etc.

FEATURES & MOUNTING



Hydromechanical wind circle designed to achieve the highest efficiency



High Performance hydromechanical fan blades



Safer mounting base designed according to safety requirements and fan structure for easy installation



Sealing ring in connection box, protection class IP44

1 Fix the support



2 Couple the ducts



3 Fix the fan body



4 Make the connections





FANMF - Series Mixed Flow Inline Duct Fan

Performance Parameter

Model	Speed	Voltage /Frequency (V/Hz)	Current (Amps)	Power (W)	Speed (RPM)	Airflow		Air Pressure (Pa)	Noise (dB)	Net Weight (kgs)
						(m^3/h)	(l/s)			
FANMF-100	H	220~240/50	0.12	26	2200	198	55.0	156	31	1.5
	L		0.11	23	1850	165	45.8	131	26	
	H	100~120/60	0.31	35	2200	198	55.0	156	31	
	L		0.28	30	1850	165	45.8	131	26	
FANMF-125	H	220~240/50	0.14	33	2250	284	78.9	159	32	1.5
	L		0.13	28	1850	248	68.9	106	26	
	H	100~120/60	0.35	38	2250	284	78.9	300	32	
	L		0.31	32	1850	248	68.9	240	26	
FANMF-150	H	220~240/50	0.22	54	2550	530	147.2	300	33	2.6
	L		0.19	44	1850	410	113.9	240	29	
	H	100~120/60	0.55	62	2550	530	147.2	352	33	
	L		0.45	49	1850	410	113.9	274	29	
FANMF-200	H	220~240/50	0.53	128	2450	840	233.3	352	63	4.9
	L		0.52	123	1950	690	191.7	274	55	
	H	100~120/60	1.60	165	2450	840	233.3	488	63	
	L		1.30	135	1950	690	191.7	371	55	
FANMF-250	H	220~240/50	1.20	225	2450	1405	390.3	488	66	7.5
	L		1.75	165	1950	1064	295.6	371	58	
	H	100~120/60	2.60	290	2450	1405	390.3	693	66	
	L		1.80	210	1850	1064	295.6	435	58	
FANMF-315	H	220~240/50	1.90	390	2350	2206	612.8	693	69	11.0
	L		1.40	275	1650	1750	486.1	435	61	
	H	100~120/60	3.70	412	2350	2206	612.8	693	69	
	L		3.00	330	1650	1750	4861	435	61	

Dimensions






Model	A	B	C	ØD	E	F	ØG	L	W	H
FANMF-100	80	60	4-Ø4.5	97	99	116	163	302	204	195
FANMF-125	80	60	4-Ø4.5	123	99	116	163	257	204	195
FANMF-150	80	60	4-Ø5.5	147	109	127	187	313	227	208
FANMF-200	100	94	4-Ø5.5	197	125	137	205	302	249	237
FANMF-250	150	150	4-Ø8*11	247	250	174	261	383	310	286
FANMF-315	181	178	4-Ø8*11	312	187	216	325	446	386	357


FANMF - Series Mixed Flow Inline Duct Fan

Performance Curves


FANMF-100




FANMF-125




FANMF-150




FANMF-200



FANMF-250



FANMF-315






Your Air Solutions Partner




FANMEF - Eco-Watt Mixed-flow Inline Duct Fan

- High efficiency and energy saving: use a DC variable frequency motor (permanent magnet synchronous motor) for lower energy consumption.
- Meets EU ERP2018 energy efficiency standards.
- Free speed control: 0-10V voltage speed control and PWM signal speed control.
- Stable performance: set with slow starting, no influence during voltage fluctuation.
- Long durability: low vibration, low noise and continuous operation.
- Protection class: IP44
- Operating temperature range: -20ºC ~ 60ºC

DIMENSIONS







TECHNICAL SPECIFICATIONS

Model	Voltage	Current (Amps)	Power (W)	Speed (RPM)	Airflow		Air Pressure (Pa)	Net Weight (kgs)
					(m^3/h)	(m^3/s)		
FANMEF-150	100~140	0.47 MAX 0.94	70	3000	647	179.7	503	2.6
FANMEF-200	100~120 200~220	2.1 1.05	165	3000	1250	347.2	746	4.9

FANMEF - Series Eco-Watt Mixed-flow Inline Duct Fan

Performance Curves







Your Air Solutions Partner



Low Profile Body


FANMFS - Silent Mixed Flow Inline Duct Fan

- Fan body is made of environmental protection material with beautiful lines and light weight, double insulation.
- Fan blade is designed with hydromechanical principles for optimal airflow and air pressure, high efficiency working, low energy consumption and low noise.
- Fan inside produced with two-layer sound absorbent and sound wave holes, to reduce noise level.
- Double diameter connection, sealing-up, leak-proof and shockproof.
- Backdraft damper designed inside, to prevent return air and insects.
- Joint design facilitates installation and dismounting for easy installation and maintenance.
- Outer rotor motor with Japanese brand NMB ball bearing, long working life over 50000 hours.
- Protection class: IP44
- Can be designed with user friendly features such as time delay, temperature sense, humidity sensor or other customised functions.
- Operating temperature range: -20°C ~ 60°C
- These fans address ventilation needs in places where people work and live and low sound level is required, such as meeting room, office, hotel, public place, residence, hospital, gym etc.

FEATURES & DIMENSIONS



High performance hydromechanical fan blades



Ultra quiet design with two-layer sound absorbent and sound wave holes




Joint design simplifies installation and dismounting - Double diameter connection



Backdraft damper designed inside to prevent insects



Easy installation and maintenance



Nom Size	A	B	C	ØD	E	L	W	H
125	248	82	4-Ø5.5	97/123	330	580/462	205	225
150	251	95	4-Ø5.3	149/158	352	488	221	244
200	339	128	4-Ø5.6	198	436	567	262	301


FANMFS - Series Silent Mixed Flow Inline Duct Fan

Performance Parameter


Model	Speed	Voltage /Frequency (V/Hz)	Current (Amps)	Power (W)	Speed (RPM)	Airflow		Air Pressure (Pa)	Noise (dB)	Net Weight (kgs)
						(m^3/h)	(m^3/s)			
FANMFS-125	H	220~240/50	0.14	33	2250	284	78.9	159	25	2.8
	L		0.13	28	1850	248	68.9	106	22	
	H	100~120/60	0.35	38	2250	284	78.9	159	25	
	L		0.31	32	1850	248	68.9	106	22	
FANMFS-150	H	220~240/50	0.25	50	2550	530	147.2	300	31	4.0
	L		0.20	43	1850	410	113.9	240	26	
	H	100~120/60	0.55	62	2550	530	147.2	300	31	
	L		0.45	49	1850	410	113.9	240	26	
FANMFS-200	H	220~240/50	0.57	128	2450	840	233.3	352	35	5.9
	L		0.52	123	1950	690	191.2	274	29	
	H	100~120/60	1.60	160	2450	840	233.3	352	35	
	L		1.30	135	1950	690	191.2	274	29	

Performance Curves


FANMFS-125



FANMFS-150



FANMFS-200





Your Air Solutions Partner

FANDV - Centrifugal Ceiling Exhaust Fans Header Box Fan




- Suitable for small bathrooms, ensuites and laundry rooms
- Back-draft shutter included
- 150mm Clip on Connection Spigot
- Side ducted exhaust fan
- Flex and plug included
- Toilets & powder rooms and laundries
- Designed for longer duct runs

SAA

The Centrifugal Ceiling Exhaust Fans by MEC is a stylish and slimline exhaust fan unit designed for use in small bathrooms, laundry rooms and toilets. Composed of durable acrylic the white fascia on the Centrifugal Ceiling Exhaust Fan features a 331mm diameter and a powerful yet quiet ball bearing exhaust with a 330m³/hr extraction rate. The Centrifugal Ceiling Exhaust Fan has a low profile of 200mm (min. installation depth 210mm required) allowing installation in limited ceiling spaces. The MEC Fan Ceiling exhaust fans come complete with a flex and plug for easy installation (providing there is an existing GPO outlet available in the ceiling).

DIMENSIONS & SPECIFICATIONS




Model	Voltage	Frequency	Power	Duct	Cut out Size
FANDV150	220-240V	50 Hz	60 W	100/150mm	300mm Dia
FANDV150L	220-240V	50 Hz	60 W Fan + 18 W LED	100/150mm	300mm Dia

FANDV - Series

Centrifugal Ceiling Exhaust Fans
Header Box Fan

Capacity Diagram




Fan Specifications:


Flow Rate	330 m^3/h or 91 l/s
Sound Level at 3m	39 dBA
Design	Centrifugal
Type	Exhaust
Power	60 W
Amps	0.27 A

Wiring Diagram

Wiring (Ensure the power is turned OFF)
Please comply with local wiring rules when wiring.










Your Air Solutions Partner

FANSL - Axial Exhaust Fan



- Modern design and good looking.
- Fan frame and blade are made of high-quality durable ABS plastic, UV resistant.
- Fan blade design makes it high efficiency working and long working life.
- Fan designed with ultra thin front panel and insect screen.
- Fan with reliable low-watt motor, continuous operation.
- Protection class: Ip34.
- The fans are directly mounted into the ventilation shaft.
- In case of remote location of ventilation shaft, connect a flexible air duct to the fan with a clamp.
- Fix the fan to wall by self-tapping screws.
- Suitable for ceiling mounting.
- Designed for continuous or periodic exhaust ventilation area such as bathroom, showers, kitchens and other spaces.


DIMENSIONS & SPECIFICATIONS




Model	Voltage /Frequency (V/Hz)	Current (Amps)	Power (W)	Speed (RPM)	Airflow		Air Pressure (Pa)	Net Weight (kgs)
					(m^3/h)	(m^3/s)		
FANSL-100	220~240/50	0.07	12	2300	72	20	20	0.6
FANSL-150	220~240/50	0.17	22	2350	201	55.8	55	1.0
	100~120/60	0.40	25	2350	201	55.8	55	

FANSL - Series Axial Exhaust Fan

Performance Curves





Smart silent exhaust fan

It`s a smart silent exhaust fan which can adjust speed automatically by according to sensing the changes on environmental temperature, humidity and air VOC value.

Function

- Automatically switch to high or low speed, standard setting mode accordingly to learning environmental temperature, humidity and air quality VOC value change.
- Automatically switch to high or low speed accordingly to sensing environmental temperature, humidity and air quality VOC value change.
- Delete environmental temperature.
- Detect environmental humidity.
- Detect air quality VOC value.
- Automatically determine the high or low speed switching timing.

Bang! Coming soon



Your Air Solutions Partner




FANMAN - Circular Centrifugal Fan

- Insulation Class: F
- Protection class: IP44
- Iron Casing and ABS(FR) connection box
- Japanese NSK Ball Bearing, continuous operation of 50000h
- External rotor motor with low-temperature rise.
- With CE and UL certification.
- Backward-curved centrifugal impeller using PA66(FR).
- Motor is equipped with automatic reset thermal overload protection.
- Operating temperature range: -20℃~60℃.


FANMAN150

Model	Voltage/ Frequency (V/Hz)	Current (Amps)	Power (W)	Rotated Speed (RPM)	Airflow (M^3/H)	Air Pressure (Pa)	Net Weight (kg)
FANMAN150	220~240/50	0.58	110	2450	680	446	4.30
	100~120/60	1.30	140	2550	707	483	




FANMAN200

Model	Voltage/ Frequency (V/Hz)	Current (Amps)	Power (W)	Rotated Speed (RPM)	Airflow (M^3/H)	Air Pressure (Pa)	Net Weight (kg)
FANMAN200	220~240/50	0.75	175	2420	945	674	5.20
	100~120/60	1.60	180	2420	945	700	




FANMAN250

Model	Voltage/ Frequency (V/Hz)	Current (Amps)	Power (W)	Rotated Speed (RPM)	Airflow (M^3/H)	Air Pressure (Pa)	Net Weight (kg)
FANMAN250	220~240/50	0.80	175	2420	979	654	5.10
	100~120/60	1.60	180	2420	979	677	



FANMAN315

Model	Voltage/ Frequency (V/Hz)	Current (Amps)	Power (W)	Rotated Speed (RPM)	Airflow (M^3/H)	Air Pressure (Pa)	Net Weight (kg)
FANMAN315	220~240/50	1.28	225	2520	1660	738	6.62
	100~120/60	2.80	335	2800	1840	900	







Your Air Solutions Partner

PERFORMANCE CURVES


FANMAN150




FANMAN200




FANMAN250



FANMAN315






Your Air Solutions Partner

FANAX - Inline Axial Fan

- Available in 150mm, 200mm & 250mm
- Mounting foot fitted as standard
- Plug and lead fitted
- Fixed speed




SPECIFICATIONS

Fan Code	Fan Dia	1/s	Fan Speed	dBA@3M	KW	AMPS
FANAX150	150mm	83	2700rpm	41	0.038	0.3
FANAX200	200mm	210	2500rpm	51	0.065	0.45
FANAX250	250mm	370	2700rpm	52	0.072	0.85

VENTILATION FANS

ARROW SALES

5th Edition



Electrical Products

Air Conditioning Products

Building Service Products

Plumbing Products

Hardware Products

HVAC Products

39 Cawarra Road, Caringbah, NSW 2229

WWW.ARROWSALES.COM.AU | 1300 739 563