

kobi

Create light
your way

From LED strips and aluminium profiles to power supplies and smart controls — discover everything you need to create your ideal lighting setup by combining components into functional, flexible and eye-catching solutions.



3-YEAR WARRANTY **850 lm /0,5m** **24V DC** ✂ 2,6cm

LED strip TRAMO 608 COB 5m 3CCT 24V Kobi Premium

| 120° | size: 1 x 500 cm

IP20 |  3CCT

| **7W/0,5m** | **850lm/0,5m** | **EEL: E** |

005052 | EAN: 5907178025079

© IP65 |  3CCT

| **7W/0,5m** | **850lm/0,5m** | **EEL: E** |

005053 | EAN: 5907178025086



Click 

A
F

Click 

3-YEAR WARRANTY

24V DC ✂ 5cm

LED strip TRAMO 320 COB 50m 24V Kobi Premium

| 180° | size: 0,8 x 5000 cm

IP20 |  3000K

| **5W/0,5m** | **460 lm/0,5m** | **EEL: F** |

003817 | EAN: 5907178001394

IP20 |  4000K

| **5W/0,5m** | **500 lm/0,5m** | **EEL: F** |

003818 | EAN: 5907178001400

IP20 |  6500K

| **5W/0,5m** | **525 lm/0,5m** | **EEL: F** |

003819 | EAN: 5907178001417

3-YEAR WARRANTY **24V DC** ✂ 5cm

LED strip TRAMO 320 COB 25m 24V Kobi Premium

| 180° | size: 0,8 x 2500 cm

© IP65 |  3000K

| **5W/0,5m** | **430 lm/0,5m** | **EEL: G** |

005058 | EAN: 5907178025130

© IP65 |  4000K

| **5W/0,5m** | **475 lm/0,5m** | **EEL: F** |

005059 | EAN: 5907178025147

© IP65 |  6500K

| **5W/0,5m** | **475 lm/0,5m** | **EEL: F** |


005060 | EAN: 5907178025154



Click 

A
F

A
G



kobi 

Kobi Light Sp. z o.o. 35-105 Rzeszów, ul. Boya-Żeleńskiego 2, www.kobi.pl

3 -YEAR WARRANTY

24V DC ✂ 5cm

LED strip LED TRAMO 320 COB 5m 24V Kobi Premium

| 180° | wymiary: 0,8 x 500 cm

IP20 |  3000K

| 5W/0,5m | 460 lm/0,5m | EEI: F |

004616 | EAN: 5907178016312

IP20 |  4000K

| 5W/0,5m | 500 lm/0,5m | EEI: F |

004618 | EAN: 5907178016336

IP20 |  6500K

| 5W/0,5m | 525 lm/0,5m | EEI: F |

004620 | EAN: 5907178016350

IP65 |  3000K

| 5W/0,5m | 430 lm/0,5m | EEI: G |

004617 | EAN: 5907178016329

IP65 |  4000K

| 5W/0,5m | 460 lm/0,5m | EEI: F |

004619 | EAN: 5907178016343

IP65 |  6500K

| 5W/0,5m | 500 lm/0,5m | EEI: F |

004621 | EAN: 5907178016367

Click



24V
5m



TRAMO 320 COB AMBIENT — LED strip with a subtle light output, designed primarily for decorative and ambient interior lighting.



3 -YEAR WARRANTY

24V DC ✂ 5cm

LED strip TRAMO 320 COB AMBIENT 5m 24V Kobi Premium

| 120° | size: 0,8 x 500 cm

IP20 |  3000K

| 1,5W/0,5m | 144 lm/0,5m | EEI: F |

005050 | EAN: 5907178025260

IP20 |  4000K

| 1,5W/0,5m | 158 lm/0,5m | EEI: F |

005046 | EAN: 5907178025024

IP20 |  6500K

| 1,5W/0,5m | 158 lm/0,5m | EEI: F |

005047 | EAN: 5907178025031

IP65 |  3000K

| 1,5W/0,5m | 138 lm/0,5m | EEI: F |

005048 | EAN: 5907178025048

IP65 |  4000K

| 1,5W/0,5m | 150 lm/0,5m | EEI: F |

005049 | EAN: 5907178025055

IP65 |  6500K

| 1,5W/0,5m | 150 lm/0,5m | EEI: F |

005051 | EAN: 5907178025062

Click



24V
5m



24V
5m

3 -YEAR WARRANTY

24V DC ✂ 3,6cm

Click



LED strip TRAMO 840 COB 5m RGB 3CCT 24V Kobi Premium

| 120° | size: 1,2 x 500 cm

IP20 |    3CCT  RGB

| max. 10,5 W/0,5m | max. 340 lm/0,5m | EEI: G |

005056 | EAN: 5907178025116

IP65 |    3CCT  RGB

| max. 10,5 W/0,5m | max. 340 lm/0,5m | EEI: G |

005057 | EAN: 5907178025123

3 -YEAR WARRANTY

24V DC ✂ 3,1cm

LED strip TRAMO 672 COB 5m RGB 24V Kobi Premium

| 120° | size: 1 x 500 cm

IP20 |  RGB

| max. 7,5W/0,5m |

005054 | EAN: 5907178025093

IP65 |  RGB

| max. 7,5W/0,5m |

005055 | EAN: 5907178025109



24V
5m

Click





12V
50m

3 -YEAR WARRANTY 12V DC ✂ 2,5 cm

LED strip TRAMO 320 COB 50m 12V Kobi Premium
| 180° | size: 0,8 x 5000 cm

IP20 | ■ 3000K
| 5W/0,5m | 460 lm/0,5m | EEI: F |
004611 | EAN: 5907178016275

IP20 | ■ 4000K
| 5W/0,5m | 500 lm/0,5m | EEI: F |
004614 | EAN: 5907178016282

IP20 | ■ 6500K
| 5W/0,5m | 525 lm/0,5m | EEI: F |
004615 | EAN: 5907178016299

[Click](#)




12V
5m

3 -YEAR WARRANTY 12V DC ✂ 2,5 cm

LED strip TRAMO 320 COB 5m 12V Kobi Premium
| 180° | size: 0,8 x 500 cm

IP20 | ■ 3000K
| 5W/0,5m | 460 lm/0,5m | EEI: F |
001423 | EAN: 5902201371147

IP20 | ■ 4000K
| 5W/0,5m | 500 lm/0,5m | EEI: F |
001424 | EAN: 5902201371154

IP20 | ■ 6500K
| 5W/0,5m | 500 lm/0,5m | EEI: F |
001425 | EAN: 5902201371161

IP65 | ■ 3000K
| 5W/0,5m | 430 lm/0,5m | EEI: G |
001420 | EAN: 5902201371178

IP65 | ■ 4000K
| 5W/0,5m | 475 lm/0,5m | EEI: F |
001421 | EAN: 5902201371185

IP65 | ■ 6500K
| 5W/0,5m | 475 lm/0,5m | EEI: F |
001422 | EAN: 5902201371192

[Click](#)



Full set:
LED strip PLAY SET RGB IP20 Kobi Design
| 120° | IP20 | size: 1 x 500/1000/1500/2000 cm


5m | 12,5W | ■ ■ ■ RGB
001446 | EAN: 5902201376746

15m | 25,2W | ■ ■ ■ RGB
001448 | EAN: 5902201376760

10m | 14W | ■ ■ ■ RGB
001447 | EAN: 5902201376753

20m | 26W | ■ ■ ■ RGB
001449 | EAN: 5902201376777

[Click](#)



CONNECTOR FOR LED STRIP



Connector 9 in 1 for LED strip COB 8mm Kobi
8mm: 004610
EAN: 5907178016268



Connector I for strip LED COB 10mm Kobi
8mm: 003931
EAN: 5907178001424
10mm: 005069
EAN: 5907178025246



Connector L for strip LED COB 10mm Kobi
8mm: 003934
EAN: 5907178001455
10mm: 005070
EAN: 5907178025253




Connector 10 cm for LED COB strip 10mm Kobi
8mm: 003932
EAN: 5907178001431
10mm: 005067
EAN: 5907178025222



Double-sided connector 10 cm for LED COB 10mm Kobi
8mm: 003933
EAN: 5907178001448
10mm: 005068
EAN: 5907178025239



Surface profile P01




anodized silver + milky cover
1m: 005082 | EAN: 5907178025895
2m: 004627 | EAN: 5907178016404

black + milky cover
1m: 005083 | EAN: 5907178025901
2m: 004628 | EAN: 5907178016411

white + milky cover
1m: 005084 | EAN: 5907178025918
2m: 004629 | EAN: 5907178016428

black + black cover
1m: 005324 | EAN: 5907178028254
2m: 005319 | EAN: 5907178028209

NEW
from October



Recessed profile KG01


anodized silver + milky cover
1m: 005091 | EAN: 5907178025987
2m: 004636 | EAN: 5907178016497

black + milky cover
1m: 005092 | EAN: 5907178025994
2m: 005097 | EAN: 5907178026045

white + milky cover
1m: 005093 | EAN: 5907178026007
2m: 005098 | EAN: 5907178026052

black + black cover
1m: 005327 | EAN: 5907178028285
2m: 005322 | EAN: 5907178028230

NEW
from October



Recessed profile KG02

anodized silver + milky cover
1m: 005094 | EAN: 5907178026014
2m: 005099 | EAN: 5907178026069

black + milky cover
1m: 005095 | EAN: 5907178026021
2m: 005100 | EAN: 5907178026076

white + milky cover
1m: 005096 | EAN: 5907178026038
2m: 005101 | EAN: 5907178026083

black + black cover
1m: 005328 | EAN: 5907178028292
2m: 005323 | EAN: 5907178028247

NEW
from October




Milky cover KG01

milky cover for KG01
2m: 005037 | EAN: 5907178023426



Recessed profile P02



anodized silver + milky cover
1m: 005085 | EAN: 5907178025925
2m: 004630 | EAN: 5907178016435


black + milky cover
1m: 005086 | EAN: 5907178025932
2m: 004631 | EAN: 5907178016442

white + milky cover
1m: 005087 | EAN: 5907178025949
2m: 004632 | EAN: 5907178016459

black + black cover
1m: 005325 | EAN: 5907178028261
2m: 005320 | EAN: 5907178028216

NEW
from October

Angular profile N01




anodized silver + milky cover
1m: 005088 | EAN: 5907178025956
2m: 004633 | EAN: 5907178016466

black + milky cover
1m: 005089 | EAN: 5907178025963
2m: 004634 | EAN: 5907178016473

white + milky cover
1m: 005090 | EAN: 5907178025970
2m: 004635 | EAN: 5907178016480

black + black cover
1m: 005326 | EAN: 5907178028278
2m: 005321 | EAN: 5907178028223

NEW
from October



Recessed profile KG03

anodized silver + milky cover
2m: 005102 | EAN: 5907178026090



**Tramo Control set for COB strips
12-24V Kobi Premium**
| IP20 | size: 8,6 x 4,5 cm; 11 x 5,3 cm
004116 | EAN: 5907178003909

- **controller with remote control for LED TRAMO COB strips,**
- smooth and step dimming,
- 3 dynamic modes with speed adjustment + static mode,
- 3 channels, max. 6A/channel, total max. 12A,
- max. load: 144W (12V) / 288W (24V),
- remote control range: up to 20 m,
- communication: 2.4 GHz,
- remote control power supply: 2 x LR03 batteries (not included).



**4-zone remote for strips COB
MONO+CCT MIBOXER FUT006**
| IP20 | size: 11,05 x 5,3 x 2,2 cm
005064 | EAN: 5907178025192

- **remote control for single-colour and CCT LED lighting,**
- control of 4 independent zones,
- smooth brightness and colour temperature adjustment,
- convenient control with a rotary dial,
- night light mode,
- frequency: 2.4 GHz,
- range: up to 30 m,
- power supply: 2 x AAA batteries (LR03, not included).

LED STRIP CONTROLLERS



Wall-mounted 4-zone control panel RGB/RGBCCT/CCT MIBOXER B4-B
| IP20 | size: 8,6 x 8,6 x 1,6 cm
white 005065 | EAN: 5907178025208
black 005066 | EAN: 5907178025215

- **wireless touch-sensitive wall panel for controlling RGB and CCT LED lighting,**
- control of 4 independent zones,
- smooth brightness, colour and colour temperature adjustment,
- dynamic modes, including flashing and colour-changing effects,
- frequency: 2.4 GHz, range: up to 30 m, power supply: 2 x AAA batteries (LR03, not included),
- installation with double-sided adhesive tape or use as a portable remote control.



**Controller for strips LED COB 12-24V
MIBOXER SR5**
| IP20 | size: 7,45 x 3,6 x 1,7 cm
005061 | EAN: 5907178025161

- **controller for single-colour, CCT, RGB, RGBW and RGB+CCT LED strips,**
 - brightness, colour and colour temperature adjustment,
 - 18 dynamic lighting modes,
 - 2.4 GHz wireless communication,
 - compatible with Mi-Light / MiBoxer remote controls,
 - compatible with TUYA SMART and voice control*,
 - DMX512 support**.
- * 2.4 GHz gateway required
** LED DMX512 transmitter required



**Controller for strips LED COB 12-24V
WIFI MIBOXER SW5**
| IP20 | size: 7,45 x 3,6 x 1,7 cm
005062 | EAN: 5907178025178

- **controller for single-colour, CCT, RGB, RGB+W and RGB+CCT LED strips,**
 - brightness, colour and colour temperature adjustment,
 - 18 dynamic lighting modes,
 - control range: up to 30 m,
 - automatic signal forwarding between controllers and mode synchronisation,
 - 2.4 GHz wireless communication,
 - built-in Wi-Fi and control via the TUYA SMART app,
 - support for scenes, schedules, groups and voice control,
 - compatible with Mi-Light / MiBoxer remote controls,
 - DMX512 support*.
- * LED DMX512 transmitter required.



**4-zone remote for strips COB RGB+CCT
MIBOXER FUT092**
| IP20 | size: 13,8 x 5,6 x 2 cm
005063 | EAN: 5907178025185

- **remote control for RGB and CCT LED lighting,**
- control of 4 independent zones,
- smooth brightness, colour and colour temperature adjustment,
- night light mode,
- dynamic modes, including flashing and colour-changing effects,
- frequency: 2.4 GHz,
- range: up to 30 m,
- power supply: 2 x AAA batteries (LR03, not included).



**LED dimmer with remote control
SC02DP 5-24V 6A Kobi**
| IP20 | size: 5 x 0,7 cm; 8,7 x 3,6 x 0,8 cm
002387 | EAN: 5900605092804

- **wireless controller for single-colour LED lighting,**
- brightness adjustment and on/off control,
- 10 brightness levels and 10 speed levels,
- 8 dynamic modes.



POWER SUPPLIES FOR LED STRIPS

Click



© IP67 | 24V |
**Waterproof junction
box power supply module**
Available wattages: 20W | 30W | 45W | 60W



© IP67 | 24V |
Waterproof power supply module
Available wattages: 30W | 60W | 100W | 150W | 200W



IP20 | 24V |
Built-in power supply module
Available wattages: 24W | 36W



IP20 | 24V |
Built-in power supply module
Available wattages:
60W | 100W | 150W | 200W | 250W



© IP67 | 12V |
**Waterproof junction
box power supply module**
Available wattages: 10W | 20W | 30W | 45W | 60W



© IP67 | 12V |
Waterproof power supply module
Available wattages:
20W | 30W | 50W | 60W



© IP67 | 12V |
Waterproof power supply module
Available wattages:
80W | 100W | 120W | 150W | 200W



IP20 | 12V |
Built-in power supply module
Available wattages: 6W



IP20 | 12V |
Built-in power supply module
Available wattages: 25W | 35W | 60W | 100W | 150W | 200W | 250W | 350W



IP20 | 24V |
Desktop power supply
Available wattages:
24W | 48W | 60W | 72W | 96W | 120W



IP20 | 12V |
Desktop power supply
Available wattages: 24W | 30W | 36W | 42W | 48W | 60W | 72W | 90W | 120W