MALMO™
LUXURY VINYL FLOORING
malmoflooring.com

Klara | MA25

Front cover image **Torsk** | MAL0009

Malmo™ luxury vinyl flooring provides a stylish solution that brings beauty and elegance to any space.

With plank, herringbone, chevron and tile effects across a colour palette that includes classic oak through to on-trend greys and deep walnut, the range offers click installation across the Rigid Senses and Rigid Comfort collections.

RIGID
Senses

The Rigid Senses collection replicates the look and feel of real wood like never before.
The Registered Embossed texture is perfectly in line with the visual pattern of the woodgrain, combining the beauty of wood with the easy installation of Rigid Vinyl LVT.

RIGID
Comfort

The Rigid Comfort collection offers a choice of stylish wide plank, narrow plank and tile formats.

Wide plank designs are perfect for use in large open plan spaces, whilst narrow planks cleverly create a sense of space in smaller areas.

CONTENTS

Malmo™ Rigid Senses Chevron **Page 3**

Malmo™ Rigid Senses Herringbone **Page 9**

Tile & Plank **Page 21**

Inspiration Page 23
Rigid Senses Registered Embossed Plank Page 29
Rigid Comfort Plank Page 30
Rigid Comfort Tile Page 32

Q&A **Page 34**

Environment **Page 35**

Range Overview **Page 37**

CHEVRON

CLASSIC DESIGN. MODERN TWIST.

MALMO™
LUXURY VINYL FLOORING
Senses

Braxen | MAL0008

MALMO™
LUXURY VINYL FLOORING

A PATTERN THAT NEVER GOES OUT OF STYLE

Chevron flooring has been a timeless choice in the world's finest interiors since the 17th century. Today, it brings the same sense of style and sophistication to modern homes.

5GC
5G end profile makes it easier to install

Waterproof core

Suitable for use with underfloor heating (Encased water piped)

Foam backed

RIGID SPC CORE
Rigid SPC core

Up to 25 year domestic/ 10 year commercial warranty

BUILT FOR MODERN LIVING

DURABLE & RELIABLE
Resistant wear layer, formulated to withstand the everyday demands of busy homes

FAST & EASY TO INSTALL
5G click system - no glue, no specialist tools required.

MADE FOR REAL LIFE
100% waterproof and suitable for kitchens, bathrooms, and living spaces.

STRONG & STABLE CORE
SPC core provides exceptional stability and strength while reducing plastic content.

PEACE OF MIND
Enjoy complete confidence with our 25 year domestic warranty.



BEAUTY THAT WORKS HARD
High-end style with outstanding performance, designed for the way you live.

CHEVRON

Plank size: **305mm x 1055mm x 8mm**
Pack size: **1.93m²**

FOUR FLAGSHIP DECORS

NEW style, same decors. The Malmo™ Chevron range has launched in the same best-selling decors as some of the well established and successful Herringbone range. From the warm chocolate brown tones of Braxen, through the cooler tones of Mal and Torsk, to the clean grey of Faren - the Malmo Chevron range has something for every space.

Torsk | MAL0009

Mal | MAL0007

Torsk | MAL0009

ENHANCE YOUR SPACE

The wood grain effect of Malmo™ flooring becomes even more striking when arranged in a chevron pattern. Each board reflects light from a slightly different angle, adding depth and highlighting the unique character of the flooring.

Braxen | MAL0008

Torsk | MAL0009

HERRINGBONE

TIME-HONOURED DESIGN

Faren | MAL0001

MALMO™
LUXURY VINYL FLOORING
Senses

THE TEST OF TIME

HERRINGBONE has stood the test of time and remains a staple of effective interior design.

Originally used in Roman roads and later adopted across European parquet flooring, the pattern has carried its reputation for durability and elegance through centuries of use.

Like chevron, herringbone enhances the sense of space and directs the eye through an interior. What distinguishes Malmo™ Senses Herringbone is the painted V-groove that accentuates each individual plank, adding a level of detail and craftsmanship that sets it apart.

You get the same great features with all of the Senses range including:

Built in underlay - time and money saved when using Malmo™, the underlay is included!
25 year warranty - for peace of mind throughout the lifetime of your floor.
Registered Embossed surface - realistic woodgrain texture that matches the grain of the decor.
Suitable for underfloor heating - compatible with encased water pipe systems.

HERRINGBONE

Plank size: **125mm x 600mm x 5.5mm**

Pack size: **1.5m²**

Our Rigid Senses Herringbone range has a Registered Embossed surface that perfectly recreates the authentic look and feel of wood.

Rigid Senses Herringbone gives classic styling with a smart, modern twist.

Faren | MAL0001

Mal | MAL0002

Braxen | MAL0003

Torsk | MAL0004

Lax | MAL0005

Faren | MAL0001

Mal | MAL0002

MAKE AN ENTRANCE

Muddy boots are no match for Malmo™ Herringbone flooring, why not make a statement by fitting an eye-catching floor in the entrance of your home.

Hardwearing, waterproof, and easy to clean - it's the perfect choice!

Mal | MAL0002

Braxen | MAL0003

MADE FOR LIVING

Malmo™ Herringbone flooring is made to be lived on.

Suitable for most rooms in the home, it will support you and your family in work and play. Malmo™ is made to last.

Torsk | MAL0004

Mal | MAL0002

Lax | MAL0005

Braxen | MAL0003

Mal | MAL0002

Lax | MAL0005

Torsk | MAL0009

CHEVRON
MALMO
LUXURY VINYL FLOORING
Senses

TILE & PLANK

ORIGINAL, DEPENDABLE STYLE.

MALMO™
LUXURY VINYL FLOORING
Comfort

MALMO™
LUXURY VINYL FLOORING
Senses

Brada Chestnut | MA61

MADE FOR YOU

Our Rigid LVT collections make a fabulous floor easy to achieve. Perfect for DIY installation, they can be laid over existing hard floor coverings such as tiles or wood, and over water piped underfloor heating.

Featuring an easy-to-fit click installation system and with underlay already attached to each plank or tile, these gorgeous floors make it super simple to help create the home of your dreams.

Waterproof core

Easy to cut

Hard wearing & durable

Foam backed

DS/PTV/R10

Slip resistant

RIGID SPC CORE

Rigid SPC core

5GC

5G end profile makes it easier to install

Suitable for use with underfloor heating (Encased water piped)

B_{fl}-s1

Reaction to fire tested

Up to 25 year domestic/ 10 year commercial warranty

Multi-layer construction



sales@malmointernational.com
malmoflooring.com

Tuva | MA32

TAKE A MOMENT

Your home is your haven, so make it a cosy and tranquil space with our warm, wood effect flooring.

Ebba | MA33

Brant | MA65

Voxna | MA26

Vern | MA64

Alvin | MA47

COOK UP A STORM

Whether you're a keen chef or ready-meal maestro, there's no doubt the kitchen is the heart of the home. With such a wide choice of styles and colours to choose from, there's a Malmo™ floor to bring yours to life.

Marta | MA22

DINE IN STYLE

A place to chat with friends and laugh with family, our beautiful floors help create an elegant setting to spend hour after hour.

Brant | MA65

Linus | MA30

CRISP AND CLEAN

Our super stylish floors are not just good looking, they're also ultra hygienic, waterproof and very easy to clean.

Stein | MA69

Livia | MA20

REGISTERED EMBOSSED PLANK

Brada Storm | MA60

Brada Chestnut | MA61

Vern | MA64

Brant | MA65

Thor | MA66

Iona | MA67

Stein | MA69

RIGID Comfort PLANK

Linus | MA30

Tuva | MA32

Ebba | MA33

Hugo | MA40

Axel | MA41

Our Rigid Comfort Plank collection has it all; wide planks perfect for use in large open plan rooms, and narrow planks that cleverly create a sense of space in smaller areas.

For product dimensions and specifications, see pages 29-30.

Ivar | MA42

Arvid | MA44

Svante | MA45

Maja | MA46

Alvin | MA47

RIGID Comfort TILE



Livia | MA20

Marta | MA22

Perfect for kitchens, bathrooms, hallways and utility rooms, the Rigid Comfort Tile range recreates the look and feel of real stone and ceramic, with a versatile choice of colours to suit both classic and contemporary interiors.

Klara | MA25

Voxna | MA26

Livia | MA20

FREQUENTLY ASKED QUESTIONS

Everything you need to know about Malmo™ Rigid LVT flooring.
If you can't find the answer you're looking for, please see the website www.malmoflooring.com
or contact sales@malmointernational.com

WHAT IS RIGID VINYL FLOORING (SPC)?

Rigid vinyl flooring is a type of vinyl flooring with a solid core made from stone plastic composite (SPC) that makes it stable, durable, and waterproof.

IS MALMO FLOORING WATER-PROOF?

Malmo™ planks and tiles are 100% waterproof, making them ideal for kitchens, bathrooms, utility rooms and other areas of the home where moisture is a concern.

CAN IT BE INSTALLED OVER EXISTING FLOORING?

Yes. Malmo™ can be installed over existing hard floorcoverings so long as they are smooth, level and sound. Never lay a Malmo™ floor over existing vinyl flooring or textile floor coverings.

IS IT SUITABLE FOR UNDERFLOOR HEATING?

Yes, Malmo™ flooring can be used with embedded water based systems so long as their thermostat measures the ground temperature to ensure it doesn't exceed 27°C.

DO I NEED TO USE UNDERLAY?

Malmo™ rigid vinyl flooring comes with a built-in underlay saving you time and money. The underlay is formulated specially for the flooring it's attached to so no additional underlay should be used in the installation.

HOW DURABLE IS MALMO?

With proper care, SPC flooring is built for long-term use in both domestic and busier settings, thanks to its rigid core and protective wear layer that protects against scratches, scuffs and daily wear and tear.

IS IT SUITABLE FOR HOMES WITH PETS?

Absolutely. Malmo™ flooring is scratch resistant, waterproof, and easy to clean making it an excellent choice for pet owners.

WHAT WARRANTY IS INCLUDED?

Malmo™ Rigid LVT comes with up to a 25 year domestic warranty and a 10 year commercial warranty for complete peace of mind.

WHAT IS REGISTERED EMBOSSED?

Available in our Rigid Senses collection, Registered Embossed (EIR) means the texture is perfectly aligned with the printed design, replicating the look and feel of real wood.

WHAT IS 5G CLICK?

5G Click flooring is designed to lock together without glue, nails or adhesive. The short end of each plank locks into position through the use of a flexible insert that snaps into a groove, giving an audible click and a secure connection on both sides.

WHAT IS A FLOATING FLOOR?

A floating floor isn't fixed to the subfloor with glue or nails. Instead, the planks lock together via a click system to form one surface that rests on top of the subfloor. Because it's not fixed down, a floating floor needs a small expansion gap around the edges of the room and fixed objects to allow for expansion and contraction.

ENVIRONMENTAL RESPONSIBILITY

At Malmo™ we take our social and environmental responsibilities very seriously. We're committed to creating a safe and sustainable environment, and undertake a number of measures to ensure a positive contribution on the world we live in.

MANUFACTURE

At all stages of production - from raw material preparation and processing, through to product manufacture, packaging and transportation - we aim to use minimal amounts of energy (from renewable sources), and keep emissions to the lowest possible levels.

We follow three main principles regarding our waste output – in order of importance, these are:

1. REDUCE

2. REUSE

3. RECYCLE

Any unavoidable waste that is produced in the manufacturing process is repurposed for production of the bottom and middle layer of the product.

Our packaging is sustainably sourced and can be reused (wooden pallets) or recycled (cardboard).

DO NO HARM

No toxic chemicals or hazardous substances are emitted during the manufacture, installation or life cycle of Malmo™ products.

Our LVT flooring is incredibly hardwearing and low maintenance, offering a significant usage lifespan backed with up to 25 years warranty. Designed to last, it also requires no repair or upkeep that involves oils, chemicals, sanding or other product usage or potential chemical emissions.

PHTHALATE FREE

Phthalates are used as plasticisers for many products, including flooring, to make plastics more flexible. This flexibility is a fundamental characteristic of LVT flooring, however Malmo™ is completely phthalate free, instead using the same safe plasticisers used in food containers and young children's toys. This ensures healthier living spaces, and enables our customers to achieve higher standards of sustainability.

SUSTAINABILITY IS A MALMO™ CORE VALUE, AND AS SUCH ALL OUR PRODUCTS ARE AWARDED WITH GREENGUARD, FLOORSCORE, ISO9001 AND ISO14001 CERTIFICATION.

For further information please visit:
www.malmoflooring.com/environmental-responsibility

PRODUCT OVERVIEW

Range	Décor	Code	Pack Size	Plank/Tile Size	Thickness	Style
Senses	Vern	**MA64**	2.14m²	1220mm x 220mm	5.5mm	Plank
	Brant	**MA65**				
	Thor	**MA66**				
	Iona	**MA67**				
	Stein	**MA69**				
	Brada Storm	**MA60**	1.75m²	1220mm x 180mm	5.5mm	Multi-width Plank
	Brada Chestnut	**MA61**				
	Faren	**MAL0001**	1.5m²	600mm x 125mm	5.5mm	Herringbone
	Mal	**MAL0002**				
	Braxen	**MAL0003**				
	Torsk	**MAL0004**				
	Lax	**MAL0005**				
	Faren	**MAL0006**	1.93m²	1055 x 305mm	8mm	Chevron
	Mal	**MAL0007**				
	Braxen	**MAL0008**				
	Torsk	**MAL0009**				

Comfort	Linus	**MA30**	2.14m²	1220mm x 220mm	5.5mm	Plank
	Tuva	**MA32**				
	Ebba	**MA33**				
	Hugo	**MA40**	1.71m²	1220mm x 176mm		
	Axel	**MA41**				
	Ivar	**MA42**				
	Arvid	**MA44**				
	Svante	**MA45**				
	Alvin	**MA47**				
	Maja	**MA46**				
	Livia	**MA20**	1.37m²	457mm x 300mm	5.5mm	Tile
	Marta	**MA22**				
	Klara	**MA25**				
	Voxna	**MA26**				

RANGE SPECIFICATIONS

	Senses PLANK & HERRINGBONE	Senses CHEVRON	Comfort PLANK & TILE
Thickness	5.5mm	8mm	5.5mm
Wear layer	0.55mm	0.55mm	0.30mm
Installation	Välinge 5G click	Välinge 5G click	Välinge 5G click
Expansion gap	6mm /10mm with UFH	6mm /10mm with UFH	6mm /10mm with UFH
Bevel	Painted micro bevel	Painted micro bevel	Painted micro bevel
Surface texture	Registered	Registered	Matt & embossed
Surface treatment	UV	UV	UV
Slip resistant	Yes	Yes	Yes
Underlay attached	Yes	Yes	Yes
Suitable for underfloor heating	Water piped	Water piped	Water piped
Suitable for conservatories	No	No	No
Water resistant	Yes	Yes	Yes
Commercial warranty	10 years	10 years	7 years
Domestic warranty	25 years	25 years	15 years

MALMO™
LUXURY VINYL FLOORING

malmoflooring.com

Whilst every care has been taken to ensure that the information included in this document was accurate at the time of printing, we reserve the right to change product specifications at any time without prior notice. The photographs reproduced in this publication are within the constraints of the printing process and are not to be used for matching purposes.

All photographs are used for approximate representation only and may not show the actual products on offer.

0203 143 0964
malmoflooring.com
sales@malmointernational.com

MALMO INTERNATIONAL

Torsk | MAL0004

WD627072