



**DOMICET
VAKO®**


CURTAIN TRACK 10/16

TECHNICAL INFORMATION


WWW.VAKO.COM

WWW.DOMICET.COM

Product information and key features




COLOURS




- Hand draw
- Light weight
- Bendable
- High grade aluminium
- Powder coated
- Easy installation
- Designed for residential, commercial and hospitality applications

Applications




- Pleats
- Ripple wave/snap
- Glider
- Roller

Profile information




Feature	10/16 track
Material	Aluminium
Maximum length*	5800 mm (19 ft)
Weight pm	0,137KG , 0.30 lbs

Capacity



- Put additional brackets before and after the joint/ bend.
- The capacity and fixing distance are as a guide.
- They may vary depending on installation method, surface and so on.




Bending



Bending type	Min.radius	Min. interval U	Min. interval S
Manual bending tooling	125 mm	350 mm	480 mm
Electric bending tooling	100 mm	300 mm	400 mm




Dimensions

Curtain track 10/16



10-0-16-001




Endstop








10-0-16-002

Dimensions

Glider






10-rgp005








10-rgp004

Dimensions




Brackets



10-m-011






10-m-001





Dimensions

Brackets



10-m-e002



10-m-e004

**VAKO**

Goudenheuvel 47
5234 GA 's-Hertogenbosch
The Netherlands
info@vako.com
www.vako.com

DOMICET

Rahkasammaleenkatu 6
20780 Kaarina
Finland
info@domicet.fi
www.domicet.com

BRIGHT IDEAS
SMART SOLUTIONS

EUROPE • NORTH AMERICA • ASIA-PACIFIC • MIDDLE EAST