



VECTOR

Creative stand solution for a unique brand





Exhibition stands
LED frames
Shop arrangements
Office decorations
Backwalls

Vector

The Vector aluminium frame system with stretched canvas display adapts perfectly to changing needs, tastes and projects, making it the simplest and most flexible




Intuitive tracking system on each section

Vector –The art of communicating

As a display wall, free-standing display or backlit solution, the wide selection of widths offered by the Vector aluminium frames provides a range of solutions for every requirement and every budget. You will benefit from the strongest visual impact and creative designs, which can be adapted for any location: showrooms, Point of Sale, exhibitions, museums and many others.

Anodised aluminium profiles

Our Vector range has eight styles of aluminium frame which are perfectly suited for a wide range of applications. Our summary table will help you choose the right one for you.




Code	Profile	Wall Mounted	Free-standing	LED Illumination	Double-sided	Varnish
EX628	20 mm QF	x				
EX622	20 mm Slim	x				
EX205	30mm LED	x		x		
EX633	40mm		x		x	
EX612*	50mm		x		x	
EX632*	75mm LED	x		x		x
EX631*	125mm LED		x	x	x	x

* Available in standard modules for stand application


Beams and reinforcements

The number and type of reinforcements depends on the construction and location, in which it is to be used.



Beam 45 mm Ø 30 mm tube for LED frames

Assembling Vector




Quick Fix 20 mm
EX628



Square LN156



Connector LN157




50 mm
EX612



Square CB9



Connector IB2




Slim 20 mm
EX622



Square LN156



Connector LN157




40 mm
EX633



Square LN298



Connector LN296




30 mm LED
EX205



Square LN297



Connector LN295



75 mm LED
EX632



Square LN298




Square LN164



Connector LN296



Connector LN163



125 mm LED
EX631




Square LN298




Connector LN296

Easy assembly of profiles and frames


The Vector range is characterised by its simplicity of assembly, a single multi tool Allen key is sufficient to assemble the different frames.




Easy assembly with coded system on each section



Lock with Allen key




Each profile can be cut into smaller sections to facilitate its transport




Assembling frames together to create new structures

Perfect tensioned graphics

Textile graphics have a silicone gasket that makes their installation simple and fast. Begin by inserting the SEG at each corner and position the display from the centre to the corners.



Vector



Textile graphic with
SEG



20mm Quick Fix Profile


The Vector Quick Fix is the latest innovation in an extra-thin aluminium profile for stretch fabric graphics. Thanks to its versatile design this is a must for in-store communication and retail environments.



Material:	Aluminium 20 mm
Profile:	Smooth with a slant 20 x 27 mm
Graphic:	0,28 kg
Graphic:	Single-sided SEG graphic
Frame colour:	●
Manufacture:	To order Maximum length of one of the sides is 3 m. Above 3 m it will be necessary to make a graphic connection.
Assembly:	Screw-in bracket, Allen key Note: Additional reinforcements are needed inside for frame on a partition wall.

Vector 20 mm wall mounting	EX628	📏 custom-made
Vector 20 mm hanging*	EX628	📏 custom-made

*Konieczne jest dodanie uchwytów LN134.




Assemble angled sections with screw-in bracket



20 mm Aluminium profile



Optional shell scheme mounting bracket LN134 (optional)



Ideal for decoration ↗



↙ A practical and economical way to decorate your stands

20mm Circular Slim Profile

Vector Slim pushes the limit. Circle shape available in various sizes.



- Material:** Aluminium 20 mm
- Profile:** Smooth with a slant / 20 x 15 mm
- Weight per ml:** 0,28 kg
- Graphic:** Single-sided SEG graphic
- Frame colour:** ●
- Manufacture:** To order
Minimum diameter - 30 cm
Maximum diameter - 3 m. Above 3 m it will be necessary to make a graphic connection.
- Assembly:** Screw-in bracket, Allen key

Vector Slim 20 mm	EX622	@ custom-made
-------------------	-------	---------------

Create compositions from frames with different diameters



Assemble with screw-in bracket



20 mm aluminium profile



FX132



Create effective decorations connecting curved profiles with straight ones



30mm LED Profile

Attract attention with our new 30mm wall system. The concealed frame creates amazing visual impact for brand communication.




Material: Aluminium 30 mm
Profile: Smooth with a slant / 30 x 27 mm
Weight per ml: 0,362 kg
Graphic: Single-sided SEG graphic
Frame colour: ●
Manufacture: To order
 Minimum size - 15,5 x 15,5 cm
 Maximum length of one of the sides is 3 m. Above 3 m it will be necessary to make a graphic connection.
Assembly: Screw-in bracket, Allen key
 Note: A 2 mm PVC panel is added inside, to which the LED modules are mounted

Vector 30 mm	EX205	custom-made
--------------	-------	-------------



Assemble angled sections with screw-in bracket



30 mm Aluminium profile



Modules LED



Transformer LED-RTL-33 based outside the frame



Very small footprint



Ideal for interior decoration



An ideal solution for interior decoration or store signage



40mm Profile

Discreet and lightweight, the 40 mm aluminum frame can enhance your communications at a lower cost.



Material:	Aluminium 40 mm
Profile:	With perforations to which accessories can be fitted / 40 x 27 mm
Weight per ml:	0,48 kg
Graphic:	Single-sided or double-sided SEG graphic
Frame colour:	●
Manufacture:	To order Maximum height 2 m. Maximum width 3 m.
Assembly:	Screw-in bracket, Allen key


Vector 40 mm	VLF40-CUSTOM	@_ 2000 (h) x 1000 (w) mm
Vector 40 mm	EX633	@_ custom-made



Assembly of sections by screw-in bracket



40 mm aluminium profile



Choice of stabilizing feet



Additon lighting available

Freestanding frames



50mm Profile

From free-standing image walls to exhibition stands, Vector solutions offer you versatile designs that can be adapted to any type of environment. With two different profiles individually suited to textile graphics or a rigid infill.



Material:	Aluminium 50 mm
Profile:	Full Graphic, curved, straight / 50 x 45 mm
Weight per ml:	0,8 kg
Graphic:	Single-sided or double-sided SEG graphic
Frame colour:	●
Manufacture:	To order Maximum height 3,5 m.
Assembly:	Screw-in bracket, Allen key Note: Accessories can be add

Vector 50 mm	EX612	🔗 custom-made
--------------	-------	---------------



Add stabilising feet
for freestanding
use



Assembly of sections
by screw-in bracket



50 mm Aluminium
profile



Corner rounded to
90°. Available in 50
or 100mm



Full Graphic



Rounded corner for
full graphic design

Specially designed
exhibition solution!



75mm LED Profile

Stand out with innovative and bright designs!




Material:	Aluminium 75 mm
Profile:	Smooth / 75 x 45 mm
Weight per ml:	1,143 kg
Graphic:	Single-sided SEG graphic
Frame colour:	●
Manufacture:	To order Minimum size - 55 x 55 cm. Maximum length of one of the sides is 3 m. Above 3 m it will be necessary to make a graphic connection.
Assembly:	Screw-in bracket, Allen key Note: Accessories can be add

Vector 75 mm	EX632	@ custom-made
--------------	-------	---------------




Assembly of sections by screw-in bracket



Cabling system



LED strip



Ideal for retail, banks, arenas, as pedestrian signage...

125mm LED Profile



From this profile you can create free-standing LED frames, exhibition stand's backwalls and hanging structures

Create a maximum visibility for your brand communication with our exclusive double profile.



Material:	Aluminium 125 mm
Profile:	Smooth / 125 x 20 mm
Weight per ml:	1,645 kg
Graphic:	Single-sided or double-sided SEG graphic
Frame colour:	● ○
Manufacture:	To order Minimum size - 55 x 55 cm. Maximum length of one of the sides is 3 m. Above 3 m it will be necessary to make a graphic connection.
Assembly:	Screw-in bracket, Allen key Note: Double-sided profile to create LED frames and hanging structures

Vector 125 mm

EX631

custom-made



Assembly of sections by screw-in bracket



Cabling system




LED Strip



LED linkable lighting system



Profile available in different colours





LED

LED lights are considered by many as the future of the lighting industry. Profiles with LED lighting have been created for retail outlets and points of sale service. This kind of information transfer is a double success. On the one hand, it is constantly. It attracts attention, on the other hand it is extremely energy efficient.



Linkable LED lighting system

1

- Perfectly even lighting on large format frames without shadow
- Compatible with 75 mm and 125 mm Vector profiles
- Wall and free-standing use
- Simplified connectors for easy linking

Linkable LED lighting system 360 mm	LED-RTL-05
Linkable LED lighting system 960 mm	LED-RTL-05-960


2

Technical information

- **Length of module: 360 mm**
- Power of a module including 5 lenses: 13 W - 24 V voltage
- Luminous flux: 1040 lm - Light temperature: 6000/7000 K
- Round LED lens diameter 21mm, optimised thanks to its angle of beam of 13 x 39°
- Link up to five LEDs to one transformer
- Simple and quick assembly
- Estimated life: 50 000 hrs
- One year warranty

Length of module: 960 mm

- Power of a module including 18 lenses: 46 W - 24 V voltage
- Luminous flux: 3740 lm - Light temperature: 6000/7000 K
- Round LED lens diameter 21mm, optimised thanks to its angle of beam of 13 x 39°
- Link up to five LEDs to one transformer
- Simple and quick assembly
- Estimated life: 50 000 hrs
- Two years warranty



LED Backlit illumination

1

- Full-area illumination over the entire frame surface
- Compatible with 30 mm Vector profile.

Module A 300 x 300 mm	LED-RTL-30	moc: 7,2 W
Module B 300 x 100 mm	LED-RTL-31	moc: 2,4 W
Module C 100 x 100 mm	LED-RTL-32	moc: 1,2 W

Technical information

- Lighting is divided into modules in 3 sizes (A: 300 x 300 mm, B: 300 x 100 mm, C: 100 x 100 mm)
- Power lighting in modules:: A: 24V / 36 LEDs / 7.2 W; B: 24V / 12 LEDs / 2.4 W; 24V / 4 LEDs / 1.2 W
- Luminous flux: A: 795 lm; B: 264 lm; C: 88 lm
- The light temperature for each tile is 6500 K
- Estimated life: 50 000 hrs
- Each board has one cable to connect to another board
- Power Supply: 24V, 144W
- One year warranty

LED lightboxes transformers

1

Transformer 24V 75W	LED-RTL-01
Transformer 24V 120W	LED-RTL-01-120

- Transformer for linkable and backlit lighting Connect up to 5 LED stripes in series
- Sleek design
- Integral fixing port for guiding the transformer inside the frame
- Cable system

Technical information

- Voltage: 24V
- Power: max 75W
- Input: AC 110/240V
- Output: DC 24V
- Supplied with fixing kit, cables and cable grommet

For Linkable LED lighting system



1

Transformer 144W	LED-RTL-33
------------------	------------

- A power supply for LED panels located outside the frame
- Supplies the connected LED modules (max. 144 W)
- Cable system

Technical information

- Voltage: 24V
- Power: 144W
- Input: AC 110/240V
- Output: DC 24V
- Supplied with fixing kit, cables and cable grommet

For LED Backlit illumination



Vector Modules

Vector modules allow you to create many configurations from free-standing walls to extended exhibition stands. Simple to install frames with textile graphics are great message carriers. The possibility of combining individual elements in different configurations makes it possible to create a 15m² stand from the same elements as 9m²! Additional accessories such as lamps, flyer pockets and TV holders will complete the whole thing.

You need a compact solution, which is easy to install and convenient in transport and storage?

Choose Vector modules!

- Aluminium profiles 50 mm
- 18 modules including backwalls, arches, LED panels, sotarges...
- Numbered elements with a length of 1250 mm for convenient transport and assembly
- Supplied with assembly instructions and graphics
- Profiles available from stock
- The modules are mounted with an Allen key, and the profiles are immediately adapted to the combination of modules with each other using the screws provided
- Reuse in the same or another configuration
- A good investment



Do you need a solution that you can assemble in the blink of an eye?

Choose a set of pre-assembled Vector modules!

- Aluminium profiles 50 mm
- Pre-assembled modules with a height of 2500 mm with graphics
- Delivered in a wooden carte (2 models available)
- The modules are prepared for connection by screws, which are included
- Because the modules are already assembled, you need less time for assembly of the entire stand

Go from a stand 3 m² to a stand 15m² in a blink of an eye!




Vector Modules

Backwalls Modules



- Backwalls between 1 and 3 m wide, which may be part of an exhibition stand or free-standing walls
- The backwalls are connected to each other by screws attached to order
- Module L will create an arched storage wall, giving an additional effect

Module A	MODULE-VFF-A	2500 (h) x 2950 (w) mm
Module B	MODULE-VFF-B	2500 (h) x 1950 (w) mm
Module C	MODULE-VFF-C	2500 (h) x 950 (w) mm
Module L	MODULE-VFF-L	2500 (h) x 2800 (w) mm
Module M	MODULE-VFF-M	2500 (h) x 2850 (w) mm
Module N	MODULE-VFF-N	2500 (h) x 1850 (w) mm
Module O	MODULE-VFF-O	2500 (h) x 450 (w) mm



Add lightning

LED Frames Modules



- Double-sided LED frame made of 125 mm profile
- Two stabilising feet
- FX295 included
- 12 LED strips and 3 transformers included
- In order to create an arch it is necessary to attach module C and two 950 mm beams



- Single-sided LED frame made of 75 mm profile
- 12 LED strips and 3 transformers included
- Vector to Vector fixings included



- Extend LED
- Double-sided LED frame made of 100 mm profile
- 8 LED strips and 2 transformers included
- Vector to Vector fixings included

Create a storage with LED wall

Module I	MODULE-VFF-I	2550 (h) x 950 (w) mm
Module J	MODULE-VFF-J	2500 (h) x 950 (w) mm
Module P	MODULE-VFF-P	2500 (h) x 1850 (w) mm
Module Q	MODULE-VFF-Q	1000 (h) x 1800 (w) mm
Module R u.motion	MODULE-VFF-UMOT-R	2550 (h) x 950 (w) mm
Module S u.motion	MODULE-VFF-UMOT-S	2500 (h) x 950 (w) mm



- Double-sided LED frame made of 100 mm profile
- 12 LED strips and 3 transformers included
- Vector to Vector fixings included

Storage Modules



Module E	MODULE-VFF-E	2500 (h) x 50 (w) mm
Module F	MODULE-VFF-F-2	2500 (h) x 950 (w) mm Header: 545 (h) x 950 (w) mm. Door: 1930 (h) x 940 (w) mm
Module G	MODULE-VFF-G-2	2500 (h) x 1050 (w) x 1050 (d) mm Header: 545 (h) x 950 (w) mm. Door: 1930 (h) x 940 (w) mm
Module G3	MODULE-VFF-G3-2	2500 (h) x 1050 (w) x 1050 (d) mm Header: 545 (h) x 950 (w) mm. Door: 1930 (h) x 940 (w) mm
Module K	MODULE-VFF-K	1000 (h) x 1050 (w) x 1050 (d) mm



Post is delivered in two parts of 1250 mm and used to connect two frames at right angle

Arches Modules



Module D	MODULE-VFF-D	Roof and wall: 2500 (h) x 950 (w) mm Overall: 2550 (h) x 950 (w) x 2800 (d) mm
Module H	MODULE-VFF-H	Roof and wall: 2500 (h) x 950 (w) mm Overall: 2550 (h) x 950 (w) x 2800 (d) mm

Pre-assembled Vector Modules



Packaged in compartment boxes, your modules are delivered assembled with your graphic. Your stand is thus quick and easy to set up. A single crate can hold a stand of 6, 12 or even 18m². Make your choice from a selection of 8 modules in order to ideally meet your needs. The pre-mounted Vector modules are scalable, practical and fast solutions. It is the simplest and practical solution.

8 pre-assembled modules to choose from:



Ask for the u.motion option!



Module C pre-assembled	MODULE-VFF-C-PB	2500 (h) x 950 (w) mm
Module D pre-assembled	MODULE-VFF-D-PB	Roof and wall: 2500 (h) x 950 (w) mm Overall: 2550 (h) x 950 (w) x 2600 (p) mm
Module E pre-assembled	MODULE-VFF-E-PB	2500 (h) x 50 (w) mm
Module F pre-assembled	MODULE-VFF-F-2-PB	2500 (h) x 950 (w) mm Header: 545 (h) x 950 (w) mm. Door: 1930 (h) x 940 (w) mm
Module G pre-assembled	MODULE-VFF-G-2-PB	2500 (h) x 1050 (w) x 1050 (p) mm Header: 545 (h) x 950 (w) mm. Door: 1930 (h) x 940 (w) mm
Module G3 pre-assembled	MODULE-VFF-G3-2-PB	2500 (h) x 1050 (w) x 1050 (p) mm Header: 545 (h) x 950 (w) mm. Door: 1930 (h) x 940 (w) mm
Module I pre-assembled	MODULE-VFF-I-PB	2550 (h) x 950 (w) mm
Module J pre-assembled	MODULE-VFF-J-PB	2500 (h) x 950 (w) mm

Crates for pre-assembled Modules



LED Hanging Structure



The illuminated LED hanging structure is a double eye-catcher. Hanging your message with a logo and distinguish your brand from the multitude of stands in the hall. Illuminated graphics with an interesting slogan will surely interest passers-by.

- Material:** Double-sided aluminium 125 mm
- Assembly:** Screw-in bracket, Allen key
- Lightning:** Edge LED lightning
- Manufacture:** To order



Assembly of sections by screw-in bracket



Cabling system



Edge LED lightning

Tool Kit included



Vector 125 mm LED Hanging Structure



Vector 125 mm LED Hanging Structure	VLBH125-PAN-250	⊗ 1000 (h) x 2500 (w) x 125 (d) mm
Vector 125 mm LED Hanging Structure	VLBH125-PAN-350	⊗ 1000 (h) x 3500 (w) x 125 (d) mm
Vector 125 mm LED Hanging Structure	VLBH125-PAN-500	⊗ 1250 (h) x 5000 (w) x 125 (d) mm

Other sizes manufactured to order

Tension Banners & Backwalls Vector



Are you looking for a backwall or stand with dimensions other than Vector Modules? We will design and manufacture the frame you need.

The Vector modules can be used to create tension banners and backwalls.

Just add stabilizing feet to transform part of the exhibition stand into the free-standing frame.

Module C



Module C is great alternative to double-sided roll up. Perfect solution of promotions where message has to be change often.



Module I



Module I can be free-standing LED frame, that will do a great job at the reception desk or in the lobby.



2x Module A




Module A, which is 3 m long will be great to become a backwall. Combining two modules with each other you can provide a background for the conference or a photo backdrop.




Vector Modules Stand 9 m² (expandable to 15 m²)

Material: Aluminium profile 50 mm and aluminium tubes Ø30 mm
Graphic: SEG graphic and zipped fabric graphic
Storage: Yes



Hybrid solution


You can easily increase from 9 to 15 m²



Stand 9 m²



Module B (x2)	MODULE-VFF-B
Module G3	MODULE-VFF-G3-2
Accent 17	FMLT-WL17-V
Accent 21	FMLT-WL21-V
Square feet x 2	SLF1



Possibility to add LED spotlight kit
LED-EXHIB-ARM-BDLK



Square foot
SLF1



Door return with lock
and key set

* Furniture, TVs and iPads are not part of the set and are not sold. Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Vector Modules Stand 15 m² (reduce to 9 m²)

Material: Aluminium profile 50 mm and aluminium tubes Ø 30 mm
Graphic: SEG graphic and zipped fabric graphic
Storage: Yes

+ Build up the booth!
Attach Module B on the other side of the stands. This will create a long backwall.




Storage
The modules include ready-made facilities of 1 m². Door thresholds gives better stability.

Stand 15 m²



Module B (x2)	MODULE-VFF-B
Module G3	MODULE-VFF-G3-2
Accent 17	FMLT-WL17-V
Accent 21	FMLT-WL21-V
Square feet x 2	SLF1
Straight Vector Counter with brich tabletop	VSCB-BI



Possibility to add LED spotlight kit
LED-EXHIB-ARM-BDLK



Square foot
SLF1




Door return with lock and key set

* Furniture, TVs and iPads are not part of the set and are not sold. Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Vector Modules Stand 12 m²

Material: Aluminium profile 50 mm
Graphic: SEG graphic
Storage: Yes



LED panel
brighten up the graphics

Shelves will
facilitate the
presentation of
the product



Stand 12 m²



Module A	MODULE-VFF-A
Module G3	MODULE-VFF-G3-2
LED frame	CUSTOM
Stabilising wall	CUSTOM
Straight Vector Counter with brich tabletop	VSCB-BI
Zed-up Lite literature	AS315-002
Tablet holder	Ask for current offer



Tablet holder will facilitate company presentation



Possibility to add LED spotlight kit
LED-FLOOD-ARM-BDLK



The post allows to connect 2 Modules at a right angle




Door return with lock and key set

* Furniture, TVs and iPads are not part of the set and are not sold. Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Vector Modules

Stand 15 m²

Material: Aluminium profile 50 mm
Graphic: SEG graphic
Storage: Yes




Display information

Two TVs to display information about the company, products and services.



LED module

Module J with LED lighting will brighten up stand and highlight the graphics.



Stand 15 m²


From Vector profiles we can build also counters



Module B (x2)	MODULE-VFF-B
Module C (x2)	MODULE-VFF-C
Module E (x4)	MODULE-VFF-E
Module F	MODULE-VFF-F
Module J (x5)	MODULE-VFF-J
Stabilising wall	CUSTOM
Straight Vector Counter with black tabletop	VSCB-BK
TV holder (x2)	LN124A



The post allows to connect 2 Modules at a right angle



Possibility to add LED spotlight kit
LED-EXHIB-ARM-BDLK




Door return with lock and key set

* Furniture, TVs and iPads are not part of the set and are not sold.
 Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Vector Modules Stand 18 m²

Material: Aluminium profile 50 mm
Graphic: SEG graphic and zipped fabric graphic
Storage: Yes



Vector LED hanging structure



Storage room

1m² return with secured lock.
 For more stability, the returns are equipped with a threshold bar at the bottom of the doors.

Create large graphics by adding different modules



Stand 18 m²



Module B (x3)	MODULE-VFF-B
Module C	MODULE-VFF-C
Module G	MODULE-VFF-G-2
Module H	MODULE-VFF-H
Vector LED hanging structure	VLBH125-PAN-250
Square feet x 2	SLF1
Straight Vector Counter with black tabletop	VCCB-BK



Rounded corner for full graphic design



Door return with lock and key set



Make your stand more attractive and functional by adding literature holders or shelves

Rounded arch and full graphic


Full graphic front and back. Add more light to your stand with built-in LED spotlights directly under the canopy of the arch.

* Furniture, TVs and iPads are not part of the set and are not sold.
 Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Vector Modules

Stand 18 m²

Material: Aluminium profile 50 mm and aluminium tubes Ø 30 mm
Graphic: SEG graphic and zipped fabric graphic
Storage: Yes



Stand 18 m²



Module B (x3)	MODULE-VFF-B
Module C	MODULE-VFF-C
Module E (x4)	MODULE-VFF-E
Beam 950 mm (x6)	LN605-950-L2
Accent 15 (x2)	FMLT-WL15-V
Accent 16	FMLT-WL16-V
Square feet x 2	SLF1
Straight Vector Counter with black tabletop	VSCB-BI
TV holder	LN124A



Possibility to add LED spotlight kit
LED-STRIP-ARM-BDLK




Door return with lock and key set

* Furniture, TVs and iPads are not part of the set and are not sold.
 Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.


Vector Modules Stand 20 m²

Material: Aluminium profile 50 mm
Graphic: SEG graphic
Storage: Yes



Storage

Large storage will accommodate the necessary advertising materials and personal belongings of the stand's staff




Create a meeting place where pedestrians will not distract your interlocutors

Show on the TV what awaits visitors inside the stand

Stand 20 m²



Module A (x2)	MODULE-VFF-A
Module B (x6)	MODULE-VFF-B
Module C (x2)	MODULE-VFF-C
Module E (x4)	MODULE-VFF-E
Module F (x2)	MODULE-VFF-F
TV holder	LN124A



Possibility to add LED spotlight kit
LED-EXHIB-ARM-BDLK



Door return with lock and key set




TV Screen
Enhance your stand by streaming videos. Several models can be added to the Vector Walls

* Furniture, TVs and iPads are not part of the set and are not sold. Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Vector Modules Stand 24 m²

Material: Aluminium profile 50 mm and 125 mm
Graphic: SEG graphic
Storage: Yes



Grand format



Stand 24 m²

Combine solutions and
create Unique stands



Module B (x3)	MODULE-VFF-B
Module C	MODULE-VFF-C
Module D (x2)	MODULE-VFF-D
Module E (x4)	MODULE-VFF-E
Module F	MODULE-VFF-F-2
LED Vector frame	VLB125-CUSTOM
Poles (x2)	LN616-CUSTOM
Square feet x 2	SLF1
Straight Vector Counter with black tabletop	VSCB-BI



Attached to frame
by locks



The post allows to
connect 2 Modules
at a right angle



Door return with lock
and key set




Make your stand
more attractive and
functional by adding
literature holders
or shelves

* Furniture, TVs and iPads are not part of the set and are not sold.
Showing projects are illustrative. The implementation project may differ slightly
from the presented visualizations.

Vector Modules Stand 36 m²

Material: Aluminium profile 50 mm
Graphic: SEG graphic
Storage: Yes



Module K

Gain visibility and originality with this large return customisable on the four sides

Full Graphic



Stand 36 m²



Module A	MODULE-VFF-A
Module C (x3)	MODULE-VFF-C
Module E (x2)	MODULE-VFF-E
Module G3	MODULE-VFF-G3
Module H (x3)	MODULE-VFF-H
Module K	MODULE-VFF-K
Modulate™ Magnetec Counter	FORM-MOD-CNTR-01
Curved Vector Counter with black tabletop	VCCB-WH
TV Screen (x2)	LN124A



The post allows to connect 2 Modules at a right angle



Door return with lock and key set



TV Screen
Enhance your stand by streaming videos. Several models can be added to the Vector Walls

Combine solutions and create unique stands

* Furniture, TVs and iPads are not part of the set and are not sold. Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Custom-made Stand

Material: Aluminium profile 50, 75, 125 mm and aluminium tubes Ø 30 and 50 mm

Graphic: SEG graphic and zipped fabric graphic

Storage: Yes

Grab your attention with exciting form

Stand 50 m²



Three LED Iframes of non-standard shape. The highest with a height of 4.5 m!

The ribbing over the storage corresponds to the other end of the stand



Shelves are a practical place for storing catalogs and presenting products

The partly standing and partly suspended construction closes and joins the stand

Various frames hung on the wall are additional surface for a message



TV holder



Counter with LED frame

* Furniture, TVs and iPads are not part of the set and are not sold. Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Vector Accessories



Additions will make Vector constructions more functional and 100% tailored to your needs



Shell scheme mounting bracket

Shell scheme
mounting
bracket

LN134



Tool Kit

Single Kit
Double Kit

TOOLKIT-01
TOOLKIT-02



Spot LED Exhibition

See all the spots on page 84



Steel Literature Holders

LN112-C

Format A4



Quarter Side Foot (pair)

SLF1

220 (h) x 220 (w) x 5 (d) mm



Half-Moon Foot (pair)

SLF2

289 (h) x 358 (w) x 5 (d) mm



Large Flat Foot (unit)

LN155-01

5 (h) x 234 (w) x 250 (d) mm



Flat Foot (unit)

LN155

7 (h) x 100 (w) x 450 (d) mm



Flat Foot Retail (unit)

Available in colours: ○ ● ●

FX295

7 (h) x 180 (w) x 550 (d) mm

FX295-B

7 (h) x 180 (w) x 550 (d) mm

FX295-W

7 (h) x 180 (w) x 550 (d) mm



Support iPad Design

- 360° Rotating iPad Holder
- Compatible with all iPads except iPad mini and Pro
- Available colours: ○ ●

IPAD-SH-360

310 (h) x 225 (w) x 95 (d) mm



Shelf

Upon request



Support for Screens

LN124

Screen 37»-70»

LN124A

Screen 32»-55»



Literature Holders
Tablet Holders
Counters
Lightning
Transport

Accessories

Whether you are finishing an exhibition stand, a point of sale or a specific event, our modular solutions can be enhanced by a large selection of accessories such as counters, document stands and lighting solutions.

We also have a range of appropriate transportation solutions (bags and cases in hard and soft materials) to suit your requirements.

Accessories Counters

Designed for a wide variety of uses, our counters are portable and can be used in all your events; they are ideal for your conferences or as a welcoming point for your visitors. We have created a range of counters in various sizes and styles, with fabric or PVC graphics.

Modulate™ Magnetic Counter

 **PATENT**



Material:	Ø 30mm Aluminium tubes, MDF tabletop/shelf
Assembly:	Push-fit button
Collapsible:	No
Counter top:	Black
Graphic attachment:	Zip system
Shelves:	1 (optional extra)
Transport:	One padded carry bag, internal flap

Modulate Counter	FORM-MOD-CNTR	 1015 (h) x 800 (w) x 600 (d) mm
------------------	---------------	---

Accessories:

Shelf	FORM-MOD-CNTR-02	 9 (h) x 770 (w) x 571 (d) mm
-------	------------------	--

Choose to have the tabletop visible or hidden



from this...
to this - just using magnets - no tools required!!



Shelf (optional)

Graphics finished with a zipper for easy access to the shelf

Vector Counter Straight



Material:	Aluminium, MDF tabletop/shelf
Assembly:	Cam locks and Allen key
Collapsible:	No
Counter top:	Beech / black / silver / white
Graphic attachment:	SEG 3 mm
Shelves:	1
Transport:	Carry bags - optional extra

Vector Straight Counter 1000 mm*	VSCB	1015 (h) x 1040 (w) x 545 (d) mm
Vector Straight Counter 1000 mm with lockable door	VSCB-D	1015 (h) x 1040 (w) x 545 (d) mm porte: 975 (h) x 535 (w) mm
Vector Straight Counter 2000 mm	VSCB-2	1015 (h) x 2040 (w) x 545 (d) mm

*Reference not compatible with the addition of a door.

Accessories:

Tube bag (counter)	AB120AM
Carry bag (shelf and tabletop)	AB914

Internal shelf



Attach graphic into
SEG frame channel



Optional carry bag

Vector Counter Curved



Material:	Aluminium, MDF tabletop/shelf
Assembly:	Cam locks and Allen key
Collapsible:	No
Counter top:	Beech / black / silver / white
Graphic attachment:	SEG 3 mm
Shelves:	1
Bag:	Two carry bags - optional extra

Vector counter curved	VCCB	1015 (h) x 1340 (w) x 540 (d) mm
-----------------------	------	----------------------------------

Accessories:

Carry bag (shelf and tabletop)	AB916
Carry bag kit (counter)	AB120AC-KIT

Shelf included



Manufactured
to order

Lady Vector LED



Material:	Aluminium, MDF tabletop/shelf
Assembly:	Cam locks and Allen key
Collapsible:	No
Counter top:	Beech / black / silver / white
Graphic attachment:	SEG 3 mm
Shelves:	Optional
Transport:	Optional
Manufacture:	To order



LED Vector counters are manufactured to order which allows for many modifications


LED frame with edge lights




Sliding doors cover up objects placed in the counter ensuring stand aesthetics



Join two counters with one LED frame



Huge space to welcome guests, present offers and fill out forms



75 mm LED



LED strip



Attach graphic into SEG frame channel

Accessories

Transport

Transport oraz magazynowanie to bardzo ważne aspekty, które mają wpływ na projektowanie stoiska.

Transport bag



Material: Nylon bag with wheels
Wheels: Yes
Capacity: up to 115 l
Colour: Black

1370 mm	AB-LIN-02	⌀ 1370 (h) x 290 (w) x 290 (d) mm (internal dimensions)
---------	-----------	--



Handle and wheels for convenient transport



Some items are packed in boxes.



Wheeled for easy transportation



Zipped opening

Transport Container



Material: Plywood
Wheels: 4 wheels (2 with brakes)
Capacity: Up to 150 kg
Kit Reinforced carry handle, 5 m strap and lid

Container with wheels

1350 mm	LNPC-1350-01	⌀ 1350 (h) x 400 (w) x 350 (d) mm (internal dimensions)
2580 mm	LNPC-2580-01	⌀ 2580 (h) x 400 (w) x 350 (d) mm (internal dimensions)

Stackable container

1350 mm	LNPC-1350	⌀ 1350 (h) x 400 (w) x 350 (d) mm (internal dimensions)
2580 mm	LNPC-2580	⌀ 2580 (h) x 400 (w) x 350 (d) mm (internal dimensions)



Reinforced carrying handle



Wheels with brakes

Accessories

Lighting


Modular solutions come alive with lighting. Our full range of lighting includes halogen spotlights, LED spotlights and spotlights.



Lighting for Formulate hanging structures



Bulb LED 45W 4500 Lumens / 6000 Kelvin	LED-BULB-45W
Cable 3m EU/UK	LGT-SOCK-01
4 bulbs holder	LGT-SOCK-04



Powerspot 950-1000 LED



Material:	Aluminium, plastic
Watt output:	90 Watt
Consumption:	12 Watt (1400 Lumens/5500 Kelvin)
Head:	270° - right arm
Single kit includes:	One spotlight + 2.5m linking lead
Double kit includes:	Two spotlights + 2.5m linking lead + 1 transformer
Linked lights:	2 max
Power lead UK & Euro:	Yes (cross head screwdriver needed)

Perfect for illuminating larger displays

Material:	Aluminium, plastic
Watt output:	80 Watt
Watt consumption:	12 Watt (1200 Lumens/5631 Kelvin)
Single kit includes:	One spotlight + 2.5m linking lead
Double kit includes:	Two spotlights + 2.5m linking lead + 1 transformer
Linked lights:	Link up to five to one transformer
Power lead UK & Euro:	Yes (cross head screwdriver needed)


Single Kit	PS950-1000-LED-BS
Double Kit	PS950-1000-LED-BDLK
Transformer*	PS950-1000-LED-DRIVER



Spot LED Flood



Single Kit	LED-FLOOD-ARM-B
Double Kit	LED-FLOOD-ARM-BDLK
Transformer*	LED-ARM-TRANS



Spot LED Strip



Single Kit	LED-STRIP-ARM-B
Double Kit	LED-STRIP-ARM-BDLK
Transformer*	LED-ARM-TRANS



Spot LED Exhibition



Single Kit	LED-EXHIB-ARM-B
Double Kit	LED-EXHIB-ARM-BDLK
Transformer*	LED-ARM-TRANS

*Required when using -B code in isolation



VECTOR

Creative stand solution for a unique brand

TERTZIA AB
Basteråsvägen 23
511 72 Fritsla

Tel 0320 749 00
E-post: info@reklamsaker.se

