BRASS
Bars



alumeco

TABLE OF CONTENTS

ROUND BARS	2
Round bars CW608N, CuZn38Pb2	**3**
Round bars CW602N, CuZn36Pb2As	**3**
Round bars CW625N, CuZn35Pb1,5AlAs	**3**
Round bars CW626N, CuZn33Pb1,5AlAs	**3**
Round bars CW617N, CuZn40Pb2	**4**
Round bars CW614N, CuZn39Pb3	**4**
FLAT BARS	5
Flat bars CW617N, CuZn40Pb2	**6**
Flat bars CW614N, CuZn39Pb3	**6**
SQUARE BARS	7
Square bars CW617N, CuZn40Pb2	**8**
Square bars CW614N, CuZn39Pb3	**8**

ABOUT ALUMECO GROUP






Alumeco is a global wholesaler, founded in 1983 with headquarters in Odense, Denmark.

Alumeco Group offers a wide range of aluminium, stainless steel, copper, brass, bronze and other metals to meet all your metal needs. We offer both standardized and customized products, and we are ready to support you from idea to finished product.

SUBSIDIARIES

- Alumeco A/S
- Alumeco NL B.V.
- Alumeco Norge AS
- Alumeco Sverige AB
- Alumeco CZ s.r.o.
- UAB Alumeco Baltic
- Alumeco Finland OY Ab
- Metalcenter Group OY Ab
- Alumeco Austria GmbH
- Alumeco Service GmbH
- Metallcenter West GmbH
- Alcobra GmbH
- Metalcenter Group GmbH
- Aluteam-Alumeco Sp. z o.o.
- Alumeco Metal Products (Jiangmen) Co.,Ltd.

1028 (2023)
Employees

878 (2023)
mio. EUR

40.000
m^2 stock



Round bars

WE OFFER VARIOUS TYPES OF BRASS RODS TO OUR INDUSTRIAL CUSTOMERS. GENERALLY AVAILABLE IN 4 TYPES: ROUND BARS - HEXAGON BARS - SQUARE BARS AND FLAT BRAS.. THE MOST COMMON ALLOYS ARE: CUZN39PB3-CW614N, CUZN36PB2AS-CW602N, CUZN40PB2-CW617N

All stated weights are theoretical which may vary | For inventory status see alumeco.com
All materials marked with bold are standard stock material

ROUND BARS CW608N, CUZN38PB2

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
9	0.54	10	0.67	13	1.13

ROUND BARS CW602N, CUZN36PB2AS

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
5	0.17	23	3.53	42	11.78
6	0.24	24	3.84	**45**	**13.52**
8	0.43	**25**	**4.17**	46	14.10
10	**0.67**	26	4.51	47	14.75
11	0.81	**27**	**4.87**	**50**	**16.69**
12	0.96	**28**	**5.23**	52	18.04
13	**1.13**	29	5.60	**55**	**20.20**
14	1.31	**30**	**6.01**	**60**	**24.03**
15	**1.50**	**32**	**6.84**	63	26.50
16	**1.71**	33	7.27	65	28.20
17	**1.93**	34	7.71	70	32.70
18	**2.16**	**35**	**8.18**	75	37.60
20	**2.67**	**36**	**8.65**	80	42.73
21	**2.94**	**38**	**9.64**		
22	**3.23**	**40**	**10.68**		

ROUND BARS CW625N, CUZN35PB1,5ALAS

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
12	0.96	27	4.87	47	14.75
13	1.13	28	5.23	**50**	**16.69**
14	1.31	**30**	**6.01**	52	18.05
15	1.50	32	6.84	55	20.19
17	**1.93**	34	7.72	60	24.03
18	2.16	35	8.18	63	26.50
20	**2.67**	36	8.65	70	32.71
21	2.94	38	9.64	73	35.57
22	3.23	**40**	**10.68**	76	38.56
24	3.85	42	11.78	90	54.07
25	**4.17**	**45**	**13.52**		
26	4.51	46	0.96		

ROUND BARS CW626N, CUZN33PB1,5ALAS

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
14	1.31	24	3.84	40	10.68
19	2.41	29	5.61	**46**	**14.13**
22	3.23	30	6.01		

ROUND BARS CW617N, CUZN40PB2

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
14	**1.31**	29	5.61	47	14.75
16	**1.71**	**30**	**6.01**	**48**	**15.38**
17	1.93	**32**	**6.84**	**50**	**16.69**
18	**2.16**	33	7.27	55	20.19
20	**2.67**	34	7.72	**60**	**24.03**
21	**2.94**	**35**	**8.18**	62	25.66
22	**3.23**	**36**	**8.65**	80	42.73
23	**3.53**	38	9.64	**95**	**60.25**
24	3.84	**40**	**10.68**	110	80.73
25	**4.17**	**42**	**11.78**	115	88.29
26	4.51	43	12.34	120	96.13
27	**4.87**	**44**	**12.92**		
28	**5.23**	**46**	**14.13**		

ROUND BARS CW614N, CUZN39PB3

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
2.5	0.00	**19**	**2.41**	**48**	**15.38**
3	**0.06**	**20**	**2.67**	**50**	**16.69**
3.5	**0.08**	**21**	**2.94**	51	17.36
4	**0.11**	21.5	3.08	**52**	**18.05**
4.5	0.14	**22**	**3.23**	54	19.46
5	**0.17**	**23**	**3.53**	**55**	**20.20**
5.5	0.20	**24**	**3.84**	58	22.46
6	**0.24**	**25**	**4.17**	**60**	**24.03**
6.5	**0.28**	**26**	**4.51**	**65**	**28.21**
7	**0.33**	**27**	**4.87**	**70**	**32.71**
7.5	0.38	**28**	**5.23**	**75**	**37.55**
8	**0.43**	29	5.61	**80**	**42.72**
8.5	0.48	**30**	**6.01**	**85**	**48.23**
9	**0.54**	31	6.42	**90**	**54.08**
9.5	0.60	**32**	**6.84**	95	60.30
10	**0.67**	**33**	**7.27**	**100**	**66.76**
10.5	0.74	**34**	**7.72**	**110**	**80.78**
11	**0.81**	**35**	**8.18**	115	88.24
11.5	**0.88**	**36**	**8.65**	120	96.13
12	**0.96**	37	9.13	**125**	**104.00**
12.5	1.04	**38**	**9.64**	**150**	**450.62**
13	**1.13**	**40**	**10.68**	160	170.82
14	**1.31**	**42**	**11.78**	**170**	**192.93**
15	**1.50**	44	12.92	**180**	**908.44**
16	**1.71**	**45**	**13.52**	190	241.00
17	**1.93**	**46**	**14.13**	**200**	**267.03**
18	**2.16**	47	14.75	203	275.11

All stated weights are theoretical which may vary | For inventory status see alumeco.com
All materials marked with bold are standard stock material



Flat bars

WE OFFER VARIOUS TYPES OF BRASS RODS TO OUR INDUSTRIAL CUSTOMERS. GENERALLY AVAILABLE IN 4 TYPES: ROUND BARS - HEXAGON BARS - SQUARE BARS AND FLAT BRAS.. THE MOST COMMON ALLOYS ARE: CUZN39PB3-CW614N, CUZN36PB2AS-CW602N, CUZN40PB2-CW617N

FLAT BARS CW617N, CUZN40PB2

Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)
8 x 3	0.20	**30 x 10**	**2.55**	**80 x 4**	**2.72**
10 x 2	0.17	**40 x 2**	**0.68**	85 x 40	28.90
12 x 2	0.20	**50 x 20**	**8.50**	**100 x 15**	**12.75**
15 x 5	**0.38**	55 x 35	14.88	120 x 20	20.40
20 x 2	**0.34**	**60 x 5**	**2.55**		
25 x 2	0.42	70 x 60	35.70		

FLAT BARS CW614N, CUZN39PB3

Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)
4 x 2	0.07	**20 x 4**	**0.68**	**60 x 20**	**10.20**
6 x 2	0.10	25 x 2	0.42	70 x 8	3.61
8 x 2	0.14	30 x 8	2.04	80 x 5	3.40
10 x 2	0.17	35 x 2	0.60	90 x 10	7.65
12 x 8	0.82	**40 x 2**	**0.68**	100 x 15	12.67
14 x 4	0.48	45 x 4	1.53	120 x 10	10.20
15 x 3	0.38	50 x 12	5.10	150 x 10	2.03

All stated weights are theoretical which may vary | For inventory status see alumeco.com
All materials marked with bold are standard stock material



Square bars

WE OFFER VARIOUS TYPES OF BRASS RODS TO OUR INDUSTRIAL CUSTOMERS. GENERALLY AVAILABLE IN 4 TYPES: ROUND BARS - HEXAGON BARS - SQUARE BARS AND FLAT BRAS.. THE MOST COMMON ALLOYS ARE: CUZN39PB3-CW614N, CUZN36PB2AS-CW602N, CUZN40PB2-CW617N

SQUARE BARS CW617N, CUZN40PB2

Width	Weight (kg)	Width	Weight (kg)	Width	Weight (kg)
25	**5.31**	**40**	**13.60**		

SQUARE BARS CW614N, CUZN39PB3

Width	Weight (kg)	Width	Weight (kg)	Width	Weight (kg)
3	0.08	16	2.18	**50**	**21.25**
4	0.14	17	2.51	55	25.71
5	0.21	18	2.81	**60**	**30.60**
6	0.31	19	3.07	65	35.91
7	0.42	**20**	**3.40**	70	45.65
8	**0.54**	22	4.11	75	47.81
9	0.70	25	5.31	80	54.40
10	**0.85**	**30**	**7.65**	90	68.85
12	**1.22**	32	8.70	100	85.00
13	1.44	**35**	**10.62**	110	102.85
14	1.67	40	13.60		
15	**1.91**	45	17.21		

All stated weights are theoretical which may vary | For inventory status see alumeco.com
All materials marked with bold are standard stock material



Alumeco ApS Naesbyvej 26 DK-5000 Odense C Tlf. +45 66 17 81 17 Fax +45 66 14 58 71 mail@alumeco.dk www.alumeco.com