# COMMERCIAL RANGE

Laminex®

Innovators in decorative surface and building solutions.

**FRONT COVER**
**Wall panels** Laminex Architectural Wall Panel in Spotted Gum TrueScale™ Classic Flat with Black Shadowline, Pencil Line Joint (left) and Express Joint (right)
**Cabinetry and Island Bench** Laminex Sublime Teak
**Ceiling Tiles** Laminex Architectural Ceiling Tile in Blackened Legno Batten 40 with Black Shadowline
**Table Tops** Laminex Kalamata

**THIS PAGE**
**Cabinetry** Laminex Spotted Gum TrueScale™ in AbsoluteGrain® finish
**Desk** Laminex Natural Teak in AbsoluteGrain® finish
**Design** CJH Studio

# CONTENTS PG


| | |
|---|---|
| SUSTAINABILITY CERTIFICATIONS | 06 |
| APPLICATION INDEX | 08 |
| PROTEC+ ANTIMICROBIAL TECHNOLOGY | 10 |
| NEXT GENERATION WOODGRAINS | 12 |
| LAMINEX TRUESCALE® | 18 |
| LAMINEX ARCHITECTURAL PANELS | 20 |
| LARGE FORMAT COMMERCIAL STRUCTURAL MR® MDF | 26 |
| LARGE FORMAT COMMERCIAL DECORATED PARTICLEBOARD MR E0 | 32 |
| DECORWOOD® | 38 |
| LAMINEX ABSOLUTEMATTE® | 42 |
| FIREGUARD® DÉCOR | 44 |
| DÉCOR FEATURE: THE LAMINEX PLYWOOD SERIES | 46 |
| MULTIPURPOSE COMPACT LAMINATE | 48 |
| MULTIPURPOSE COMPACT LAMINATE ABSOLUTEMATTE® FINISH | 54 |
| LABORATORY COMPACT LAMINATE | 58 |
| ALFRESCO COMPACT LAMINATE | 60 |
| MADE-TO-MEASURE COMPACT LAMINATE | 62 |
| WATERLOO™ PARTITIONING SYSTEMS | 64 |
| CHEMICAL RESISTANT LAMINATE | 66 |
| METALLIC LAMINATES | 68 |
| CUSTOMART® SURFACES | 70 |
| WRITABLE SURFACES | 72 |

**Project** Hudson CBD Project
**Architect** IA Design
**Photography** Alanna Jayne McTiernan
**Wall panels** Laminex Seasoned Oak
**Seating kickers** Laminex Gunmetal

# SUSTAINABILITY CERTIFICATIONS

**As a proud Australian manufacturer, sustainable practices are an important part of our manufacturing capabilities. We maintain a conscious commitment to environmental and social sustainability and achieving our goals across all of our operations. Together, we're re-imagining surfaces to shape better spaces—made for all Australians and made for good.**

## ENVIRONMENTAL PRODUCT DECLARATIONS (EPD)

Environmental Product Declarations (EPD) present transparent, verified, and comparable information about the life-cycle and environmental impact of products and services.

Laminex's independently verified EPDs provide important product-specific emission data to help the industry measure and reduce embodied carbon emissions in their projects. Recognised under the Green Building Council of Australia's Responsible Products Framework, our EPDs contribute to credits for responsible finishes, upfront carbon, and lifecycle impacts within Green Star tools.

These technical disclosures complement our suite of sustainability, product transparency and responsible sourcing certifications.

Download EPDs here: **epd-australasia.com/company-epd/laminex-au**

## GECA CERTIFICATION

Laminex Australia is proud to offer a range of Good Environmental Choice Australia (GECA) certified products. GECA is Australia's only independent, not-for-profit, multi-sector ecolabelling program and the only Australian member with GENICES recognition from the Global Ecolabelling Network (GEN). When you see a GECA eco-label you know that the product or service you are considering has been rigorously assessed for its environmental impact over its lifecycle and that it is a better choice for you, your family, colleagues and our planet.

One lifecycle ecolabel to cover:
– Environment
– Social Impacts
– Human Health

In choosing to certify our products with GECA, Laminex has committed to meeting the highest environmental and ethical standards in production and materials. For more information please visit: **www.geca.eco**

## DECLARE LABEL

Laminex holds Declare labels for many of its manufactured products. The Declare label, developed by the International Living Future Institute (ILFI), discloses all ingredients in the product down to 100 parts per million (ppm), manufacturing location, and end-of-life options.

The Red List is a list of chemicals and materials considered harmful to human well-being and the environment, commonly found in building products. Achieving Declare certification shows Laminex's commitment to material health and sustainability, and helps our customers to make informed choices for healthier spaces.

## TIMBER CERTIFICATION

As one of Australia's largest manufacturers of wood products, Laminex supports responsible forest management and is committed to producing quality products from quality materials that are backed by globally recognised certifications. Our raw materials are sourced through verified supply chains to ensure the wood fibre used in our products comes from sustainably managed forests and controlled sources. Our products are labelled in accordance with the PEFC Chain of Custody standard.

Our manufacturing facilities hold their own PEFC certifications. This means all certified wood products from these facilities can be traced from plantation to final manufactured product.

## SUSTAINABLE MANUFACTURING INITIATIVES

Laminex Australia also maintains ISO 14001 Environmental Management System certification for all manufacturing sites. We are focused on waste and emission reduction initiatives to reduce our overall environmental impact.

Find all of our documentation, certificates and reports at **laminex.com.au/about-us/sustainability**

# APPLICATION INDEX

| | COUNTERS/BENCHTOPS | CABINETRY | WALL LININGS | CEILING LININGS | TOILET PARTITIONS | SHOWER PARTITIONS | LOCKERS | BENCH SEATING | COMMERCIAL FURNITURE | CEILING TILES AND PANELS | WALL PANELS |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Large Format Commercial | | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | |
| Decorwood® | | | | | | | ✓ | | ✓ | | |
| AbsoluteGrain® Panels | | ✓ | ✓ | ✓ | | | | | ✓ | | ✓ |
| AbsoluteMatte® HPL | ✓ | | ✓ | ✓ | | | ✓ | | ✓ | | |
| AbsoluteMatte® Panels | | ✓ | ✓ | ✓ | | | ✓ | | ✓ | | |
| Fireguard® Décor | | | ✓ | ✓ | | | | | | ✓ | |
| Multipurpose Compact Laminate | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| Laboratory Compact Laminate | ✓ | ✓ | ✓ | | | | | | ✓ | | |
| Alfresco Compact Laminate | ✓ | ✓ | ✓ | | | | | | ✓ | | |
| Waterloo™ Partitioning Systems | | | | | ✓ | ✓ | ✓ | ✓ | | | |
| Chemical Resistant Laminate | ✓ | ✓ | | | | | | | ✓ | | |
| Metallic Laminates | | ✓ | ✓ | | | | | | | | |
| CustomArt® Surfaces | | | ✓ | ✓ | | | ✓ | | | | |
| Laminex Architectural Panels | | | ✓ | ✓ | | | | | | ✓ | ✓ |

**Wall linings** Laminex Luxe Elba TrueScale™
**Stand** Laminex Danish Walnut
**Island** Laminex Possum

Protec+® | Antimicrobial Technology

Now more than ever, we understand the importance of maintaining hygiene in interior spaces we frequently touch, such as cabinetry, benchtops, tabletops and toilet and shower partitioning. Laminex has taken the lead with the introduction of Protec+, an antimicrobial surface technology that inhibits the growth of bacteria, fungus and now COVID-19 virus. Protec+ is now manufactured as standard into selected Laminex high-pressure laminate (HPL), including AbsoluteMatte® HPL, as well as Laminex Multipurpose Compact Laminate, Laminex Aquapanel® and Laminex Structural MR® MDF.

## PROTEC+ FAST FACTS

### PEACE OF MIND

Laminex Protec+ properties do not wipe off or leach out of the surface. This gives you enhanced antimicrobial protection for the expected life of the surface.

### CLEANER ENVIRONMENTS EVERYWHERE

Laminex Protec+ can be used to create a safer, cleaner environment anywhere, including hospitals, schools, hotels, shops, cafés, sport facilities and public toilets.

### PROVEN EFFECTIVENESS

Laminex Protec+ has been independently tested in accordance with a number of leading standards, including: ISO22196:2011, ISO 21702:2019, JIS Z2801 and ASTM G21, which measure antimicrobial activity, fungi resistance and COVID-19 virus resistance.

| BRAND | PRODUCT FAMILY | PRODUCT RANGE | PROTEC+ |
|---|---|---|---|
| Laminex | HPL | Standard | ✓ |
| | | Chemical Resistant | ✓ |
| | | AbsoluteMatte® | ✓ |
| | Compact | Multipurpose Compact Laminate | ✓ |
| | | Laboratory Compact Laminate | ✓ |
| | | Alfresco Compact Laminate | ✓ |
| | | Aquapanel (Natural Finish Only) | ✓ |
| | Decorated Board | Structural MR® MDF | ✓ |

**Wall Lining** Laminex Structural MR MDF® in Laminex Moroccan Clay
**Tabletops** Laminex Burnt Ochre

# NEXT GENERATION WOODGRAINS

**Marked by a new level of authenticity, scale and occasion, our Next Generation Laminex Woodgrain décors allow moments of wonder and beautiful interiors to take shape with a genuine sense of place, highlighted by a range of Australian Native décors.**

With our premium AbsoluteGrain® finish, for a more authentic look and feel, and Laminex TrueScale® technology for no repeat designs, this remarkable range includes six native Australian woodgrains, three oaks and three walnuts, all designed to complement the existing range of Laminex décors.

Protec+® Antimicrobial Technology

A proud Australian manufacturer

Declare.

GECA CERTIFIED

**Cabinetry** Laminex Spotted Gum TrueScale™ in AbsoluteGrain® finish
**Desk** Laminex Natural Teak in AbsoluteGrain® finish
**Design** CJH Studio



Clockwise from top left:
Laminex Tasmanian Oak TrueScale™
Laminex Blackbutt TrueScale™
Laminex Rotary Hoop Pine TrueScale™
Laminex Premier Oak TrueScale™
Laminex Victorian Ash TrueScale™

## TRUE TO NATURE, NEXT GENERATION WOODGRAINS SPEAK TO OUR LOVE OF THE AUSTRALIAN NATURAL ENVIRONMENT, AND OUR DEDICATION TO PROVIDING THE BEST POSSIBLE SURFACE SOLUTIONS FOR AUSTRALIAN SPACES.

## AUSTRALIAN NATIVE WOODGRAINS

**Inspired by the world around us and crafted in consultation with our local design industry, the Laminex Australian Natives Collection embraces the vivid spectrum of our expansive native landscape.**

Taken from all corners of the country, six décors have been developed from Australian timber veneers, maintaining the traits and characteristics of their existing grain structures to ensure the most natural of outcomes.

As a result, this collection provides an authentic alternative to timber veneers, eliminating the need to remove timber from Australian Native forests and providing a responsible and durable option for our spaces.

## LAMINEX ABSOLUTEGRAIN®

Laminex AbsoluteGrain® is a premium woodgrain finish featuring subtle textural variation and intricate detailing to achieve the organic look and feel of natural timber.

Years of research and development have led to a tactile finish that makes our Next Generation Woodgrains not just an authentic surface solution but an unmatched and legitimate veneer alternative, with the durability, sustainability and quality of Laminex.

| PRODUCT | FINISH | DIMENSIONS | THICKNESS | PROTEC+ |
|---|---|---|---|---|
| AbsoluteGrain® Decorated MR E0 MDF | AbsoluteGrain® | 2400mm x 1200mm<br>3600mm x 1200mm | 18mm, 25mm*, 32mm* | |
| AbsoluteGrain® Decorated MR E0 Particleboard | AbsoluteGrain® | 3600mm x 1800mm | 18mm, 25mm*, 33mm* | |
| AbsoluteGrain® Thin Laminate | AbsoluteGrain® | 3660mm x 1500mm<br>3600mm x 750mm | 0.7mm** | ✓ |

*Not all colours in all thicknesses stocked. Refer to laminex.com.au or the National Availability Guide for availability.

## ABS EDGING

| | WIDTH | 21MM | 22MM | 29MM | 38MM | 55MM |
|---|---|---|---|---|---|---|
| AbsoluteGrain® | **Thickness** | 1mm | 2mm | 1mm, 2mm | 2mm | 1mm |
| | **Rolls** | 25m, 100m | 100m | 100m | 100m | 100m |

Note: Not all colours are stocked in all standard ABS and InvisiEdge Edging. Please refer to laminex.com.au for availability.
Matching Edging for 33mm made-to-order options may attract higher minimum order and longer lead times.

Note: ABS edging does not fall under Declare and GECA.

## ABSOLUTEGRAIN® FEATURES

Horizontal Application | Vertical Application | Tactile | Stain Resistant | Heat Resistant | Scratch Resistant | Water Resistant | UV Stable Indoor Use

A proud Australian manufacturer

Declare.

GECA CERTIFIED

Milkwood
N AGR


Rotary Hoop Pine TrueScale™
N AGR


Victorian Ash TrueScale™
N AGR

Seasoned Oak
N C AGR

Whitewashed Oak
N C AGR

Calm Oak
N C AGR


Tasmanian Oak TrueScale™
N AGR


Classic Oak
N NU AGR


Blackbutt TrueScale™
N AGR

Rural Oak
N C AGR

Sublime Teak
N C AGR


Planked Urban Oak
N C AGR


Elegant Oak
N C AGR


Light Jarrah TrueScale™
N AGR


Spotted Gum TrueScale™
N AGR

Austral Oak TrueScale™*
N AGR


Premier Oak TrueScale™*
N AGR


Light Walnut
N AGR


Refined Walnut
N AGR

Sepia Walnut
N AGR

*HPL suitable for vertical use only

**Legend** **N** Natural Finish **NU** Nuance Finish **C** Chalk Finish **AGR** AbsoluteGrain® Finish

Natural Teak
N NU AGR

Natural Walnut
N C AGR

Midnight Oak TrueScale™*
N AGR



Blackened Legno
N C AGR



Burnished Wood
N NU AGR



Chalk White
N AGR



Aries
N F S DG AM AGR



Oyster Grey
N F S DG AM AG AGR

Bayleaf
N F AGR



Terril
N F AM AG AGR

Black
N F S NU AM AG AGR

*HPL suitable for vertical use only

**Legend** **N** Natural Finish **NU** Nuance Finish **C** Chalk Finish **AM** AbsoluteMatte Finish
**AG** AbsoluteGloss Finish **AGR** AbsoluteGrain® Finish

**Cabinetry** Laminex Blackbutt TrueScale™ in AbsoluteGrain® finish
**Island** Laminex Rotary Hoop Pine TrueScale™ in AbsoluteGrain® finish
**Design** CJH Studio

# LAMINEX TRUESCALE®

**Laminex TrueScale® is a celebration of scale and authenticity. In a market first, realistic, no-repeat designs of natural timber and stone are now available, expanding the possibilities of what can be achieved with laminate surface solutions. Extensive research has enabled Laminex to achieve the intricate detail of marble and woodgrains at a scale previously unavailable in Australia. The development of cutting-edge technology and a dedication to the Australian design industry has meant Laminex can offer the most realistic, no repeat laminate designs on the market.**

Laminex TrueScale® brings all the recognised hallmarks of Laminex durability and resilience stain, heat, water and scratch resistance, while remaining UV stable. Traditionally, printing organic mineral and woodgrain textures at this scale would be practically impossible, yet with Laminex TrueScale®, lengths of up to 3600mm can be achieved with no repeat, for true to life results and remarkable authenticity.

Both our Mineral and Woodgrain TrueScale™ ranges are suitable for horizontal applications—benchtops and flat surfaces—and vertical applications—wall panels, cabinets, and panels. Offering enhanced flexibility and authentic textures compared to natural stone and woodgrains, Laminex TrueScale® can be paired with ABS Edging in 15m × 38mm × 1mm rolls to provide realistic and hardwearing edges for benchtops, shelves, and cabinets.

A select range of our Woodgrain TrueScale™ range are available in our Laminex Architectural Panels range for both wall and ceiling applications to work cohesively with our board and laminate range.

**Cabinetry** Laminex Tasmanian Oak TrueScale™
**Island** Laminex Tasmanian Oak TrueScale™
**Design** CJH Studio

Calacatta Majore TrueScale™
N



Premio Carrara TrueScale™
N



Luxe Elba TrueScale™
N



Marmo Grigio TrueScale™
N



Rotary Hoop Pine TrueScale™
N AGR



Victorian Ash TrueScale™
N AGR

Tasmanian Oak TrueScale™
N AGR



Blackbutt TrueScale™
N AGR



Light Jarrah TrueScale™
N AGR

Spotted Gum TrueScale™
N AGR

Austral Oak TrueScale™*
N AGR



Premier Oak TrueScale™*
N AGR

Midnight Oak TrueScale™*
N AGR

*HPL suitable for vertical use only

**Legend** **N** Natural Finish **AGR** AbsoluteGrain® Finish

View full sheets and learn more
https://www.laminex.com.au/brands/laminex/true-scale

Declare.

GECA CERTIFIED

# LAMINEX ARCHITECTURAL PANELS

**Introducing Laminex Architectural Panels—an evolution in walls and ceilings. Designed and made in Australia, Laminex Architectural Panels seamlessly integrate walls, ceilings and joinery to create considered spaces full of architectural detail. With an array of décors and profiles, the design possibilities are virtually endless.**

## WALLS

Laminex Architectural Wall Panels have been created using a wide selection of realistic woodgrain décors from the Laminex Colour Collection, available in Batten, Planked and Flat profiles to ensure seamless integration through your next project.

The Classic Flat profile offers a modern reversible panel allowing you to choose between a 1mm pencil joint or a 7mm express joint.

**Effective Coverage:** HxW (mm)

Laminex Architectural Wall Panels are MDF MR, Fire Group 3 rated.

| PROFILE | PANEL SIZE HXW (MM) | EFFECTIVE WIDTH HXW (MM) | THICKNESS (MM) | PACK QTY | EFFECTIVE COVERAGE (SQM) | FIRE RATING |
|---|---|---|---|---|---|---|
| Classic Flat | 3000 x 1200 | 3000 x 1174 | 12 | 1 panel | 3.52 | Group 3 |
| Batten 40 | 3000 x 578 | 3000 x 560 | 16 | 2 panels | 3.36 | Group 3 |
| Batten 60 | 3000 x 558 | 3000 x 540 | 16 | 2 panels | 3.24 | Group 3 |
| VGroove 100 | 3000 x 518 | 3000 x 500 | 16 | 2 panels | 3.00 | Group 3 |

## THE INVISILOCK™ SYSTEM

The InvisiLock™ joining system is exclusive to the Laminex Architectural Wall Panel range, allowing each panel to be connected seamlessly, providing a bow and gap-free finish and minimising installation time.

Protec+ Antimicrobial Technology

A proud Australian manufacturer

Declare.

GECA CERTIFIED

**Wall Panels** Laminex Architectural Wall Panels in Sublime Teak Batten 40 with Natural Shadowline
**Cabinetry** Laminex Sublime Teak
**Ceiling Panels** Laminex Architectural Ceiling Panels Blackened Legno Batten 40 with Black Shadowline

## PROFILES

Classic Flat

Batten 40

Batten 60

VGroove 100

## LAMINEX DÉCORS

Raw Birchply
CF B40 B60 VG100

Victorian Ash TrueScale™
CF

Calm Oak
CF



Classic Oak
CF B40 B60 VG100

Tasmanian Oak TrueScale™
CF



Sublime Teak
CF B40 B60 VG100



Planked Urban Oak
CF B40 B60 VG100

Spotted Gum TrueScale™
CF

Danish Walnut
CF B40 B60 VG100

Blackened Legno
CF B40 B60 VG100

Black
CF

Not all décors available in all profiles.

Décors are accented with a Black Shadowline. Laminex Sublime Teak and Laminex Tasmanian Oak TrueScale™ are also available with a Natural Shadowline.

Batten and VGroove supplied as 2 panel pack, Classic Flat supplied as single sheet.

**Legend** **CF** Classic Flat **B40** Batten 40 **B60** Batten 60 **VG100** VGroove 100

**Wall Panels** Laminex Architectural Wall Panels in Danish Walnut Batten 40 with Black Shadowline
**Integrated Joinery** Laminex Danish Walnut

# CEILINGS

**Laminex Architectural Ceiling Panels is a range of prefinished ceiling panels and tiles designed to make an impact wherever they are used. The range features a selection of popular Laminex woodgrain décors in three linear profiles, bringing textural interest and the warmth of timber to any space. Ideal for both retrofit and new ceiling systems, this collection of tiles and panels offers direct fix or suspended ceiling options suitable for a range of projects. The large-format panels feature unique, removable tongue-and-groove joints, enabling a variety of panel layouts for versatile design possibilities.**

## CEILING PANELS

The large-format panels feature unique, removable tongue-and-groove joints, enabling a variety of panel layouts for versatile design possibilities.

**Effective Coverage** (mm)



| | PROFILE | PANEL SIZE / EFFECTIVE DIMENSION LXW | THICKNESS | PACK QTY | EFFECTIVE COVERAGE (SQM) | FIRE RATING |
|---|---|---|---|---|---|---|
| Panels | Batten 40 | 2400mm x 560mm | 12mm | 2 panels | 2.69 | Group 2 |
| | Batten 60 | 2400mm x 540mm | 12mm | 2 panels | 2.59 | Group 2 |
| | VGroove 100 | 2400mm x 500mm | 12mm | 2 panels | 2.40 | Group 2 |

## CEILING TILES

A collection of tiles ideal for both retrofit and new ceiling solutions. Offered in both direct fix and suspended ceiling options, they are suitable for a range of projects.

**Effective Coverage** (mm)

| | PROFILE | PANEL SIZE / EFFECTIVE DIMENSION LXW | THICKNESS | PACK QTY | EFFECTIVE COVERAGE (SQM) | FIRE RATING |
|---|---|---|---|---|---|---|
| Tiles | Batten 40 | 1195mm x 595mm | 12mm | 5 tiles | 3.56 | Group 2 |
| | Batten 60 | 1195mm x 595mm | 12mm | 5 tiles | 3.56 | Group 2 |
| | VGroove 100 | 1195mm x 595mm | 12mm | 5 tiles | 3.56 | Group 2 |

**Wall & Ceiling Panels & Bar Accent** Laminex Architectural Panels in Planked Urban Oak Batten 60 with Black Shadowline
**Benchtop Feature** Laminex Outback Clay

## PROFILES

Batten 40

Batten 60

VGroove 100

Décors are accented with a Black Shadowline. Laminex Sublime Teak Ceiling Panels are also available with a Natural Shadowline.

Ceiling Panels are provided as a 2 panel pack. Ceiling Tiles are provided as a 5 tile pack.

Suitable for internal and interior enclosed alfresco application (see technical documentation).

## LAMINEX DÉCORS

Raw Birchply

Classic Oak

Sublime Teak

Planked Urban Oak

Danish Walnut



Blackened Legno

# LARGE FORMAT COMMERCIAL: LAMINEX STRUCTURAL MR® MDF

**The Laminex Large Format Commercial Range comprises the most popular Laminex décors, in versatile 3600 x 1800 panels for applications such as cabinetry, wall panelling, partitioning and office furniture.**

For demanding projects where surface hygiene and durability are required Laminex Structural MR® MDF is recommended. This range provides superior impact resistance, with the 18mm version even featuring an extra high density core for up to twice the impact resistance of Laminex Decorated Particleboard 18mm.

Laminex Structural MR® MDF also includes Protec+ antibacterial and antifungal technology which has been proven effective against COVID-19, reducing the amount on the surface by 88% after 24 hours in independent testing (ISO 21702:2019).

## TECHNICAL DETAILS

| | STRUCTURAL MR® MDF | | DECORATED PARTICLEBOARD MR |
|---|---|---|---|
| SUBSTRATE | High Density MDF | MDF | Particleboard |
| THICKNESS | 18mm | 25mm or 32mm | 18mm, 25mm & 33mm |
| PROTEC+ ANTIMICROBIAL | Yes | | - |
| ENHANCED IMPACT RESISTANCE | Yes | | - |
| FINISH | Natural/Flint, Chalk, Nuance | | Natural/Flint, Chalk, Nuance or AbsoluteGrain® |
| COLOUR | 17 stocked, 31 Made to Order (MTO) | 3 stocked | 56 colours* |
| PANEL DIMENSION | 3600 x 1800mm | | 3600 x 1800mm |
| MOISTURE RESISTANCE | Yes | | Yes |
| GECA AND DECLARE | Yes | | Yes |
| LIMITED WARRANTY | 7 Years | | 7 Years |
| MADE IN AUSTRALIA | Yes | | Yes |
| RECOMMENDED APPLICATIONS | High Traffic Public Spaces<br>High Touch Surfaces | | Low Traffic Public Spaces<br>Low Touch Surfaces |

*Not all colours are stocked in all thicknesses. Refer to the Laminex National Availability Guide.

## ABS EDGING

| | WIDTH | 21MM | 22MM | 23MM | 29MM | 38MM |
|---|---|---|---|---|---|---|
| STANDARD ABS EDGING | Thickness | 1mm | 2mm | | 1mm, 2mm | 2mm |
| | Rolls | 25m, 100m | 100m | | 100m | 100m |
| INVISIEDGE® ABS EDGING | Thickness | | | 1.2mm | | 1.2mm |
| | Rolls | | | 100m | | 25m |

Note: Not all colours are stocked in all standard ABS and InvisiEdge Edging. Please refer to laminex.com.au for availability.
Matching Edging for 33mm Made to Order options may attract higher minimum order and longer lead times.

A proud Australian manufacturer

Declare.

GECA CERTIFIED

**Laminex Architectural Ceiling Tiles** Laminex Raw Birchply Batten 60 with Black Shadowline
**Joinery** Laminex Raw Birchply and Laminex Moroccan Clay

Polar White
N

Ghostgum
N

White
N

Parchment
N

Moleskin
N

Aries
N

Oyster Grey
N

Fox
N

Tornado
F

Lava Grey
N

Fossil
F

Spinifex
N

Olivine
N

Otway
F

Battalion
F

Charcoal
F

Terril
F

Black
F NU

Portsea
F

Moroccan Clay
F

**Legend** **N** Natural Finish **NU** Nuance Finish **C** Chalk **F** Flint Finish **AGR** AbsoluteGrain® Finish

Golden Wattle
F

Coastal Sunrise
F

Pillarbox
N

Milkwood
N

Oyster Linea
N

Dansk Maple
N

Seasoned Oak
N C

Raw Birchply
N C

Calm Oak
N C


Classic Oak
N NU


Planked Urban Oak
N C


Elegant Oak
N C


Sublime Teak
N C

Select Beech
N

Young Beech
N

Curly Birch
N

Rock Maple
N

Rural Oak
N C

Natural Walnut
N C

Danish Walnut
N C

Lustrous Elm
N

Fox Teakwood
N



Burnished Wood
N NU



Black Birchply
N C



Alaskan
N



Zincworks
N

New Graphite
N

Greystone
N

**Legend** **N** Natural Finish **NU** Nuance Finish **C** Chalk Finish **AGR** AbsoluteGrain® Finish

**Wall linings** Laminex Golden Wattle, Moroccan Clay, French Navy and Coastal Sunrise in Laminex Structural MR® MDF

**Inner Wall Linings** Laminex Golden Wattle Thin Laminates

**Joinery and Shelving** Laminex Elegant Oak in Laminex Structural MR® MDF

# LARGE FORMAT COMMERCIAL: LAMINEX DECORATED PARTICLEBOARD MR E0

**Laminex Decorated Particleboard is Moisture Resistant E0 Particleboard decorated both sides in a range of décors. It has been specially selected for today's commercial and large scale projects. Decorated Particleboard is available in cost effective 3600mm x 1800mm panels, with thicknesses of 18mm, 25mm and 33mm in four different finishes. The range integrates with the Laminex Decorated MDF and Laminex Multipurpose Compact Laminate ranges.**

Laminex Decorated Particleboard is proudly made in Australia.

## TECHNICAL DETAILS

| | STRUCTURAL MR® MDF | | DECORATED PARTICLEBOARD MR® |
|---|---|---|---|
| SUBSTRATE | High Density MDF | MDF | Particleboard |
| THICKNESS | 18mm | 25mm or 32mm | 18mm, 25mm & 33mm |
| PROTEC+ ANTIMICROBIAL | Yes | | - |
| ENHANCED IMPACT RESISTANCE | Yes | | - |
| FINISH | Natural/Flint, Chalk, Nuance | | Natural/Flint, Chalk, Nuance or AbsoluteGrain® |
| COLOUR | 17 stocked, 31 Made to Order (MTO) | 3 stocked | 56 colours |
| PANEL DIMENSION | 3600 x 1800mm | | 3600 x 1800mm |
| MOISTURE RESISTANCE | Yes | | Yes |
| GECA AND DECLARE | Yes | | Yes |
| LIMITED WARRANTY | 7 Years | | 7 Years |
| MADE IN AUSTRALIA | Yes | | Yes |
| RECOMMENDED APPLICATIONS | High Traffic Public Spaces<br>High Touch Surfaces | | Low Traffic Public Spaces<br>Low Touch Surfaces |

A proud Australian manufacturer

Declare.

GECA CERTIFIED

## ABS EDGING

| | WIDTH | 21MM | 22MM | 23MM | 29MM | 38MM |
|---|---|---|---|---|---|---|
| STANDARD ABS EDGING | Thickness | 1mm | 2mm | | 1mm, 2mm | 2mm |
| | Rolls | 25m, 100m | 100m | | 100m | 100m |
| INVISIEDGE® ABS EDGING | Thickness | - | - | 1.2mm | - | 1.2mm |
| | Rolls | - | - | 100m | - | 25m |

Note: Not all colours are stocked in all standard ABS and InvisiEdge™ Edging. Please refer to laminex.com.au for availability.
Matching Edging for 33mm Made to Order options may attract higher minimum order and longer lead times.

Polar White
F

Chalk White
N

White
F

Parchment
F

Moleskin
F

Ghostgum
F

Aries
F

Oyster Grey
F

Fox
F

Tornado
F

Lava Grey
N

Platypus
F

Fossil
F

Spinifex
N

Bayleaf
F

Charcoal
F

Olivine
N

Green Slate
F

Otway
F

Battalion
F

Terril
F

Black
F AGR

Portsea
F

Moroccan Clay
F


Golden Wattle
F

Coastal Sunrise
F

Pillarbox
N

Milkwood
N

Seasoned Oak
N

Dansk Maple
F

Raw Birchply
N C

Young Beech
F

Rock Maple
F


Rotary Hoop Pine TrueScale™
N

Calm Oak
N C


Victorian Ash TrueScale™
N

**Legend** **N** Natural Finish **NU** Nuance Finish **C** Chalk Finish **AGR** AbsoluteGrain® Finish **F** Flint Finish

Tasmanian Oak TrueScale™
N AGR

Curly Birch
F


Elegant Oak
N C AGR

Select Beech
F


Sublime Teak
N C

Planked Urban Oak
N C


Premier Oak TrueScale™
N


Natural Walnut
N C AGR


Danish Walnut
N C

Classic Oak
N NU AGR

Rural Oak
N C


Blackbutt TrueScale™
N

Spotted Gum TrueScale™
N AGR


Light Jarrah TrueScale™
N

Sepia Walnut
N

Midnight Oak TrueScale™
N AGR

Zincworks
N

New Graphite
F

Greystone
F


Burnished Wood
N

**Legend** **N** Natural Finish **NU** Nuance Finish **C** Chalk Finish **AGR** AbsoluteGrain® Finish **F** Flint Finish

**Cabinetry** Laminex Olivine
**Office Desk** Laminex Otway in AbsoluteMatte®

# LARGE FORMAT COMMERCIAL RANGE AVAILABILITY GUIDE

| | PRODUCT RANGE | | STRUCTURAL MDF | | | | | | DECORATED PARTICLEBOARD | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | AVAILABILITY | | Stocked | | | Made to Order | | | Stocked | | |
| | THICKNESS (MM) | | 18 | 25 | 32 | 18 | 25 | 32 | 18 | 25 | 33 |
| | COLOUR | CODE | | | | | | | | | |
| WHITES AND NEUTRALS | Aries | 079 | | | | N | N | N | F | F | |
| | Battalion | 042 | | | | F | F | F | F | F | |
| | Bayleaf | 254 | | | | | | | F | F | |
| | Black | 460 | F | | | NU | F, NU | F, NU | F, AGR | F, AGR | F, AGR |
| | Chalk White | 8524 | | | | | | | N | N | |
| | Charcoal | 461 | | | | F | F | F | F | F | F |
| | Fossil | 463 | | | | F | F | F | F | F | F |
| | Fox | 080 | | | | N | N | N | F | F | F |
| | Ghostgum | 086 | N | | | | N | N | F | F | F |
| | Green Slate | 8793 | | | | | | | F | F | |
| | Lava Grey | 8538 | | | | N | N | N | N | N | |
| | Moleskin | 450 | | | | N | N | N | F | F | |
| | Olivine | 161 | N | | | | N | N | N | N | |
| | Otway | 1035 | F | | | | F | F | F | F | |
| | Oyster Grey | 327 | N | | | | N | N | F | F | F |
| | Parchment | 202 | | | | N | N | N | F | F | F |
| | Platypus | 2607 | | | | | | | F | F | |
| | Polar White | 205 | N | N | | | | N | F | F | F |
| | Spinifex | 8539 | N | | | | N | N | N | N | |
| | Terril | 2297 | F | | | | F | F | F | F | |
| | Tornado | 081 | | | | F | F | F | F | F | |
| | White | 200 | N | N | N | | | | F | F | F |
| WOODGRAINS | Alaskan | 334 | | | | N | N | N | | | |
| | Black Birchply | 8552 | | | | N, C | N, C | N, C | | | |
| | Blackbutt TrueScale™ | 2618 | | | | | | | N | N | |
| | Burnished Wood | 602 | N | | | NU | N, NU | N, NU | N | N | |
| | Calm Oak | 1036 | | | | N, C | N, C | N, C | N, C | N, C | N, C |
| | Classic Oak | 8537 | N, NU | N | | | NU | N, NU | N, NU, AGR | N, NU, AGR | N, NU |
| | Curly Birch | 639 | | | | N | N | N | F | F | |
| | Danish Walnut | 643 | N | | | C | N, C | N, C | N, C | N, C | N |
| | Dansk Maple | 586 | | | | N | N | N | F | F | |
| | Elegant Oak | 078 | N, C | | | | N, C | N, C | N, C, AGR | N, C, AGR | N, C |
| | Fox Teakwood | 8907 | | | | N | N | N | | | |
| | Light Jarrah TrueScale™ | 2615 | | | | | | | N | N | |
| | Lustrous Elm | 274 | | | | N | N | N | | | |
| | Midnight Oak TrueScale™ | 2609 | | | | | | | N, AGR | N, AGR | AGR |
| | Milkwood | 604 | | | | N | N | N | N | N | N |
| | Natural Walnut | 068 | | | | N, C | N, C | N, C | N, C, AGR | N, C, AGR | N |
| | Oyster Linea | 289 | | | | N | N | N | | | |
| | Planked Urban Oak | 9312 | | | | N, C | N, C | N, C | N, C | N, C | N |
| | Premier Oak TrueScale™ | 2611 | | | | | | | N | N | |
| | Raw Birchply | 8910 | N | | | C | N, C | N, C | N, C | N, C | N |
| | Rock Maple | 577 | | | | N | N | N | F | F | |
| | Rotary Hoop Pine TrueScale™ | 2620 | | | | | | | N | N | |
| | Rural Oak | 077 | | | | N, C | N, C | N, C | N, C | N, C | |
| | Seasoned Oak | 458 | | | | N, C | N, C | N, C | N | N | N |
| | Select Beech | 612 | | | | N | N | N | F | F | |
| | Sepia Walnut | 2614 | | | | | | | N | N | |
| | Spotted Gum TrueScale™ | 2619 | | | | | | | N, AGR | N, AGR | AGR |
| | Sublime Teak | 288 | N, C | | | | N, C | N, C | N, C | N, C | N, C |
| | Tasmanian Oak TrueScale™ | 2619 | | | | | | | N, AGR | N, AGR | AGR |
| | Victorian Ash TrueScale™ | 2622 | | | | | | | N | N | |
| | Young Beech | 630 | | | | N | N | N | F | F | |
| ACCENTS | Coastal Sunrise | 1034 | | | | F | F | F | F | F | |
| | Golden Wattle | 1033 | | | | F | F | F | F | F | |
| | Moroccan Clay | 150 | F | | | | F | F | F | F | |
| | New Graphite | 486 | | | | N | N | N | F | F | |
| | Pillarbox | 438 | | | | N | N | N | N | N | |
| | Portsea | 1031 | F | | | | F | F | F | F | |
| | Zincworks | 869 | | | | N | N | N | N | N | |
| MINERALS | Greystone | 772 | | | | N | N | N | F | F | |

Made to Order options attract a 10-unit minimum order quantity, 10-unit order multiple and 10-day production lead time.

# DECORWOOD®

The Laminex Decorwood® range is standard E0 MDF, decorated both sides in a range of décors. Available in 2400mm x 1800mm panels in either 18mm or 25mm thicknesses, Decorwood® is a cost-effective decorated MDF panel suitable for loose commercial furniture like lockers and desks, particularly where a shark-nose edge is required. Laminex Decorwood® is proudly made in Australia.

## PANELS

| Product Offer | Finishes | Panel Dimensions | Thickness |
|---|---|---|---|
| Decorwood® (Standard E0 MDF) | Natural, or Flint finish (varies by dècor) | 2400mm x 1800mm | 18mm, 25mm |

Note: Not all colours may be stocked in all thicknesses. Refer to the Laminex National Availability Guide.

## ABS EDGING

| | Width | 21mm | 22mm | 23mm | 29mm |
|---|---|---|---|---|---|
| Standard ABS Edging | Thickness | 1mm | 2mm | - | 1mm, 2mm |
| | Rolls | 25m, 100m | 100m | - | 100m |
| InvisiEdge® ABS Edging | Thickness | - | - | 1.2mm | - |
| | Rolls | - | - | 100m | - |

Note: Not all colours are stocked in all standard ABS and InvisiEdge™ Edging. Please refer to laminex.com.au for availability.
Matching Edging for 33mm Made to Order options may attract higher minimum order and longer lead times.

Note: ABS edging does not fall under GECA or Declare.

## LAMINEX DECORWOOD® FEATURES

Light Duty Horizontal | Vertical Application | Stain Resistant | Heat Resistant | UV Stable Indoor Use | Dimensional Stability

A proud Australian manufacturer

Declare.

GECA CERTIFIED

For full technical details, refer to the Technical Support Information available at laminex.com.au

Polar White
F


White
F


Parchment
F


Oyster Grey
F


Charcoal
F

Black
F

Zincworks
N

New Graphite
F

Greystone
F

Calm Oak
N

Dansk Maple
N

Raw Birchply
N

Young Beech
N

Curly Birch
N


Elegant Oak
N

Select Beech
N


Sublime Teak
N


Classic Oak
N

Rural Oak
N

Natural Walnut
N

**Legend** **N** Natural Finish **F** Flint Finish

Olivine
N

Portsea
F

Golden Wattle
F

Coastal Sunrise
F

Pillarbox
F

**Legend** **N** Natural Finish **F** Flint Finish

**Cabinetry, Benchtop & Kicker** Laminex Porcelain Blush
**Joinery & Rear Cabinetry** Laminex Golden Wattle
**Shelving Back & Island Front** Surround by Laminex Demi Round 40

# LAMINEX ABSOLUTEMATTE®

Laminex AbsoluteMatte® is a super-matte, intriguingly tactile and fingerprint-resistant surface suitable for benchtops and cabinetry. AbsoluteMatte® features InvisiTouch®, a world-leading surface technology that delivers unrivalled fingerprint resistance and durability properties in an ultra-matte feel that invites the touch. Plus the laminate features our Protec+ technology to ensure your surfaces stay cleaner for longer.

In a selection of solid colours in Thin Laminates or panels, the AbsoluteMatte® range is the premium choice for a modern matte finish.

## PANELS

| Product Offer | Finishes | Panel Dimensions | Thickness | Protec+ |
|---|---|---|---|---|
| AbsoluteMatte® Panel (MR E0 MDF) | AbsoluteMatte® | 2400mm x 1200mm<br>3600mm x 1200mm^ | 18mm & 25mm substrate thickness<br>(18.6mm & 25.6mm finished panel thickness) | - |
| AbsoluteMatte® Thin Laminates | AbsoluteMatte® | 3600mm x 1500mm | 0.7mm sheet thickness | ✓ |
| AbsoluteMatte® Compact Laminate | AbsoluteMatte® | 3600mm x 1500mm | 13mm sheet thickness<br>18mm sheet thickness<br>(Made to Order) | ✓ |

^Selected colours. Refer to the Laminex National Availability Guide.

## ABS EDGING

| | Width | 23mm | 29mm | 38mm | 42mm |
|---|---|---|---|---|---|
| AbsoluteMatte® | Thickness | 1mm | 1mm | 1mm | 1mm |
| | Rolls | 25m, 100m | 100m | 25m, 100m | 25m, 50m |
| InvisiEdge® Edging | Thickness | 1.2mm | - | - | - |
| | Rolls | 100m | - | - | - |

Note: Not all colours are stocked in all standard ABS and InvisiEdge Edging. Please refer to laminex.com.au for availability. Matching Edging for 33mm Made to Order options may attract higher minimum order and longer lead times.

Note: ABS edging not being supplied with GECA or Declare

Protec+ Antimicrobial Technology

A proud Australian manufacturer

Declare.

GECA CERTIFIED

For full technical details, refer to the Technical Support Information available at laminex.com.au

## ABSOLUTEMATTE® FEATURES

Horizontal Application

Vertical Application

Fingerprint Resistant

Stain Resistant

Heat Resistant

Water Resistant

Scratch Resistant

Polar White
AM

White
AM

Aries
AM

Surf
AM

Oyster Grey
AM

Paper Bark
AM

Spinifex
AM

Green Slate
AM

Otway
AM

Pewter
AM

Stormcloud
AM

Terril
AM

Moroccan Clay
AM

Kalamata
AM

French Navy
AM

Black
AM

**Legend** **AM** AbsoluteMatte® Finish

# FIREGUARD® DÉCOR

**Perfect for Ceiling and Wall Lining applications, this Group 2 fire-rated Moisture Resistant, Medium Density Fibreboard is decorated on both sides with a hard-wearing melamine surface. With excellent fire retardant and machining properties, Fireguard® Décor is ideally suited for wall and ceiling applications. Offered with a practical Grey Core in 16 popular décors, the Laminex Fireguard® Décor range will create a unique design feature in any commercial space.**

All décors are available in either a 2400 x 1200 x 12mm sheet for ceiling linings or a 3600 x 1200 x 18mm sheet for wall linings.

In addition to the stocked offer, the full range of Laminex Colour Palette colours can be supplied as Laminex Fireguard® Décor in the sheet size/thickness options listed below. Lead times and minimum quantities apply and are detailed below.

## AVAILABILITY

| Fireguard® Decor | 9mm | 12mm | 16mm | 18mm | Common Applications |
|---|---|---|---|---|---|
| 2400mm x 1200mm | SOE | ✓ | SOE | SOE | Wall & Ceiling Lining |
| 3600mm x 1200mm | SOE | SOE | SOE | ✓ | Wall Lining |

| ✓ | SOE | Lead Time |
|---|---|---|
| Stocked | Special Order Enquiry | 25 Day ex. Plant |

| Minimum Order Quantity | |
|---|---|
| 9mm | 60 Sheets |
| 2400x1200mm 12mm | 60 Sheets |
| 3600x1200mm 12mm | 60 Sheets |
| 16–18mm | 40 Sheets |

## LAMINEX FIREGUARD® DÉCOR FEATURES

Fire Resistant | Water Resistant | Light Duty Horizontal | Vertical Application | Stain Resistant | Tactile | UV Stable Indoor Use

A proud Australian manufacturer

Declare.

GECA CERTIFIED

For full technical details, refer to the Technical Support Information available at **laminex.com.au**

Polar White
N



White
N



Ghostgum
N



Oyster Grey
N

Seasoned Oak
C

Whitewashed Oak
C



Classic Oak
NU

Raw Birchply
N



Sublime Teak
C



Elegant Oak
C



Planked Urban Oak
C

Rural Oak
C



Danish Walnut
C



Blackened Legno
C

Terril
F

Black
F

Laminex Fireguard® Décor is a certified Group 2 material, in accordance with AS 5637.1. You must ensure your specific installation method, or alterations made to the panels, achieves the group rating required for your application.

Find the Fireguard Decor fire certification documents here:
**https://www.laminex.com.au/brands/laminex/product-ranges/fireguard**

**Legend** **N** Natural Finish **C** Chalk Finish **F** Flint Finish **NU** Nuance Finish

# DÉCOR FEATURE: THE LAMINEX PLYWOOD SERIES

**Laminex Plywood Décors have been painstakingly designed to deliver the authentic appeal of real plywood with the hard-wearing performance of Laminex.**

## BENEFITS OF LAMINEX DÉCORS PLYWOOD LAMINATE OVER PLYWOOD

The Laminex performance characteristics – durability, cleanability and ease of maintenance, stain resistance, UV resistance and colour stability – are the most obvious reasons for specifying Laminex Plywood Décors over real ply, but there are others. Installation is much simpler, for example, because the laminated panel is pre-finished, there's no lacquering or staining; it just has to be cut to size and edged.

Laminex manufactures Plywood Laminate locally in Australia which creates a supply chain and cost advantage, compared to the imported plywood materials that can have logistics issues.

Raw Birchply
N C



Black Birchply
N C

Smoked Birchply
N



Rotary Hoop Pine TrueScale™
N AGR

Multiplex Raw
Birchply Edging



Multiplex Black
Birchply Edging



Multiplex Smoked
Birchply Edging

Multiplex Natural Edging

## MATCHING PLYWOOD EDGING

To make your specification seamless Laminex have developed different types of multiplex plywood edging to match each décor.

For full technical details, refer to the Technical Support Information available at **laminex.com.au**

**Legend** **N** Natural Finish **C** Chalk Finish **AGR** AbsoluteGrain® Finish

**Lockers, Wall Panelling and Joinery** Laminex Raw Birchply
**Project** The Wellness Room
**Architect** Medifit Design & Construct
**Photography** Steve Scalone

# MULTIPURPOSE COMPACT LAMINATE

Laminex Multipurpose Compact Laminate is beautiful in appearance and highly resilient. It's extremely scratch, wear, stain, moisture and impact resistant, all backed by a 10-year limited warranty. This thick, versatile, self-supporting laminate panel is suitable for a variety of internal applications and is ideal for use in public and leisure spaces, such as public amenities/bathrooms, as well as furniture requiring design durability.

Protec+ Antimicrobial Technology

A proud Australian manufacturer

Declare.

GECA CERTIFIED

**Products** Laminex Classic Oak Multipurpose Compact Laminate
**Project** Pinnacle Gym by InOne Projects

| COMPACT LAMINATE | MULTIPURPOSE | | LABORATORY | ALFRESCO |
|---|---|---|---|---|
| FINISH | Natural | AbsoluteMatte® | Carbide | Carbide |
| COLOUR | 54 colours* | 16 colours | 7 colours | 11 colours |
| DECORATED | Double Sided | Double Sided | Double Sided | Double Sided |
| CORE | Black | Black | Black | Black |
| THICKNESS | 13mm or 18mm* | 13mm or 18mm* | 13mm or 16mm | 13mm |
| PANEL DIMENSION | 3600 x 1800mm | 3600 x 1500mm | 3600 x 1500mm | 3600 x 1500mm |
| CHEMICAL RESISTANCE | - | - | 130+ Chemicals Tested | - |
| UV RESISTANCE | Indoor Rated | Indoor Rated | Indoor Rated | Covered Outdoor Areas |
| ELECTRON BEAM CURED SURFACE | - | Yes | Yes | Yes |
| PROTEC+ ANTIMICROBIAL | Yes | Yes | Yes | Yes |
| GRAFFITI RESISTANCE | - | - | Yes | - |
| GECA AND DECLARE | Yes | Yes | Yes | Yes |
| LIMITED WARRANTY | 10 Years | 10 Years | 10 Years | 7 Years |
| MADE IN AUSTRALIA | Yes | Yes | Yes | Yes |

*All Multipurpose colours stocked in 13mm. Select colours also stocked in 18mm (refer to Laminex National Availability Guide). Any Multipurpose colour can be Made to Order in 18mm with a 21-day lead time (Ex Plant) and a minimum order quantity of 6 sheets.

**A select range of AbsoluteMatte® colours are stocked in 13mm Multipurpose Compact (see page 36). All AbsoluteMatte® colours can be Made to Order as Multipurpose Compact with a 21-day lead time (Ex Plant) and a minimum order quantity (MOQ) of six sheets. 18mm Multipurpose Compact in any AbsoluteMatte® colour is also available with the same lead time and MOQ.

## MULTIPURPOSE COMPACT LAMINATE FEATURES

Antimicrobial | Stain Resistant | Heat Resistant | Scratch Resistant | Impact Resistant | Water Resistant | UV Stable Indoor Use

Polar White
N AM**

Chalk White
N

White
N AM**

Ghostgum
N

Surf
AM**

Paper Bark
AM**

Aries
N AM**

Oyster Grey
N AM

Spinifex
N AM**

Bayleaf
N

Fox
N

Tornado
N

Pewter
AM**

Lava Grey
N

Olivine
N

Green Slate
N AM**

Otway
N AM

Fossil
N

Moose
N

Platypus
N

**Legend** **N** Natural Finish **NU** Nuance Finish **C** Chalk Finish **AM** AbsoluteMatte® Finish

Battalion
N

Stormcloud
AM**

Charcoal
N

Terril
N AM

French Navy
N AM

Black
N NU AM



Milkwood
N

Seasoned Oak
N



Rotary Hoop Pine TrueScale™
N



Victorian Ash TrueScale™
N

Raw Birchply
N

Calm Oak
N



Classic Oak
N NU



Elegant Oak
N

Sublime Teak
N

Tasmanian Oak TrueScale™
N

Spotted Gum TrueScale™
N



Blackbutt TrueScale™
N



Light Jarrah TrueScale™
N

Rural Oak
N

**Legend** **N** Natural Finish **NU** Nuance Finish **C** Chalk Finish **AM** AbsoluteMatte® Finish


Planked Urban Oak
N


Natural Walnut
N

Danish Walnut
N

Sepia Walnut
N


Burnished Wood
N


Zincworks
N

New Graphite
N

Greystone
N

Portsea
N

Kalamata
AM**

Pillarbox
N

Moroccan Clay
N AM**

Coastal Sunrise
N


Golden Wattle
N

Manhattan Concrete
N


Calacatta Majore TrueScale™
N


Premio Carrara TrueScale™
N


Luxe Elba TrueScale™
N

Marmo Grigio TrueScale™
N

**Legend** **N** Natural Finish **NU** Nuance Finish **C** Chalk Finish **AM** AbsoluteMatte® Finish

**Cabinetry** Laminex Portsea
**Internal Cabinetry** Laminex Moroccan Clay
**Tabletop** Laminex Multipurpose Compact Laminate in Marmo Grigio TrueScale™

# MULTIPURPOSE COMPACT LAMINATE ABSOLUTEMATTE® FINISH

Available now in Laminex Multipurpose Compact Laminate, AbsoluteMatte® is a super-matte, intriguingly tactile and fingerprint-resistant surface. Advanced new technology delivers fingerprint resistance, plus features our Protec+ technology to ensure your surfaces stay cleaner for longer.

Laminex Multipurpose Compact Laminate in AbsoluteMatte® Finish is proudly made in Australia.

## LAMINEX ABSOLUTEMATTE® COMPACT LAMINATE FEATURES

Horizontal Application | Vertical Application | Fingerprint Resistant | Anti-microbial | Stain Resistant | Heat Resistant | Water Resistant | Scratch Resistant | UV Stable Indoor Use

Declare.

GECA CERTIFIED

For full technical details, refer to the Technical Support Information available at **laminex.com.au**

| COMPACT LAMINATE | MULTIPURPOSE | | LABORATORY | ALFRESCO |
|---|---|---|---|---|
| FINISH | Natural | AbsoluteMatte® | Carbide | Carbide |
| COLOUR | 54 colours | 16 colours* | 7 colours* | 11 colours |
| DECORATED | Double Sided | Double Sided | Double Sided | Double Sided |
| CORE | Black | Black | Black | Black |
| THICKNESS | 13mm or 18mm* | 13mm or 18mm* | 13mm or 16mm | 13mm |
| PANEL DIMENSION | 3600 x 1800mm | 3600 x 1500mm | 3600 x 1500mm | 3600 x 1500mm |
| CHEMICAL RESISTANCE | - | - | 130+ Chemicals Tested | - |
| UV RESISTANCE | Indoor Rated | Indoor Rated | Indoor Rated | Covered Outdoor Areas |
| ELECTRON BEAM CURED SURFACE | - | Yes | Yes | Yes |
| PROTEC+ ANTIMICROBIAL | Yes | Yes | Yes | Yes |
| GRAFFITI RESISTANCE | - | - | Yes | - |
| GECA AND DECLARE | Yes | Yes | Yes | Yes |
| LIMITED WARRANTY | 10 Years | 10 Years | 10 Years | 10 Years |
| MADE IN AUSTRALIA | Yes | Yes | Yes | Yes |

*A select range of AbsoluteMatte® colours are stocked in 13mm Multipurpose Compact (see page 36). All AbsoluteMatte® colours can be Made to Order as Multipurpose Compact with a 21-day lead time (Ex Plant) and a minimum order quantity (MOQ) of six sheets. 18mm Multipurpose Compact in any AbsoluteMatte® colour is also available with the same lead time and MOQ.

## STOCKED

Stocked in 13mm.
Available in 18mm as Made to Order.

White
AM

Oyster Grey
AM

Otway
AM

Terril
AM

French Navy
AM

Black
AM

## MADE TO ORDER

Available in 13mm
or 18mm as MTO.

Polar White
AM

Aries
AM

Surf
AM

Paper Bark
AM

Spinifex
AM

Green Slate
AM

Pewter
AM

Stormcloud
AM

Moroccan Clay
AM

Kalamata
AM

**Legend** **AM** AbsoluteMatte® Finish

**Tabletops** Laminex Multipurpose Compact Laminate in Otway AbsoluteMatte®
**Wall linings** Laminex Structural MR® MDF in Oyster Grey

# LABORATORY COMPACT LAMINATE

**Worktops are a critical element of laboratory furniture and the selection of material used is vital to the efficient and effective functioning of the laboratory environment. Laminex Laboratory Compact Laminate is the premium choice for vulnerable surfaces, with superior moisture, wear and chemical resistant properties. With machinability similar to that of hardwood, it's a versatile material that can easily incorporate sinks, drip-cups and tap-holes.**

**Laminex Laboratory Compact Laminate is proudly made in Australia.**

Laminex Laboratory Compact Laminate features an Electron Beam Cured (EBC) surface for enhanced chemical resistance and hygienic properties.

Tested against 130+ chemicals, including Silver Nitrate, making this surface suitable for both horizontal and vertical applications in spaces that require the use of harsh chemicals or vigorous cleaning regimes.

It resists acids, alkalis, corrosive salts and other destructive or staining substances, and is graffiti resistant.



White
CB



Parchment
CB



Oyster Grey
CB



Zincworks
CB

Greystone
CB

Terril
CB

Black
CB

**Legend** **CB** Carbide Finish

Protec+ Antimicrobial Technology

A proud Australian manufacturer

Declare.

GECA CERTIFIED

| COMPACT LAMINATE | MULTIPURPOSE | | LABORATORY | ALFRESCO |
|---|---|---|---|---|
| FINISH | Natural | AbsoluteMatte® | Carbide | Carbide |
| COLOUR | 54 colours | 16 colours | 7 colours* | 11 colours |
| DECORATED | Double Sided | Double Sided | Double Sided | Double Sided |
| CORE | Black | Black | Black | Black |
| THICKNESS | 13mm or 18mm* | 13mm or 18mm* | 13mm or 16mm* | 13mm |
| PANEL DIMENSION | 3600 x 1800mm | 3600 x 1500mm | 3600 x 1500mm | 3600 x 1500mm |
| CHEMICAL RESISTANCE | - | - | 130+ Chemicals Tested | - |
| UV RESISTANCE | Indoor Rated | Indoor Rated | Indoor Rated | Covered Outdoor Areas |
| ELECTRON BEAM CURED SURFACE | - | Yes | Yes | Yes |
| PROTEC+ ANTIMICROBIAL | Yes | Yes | Yes | Yes |
| GRAFFITI RESISTANCE | - | - | Yes | - |
| GECA AND DECLARE | Yes | Yes | Yes | Yes |
| LIMITED WARRANTY | 10 Years | 10 Years | 10 Years | 7 Years |
| MADE IN AUSTRALIA | Yes | Yes | Yes | Yes |

*All Laboratory Compact colours stocked in 13mm. Select colours also stocked in 16mm (refer to Laminex National Availability Guide).
Any Laboratory Compact colour can be Made to Order in 16mm with a 21-day lead time (Ex Plant) and a minimum order quantity of six sheets.

## CHEMICAL RESISTANT LAMINATE FEATURES

Horizontal Application | Vertical Application | Chemical Resistant | Stain Resistant | Heat Resistant | Water Resistant | Scratch Resistant | Impact Resistant | UV Stable Indoor Use

# ALFRESCO COMPACT LAMINATE

Laminex Alfresco Compact Laminate will inspire you to spend more time outdoors. With outstanding resilience and sophisticated style, this durable compact laminate opens up even more outdoor design possibilities. Specifically created for covered outdoor areas exposed to the elements, it's a revolution in outdoor living, allowing seamless design integration between interior and exterior areas.

Laminex Alfresco Compact Laminate is proudly made in Australia.

| COMPACT LAMINATE | MULTIPURPOSE | | LABORATORY | ALFRESCO |
|---|---|---|---|---|
| FINISH | Natural | AbsoluteMatte® | Carbide | Carbide |
| COLOUR | 54 colours | 16 colours | 7 colours | 11 colours |
| DECORATED | Double Sided | Double Sided | Double Sided | Double Sided |
| CORE | Black | Black | Black | Black |
| THICKNESS | 13mm or 18mm | 13mm or 18mm | 13mm or 16mm | 13mm |
| PANEL DIMENSION | 3600 x 1800mm | 3600 x 1500mm | 3600 x 1500mm | 3600 x 1500mm |
| CHEMICAL RESISTANCE | - | - | 130+ Chemicals Tested | - |
| UV RESISTANCE | Indoor Rated | Indoor Rated | Indoor Rated | Covered Outdoor Areas |
| ELECTRON BEAM CURED SURFACE | - | Yes | Yes | Yes |
| PROTEC+ ANTIMICROBIAL | Yes | Yes | Yes | Yes |
| GRAFFITI RESISTANCE | - | - | Yes | - |
| GECA AND DECLARE | Yes | Yes | Yes | Yes |
| LIMITED WARRANTY | 10 Years | 10 Years | 10 Years | 7 Years |
| MADE IN AUSTRALIA | Yes | Yes | Yes | Yes |

Note: Not all colours stocked in all thicknesses but are available Made to Order. Please refer to the Laminex National Availability Guide.

Protec+ Antimicrobial Technology

A proud Australian manufacturer

Declare.

GECA CERTIFIED

For full technical details, refer to the Technical Support Information available at **laminex.com.au**

Laminex Alfresco Compact Laminate delivers superior moisture, wear, UV and weather resistance. Its distinctive black core eliminates the need for edge treatment and serves as a striking design feature. Available in 11 décors it's a low maintenance alternative to wood and other outdoor products.

## ALFRESCO COMPACT LAMINATE FEATURES

Horizontal Application

Vertical Application

Stain Resistant

Heat Resistant

Water Resistant

Impact Resistant

Scratch Resistant

Covered Outdoor Use



Parchment
CB



Oyster Grey
CB

Terril
CB

Black
CB

Rural Oak
CB



Classic Oak
CB



Natural Walnut
CB



Burnished Wood
CB



Premio Carrara TrueScale™
CB

Manhattan Concrete
CB

Greystone
CB

**Legend** **CB** Carbide Finish

# MADE TO MEASURE COMPACT LAMINATE

**The Laminex Made-to-Measure offer is a hassle-free, ready-to-install compact laminate panel solution. This service easily allows customers and tradespeople to use compact laminate for a variety of internal and external applications, and is ideal for large or small projects, from alfresco kitchens – including doors, panels and benchtops, to restaurant tabletops, laboratory benchtops and doors, and loose commercial furniture.**

### PAY FOR ONLY WHAT YOU NEED

Panels are customised and charged on a square metre rate: you only pay for what you need. No minimum order applies to this offer.

### NO ADDITIONAL DELIVERY FEES AND CONVENIENT LEAD TIME

Regardless of the order size or location, you are only charged with the standard Laminex 'first order of the day' fee. From when your order is accepted, our standard lead time is only 10 business days plus delivery. For larger orders, the standard lead time may be impacted. We will inform you of your new lead time once it is entered into the system.

### SUPERIOR QUALITY SUBSTRATES

Made-to-Measure Compact Laminate is available in all grades of Laminex Compact Laminate, which are proudly Australian made. All substrates are Global GreenTag certified and feature Protec+ Antimicrobial Technology for added protection and peace of mind.

### NO NEED FOR SPECIALTY EQUIPMENT

There is no need for specialist cutting and lifting equipment, as the compact laminate panels are custom made – including the option of routering and pre-drilling for handles and hinges – to meet your design needs.

## EDGE PROFILES



2mm Aris



8.5mm Radius Bull Nose



Straight Cut



Sharknose

## WARRANTIES:

Laminex Multipurpose Compact Laminate – 10 years
Laminex Laboratory Compact Laminate – 10 years
Laminex Alfresco Compact Laminate – 7 years

Protec+ Antimicrobial Technology

A proud Australian manufacturer

Declare.

GECA CERTIFIED

For full technical details, refer to the Technical Support Information available at **laminex.com.au**
For all Made-to-Measure Compact Laminate enquiries please email us at **CutToSize@laminex.com.au**

**Table tops** Laminex Multipurpose Compact Laminate in Classic Oak
**Wall panels** Laminex Decorated Particleboard in Black Birchply
**Design and styling** Bree Banfield
**Photography** Mike Baker

# LAMINEX WATERLOO™ PARTITIONING SYSTEMS

Laminex Waterloo™ Partitioning Systems will give you a quality complete fitout that will be admired for years to come. Laminex Waterloo™ is made from high quality Australian made Laminex substrates, backed by over 90 years of expertise for quality you can trust. Assembled locally in Australia using only GECA and Declare Red List approved certified Laminex substrates, the Laminex Waterloo™ range includes shower and toilet partitions, locker systems, vanities, seating, privacy panels and wall panels. These can be customised for applications ranging from offices, retail spaces, healthcare facilities, educational facilities, sports and recreation venues and everywhere in between.

## WHY USE LAMINEX WATERLOO™ PARTITIONING SYSTEMS?

### NATIONAL COVERAGE

– National distribution coverage
– Nationwide approved referral installation network
– National sales and after sales support

### SUPERIOR QUALITY

– Made from quality Laminex substrates with GECA certified and Declare Red List Certifications
– Quality and durable system designs including:
  - Reinforced aluminium head rails for system strength
  - Anodised aluminium hardware and stainless steel screws
  - Rounded panel/door edges for added safety measures
– In-house design and manufacturing with total control of the process from start to finish

### ANTIMICROBIAL SURFACE TECHNOLOGY

– Laminex Multipurpose Compact Laminate and Structural MR® MDF features Protec+ Antimicrobial Technology, which inhibits the growth of fungal, bacterial and COVID-19 virus properties

### PROUD AUSTRALIAN MANUFACTURER

– Assembled in regional Australia
– Made from Australian made substrates

### SUPERIOR WARRANTIES & GUARANTEES

– Laminex Compact Laminate Warranty – 10 years
– Laminex Structural MR® MDF Warranty – 7 years
– Partitioning Door Hardware Replacement Guarantee – 5 years

Protec+ Antimicrobial Technology

A proud Australian manufacturer

Declare.

GECA CERTIFIED

For full technical details, refer to the Technical Support Information available at **laminex.com.au**
For all Laminex Waterloo™ Partitioning Systems enquiries, please call 132 136 (Option 5) or email us at **partitioning@laminex.com.au**

**Arched Doors Partitioning System** Laminex AbsoluteMatte®
Multipurpose Compact in Otway with matte black hardware

# CHEMICAL RESISTANT LAMINATE

Laminex Chemical Resistant Thin Laminates are designed to provide advanced protection against damaging chemicals in a number of harsh environments. Economical, durable, stylish and easy to maintain, the innovative laminate construction is intended for interior horizontal and vertical applications.

Laminex Chemical Resistant Laminate is proudly made in Australia.

| LAMINEX CHEMICAL RESISTANT LAMINATE | THICKNESS | WEIGHT | FINISH |
|---|---|---|---|
| 3600mm x 1200mm | 0.8mm (Nominal) | 1.0kg/M² Approx | Natural |

Protec+ Antimicrobial Technology

A proud Australian manufacturer

Declare.

GECA CERTIFIED

**Project** Victorian Heart Hospital
**Architects** John Wardle Architects & Conrad Gargett
**Photographer** Peter Bennetts
**Benchtops** Laminex Chemical Resistant Laminate in White

These surfaces feature improved chemical resistance to acids, alkalis, corrosive salt and other destructive or staining substances. They're suitable for horizontal surfaces include sinks, counters, laboratory benches and tabletops. Ideal vertical surfaces include cabinets, casework fronts, wall splashback panels or screens.

## CHEMICAL RESISTANT LAMINATE FEATURES

Horizontal Application | Vertical Application | Chemical Resistant | Stain Resistant | Heat Resistant | Water Resistant | Scratch Resistant | Impact Resistant | UV Stable Indoor Use



Polar White
N



White
N



Ghostgum
N



Parchment
N



New Antique White
N



Oyster Grey
N



Silver Grey
N



Zincworks
N

Greystone
N

**Legend** **N** Natural Finish

# METALLIC LAMINATES

The refined glamour of metallic surfaces and features is timeless. From brilliant accents to statement panelling, metallics bring drama and sophistication to any space.

Elevate commercial interiors with our innovative collection of radiant metallic surfaces, manufactured from real metal foils. Featuring tones found in the tapware, handles and hardware industry, this range has an option for all projects.

## TECHNICAL DETAILS

| SHEET SIZE | THICKNESS | WEIGHT | FINISH |
|---|---|---|---|
| 2400mm x 1200mm | 0.8mm to 1.3mm | 1.5kg/m2 approx (1mm) | Various |

Note: Special fabrication requirements apply to Brushed Stainless Steel laminate. Not to be used in high humidity environments as corrosion of the metal foil may occur. Care should be taken with handling and fabrication as damage to the protective surface lacquer will lead to corrosion of the metal. Avoid metal to metal contact when using fittings; use a mastic or gasket to prevent metal to metal corrosion.

## LAMINEX METALLIC LAMINATES FEATURES

Vertical Application

Tactile

Dimensional Stability

For full technical details, refer to the Technical Support Information available at **laminex.com.au**

Brushed Stainless Steel


Plex Argent


Plex Graphite

Brushed Titanium

Brushed Brass

Brushed Bronze

Copper Brush

Mirror Smoke

Satin Smoke

# CUSTOMART® SURFACES

Laminex CustomArt® Surfaces help you build exciting, dynamic and ever inspirational interiors. Made locally in Australia, they are custom built to ensure you achieve your ideal vision. Perfect for just about any internal application, you can choose a design from our exclusive collection of colours, patterns, photographs or text, or create your own unique palette or print. Whatever you decide, the result will be outstanding. So for eye catching doors, walls, benchtops, ceilings and more, explore the stunning possibilities with Laminex CustomArt® Surfaces.

Laminex CustomArt® Surfaces offer a range of laminate grades. This means they can be used for internal application.

### STANDARD LAMINATE (XTRA GRADE)

CustomArt® Xtra Grade is a general purpose laminate for interior applications, including benchtops, tabletops, furniture, wall murals, interior signage and exhibition displays. Its hard surface finish provides added durability against scratching, wear and graffiti. CustomArt® Xtra Grade requires bonding to a suitable substrate prior to installation.

To learn more about the process visit **laminex.com.au**

### COMPACT LAMINATE

With enhanced durability and impact resistance, CustomArt® Compact Laminate is the perfect solution for custom furniture, lockers, tabletops and so much more.

Declare.

GECA CERTIFIED

**Wall linings** Laminex CustomArt®
**Project** Royal Adelaide Hospital
**Architect** Silver Thomas Hanley
**Artist** Annalise Rees
**Photography** Steedform

Protec+® Antimicrobial Technology

A proud Australian manufacturer

**Wall linings** Laminex CustomArt®
**Project** Royal Adelaide Hospital
**Architect** Silver Thomas Hanley
**Artist** Annalise Rees
**Photography** Steedform

## TECHNICAL DETAILS

| SHEET SIZE | THICKNESS | WEIGHT | FINISH |
|---|---|---|---|
| 3600mm x 1200mm (nominal) | 1.0mm (nominal) | 1.7kg/m2 approx | Natural |
| 3600mm x 1200mm (nominal) | 13mm | 1.7kg/m2 approx | |

## HIGH PRESSURE LAMINATE (HPL) FEATURES

Horizontal Application | Vertical Application | Stain Resistant | Heat Resistant | Water Resistant | Scratch Resistant | UV Stable Indoor Use | Dimensional Stability

For full technical details, refer to the Technical Support Information available at **laminex.com.au**

# WRITABLE SURFACES

Laminex Writable Surfaces help you turn every day surfaces into dynamic zones for sharing and collaboration. The magnetic laminate panels have a decorative face which can be written on with a whiteboard marker and easily cleaned. With product options that include an embedded metal foil layer to ensure magnetic objects hold strongly to the surface, Laminex Writable Surfaces are the ultimate functional solution for creative spaces.

The Laminex Writable Surfaces range is perfect for school or university classroom walls, office wall or partitioning surfaces, meeting and board rooms and restaurant menu boards, tabletops and desktops.

## TECHNICAL DETAILS

| | LAMINEX DIAMONDGLOSS LAMINATE | LAMINEX WRITABLE MAGNETIC LAMINATE | |
|---|---|---|---|
| | High Pressure Laminate | High Pressure Laminate | High Pressure Laminate on E0 MR® MDF |
| **THICKNESS** | 0.7mm | 1mm | 18mm |
| **WRITEABLE** | Yes | Yes | Yes |
| **MAGNETIC** | No | Yes | Yes |
| **POST-FORMABLE** | Yes | No | N/A |
| **DECORATED** | Single Sided | Single Sided | Double Sided |
| **PRODUCT DIMENSIONS** | 3595 x 1395mm | 2440 x 1220mm<br>3050 x 1220mm | 3000 x 1200mm<br>2400 x 1200mm |
| **RECOMMENDED ORIENTATION** | Horizontal, Vertical | Vertical, Light Wear Horizontal | Vertical, Light Wear Horizontal |
| **FINISH** | DiamondGloss | Gloss | Gloss |
| **WEIGHT (APPROX)** | 1kg/m2 | 2.8kg/m2 | 17.6kg/m2 |

Protec+ Antimicrobial Technology

A proud Australian manufacturer

## DIAMONDGLOSS LAMINATE

Polar White

White

Ghostgum

Alabaster

Aries

Oyster Grey

## WRITABLE MAGNETIC LAMINATE

Glossy White

**VISIT US**

For location of your closest showroom or more information visit **laminex.com.au**

**PRODUCT SAMPLE**

For a sample visit **laminex.com.au**

**DESIGN STORIES**

To hear the latest design and product stories from us, sign up to our newsletter at Laminex.com.au

**CALL US**

For trade enquiries **132 136**

**FOLLOW US**

facebook.com/Laminexau

au.pinterest.com/Laminexau

instagram.com/Laminexau

youtube.com/Laminexau

Laminex®

Laminex® is manufactured, marketed and distributed by Laminex Group Pty Limited ABN 98 004 093 092. The colours and finishes for all imagery and product swatches in this brochure may vary due to paper, printing processes and photographic lighting. For an accurate representation of the product, please view a physical sample. Please obtain a copy of the terms and conditions of the applicable warranties from laminex.com.au. All warranties are in addition to any rights that may exist under the Australian Consumer Law. Laminex®, Impressions™, AbsoluteMatte®, DiamondGloss®, Silk™, AbsoluteGloss™. The content of this document is intended as a guide only and its use in any respect is strictly at your own risk. While Laminex has taken all reasonable care in producing this document, Laminex makes no representations or warranties, express or implied, as to the accuracy, reliability or completeness of the information. We recommend that you seek independent advice to determine the suitability of any product or information for your intended application. To the extent permitted by law, Laminex disclaims all liability (including liability for negligence) for all loss, damage, liability or claim resulting from the use of the information provided in this document. Liability which cannot legally be excluded is limited to the maximum extent possible. Copyright in this document is owned by Laminex Group Pty Limited (Laminex). All rights reserved. You must not use, copy, disclose or distribute the content of this document without Laminex' prior written permission.

Copyright © 2026, Laminex Group Pty Limited