

NURSING JURISPRUDENCE AND ETHICS IN TEXAS

Part 1 of 2 - Legal Foundations, Standards, Scope, Duty, Ethics, Delegation, and Safe Harbor

Audience: RN | Total activity: 2.0 contact hours | Pharmacology: 0.0 hours | Expected revision: October 4, 2028

This is one part of a single two-part activity. No separate credit is awarded for an individual part.

Purpose and learning outcomes

This enduring material prepares Texas registered nurses to apply the Nursing Practice Act, Board rules, Board position statements, nursing ethics, and professional-boundary principles to common clinical decisions. Across both parts, the learner should be able to explain the regulatory hierarchy; apply Rule 217.11; analyze scope and competence; respond to unsafe orders and assignments; recognize confidentiality, boundary, delegation, reporting, and safe-harbor issues; and use ethical reasoning to support safe, accountable nursing practice.

Audience and scope. The source article identified the audience as RN. Texas jurisprudence requirements also apply to LVNs and APRNs, but role-specific decisions must be made under the rules governing the license actually held. This material is educational and does not substitute for legal advice or the current text of Texas law.

Why Texas nursing jurisprudence matters

Nursing jurisprudence is the practical study of the laws, rules, and regulatory expectations that define safe nursing practice. In Texas, it is not an abstract legal subject. It determines what a nurse may do, what a nurse must do, and what a nurse must refuse or clarify when an order, assignment, policy, or workplace practice conflicts with patient safety. The Texas Board of Nursing (BON) regulates nursing to protect the public, and the nurse remains individually accountable to the Nursing Practice Act (NPA) and Board rules even when acting within an employer's system. This means that a facility policy can guide practice, but it cannot authorize a nurse to violate the NPA or a Board rule. Likewise, an order from an authorized prescriber does not eliminate the nurse's obligation to recognize a contraindication, clarify an unsafe or inaccurate order, or refuse to carry out an intervention that would violate the standards of nursing practice (Texas Board of Nursing [BON], 2026a).

Texas law requires each nurse to complete at least two contact hours of continuing nursing education in nursing jurisprudence and nursing ethics before the end of every third two-year licensing period. The requirement applies to all nurses licensed by the Texas BON and is separate from the one-time jurisprudence examination associated with initial licensure. The required content includes the Texas Nursing Practice Act, Board rules including Rule 217.11, Board position statements, principles of nursing ethics, and professional boundaries. These targeted hours count within, rather than in addition to, the general continuing competency requirement. Certification cannot substitute for this targeted requirement, and APRNs must use continuing nursing education rather than category 1 CME to satisfy it (Texas Occupations Code §301.305; 22 Tex. Admin. Code §216.3(g); BON, 2026b).

The most useful way to study jurisprudence is to connect legal language to ordinary clinical decisions. A nurse who accepts a patient assignment, documents an assessment, administers a medication, delegates a task, gives advice by telephone, posts on social media, uses an artificial-intelligence tool, or raises a concern about unsafe staffing is making choices that may have legal and ethical consequences. This article therefore emphasizes decision-making rather than memorization. It uses the NPA, Board rules, current Texas BON position statements, and contemporary nursing ethics to build a repeatable method for deciding what safe, lawful, and professionally defensible nursing practice looks like.

The governing hierarchy is important. Statutes enacted by the Texas Legislature create the Board and the legal framework for licensure and practice. Board rules in the Texas Administrative Code implement and interpret that statutory authority. Position statements do not replace statutes or rules, but they explain how the Board applies regulatory prin-

ciples to recurring practice questions. Employer policies add local operational requirements, and professional standards contribute evidence about accepted nursing practice. When these layers appear to conflict, the nurse should identify the controlling law or rule, protect the patient, seek clarification through appropriate channels, and document the clinical reasoning and actions taken.

The Texas Nursing Practice Act: the legal foundation



Figure 1. Texas regulatory hierarchy and practical scope-of-practice checks.

The Texas Nursing Practice Act is located in Chapter 301 of the Texas Occupations Code. It establishes the Texas Board of Nursing, defines professional and vocational nursing, creates licensure requirements, authorizes continuing competency requirements, and describes grounds for discipline and reporting obligations. For the practicing RN, the most important concept is that nursing is a licensed profession with an independent duty to the patient. Nursing practice is not simply a list of tasks performed under someone else's authority. It is the application of nursing knowledge, judgment, assessment, intervention, evaluation, teaching, coordination, and accountability within the boundaries created by law and the nurse's education and competence (Texas Occupations Code §301.002).

Professional nursing is defined broadly and includes observation, assessment, intervention, evaluation, rehabilitation, care and counsel, health teaching, maintenance of health, prevention of illness, administration of medication or treatment when properly ordered, supervision and teaching of nursing, and administration and evaluation of nursing practices. The definition also recognizes certain physician-delegated medical acts authorized by law. Importantly, professional nursing does not include medical diagnosis or the prescription of therapeutic or corrective measures unless the nurse has

separate authority as an advanced practice registered nurse acting within applicable law and Board rules. A registered nurse should therefore distinguish nursing assessment and nursing judgment from medical diagnosis, and should avoid language or conduct that

implies authority not granted by the license held.

Texas also distinguishes vocational nursing from professional nursing. The LVN has a directed scope of practice and provides focused nursing care under appropriate supervision. The RN has a broader, independent nursing scope and is prepared to perform comprehensive nursing assessment and to make nursing judgments consistent with that scope. These distinctions matter whenever an RN assigns work, delegates a nursing task, supervises another caregiver, or evaluates whether a patient's condition is predictable enough for a particular level of nursing involvement. The fact that a task is technically simple does not by itself make it appropriate to delegate; the patient's condition, predictability, risk, required judgment, and available supervision all matter (BON, 2026c, 2026d).

Licensure also carries title protection. A person may not represent themselves as an RN or LVN unless properly licensed, and a nurse who works in another role does not shed the accountability attached to the nursing license. Texas BON Position Statement 15.15 explains that when a licensed nurse functions in a role that overlaps with nursing, the Board may still hold the person to the standards associated with the nursing license. This is particularly relevant in administrative, consulting, education, informatics, utilization management, aesthetics, and other nontraditional roles. A job description cannot erase professional accountability.

The NPA also establishes continuing competency requirements and authorizes targeted education. Nursing jurisprudence and ethics is one of those targeted subjects. The policy reason is

straightforward: a nurse cannot reliably meet legal duties that the nurse does not recognize. Law changes over time, Board rules are amended, and position statements are revised. For this reason, the Board repeatedly advises nurses to use current versions of the NPA, Board rules, and Board guidance rather than relying on what they learned in school or on a colleague's recollection of a rule.

A useful regulatory habit is to separate three questions. First, does the law permit the activity at the nurse's level of licensure? Second, is the individual nurse competent to perform it in the actual clinical circumstances? Third, does the clinical situation make the activity safe and appropriate for this patient at this time? A yes answer to the first question does not guarantee a yes to the next two. Scope of practice is both license-defined and situation-dependent. The nurse must consider education, demonstrated competency, patient condition, available resources, supervision, standards of care, and the potential consequences of error before accepting responsibility for an activity.

The nurse should also recognize the difference between the BON and a professional association. The Board is a state regulatory agency whose mission is public protection. It issues licenses, adopts rules, investigates complaints, and may impose disciplinary action. A professional nursing association advocates for nurses and the profession, develops professional standards, and may provide education and policy positions, but it does not grant Texas nursing licensure or determine whether a nurse violated a Board rule. When a legal question involves licensure, scope, or a possible rule violation, the nurse should begin with the NPA, Board rules, and official BON guidance.

Rule 217.11: minimum standards for nursing practice

Rule 217.11 is one of the central Texas rules for everyday nursing practice. It establishes minimum standards that apply to nurses across settings. The Board frequently emphasizes that the standard underlying the others is the duty to promote a safe environment for patients and others. The standards function as a regulatory floor. An employer may require more, and specialty standards may be more specific, but a workplace cannot require less than the Board's minimum expectations. A nurse should be able to explain how clinical decisions align with these standards, especially when an outcome is poor or a decision is later reviewed.

A foundational requirement is to know and conform to the NPA, Board rules, and other federal, state, or local laws that affect the nurse's current area of practice. This does not mean memorizing every law. It means recognizing which legal sources govern one's role and taking reasonable steps to stay current. A school nurse, home-health

nurse, emergency nurse, operating-room nurse, and telehealth nurse may face different non-BON laws, but all remain responsible for the NPA and Board rules. The safe-practice implication is that a nurse who enters a new specialty or accepts a novel role should identify the governing rules before a problem arises.

The rule requires nurses to implement measures that promote a safe environment. This expectation is broader than avoiding a direct error. It includes recognizing hazards, responding to changes in condition, using equipment safely, preventing foreseeable harm, communicating risk, and escalating concerns. When staffing, workflow, technology, or an order creates an unreasonable risk, the nurse's responsibility is not satisfied merely by stating that the problem came from someone else. The nurse should take action consistent with the situation: assess, intervene within scope, notify the appropriate person, request assistance, use the chain of command, invoke safe-harbor protections when applicable, and document objective facts.

Medication and treatment standards require the nurse to know the rationale for and effects of medications and treatments and to administer them correctly. The legal emphasis is on nursing judgment, not mechanical compliance. Before administration, the nurse should consider the order, patient-specific

factors, allergies, relevant assessment findings, contraindications, required monitoring, and whether the medication or treatment is appropriate to give at that time. If an order appears inaccurate, non-efficacious, or contraindicated, the nurse must clarify it with an appropriate licensed practitioner and notify the ordering practitioner when the nurse decides not to administer the medication or treatment. The mere presence of an order is not a defense for carrying out care that a reasonably prudent nurse recognizes as unsafe (BON, 2026e).

Accurate and complete documentation is also a regulatory obligation. Documentation should reflect the nursing care provided, significant observations, communication with the healthcare team, patient response, and clinically important follow-up. The record should be timely, factual, and attributable to the person who performed the care. Altering records to conceal an error, charting care that was not performed, documenting for another person, or creating misleading entries can transform a clinical

mistake into a serious professional-conduct issue. A late entry or correction should preserve the integrity of the original record and follow organizational policy without falsifying the timeline.

The standards also require nurses to respect patient privacy and confidentiality. Confidentiality is not limited to avoiding public discussion. It includes appropriate access to electronic records, secure communication, cautious use of photographs or messaging, and restraint on social media. Accessing a chart out of curiosity or discussing identifiable clinical information in a non-care context may violate privacy expectations even when no information is posted publicly. The ethical rationale aligns with the legal one: patients entrust nurses with sensitive information because care requires it, not because the information becomes part of the nurse's personal story.

Nurses must obtain instruction and supervision when necessary and make a reasonable effort to obtain orientation and training for unfamiliar procedures, equipment, or care situations. A nurse who is competent in one area is not automatically competent in another. The standard supports speaking up before performing an unfamiliar activity. In a rapidly changing clinical environment, asking for assistance is often evidence of professional judgment rather than weakness. If adequate orientation is unavailable and the assignment creates a risk of unsafe care, the nurse

must consider escalation and the protections available under Texas law and Board rules.

The standards require a nurse to make nursing assignments that consider patient safety and the qualifications of the person receiving the assignment. Similarly, a nurse must accept only assignments that take into account patient safety and that are commensurate with the nurse's educational preparation, experience, knowledge, and physical and emotional ability. This creates reciprocal accountability. A charge nurse cannot solve an unsafe staffing problem by placing an inappropriate assignment on another nurse, and an individual nurse cannot ignore a clearly unsafe mismatch simply because the charge nurse made the assignment.

Communication requirements appear throughout safe-practice standards. Nurses must communicate significant information to the appropriate members of the healthcare team and must institute nursing interventions that are necessary to stabilize a pa-

tient and prevent complications. A nurse should not wait passively for a prescriber to recognize a deterioration that the nurse has already identified. The nurse's role includes timely escalation, use of rapid-response resources when appropriate, and clear communication of assessment findings and urgency. Documentation should support, not substitute for, the actual communication.

Patient advocacy is embedded in the standards. The nurse should respect the patient's right to participate in decisions, provide information within the nurse's scope, and protect the patient from preventable harm. Advocacy may require questioning a plan, clarifying inconsistent goals of care, reporting suspected abuse or exploitation under applicable law, or ensuring that a patient's expressed preferences are communicated. Advocacy is not the same as independently changing a medical plan. It is the disciplined use of nursing assessment, communication, and escalation to protect the patient's rights and safety.

A practical way to remember Rule 217.11 is to ask four questions at the bedside: What do I know? What do I need to verify? What risk exists if I proceed or fail to act? What communication, supervision, or escalation is required now? These questions translate regulatory language into a clinical safety check and create a defensible record of professional reasoning.

Scope of practice and the decision-making model

Texas does not publish a single exhaustive list of tasks that every RN may or may not perform. Scope of practice is better understood as a structured decision. The Board's Scope of Practice Decision-Making Model encourages nurses to determine whether an activity is permitted by law and rule, consistent with professional standards, supported by appropriate education and competence, authorized by valid orders when required, and safe in the specific patient-care context. This approach is essential because technology, procedures, and roles evolve more quickly than any task list could be updated.

The first step is to identify whether the activity is prohibited or restricted by law. Some activities belong to another licensed profession unless a separate legal pathway permits delegation or advanced practice. The second step is to determine whether the activity is consistent with the nurse's level of li-

censure. For an RN, comprehensive assessment and nursing judgment are central functions. For an LVN, practice is directed and focused. An RN should not delegate away an assessment or judgment that requires RN-level decision-making, and should not treat a UAP's observation as a substitute for the RN's responsibility to assess when a comprehensive nursing assessment is required.

The third step is individual competence. A procedure may be within the RN scope generally but outside the individual nurse's present competence. Competence includes knowledge of indications, contraindications, expected findings, potential complications, required rescue measures, equipment, documentation, and follow-up. A certificate from a short course can contribute to competence but does not automatically expand legal scope. Texas BON Position Statement 15.10 specifically cautions that informal continuing education or on-the-job training cannot substitute for formal education when a higher level of licensure is legally required.

The fourth step is patient and setting appropriateness. A task that is reasonable for a stable patient in a well-supported specialty unit may be unsafe for an unstable patient in a setting without rescue resources. The nurse should consider acuity, predictability, complexity, time sensitivity, staffing, supervision, policies, equipment, and the possibility that the intervention will require immediate interpretation or

modification. Scope is therefore not only about what the nurse can technically perform but also about whether the nurse can manage the foreseeable consequences.

The fifth step is authority and accountability. Some nursing actions require an order or protocol; others are independent nursing interventions. When a medical act is delegated under applicable law, the nurse still practices under the nurse's own license and remains responsible for complying with nursing standards. Delegation from a physician does not convert an unsafe act into a safe one and does not excuse lack of competence. The nurse should verify that required orders, protocols, supervision, and backup are available before proceeding.

When the decision remains uncertain, the nurse should stop and seek resources rather than improvise. Useful resources include the current NPA and rules, BON position statements and FAQs, the

employer's policy, a knowledgeable supervisor or nurse educator, and relevant specialty standards. Consultation should be documented when it materially affects a patient-care decision. If uncertainty cannot be resolved and the activity carries meaningful risk, declining or delaying the activity while escalating the concern may be the safest and most defensible choice.

Scope questions often become complicated when a nurse is asked to perform an activity because staffing is limited. Operational need does not expand scope. Similarly, a manager's statement that 'everyone does it' is not a legal standard. A nurse should avoid relying solely on custom when the NPA, Board rules, or competency requirements point in another direction. Safe practice depends on a reasoned decision that could be explained after the fact, not on the absence of a prior incident.

A useful documentation principle is to record the clinical facts and actions rather than legal conclusions. For example, a nurse may document that an order was held because the patient's blood pressure was below a specified parameter, that the prescriber was notified, and that a new order was received. The nurse generally does not need to write in the patient record that a colleague 'violated the NPA.' Regulatory judgments belong in appropriate reporting or peer-review channels, not in a clinical note unless they are directly relevant to care.

Duty to the patient, unsafe orders, assignments, and abandonment

Texas BON Position Statement 15.14, Duty of a Nurse in Any Practice Setting, is central to jurisprudence education. The Board emphasizes that the licensed nurse has a duty to provide safe and effective nursing care and that this duty cannot be displaced by a physician order, facility policy, or administrative directive. The principle does not mean nurses independently practice medicine. It means that nursing licensure carries its own responsibility to recognize and respond to risk. A nurse who reasonably believes an order may harm a patient must use nursing judgment, clarify the order, and communicate concerns rather than carrying it out blindly (BON, 2026a).

Unsafe-order situations should be managed in a disciplined sequence. Assess the patient and verify the relevant facts. Check the order and available clinical information. Clarify whether the concern is a misunderstanding, transcription problem, dose is-

sue, contraindication, allergy, change in condition, or conflict with a protocol. Contact the appropriate licensed practitioner, state the concern clearly, and request clarification or a safer plan. If the concern remains unresolved and the nurse believes the intervention would be unsafe, the nurse should follow the chain of command and notify the ordering practitioner if the medication or treatment will not be administered. Emergency stabilization should not be delayed while administrative disagreements are being resolved.

Assignments create another common legal tension. The nurse who receives an assignment must consider whether it can be carried out safely in light of the patient population and the nurse's preparation, experience, knowledge, and physical and emotional ability. A heavy assignment is not automatically an illegal assignment, and the Board does not set universal nurse-to-patient ratios for every setting. The legal question is whether the actual circumstances create a risk that the nurse cannot reasonably manage while meeting minimum standards. Factors include acuity, number of unstable patients, required interventions, available support, unit layout, nurse experience, and the ability to obtain timely assistance.

Before accepting responsibility, the nurse should communicate specific safety concerns rather than relying on a generalized statement that the assignment

is 'too much.' Specific facts are more actionable: two patients require continuous vasoactive titration, a third has active bleeding, the nurse has not been trained on a device required for a fourth, and no qualified backup is available. The nurse should request a concrete remedy such as redistribution, additional staff, a different patient mix, direct supervision, or delay of a nonurgent task. If the concern meets the legal criteria for safe harbor, Texas law provides a process that should be invoked before the nurse engages in the requested conduct when possible.

Abandonment is frequently misunderstood. The Texas BON does not define abandonment as simply resigning, refusing an assignment before a nurse-patient relationship exists, or declining an extra shift. The key issue is whether the nurse has accepted responsibility for patient care and then leaves or fails to provide for the continuation of care in a way that breaches the duty to the patient.

Position Statement 15.6 explains that all nurses must notify appropriate personnel when leaving a nursing assignment and that leaving without appropriate notification can constitute unprofessional conduct. The analysis is fact-specific and should distinguish employer attendance issues from a licensure-level breach of patient duty.

A nurse who intends to leave a position should follow employer policy and professional expectations, but the Board generally does not regulate ordinary employment disputes unless patient safety or professional conduct is implicated. Conversely, a nurse cannot use an employment disagreement as a reason to walk away from patients after accepting responsibility without arranging appropriate hand-off. A safe exit includes timely notification, transfer of essential information, and reasonable steps to ensure continuity of care.

The ethical and legal principles converge here. Fidelity supports keeping professional commitments. Nonmaleficence supports avoiding foreseeable harm. Accountability requires owning the decision rather than attributing it to hierarchy. Moral courage may be required when the safest choice is unpopular. At the same time, nurses should avoid adversarial escalation when a problem can be resolved through clear communication and appropriate clinical channels. The goal is patient protection, not winning a disagreement.

Documentation, confidentiality, consent, and information integrity

The health record is simultaneously a clinical communication tool, a patient-care history, a legal document, and a source of quality data. Texas nursing standards require accurate and complete documentation of nursing care. A defensible record allows another clinician to understand the patient's condition, what the nurse observed, what actions were taken, how the patient responded, and what communication or follow-up occurred. Documentation should be contemporaneous whenever practical, objective, clinically relevant, and consistent with the nurse's actual actions.

Late entries and corrections should preserve transparency. The nurse should never delete or alter documentation in a way that disguises the original entry or creates a false timeline. If an electronic system provides a correction or addendum function, it should be used according to policy. Falsification includes more than inventing an entire note.

It may include documenting a medication before it was given, charting an assessment that was not performed, entering a colleague's findings as one's own, changing times to conceal a delay, or copying forward information without verifying that it remains accurate. Because falsification calls the integrity of the record and the nurse into question, it can be more serious than the underlying clinical error.

Copy-and-paste and templated documentation deserve special attention. Efficient electronic documentation can reduce repetitive work, but copied material can perpetuate outdated or false information. A nurse remains responsible for the accuracy of information entered under the nurse's credentials. If a template states that a complete assessment was normal, the nurse should not sign it unless that assessment was actually performed and the findings are accurate. Smart phrases should support, not replace, observation and judgment.

Confidentiality extends to every medium in which patient information appears. Nurses should access records only for legitimate care, operational, quality, or legally authorized purposes. Curiosity is not a permissible reason to open a chart. Conversations should occur in appropriate settings, messages should use approved secure systems, and photographs should be taken only when clinically appropriate and authorized by policy and law. Personal devices create

special risk because images, screenshots, backups, and cloud synchronization may persist even after a local file is deleted.

Social media creates a false sense that de-identification is easy. A post may omit a name yet still reveal a patient through a distinctive diagnosis, date, location, photograph, sequence of events, or combination of facts. Position Statement 15.29 warns nurses to maintain professional boundaries and confidentiality in online communication. A nurse should not post a patient story merely because the nurse believes the patient cannot be identified. The safest approach is to keep patient-specific experiences out of personal social media unless the use is expressly authorized for a legitimate purpose and all legal, ethical, and organizational requirements are met.

Informed consent is primarily a process, not a signature. The clinician who proposes a procedure or treatment generally has responsibility for providing

the information required for informed consent under applicable law and policy. The nurse's role often includes verifying that consent is present when required, witnessing a signature when permitted, assessing for questions or uncertainty, and notifying the responsible practitioner if the patient appears not to understand or appears coerced. The nurse should not substitute a personal explanation for information that must come from the practitioner responsible for obtaining informed consent.

Patients with decision-making capacity may refuse treatment, including treatment clinicians believe is beneficial. The nurse should assess immediate safety, clarify the patient's understanding, communicate the refusal, provide appropriate education within scope, and document the discussion and notification. A refusal should not be treated as evidence that the patient lacks capacity merely because the choice differs from the healthcare team's recommendation. When capacity is genuinely in question, the nurse should follow applicable clinical and legal processes for evaluation and surrogate decision-making.

Information integrity now includes data generated or summarized by digital tools. A nurse who relies on an auto-populated value, decision-support alert, or AI-generated summary should verify clinically important information before acting on it. Technology can assist recognition and communication, but the nurse remains responsible for the nursing assessment

and for recognizing when the tool's output conflicts with the patient's actual presentation. This principle is increasingly important as healthcare systems integrate predictive algorithms and generative AI into clinical workflows.

Professional boundaries and social media

Professional boundaries are the limits that protect the therapeutic purpose of the nurse-patient relationship. The nurse holds knowledge, access, authority, and institutional power that the patient does not. Patients may be physically ill, emotionally vulnerable, dependent on care, sedated, cognitively impaired, or socially isolated. Because of that imbalance, the nurse has the greater responsibility for maintaining boundaries. Texas Board Rule 217.1 defines professional boundaries in relation to the appropriate limits of the nurse-client relationship, and Position Statement 15.29 provides detailed guidance for recognizing and preventing boundary violations (BON, 2026f).

A helpful continuum distinguishes therapeutic involvement from boundary crossings and boundary violations. Therapeutic involvement is focused on the patient's needs and goals. A boundary crossing is a departure from usual limits that may be benign or even helpful in a particular context, but it requires reflection because repeated or poorly justified crossings can drift toward unsafe involvement. A boundary violation occurs when the relationship is used in a way that exploits the patient, meets the nurse's personal needs, creates improper dual relationships, or compromises professional judgment. Sexual or romantic involvement with a current patient is a severe violation because meaningful consent is compromised by the therapeutic power imbalance.

Warning signs often appear before an obvious violation. A nurse may begin to favor one patient, spend disproportionate time with that patient, share extensive personal information, keep secrets from the team, exchange personal contact information, accept escalating gifts, meet the patient socially, communicate outside appropriate channels, or feel unusually possessive or jealous about the patient's relationships with others. None of these signs should be dismissed simply because the nurse believes the intention is compassionate. Boundary problems are defined by the effect on the professional relationship, not only by subjective intent.

Self-disclosure illustrates the need for judgment. Brief, purposeful disclosure may occasionally support a therapeutic goal, but disclosure that shifts attention to the nurse's emotional needs or invites the patient to care for the nurse is not therapeutic. Before sharing personal information, the nurse should

ask: Why am I telling this patient this information? How does it advance the patient's plan of care? Could the same goal be achieved without disclosing it? Would I be comfortable if this exchange were documented or observed by the care team? If the answer reveals a personal rather than therapeutic purpose, the disclosure should be avoided.

Gifts require similar analysis. A small culturally customary item offered to a team may have a different meaning from an expensive personal gift offered to one nurse. Factors include value, timing, patient vulnerability, organizational policy, whether refusal would cause harm or offense, and whether acceptance could create a sense of obligation. When uncertain, the nurse should discuss the situation with a supervisor or ethics resource before accepting. The decision should protect the patient's dignity and avoid personal gain at the patient's expense.

Digital communication blurs boundaries because personal and professional identities can become visible to each other. Nurses should be cautious about accepting patient friend requests, following patients on social media, using personal messaging accounts for clinical communication, or responding to patient questions through channels that bypass documentation and team processes. Even when a patient initiates contact, the nurse remains responsible for maintaining appropriate boundaries. A professional response can acknowledge the communication while redirecting the patient to an approved care channel.

Social media also affects professional reputation and confidentiality. Content posted in a 'private' group may be copied, forwarded, or subpoenaed. Deleting a post does not guarantee that it is gone. Nurses should avoid posting images from clinical areas when screens, labels, whiteboards, conversations, or contextual details might identify patients. Complaints about colleagues or employers should not include patient information. A post made off duty can still raise licensure concerns if it demonstrates patient exploitation, confidentiality breaches, fraud, threats, or other conduct relevant to professional safety and trust.

Boundaries are also important among colleagues and in supervisory relationships. Bullying, coercion, retaliation, sexual harassment, and misuse of authority can damage the care environment and indirectly threaten patient safety by suppressing com-

munication. Ethical nursing practice includes creating conditions in which nurses can raise safety concerns without humiliation or intimidation. Texas BON Position Statement 15.30 on workplace violence links safe communication and professional conduct to patient safety.

APRNs and nurses in small communities may face unavoidable dual relationships because patients are neighbors, coworkers, family acquaintances, or members of the same community. The solution is not always complete avoidance. Instead, the nurse should identify the conflict, minimize unnecessary personal overlap, protect confidentiality, use consultation, transfer care when feasible and clinically appropriate, and document professional decisions when a dual relationship could affect treatment. Position Statement 15.22 gives additional guidance for APRNs providing medical aspects of care to themselves or persons with whom they have close personal relationships.

When a boundary concern develops, early consultation is protective. The nurse should step back, re-center the interaction on the patient's goals, involve a supervisor or ethics resource, and consider transferring care if needed. Concealment is a warning sign. If the nurse feels a relationship must be hidden from colleagues, family, or documentation, the nurse should assume that formal review is necessary. Professional boundaries protect both the patient and the nurse by preserving trust, objectivity, and therapeutic purpose.

Ethical principles and a practical decision framework

Ethics and law overlap but are not identical. Law establishes enforceable minimum requirements, while ethics asks what nurses ought to do in light of professional values, duties, relationships, and consequences. A decision may be legally permitted yet ethically troubling, or ethically compelling yet constrained by law. Nurses need both forms of reasoning. The 2025 American Nurses Association Code of Ethics for Nurses contains ten provisions and emphasizes relationships among nurses, recipients of care, colleagues, the profession, society, and the global community (American Nurses Association [ANA], 2025).

Respect for autonomy recognizes the right of persons with decision-making capacity to make informed choices about their own care. Autonomy requires more than presenting options. Nurses sup-

port autonomy by communicating clearly, reducing coercion, identifying barriers such as language or sensory impairment, and ensuring that patient preferences reach the team. Autonomy has limits when choices would require clinicians to provide care that is illegal, outside professional standards, or harmful in a way that cannot ethically be justified.

Beneficence is the obligation to promote the patient's welfare, while nonmaleficence is the obligation to avoid or minimize harm. These principles frequently coexist in tension. A painful treatment may be justified by expected benefit; a technically possible intervention may be nonbeneficial when burdens greatly exceed likely benefit. Nurses contribute to these decisions by assessing suffering, function, patient goals, treatment response, and the practical consequences of care. Nurses should communicate concerns about potentially nonbeneficial treatment without assuming that their own values determine the patient's best interest.

Justice concerns fairness in the distribution of benefits, burdens, opportunities, and resources. At the bedside, justice includes avoiding discrimination, applying standards consistently, and recognizing when structural barriers affect access or outcomes. In leadership roles, justice includes transparent staffing decisions, fair assignment processes, and equitable allocation of scarce resources. Ethical justice does not always mean identical treatment; clinically relevant differences can justify different care, but irrelevant

characteristics should not determine the quality of nursing attention.

Fidelity involves keeping professional commitments and maintaining trust. Veracity involves truthfulness. Accountability means being answerable for decisions and actions. Confidentiality protects information entrusted through the care relationship. These values become especially important after an error. Ethical practice favors prompt patient assessment, appropriate disclosure through organizational processes, accurate documentation, reporting, and participation in improvement. Concealing an error to protect oneself violates multiple ethical duties and can create additional legal exposure.

Moral distress occurs when a nurse believes the ethically appropriate action is constrained by organizational, hierarchical, legal, or resource barriers. Moral distress does not automatically prove that

the nurse's preferred action is correct, but it is a signal that a conflict deserves structured review. Nurses can respond by clarifying the ethical issue, gathering clinical facts, identifying the patient's goals, consulting colleagues, using the chain of command, requesting an ethics consultation, and distinguishing between disagreement about values and a genuine safety violation.

A practical ethical framework uses six steps. First, define the decision precisely rather than labeling the whole situation 'unethical.' Second, identify the relevant clinical facts and uncertainties. Third, identify stakeholders and the patient's expressed preferences or best available representation of those preferences. Fourth, identify legal requirements, Board rules, professional standards, and ethical principles. Fifth, compare reasonable options, including likely benefits, harms, burdens, fairness, and effects on trust. Sixth, act, communicate, document, and reassess. This framework slows down reactive thinking without creating unnecessary delay in emergencies.

Ethical disagreement should be handled with intellectual humility. Different clinicians may weigh the same principles differently, especially in end-of-life care, resource limitation, maternal-fetal conflict, adolescent confidentiality, or treatment refusal. The nurse should distinguish a disagreement from misconduct. A colleague does not become unethical merely by reaching a different defensible conclusion. However, when conduct clearly violates

patient rights, professional boundaries, or safety standards, respectful disagreement is not enough; appropriate reporting and protective action may be required.

The ethical environment is also a professional responsibility. The 2025 ANA Code emphasizes obligations related to safe work, professional competence, accountability, and the practice environment. Nurses contribute to ethical culture by speaking accurately, avoiding retaliation, supporting just processes, learning from errors, and refusing to normalize shortcuts that place patients at risk. Small daily behaviors—accurate handoff, respectful correction, transparent uncertainty, and willingness to ask for help—are practical expressions of ethics.

Delegation, assignment, and supervision

Delegation is a structured transfer of responsibility for performance of a task while the delegating nurse retains accountability for the delegation decision and appropriate supervision. Assignment is broader and may involve distributing work that is already within the authorized role of the person receiving it. Texas rules distinguish these concepts because not every transfer of work is delegation, and not every task can be delegated. The RN's comprehensive assessment and nursing judgment are central to deciding whether delegation is appropriate.

The nurse should begin by assessing the patient. Delegation is safest when the patient's condition is stable or predictable, the task is routine, the potential for harm is low, the task does not require ongoing nursing judgment, and clear instructions and supervision are available. A task that becomes unsafe because the patient's condition changes should be reassessed even if it was previously delegated appropriately. Delegation is therefore a dynamic decision, not a one-time checkbox.

The RN should consider the competence of the person receiving the delegated task, not merely the person's job title. Training, demonstrated skill, familiarity with the patient population, and ability to recognize and report abnormal findings matter. Instructions should include what to do, what findings to report, when to report them, and what circumstances require the RN to reassess directly. The RN should provide a level of supervision proportionate to risk and should evaluate the outcome of delegated care.

An LVN's practice is directed and supervised, and the LVN is not licensed to perform the RN's comprehensive assessment or to make the RN's delegation decision. The LVN may participate in focused assessment, data collection, implementation, and reporting within the LVN scope and may assign routine tasks that do not require delegation. RNs should avoid using an LVN or UAP as a substitute for RN-level judgment when patient acuity or complexity requires comprehensive assessment.

Delegation rules differ by setting, particularly between acute care and independent living environments, and nurses should consult the applicable Texas Administrative Code chapters and employer policies. The underlying legal principle remains patient safety. If a nurse cannot reasonably super-

wise a delegated task or cannot respond to a change in condition, the delegation plan is weak even if the task itself is commonly performed by unlicensed personnel.

A common error is to delegate data collection and then treat the reported data as a complete assessment. For example, a UAP may measure a blood pressure or glucose level, but the RN must interpret the finding in context when nursing judgment is required. Another error is failing to give parameters for reporting. Saying 'check the patient later' is less safe than specifying the observation, timing, and findings that require immediate notification. Good delegation makes accountability visible.

Delegation also has an ethical dimension. It should not be used to offload undesirable work without regard to workload, competence, or dignity. The RN should create realistic expectations, listen to concerns from the person receiving the task, and respond when that person reports that a patient is changing. A culture in which UAPs or LVNs are afraid to report uncertainty undermines the RN's ability to supervise safely.

Reporting, peer review, safe harbor, and protection from retaliation

Texas law includes specific mechanisms for reporting nursing conduct and for nursing peer review. These systems serve different purposes. A report to the Board concerns possible violations that may require regulatory investigation. Nursing peer review is an evaluation by nurses of nursing services, qualifications, quality of care, or the merits of complaints concerning nurses. Employer processes may also address performance, quality, or conduct. The nurse should understand which pathway applies rather than assuming that every mistake must be reported directly to the Board.

The NPA defines conduct subject to reporting to include conduct that violates the NPA or a Board rule and contributed to death or serious injury; conduct suggesting impairment by chemical dependency or drug or alcohol abuse; abuse, exploitation, fraud, or professional-boundary violations; and lack of knowledge, skill, judgment, or conscientiousness serious enough that continued practice could reasonably be expected to pose a risk of harm. Texas rules also address minor incidents and peer-review processes so that isolated, low-risk errors can be handled appropriately while serious or repeated risks are escalated (Texas Occupations

Code §301.401; BON, 2026g).

Reporting should be factual. The reporter should identify the observed conduct, relevant patient outcome or risk, and supporting documentation without exaggeration or speculation. A personality conflict is not the same as a reportable practice violation. Likewise, an unfavorable outcome does not by itself prove that a nurse violated a standard. The focus should be whether the conduct indicates a risk to patients or falls within statutory reporting criteria.

Impairment requires prompt attention because patient safety and the nurse's health are both at stake. Observable signs might include unexplained changes in behavior, repeated medication discrepancies, slurred speech, odor of alcohol, significant impairment in performance, or other evidence that raises concern. Nurses should not diagnose a colleague or conduct an amateur investigation. They should follow required reporting and safety procedures, remove immediate risk when appropriate, and use available peer-assistance or regulatory resources. Texas provides the Texas Peer Assistance

Program for Nurses for eligible situations, but not every concern can be diverted from Board reporting.

Safe harbor nursing peer review is a distinctive Texas protection. In general terms, safe harbor allows a nurse to request peer review when the nurse believes a requested assignment or conduct may violate the nurse's duty to a patient. The process is designed to permit a nurse to raise a good-faith concern without being forced to choose between complying with a potentially unsafe directive and risking retaliation for refusing. The details are governed by the NPA and Board rules, and the nurse should know the employer's process before a crisis occurs.

Timing matters. Safe harbor should be invoked before the nurse engages in the requested conduct when possible. The nurse should communicate the concern to the appropriate supervisor and complete the required quick-request documentation or other process recognized by the facility. The request should identify the assignment or conduct at issue and why it may violate the nurse's duty. If an immediate patient-care need cannot wait for peer review, the nurse must still use professional judgment to protect the patient while the concern is being addressed.

Safe harbor is not a mechanism to avoid all difficult work, guarantee a preferred staffing ratio, or immunize unrelated misconduct. It is a patient-safety process tied to the nurse's duty. A credible request describes the specific risk, the patient-care context, and the conflict with nursing standards. Nurses should avoid vague statements such as 'this assignment is unsafe' without facts. Specificity supports both patient protection and meaningful peer review.

Texas law also includes protections related to reporting and peer review. Retaliation against a nurse for protected reporting or for invoking safe harbor may be prohibited in specified circumstances. Because employment and regulatory protections are technical, a nurse facing retaliation should preserve documentation and seek appropriate organizational, legal, or regulatory guidance rather than relying on informal assurances. The key clinical principle is that systems should encourage, not punish, good-faith patient-safety reporting.

Peer review should be just, evidence-based, and focused on practice. A fair review considers the patient's condition, available resources, policies, orientation, supervision, workload, system factors, and the nurse's actions. It should distinguish human

error, at-risk behavior, and reckless conduct rather than treating every event as equivalent. Even when the Board's legal framework does not use the exact vocabulary of a just-culture model, the underlying goal of learning from errors while addressing dangerous conduct is consistent with patient safety.

Nurses in leadership roles have special responsibilities. They should not pressure staff to omit facts, alter documentation, or withdraw a legitimate safety concern. They should provide a clear path for escalation and should respond to reported risks in a timely way. A supervisor who knowingly creates or perpetuates unsafe delegation, staffing, or practice conditions may also face accountability. Nursing leadership does not replace individual accountability; it adds another layer of responsibility for the care environment.

References

Texas Occupations Code, Chapter 301, Nurses (Nursing Practice Act), including §§301.002, 301.303, 301.305, 301.352, 301.401, and 301.452.

Texas Occupations Code, Chapter 303, Nursing Peer Review, including safe harbor nursing peer review provisions.

Texas Administrative Code, Title 22, Part 11, Chapter 216, Continuing Competency, §216.3.

Texas Administrative Code, Title 22, Part 11, Chapter 217, §217.11, Standards of Nursing Practice.

Texas Administrative Code, Title 22, Part 11, Chapter 217, §217.12, Unprofessional Conduct.

Texas Administrative Code, Title 22, Part 11, Chapter 217, §§217.19-217.20, nursing peer review, safe harbor, and whistleblower protections.

Texas Administrative Code, Title 22, Part 11, Chapters 224 and 225, delegation of nursing tasks.

Texas Board of Nursing. (2026). Continuing nursing education and competency: Targeted continuing education - Nursing jurisprudence and nursing ethics.

Texas Board of Nursing. (2026). Position Statements - current index and guidance for nursing practice.

Texas Board of Nursing. (2026). Position Statement 15.14: Duty of a Nurse in Any Practice Setting.

Texas Board of Nursing. (2026). Position Statement 15.15: Board's Jurisdiction over a Nurse's Practice in Any Role and Use of the Nursing Title.

Texas Board of Nursing. (2026). Position Statement 15.27: The Licensed Vocational Nurse Scope of Practice.

Texas Board of Nursing. (2026). Position Statement 15.28: The Registered Nurse Scope of Practice.

Texas Board of Nursing. (2026). Position Statement 15.29: Professional Boundaries including Use of Social Media by Nurses.

Texas Board of Nursing. (2026). Nursing Practice FAQ and Scope of Practice Decision-Making Model.

Texas Board of Nursing. (2026). Nursing Peer Review FAQ: Incident-based peer review and safe harbor nursing peer review.

Texas Board of Nursing. (2026). Safe Harbor Forms and Resources for Nurses and Facilities.

Texas Board of Nursing. (2026). Nursing Practice Information: professional boundaries, electronic communication, social media, delegation, and scope resources.

American Nurses Association. (2025). Code of Ethics for Nurses. American Nurses Association.

U.S. Department of Health and Human Services, Office for Civil Rights. (2026). HIPAA Privacy, Security, and Breach Notification Rules.

45 C.F.R. Parts 160 and 164. Standards for Privacy and Security of Individually Identifiable Health Information.

National Council of State Boards of Nursing. (2018). A Nurse's Guide to Professional Boundaries. NCSBN.

National Council of State Boards of Nursing. (2011). White Paper: A Nurse's Guide to the Use of Social Media. NCSBN.

NURSING JURISPRUDENCE AND ETHICS IN TEXAS

Part 2 of 2 - Professional Conduct, Digital Practice, Clinical Cases, Deep Dives, and Practice Synthesis

Audience: RN | Total activity: 2.0 contact hours | Pharmacology: 0.0 hours | Expected revision: October 4, 2028

This is one part of a single two-part activity. No separate credit is awarded for an individual part.

How this part fits the complete activity

This is Part 2 of the two-part reading package. It continues the same 2.0-contact-hour activity and should be completed together with the other parts before the assessment. The split is solely for readability and page-flow quality; it does not create separate activities or separate credit.

Rule 217.12, unprofessional conduct, and discipline

Rule 217.12 describes behaviors considered unprofessional conduct. It complements Rule 217.11. The standards rule explains what nurses must do; the unprofessional-conduct rule identifies behaviors that may deceive, defraud, injure, or place patients or the public at risk. Actual injury is not always required. Conduct can be unprofessional because it creates an unreasonable risk even when harm does not occur (BON, 2026e).

Examples include failing to conform to generally accepted nursing standards, accepting assignments that the nurse knows or should know may result in unsafe or ineffective care, careless or repetitive conduct that may endanger a patient, inaccurate or falsified documentation, inappropriate disclosure of confidential information, boundary violations, misuse or misappropriation of medications or property, and leaving an assignment without appropriate notification. The exact rule language should be consulted when evaluating a specific event because disciplinary decisions are fact-dependent.

The Board investigates complaints to determine whether the NPA or rules were violated. A complaint is not the same as a finding. Nurses who receive notice of a complaint should respond through the Board's process and should consider obtaining qualified legal or professional advice. Attempting to alter records after learning of a complaint can create a more serious problem. The safest approach is to preserve records, provide truthful information,

and follow the formal process.

Discipline can range from remedial or corrective requirements to restrictions, suspension, or loss of licensure depending on the conduct, risk, history, and applicable law. The Board uses disciplinary guidelines and sanction policies to promote consistency. Factors may include severity of harm or risk, intent, pattern, insight, remediation, prior history, impairment, fraud, boundary violations, and whether conduct involved deception. Nurses should understand that dishonesty during an investigation can be independently significant.

Medication diversion and substance use disorders deserve special attention. Diversion creates immediate patient-safety, legal, and ethical concerns. Falsifying waste records, substituting substances, taking controlled medications, or working while impaired can lead to serious consequences. At the same time, substance use

disorder is a health condition for which treatment and monitoring may support safe recovery. Texas has peer-assistance pathways for eligible nurses, but public protection remains the Board's priority and certain conduct must be reported.

Professional conduct also extends beyond direct bedside care. Fraudulent billing, misuse of credentials, falsified continuing education, improper access to records, sexual misconduct, threats, and conduct demonstrating inability to practice safely may be relevant to licensure. The Board's jurisdiction depends on the relationship between the conduct and nursing regulation, but a nurse should not assume that off-duty conduct is irrelevant merely because it occurred outside the workplace.

Prevention is more effective than disciplinary remediation. Nurses should cultivate habits that reduce risk: document in real time, clarify orders, avoid workarounds that bypass safety controls, protect passwords, use medication-waste proce-

dures correctly, disclose conflicts, maintain boundaries, ask for help when impaired by fatigue or illness, and escalate unsafe conditions early. Most regulatory cases do not begin with a sophisticated legal question; they begin with an ordinary clinical decision handled poorly or dishonestly.

When an error occurs, the nurse should focus first on the patient. Assess and stabilize, notify the appropriate clinician and supervisor, document the patient's condition and care accurately, complete required safety reporting, and participate in disclosure or quality processes as directed. The nurse should not chart incident-report language in the medical record unless policy specifically requires it, and should not use the patient record to defend against anticipated discipline. Clinical documentation should remain clinical.

Contemporary practice: telehealth, artificial intelligence, and digital professionalism

Technology changes the tools of nursing but not the nurse's accountability. Telehealth, remote monitoring, decision support, and artificial intelligence can expand access and improve recognition of risk, but they can also create new forms of error. Texas nurses must continue to comply with the NPA, Board rules, and other laws that apply to the setting and patient location. A telehealth encounter still requires an appropriate nursing assessment, recognition of limitations, escalation when remote data are insufficient, protection of confidentiality, and documentation of clinically important communication.

Artificial intelligence deserves explicit attention because the Texas BON adopted Position Statement 15.31 on AI in nursing and revised it in 2026. The Board emphasizes that nurses remain fundamental decision-makers and must use knowledge, experience, skills, and judgment when using emerging technology. AI should not be treated as an autonomous clinical authority. A nurse should understand the intended use of the tool, recognize that outputs can be incomplete or wrong, protect confidential information, and verify clinically consequential recommendations against patient-specific data and authoritative sources (BON, 2026h).

Generative AI creates particular risk because it can produce fluent but false statements. A nurse should not enter protected health information into an unapproved public system, copy an AI-generated note

into the health record without verification, or rely on an AI summary that omits a critical abnormality. If an employer authorizes an AI documentation tool, the nurse remains responsible for reviewing the final note. Automation does not transfer accountability from the nurse to the vendor.

Algorithmic bias is also an ethical concern. A predictive model may perform differently across populations because of the data on which it was

trained or because the target outcome reflects prior inequities. Nurses should treat model output as one source of information, not as an unquestionable fact. When a model conflicts with the clinical presentation, the nurse should prioritize direct assessment and escalate the discrepancy. Repeated or systematic discrepancies should be reported through quality and safety channels.

Digital professionalism includes maintaining boundaries in electronic communication. A quick text can become part of a legal record even if it was sent from a personal device. Nurses should use approved communication systems, avoid sharing credentials, lock devices, and report suspected privacy or security incidents promptly. A nurse should not photograph a monitor, medication label, or patient wound on a personal phone merely because the image will be deleted later.

Technology can support lawful practice when implemented well. Decision support can remind nurses of allergies, dose ranges, deterioration risk, or documentation gaps. Remote monitoring can extend surveillance. Secure messaging can improve communication. The legal and ethical goal is not to avoid technology but to preserve human accountability, patient privacy, and critical thinking as technology becomes more embedded in nursing work.

Integrated clinical application cases

Case 1 - The questionable heparin order

A 72-year-old patient admitted with atrial fibrillation has a new order for an intravenous heparin bolus and infusion. The RN reviews the chart and sees that the patient returned from a procedure one hour earlier with ongoing bleeding at the femoral access site and a rapidly falling hemoglobin. The order appears in the electronic record as active. The RN pauses administration, assesses the patient, applies appropriate local measures within protocol,

notifies the prescriber of the bleeding and laboratory trend, and requests clarification. The prescriber initially says, 'Give it; the computer order is correct.' The RN states the specific safety concern, asks for reassessment, and escalates through the chain of command when the concern is not resolved. A revised order is then entered. The jurisprudence issue is not whether the nurse may independently discontinue anticoagulation. The issue is the nurse's duty under Rule 217.11 to know the rationale and effects of medications, promote a safe environment, and clarify an order that appears contraindicated or unsafe. The RN should document the patient assessment, the fact that the medication was held pending clarification, the communication with the prescriber and other clinicians, and the resulting order. The RN should not document accusatory conclusions about the prescriber. If the patient had been actively decompensating, immediate stabilization and emergency escalation would take priority over completing the administrative chain of command. The ethical principles are non-maleficence, accountability, and fidelity to the patient rather than obedience to hierarchy.

An experienced medical-surgical RN is floated to a pediatric intensive care unit because of a staffing shortage. The RN has not cared for critically ill children since nursing school and has never been trained on the unit's infusion pumps or emergency equipment. The charge nurse assigns the RN two unstable pediatric patients and states that staffing needs leave no alternative. The RN does not simply leave the unit. Instead, the RN identifies the specific competency gaps, requests an assignment compatible with current competence, asks for direct support from a qualified PICU nurse, and uses the facility's escalation process. If the requested assignment remains one that the RN believes may violate the duty to patients, the RN considers safe-harbor procedures before engaging in the requested conduct. The legal analysis begins with Rule 217.11: the nurse must accept only assignments commensurate with

Case 2 - The unfamiliar assignment

education, experience, knowledge, and physical and emotional ability and must seek orientation or supervision for unfamiliar care. 'I am uncomfortable' is not the strongest regulatory explanation; the nurse should state concrete patient risks and competency limitations. The nurse should also recog-

nize a duty not to abandon patients already accepted. The correct response is therefore organized escalation and patient protection, not walking out. A safer negotiated assignment might include stable patients, a resource nurse, or a modified role in which the floated RN performs tasks within competence while a PICU RN retains comprehensive responsibility.

Case 3 - The grateful patient and the gift

A patient with a prolonged hospitalization tells a primary nurse that the nurse 'saved my life' and offers a \$1,000 gift card after discharge. The patient also asks to connect on a personal social-media account and says the nurse should visit the family's vacation home. The nurse feels emotionally close to the patient and believes refusing would be hurtful. The professional-boundary analysis focuses on the patient's vulnerability, the size and personal nature of the gift, the developing dual relationship, and the nurse's emotional investment. The nurse should decline the high-value personal gift, explain that professional standards limit such exchanges, follow employer policy, and redirect gratitude toward an appropriate team or institutional channel if one exists. The nurse should not accept the friend request simply because the hospitalization has ended; the power imbalance and therapeutic relationship may persist after discharge. If the nurse notices strong feelings of specialness, secrecy, or desire for ongoing personal contact, consultation is warranted. Good intentions do not eliminate boundary risk.

Case 4 - The chart opened out of curiosity

An RN hears that a well-known local athlete has been admitted to another unit after a motor vehicle crash. The RN is not involved in the patient's care but opens the electronic record 'just to see what happened.' No information is posted or shared. The hospital's audit system flags the access. The absence of disclosure does not make the access appropriate. Confidentiality includes limiting access to legitimate work purposes. Curiosity is not a care need. The nurse may face employer consequences and potential regulatory review depending on the facts. The ethical problem is misuse of entrusted access. This case illustrates why nurses should think of the electronic chart as a clinical workspace rather than a database available to all employees. Access should be limited to information reasonably necessary for the nurse's role.

Case 5 - A medication discrepancy and impaired colleague

A charge RN notices repeated controlled-substance discrepancies involving an otherwise high-performing colleague. During the shift, the colleague appears unusually drowsy, has slowed speech, and nearly gives medication to the wrong patient. The charge RN is reluctant to act because the nurses are close friends and the colleague recently disclosed family stress. The charge RN's first duty is patient safety. The RN should follow organizational procedures to remove immediate risk, notify the appropriate supervisor, secure medications and documentation, and use required reporting pathways. The charge RN should not conduct a personal interrogation, diagnose substance use disorder, or quietly cover the colleague's assignment while ignoring the pattern. Compassion for a colleague and protection of patients are not mutually exclusive. Appropriate peer-assistance resources may become relevant, but the nurse must still meet any mandatory reporting obligations. Accurate documentation of observed behavior and discrepancies is more useful than speculation about why the behavior occurred.

A clinic adopts an approved generative-AI tool that drafts patient discharge instructions from the visit note. An RN reviews instructions for a patient with chronic kidney disease and notices that the draft recommends an over-the-counter medication the nephrologist previously told the patient to avoid. The draft is polished and includes the clinic logo. The RN should not assume the tool's output is correct because it is integrated into the electronic record. The nurse verifies the clinical information, removes or corrects the unsafe recommendation using the approved workflow, notifies the appropriate clinician if clarification is required, and reports the unsafe output through the organization's technology or safety channel. The nurse should ensure the final instructions accurately reflect the plan of care. Texas BON guidance on AI reinforces that technology does not replace nursing judgment.

Case 6 - AI-generated discharge instructions

Ethical use requires verification, privacy protection, attention to bias and error, and clear accountability for the information ultimately provided to the patient.

Putting jurisprudence into daily practice




Figure 1. A repeatable nursing jurisprudence decision pathway for daily practice.

The strongest protection against legal and ethical problems is not defensive charting or memorization of isolated rules. It is a reliable professional process. Know the governing standards. Assess before acting. Match the intervention to the patient's condition and to your own competence. Clarify unsafe or inconsistent orders. Communicate changes promptly. Delegate thoughtfully. Protect confidentiality. Maintain professional boundaries. Use peer review, safe harbor, and reporting mechanisms when appropriate. Document the clinical facts and the reasoning necessary for continuity of care.

When a nurse is uncertain, the safest response is usually to identify the exact question. Is the problem scope, competence, an order, delegation, staffing, confidentiality, consent, boundaries, impairment, or reporting? Once the question is named, the relevant legal source becomes easier to find. The NPA and Board rules should be the first regulatory references. Position statements and BON FAQs provide practical application. Employer policy then adds local procedure, while specialty standards help define accepted professional practice.

Jurisprudence is therefore a form of clinical judgment. It asks nurses to recognize when ordinary workflow collides with professional duty. The nurse who can explain what the patient needed, what the nurse knew, what risk was present, what standard applied, what action was taken, and how the concern was communicated is practicing in a legally and ethically mature way. The purpose of Texas nursing law is not to make nurses fearful; it is to establish a minimum framework that keeps public protection at the center of nursing practice.

Figure 2. A defensible nursing decision: integrating legal standards, ethics, action, documentation, and reassessment. Original APRN WORLD educational diagram summarizing Texas BON concepts. Use

the current NPA, Board rules, and Board guidance for controlling requirements.

1. IDENTIFY

2. CHECK

patient condition

scope/competence

Autonomy, beneficence, nonmaleficence, justice, fidelity, and accountability guide the analysis throughout.

Practice note: orders, protocols, and standing orders

Orders and protocols should be treated as clinical tools within a larger professional framework. A protocol can define when a nurse may initiate a treatment, but the nurse still has to verify that the patient meets the criteria and that no contraindication is present. An outdated protocol, a patient-specific allergy, a new laboratory result, or a change in condition can make routine implementation unsafe. The nurse should know which elements of a protocol require independent verification and which require notification or prescriber confirmation. When a protocol conflicts with the nurse's current assessment, the nurse should pause, clarify, and document the clinical reason rather than following the protocol mechanically. This approach is particularly important in sepsis bundles, anticoagulation, insulin titration, sedation, electrolyte replacement, and rapid-response pathways, where time pressure can encourage automatic action. Standardization improves reliability only when nurses continue to assess whether the standard fits the patient in front of them.

3. ACT

4. CLOSE LOOP

protect/communicate

document facts

Practice note: chain of command

The chain of command is not a ritual in which a nurse simply leaves messages at successive levels. It is a patient-safety escalation process. The nurse should communicate the patient's current condition, the specific unresolved risk, the action already taken, and what response is needed. If the first person contacted does not resolve the problem and the risk remains significant, the nurse continues escalation. The urgency of the clinical situation determines how quickly levels are bypassed or emergency resources are activated. Documentation should show significant communication and resulting clinical decisions, but it should not become a transcript of interpersonal conflict. A nurse who escalates appropriately should remain professional, factual, and focused on the patient. Leaders should treat escalation as expected safety behavior rather than insubordination when it is performed in good faith.

Practice note: fatigue and fitness for duty

Physical and emotional ability are explicitly relevant to assignment decisions. Fatigue, illness, medication effects, acute emotional crisis, or impairment can reduce a nurse's ability to practice safely. Professional accountability includes recognizing when personal condition creates a risk. This does not mean that every tired nurse must leave work; healthcare inevitably includes demanding shifts. The question is whether the nurse can safely perform the assigned role. If not, the nurse should notify the appropriate supervisor and follow workplace procedures. Concealing impairment, accepting responsibilities that cannot be performed safely, or using substances to remain functional can magnify risk. Leaders should also recognize system factors such as excessive overtime, inadequate recovery time, and chronically unsafe workloads as patient-safety concerns rather than purely personal resilience issues.

Practice note: informed refusal and leaving against medical advice

When a patient wishes to refuse recommended care or leave against medical advice, the nurse should avoid framing the interaction as a contest of compliance. The nurse assesses immediate risk, determines whether urgent intervention is needed, communicates the patient's decision, and supports a process in which the patient receives understandable information about likely consequences and alternatives. The nurse should identify practical barriers—fear, cost, caregiving responsibilities, withdrawal symptoms, transportation, mistrust—that may be influencing the decision. Documentation should accurately reflect the patient's statements, education provided, notifications, and disposition. A signed form does not substitute for communication, and refusal does not eliminate the nurse's duty to provide respectful care while the patient remains in the nurse's responsibility.

Practice note: language access and disability

Ethical respect and safe communication require more than handing a patient a form written in English. When important decisions depend on communication, the nurse should use qualified interpretation or accessibility resources consistent with law and policy rather than relying on children, untrained visitors, or ad hoc gestures. A patient with hearing, vision, cognitive, or communication disability may need adapted methods to participate meaningfully. The nurse's role includes recognizing when communication is inadequate and escalating the need for appropriate support. Failure to communicate effectively can undermine consent, medication safety, discharge teaching, and patient autonomy even when the clinical plan itself is correct.

Practice note: social media after a difficult shift

A common risk pattern begins with frustration rather than malicious intent. After a traumatic shift, a nurse posts a vague message such as, 'You would not believe what happened in our trauma bay tonight,' followed by details about the mechanism of injury, age, and family behavior. The nurse does not use a name, but community members can identify the patient from news reports. The regulatory problem is foreseeable identifiability. Nurses should separate the legitimate need for emotional support from public storytelling about patients. Debriefing should occur through appropriate peer-support, employee-assistance, or clinical channels that protect confidentiality. The emotional intensity of an event does not create ownership of the patient's story.

Practice note: photography and messaging

Clinical photography may be appropriate for wound assessment, teleconsultation, or documentation when authorized, but the workflow matters. Personal phones create uncontrolled copies, metadata, cloud backups, and message histories. Even when the image is later transferred to the medical record, an unauthorized copy may remain. Nurses should use approved devices and applications and should know who is responsible for obtaining consent when required. Texting an image to a colleague because it is convenient can expose patient information outside approved systems. If an urgent situation requires communication, the nurse should use the safest authorized method available and report any unavoidable privacy incident promptly rather than attempting to conceal it.

Practice note: student, orientee, and preceptor accountability

A preceptor or supervising nurse should understand the learner's authorized role and level of supervision. A student's presence does not transfer accountability away from the licensed nurse responsible for patient care, and an orientee's license does not eliminate the employer's obligation to provide appropriate orientation. The supervising nurse should verify what the learner is permitted and competent to do, intervene when safety is threatened, and avoid assigning independent responsibility prematurely. Learners also have an obligation to disclose limitations and ask for supervision. Documentation should accurately identify who performed care according to system capabilities and policy. Falsely documenting that the supervising nurse performed an action solely to avoid showing student participation undermines record integrity.

Practice note: mandatory reporting outside the BON

Nurses may have reporting duties under laws outside the Nursing Practice Act, including laws concerning abuse, neglect, exploitation, certain communicable conditions, or threats of harm. The exact duty depends on the patient population and setting. Rule 217.11 requires nurses to know and conform to other laws affecting their practice, so a nurse should learn the reporting rules most relevant to the role. Organizational policy can provide a workflow but should not be assumed to replace the individual legal duty when a statute imposes one. When immediate safety is at issue, the nurse should protect the patient first and use the required reporting channel promptly. Documentation should separate the clinical facts from unsupported accusations.

Practice note: mistakes, disclosure, and learning

A medication or treatment error should trigger patient assessment before self-protection. The nurse determines whether the patient is at risk, obtains necessary treatment, notifies appropriate clinicians, and completes required reporting. Ethical disclosure should follow organizational policy and legal requirements, but the nurse should never falsify the chart to avoid disclosure. Quality reporting systems are designed to capture contributing factors such as look-alike packaging, interruptions, confusing electronic interfaces, understaffing, or protocol gaps. A just learning culture does not mean absence of accountability; it means matching the response to the nature of the behavior while correcting system vulnerabilities. Nurses strengthen safety when they report near misses as well as harmful events.

Practice note: moral courage and respectful dissent

Professional dissent is most effective when it is specific, evidence-informed, and solution-oriented. A nurse who believes a plan is unsafe should describe the observation, the expected risk, the standard or clinical reasoning that supports the concern, and a proposed alternative. Statements such as 'I am not comfortable' can be a useful opening but should be followed by the clinical basis for concern. Respectful language preserves collaboration without requiring the nurse to surrender judgment. If the concern remains unresolved and the risk is significant, escalation is appropriate. Moral courage is not dramatic confrontation; it is the disciplined willingness to protect the patient despite social or hierarchical pressure.

Practice note: role transitions and competence drift

Nurses who move from bedside care to administration, education, informatics, case management, aesthetics, telehealth, or entrepreneurial practice may encounter competence drift. Skills that were once strong can become rusty, while new responsibilities introduce legal requirements that were not part of the nurse's prior role. A nurse returning to direct care should not assume prior experience guarantees current competence. Similarly, a nurse opening a new service should not treat business ownership as authority to perform procedures outside nursing scope. Role transitions should trigger a deliberate review of the NPA, Board rules, competence requirements, emergency preparedness, documentation, and applicable non-nursing laws.

Deep dive: applying Rule 217.11 during clinical deterioration

A deteriorating patient is one of the clearest tests of nursing accountability. The nurse may be working from protocols, standing orders, electronic alerts, or a physician-directed plan, but the essential nursing task is to recognize change and respond in time. A defensible sequence begins with reassessment: compare the current findings with the prior baseline, verify abnormal data when verification will not create dangerous delay, and identify whether immediate nursing interventions are authorized. The nurse then communicates the urgency using objective findings rather than vague concern. A statement such as 'the patient looks worse' is weaker than reporting a new systolic pressure of 78 mm Hg, altered mentation, cool skin, and urine output of 10 mL in the last hour. If the initial response is inadequate, escalation continues. The nurse should activate rapid-response or emergency resources when criteria are met rather than waiting for a routine callback. Rule 217.11 supports this approach because safe nursing practice includes recognizing changes, implementing appropriate interventions, and notifying the appropriate practitioner. Documentation should capture the clinically important sequence: the change in condition, assessment findings, interventions, notifications, response, and patient outcome. The note should not become a narrative about who was difficult to reach. If an order is inconsistent with the patient's condition, the nurse clarifies it; if a required treatment is delayed because an order cannot be obtained, the nurse uses emergency and chain-of-command resources available in the setting. The ethical duties of nonmaleficence and fidelity reinforce the legal duty. The nurse's obligation is to the patient's safety, not to preserving a comfortable hierarchy. At the same time, the nurse should remain within scope and avoid independently prescribing a treatment that requires prescriptive authority. The most defensible action is active nursing assessment, timely communication, authorized intervention, and escalation proportional to the risk.

Deep dive: documentation after a medication error

Medication errors often create anxiety because the nurse must care for the patient while anticipating internal review. The safest legal and ethical approach is to separate the clinical record from the quality-reporting process. In the health record, document the patient's condition, the medication actually administered, relevant assessment findings, notifications, ordered monitoring or treatment, and the patient's response. Do not alter the medication administration record to make the event disappear. If a correction is needed, use the approved correction process so the audit trail remains intact. Do not write that an incident report was completed unless organizational policy specifically requires that statement in the medical record. Incident reports are generally quality and safety tools, while the health record exists to support patient care. The nurse should also avoid defensive commentary such as 'pharmacy sent the wrong dose and therefore I am not responsible.' If the pharmacy contributed, that fact can be addressed in the safety report; the clinical note should remain focused on care. Immediate disclosure to the patient or family should follow the organization's disclosure process and applicable law, but a nurse should never lie if asked directly. Veracity and accountability require truthful communication. The nurse should preserve packaging or other evidence when policy requires it and should participate in root-cause review. A single error may arise from human factors such as interruptions, labeling, interface design, or workload, but system contributors do not erase the nurse's obligation to follow basic medication-safety standards. Conversely, the existence of an error does not prove reckless practice. A just review distinguishes an inadvertent mistake from knowingly bypassing safeguards or falsifying documentation. The strongest regulatory position is created by prompt patient protection, accurate documentation, transparent reporting, and willingness to learn from the event.

Deep dive: refusal of an unsafe assignment and safe continuity of care

Nurses sometimes hear two oversimplified rules: 'you must take the assignment' or 'you can refuse anything you think is unsafe.' Texas jurisprudence requires a more careful analysis. Before the nurse-patient relationship is established, the nurse should evaluate whether the proposed assignment is commensurate with education, experience, knowledge, and physical and emotional ability and whether the environment provides sufficient resources to meet minimum standards. If the assignment appears unsafe, the nurse should identify the specific risk and request modification. Examples include an untrained nurse being assigned to manage an unfamiliar ventricular-assist device without qualified backup, an assignment containing several simultaneously unstable patients, or a patient population outside the nurse's competence with no available supervision. The nurse should use the chain of command and consider safe harbor when the legal criteria are met. Once responsibility for patients has been accepted, the nurse's options change because the duty to those patients has begun. The nurse cannot simply leave because the assignment remains difficult. The nurse must continue necessary care while seeking relief, arranging appropriate handoff, or using emergency escalation. This distinction explains why refusal before acceptance and abandonment after acceptance are not the same. Documentation outside the patient record may be appropriate to preserve the facts surrounding an assignment dispute. In the patient record, the nurse should document patient-specific care and communications that affect treatment, not general staffing grievances. If the assignment causes delays, document the actual clinical event and response rather than writing a broad accusation that 'staffing was unsafe.' Specific, objective facts are more useful both clinically and legally. Safe-harbor and peer-review mechanisms exist to allow a good-faith duty concern to be evaluated without requiring the nurse to choose between blind compliance and abrupt withdrawal from care.

Deep dive: delegation when the patient changes

Appropriate delegation at 0800 may become inappropriate at 1000 because the patient has changed. Suppose an RN delegates routine ambulation to a trained UAP for a stable postoperative patient. Before the task occurs, the patient becomes dizzy, reports new chest pressure, and has a heart rate of 130. The delegated task should not proceed simply because it appeared on the task list. The UAP's responsibility is to report the change promptly and avoid proceeding outside training. The RN's responsibility is to reassess the patient and determine what nursing and medical actions are now required. This example shows why delegation depends on patient stability and predictability rather than on the label attached to the task. The RN should communicate clear stop conditions when delegating, such as new dyspnea, chest pain, confusion, bleeding, weakness, or abnormal vital signs. The RN must remain available to respond to reported changes and should evaluate the outcome of delegated care. If the staffing model makes meaningful supervision impossible, the RN should question whether delegation is appropriate. The same reasoning applies to blood glucose checks, intake and output, vital signs, feeding, hygiene, transport, and other commonly delegated activities. Data obtained by a UAP can be valuable, but interpretation and nursing judgment remain the RN's responsibility when the situation requires them. A repeated failure to reassess after abnormal delegated data can become a professional-practice concern even if the original delegation decision was reasonable. Ethical accountability requires the nurse to regard delegated caregivers as part of the safety system rather than as task labor. Good supervision invites questions, responds to uncertainty, and avoids blaming the UAP for failing to make a nursing judgment that was never within the UAP's role.

Deep dive: confidentiality in small communities and family requests

Confidentiality becomes especially challenging when the nurse knows the patient or family outside the clinical setting. A relative may call the nurse's personal phone and say, 'I know you work there; just tell me whether she is okay.' The nurse may feel social pressure to answer because the caller already knows about the hospitalization. The professional question is not whether the caller knows something; it is whether the nurse is authorized to disclose protected information. The nurse should follow the patient's preferences, applicable privacy law, and organizational procedures for family communication. A familiar relationship does not create authorization. Similarly, a nurse who attends the same church, school, or community organization as a patient should not acknowledge the clinical relationship in public unless the patient chooses to disclose it and the nurse's response remains appropriate. If the patient later discusses the hospitalization openly, the nurse should still avoid adding details learned through professional access. In small communities, dual relationships may be unavoidable, but confidentiality remains controllable. Nurses can protect it by limiting chart access to legitimate purposes, using approved communication channels, avoiding discussion in public spaces, and redirecting personal questions. Documentation of permitted family communication should identify the person contacted and clinically relevant information shared according to policy. The nurse should also be alert to family conflict: one relative's request for information does not override the patient's stated restrictions. Ethical respect for autonomy and trust supports the legal duty. Patients should be able to receive care without fearing that nurses will convert privileged knowledge into community information.

Deep dive: professional boundaries in home health and long-term relationships

Home health, hospice, long-term care, dialysis, oncology, and other settings may create relationships that last months or years. Familiarity can improve trust, but it can also normalize boundary crossings that would be obvious in a short hospital encounter. A nurse may be invited to family events, offered meals or gifts, asked to perform errands, or become the primary emotional support for a socially isolated patient. The nurse should repeatedly ask whether the interaction serves a therapeutic purpose and whether the relationship remains transparent to the care team. Consistency is important. If one patient receives extensive personal favors that others do not, the nurse should examine whether favoritism or dependency is developing. The nurse should avoid controlling the patient's personal decisions, becoming financially involved, borrowing or lending money, accepting major gifts, or creating secrecy. A patient's gratitude does not remove vulnerability. If the nurse's involvement is becoming emotionally intense, transferring care may be appropriate, but abrupt withdrawal can also harm the patient; consultation should guide the transition. Documentation should remain clinical and should not be used to conceal or justify a personal relationship. Supervisors can support healthy boundaries by creating clear policies and by discussing ambiguous situations without shaming staff for asking. The safest culture is one in which nurses can say, 'I think I may be getting too involved and need help thinking this through.' Texas Position Statement 15.29 emphasizes recognition of warning signs before a violation occurs. Boundary protection is therefore a continuous professional skill, not merely a rule against sexual misconduct.

Deep dive: ethical conflict around life-sustaining treatment

A nurse caring for a patient receiving life-sustaining treatment may believe the treatment is causing suffering without meaningful benefit, while the family and physicians wish to continue. The nurse's moral distress can be intense, but the legal and ethical response requires careful separation of roles. The nurse should assess the patient's symptoms and preferences, identify any advance directive or surrogate decision-maker, and communicate observations about suffering, response to treatment, and expressed goals. The nurse may advocate for a goals-of-care discussion, palliative-care consultation, or ethics consultation. The nurse should not unilaterally withhold ordered life-sustaining treatment unless an emergency, a lawful order change, or another authorized process justifies that action. Nor should the nurse characterize the family as unethical merely because they understand benefit and burden differently. Ethical analysis considers autonomy, substituted judgment or best interests when the patient lacks capacity, beneficence, nonmaleficence, justice, and fidelity. The nurse may also need to distinguish moral distress from a direct safety violation. If an order itself is unsafe or legally invalid, Rule 217.11 processes for clarification and escalation apply. If the treatment is legally authorized but ethically disputed, structured communication and consultation are usually the first steps. Documentation should capture the patient's symptoms, statements, clinical response, and relevant discussions, not the nurse's personal condemnation of the plan. This approach protects the patient while respecting the interdisciplinary nature of complex end-of-life decisions.

Deep dive: impaired practice, peer assistance, and fairness

Suspected impairment is difficult because nurses may fear harming a colleague's career. The regulatory purpose of reporting is patient protection, not punishment for illness. The nurse who observes concerning behavior should focus on objective facts: medication discrepancies, inability to perform tasks safely, altered speech, unstable gait, unexplained absences, repeated errors, or other concrete observations. Immediate patient risk should be addressed at once. The nurse should follow organizational procedures for removing the colleague from patient care when indicated and notifying the appropriate supervisor. Required reporting to the Board or another entity depends on the facts and applicable law. Peer-assistance programs may provide a pathway for evaluation, treatment, monitoring, and return to safe practice for eligible nurses, but a coworker should not promise that a matter can be kept 'off the record.' The nurse should avoid searching personal belongings, making a diagnosis, or spreading rumors. Confidentiality applies to the colleague as well as to patients, although it does not override mandatory reporting. Leaders should handle suspected impairment consistently and should avoid favoritism based on seniority, reputation, or friendship. Ethical justice and compassion support a process that protects patients while giving the nurse a fair opportunity for assessment and recovery. Covering for a colleague can delay treatment, increase risk, and expose other nurses to accountability for concealment.

Deep dive: social media, professionalism, and off-duty conduct

A nurse's personal social-media account is not automatically outside professional regulation. The Board's interest is strongest when the conduct relates to patient confidentiality, exploitation, fraud, threats, professional boundaries, or safe practice. Nurses should therefore separate legitimate personal expression from content that reveals patient information or undermines professional obligations. A post can identify a patient without a name if the combination of age, location, timing, diagnosis, photographs, or newsworthy circumstances makes identification possible. A private group does not eliminate the risk of screenshots or redistribution. Nurses should also avoid posting photographs taken in clinical areas if screens, room numbers, wristbands, whiteboards, medication labels, or voices in a video reveal information. Complaints about a workplace should be expressed without patient details. If the nurse is using social media professionally, advertising services, or giving health information, the nurse should accurately identify credentials and avoid implying expertise beyond scope. Online advice can create a professional relationship or expectation of care depending on context, so a nurse should use appropriate disclaimers and referral pathways rather than attempting to manage emergencies through direct messages. Digital professionalism is an extension of ordinary professional conduct, not a separate universe with different ethical rules.

Deep dive: AI-assisted documentation and clinical reasoning

AI-assisted documentation can reduce clerical burden, but it introduces a new form of authorship risk. If a tool records a conversation and generates a note, the nurse must verify that the note reflects what actually occurred. Hallucinated symptoms, incorrect medication names, omitted abnormal findings, or statements that were never made can become part of the medical record if the nurse signs without review. The nurse should correct errors before authentication and should know how the system records edits and attribution. AI should not be used to fabricate a rationale after the fact or to create documentation for care that was not performed. When an AI tool recommends a clinical action, the nurse should evaluate the recommendation against the patient's condition, the order set, authoritative guidance, and the nurse's scope. Sensitive information should be entered only into systems approved for that purpose. If the nurse identifies repeated unsafe output, reporting through clinical informatics, quality, or safety channels can help prevent harm to other patients. Position Statement 15.31 reinforces the principle that emerging technology does not displace nursing knowledge or judgment. The ethical issue is not whether AI is good or bad; it is whether the nurse uses it in a way that preserves accuracy, privacy, transparency, and accountability.

Deep dive: charge nurse and manager accountability

Charge nurses and managers make decisions that affect multiple patients and staff, but leadership authority does not replace individual licensure duties. A charge nurse assigning patients should consider acuity, nurse competence, experience, available support, and changing unit demands. When a nurse raises a safety concern, the charge nurse should investigate the facts and consider a workable modification rather than dismissing the concern as attitude. A manager who knowingly assigns an untrained nurse to high-risk care without supervision can create risk for patients and for both nurses' licenses. Leaders also have responsibilities related to delegation, documentation systems, orientation, incident review, and support for reporting. They should not instruct staff to change records, delay reporting, or avoid safe-harbor processes merely to protect metrics. When resources are limited, leaders may need to prioritize care, obtain additional support, close capacity, or escalate to administration. Regulatory accountability does not require leaders to create resources that do not exist, but it does require them to respond reasonably to recognized risk. Ethical leadership includes transparency about constraints and protection of staff who report good-faith concerns. A culture that punishes every report teaches nurses to hide problems; a culture that ignores reckless conduct teaches nurses that standards do not matter. Effective leadership holds both patient safety and fair accountability in view.

Deep dive: building a defensible nursing decision

When a nursing decision is later reviewed, the strongest explanation is rarely 'that is how we always do it.' A defensible decision can be reconstructed from several elements. First, the nurse identified the patient's condition and the relevant risk. Second, the nurse knew the applicable scope, order, policy, or regulatory standard. Third, the nurse considered personal competence and available resources. Fourth, the nurse took an action proportionate to the urgency, including assessment, intervention, communication, supervision, or escalation. Fifth, the nurse documented clinically important facts accurately. Sixth, the nurse reassessed the patient and adjusted the plan when circumstances changed. This structure does not guarantee a good outcome; healthcare includes uncertainty and unavoidable complications. It does, however, show professional reasoning. Nurses should resist two opposite errors: paralysis caused by fear of liability and overconfidence caused by routine. Jurisprudence supports thoughtful action. In urgent situations, the process may occur rapidly, but the same elements remain. In nonurgent situations, the nurse has more opportunity to consult the NPA, Board rules, position statements, policies, and specialty standards. The habit of explicitly identifying the legal and ethical issue makes consultation more efficient. Instead of asking, 'Can I do this?' the nurse can ask, 'Is this activity within RN scope, am I competent, does it require an order, what supervision is required, and is it safe for this patient in this setting?' That is the practical language of professional accountability.

Practice synthesis: recognizing the regulatory issue before it becomes a crisis

Many practice problems become difficult because the legal issue is recognized late. A nurse may first experience the situation as workload, disagreement, discomfort, or frustration, when the underlying problem is actually scope, competence, an unsafe order, a boundary concern, confidentiality, or a reporting duty. Early identification changes the response. If the issue is scope, the nurse reviews licensure authority and competence. If it is an unsafe order, the nurse assesses, clarifies, communicates, and escalates. If it is delegation, the nurse reassesses the patient, task, person, supervision, and outcome. If it is confidentiality, the nurse stops unnecessary access or disclosure and uses approved communication methods. If it is professional boundaries, the nurse restores therapeutic limits and seeks consultation before secrecy or personal involvement develops. If it is an assignment concern, the nurse describes specific risk, requests modification, and considers safe harbor when applicable. Naming the category also improves documentation because the nurse can record the clinical facts that matter rather than writing emotional conclusions. This habit should become part of routine practice: before acting, ask what professional duty is engaged and which source governs it. The current NPA and Board rules are the primary regulatory references; position statements and FAQs then help with application. Repeated use of this framework reduces dependence on folklore and makes nursing judgment more consistent across settings.

Practice synthesis: communicating a legal or ethical concern without escalating conflict

A strong nurse can raise a serious concern without turning the interaction into a personal confrontation. Begin with observable facts and the patient impact. State the concern in a way that invites resolution: 'The patient's pressure is 78/44 after the procedure and the access site is actively bleeding; I am concerned the heparin bolus may worsen hemorrhage. I need the order reassessed before administration.' This is more effective than saying, 'That order is ridiculous.' If the first response does not address the risk, the nurse can say what remains unresolved and move to the next appropriate level. Documentation should identify the significant communication and resulting plan, not reproduce insults or speculation about motives. Respectful communication is not passive. The nurse may need to be persistent, activate emergency resources, or decline to carry out a treatment believed unsafe. Professional tone strengthens rather than weakens the nurse's position because it keeps the focus on standards and patient risk. Ethical fidelity to the patient and legal accountability are compatible with collegial respect. Nurses should also listen for information that changes the analysis; sometimes the prescriber or supervisor has clinical facts the nurse did not know. The goal of escalation is not to prove another clinician wrong but to reach a safe, lawful plan while preserving the team's ability to continue caring for the patient.

Practice synthesis: what belongs in the patient record and what belongs elsewhere

Confusion about documentation often increases after a conflict or error. The patient record should contain information relevant to the patient's care: assessment findings, interventions, medication or treatment decisions, notifications, orders, education, refusal, response, and disposition. A staffing complaint, peer-review request, incident analysis, or accusation that another professional violated a regulation usually belongs in another authorized system unless it directly affects clinical care. This separation protects the usefulness of the health record and avoids turning it into a litigation or personnel narrative. The nurse should never omit a clinically important event merely because an incident report was filed; the patient record still needs to show what happened to the patient and how the team responded. Conversely, the nurse should not write 'incident report completed' simply to prove compliance unless policy requires that notation. Corrections must preserve the integrity of the original entry. When a note is late, label it according to policy and document the current entry time rather than backdating. If the nurse is uncertain about wording, factual and chronological language is usually safest. Avoid assigning blame, guessing motives, or using legal labels in place of clinical observations. Good documentation supports continuity of care first; its legal defensibility follows from accuracy, completeness, and honesty.

Practice synthesis: maintaining competence over a nursing career

Competence is not permanent. A nurse may be licensed for decades while moving among specialties, technologies, and practice settings. Texas standards make the individual nurse responsible for recognizing when orientation, education, or supervision is needed. Annual competencies and employer checklists are useful, but they do not eliminate the nurse's duty to recognize personal limitations. A nurse returning to an ICU after years in case management may need a structured re-entry process. A nurse who has never managed a new dialysis device, ventricular-assist device, infusion technology, or remote-monitoring platform should obtain training before independently assuming responsibility. Continuing education can deepen knowledge, but it does not by itself create legal authority for an activity that requires another license or formal educational preparation. Competence also includes nontechnical domains: documentation, delegation, communication, privacy, cultural and language access, digital tools, and recognition of impairment or fatigue. Professional growth is therefore both a legal and ethical obligation. The nurse who asks for help early protects patients and demonstrates accountability. The more dangerous pattern is silent performance beyond competence because of embarrassment, hierarchy, or staffing pressure. A mature nursing culture treats appropriate consultation as a safety behavior and builds systems that make it possible.

References

Texas Occupations Code, Chapter 301, Nurses (Nursing Practice Act), including §§301.002, 301.303, 301.305, 301.352, 301.401, and 301.452.

Texas Occupations Code, Chapter 303, Nursing Peer Review, including safe harbor nursing peer review provisions.

Texas Administrative Code, Title 22, Part 11, Chapter 216, Continuing Competency, §216.3.

Texas Administrative Code, Title 22, Part 11, Chapter 217, §217.11, Standards of Nursing Practice.

Texas Administrative Code, Title 22, Part 11, Chapter 217, §217.12, Unprofessional Conduct.

Texas Administrative Code, Title 22, Part 11, Chapter 217, §§217.19-217.20, nursing peer review, safe harbor, and whistleblower protections.

Texas Administrative Code, Title 22, Part 11, Chapters 224 and 225, delegation of nursing tasks.

Texas Board of Nursing. (2026). Continuing nursing education and competency: Targeted continuing education - Nursing jurisprudence and nursing ethics.

Texas Board of Nursing. (2026). Position Statements - current index and guidance for nursing practice.

Texas Board of Nursing. (2026). Position Statement 15.14: Duty of a Nurse in Any Practice Setting.

Texas Board of Nursing. (2026). Position Statement 15.15: Board's Jurisdiction over a Nurse's Practice in Any Role and Use of the Nursing Title.

Texas Board of Nursing. (2026). Position Statement 15.27: The Licensed Vocational Nurse Scope of Practice.

Texas Board of Nursing. (2026). Position Statement 15.28: The Registered Nurse Scope of Practice.

Texas Board of Nursing. (2026). Position Statement 15.29: Professional Boundaries including Use of Social Media by Nurses.

Texas Board of Nursing. (2026). Nursing Practice FAQ and Scope of Practice Decision-Making Model.

Texas Board of Nursing. (2026). Nursing Peer Review FAQ: Incident-based peer review and safe harbor nursing peer review.

Texas Board of Nursing. (2026). Safe Harbor Forms and Resources for Nurses and Facilities.

Texas Board of Nursing. (2026). Nursing Practice Information: professional boundaries, electronic communication, social media, delegation, and scope resources.

American Nurses Association. (2025). Code of Ethics for Nurses. American Nurses Association.

U.S. Department of Health and Human Services, Office for Civil Rights. (2026). HIPAA Privacy, Security, and Breach Notification Rules.

45 C.F.R. Parts 160 and 164. Standards for Privacy and Security of Individually Identifiable Health Information.

National Council of State Boards of Nursing. (2018). A Nurse's Guide to Professional Boundaries. NCSBN.

National Council of State Boards of Nursing. (2011). White Paper: A Nurse's Guide to the Use of Social Media. NCSBN.