

BUILDING TECHNOLOGY BIZBITS

March 2026 Issue

Community

Connected Buildings by
Connected People

INBAC ASSOCIATION


Building automation is powered by technology, but driven by a community committed to smarter, safer, and more sustainable buildings.

www.inbac.org / www.thevital.org
Powerhouse of VITAL opportunities



TABLE OF CONTENTS

01	THE EDITOR'S DESK By Mehul Joshi Editor-in-Chief	09	ORGATEC ADVERTISEMENT
02	CHALLENGES FACED DURING BUILDING MANAGEMENT SYSTEM (BMS) DESIGN AND COORDINATION Author: HARDIK JOSHI Designation : ELV / ICT CONSUTLANT Organization: ETERNAL CONSULTANT	10	FROM DAYLIGHT TO DATA CENTRES: THE SMART BUILDING EDGE Author: MR.GIRISH PILLAY Designation: National Head Projects. Organization: Greatwhite Electricals
05	INFRASTRUCTURE TECHNOLOGY AND ITS IMPACT ON SUSTAINABLE SMART SPACES Author: Hardik Parekh Designation: Vice President- ELV & IBMS Organization: Ramana Safety and Systems (India) Limited	12	FROM DATA TO DECISION: HOW SENSORS POWER BMS INTELLIGENCE Author: Mr.Pradip Rathod Designation: Sales Head Organization: Nextech Sensors & Controls
07	BMS - THE HIDDEN INTELLIGENCE OF SMART SPACES Author: Ravina Pal Designation: Asst. Manager Organization: Artee Flow Controls Pvt. Ltd.	15	INTELLIGENT BUILDING MANAGEMENT FOR MODERN INDUSTRIAL APPLICATIONS Author: Ronak Barot Designation: Founder & MD Organization: Neetdeep Group



The Editor's Desk



Dear INBACers,

As we joyfully welcome the month of March, heralding the conclusion of the financial year and the arrival of summer, we also partake in the exuberant festival of colors, Holi. It is with palpable enthusiasm that we unveil the latest edition of INBAC Magazine for March 2026. Central to this issue is our unwavering commitment to providing an ever-expanding array of insightful articles and informative updates pertaining to Building Management Systems (BMS), which are integral to the very essence of BTB Magazine.

In this vibrant edition, we aspire to furnish our readers with profound insights into the pivotal initial stage of BMS implementation—the pre-sales and planning phase. It is essential to recognize the broadening scope of BMS, which now exceeds the mere monitoring and control of high-side systems. Instead, these systems are evolving to enrich user experiences within living environments, creating a unique and fulfilling atmosphere. The integration of cutting-edge technologies, including IoT sensors and a variety of automation solutions, is becoming an indispensable component of modern BMS.

We sincerely extend our gratitude to our contributors, whose efforts have been integral in curating a more inclusive and interconnected array of topics for our readership. We invite you to share your feedback to identify additional value-added subjects you would like to see explored in BTB Magazine. Your insights are invaluable in fostering a new era of informative excellence through the virtues of INBAC and BTB Magazine.

Together, let us continue this invigorating journey of knowledge and discovery.

Sincerely,
Mehul Joshi
Editor-In-Chief
Building Technology BizBits Magazine.





CHALLENGES FACED DURING BUILDING MANAGEMENT SYSTEM (BMS) DESIGN AND COORDINATION

1. Introduction

A Building Management System (BMS) plays a critical role in the centralized monitoring, control, and optimization of various Mechanical, Electrical, Plumbing, and Fire (MEPF) services within modern infrastructure. Large-scale facilities such as commercial complexes, hospitals, airports, educational campuses, data centers, and smart buildings rely heavily on an integrated BMS to ensure operational efficiency, energy optimization, safety, and occupant comfort.

The design and implementation of a BMS is inherently complex due to the requirement of integrating multiple building services including HVAC systems, electrical systems, fire alarm and firefighting systems, water management systems, elevators, security systems, and other specialized subsystems. These integrations can be categorized into hardwired integration and software-based (protocol-based) integration.

However, several technical and coordination challenges arise during the design and execution stages of a BMS project. These issues often stem from incomplete design inputs, lack of interdisciplinary coordination, incorrect system assumptions, or insufficient understanding of building services. If not addressed at the design stage, these challenges can lead to delays during installation, integration failures, commissioning issues, and operational inefficiencies.

The following sections highlight the major challenges commonly encountered during the design and coordination of BMS systems.

2. Incomplete IO Summary and Data Mapping

One of the most critical aspects of BMS design is the preparation of a comprehensive Input/Output (IO) Summary and Data

Mapping document.

The IO summary defines all field signals that will be monitored or controlled by the BMS, including:

- Digital Inputs (DI)
- Digital Outputs (DO)
- Analog Inputs (AI)
- Analog Outputs (AO)

If the IO summary is incomplete or incorrectly prepared, it can lead to significant issues such as:

- Incorrect controller selection
- Insufficient IO capacity
- Improper field device connectivity
- Failure during system configuration and commissioning
-

In many projects, BMS designers prepare the IO summary based on generic assumptions instead of verified design inputs. This leads to inconsistencies between the BMS design documentation, actual field devices, and MEPF system requirements. Proper coordination with system designers is therefore essential to ensure accurate IO mapping.



3. Hardwired Integration of MEPF Services

Hardwired integration involves the direct connection of BMS controllers with equipment signals using electrical wiring. These signals may include status feedback, alarm signals, start/stop

commands, sensor inputs, and operational parameters.

A common challenge arises when the detailed design, control philosophy, and operational logic of MEPF systems—particularly HVAC systems—are not available to the BMS designer during the design stage.

As a result, the BMS design is often developed based on standard applications rather than project-specific requirements. This creates several coordination issues, including:

- Improper identification of required monitoring and control signals
- Missing signal provisions in equipment panels
- Incorrect number of field points required for BMS connectivity

Another major challenge occurs when the BMS designer does not clearly specify the required provisions from MEPF service providers in the BMS documentation. For example:

- Dry contacts required from equipment panels
- Analog signals for temperature, pressure, or flow monitoring
- Communication ports for integration

If these requirements are not communicated during the design stage, the respective MEPF contractors may fail to provide the necessary interfaces in their equipment panels. This leads to major coordination challenges during site execution and commissioning.

4. Third-Party Software Integration of MEPF Equipment

With advancements in building automation technologies, many modern MEPF systems are equipped with dedicated microprocessor-based controllers or Programmable Logic Controllers (PLC). These controllers handle local automation functions and communicate with BMS platforms using open communication protocols.

Common protocols used for BMS integration include:

- Modbus
- BACnet
- LonWorks
- KNX
- OPC

In such cases, BMS integration is achieved through software-level communication rather than hardwired signals.

However, several challenges arise when the BMS designer assumes a particular communication protocol without confirming it with the equipment manufacturer or MEPF designer. This can result in multiple integration issues during execution, such as:

- Protocol compatibility conflicts
- Requirement for additional protocol converters or gateways
- Complex data point mapping between systems
- Non-availability of open communication protocols in supplied equipment

These issues can significantly delay commissioning and may increase project costs due to the need for additional hardware or software solutions.

5. Selection of Graphical User Interface (GUI) Software and Hardware Requirements

The Graphical User Interface (GUI) is the operational layer of the BMS that allows facility operators to monitor and control building

services through graphical dashboards, alarms, trends, and reports.

Selection of the appropriate GUI software must consider several technical parameters, including:

- Total number of hardwired and software-integrated data points
- Number of operator workstations and client licenses
- Alarm management and event logging capacity
- Historical data storage and trend analysis requirements
- Server capacity and redundancy requirements

If these parameters are not considered during the design phase, the system may encounter major issues during configuration and commissioning, including:

- Software licensing limitations
- Server performance bottlenecks
- Inadequate data storage capacity

Such shortcomings often require system upgrades after installation, resulting in additional cost and project delays.

6. Selection of Sensors and Transmitters

The Field sensors and transmitters are essential components that provide real-time operational data to the BMS. These devices measure parameters such as:

- Temperature
- Pressure
- Humidity
- Flow rate
- Differential pressure
- Tank levels

A common issue occurs when the BMS designer does not receive detailed equipment performance parameters or operating ranges from the respective MEPF system designers. As a result, the selected sensors and transmitters may have measurement ranges that do not match actual system requirements.

Additionally, discrepancies often arise between the IO summary and the Bill of Quantities (BOQ) with respect to the number of sensors and transmitters required. Such inconsistencies create procurement and installation challenges during project execution.



7. Network Architecture Complexity

Modern BMS platforms operate on IP-based network infrastructure and require robust communication architecture to ensure reliable data transmission between controllers, servers, and operator workstations.

Designing a proper BMS network requires coordination with the IT infrastructure team and careful consideration of the following parameters:

- Proper VLAN architecture for segregating automation traffic
- Design of a fiber optic backbone network
- Selection of appropriate network topology (star, ring, redundant architecture)
- Separation of the BMS network from the building data LAN network

If these factors are not addressed during the design stage, the BMS may suffer from network congestion, communication delays, and cyber security vulnerabilities.

8. Incorrect Cable and Wiring Selection

The performance and reliability of hardwired BMS signals largely depend on proper cable and wiring selection.

Different types of signals require specific cable types, such as:

- Dry contact signals
- 24V digital signals
- Resistance-based sensor signals
- Analog signals (0–10 V DC or 4–20 mA)

In many cases, BMS designers fail to properly categorize these signals and specify appropriate cables. Using incorrect cable types can lead to:

- Signal noise and interference
- Incorrect sensor readings
- Communication failures between field devices and controllers

Proper cable segregation, shielding, and routing are therefore essential for achieving optimal BMS performance.

9. Scalability and Future Integration

Building systems are rarely static. Over time, facilities often undergo expansion, modernization, or addition of new technologies. Therefore, BMS architecture must be designed with scalability in mind.

However, several design mistakes may limit future expansion, such as:

- Selection of controllers with limited IO capacity
- Insufficient network bandwidth
- Lack of provision for integration of future systems


When scalability is not considered during the design stage, integrating new equipment or systems into the existing BMS becomes difficult and may require major system redesign or hardware replacement.

10. Conclusion

A Building Management System serves as the central nervous system of modern buildings, integrating and controlling multiple MEPF services to ensure efficient and safe building operations. Due to the multidisciplinary nature of BMS projects, successful implementation requires comprehensive technical understanding, accurate system design, and strong coordination between multiple engineering disciplines.

The challenges discussed above—ranging from incomplete IO mapping and integration issues to network complexity and scalability limitations—highlight the importance of early-stage coordination between BMS designers, MEPF consultants, equipment manufacturers, and IT teams.

By adopting a structured design approach, ensuring detailed engineering inputs, and maintaining strong interdisciplinary collaboration, these challenges can be effectively mitigated, resulting in a robust, scalable, and efficient Building Management System.



AUTHOR: HARDIK JOSHI

DESIGNATION : ELV / ICT CONSUTLANT

ORGANIZATION: ETERNAL CONSULTANT



INFRASTRUCTURE TECHNOLOGY AND ITS IMPACT ON SUSTAINABLE SMART SPACES

Infrastructure technology refers to the digital and physical systems that support the operation and management of buildings, cities, and industrial environments. The concept of sustainable smart spaces has emerged as a solution to balance technological growth with environmental responsibility. Sustainable smart spaces use advanced infrastructure technologies such as the Internet of Things (IoT), artificial intelligence (AI), cloud computing, and smart energy systems to create efficient, environmentally friendly, and user-centered environments. This includes communication networks, data centers, sensors, energy systems, transportation systems, and smart building management platforms. These technologies provide the backbone for data collection, analysis, and automation.

Understanding Infrastructure Technology:

In the context of smart spaces, infrastructure technology enables real-time monitoring and control of various components such as lighting, heating, ventilation, air conditioning (HVAC), security systems, Fire System and energy consumption. For example, smart sensors embedded in buildings can monitor temperature, occupancy, and lighting conditions. The data collected from these sensors can be analyzed using AI-based systems to automatically adjust energy usage, thereby improving efficiency and reducing waste. This infrastructure technology requires high-speed connectivity which allow large volume of data to be transmitted faster & enabling seamless communication between systems.

Artificial Intelligence and Data-Driven Infrastructure:

Artificial Intelligence plays a critical role, AI algorithms process data collected from sensors and devices to identify patterns, predict system behaviour, and automate decision-making processes. AI-powered energy management systems can forecast electricity demand and optimize the distribution of power. This helps balance energy supply with demand while reducing waste. By analyzing equipment data, AI systems can detect early signs of mechanical failure and schedule maintenance before breakdowns occur. This improves infrastructure reliability and extends the lifespan of assets.



Data and Digital Infrastructure:

Data plays a very Important role in sustainable smart places and smart buildings. Infrastructure technology enables continuous data collection from the device, sensors and infrastructure system. This data is then analyzed using advanced analytics and artificial intelligence to support decision-making.

Smart Buildings Infrastructure:

Integration of different systems enables to operate and maintain more efficiently for sustainable smart spaces & smart buildings (BMS, lighting, heating, security, fire & energy



management). Building Management System (BMS) allow building operators to monitor and control these systems through a centralized platform.

Smart Energy System:

Energy system are often rely on fuels & distribution methods. Major challenges faced by any buildings or city is energy consumption. Infrastructure technology helps overcome these problems by using smart energy system. These system automatically control lighting, ventilation, air conditioning automatically based on occupancy and environmental conditions by using building automation system. With help of this system energy consumption is reduced and carbon emissions are minimized.

The Integration of Infrastructure Technology in smart spaces offers environmental and social benefits like resource efficiency, reduce carbon emission, economic growth, Improved quality of life. Implementing technology for smart spaces and smart buildings have several challenges like High initial implementing cost, data privacy concern, cyber security risks. Moreover, integrating new technologies in new or existing buildings requires careful planning and selection of the technology for smother integration of systems. In conclusion sustainable smart spaces represent the future of infrastructure technology serves as the backbone that makes this transformation possible. By investing in innovation infrastructure solution and promoting responsible technology use societies can achieve sustainable growth for creating Smarter, Greener and more livable environments for future generation while protecting the planet.



AUTHOR: HARDIK PAREKH

DESIGNATION: VICE PRESIDENT- ELV & IBMS

ORGANIZATION: RAMANA SAFETY AND SYSTEMS (INDIA) LIMITED



6TH EDITION

BAC E&C 2026

BUILDING AUTOMATION COMMUNITY EXPO & CONNECT-CONVENTION

19 - 21 NOVEMBER 2026

VENUE

Jio World Convention Center (JWCC) BKC
Bandra East Mumbai, INDIA



“BMS - THE HIDDEN INTELLIGENCE OF SMART SPACES”

I Personally feel that Smart - Building Automation is much needed to create Smart Spaces.

Why? Because of the following:

- Make the premises convenient to operate & maintain.
- Make the systems accountable as per their purpose.
- Control on operative costs like electricity, water etc.
- Get Predictive Alerts of up-coming costs, maintenance, replacements etc.,
- Get access to conditioned data which can be used to optimize and fine tune operations.
- One Dash Board for all utilities.

Infrastructure technology is playing a crucial role in shaping sustainable smart spaces. Traditionally, building systems like HVAC, lighting, fire safety, and security operated independently. Today, with advanced building automation platforms and IoT integration, these systems are becoming interconnected and intelligent.

How this will help in converting the premises to SMART?

Building Automation is a combination of multiple field devices, sensors, controllers, modules & software. The data collected from the field w.r.t energy, water etc. is sent over to the controller via specific communication protocol/s and is then conditioned to be displayed in different dashboards which are useful for controlling, monitoring & analyzing the Smart Space.

Since there are multiple BMS systems available in the market, you should choose Smartly for the below features:

- The BMS system should be able to collect field data on any protocol. Protocol agnostic.
- The BMS system should be IP based for seamless communication.
- The BMS system should be scalable (Hardware & Software).
- The BMS system should consist of 3-layer architecture.
- The BMS should be accessible from multiple locations / multiple operations systems.
- The BMS system should have Credential based access depending on roles & responsibilities. For e.g. Operator, Owner & Occupant / User.

Infrastructure technology in building automation is evolving from device-level control to data-driven ecosystem management.



Remember, to choose a system which is Protocol agnostic!!

Modern smart buildings integrate multiple subsystems such as:

- HVAC automation
- Fire alarm systems
- Lighting control
- Access control & CCTV
- Energy management systems

These systems communicate through open protocols such as BACnet, Modbus, and KNX, enabling centralized monitoring and control through BMS platforms.

Infrastructure technology in building automation is evolving from device-level control to data-driven ecosystem management.

Modern smart buildings integrate multiple subsystems such as:

- HVAC automation
- Fire alarm systems
- Lighting control
- Access control & CCTV
- Energy management systems

These systems communicate through open protocols such as BACnet, Modbus, and KNX, enabling centralized monitoring and control through BMS platforms.

The addition of IoT sensors and cloud analytics enables:

- Occupancy-based HVAC optimization
- Real-time energy monitoring
- Predictive fault detection
- Intelligent demand response

“Infrastructure technology is shifting buildings from static structures to intelligent ecosystems. Through IoT, data analytics, and integrated automation systems, buildings can operate more efficiently, sustainably, and safely—forming the foundation of future smart cities.”



Conclusion

Smart building automation is crucial for the development of smart spaces, enhancing operational convenience, accountability, and cost control. By integrating various systems like HVAC, lighting, and security through IoT and open protocols, we transition from traditional methods to a data-driven management ecosystem. This interconnectedness allows for real-time monitoring, predictive maintenance, and optimization of resources, significantly improving the efficiency of building operations.

The evolution of infrastructure technology is transforming buildings into intelligent ecosystems capable of not only operating efficiently but also promoting sustainability and safety, ultimately laying the groundwork for the smart cities of the future.



**AUTHOR: RAVINA PAL
DESIGNATION: ASST. MANAGER
ORGANIZATION: ARTEE FLOW
CONTROLS PVT. LTD.**



INDIA'S ONLY EXHIBITION REDEFINING THE **FUTURE OF WORKSPACES**

**19-20-21
NOV 2026**

JIO WORLD CONVENTION
CENTRE, MUMBAI



**2025
Highlights**

9,417
Visitors

101
Exhibitors

18
Country
Representations

10,000
sqm Exhibition
Space

100
Speakers &
Thought Leaders

Join us in shaping the future of workspaces. Get in touch:

For Sales & Sponsorship

Manoj Nandiot
M: +91 98339 31376
E: m.nandiot@koelnmesse-india.com

For Marketing & Alliances

Akshata Ayare
M: +91 80971 26313
a.ayare@koelnmesse-india.com

Stay Connected:     www.orgatec-india.com





FROM DAYLIGHT TO DATA CENTRES: THE SMART BUILDING EDGE

Do you remember when buildings were simply functional structures made of bricks, wires and switches? They served their purpose. However, today that idea is changing rapidly. Across homes, workplaces, hotels and even industrial facilities, buildings are evolving into something far more intelligent. They are beginning to respond to us, adapt to our needs and operate more efficiently than ever before. Buildings around us are becoming smarter and a new concept is taking center stage: **smart spaces**.

A smart space is not just about adding a few automated devices or installing a digital control panel. It is about creating an environment where technology quietly works in the background to make everyday life easier, safer and more efficient. Imagine lights that gently dim as evening approaches, systems that reduce energy consumption when rooms are empty or ventilation that adjusts automatically during humid monsoon days. Simply put, smart spaces behave like a thoughtful host, anticipating what people need and ensuring comfort without constant intervention.

But beyond convenience, the true potential of smart spaces lies in enabling sustainable living. By intelligently managing energy, reducing waste and optimizing resource usage, these systems help buildings lower their environmental footprint without compromising on comfort. This is made possible through integrated ecosystems powered by technologies like KNX, DALI, BACnet, Modbus and IP-based networks, which allow lighting, HVAC, power and automation systems to communicate seamlessly. Wireless technologies such as WiFi, LoRaWAN, and emerging standards like Matter further ensure that devices across a building work together efficiently.

At its core, a sustainable smart building works on three principles: monitor, adapt and optimize. Sensors collect real-time data, systems analyze usage patterns and automation adjusts operations to minimize energy consumption while maintaining ideal conditions..

Smart Homes

In modern homes, sustainable living is no longer about making manual sacrifices; it is about making smarter choices automatically. Smart home systems powered by WiFi, IP networks and Matter allow homeowners to control and monitor energy usage in real time. Whether it is switching off appliances remotely or scheduling operations during low-energy demand hours, these systems reduce unnecessary consumption effortlessly.

Technologies like KNX enable deeper integration across lighting, blinds and climate systems, ensuring that energy is used only where and when it is needed. For instance, natural daylight can be maximized by adjusting blinds automatically, reducing dependence on artificial lighting.

Lighting plays a significant role in energy efficiency. With DALI-based intelligent lighting, brightness levels adjust dynamically based on occupancy and time of day. Motion sensors ensure lights are only active when needed, while dimming reduces excess power usage. The result is a home that not only feels intuitive but also actively contributes to lower energy bills and reduced carbon impact.



Smarter Commercial Spaces

Commercial buildings consume a significant amount of energy, making them critical to the sustainability conversation. Daylight harvesting is one of the most effective strategies in this space. By using sensors to measure natural light and adjusting artificial lighting accordingly, buildings can significantly cut down on electricity usage. Systems like DALI enable precise lighting control, ensuring no excess energy is wasted.

Centralized Building Management Systems take this a step further. Using protocols such as **BACnet and Modbus**, these systems integrate lighting, HVAC, power and security into a unified platform. Through continuous monitoring, they identify inefficiencies and optimize performance in real time.

Built on **IP-based infrastructure**, these systems provide facility managers with actionable insights. For example, energy spikes can be detected instantly and corrective measures can be implemented without delay. Over time, this data-driven approach leads to substantial reductions in energy consumption, operational costs and environmental impact.

Smart Hospitality

Sustainability in hospitality is about balancing guest comfort with responsible resource use. Guest Room Management Systems (GRMS), often powered by KNX, DALI and IP networks, enable hotels to automate room environments intelligently. Lighting, temperature and other controls adjust based on occupancy, ensuring that energy is not wasted when rooms are unoccupied. With Matter and WiFi-enabled ecosystems, guests can personalize their environment seamlessly, while the system continues to operate efficiently in the background.

Energy Management Systems (EMS) further enhance sustainability by optimizing power usage across the property. For instance, when a guest leaves the room, lighting and air conditioning automatically reduce to energy-saving levels. When they return, the system restores comfort settings instantly. This approach ensures that sustainability does not come at the cost of guest experience.

Industry and Data Centres

In industrial facilities and data centres, sustainability is closely tied to operational efficiency and reliability. Large-scale environments benefit from intelligent lighting systems that respond to activity. Motion-based controls ensure energy is used only when required, improving both safety and efficiency. Wireless technologies like LoRaWAN enable long-range communication across expansive industrial spaces, making it easier to monitor and control energy usage without extensive wiring infrastructure

Protocols such as Modbus and BACnet integrate machinery, sensors and control systems, enabling real-time monitoring and predictive maintenance. This not only reduces downtime but also prevents energy wastage caused by inefficient equipment. In data centres, where energy demand is continuous, IP-based monitoring systems track environmental conditions such as temperature and humidity. By maintaining optimal conditions and identifying inefficiencies early, these systems significantly reduce energy consumption while ensuring reliability.


The Future of Buildings is Sustainable

Not long ago, smart spaces felt like something out of the future. Today, they are quickly becoming the foundation of sustainable living. By combining intelligent automation with technologies like KNX, DALI, BACnet, Modbus, Matter, LoRaWAN and WiFi, buildings are transforming into ecosystems that actively reduce energy usage and environmental impact.

Sustainability is no longer an add-on; it is built into how modern spaces function. Buildings are no longer passive structures; they are dynamic systems that monitor, learn and adapt continuously. As this evolution continues, the spaces we live and work in will do more than provide comfort. They will play an active role in conserving resources, reducing emissions and shaping a more sustainable future. And in many ways, that future is already here.



AUTHOR: MR.GIRISH PILLAY
DESIGNATION: NATIONAL HEAD PROJECTS.
ORGANIZATION: GREATWHITE ELECTRICALS



FROM DATA TO DECISION: HOW SENSORS POWER BMS INTELLIGENCE

A Building Management System (BMS) is critical for ensuring energy efficiency, occupant comfort, safety, and smooth building operations. At its heart, sensors are the most essential component. Sensors are not merely supporting devices; they are the bedrock of the entire system. Lacking sensor data, a BMS cannot achieve real-time insights, rendering automation and intelligent control unattainable.

Sensors: The Eyes and Ears of BMS

A BMS's decision-making hinges entirely on input data. Sensors function as its 'eyes and ears,' continuously monitoring crucial environmental and system parameters, including:

- Temperature
- Humidity
- Air quality (CO₂)
- Pressure
- Occupancy and motion
- Light intensity

This real-time intelligence allows the BMS to instantly grasp the building's internal dynamics.

Without sensors, the BMS becomes blind and cannot respond to changing conditions.

Enabling Intelligent HVAC Control

HVAC systems are typically a building's largest energy consumers. Sensors are therefore vital for optimizing their performance:

- Temperature sensors maintain desired room conditions
- Humidity sensors ensure comfort and prevent moisture issues
- CO₂ sensors control fresh air ventilation
- Pressure sensors manage airflow and duct performance

Accurate sensor data empowers the BMS to automatically adjust cooling, heating, and ventilation, ensuring optimal comfort and energy efficiency.

Driving Energy Efficiency and Cost Savings

Energy efficiency is a primary objective of any BMS. Sensors achieve this by enabling:

- Demand-based operation of systems
 - Automatic switching of lights and equipment
 - Optimization of energy usage during peak and off-peak hours
- For instance, occupancy sensors can automatically switch off lighting and air conditioning in unoccupied areas, drastically reducing energy waste.

This leads to lower operational costs and improved sustainability.

Enhancing Occupant Comfort and Productivity

Maintaining comfort is crucial in environments like offices, hospitals, and commercial buildings. Sensors achieve this by ensuring:

- Stable indoor temperature
- Balanced humidity levels
- Proper ventilation and air quality
- Adequate lighting

By sustaining optimal indoor conditions, sensors directly enhance occupant health, comfort, and productivity.



Ensuring Safety and Risk Prevention

Safety is paramount, and sensors are indispensable for early detection of hazardous conditions like:

- Smoke and fire
- Gas leaks
- Abnormal temperature rise
- Equipment faults

Upon detection, the BMS can trigger alarms, activate safety protocols, or initiate equipment shutdown to prevent damage or accidents.

Supporting Automation and Smart Building Functionality

Modern buildings are increasingly becoming “smart,” and sensors are the backbone of this transformation. They enable:

- Automated lighting systems
- Smart HVAC adjustments
- Adaptive ventilation
- Integration with IoT and smart devices

Sensors convert a traditional building into an intelligent, self-regulating environment.

Predictive Maintenance and Fault Detection

Sensors are instrumental in identifying potential issues before they escalate, through the detection of:

- Equipment overheating
- Pressure drops in systems
- Abnormal energy consumption patterns

This enables maintenance teams to take proactive action, significantly reducing downtime and operational costs.

Data-Driven Decision Making

Sensors continuously generate data that can be analyzed to:

- Improve system performance
- Optimize energy usage
- Plan upgrades and expansions

In advanced systems, this data fuels analytics and AI-based optimization, progressively enhancing building efficiency.

Types of Sensors Commonly Used in BMS

Some of the most widely used sensors include:

- Temperature sensors
- Humidity sensors
- CO₂ sensors
- Pressure sensors
- Occupancy (PIR) sensors
- Light (Lux) sensors
- Smoke and gas detectors

While each sensor serves a specific function, collectively they form a comprehensive monitoring and control network.

Conclusion

Sensors transcend mere components within a Building Management System; they are its most critical element. They supply the indispensable data for monitoring, control, automation, safety, and continuous optimization.

In simple terms: No Sensors = No Data → No Control → No BMS

As buildings increasingly evolve into smarter, more energy-efficient systems, the significance of sensors will undeniably continue to expand.

How to Choose the Right Sensors / Field Devices

Selecting the appropriate sensors and field devices for HVAC & BMS is paramount; it directly dictates the system's performance throughout its operational life. A judicious selection ensures stable control and efficiency, whereas a poor choice invariably leads to persistent, difficult-to-diagnose problems.

Think in terms of **application** → **environment** → **performance** → **integration**

1. Define the Application Clearly

First ask:

- What needs to be measured? (temperature, pressure, flow, CO₂, etc.)
- Where will it be used? (room, duct, pipe, outdoor)

Examples:

- Room comfort → Room temperature sensor
- AHU duct → Duct temperature / airflow sensor
- Chiller plant → Water temperature + flow sensor

Wrong selection at this stage = wrong control logic from day one

2. Measurement Range & Accuracy

Choose a sensor with:

- Proper range (not too high, not too low)
- Required accuracy (depends on application)

Examples:

- Office: $\pm 1^\circ\text{C}$ is acceptable
 - Hospital OT: $\pm 0.1\text{--}0.3^\circ\text{C}$ required
- Oversized range → poor sensitivity
Low accuracy → poor control

3. Environmental Conditions

Consider:

- Temperature (hot/cold areas)
- Humidity
- Dust / dirt
- Vibration

Examples:

- Outdoor sensor → weatherproof (IP65/IP66)
- Industrial area → rugged sensor
- Clean room → high-precision, sealed

Wrong choice → sensor failure or wrong readings



4. Type of Sensor & Technology

Select the correct sensing type:

- Temperature: RTD (high accuracy), Thermistor (fast response)
 - Pressure: Differential pressure (filters, ducts)
 - Airflow: Thermal or vane type
- Different technologies = different response times & accuracy

5. Output Signal Compatibility

Ensure the sensor matches the controller input:

- Analog outputs:
 - 0–10V
 - 4–20 mA (preferred for long distance)
 - Digital protocols:
 - BACnet
 - Modbus
- Mismatch = no communication or wrong data

6. Installation Location & Method

Very critical but often ignored:

- Avoid direct sunlight (for room sensors)
 - Avoid near diffusers or heat sources
 - Proper immersion length (for water sensors)
- Even a good sensor gives a wrong reading if installed badly

7. Maintenance & Calibration Needs

Choose sensors that:

- Are easy to calibrate
 - Have good long-term stability
- Reduces lifecycle cost

8. Cost vs Performance Balance

- Don't overdesign (waste money)
 - Don't underdesign (future problems)
- Example:
- Don't use a cheap sensor in a hospital OT
 - Don't use ultra-high precision in a normal office
- What Happens If Selection Goes Wrong?

Here's the real impact on the system:

1. Poor Comfort Control
 - Wrong temperature sensor Rooms too hot or too cold
2. High Energy Consumption
 - Inaccurate sensors → overcooling/heating Increased electricity bills
3. Unstable System Operation
 - Low precision sensors Frequent ON/OFF cycling Equipment wear & tear

Here's the real impact on the system:

1. Poor Comfort Control
 - Wrong temperature sensor Rooms too hot or too cold
2. High Energy Consumption
 - Inaccurate sensors → overcooling/heating Increased electricity bills
3. Unstable System Operation
 - Low precision sensors Frequent ON/OFF cycling Equipment wear & tear

4. False Alarms or No Alarms

- Wrong pressure or gas sensors Missed faults OR nuisance alarms

5. Critical Failure in Sensitive Areas

- Hospital / clean room:
 - Wrong pressure sensor Infection risk / contamination

6. Equipment Damage

- Wrong flow or temperature sensor Chiller, pump, or AHU damage

7. Wrong Data & Bad Decisions

- BMS reports incorrect trends Facility manager makes wrong decisions

8. Frequent Maintenance Issues

- Sensor fails early Replacements, downtime, cost

Real-Life Scenario

Office Example: Installing a cheap temperature sensor near an AC diffuser leads to consistently low readings. Consequently, the AC runs continuously, resulting in occupant complaints and inflated energy bills.

Hospital Example: An incorrect differential pressure sensor range prevents the maintenance of proper room pressure, inevitably leading to audit failure and potential safety risks.

Simple Rule to Remember

Right Sensor = Right Data = Right Control = Efficient System

Wrong Sensor = Wrong Data = Wrong Control = Problems



AUTHOR: MR. PRADIP RATHOD

DESIGNATION: SALES HEAD

ORGANIZATION: NEXTECH SENSORS & CONTROLS



INTELLIGENT BUILDING MANAGEMENT FOR MODERN INDUSTRIAL APPLICATIONS

What is IBMS for Industrial Building:

Modern Integrated Industrial Campus having a various buildings like Multiple plants Building, Utility, Admin, Residential, Canteen, Boiler / Power Generation, WTP / STP & each of them has bunch of systems. IBMS system bring it all one dashboard for Monitor & Control.

Integrated Building Management System Empowering Industrial Buildings for Future Sustainability & Scalability: Fifth Industrial revolution (i.e. Industry 5.0) focus to human-centric, sustainable and resilient manufacturing campus. IBMS improves the overall efficiency and effectiveness of buildings and their assets.

IBMS is a unified platform. It converges disparate systems—HVAC, Power, Lighting, Utility, Security & Fire Safety—into a single, seamless interface.

Why IBMS required: Advantage

Industrial facilities face unique challenges—high energy costs, strict safety regulations, and the catastrophic cost of downtime. By centralising all the systems facilitate the management of the building and become transparent single point of Monitor & Control all dependencies.

- AI-Driven Data Collection & Analytics


- Predictive & Proactive Maintenance

- Dynamic & Optimised Energy Usage

- End to End Transparency: Digital Twin & Real-Time Optimisation

- Seamless Integration with ERP, PLM or Cloud Based Manufacturing Systems

THE 5 INDUSTRIAL REVOLUTIONS



Which System can be integrated in IBMS: Use Case

Modern BMS system works on open protocols likes BACnet, Modbus, LonWorks, TCP/IP, MQTT, RTLS, REST API, OPC-UA, KNX, DALI, SNMP, LORAWAN, BLE, EnOcean & many more to ensure old / new machines or systems works together.

1. Electrical & Power Management: Power is backbone for every industry – Energy Audits provides detailed report on power consumption of machineries, plant or building wise for products effective consumption. Renewable generation, DG sets status, UPS power & Grid power can be monitor & plan as per use.

Smart Energy meters' Harmonic Analysis: Ensure safe working for sensitive Robotic Machines; **Peak Shaving:** Automatically reduces non-essential loads (like warehouse HVAC & lighting etc.) when the factory approaches its peak demand limit to avoid massive utility penalties.

DG & UPS Integration: Automatically manages the transition to backup power and monitors diesel levels and battery health. Dimmable lights or Central Controlled Lighting can save energy & can be controlled as per requirement / schedule.

2. HVAC: In industry, HVAC isn't just for comfort; it's for Process Integrity. Cleanroom Control: Manages pressure cascades. Chiller Plant Optimization: Sequences multiple chillers to ensure they run at their "Sweet Spot" (highest COP/Efficiency) based on the current cooling load. Efficient way of HRU to maintain clean balance AQI indoor air quality.

3. Compressed Air & Pneumatics: Compressed air is often called the "fourth utility" and is incredibly expensive to produce. Leak Detection by monitoring flow rates during "non-production" hours, the IBMS identifies leaks in the piping network. Pressure Optimization: Maintains the minimum required pressure; reducing header pressure by just 1 bar can save approx. 7% in energy costs.

4. Water Management: ETP/WTP/STP Integration: Monitors Water Quality & Quantity as per use & Plant parameters like pH, Turbidity, and TDS. IBMS on Leak Mitigation: Uses ultrasonic flow meters to detect pipe bursts in underground lines instantly. Zero Liquid Discharge (ZLD): Tracks recycled water flow to ensure environmental compliance. Storm Water status & Rainwater harvesting status can be monitor.

5. Enhanced Safety and Security: Industrial sites often house hazardous materials or expensive assets. An IBMS integrates: CCTV, Fire Alarm, PAVA & Access Control to sensitive zones. Fire Safety: Automated shutdowns of ventilation if smoke is detected to prevent the spread of fire. Surveillance: Smart cameras that alert security to unauthorized movement in restricted areas.



6. Mechanical parts like Elevator, Conveyors, Cranes vibration, load & consumption measurement will ignore major accident or breakdown.

7. ICT : Information & Communication is the foundation of industry enabling digital transformation through connectivity, automation, and data-driven decision-making. Managed network helps to unified communication, Connectivity & cybersecure environment.

Conclusion:

Integrated Building Management System (IBMS) acts as the central nervous system for modern industrial facilities, transforming them from static structures into responsive, data-driven environments.

IBMS improves the overall efficiency and effectiveness of buildings and their assets.

- Predictive maintenance is proven to reduce maintenance costs by 18 to 25% and extends asset lifetime by some 20%, Computerised Maintenance Management System (CMMS) is designed to manage and schedule maintenance activities, track inventory, and monitor work orders.
- Energy Savings: 15–25%
- Water Waste Reduction: Up to 30%
- Maintenance Labor Efficiency: 20% improvement through targeted alerts.



AUTHOR: RONAK BAROT

DESIGNATION: FOUNDER & MD

ORGANIZATION: NEETDEEP GROUP

Building Technology BizBits Team

INNOVATION AND
INTELLIGENCE IN
EVERY SPACE—TEAM
BIZBITS AT THE
HEART OF
TRANSFORMATION.

Statutory Note

All content, including articles and images, published in this magazine is provided by individual contributors and remains their intellectual property. The publisher assumes no legal responsibility for any copyrighted material submitted. This publication is intended solely for educational and informational purposes, with no commercial objectives.

Write to us: editor@inbac.org



Mehul Joshi
Chief Editor



Sakhee Chandrayan
BTB Team



Shravani
BTB Team