

Fasson EXACT™ Update

Includes Ready Width™
Products

September 2026 EXACT™ Service Program Additions and Removals

Additions		
Spec#	Product Description	Action
03558	60# Matte Litho FSC®/S246/40#SCK	Add EXACT™ 5K in WCD
C3926	Trans-Therm® FSC®/S2550/40#SCK	Add EXACT™ 7.5K, EXACT™ 10K in GFD
76684	2.6 Mil White BOPP TC/AT20/40#SCK	Add EXACT™ 10K in GFD
54220	Direct-Therm 200HD Plus PF FSC®/S2550/40#SCK	Add EXACT™ 5K in GFD
C4900	Direct Thermal Platinum White/AT2550/40#SCK	Add EXACT™ 10K in PFF
78097	3 Mil Clear MDO/S692N/40#BG	Add EXACT™ 10K in MTL
79102	2.4 Mil White BOPP TC/AT20N/40#BG	Add EXACT™ 10K in SEA
C2779	Direct-Therm 300LD PF FSC®/AT2550/40#SCK	Add EXACT™ 15K in SEA
C2794	Direct-Therm 200GP PF FSC®/S2550/40#SCK	Add EXACT™ 10K in NNH
19577	Semi-Gloss Elite™ FasCover™ ES/S246/50#SCK	Add EXACT™ 10K in PTC
C3267	2 Mil Cavitated White BOPP TC/S7000ER/1.2M Polyester	Add EXACT™ 5K in GFD
77841	1 Mil Clear TC Polyester/S8020/40#BG	Add EXACT™ 2.5K in PFF
78349	2.3M WH BOPP TC/S692NP/40#BG	Add EXACT™ 10K in PFF
C0465	2.6M WH BOPP TC/S692NP/40#BG	Add EXACT™ 5K in PFF
79049	2.6 Mil White BOPP TC/S692NP/1.2 Mil Polyester	Add EXACT™ 5K in PFF
B4722	2 Mil Clear BOPP TC/S692NP/1.2M Polyester	Add EXACT™ 5K in PFF
Removals		
Spec#	Product Description	Action
C2331	Direct-Therm 300LD PF FSC®/S2550/40#SCK	Remove EXACT™ 10K in TDC, EXACT™ 7.5K in WCD
76684	2.6 Mil White BOPP TC/AT20/40#SCK	Remove EXACT™ 10K in NNH, PFF
54220	Direct-Therm 200HD Plus PF FSC®/S2550/40#SCK	Remove EXACT™ 5K, EXACT™ 10K in WCD
C4900	Direct Thermal Platinum White/AT2550/40#SCK	Remove EXACT™ 5K in PFF
79765	Rapid-Roll® 50 Micron Clear High Shrink PETG	Remove EXACT™ 10K in QTN
78097	3 Mil Clear MDO/S692N/40#BG	Remove EXACT™ 10K in TDC
79102	2.4 Mil White BOPP TC/AT20N/40#BG	Remove EXACT™ 10K in WCD
B7195	2M Clear BOPP TC/S4905L/40#SCK	Remove EXACT™ 5K in PFF
C2779	Direct-Therm 300LD PF FSC®/AT2550/40#SCK	Remove EXACT™ 15K in WCD
B7699	Trans-Therm® 2C FSC®/LP1000/40#SCK	Remove EXACT™ 5K in PFF
16786	Rapid-Roll® 7 Pt. C1S Integrity Thermal Transfer	Remove EXACT™ 7.5K in NNH

Finishing, Packaging and Shipping Standards Update: cradle packing will now be unavailable below 20" combined width due to safety issues.

FSC® C018096

Location names have been adjusted to align with internal location names
Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; OAK - Oak Harbor, OH
PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast
All new programs will have a trial period of 3 months. Programs are subject to change without notice.
Numbers indicate length of program in thousands of feet (5 = 5,000'). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
Prime Paper														
54# Semi-Gloss FSC®	AT2550	40#SCK	54291	5/10/15	5/10		5/10	5/10	5/10	5/10	5/10	10	5/10	
	AT2550	1.2M PET	C2006	10/15					10	10	10	10		
	AT2550	.92PET	C2104					10	10					
	C4500	40#SCK	54369	5/10	3/5/10		5/10/15	5/10	5/10	10	5/10	5/10	10	
	C4500	1.2 Mil PET	54372		10				10					
	R5195	46#LF	54116	15										
	S2550	40#SCK	54146	10										
	C4510	40#SCK	54413		10		10							
	AT2550	40#SCK	54293						10					
	C4500	.92 Mil PET	54371					10	10					
60# Semi-Gloss Elite FSC®	C4510	40#SCK	54414		5/10				5/10	5/10			10	
	C4500	40#SCK	54373		5/10		5/10		10	10	5/10			
	AT2550	40#SCK	54294	5/10			5/10	5/10	5/10	5/10	5/10	10		
	AT2550	1.2M PET	C2766	10				10			10			
	S246	40#CK	15337		5/10						5/10		10	
	AT3550	40#SCK	B6780	10										
	AT2550	1.02 Mil PET	B7374	10		10								
	AT1	40#SCK	15476			5								
	C4500	1.2 Mil PET	54377	5/10	5/10						10			
	R5195	40#CK	18328	5/10			5/10		5/10		5/10			
54# Semi-Gloss FasCover2	C4500	40#SCK	54383		5									
60# Semi-Gloss Elite FSC®	C2075	40#SCK	17714		5/10									
	LP1000	40#SCK	54149			5								
	C2580	40#SCK	53919		10					10				
60# Semi-Gloss Elite Piggyback	S2550	40#SCK /40#SCK	B5007	5										
60# Archival Semi-Gloss FSC®	R5195	40#LF	18559	10										6" cores
	S490	40#LF	18392			10								
60# Semi-Gloss Elite™ FasCover™ 2	AT2550	40#SCK	B5626			5								
54# Semi-Gloss ITC	AT2550	40#SCK	54300	5/10										
Prime Paper														
				GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

- Program Guidelines**
- Roll lengths can vary by +/- 10%.
 - The standard lead time for EXACT programs is 3 business days for orders booked before 12:00 pm and 4 business days after 12:00 pm according to the time zone for each site. Orders from Oak Harbor will be shipped in 2 days if placed before 12:00 pm EST.
 - Minimum slit width & maximum order size are location-specific.
 - Standard pallets. No core labels. One pallet might be identified as containing mixed widths.
 - Cradle pack available on 5000' and above programs (with 27" minimum order size per pallet for safety)..
 - Arrow stamping not available on EXACT orders.

Fasson® Facestock	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
60# Gloss	C4500	40#SCK	54380				5/10							
	S246	40#SCK	17411		5/10							10		
	AT2550	40#SCK	B4338	10										
55# Cast Gloss Elite™	C4500	40#SCK	54378		5					10				
	AT2550	40#SCK	54302	5/10										
60# Cast Gloss	AT2550	40#SCK	54301	5/10						5				
	C2075	40#SCK	17715		5									
	S246	50#CK	07605				5							
	R5195	40#SCK	18445	5										
High Gloss + FasCover™ 2	AT2550	40#SCK	B5253	5										
Dairy Print FSC®	C4510	40#NK	54421		10			10	10	10		10		
	C4510	40#SCK	54423		5/10			10						
	C4510	.92 Mil PET	54424		10				10					
50# FM Litho FSC®	Z3000	40#SCK	53645		RW 5									WCD Widths: 4.59375", 6", 10"
Matte Litho FSC®	AT2550	40#SCK	B4336	10										
	C4500	40#SCK	54384		5				5	5				
	S246	40#CK	03558		5									
	R5195	40#SCK	18444	2.5										
8 Pt. Tag	AT2550	40#SCK	B4942	5										
	S246	40#SCK	17698		5									
Red Fluorescent	C4500	40#SCK	54409		3/5/10									
Green Fluorescent	C4500	40#SCK	54406		3/5									
Orange Fluorescent FSC®	C4500	40#SCK	54407		3/5									
Chartreuse Fluorescent	C4500	40#SCK	54405		5									
Pink Fluorescent	C4500	40#SCK	54408		2.5									
Bright Silver Foil FSC®	C4500	40#SCK	54385		5									
Bright Gold Foil FSC®	C4500	40#SCK	54387		3/5									
Dull Silver Foil	AT20	1.2 Mil PET	53459								10			
	C4500	40#SCK	54386		5									
Dissolvable FSC®	S2600	40#SCK	15666					5						
Natural Label™	AT20	40#SCK	B5530			5								
Dispersible Paper FSC®	S2600	40#SCK	54353					10						

Pharmaceutical

Pharma Semi Gloss FSC®	S246	40#SCK	54330		5/10									
	S246	1.2 Mil PET	B6168		10									
	S246	1.5 Mil PET	54331		7.5									
	S727	1.5 Mil PET	54334			5								
	S727	40#SCK	54332			5								
Semi-Gloss Elite FasCover ES	S246	50#SCK	19577		10									
54# Pharmaceutical Semi-Gloss FSC®	S246	1.2M PET	54473		RW 10									Widths 10" & 12"
				GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Locations: DAL-Dallas, TX: GFD-Greenfield, IN: MTL-Montreal: NNH-Neenah, WI: OAK - Oak Harbor, OH
PFF-Painesville, OH: PTC-Peachtree City, GA: QTN-Quakertown, PA: SEA-Seattle, WA: TDC-Toronto: WCD-West Coast
Numbers indicate length of program in thousands of feet (5 = 5,000'). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
Pharma High Gloss	S727	40#SCK	53168			5								
	S727	1.5 Mil PET	B5650			RW 5								Widths 10" & 12"
Pharma Lightweight Litho FSC®	S727	1.5 Mil PET	19458			5								
Lightweight Pharma Litho	S727	40#SCK	07944				5							
2 Mil Clear BOPP TC	S717P	1.2Mil PET	B3582			5								
	S692NP	1.2Mil PET	B4722			5/RW 5								Width: 12"
2.3 Mil White TC PP	C0196	40#BG	77392						RW 1.7					Width: 6.5"
2.6 Mil White BOPP TC	S727	1.2Mil PET	79059			10								
	S717P	40#BG	79040			10								
	S692NP	1.2Mil PET	79049			5/RW 5								Width: 12"
	S692NP	40#BG	C0465			5								
2.3 Mil White BOPP TC	S692NP	40#BG	78349			10								

Wine & Spirits

47# Estate 8 WS FSC®	Z2010	1.2 Mil PET	B9874			RW 5								Wine; Width: 12"
48# Uncoated Paper	Z2010	1.2 Mil PET	B9875			RW 5								Wine; Width: 12"
56# MaxFlex™ Bright Silver FSC®	C4500	40#SCK	54394		5/10						10		5/10	
	AT20	1Mil PET	53380	10										Core: 6"
	AT20	1.2 Mil PET	53381	10							10			
	Z2010	1.2 Mil PET	B5798			RW 5								Wine; Width: 12"
	AT20	40#SCK	53352				10							
60# Cast Gloss	AT20N	1.2 Mil PET	B2504								10			Wine
60# Estate Label® #4 Wet-Strength FSC®	Z2010	1.2 Mil PET	B5787								5			
	Z2010	44#PK	B5845								5			Wine
60# Estate Label® #8 Wet-Strength FSC®	Z2010	44#PK	B5579								5			Wine
	Z2010	1.2 Mil PET	B5580								5/10	10		Wine
	AT20N	1.2 Mil PET	19650			10					5/10			Wine
60# Estate Label® #9 Wet-Strength FSC®	Z2010	44#PK	B5848			5					5			Wine
60# Estate Label® #25 Black Wet-Strength FSC®	Z2010	1.2 Mil PET	B5804								5			
60# Classic® Linen Solar White Wet-Strength FSC®	Z2010	44#PK	B5842								5			Width: 10"
	Z2010	1.2 Mil PET	B5786			10								
60# Classic Crest® Solar White Wet-Strength FSC®	Z2010	44#PK	B5849							5				Wine
	AT20N	1.2 Mil PET	19648								5/10			
	Z2010	1.2Mil PET	B8581			10					10			Core: 6"
				GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Fasson® Facestock	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
60# Semi-Gloss Elite™	AT20N	1.2 Mil PET	19655	10							10			Wine
	Z2010	44# PK	B8863								5			Wine
	Z2010	1.2 Mil PET	B5797			10								Wine

Wine & Spirits														
60# Classic Crest® Natural White Wet-Strength FSC®	Z2010	44#PK	B5784								5			
60# Classic® Laid Solar White Wet-Strength FSC®	Z2010	44#PK	B5850								5			
Classic® Felt Natural White Wet-Strength FSC®	Z2010	44#PK	B5844								5			
	Z2010	1.2 Mil PET	B5810								5			
70# Eggshell Felt Wet-Strength FSC®	Z2010B	44#PK	B8849			5					5			Wine
	Z2010B	1.2 Mil PET	B5581								5/10			6" cores: 10K
70# Bright White Felt Wet-Strength FSC®	Z2010B	44#PK	B5815			5					5			
	Z2010B	1.2Mil PET	B5584			5					5/10	10		6" cores WCD, MTL
70#Bright White Felt WS FSC® Weld	Z2010B	1.2M PET	B5576								10			6" cores
60# Matte Litho WN	Z2010	1.2 Mil PET	B5792								5			Wine
60# Matte Litho Wet-Strength	AT20	44#PK	19298							5				Wine
60# Uncoated Litho Wet-Strength FSC®	Z2010	1.2 Mil PET	B5582								10			
	AT20N	1.2 Mil PET	19993			10					10			
60# Uncoated Litho Wet-Strength/OPP Weld	AT20N	1.2 Mil PET	53007								10			6" Core
60# Estate Label #8 WS FSC® / Weld*	AT20N	1.2 Mil PET	53476								10			
70# Bright White Felt Wet-Strength FSC® / Weld	Z2010B	44#PK	B5820								5			Wine
70# 100% Pure Cotton Wet Strength	Z2010B	1.2M PET	B5779			RW 5								Width: 12"
70# 25% Cotton Feel 30% PCW Wet Strength	Z2010B	1.2 Mil	B5780			RW 5								Width: 12"
70# Houndstooth 30% PCW WS FSC®	Z2010B	1.2 Mil PET	B8487			RW 5								Width: 13"

Prime Films – Conformables														
High Performance FasClear® TC	S7000ER	1.2 Mil PET	B8019				10				10			Full-Squeeze 6" Core
High Performance PRIMAX® TC	S7000ER	1.2 Mil PET	B7735				10							Full-Squeeze 6" Core
IF Metallized PRIMAX® 250	S1000	44#PK	75312			2.5								Full-Squeeze
3.0 Mil Clear MDO	S692N	1.2 Mil PET	77964	10										Full-Squeeze 6" Core
	S692N	40#BG	78097	10								10		Full-Squeeze
				GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Locations: **DAL**-Dallas, TX; **GFD**-Greenfield, IN; **MTL**-Montreal; **NNH**-Neenah, WI; **OAK** - Oak Harbor, OH
PFF-Painesville, OH; **PTC**-Peachtree City, GA; **QTN**-Quakertown, PA; **SEA**-Seattle, WA; **TDC**-Toronto; **WCD**-West Coast
Numbers indicate length of program in thousands of feet (5 = 5,000'). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
3.0 Mil White MDO	S692N	1.2 Mil PET	77980	10				10	10					Full-Squeeze 6" Core
	S692N-ER	1.2Mil PET	B7801	10										Full-Squeeze 6" Core
	S692N	44#PK	77988			5								
	S692N	40#BG	78098	5/10									10	
SF Crystal Fasclear® TC	S2001	1.5Mil PET	B8163			10								6" core
FasClear® 250	S692N	1.2Mil PET	77234				10							Full-Squeeze 6" Core
	S692N	44#PK	76908			5					7.5			Full-Squeeze
PRIMAX® 250	S692N	44#PK	76905			5					7.5			
	S692N	40#BG	76994	5							5			
PRIMAX® 350	S692N	44#PK	76904			5					5			Full-Squeeze
	S692N	1.5 Mil PET	76990				5							Full-Squeeze
	S1000	44#PK	71800			5								
	R143	50#SCK	77967			5								
PE 85 White NTC	S692N	1.2 Mil PET	78225	10										6" core
PE 85 Clear NTC	S692N	1.2 Mil PET	76957				15							Full-Squeeze 6" Core
Global MDO Clear NTC	S7000ER	PET 23	B7725				15							Semi-Squeeze 6" Cores
Global MDO Next Gen Clear	S7000ER	.92 PET	B7656				15							
Global MDO Next Gen White	S7000ER	.92 PET	B7657				15							6" Core
	S692NER	.92 PET	C2013				10							6" Core
Global MDO White TC	S7000ER	PET 23	B8020				15							Semi-Squeeze 6" Cores
Global Co-Ex™ Clear NTC	S692N	PET 30	77178				10							
	S692N-ER	PET 30	B7797				10							
Global Co-Ex™ Clear TC	S692N	PET 30	77381				10							
	S692N-ER	PET 30	B7796				10							
Global Co-Ex™ White NTC	S692N	PET 30	77179	10			10							
	S692N-ER	PET 30	B7794	10			10							
Global Co-Ex™ White TC	S692N	PET 30	77382				10							
	S692N-ER	PET 30	B8022						10					

Rigid Films				GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	
1.6 Mil Clear BOPPTC	S7000ER	.92Mil PET	B7754	15			15				15			6" cores
	S7400ER	.92Mil PET	B7351	20							20			6" cores
1.6 Mil Clear BOPP NTC	S7400ER	.92 Mil PET	B7775	20										6" cores
				GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; OAK - Oak Harbor, OH
PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast
Numbers indicate length of program in thousands of feet (5 = 5,000'). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
1.6 Mil Metallized BOPP TC	S7000ER	.92 Mil PET	B7766	15										
2 Mil Clear BOPP TC	S7000ER	40#BG	B7348	5/10	10		5/10	10		5/10	5/10		10	
	S692N	40#BG	77008	5/10							5		10	
	S692N-ER	40#BG	B7347	5/10										
	S7000ER	1.2 Mil PET	B7350	5/10			10	10			10		10	6" cores QTN/ WCD
	S692N	1.2 Mil PET	77138	5/10			10							6" cores
	S692N-ER	1.2 Mil PET	B7349				10							6" cores
	S7000ER	.92Mil PET	B7744	10										6" core
	S7400ER	.92Mil PET	B7781	10			20	20	20		10			GFD, DAL, QTN, NNH: 6" cores
	S2001	1.5 Mil PET	75386			10			10		7.5/10			NNH 3" cores; PFF and WCD: 6" cores;
	S2001	44#PK	74477			5			10					
	S3000	1.5 Mil PET	74279			5/10								6" cores on 10K only
	R3500	40#SCK	78148						5					
	R3500	1.2 Mil PET	B2809						15					6" cores
2 Mil Clear BOPP ITC	S7000ER	40#BG	B7745	5										
2 Mil Clear Polystyrene	S246	40#SCK	12323		10									
2 Mil White BOPP TC	S7000ER	.92 Mil PET	B7741				15		15					6" cores
	S7000ER	40#BG	B7753	5/10							10			
	S7000ER	1.2 Mil PET	B7740	10			10				10			QTN: 6" cores
2 Mil Cavitated White BOPP TC	S70000ER	1.2 Mil P	C3267	5										
2.3 Mil White BOPP TC	R3500	40#SCK	78149			5								
	S692N	40#BG	78333	5/10						10				
	S692N-ER	40#BG	B7760	10						10				
	S692N	1.2 Mil PET	78330	5/10			5/10	10	5/10		5/10			
	S692N-ER	1.2Mil PET	B7761	5/10			5/10				10			
	R3500	1.2 Mil PET	77461						10					
	AT2550	1.2 Mil PET	B8303						10					6" core

Rigid Films

GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; OAK - Oak Harbor, OH
PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast
Numbers indicate length of program in thousands of feet (5 = 5,000'). RW = Ready Width"

Fasson® Facestock	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
2.4 Mil White BOPP TC	S692N	1.2 Mil PET	B3136						10					
	S692N	40#BG	B3255						5/10				10	
	S692N-ER	40#BG	B7756	5/10									10	
	S692N-ER	1.2MIL PET	B7758					10						
	S7000ER	.92 Mil PET	B7750				15							6" core
	S7000ER	.92 Mil 30% rPET	B7747				10							6" Core
	S7000ER	40#BG	B7729	5/10	5/10		5/10	5/10	5/10	5/10	5/10		5/10	
	S7000ER	1.2 Mil PET	B7655	10	10		10	10	10	10	10		10	
	S7400ER	1.2 Mil PET	B7771	10				10						6" Core
	AT20N	40#BG	79102						10	10				
2.4 Mil White BOPP ITC	S7000ER	40#BG	B7751	5/10										
SF 2.4 Mil White BOPP NTC	S692N	40#BG	B3138	5										
SF 2.6 Mil White BOPP NTC	S692N	40#BG	76912	5										
2.6 Mil White BOPP TC	FA20	40#SCK	75413		5									
	C4510	40#SCK	79954					5/10	10	10				
	C4510	0.92 Mil	B9116		10									6" cores
	C2075	40#SCK	78200		10									
	S246	1.2 Mil PET	77532		5									
	S692N	1.2Mil PET	78146	10									10	
	S692N-ER	1.2Mil PET	B7693						10					
	S692N	1.5 Mil PET	76999				5/10				10			
	S692N	40#BG	76910	5/10						5/10	5/10		10	
	S692N-ER	40#BG	B7816	5/10							10			
	S246	40#SCK	75607		5									
	AT20	40#SCK	76684	10										
	R300	40#BG	77563			5								
	C4500B	1.2 Mil PET	79949		10									
2.6 Mil White BOPP NTC	S7400ER	.92 Mil PET	B7782				10/20							6" cores
2 Mil Metallized BOPP TC	S7000	40#BG	79101		10	10					10		10	
	S692N	1.2 Mil PET	77269	10				10						6" Cores
	S692N-ER	1.2Mil PET	B7763	10										6" Cores
	S692N	40#BG	77036			10			10	10				
	S7000ER	1.2 Mil PET	B7764	10			10				5/10			WCD 10K/QTN: 6" cores
3 Mil Matte White BOPP TC	AT20N	40#SCK	77609			10								
2 Mil Totally Seamless Rainbow BOPP 30% PCW	S692N	40#SCK	B5352			5								

Direct Thermal Film

3 Mil Direct-Therm BOPP	AT2550	40#SCK	B2866	5/10										
				GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; OAK - Oak Harbor, OH
PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast
Numbers indicate length of program in thousands of feet (5 = 5,000'). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
4 Mil Direct-Therm BOPP	AT2550	40#SCK	B3041	10				10						
Direct-Therm Platinum	AT2550	40#SCK	C0678			5								
Direct-Therm Platinum White	AT2550	40#SCK	C4900	5		10								
Thermal Transfer/Durable/Vinyl Film														
1 Mil Clear PET TC	S730	1Mil PET	77855						5					
	S8020	40#BG	77841			2.5								
1 Mil Clear Print-Treated PET	S8020	40#BG	77844						2.5/5					
	S8020	1Mil PET	77955						2.5					
2 Mil White Print-Treated PET	S333	50#SCK	72828			5					5			
	S730	50#SCK	82737						2.5					
	R143	50#SCK	71055						2.5					
2 Mil White PET TC	S333	50#SCK	72825			5								
	S730	50#SCK	40443						2.5/5					
	S8001	50#SCK	78385			5								
	S8015	50#SCK	76656						5					
	S8025	50#SCK	77920			5								
	S8049	50#SCK	79453			2.5								
2 Mil White Void PET TC	S8015A	50#SCK	B6003						1.7					All 1.7 length programs are actually 1668'
2 Mil Silver Void PET TC	S8015	50#SCK	78195						1.7					
2 Mil Clear Print-Treated PET	S333	50#SCK	72829			2.5								
2 Mil Clear PET TC	S333	50#SCK	72823						2.5					
	S730	50#SCK	61320						1.7					
	S8025	50#SCK	77921						5					
Fasfilm Clear TC	S2001	40#SCK	78233										RW 7.5	Widths: 10" & 7.5"
2 Mil White PET TCD	S8025	50#SCK	78981			5								
2 Mil Bright Chrome PET TC	S333	50#SCK	72824						2.5					
	S8025	50#SCK	77923						5					
2 Mil Matte Chrome Polyester TC	S333	50#SCK	72826						5		2.5			
	S8001	50#SCK	78387						5					
	S8025	50#SCK	77922						5					
	S8015	50#SCK	76660						1.7					
2 Mil Brushed Chrome Polyester TC	S333	50#SCK	73303						1.7					
4 Mil White Flexible Vinyl TC	S4650	50#SCK	C2447			3.3								
	S730	50#SCK	40087			2.5/5					2.5			
Tamperfas™ Satin Vinyl	S730	50#SCK	79449			1.7								
TransCode® PLUS CLEAR	S4905L	50#BRN	B6115			7.5								
TransCode® White	S475	50#SCK	72197			5					5			
				GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Fasson® Facestock	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
3 Mil White Synthetic Paper	S333	50#SCK	75570			5/10					5/10			
	S4600	50#SCK	76693			5								
	S8001	50#SCK	78401			5					10			
	C2580	40#SCK	79520		10					10				
Smudgeproof Kimdura®	S4650	50#SCK	B8560			5								
SCANback™	S730	50#SCK ABC	73739			RW 2.5								Widths: 6.5",8.5"
3 Mil Velvet LEXAN™	S730	1.5 Mil PET	75849						1.7					
5 Mil Velvet LEXAN™	S730	1.5 Mil PET	75850						1.7					
2.3M WH BOPP TC2000	S8001	50#SCK	C0733						5					
	S6650	50#SCK	C2621			5								

Thermal Transfer/Paper

Trans-Therm® C-ECO FSC®	S1550	1.7 Mil SCK	54341	20										
Trans-Therm® C FSC®	S2550	40# SCK	53870	7.5/15				15	15		15	15		
	S2550	40# SCK	53872	5/10/20	5/10			5/10	10	10	10	5/10	10	
	S2550	40# SCK	C3926	7.5/10/15										
	S2550	1.2M PET	B7597	10										
	AT2550	40#CK	54314	10/15					15			7.5/15		
Trans-Therm® 1C FSC®	S246	40#CK	13605	7.5										
	S2550	40#SCK	54091	5/10	10		5/10	5/10	5/10	5/10	5/10		10	
	AT2550	40#SCK	54312	5/10					10		5/10		10	
	R423	40#SCK	98203			5								
	R5195	40#CK	18327	10				10						
Trans-Therm® 1C FSC Piggyback FSC®	S2550	40#/40#SCK	B5661	5										
Trans-Therm® 1C FasCover™ 2 FSC®	AT2550	40#CK	B6853			5								
Trans-Therm® 2C FSC®	S246	40#SCK	08027					10						
	S2550	40#SCK	53873	5/7.5/15										
Trans-Therm® 2	S246	40#SCK	02116		5									

Direct Thermal Paper

Direct-Therm 300LD PLUS FSC®	AT2550	40#SCK	C3385	10										
Direct-Therm 300LD PF FSC®	S2550	40#SCK	C2331	7.5/15	7.5/15			15			15	15		
	AT2550	40#SCK	C2779	7.5/10/15				10	15	15	10	10/15		
	S2550	1.7M SCK	C2785	15										
	AT2550	1.7M SCK	C2780	15				15			15			
				GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Fasson® Facestock	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
Direct-Therm 200GP PF FSC®	S2550	40#SCK	C2794	5/10				5	10		10	5/10		General Purpose
	S2550	40#SCK	C2929	15										
	AT2550	40# SCK	C2708	5/10	10			10		10	5/10	10		
	AT2550	1.7M SCK	C2709	15										
	C4510	40#SCK	C2774		10								10	
	R5195	40#SCK	C2776	7.5/15								10		
	AT2550	40#SCK	C2777	15							15			
Direct-Therm 200HD PF FSC®	S2501	40# SCK	C2802	10										
	AT2550	40# SCK	C2800	5/10	10			10	10	5/10	10	10		
	S2550	40# SCK	C2801	5/10										
	LP1000	40# SCK	C2931			5								
Direct-Therm 200HD Plus	R5195	40#CK	18685	5/10										High Durability
	S2550	40#SCK	54220	5/10/15										
Direct-Therm 200HD RX	S2501	40#SCK	54247	10/15										Prescription
Direct-Therm 300 NIR PF FSC®	S2550	40#SCK	C5045	5										
Direct-Therm 330TM FSC®	S9010N	40#CK	53710	5/10										Tight Mandrel
Direct-Therm 300HD FSC®	AT2550	40#SCK	54320	5/10										High Durability
	FA20B	40#SCK	15862		5									

Laser/EDP														
50# DSX™ FSC®	S9010N	50#CK	53138	5/10										
			53139	15										
	AT2550	50#CK	54296	7.5/15										
	R5195	50#CK	18329	10										
	S9010N	45#BK	19046	10										
	S2550	40#CK	54157	5/15										
54 #SG Laser FSC®	S2501	53#LF	53057	15										6" Cores
2M White Laser PET	S4650	66#PK	B4101						5					
Scrip Label FSC®	S9010N	46#LF	18890	10										6" cores
Laser-Rite™ Durable FSC®	R5423	50#MF	53763	10										6" Cores
Standard Laser-Rite™ FSC®	R5423	50#MF	18345	10										6" Cores
Laser Copy™ Jet 300 FSC®	S9010N	46#LF	18884	10				10			10		10	6" cores
			53698	15										6" cores
	S9010N	44#LF	18117	10										6" cores
	S8511	46#LF	18447			10								6" cores
	R5195	46#LF	18303	10							10			6" cores
	AT2550	46#LF	B8392	10										6" cores
Laser Code™ Drum Label TC	S4650	79# MF	C1688			5			5					6" cores
Laser Code™ Drum Label	S4650	79#MF	C1674			RW 7.5								6" cores; Width: 9"
Laser Code™ II 3480XX NTC	R120	80#CC	79718			7.5								6" cores
34# Translucent	S2501	40#SCK	B5313			15								
				GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Fasson® Facestock	Adhesive	Liner	Spec#	GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
UV Inkjet														
55# Semi-Gloss UV Inkjet	AT2550	40#SCK	B5251	5										
Water-Based Inkjet														
Demand Jet™ 500HG	AT20	40#SCK	53109						2.5					
	S2501	40#SCK	53110				2.5/ 5/ 7.5							
Premium Matte Inkjet	AT2550	40#SCK	B6889	2.5										
	S2501	41# LF	53708	2.5										
Gloss White BOPP WBIJ	S7000	40#BG	79659			2.5								
4.5 Mil White WBIJ Kimdura®	S4650	50#SCK	C1283			5								
3 Mil Matte White Synthetic	S8001	50#SCK	79404			2.5								
3.5 Mil Matte White Synthetic	S4650	50#SCK	B8559			10								
				GFD	PTC	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; OAK - Oak Harbor, OH
PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast
Numbers indicate length of program in thousands of feet (5 = 5,000'). RW = Ready Width™

Fasson® Facestock	Spec#	GFD	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	Comments
Fasson® Rapid-Roll®											
60# C1S Semi-Gloss Elite™ FSC®	54450					10					
60# C2S Semi-Gloss FSC®	54457					10		10			
8 Pt. C1S RR Brite White FSC®	B4478					7.5					
8 Pt. C1S Semi-Gloss® FSC®	B4485					10					
10 Pt. C1S RR Brite White FSC®	B4480					7.5					
10 Pt. C1S Semi-Gloss® FSC®	B4486					7.5					
12 Pt. C1S RR Brite White FSC®	B4481					5					
14PT C1S SEMI-GLOSS FSC®	B9666					5					
8 Pt. C2S RR Brite White FSC®	B4482					7.5					
10 Pt. C2S RR Brite White FSC®	B4483					7.5					
3 Pt. C1S Thermal Transfer FSC®	53751					10					
5 Pt. C1S TT FSC®	53752					10					
7.5 Pt. Uncoated Thermal Transfer	16816					5					
5 Pt. C1S Integrity Thermal Transfer	16817					10					
7 Pt. C1S Thermal Transfer FSC®	53753					7.5		7.5			
8 Pt. C2S Thermal Transfer w/OB FSC®	53745					7.5					
10 Pt C1S+ Thermal Transfer OB FSC®	C0275					10					
7.5 Pt. Direct-Therm 200HD FSC®	B2399					7.5					
50M Clear High Shrink PETG	79765			20	10						6" cores QTN
1025D Tyvek®	79108					5					
1082D Tyvek®	75724					5					
7.5 Mil C2S Valeron®	75728					7.5					
7.5 Mil V-Max® Select™	75947					5		5			
7.5 Mil HS HDPE	B0930					5					
6 Mil Polyolith® GC-3	78251					7.5					
7 Mil Polyolith® GC-3	78232					10					
10 Mil Polyolith® GC-2	75736					5					6" cores
25# PPFP w/Surlyn® 280HB	B4986					7.5					
25# FSC PPFP	C0650					10					
35# FSC PPFP	C0651					10					
White StickPak Surlyn® 280HB	79343				10						
White Metallized Snack Web	79355					10					
Metallized Coffee Web	79426					10					
WH 86G CELLO STICKPACK SURLYN HB PLUS	B9543					10					
White Cosmetic Web 350 HB	79332					10		10			
White Cosmetic Web 350 SB	75758					10					
Silver Cosmetic Web 350 HB	79333					10					
White Cosmetic Web Ultra	77553					10					
White Cosmetic Web Ultra Plus	79334					10					
		GFD	PFF	QTN	DAL	NNH	SEA	WCD	MTL	TDC	

	Spec#	OAK	NNH	SEA	Comments
Overlaminates					
404 - CLASSIC EXACT S/W BOPP	B9077	5/10		10/15	
410 - CLR S/W BOPP	B9082	5/10/20	5/10	10	
320 - .71 MIL MATTE S/W BOPP	B9332	5/10		10	
1132 - TTP SUPERTHIN	B9334	5			
505F - 1 MIL CLR S/W BOPP	B9337	10			
643 - .5 MIL SOFSENS 643 PET	B9339	5			
609 - 1 MIL CLR S/W PET MR	B9353	5			
505B - 1 MIL CLR S/W BOPP	B9366	5	5		
505T - 1 MIL CLR BOPP TT PRTBL	B9367	5/10			
505C - 1 MIL CLR S/W BOPP	B9369	10			
505E - 1 MIL CLR S/W BOPP	B9371	10			
700E - 2 MIL CLR S/W BOPP	B9372	5			
610T - 1 MIL CLR S/W PET TT	B9416	5/10		5	
531 - 1 MIL MATTE S/W BOPP	B9424	5/10	10	5/10	
531T - 1 MIL MATTE S/W BOPP TT	B9432	5/10			
410DIG - DIG CLR S/W BOPP	B9436	5/10			
531DIG - 1 MIL DIG MATTE S/W BOPP	B9437	5			
		OAK	NNH	SEA	

Fasson EXACT™ and Fasson Ready Width™ are powerful service programs designed to help you acquire just the material you need. Achieve reduced scrap, lower inventory costs, reduced freight, and better operational efficiencies – making your wallet and our world a little bit greener.

800-944-8511 • label.averydennison.com

Locations: DAL-Dallas, TX: GFD-Greenfield, IN: MTL-Montreal: NNH-Neenah, WI: OAK - Oak Harbor, OH
PFF-Painesville, OH: PTC-Peachtree City, GA: QTN-Quakertown, PA: SEA-Seattle, WA: TDC-Toronto: WCD-West Coast
Numbers indicate length of program in thousands of feet (5 = 5,000). RW = Ready Width™

