

KNA Supply

AUTOMOTIVE SUPPLY DISTRIBUTOR
COMMODITIES CATALOG

VOLUME 26 VERSION 3

\$5.00 USD

Everything
YOUR SHOP NEEDS

- ABRASIVES • ABSORBENTS • ADHESIVES
- BRAKE CLEANER • CHEMICALS
- DISPOSABLE GLOVES • EPOXIES
- FASTENERS • FLOOR CLEANER
- FLOOR MATS • HAND CLEANER • RAGS
- WIPERS • MASKING PRODUCTS
- WHEEL WEIGHTS • TIRE SUPPLIES
- AND SO MUCH...

More!!!



THOUSANDS OF PRODUCTS IN STOCK!



THOUSANDS MORE
AT OUR **DISPOSAL!**



**FAST, RELIABLE
DELIVERY!**



SHOP PLANNING



LOCAL SALESPeOPLE



IN-HOUSE SALESPeOPLE



ONLINE ORDERING



GUARANTEED SALES



A ONE STOP SUPPLIER



PAINT SUPPLIES START ON

Page 9-1



RAGS AND TOWELS START ON

Page 3-1



PLUS:

SEE ALL OF OUR
JANITORIAL PRODUCTS
STARTING ON
Page 2-1

SEE ALL OF OUR
FASTENER BIN SYSTEM
STARTING ON
Page 12-2



DELIVERING SOLUTIONS.
POWERING PERFORMANCE.

KNA *Supply*

YOUR PARTNER
BEYOND THE PART



PAYMENT TERMS

- New customer accounts are prepay for their first order.
- Net 30-day terms (open account) with the approval of a signed and completed credit application. 2% early pay - 15 days from invoice.
- All wholesale accounts require a State Resale Certificate to be on file. If we do not receive a Resale Certificate, applicable tax will be applied.
- We gladly accept Visa, MasterCard, American Express, PayPal and Discover. (Paying with credit card will incur a 3% processing fee)

RETURNS

Please return all items to the following address:

Kitt, Nicholson & Associates Inc.
1607 N. Magnolia Ave.
Ocala, FL 34475

To return products, please call Customer Service at 352-351-1170 and request a Return Merchandise Authorization (RMA).

Include the RMA number on the outside of the package and be sure to obtain a tracking number from your shipping company.

Return items must be shipped prepaid (except in the case of a wrong item shipped). We suggest you ship the products to us in their original packaging and insure the shipment. Please understand that KNA Supply cannot be held responsible for loss or damage during return shipment to our company.

Items must be returned within thirty (30) days (*except Pro-Shop items, please see below*) of receipt of order and must be in as-new condition, complete with all parts, packaging and accessories as sold originally. The only exception is for products that have been opened but are proven to be defective. Items ordered incorrectly may be subject to a re-stocking charge of up to 20%.

All returns will receive credit on account only, no cash refunds will be issued. No deduction from any invoice or statement is allowed for returned Products.

PRO-SHOP RETURNS

Kitt, Nicholson & Associates Inc. (KNA Supply) guarantees the salability of all qualifying Pro-Shop merchandise purchased and shipped from our warehouse. If any qualified item fails to sell within 12 months time, you may return it to us for an exchange or for credit to your account.

All Pro-Shop returns exchanged for other Pro-Shop items will receive a 100% credit off your invoice.

All Pro-Shop returns exchanged for "Non-Pro-Shop" items will receive a 100% credit towards the clients account and 20% off every Non-Pro-Shop invoice. This will continue for every Non-Pro-Shop purchase made until the credit is exhausted. (Fasteners and Wheel Weights excluded.)

Example:

- If you return slow moving Pro-Shop items equaling \$200, KNA will give an even exchange for other Pro-Shop products equaling \$200.00.
- If you return slow moving Pro-Shop items equaling \$200 and want to purchase Non-Pro-Shop items in its place, KNA Supply will give 20% off the total invoice for those items and will continue to do so until the original credit has been exhausted.

All returned products must be in salable condition and in the original packaging. Any returned product that is deemed non-salable or is found to be without the original packaging may not be eligible for credit.

These products will be returned with your next order. The only exception will be for product found to be defective.

All returned products require a Return Merchandise Authorization number. To return products, please call Customer Service at

Terms and Conditions

PRO-SHOP RETURNS (continued)

For accounts with an outside Sales Representative, your sales representative has the ability to process returns on your behalf.

Products to be returned should be carefully packed and include an itemized list. Please include your account name, contact name, contact email address and complete address of your location. Credit will be issued after verification of returned merchandise has been performed.

Merchandise returns may be subject to a 20% restocking fee.

All returns will receive credit on account only. No cash refunds will be issued. No deduction from any invoice or statement is allowed for returned products.

Our Pro-Shop guaranteed sale policy will remain in effect as long as the customer is actively purchasing from KNA Supply.

Our return policy is subject to amendment without prior notice.

PRO-SHOP PRICES

- All Pro-Shop pricing is contained online or in our pricing guide.
- We do our very best to maintain our pricing for the duration of this catalog. We may, however, out of necessity, need to adjust our pricing during the year. We will keep you informed if there happens to be a change in price.
- All orders will be invoiced at the prevailing price at the time of shipping.
- We offer volume discounts on all of our Pro-Shop merchandise. Please contact our office or your local sales representative for more details.

FREIGHT

- Freight is prepaid on all orders of \$299.00 or more in the state of Florida and \$399.00 or more in all other contiguous states. Freight prepaid does not apply to retail displays, Hazmat products or any product needing to be Palletized. These products will be invoice actual shipping at the time of shipment.
- No minimum order for Will Call clients.
- Minimum order of \$50.00 for Ship To and Delivery clients. orders Under the Minimum will have a service charge of \$5.00 added. Drop ship orders under the minimum will have a service charge of \$5.00 added.
- We ship via USPS/FedEx ground only within the contiguous United States.

GUARANTEED SALES

KNA Supply guarantees the sale of every Pro-Shop product that we supply. If you find a product does not sell, you may return it to us for a credit to your Account.

GENERAL DISCLAIMER

At KNA Supply, we pride ourselves on selecting the the best possible products at the best possible prices and we will do everything in our power to maintain both product selection and pricing for the duration of this catalog. Due to market fluctuations and forces beyond our control, we must inform you that both our product selection and our pricing are subject to change without notice.

KNA Supply cannot be held liable for any typographical errors in this catalog or in our price sheet. We will correct any mistakes promptly. We appreciate your understanding.

"True Partnership In Business"

It's been our MOTTO since day one.

QUICK INDEX BY SECTION

Safety Products.....	1
Janitorial Supplies.....	2
Rags, Towels & Wipers.....	3
Absorbents.....	4
Abrasives.....	5
Dent Repair.....	6
Masking Products.....	7
Paint Marking Pens.....	8
Paint Supplies.....	9
Protection Products.....	10
Tire Supplies.....	11
Bins & Cabinets.....	12
Fasteners.....	13
Drill Bits.....	14
Chemicals.....	15
Service Center Items.....	16

KNA Supply is an automotive supply company you can trust.

Family owned and operated since 2005:

We pride ourselves on offering a broad range of products, services and systems necessary to supply the largest of automobile dealerships with the personal touch of a family owned business. We strive to be a One Stop Supplier for all of your associated product needs and our friendly and knowledgeable sales staff is among the best in the industry.

We stock many nationally known brands and we also seek out lesser known brands that produce **really great products**. We do all of this with a strict eye on quality and our mind on the best value for your money.

We offer products for the following automotive industries:

- Collision Centers
- Parts Departments
- Mechanical Shops
- Car Wash Centers
- Fleet & Truck Centers
- Quick Lube Centers

KNA Supply also offers something unique to our industry, a retail program where we convert your parts department, waiting area or customer lounge into a retail-shopping destination. We call this our Pro-Shop Program.

In our Pro-Shop Program, we stock over 5000 high impulse, automotive related products and accessories and all of the fixtures needed to display them. We specialize in designing and maintaining retail spaces and we guarantee each of our products to sell. Every product in our Pro-Shop Program comes pre-priced and ready to sell the moment you receive it.

Thank you for choosing KNA Supply.

We hope you find our catalog filled with useful products!

WE ACCEPT THE FOLLOWING



FOLLOW US ON



KNA Supply
1605 N. Magnolia Ave.
Ocala, FL 34475
(352) 351-1170 - Phone
(352) 351-2600 - Fax
www.knasupply.com
sales@knasupply.com

Shop Supplies Index Page

What We Have/Where We Have It

Abrasives SECTION 5

Absorbents SECTION 4

Bins & Cabinets SECTION 12

Bins (Empty)	12-7 thru 12-9
Chemical Starter Systems	12-5
Collision Fastener Systems	12-1 thru 12-5
Service Supply Systems	12-6

Chemicals SECTION 15

AC/Products	15-15
Brake Cleaner	15-13, 15-14
Enamel Spray Paint	15-7
IES Products	15-3 thru 15-12
Lubricants	15-11, 15-13
Rubberized Undercoat	15-13
Seam Sealers	15-3 thru 15-5

Dent Repair SECTION 6

Drill Bits SECTION 14

Fasteners SECTION 13

Bulbs	13-80, 13-81
Cable Ties	13-82
Electrical Accessories	13-70 thru 13-79
Fasteners by Car Brand	13-25 thru 13-53
Metric Items	13-4 thru 13-8, 13-64 thru 13-67
Miscellaneous	13-10, 13-11
Push-Type Retainers	13-19 thru 13-24
Tapping Screws	13-2 thru 13-4
Trimming Sundries	13-16 thru 13-18
Rivets	13-12 thru 13-15
U-Nuts	13-8, 13-9

Janitorial Supplies SECTION 2

Bath Tissue	2-1
Hand Cleaners	2-2
Paper Towels	2-1
Restroom Supplies	2-2 thru 2-5
Roll Towels	2-1

Masking Products SECTION 7

Masking Paper	7-2
Protective Sheeting	7-3
Tape	7-1

Paint Marking Pens SECTION 8

Paint Pens	8-1, 8-2
------------	----------

Paint Supplies SECTION 9

Adapters	9-7
Disposable Paint Cups	9-6
Clear Coat	9-1, 9-3
2K Epoxy	9-3
Paint Stripper	9-4
Primer	9-1
Lacquer Thinner	9-5

Protection Products SECTION 10

Carpet Protection Film	10-3
Collision Wrap	10-3
Disposable Floor Mats	10-2
Disposable Seat Covers	10-1
Disposable Steering Wheel Covers	10-1

Rags, Towels & Wipers SECTION 3

Rags	3-2
Wipes	3-1, 3-2
Wet Wipes	3-1

Safety Supplies SECTION 1

Disposable Gloves	1-1
-------------------	-----

Tire Supplies SECTION 11

Air Tools	11-24 thru 11-26
Duck Heads	11-23
Lug Nuts	11-14 thru 11-16
Patches	11-9, 11-11
Valves	11-17 thru 11-19
Valves Caps	11-17
Valve Sensors	11-20, 11-21
Tire Tools	11-6 thru 11-8, 11-12, 11-13, 11-22, 11-23
Wheel Weights	11-1 thru 11-5

Service Center Items SECTION 16

Batteries	16-1
Hose Clamps	16-1
Razor Blades	16-2
Wire Brush	16-4

MAILING ADDRESS

KNA Supply
P.O. Box 771826
Ocala, FL 34477
(352) 351-2600 - Fax
sales@knasupply.com

PHYSICAL ADDRESS

KNA Supply
1607 N. Magnolia Ave.
Ocala, FL 34475
(352) 351-1170 - Phone
www.knasupply.com

Automotive SUPPLY Distributor

KNA Supply's wide variety of shop supplies are second to none. We pride ourselves on having sourced the most effective products in Fasteners, Chemicals, Janitorial and Tire Supplies on the market today! All of our products have been field tested and approved by an overwhelming number of professional technicians.

See for yourself why KNA Supply is the preferred vendor for some of Florida's largest automotive dealerships, collision centers and mechanical shops.



AUTOMOTIVE FASTENERS



PROTECTIVE PRODUCTS



SAFETY SUPPLIES



WIPERS & TOWELS



ELECTRICAL PRODUCTS



COLLISION SHOP SUPPLIES



DENT REPAIR

SHOP SUPPLIES

Individual & Bulk Product

XXL AVAILABLE UPON REQUEST



BLACK GOLD BLACK NITRILE GLOVES POWDER FREE - 5 MIL

EPPCO® black nitrile examination gloves, offer all day protection. These 5 Mil gloves feature textured fingers, as well as are both powder free, and latex free. These gloves work well to get the job done when you need them.

Features:

- Textured fingers
- Standard length; beaded cuff
- Latex free
- Powder Free
- 5 mil
- Non-sterile

ITEM #	SIZE	BOX QTY	CASE QTY
9843	MEDIUM	100	10
9844	LARGE	100	10
9845	X-LARGE	100	10

XXL AVAILABLE UPON REQUEST



BLACK SAFTEY PRO BLACK NITRILE GLOVES POWDER FREE - 6 MIL

EPPCO® black nitrile examination gloves, offer all day protection. These 6 Mil gloves feature textured fingers, as well as are both powder free, and latex free. These gloves work well to get the job done when you need them.

Features:

- 50% stronger than standard nitrile gloves
- Chemical and Puncture resistant
- Latex free
- Powder Free
- 6 mil
- Non-sterile

ITEM #	SIZE	BOX QTY	CASE QTY
21001	MEDIUM	100	10
21002	LARGE	100	10
21003	X-LARGE	100	10

XXL AVAILABLE UPON REQUEST



GREASE BULLY BLACK NITRILE GLOVES POWDER FREE - 6 MIL

EPPCO® black nitrile examination gloves, offer all day protection. These 6 Mil gloves feature textured fingers, as well as are both powder free, and latex free. These gloves work well to get the job done when you need them.

Features:

- Textured fingers
- Standard length; beaded cuff
- Latex free
- Powder Free
- 6 mil
- Non-sterile

ITEM #	SIZE	BOX QTY	CASE QTY
21001	MEDIUM	100	10
21002	LARGE	100	10
21003	X-LARGE	100	10



TIGER GRIP NITRILE GLOVES WITH RAISED GRIP - TEXTURED - 8 MIL

EPPCO Tiger Grip disposable gloves are made of orange nitrile, and is packaged 100 gloves per box, 10 boxes per case, comes in orange.

Features:

- 8 mil
- Made from Nitrile
- Latex free, Powder free, Water resistant
- Standard length; beaded cuff
- Palm and finger textured

ITEM #	SIZE	BOX QTY	CASE QTY
8842	SMALL	100	10
8843	MEDIUM	100	10
8844	LARGE	100	10
8845	X-LARGE	100	10
8846	XX-LARGE	100	10



N95 BLACK MASK NIOSH APPROVED

The Benehal 8225B N95 Black Mask is a high-quality respiratory protective device that meets NIOSH certification standards. Designed to provide reliable filtration and comfortable wear, this mask features a black color and a form-fitting design for enhanced comfort and effectiveness. It helps protect against airborne particles, making it an ideal choice for various settings, including healthcare, industrial, and everyday use.

ITEM #	QTY	BOX QTY
N95	10	60



SGS2

ANTI-SCRATCH SAFETY GLASSES

Clear safety glasses. Featuring two options: Full coverage, and front coverage to meet all your eye wear needs. Providing quality with each option through anti-scratch material. Perfect for visitors or everyday duties at the work place.



SGS1

ITEM #	COVERAGE	QTY
SGS1	FULL COVERAGE	1
SGS2	FRONT COVERAGE	1

MAYFAIR® 2-PLY PREMIUM BATH TISSUE



Our standard 2-ply bath tissue. Embossed to provide a soft, comfortable feel. Made with 100% Recycled Fibers. Specifications: High quality embossed tissue • Embossed to provide a soft and comfortable feel • Septic Safe manufacturing • Chlorine-Free manufacturing • Reliable 2-ply bath tissue at a low cost

MADE IN THE USA

Uses MAYFAIR® dispenser 99905

ITEM #	SHEET SIZE	ROLL SIZE	CASE QTY
183011	4.5" x 3.75"	500	96

EMPRESS PAPER TOWELS - 30 BOX



Our paper towels are the perfect workhorse for day to day household chores, spills, and messes. Manufactured with a Unique cloth like design, our paper towels offers much greater absorbency, softness, strength and reliability.

Perfect for home, office and facility use.

MADE IN THE USA

ITEM #	SHEET SIZE	SHEET QTY	CASE QTY
230851	11" X 6"	85	4 MULTI PACKS

MAYFAIR® NATURAL HARD WOUND ROLL TOWEL



Our Mayfair® Natural Hard Wound Towels are high quality embossed towels that fit inside most hard wound towel dispensers. Made with 100% recycled fibers.

Perfect for home, office and facility use.

MADE IN THE USA

Uses MAYFAIR® dispenser 99900, 99912

ITEM #	SHEET SIZE	CORE SIZE	CASE QTY
183213	7.8" X 800'	2"	16

MAYFAIR® WHITE CENTER PULL HAND TOWEL



Our High Capacity White 2-ply Center Pull Towel. Embossed to provide a soft, comfortable feel. Made with 100% Recycled Fibers. Perfect for high traffic washrooms in all public and private facilities. Specifications: Embossed to provide a soft and comfortable feel • Chlorine-Free manufacturing • Fits most standard center pull dispensers.

MADE IN THE USA

Uses MAYFAIR® dispenser 99906

ITEM #	SHEET SIZE	USES	COLOR	CASE QTY
183260	7.6" X 10"	600	6	12

MAYFAIR® 2-PLY JUMBO PREMIUM BATH TISSUE



Our standard 2-ply bath tissue. Embossed to provide a soft, comfortable feel. Made with 100% Recycled Fibers. Specifications: High quality embossed tissue • Embossed to provide a soft and comfortable feel • Septic Safe manufacturing • Chlorine-Free manufacturing • Reliable 2-ply bath tissue at a low cost

MADE IN THE USA

Uses MAYFAIR® dispenser 99907, 99908

ITEM #	SHEET SIZE	ROLL SIZE	CASE QTY
1832161	3.3" X 1000'	1000'	12

MAYFAIR® 1-PLY MULTI-FOLD HAND TOWEL



Our Mayfair® Multi-Fold Hand Towels are high quality embossed towels that fit inside most multi-fold dispensers. Made with 100% recycled fibers.

Perfect for home, office and facility use.

MADE IN THE USA

Uses MAYFAIR® dispenser 99903

ITEM #	SHEET SIZE	SHEET QTY	COLOR	CASE QTY
183204	9" X 9.5"	250	NATURAL	16
183203	9" X 9.5"	250	WHITE	16

MAYFAIR® WHITE HARD WOUND ROLL TOWEL



Our Mayfair® White Hard Wound Towel is a high quality embossed towel that fits inside most hard wound towel dispensers. Made with 100% recycled fibers and made white without the use of chlorine.

Perfect for home, office and facility use.

MADE IN THE USA

Uses MAYFAIR® dispenser 99900, 99912

ITEM #	SHEET SIZE	CORE SIZE	CASE QTY
183211	7.8" X 800'	2"	12

BARREL (DRUM) PUMP FOR 5-55 GALLONS



Performance Tool Standard Duty Lever Action Barrel Pump provides fast transfer of lubricants, solvents, fuel, water based and other acidic and non-acidic liquids.

- Fits 5 to 55 gallon drums (W54269).
- Self-adjusting telescoping suction tube with a rubber seal.
- 9 oz. Per 1 stroke
- Composite & Steel

ITEM #	DESCRIPTION	CASE QTY
W54269	BARREL PUMP COMPOSITE	1
W54266	BARREL PUMP STEEL	1

MAGIC INDUSTRIAL HAND CLEANER 3.5L



This heavy duty, solvent free, walnut shell based cleaner does it all. It cleans the toughest soils, greases, inks, paints, and almost anything else. Fortified with a new generation emollient package that leaves your hands feeling great. The concentrated Hand Cleaner that does it all.

MADE IN THE USA!

Uses MAGIC dispenser DSP1-JS35

ITEM #	DESCRIPTION	CASE QTY
235883-JS35	MAGIC HAND CLEANER	4

MAGIC EMERALD PLUS HAND CLEANER 3.5L



Enriched with a unique blend of gentle emollients to keep hands soft and smooth. Utilizes space age polymers as an advanced scrubbing system which floats in water virtually eliminating irritating clogged drains.

Bottle Size 3.5L

Uses MAGIC dispenser DSP1-JS35

ITEM #	DESCRIPTION	CASE QTY
231673-JS35	EMERALD 3.5L HAND CLEANER	4

MAGIC HAND CLEANER WALL MOUNT SYSTEM FOR 3.5L HAND SOAP BOTTLES



Magic Industrial Hand Care Dispenser for 3.5L Square Gallon Hand Care format. Ultra Durable; Industrial Design with adjustable volume output delivers the right amount of product every time.

Provides years of service in the toughest settings.

ITEM #	DESCRIPTION	CASE QTY
DSP1-JS35	3.5L BLACK DISPENSER	1

MAGIC HAND CLEANER WALL MOUNT SYSTEM FOR 2.5L HAND SOAP BOTTLES



Magic Industrial Hand Care Dispenser for 2.5L Square Gallon Hand Care format. Ultra Durable; Industrial Design with adjustable volume output delivers the right amount of product every time.

Provides years of service in the toughest settings.

ITEM #	DESCRIPTION	CASE QTY
DSP1-JS25	2.5L BLACK DISPENSER	1

MAGIC ULTIMATE MANGO FOAM SOAP



Ultimate Mango Foam is a foaming hand soap designed for general purpose hand washing. One pump provides pre-lathered convenience with enough soap for effective cleaning. Each 1,000 ml bottle will wash hands 1,500 times as compared to 500 times with the same amount of liquid hand soap.

Uses dispenser DPS1-JS1L

ITEM #	DESCRIPTION	CASE QTY
232923	MANGO FOAM SOAP	4

MAGIC EMERALD PLUS HAND CLEANER 2.5L



Enriched with a unique blend of gentle emollients to keep hands soft and smooth. Utilizes space age polymers as an advanced scrubbing system which floats in water virtually eliminating irritating clogged drains.

Bottle Size 2.5L

Uses MAGIC dispenser DSP1-JS25

ITEM #	DESCRIPTION	CASE QTY
231673-JS25	EMERALD 2.5L HAND CLEANER	4

MAGIC FOAMING SOAP DISPENSER



Attractive, hygienic and affordable, Magic's Manual Foam Soap Dispenser is an excellent choice for your school or business restrooms. With one push of the lever, the dispenser delivers just the right amount of foamy soap. The refillable reservoir holds 1,000 ml of soap. A window on the front of the dispenser gives you a peek at how much soap is remaining.

ITEM #	DESCRIPTION	CASE QTY
DSP1-JS1L	FOAMING SOAP DISPENSER	1

MAYFAIR® FOLDED HAND TOWEL DISPENSER



Compatible with multi-fold towels and c-fold towels. Dispenser holds 450 C-fold or 750 Multi-fold towels. This high-capacity dispenser reduces need for refills which eliminates over stuffing and prevents clumping and bunching of towels. Allows for easy dispensing and keeps towels off of sink or counter top areas.

Works well in many high traffic areas.

ITEM #	DESCRIPTION	CASE QTY
99903	FOLDED TOWEL DISPENSER	1

MAYFAIR® LEVER ACTIVATED HARD WOUND ROLL TOWER DISPENSER



Easy loading and less maintenance than a motion activated dispenser as you don't have to worry about replacing batteries. The contoured dispensing arm allows use of wrist, arm or elbow to dispense paper. Holds all roll paper qualities with any size core. Compatible with our MAYFAIR® 350' and 800' hard wound roll towels as well as most standard hard wound roll towels.

Key included.

MADE IN THE USA!

ITEM #	DESCRIPTION	CASE QTY
99912	LEVER TOWEL DISPENSER	1

MAYFAIR® MOTION ACTIVATED HARD WOUND ROLL TOWEL DISPENSER



Allows for easy but also extremely sanitary dispensing as users do not have to touch any part of the dispenser to get their towels. Can be set in two operating modes, sensor and towel out. Sensor mode waits for a hand to be placed underneath before it dispenses paper. In towel out mode paper is always available and there is no wait between dispensing. Adjust your paper length as needed (8", 12", 16"). Stub roll feature- automatic transfer system eliminates stub roll waste.

ITEM #	DESCRIPTION	CASE QTY
99900	MOTION TOWEL DISPENSER	1

MAYFAIR® MECHANICAL HANDS-FREE DISPENSER



Mayfair Hands-Free Mechanical roll towel dispenser offers simple and economical touch less roll towel dispensing without the need for batteries. It is designed to dispense and mechanically cut most types of roll towel in consistent 11" sheets. Made from durable, impact-resistant plastic, keys included.

- Universal; dispenses most any brand or quality of roll towel
- Made from durable, impact-resistant plastic
- Keys included

MADE IN THE USA!

ITEM #	DESCRIPTION	CASE QTY
99923	HANDS-FREE DISPENSER	1

MAYFAIR® TEAR-N-DRY AUTOMATIC DISPENSER



Consistently dispenses 10" paper portions without wait, making it an ideal choice for high-traffic environments. Simple to install; just mount, load paper and you are ready to go. Uses 4 D-cell alkaline batteries. Stub roll feature- automatic transfer system eliminates stub roll waste.

- Universal; dispenses most any brand or quality of roll towel
- Made from durable, impact-resistant plastic
- Keys included
- Stub roll feature- automatic transfer system eliminates stub roll waste

MADE IN THE USA!

ITEM #	DESCRIPTION	CASE QTY
99925	AUTOMATIC DISPENSER	1

MAYFAIR® CENTER-PULL TOWEL DISPENSER



Touchless dispensing reduces maintenance costs and provides a hygienic hand drying environment. Easy-to-adjust funnel adjusts to accommodate all grades of center-pull paper, single ply to industrial wipes and Large capacity ensures long durations between refills. Compatible with our MAYFAIR® center-pull towels as well as most center-pull towels.

Key included.

MADE IN THE USA

ITEM #	DESCRIPTION	CASE QTY
99906	CENTER PULL DISPENSER	1

MAYFAIR® STANDARD BATH TISSUE DISPENSER



Compact design makes it easy to fit in any size washroom. Dispenser protects visible fresh roll until first roll is completely used providing continuous paper availability, eliminating stub roll waste. Made from durable, impact-resistant plastic.

Holds (2) standard bath tissue rolls with a 1 5/8" core.

Compatible with our MAYFAIR® standard bath tissue rolls as well as most standard bath tissue rolls.

Key included

MADE IN THE USA

ITEM #	DESCRIPTION	CASE QTY
99905	BATH TISSUE DISPENSER	1



MAYFAIR® JUMBO BATH TISSUE DISPENSER

Designed to provide ease-of-use, with easy paper access and multi-directional tearing. Made from durable, impact-resistant plastic.

Holds (1) 9" jumbo bath tissue roll.

Compatible with our MAYFAIR® jumbo bath tissue rolls as well as most jumbo bath tissue rolls.

Key Included.

MADE IN THE USA

ITEM #	DESCRIPTION	CASE QTY
99908	JUMBO ROLL DISPENSER	1



CLEAR TRASH BAGS LINERS

These gallon trash bags are carefully manufactured from superior resins for a great blend of flexibility and strength. These bags are ideally used for lightweight items such as paper, tissues, and lightweight trash. Besides having a great look, going clear also aids in avoiding unintended disposals.

ITEM #	GALLON	MICRON	BOX QTY
H243306N	12-16	6	1000
H303708N	20-30	8	500



MAYFAIR® TWIN JUMBO BATH TISSUE DISPENSER

Large capacity twin tissue bath tissue dispenser holds a backup roll so when the current roll is out you can move to the next one without having to worry about replacing a new roll right away. Provides continuous availability of tissue and prevents access to the spare roll until it is completely empty. Eliminates stub roll waste and reduces tissue costs.

Holds (2) 9" jumbo bath tissue rolls.

Compatible with our MAYFAIR® jumbo bath tissue rolls as well as most jumbo bath tissue rolls.

Key Included.

MADE IN THE USA.

ITEM #	DESCRIPTION	CASE QTY
99907	JUMBO ROLL DISPENSER	1



BLACK TRASH BAGS LINERS

These gallon high density lightweight bags are an ideal choice for lighter loads and is ideal for keeping odors and moisture at bay. This bag is star sealed which means it produced in a way in which the plastic is folded and has been carefully sealed in a single spot. Sealing the bag this way eliminates potential gaps or breaches that can occur with other brands.

ITEM #	GALLON	MICRON	BOX QTY
H334016K	31-37	16	250
H404812K	40-45	12	250
H386016K	55-60	16	200
L3858136	55-60	1.1	100



Z400 WHITE 1/4 FOLD WIPERS

Our most popular wiper! Ideal for all medium-duty general purpose wiping applications. TOOLBOX® Z400 1/4 fold wipers are perfect for stacking out on a work bench or counter top.

Compare to WYPALL® L40 wipers

ITEM #	SHEET SIZE	SHEET QTY	CASE QTY
5010001	10" X 12.25"	72	6



#54400



#55202

Z400 SHOP TOWELS

A Super Strong, Medium Duty Disposable Wiper that is very absorbent, low linting and works like it is made out of cloth! Z400 is ideal for medium duty, general purpose wiping. Our white rags are ideal for painting, staining, window cleaning, general cleaning and 1000's of other uses around the shop or home

Compare to SCOTT® Shop Towels

*SCOTT is a registered trademark of Kimberly-Clark

ROLL			
ITEM #	SHEET SIZE	SHEET QTY	CASE QTY
54400	11" x 9.4" (BLUE)	55	30
CENTER PULL			
ITEM #	SHEET SIZE	SHEET QTY	CASE QTY
55202	10" x 12" (BLUE)	200	6



#90174



#90153

CLEAN TASK™ CLEANING & DEGREASING WET WIPES

A powerful hand and surface degreasing cleaner that's gentle on your skin. Clean Task™ Wet Wipes have a unique non-scratching, scrubbing texture that cuts thru oil, tar, grease, paint, lubricants, ink, wax, adhesives & more. Clean Task™ Wet Wipes are ideal for light or heavy-duty cleaning of hands and/or surfaces without the need for soap and water.

Compare to Scrubs-In-A-Bucket®

*Scrubs-In-A-Bucket is a registered trademark of SCRUBS

DISPENSER			
ITEM #	SHEET SIZE	SHEET QTY	CASE QTY
90153	10" x 12"	70	3
REFILL			
ITEM #	SHEET SIZE	SHEET QTY	CASE QTY
90174	10" x 12"	70	4



#78350



#78250

T700 WATERWEAVE® BLUE WIPERS

WaterWeave® is made using high pressure water jets that "weave" polypropylene and cellulose fibers together to form an extremely tough, tear resistant wiper. Works like cloth at a fraction of the price. Ideal for use in wiping applications involving solvents, rough surfaces, jagged edges, or when you need extremely low lint wiper.

T700 Jumbo rolls (78350) are perfect for extremely busy locations as it has a voluminous 870 wipers per roll.

T700 Tool Box Pop-Up (78250) are perfect for work stations and for mobility

Ideal for most heavy-duty wiping applications and messy fluid applications.

ITEM #	SHEET SIZE	SHEET QTY	CASE QTY
78250	POP UP BOX	100	8
78350	JUMBO ROLL	870	1



T700 WATERWEAVE® WHITE WIPERS

WaterWeave® is made using high pressure water jets that "weave" polypropylene and cellulose fibers together to form an extremely tough, tear resistant wiper. Works like cloth at a fraction of the price. Ideal for use in wiping applications involving solvents, rough surfaces, jagged edges, or when you need extremely low lint wiper.

T700 Tool Box Pop-Up (78200) are perfect for work stations and for mobility

Ideal for most heavy-duty wiping applications and messy fluid applications.

ITEM #	SHEET SIZE	SHEET QTY	CASE QTY
78200	POP UP BOX	100	8



PRECISION-FIBER CLOTH RAGS

The lighter weight fabric of fiber cloth is soft and super-strong when wet and pliable for precision wiping performance on smooth surfaces and in tight corners. Fiber cloth rags are absorbent and durable in water, paint, stain, grease, oil, and solvents. Fiber cloth costs less per piece than old-fashioned rags, are completely safe for hands and skin and easily rinse clean for multiple reuses.

Unlike recycled t-shirt rags, our fiber cloth rags are manufactured to exact size and shape (12" x 13.6") and have no imperfections such as seams, collars, buttons, imprints or stains to contend with. This means there is no scrap or waste with fiber cloth rags.

ITEM #	SHEET SIZE	SHEET QTY	CASE QTY
PFC-00128-250	13.5" X 15"	250	1

UNIVERSAL DRUM TOP PADS

Keep your drum containment area neat and clean with pre-cut 55-gallon drum tops. Available in both oil-only and universal. DRUM TOP PADS fit on top of a 55-gallon drum and catch leaks/drips. Absorb non-aggressive fluids, such as oil, water, glycols, etc.



ITEM #	SHEET SIZE	COLOR	BOX QTY
GDT22NL	22"	GRAY	25

UNIVERSAL HEAVY ABSORBENT PADS

Made of Meltblown Polypropylene spun at just the right rate to increase loft, our Heavy Weight Universal Absorbent Pads instantly begin to soaking up spills the moment they touch them. Our Meltblown Universal Absorbent pads are an economical way to clean up water based, oil based and aggressive chemical spills.



100 per pack.

ITEM #	SHEET SIZE	COLOR	BOX QTY
GDML100	15" x 18"	GRAY	100

EVERSOAK® MEDIUM-DUTY ABSORBENT ROLL



Eversoak® Medium Duty Absorbent Pad is the hands down the best on the market. Made of 80% recycled cellulose fibers and having coverstock on the top and bottom allows our Heavy Weight pad to instantly begin soaking up liquid while having incredible tear strength. Our EverSoak® Absorbent roll is constructed to stay firmly in one place and still have the durability that customers have come to expect from the EverSoak® line of sorbents.

ITEM #	ROLL SIZE	COLOR	BOX QTY
22858	28.5' x 125'	GRAY	1

UNIVERSAL STICKY-BACK ABSORBENT MAT



This mat is great for entry ways and other wet areas because the mat can absorb plenty of liquids and oils. Once the mat is dirty just rip off the ground and replace!

ITEM #	SIZE	COLOR	BOX QTY
XSMB36100-36	36" X 100'	GRAY	1

UNIVERSAL LIGHT ABSORBENT PAD

Made of Meltblown Polypropylene spun at just the right rate to increase loft, our Light Weight Universal Absorbent Pads instantly begin to soaking up spills the moment they touch them. Our Meltblown Universal Absorbent pads are an economical way to clean up water based, oil based and aggressive chemical spills.



200 per pack.

ITEM #	SHEET SIZE	COLOR	BOX QTY
GDM200	15" X 18"	GRAY	200

OIL ONLY MEDIUM ABSORBENT PAD



Medium weight Oil Only sorbet pads ideal for soaking up oil, fuel, grease, transmission fluid, coolants, and many other liquids except water. Made from meltblown polypropylene allowing them to handle the toughest outdoor environments. Can be used for many outdoor MRO spill control applications as the pads repel water.

100 per pack.

ITEM #	SHEET SIZE	COLOR	BOX QTY
WDML100	15" X 18"	WHITE	200



MEDIUM MAROON PREP DISC

These discs are ideal for use on portable tools to remove mild weld on all metal surfaces. Non-loading, heavy duty and wear resistant, can be used safely in combination with coolants and/or in dry applications. Rigid body for aggressive cut and improved life. Capable of removing stock and blending in a single step. Smear resistant resin system for a clean finish. Wide array of size, attachments and grits for every application.

- Blending
- Paint Preparation
- Paint Removal
- Parting Line Removal
- Rust Removal
- Stock Removal
- Surface Grinding

ITEM #	GRIT	BOX QTY	SIZE
1234895	MEDIUM	50	2"
1244885	MEDIUM	25	3"




2" GREEN ZIRCONIA QUICK CHANGE

Made with Alumina Zirconia a self-sharpening abrasive that allows for a faster cut and a longer grinding time than aluminum oxide.

Uniquely structured open coat with a grinding aid that resists loading. Heavy duty cloth backing that resists fraying. Excellent for sanding aluminum.

Type "R" fastener for quick attaching & quick removal.

ITEM #	GRIT	BOX QTY	SIZE
59801	24	25	2"
59802	36	25	2"
59804	50	25	2"



COURSE GOLD PREP DISC

These discs are ideal for use on portable tools to remove mild weld on all metal surfaces. Non-loading, heavy duty and wear resistant, can be used safely in combination with coolants and/or in dry applications. Rigid body for aggressive cut and improved life. Capable of removing stock and blending in a single step. Smear resistant resin system for a clean finish. Wide array of size, attachments and grits for every application.

- Blending
- Paint Preparation
- Paint Removal
- Parting Line Removal
- Rust Removal
- Stock Removal
- Surface Grinding

ITEM #	GRIT	BOX QTY	SIZE
1234995	COURSE	50	2"
1244995	COURSE	25	3"
74907	PREMIUM COURSE	25	2"



3" GREEN ZIRCONIA QUICK CHANGE

Made with Alumina Zirconia a self-sharpening abrasive that allows for a faster cut and a longer grinding time than aluminum oxide.

Uniquely structured open coat with a grinding aid that resists loading. Heavy duty cloth backing that resists fraying. Excellent for sanding aluminum.

Type "R" fastener for quick attaching & quick removal.

ITEM #	GRIT	BOX QTY	SIZE
59901	24	25	3"
59902	36	25	3"
59904	50	25	3"

2" MINI FLAP DISC



ITEM #	DESCRIPTION	BOX QTY
FDZ67411	2" MINI FLAP DISC	10
FDZ67412	2" MINI FLAP DISC	10
FDZ67413	2" MINI FLAP DISC	10
FDZ67414	2" MINI FLAP DISC	10
FDZ67415	2" MINI FLAP DISC	10

3" MINI FLAP DISC



ITEM #	DESCRIPTION	BOX QTY
FDZ67431	3" MINI FLAP DISC	10
FDZ67432	3" MINI FLAP DISC	10
FDZ67433	3" MINI FLAP DISC	10
FDZ67434	3" MINI FLAP DISC	10
FDZ67435	3" MINI FLAP DISC	10

VALUE LINE CUT OFF WHEEL



COMPETITOR wheels are entry level general purpose cutting wheels for all applications.

ITEM #	SIZE	QTY
51303	3" x 1/32" x 3/8"	10
51314	3" x 1/16" x 3/8"	10
51303-50	3" x 1/32" x 3/8"	50
51314-50	3" x 1/16" x 3/8"	50

SUPER PREMIUM CUT OFF WHEEL



MAX FORCE thin cut-off wheels turn your small cut-off tool into a turbo charged cutting machine. This is the fastest cutting and longest lasting wheel we have ever designed. It tackles every type and cross section of materials with impressive results. If you are using a high powered cut-off tool and want to maximize performance, the Max Force wheel is the one that will get you to the winner's circle.

ITEM #	SIZE	QTY
93303	3" x 1/32" x 3/8"	10
93313	3" x 1/16" x 3/8"	10
93303-50	3" x 1/32" x 3/8"	50
93313-50	3" x 1/16" x 3/8"	50



DECAL REMOVER ERASER WHEEL

Decal remover eraser wheel: designed to remove quickly and efficiently stickers, decals, graphics, pin striping from cars, trucks, boats.

An easy-to-use tool for removing adhesives and films from painted auto surfaces.

Package includes : one 4 inch vinyl eraser wheel and (one drill adapter arbor to fit your electric or pneumatic drill

ITEM #	DESCRIPTION	CASE QTY
6916	DECAL REMOVER WHEEL	1



MBX COURSE CARBON STEEL WHEEL

Abrasive steel belt with coarse carbon steel belts for purposes including coating removal, rust removal & seam seal removal.

Wire: 0.7mm carbon spring steel

Tips: angled, hardened, sharpened Finish: Coarse, sandblast-like texture

ITEM #	DESCRIPTION	CASE QTY
BX227	ABRASIVE STEEL BELT	1



ABRASIVE TOOL WITH DRILL ADAPTER

BLYSK Abrasive Tool with Drill Adaptor are used for coating removal, de-rusting, cleaning, and seam sealer removal. BLYSK Abrasive Tool with Drill Adaptor is designed as a durable tool for use on a wide variety of applications.

ITEM #	DESCRIPTION	CASE QTY
BX401	STRIPPING KIT	1

PSA FILE SHEETS

Uniquely structured open coat abrasives with stearate resists loading.

Heavy duty backing resists tears. Pressure Sensitive Adhesive (PSA) backing.

ITEM #	GRIT	BOX QTY	SIZE
82-202-040	40	50	2.75" X 16.5"
82-202-080	80	50	2.75" X 16.5"

PSA ABRASIVE ROLL

EXCELLA quality paper-backed abrasives deliver fast, effective results at a great value. EXCELLA'S construction combines a sharp, proprietary grain structure with an ultra-durable backing and a specialized stearate coating to achieve a fast and uniform finish with minimum loading.

Pressure Sensitive Adhesive (PSA) backing for easy attaching.

ITEM #	GRIT	QTY	SIZE
82-203-040	40	1	2.75" X 25 YD
82-203-080	80	1	2.75" X 25 YD
82-203-180	180	1	2.75" X 25 YD
82-203-320	320	1	2.75" X 25 YD
82-203-400	400	1	2.75" X 25 YD

3" HOOK & LOOP ABRASIVE DISCS



EXCELLA quality paper-backed abrasives deliver fast, effective results at a great value. EXCELLA'S construction combines a sharp, proprietary grain structure with an ultra-durable backing and a specialized stearate coating to achieve a fast and uniform finish with minimum loading.

Hook & Loop (Velcro®) backing for easy attaching.

ITEM #	GRIT	DISC QTY	SIZE
82-305-080	80	200	3"
82-305-180	180	200	3"
82-305-320	320	200	3"

6" HOOK & LOOP ABRASIVE DISCS



EXCELLA quality paper-backed abrasives deliver fast, effective results at a great value. EXCELLA'S construction combines a sharp, proprietary grain structure with an ultra-durable backing and a specialized stearate coating to achieve a fast and uniform finish with minimum loading.

Hook & Loop (Velcro®) backing for easy attaching.

ITEM #	GRIT	SHEET QTY	SIZE
42203	40	25	6"
82-605-080	80	100	6"
82-605-120	120	100	6"
82-605-180	180	100	6"
82-605-220	220	100	6"
82-605-320	320	100	6"
82-605-400	400	100	6"
82-605-600	600	100	6"
82-605-800	800	100	6"



8" ALUMINUM OXIDE PSA TABBED DISCS

Discs have an Aluminum Oxide, non loading stearate with resin over resin bond for consistent reduction of abrasive grain. The semi open coat and stearate resin are used to reduce clogging. The heavy duty backing on the discs makes this suitable for sanding and stripping paints, pigmented lacquers, primers, sealers, and acid cured lacquers. To use, simply remove the backing, than stick self-adhesive disc to appropriate backup pad attached to orbital sander.

ITEM #	GRIT	SHEET QTY	SIZE
65303	40	50	8"
65306	80	50	8"

#59912



EXCELLA SEHWHEY™ ULTIMATE SURFACE PREPARATION PAD

EXCELLA SEHWHEY™ is the next generation in surface preparation! SEHWHEY™ cuts 3 times faster than a maroon scuff pad, but leaves the same scratch pattern as a gray scuff pad! SEHWHEY™ will save you time and allow you to make money! The secret is in SEHWHEY's Patent Pending, highly flexible backing and unique abrasive structure which allows you to sand all types of uneven surfaces and into the tightest places with the least amount of effort. SEHWHEY™ can be used either

#59916



#59915



#59913



ITEM #	GRIT	SHEET QTY	COLOR	SIZE
59912	500	20	GREY	4.5" X 9"
59913	1200	20	GOLD	4.5" X 5.5"
59915	600	20	GREY	4.5" X 5.5"
59916	320	20	RED	4.5" X 5.5"

SUN BRITE® HAND SCUFF PADS



Sun Brite scuff pads offer extraordinary flexibility that helps get into those hard-to-reach areas and contoured surfaces. Constructed from a high-quality, non-woven fiber that is evenly bonded with abrasives and has an extremely uniform design, Sun-Brite Scuff Pads stand head & shoulders above the competition.

ITEM #	GRIT	SHEET QTY	SIZE
59863	MAROON	20	6 X 9
59864	GRAY	20	6 X 9



#64924

SUN PREP II WATER SOLUBLE SCUFFING AGENT

Sun Prep II is a water soluble, pre-paint cleaner used to abrade painted & primed surfaces before refinishing. Sun Prep II helps improve adhesion by removing waxes, road film and dirt on areas that are commonly hard to sand such as door jams, around locks, under hoods & around seals. Sun Prep II provides excellent adhesion on urethane bumpers. When finished scuffing, rinse completely clean with water. Sun Prep II works best when used with our Sun Brite® Hand Scuff Pads.

ITEM #	SIZE	CASE QTY
64924	32 OZ	12

ONE STEP 2-IN-1 POLISHING COMPOUND



Unleash the power of simplicity with the 2 in 1 polish your single solution for rapid cutting and an extraordinary high gloss finish.

Achieve flawless results with every use, combining both speed and brilliance in one effortless step.

ITEM #	DESCRIPTION	CASE
B2IN1-32	2 IN 1 COMPOUND POLISH 32 OZ	6

FINAL STEP POLISHING COMPOUND



Micro abrasives-based formula that removes holograms, as well as light dullness, swirls and polishing marks. Ideal on black colors, leaves first-class floss.

ITEM #	DESCRIPTION	CASE
B3500-32	FINAL STEP POLISHING COMPOUND 32 OZ	6

PLASTIC SPREADER



High quality plastic spreaders for applying body filler, putty, glaze and for shaping and smoothing seam sealer.

ITEM #	SIZE	COLOR	CASE QTY
90224	4"	YELLOW	100
90225	5"	YELLOW	100
90226	6"	YELLOW	100

MIXING BOARD FOR PUTTY & FILLER



Used to mix Body Filler, Putty, Resin, 2 Part Epoxy/Adhesive and Touch-up Paint. Reduces contamination preventing costly re-work. 100 sheets per board.

ITEM #	DESCRIPTION	CASE QTY
139.357	WHITE DISPENSER	1

NC-KOMBI PUTTY



NC KOMBI is a 1K, nitrocellulose-based fine filler designed for filling small imperfections.

ITEM #	SIZE	COLOR	CASE QTY
126.052	9 OZ	DARK GRAY	12

LIQUID PUTTY



EURO 844 is a two component polyester finishing putty designed specifically for the professional. With excellent adhesion to metal, body filler, wood, fiberglass, catalyzed primers and old/sanded OEM topcoats, EURO 844 provides an ultra-smooth finish that is easy to sand while simultaneously preventing sandpaper clogging.

ITEM #	SIZE	COLOR	CASE QTY
138.844	24 OZ	BEIGE	8

LIGHTGRIP LIGHTWEIGHT BODY FILLER



Lightgrip is an advanced lightweight body filler formulated with premium resins to give the product an ultra-creamy consistency, superior filling properties and a pinhole-free finish. Can be used direct to metal, OEM paint, aluminum, galvanized and fiberglass. Additional product features include easy sanding, tack free, and fast drying times.

ITEM #	SIZE	COLOR	CASE QTY
139.861	3 L	LIGHT GREEN	4

OPTIMUM + PREMIUM BODY FILLER



Optimum + Premium Body Filler is manufactured with the finest quality European resins and fillers and is vacuum processed for an absolute pinhole free formula. No finishing putty or glaze needed to achieve a perfect repair finish. Optimum + is an extremely creamy formula that has a thixotropic (firm when static and relaxed when moved) quality which makes it easy to spread over very large areas and gives it excellent vertical hang.

99% NO PINHOLE GUARANTEE!
100% NO FINISH GLAZE GUARANTEE!

ITEM #	SIZE	COLOR	CASE QTY
139.858	3 L	WHITE	4

Value Line



YELLOW HIGH-TEMPERATURE MASKING TAPE

Bosna Automotive Grade Masking Tape is a very high-quality product that provides durability and resistance. Perfect for automotive painting applications where the operator needs good cornering, outdoor resistance and solvents. The B260 also has temperature resistance capabilities that makes it ideal for many automotive applications

ITEM #	ROLL SIZE	SLEEVE QTY	CASE QTY
02-B260-04	¾"	12	48
02-B260-06	1-½"	6	24

Premium Line



YELLOW HIGH-TEMPERATURE MASKING TAPE

Bosna Automotive Grade Masking Tape is a very high-quality product that provides durability and resistance. Perfect for automotive painting applications where the operator needs good cornering, outdoor resistance and solvents. The B285 also has temperature resistance capabilities that makes it ideal for many automotive applications

- High curve resilience with no edge splitting.
- Acrylic adhesive for even adhesion and less imprinting.
- Superior adhesion with no residual residue.
- Temperature-stable up to 110° C/230° F.

ITEM #	ROLL SIZE	SLEEVE QTY	CASE QTY
02-B285-04	¾"	12	48
02-B285-06	1-½"	6	24

High Performance Line



ORANGE HIGH-PERFORMANCE MASKING TAPE

Bosna Premium Grade Automotive Masking Tape is a very high-quality product that provides durability and resistance. Perfect for automotive and other painting applications where the operator needs good cornering. The B286 also has temperature resistance capabilities that makes it attractive for many automotive applications

- High curve resilience with no edge splitting.
- Acrylic adhesive for even adhesion and less imprinting.
- Superior adhesion with no residual residue.
- Temperature-stable up to 50° F- 200° F.

ITEM #	ROLL SIZE	SLEEVE QTY	CASE QTY
02-B286-04	¾"	12	48
02-B286-06	1-½"	6	24

13MM & 19MM ADHESIVE FOAM TAPE

Adhesive Foam Strips That Act as a Barrier for:

- Door Jambs
- Lift Gate Jambs
- Trunk Jambs
- Hood Compartment
- Against Paint Over spray



ITEM #	DESCRIPTION	BOX QTY
02-FM01-13PL	13MM FOAM TAPE	1
02-FM01-19PL	19MM FOAM TAPE	1

ACRYLIC DOUBLE SIDED TAPE

Bosna general purpose adhesive with firm foam that has the added feature of high temperature resistance. The fast and easy to use permanent bonding method provides high strength and long-term durability. It offers design flexibility with its viscoelasticity and powerful ability to bond to a variety of surfaces



ITEM #	DESCRIPTION	BOX QTY
02-B480-04	1/4" DOUBLE SIDED TAPE	1
02-B480-06	1/2" DOUBLE SIDED TAPE	1
02-B480-08	7/8" DOUBLE SIDED TAPE	1

MOULDING TAPE PRIMER

MTP-1 Moulding Tape Primer is designed to work in conjunction with IES Conform Tape, HIGH-BOND and INTER-MOUNT moulding tapes. Specifically designed to leave an acrylic polymer film (adhesion promoter) on the surface to achieve maximum adhesion of the attachment tape to the moulding. Mouldings made out of PVC and other certain plastics (see Moulding Tape Application Chart inside of tape package) require use of MTP-1 Moulding Tape Primer to prevent expensive mouldings from falling off. Goes on clear.

4oz. Dauber Top Bottle



BINGO STYLE
DISPENSER

ITEM #	DESCRIPTION	BOX QTY
70774	MOULDING TAPE PRIMER	1




Paper Benefits:

- 35 lb. Paper for best protection vs. economy.
- Machined, lint-free finish.
- Better economical choice

35# GREEN MACHINE FINISH MASKING PAPER

Designed to protect against Lacquers, Acrylic, and solvent based paint, our Green Machined Masking Paper is the perfect general purpose paper for your paint shop. Our Green Machine Masking paper is made from 35 lb. Stock giving it better hold out than traditional 30 lb. Masking paper.

ITEM #	SIZE	WEIGHT	BOX QTY
353518	18" X 500'	35 LB	2
353536	36" X 500'	35 LB	1
375706	6" X 700'	35 LB	6
375718	18" X 700'	35 LB	2
375736	36" X 700'	35 LB	1



Paper Benefits:

- Compatible with water and solvent borne paints, primers and solvent borne clears
- No Bleed through
- Bright white to allow better light reflection for color coverage
- Urethane Coated
- Lint Free

WHITE URETHANE MASKING PAPER

Our White Poly-Coated Masking Paper is impervious to bleed-through. With a basis weight of 35 lbs., this bright white coated paper has great light reflection, is strong, clean, and with its corona treated surface produces superior paint adhesion. This Masking Paper are competitive with all current white poly coated papers on the market and offers the same performance as higher priced masking papers.

ITEM #	SHEET SIZE	TREATMENT	BOX QTY
161206	6" x 750'	POLY COATED	6
161218	18" X 750'	POLY COATED	2
161236	36" X 750'	POLY COATED	1



Paper Benefits:

- Compatible with water and solvent borne paints, primers and solvent borne clears
- No Bleed through
- Bright blue to allow better light reflection for color coverage
- Poly Coated
- Lint Free

BLUE POLY COATED WATERBOURNE MASKING PAPER

Blue Coated Masking Paper roll is designed for masking up before you paint. The blue coating minimizes solvent bleed thru. Each roll contains approximately 600 feet in length. It is great for masking-off areas to avoid overspray from primer, paint, or clear coat. It can be used on glass, plastic accessories, existing paint or tires.

ITEM #	SHEET SIZE	TREATMENT	BOX QTY
168306	6" x 600'	POLY COATED	6
168312	12" x 600'	POLY COATED	3
168318	18" X 600'	POLY COATED	2
168336	36" X 600'	POLY COATED	1



CLEAR OVER SPRAY OVERSPRAY SHEETING - 20" X 250' 9.5 MIC

Protective Sheeting is a multipurpose plastic cover that protects virtually any area from dust and over spray. Designed for all paint applications with a unique Corona surface treatment that allows paint and primer to adhere to the plastic and eliminate flaking. The natural electrostatic properties hold the plastic sheeting in place during taping. Pre folded rolls come in a self-dispensing box for clean and fast application.

- Corona Treated for Paint Adhesion
- Fantastic Cling
- Printed with "Paint This Side"
- Dispenser box for easy application

ITEM #	SHEET SIZE	MICRON	BOX QTY
2025085	20" x 250'	9.5	1



PREMIUM BLUE OVERSPRAY SHEETING - 16' X 350' 9.8 MIC

BlueStar is a multipurpose plastic cover that protects virtually any area from dust and over spray. Designed for all paint applications with a unique Corona surface treatment that allows paint and primer to adhere to the plastic and eliminate flaking. The natural electrostatic properties hold the plastic sheeting in place during taping. Pre folded rolls come in a self-dispensing box for clean and fast application.

- Corona Treated for Paint Adhesion
- Fantastic Cling
- Printed with "Paint This Side"
- Dispenser box for easy application

ITEM #	SHEET SIZE	MICRON	BOX QTY
MF098-16350	16" X 350'	10	1

AUTOWriter

Autowriter is designed to write on painted surfaces, acrylics and glass so that you can leave notes and instructions anywhere on a vehicle as it passes through the repair process.

Autowriter's water soluble formula allows you to write without damage and wipes off easily with glass cleaner.

Write important information such as:

- Customer Name
- Delivery Date
- Insurance Company
- Sublet Repairs
- Repair Order Number
- Repair & Non-Repair Areas
- Technicians Name

Features:

- Will not wash off in rain.
- NO ghosting or etching glass or painted surfaces.
- Sunlight does not affect writing.
- Water-based ink is safe.
- 5mm NIB.



Water Based Formula
Safe For Most Surfaces



Unique Cap
Stores Spare Tip



7 Vibrant Colors
Available

ITEM #	COLOR	QTY	CASE QTY
4020050	YELLOW	1	12
4020051	BLUE	1	12
4020052	GREEN	1	12
4020054	PINK	1	12
4020055	RED	1	12
4020056	WHITE	1	12
4021212	ASSORTED	12	12

THE PUMPER

"The Pumper" paint marker is an industrial-quality permanent paint marker with a tough, crush-proof barrel. Vibrant paint colors adhere well to most surfaces, including cold, frosted, wet or oily materials. Even marks underwater! Excellent marking on glass, metal, rubber, masonry and many plastics. Rated for temperatures from -20F to 150F. Each marker comes with an extra tip.

Write important information such as:

- Quality Control
- Job Numbers
- Cutting Lines
- Dimensions
- Product Id #
- Color Coding
- Warranty Numbers

ITEM #	COLOR	QTY	CASE QTY
4010012	WHITE	1	12
4010013	YELLOW	1	12
4010015	RED	1	12
4010016	BLUE	1	12
4010014	BLACK	1	12
4010022	PINK	1	12

Writes under water!



The BIG GLASS Marker

Designed especially for the Auto Body industry. The Big Glass™ Marker allows you to mark clear instructions, quickly and easily, anywhere on the vehicle as it passes through your shop. Glass paint markers also write on steel, aluminum and plastic. Available in seven vibrant, fast drying colors. Water-soluble formula cleans off with water and a cloth. Just prime the marker for its initial use with the easy pumping action

Available in Blue, Green, Orange, Pink, Red, White & Yellow

- Write bold messages on car windshields
- Promote your business on the go
- Create eye-catching event signage
- Leave fun notes or celebrations on vehicles
- Mark cars for sales, graduations, or special occasions
- Design temporary window art that wipes off easily



ITEM #	COLOR	QTY	CASE QTY
4022150	YELLOW	1	6
4022151	BLUE	1	6
4022152	GREEN	1	6
4022153	ORANGE	1	6
4022154	PINK	1	6
4022155	RED	1	6
4022156	WHITE	1	6



4:1 HIGH BUILD 3IN1 PRIMER HARDENER

Hardener for our 4:1 Primer (190.230). Comes in Medium and Fast for spraying in a wide variety of temperatures & climates.

Sold in quart container.

ITEM #	HARDENER	QTY	CASE QTY
191.230.M	MEDIUM	QUART	6
191.230.S	SLOW	QUART	6



• 2K HARDENER FOR OUR 2:1 EURO MS+ CLEAR COAT (190.200.5)


• COMES IN SLOW, MEDIUM AND FAST FOR SPRAYING IN A WIDE VARIETY OF TEMPERATURES & CLIMATES.

2:1 EURO MS+ CLEAR COAT HARDENER

2K Hardener for our 2:1 Euro MS+ Clear Coat (190.200.5). Comes in Slow, Medium and Fast for spraying in a wide variety of temperatures & climates.

Sold in 2.5 Liter container.

ITEM #	HARDENER	QTY	CASE QTY
191.200.F	FAST	2.5 LITER	6
191.200.M	MEDIUM	2.5 LITER	6
191.200.S	SLOW	2.5 LITER	6



4:1 HIGH BUILD 3IN1 PRIMER/SURFACER/ SEALER

An excellent DTM High Build primer that exhibits anti-corrosion characteristics, excellent adhesion, exceptional filling capabilities, and ease of sanding. The addition of reducer makes it a great 2K sealer.

ITEM #	SIZE	COLOR	CASE QTY
190.230.G	GALLON	GRAY	4
190.231.G	GALLON	CHARCOAL	4
190.232.G	GALLON	BLACK	4



- 2:1 EUROPEAN CLEAR
- VERY HIGH GLOSS
- CRYSTAL CLEAR FINISH
- DOES NOT DIE BACK
- EASY TO APPLY
- EASY TO POLISH

SIMPLE 2:1 MIX RATIO

2:1 EURO MS+ EUROPEAN CLEAR COAT

Euro MS+ Clear Coat has everything you want in a 2:1 European Clear: Ease of Application; Crystal Clear Resin; Superior, Brilliant Gloss and Superior Depth.

Extremely easy to apply Clear Coat with excellent flow and superior gloss. Spray the first coat as you would the last.

USE 191.200 HARDENER WITH THIS PRODUCT

ITEM #	RATIO	QTY	CASE QTY
190.200.5	2:1	5 LITER	4

2:1 HIGH SOLIDS MIRROR EFFECT CLEAR COAT 8.5 LITERS KIT

- 2:1 HIGH SOLIDS CLEAR
- EXTREME GLOSS
- EXTREME DOI
- CRYSTAL CLEAR FINISH
- DOES NOT DIE BACK
- EASY TO APPLY
- EASY TO POLISH
- NO 2:1 WAVE WHEN PROPERLY MIXED
- 8.5 TOTAL LITERS



Universal Auto Color's Mirror Effect 2:1 Clear Coat has the same extreme depth of image (DOI) as the finest European clear coats but at a fraction of the cost. Comes as a complete kit with hardener and reducer. Your choice of Medium or Slow kit to match your spraying style and temperature range.

Kit comes with 5 liters of mirror effects clear, 2.5 liters of hardener and 1 liter of premium reducer / 8.5 liters total.

Mixing Ratio is as follows: 2:1:15-20% for best results.

ITEM #	DESCRIPTION	CASE QTY
UPC-810-S	SLOW MIRROR EFFECT CLEAR COAT KIT	1
UPC-810-M	MEDIUM MIRROR EFFECT CLEAR COAT KIT	1



4:1 MEDIUM SOLIDS MIRROR EFFECT CLEAR COAT 8.5 LITERS KIT

UPC-511 Clear Coat is an economical urethane clear formulated for spot, panel and overall repair. Easy to spray and apply. Will produce a high gloss, fast dry finish that is easy to buff and perform well with water based and solvent based systems.

Excellent scratch and abrasion resistance. Easy to apply and quick drying. Can be used for spot, panel or overall repairs. Air dry, low bake or I.R. cure. Excellent flow and non-sag properties. Easy to sand and polish.

Works very well in the Gulf States where heat and high humidity are present. Comes in two distinct kits: Slow for the high temperatures of summer and Medium for when temperature and humidity are moderate to low.

ITEM #	DESCRIPTION	CASE QTY
UPC-511KM	UPC-511 CLEAR COAT KIT - MEDIUM	1
UPC-511KS	UPC-511 CLEAR COAT KIT - SLOW	1

ANI F160-PLUS/S HVLP SPRAY GUN (1.3MM)



AH1505111A

ANI F1/PLUS/S HVLP Spray Gun is suitable for coatings surface sprayings, such as car spraying, furniture spraying, handicraft spraying, base coating, wall painting, and spraying projects. The ANI F1/N-PLUS/S HVLP spray paint gun is made of high-quality aluminum alloy, lightweight, compact for easy to carry. HVLP technology helps to reduce the waste of residual material in the color cup. The filter removes dirt particles in the paint and prevents defects.

ANI F1/N SUPER/S HVLP SPRAY GUN (1.8MM)



AH1507098A

This gun easily atomizes UHS (ULTRA HIGH SOLID) paints. Applications with this gun do not require the use of pressure vessels or pumps. Ideal for the automotive sector (fillers and primers)

ANI R160/T HVLP MINI SPRAY GUN (1.2MM)



AH1518048A

The ANI HVLP R160 Mini Spray gun is ideal for touch-up and for design jobs. The 1.2 nozzles are ideal for painting large areas. Our spray system (head-nozzle-needle) is 100% manually adjustable so as to achieve constant fan height every time.

1.3MP SPRAY GUN WITH 1000ML METAL CUP



JD13MP-PG-MC

This Spray Gun is engineered for painters who need consistent atomization, reliable performance, and a durable build for daily shop use. Featuring a 1.3 mm medium-pressure nozzle, this gun delivers a smooth, controlled spray pattern ideal for basecoats, clearcoats, single-stage paints, and light-to-medium viscosity materials.

1.2 HVLP MINI SPRAY GUN WITH PLASTIC CUP



JD12HVLP-PG

This Spray Gun is designed for painters who demand high transfer efficiency, reduced overspray, and a clean, controlled finish. Built around a 1.2 mm HVLP nozzle, this gun excels with thin-to-medium viscosity coatings, making it a reliable choice for detail work, fine finishing, and precision applications.

1.4 MM NOZZLE SET FOR JD13MP-PG-MC



NS-JD14

Designed to restore or upgrade the performance of our JD13MP-PG-MC gravity-feed spray guns. Featuring a 1.4 mm nozzle size, this set delivers balanced atomization for basecoats, clearcoats and medium-viscosity coatings.

REBUILD KIT FOR JD13MP-PG-MC



RBKIT-JD14/18

The RBKIT-JD14/18 Rebuild Kit is a complete service package designed to restore factory-level performance to compatible JD-series spray guns. Whether your gun uses a 1.4 mm or 1.8 mm setup, this kit provides all essential wear components needed to refresh sealing, airflow, and fluid delivery. Ideal for routine maintenance or full refurbishment, it helps extend the life of your spray gun and ensures consistent, reliable spray patterns.

SPOT BLENDER



An aerosol blending mixture to create seamless edge transitions for an invisible Smart Repair. Use throughout the painting process to ensure smooth edges. Recommended especially developed for 2K clear coats and top coats.

GUIDE COAT



Spray guide coat for body filler, primer or clear coat before sanding to help identify surface imperfections. Helps locate pinholes, high spots, low spots and orange peel. Dries instantly and does not clog sandpaper.

ITEM #	DESCRIPTION	CASE QTY
C2250CA	CAR-REP SPOT BLENDER	6

ITEM #	DESCRIPTION	CASE QTY
C01259	CAR-REP GUIDE COAT	6

2K POLYURETHANE CLEAR COAT



Car-Rep® 2K Polyurethane Clear Coat forms a strong and extremely durable crystal clear chip, chemical and UV resistant film. It can be applied over solvent or waterborne base coats. Revolutionary Wise 2K® technology delivers 2K OEM performance without the worry about premature hardening in the can. Features superior gloss retention and quick chemical resistance. High quality blendability and quality spray and flow. C2200 Car-Rep® 2K PU Clear Coat High Gloss 11.7oz

*USE TARGETS: Smart Repair Spot Blends
Small Parts & Jamb Artwork & Intercoat
Spray Outs Headlights*

2K EPOXY TOP COAT



Car-Rep® 2K Epoxy Top Coats deliver optimum performance and value with single stage application. Direct to surface saves time and materials on almost any surface from bare and galvanized metal to chrome, wood, glass and most plastics. Adheres exceptionally well and boasts superior corrosion, chemical, scratch and UV resistance. Optimal for both powder coat spot repair & touch up and replacing 1K Trim Paints with 2K OEM performance.

USE TARGETS Ideal for spot repair and touch up. Excellent for fleet maintenance, equipment spot repair.

ITEM #	DESCRIPTION	CASE QTY
C2200	2K CLEAR COAT	6

ITEM #	DESCRIPTION	COLOR	CASE QTY
C239005S	CAR-REP 2K	JET BLACK SATIN	6
C239005	CAR-REP 2K	JET BLACK GLOSS	6



- Color Match factory E-Coat
- Excellent Corrosion Protection
- Weld-Thru Primer
- 2K Performance
- 1 Year Shelf Life after Use

2K EPOXY DTM E-COAT

CAR-REP® 2K EPOXY DTM E-COATS deliver a professional 2-component solution to OEM panel repair. Featuring OEM color match, strong adhesion, bond and corrosion resistance these eCoats are the only aerosols in the market to meet OEM performance requirements. Recommended under/over seam sealers and all bare metal. Can be over-coated. Weld through.

ITEM #	DESCRIPTION	COLOR	CASE QTY
C240202	CAR-REP 2K EPOXY ECOAT DTM	OLIVE BROWN	6
C240203	CAR-REP 2K EPOXY ECOAT DTM	FIELD DRAB	6
C240601	CAR-REP 2K EPOXY ECOAT DTM	LIGHT GREEN	6
C240602	CAR-REP 2K EPOXY ECOAT DTM	OLIVE GREEN	6
C240603	CAR-REP 2K EPOXY ECOAT DTM	DARK GREEN	6
C240900	CAR-REP 2K EPOXY ECOAT DTM	BLACK	6
C240910	CAR-REP 2K EPOXY ECOAT DTM	WHITE	6
C240920	CAR-REP 2K EPOXY ECOAT DTM	GRAY	6

UNDERBODY/ROCKER COATING



Underbody Coating spray provides durable protection for car parts that are exposed to stone chipping and rust. Thanks to its rubbery consistency, it acts as a highly effective barrier against mechanical impact and corrosion. It also provides a sound-deadening effect, helping to reduce road noise. The product is suitable for restoring OEM-style stone chip protection typically found on door sills, rocker panels, and front aprons. It is also ideal for sealing weld seams and protecting high-stress areas such as wheel arches and underbodies. Paintable.

ITEM #	DESCRIPTION	COLOR	BOX QTY
C01133	ROCKER COATING	BLACK	12

2K EPOXY FILLER



Car-Rep Epoxy Primer Filler Sealers have excellent anti-corrosion properties, easy application and good filling power. Use together with putties or fast-dry fillers to provide 2K epoxy protection for sanding burn through's and scratches.

ITEM #	DESCRIPTION	COLOR	BOX QTY
C2121	2K EPOXY FILLER 400ML	DK GRAY	6

2K EPOXY PRIMER



Car-Rep 2K Epoxy Primer Sealers are designed to provide a durable, anti corrosive and extremely robust sealing coat for almost all substrates. Use interchangeably with Car-Rep 2K eCoats for diverse color options. Provides an adhesion bridge for puttied which can be applied directly on the primer without sanding.

ITEM #	DESCRIPTION	COLOR	BOX QTY
C2123	2K EPOXY PRIMER	GRAY	6

2K EPOXY DTS



Car-Rep 2K Epoxy top coats deliver optimum performance and value with a single stage application. Direct to surface saves and materials on almost any surface from and galvanized metal to chrome, wood, glass and most plastics. Adheres exceptionally well and boasts superior corrosion, chemical, scratch and UV resistance.

ITEM #	DESCRIPTION	COLOR	BOX QTY
C230010	2K EPOXY DTS	CATERPILLER YELLOW	6
C230011	2K EPOXY DTS	SCHOOL BUS YELLOW	6
C230020	2K EPOXY DTS	KUBOTA ORANGE	6
C230060	2K EPOXY DTS	JOHN DEERE GREEN	6

CAR-REP 2K PRODUCTS COME WITH A 1-YEAR GUARANTEED SHELF LIFE AFTER USE.



KAR-PREP WAX & GREASE REMOVER

Kardol Kar Prep is a tough, versatile, professional grade cleaner, formulated to lift and remove dirt, oil and grease from metal and plastic surfaces. Use for all pre-paint applications. Fast evaporation speeds job prep.

ITEM #	DESCRIPTION	CASE QTY
150330	1 GALLON KAR-PREP	4



MINERAL SPIRITS

Thinner for oil based paints, enamels, varnishes and stains. Ideal for cleaning brushes or rollers after painting and an excellent solvent for oil, grease, tar and wax. Test on sample before using on plastics, synthetic fabrics and tile.

ITEM #	DESCRIPTION	QTY
105004	5 GALLON MINERAL SPIRITS	5 GAL



ACRYLIC LACQUER THINNER

An aggressive formulation of 100% virgin solvents to provide maximum cleaning power for paint guns and part cleaning.

Natural rubber gloves should be worn to protect hands

ITEM #	DESCRIPTION	CASE QTY
150900	1 GALLON LACQUER THINNER	4
150902	5 GALLON LACQUER THINNER	1
150906	55 GALLON LACQUER THINNER	1



SURGICAL BLUE TACK CLOTHS

Surgical blue cloths contain no oils, solvents, silicones or other materials that may affect surface adhesion. Compatible with all primers, primer surfacers, and high solid coatings.

ITEM #	DESCRIPTION	BOX QTY
15802	TACK CLOTHS	12



DISPOSABLE PAINT CUP (DPC) SYSTEM SOLVENT

Bosna disposable paint cup system features an inner disposable cup liner that collapses as you spray. This creates a positive fluid flow to the gun nozzle and allows spraying in any position. No more spitting or sputtering. Plus, you save on cleanup time, reduce solvent usage, reduce mixing cup usage and reduced paint can usage.

Our DPC system includes: 1 reusable outer plastic cup frame with measuring guides & locking ring, 50 disposable cup liners, 50 snap-on cover lids with 125 micron filter and 20 disposable cup cover plugs. System may require optional gun adapter to fit your spray gun.

Benefits of using our DPC Disposable Paint Cup System:

- One DPC Cup for both mixing & spraying
- 70% savings in cleaning solvents
- Closed, filtered system - no outside contamination
- 25% more disposable cups, lids & plugs than comparable products
- Easy-To-Use, and priced lower than comparable products

ITEM #	DESCRIPTION	BOX QTY
09-CLS190-400	400ml SOLVENT 50/50/20/1	50
09-CLS190-650	650ml SOLVENT 50/50/20/1	50
09-CLS190-850	850ml SOLVENT 50/50/20/1	50

COMPOSITE ADAPTERS FOR PAINT GUNS

Ultra Light Weight and durable composite adapters for our DPC Paint Cup System.



ITEM #	DESCRIPTION	QTY
161.100P	DEVILBISS	1
161.102P	SATA QUICK RELEASE QCC	1
161.103P	IWATA	1
161.104P	IWATA MINI	1
161.105P	ACCUSPRAY/BINKS	1
161.106P	VELOCITY VRM	1
161.107P	GENERAL USE	1
161.108P	SAGOLA	1
161.109P	SAGOLA 3300	1
161.110P	WALCOM	1
161.111P	SATA	1

ALUMINUM ADAPTERS FOR PAINT GUNS

Light Weight and durable aluminum adapters for our DPC Paint Cup System.



ITEM #	DESCRIPTION	QTY
161.100	DEVILBLISS	1
161.102	SATA QUICK RELEASE QCC	1
161.103	IWATA	1
161.104	IWATA MINI	1
161.105	ACCUSPRAY/BINKS	1
161.106	VELOCITY VRM	1
161.107	GENERAL USE	1
161.108	SAGOLA	1
161.109	SAGOLA 3300	1
161.110	WALCOM	1
161.111	SATA	1

DISPOSABLE STEERING WHEEL COVERS

Single use steering wheel covers avoid the risk of transferring dirt and oil marks from one car to another during routine services. Convenient open face 500 pack carton. Perfect for use in the following industries:

- Automotive Service Centers
- Automotive Collision Centers
- Automotive Dealerships
- Quick Lube Centers
- Car Wash Centers
- Valet Parking

ITEM #	WHEEL SIZE	BOX QTY
SWC-500	13" - 18"	500



DISPOSABLE PLASTIC SEAT COVERS

Single use seat covers avoid the risk of transferring dirt and oil marks from one car to another during routine services. Convenient center pull roll fits most standard seat cover dispenser machines. Perfect for use in the following industries:

- Automotive Service Centers
- Automotive Collision Centers
- Automotive Dealerships
- Quick Lube Centers
- Car Wash Centers
- Valet Parking

ITEM #	SEAT SIZE	SHEET QTY
SC-500	BUCKET	500



PREMIUM DISPOSABLE PLASTIC SEAT COVERS

Single use, water resistant premium disposable floor mats avoid the risk of transferring dirt and oil marks from one car to another during routine services. Convenient open face carton. Perfect for use in the following industries:

- Automotive Service Centers
- Automotive Collision Centers
- Automotive Dealerships
- Quick Lube Centers
- Car Wash Centers
- Valet Parking

ITEM #	SEAT SIZE	SHEET QTY
SC-250	BUCKET	250



DISPOSABLE PLASTIC FLOOR MATS - ROLL

Single use, water resistant premium disposable floor mats avoid the risk of transferring dirt and oil marks from one car to another during routine services. Convenient roll. Perfect for use in the following industries:

- Automotive Service Centers
- Automotive Collision Centers
- Automotive Dealerships
- Quick Lube Centers
- Car Wash Centers
- Valet Parking

ITEM #	SHEET SIZE	SHEET QTY
PFM-250	10" X 12.25"	250



DISPOSABLE POLY-COATED FLOOR MATS

Single use, water resistant premium disposable floor mats avoid the risk of transferring dirt and oil marks from one car to another during routine services. Convenient open face carton. Perfect for use in the following industries:

- Automotive Service Centers
- Automotive Collision Centers
- Automotive Dealerships
- Quick Lube Centers
- Car Wash Centers
- Valet Parking

ITEM #	SHEET SIZE	SHEET QTY
PC-500C	10" X 12.25"	500



COLLISION CRASH WRAP & CAVITY FILM

Our self-adhering Collision Wrap & Cavity Film Film keeps small parts from flying off damaged vehicles during transport while protecting the interior from rain, wind and dirt. The puncture resistant plastic film cuts easily with a razor, can be repositioned numerous times and can be applied quickly by just one person. Can be trimmed or combined to fit almost any size cavity. Our Collision Wrap & Cavity Film has UV protectors that hold up fine, even in the Florida sun!

ITEM #	SHEET SIZE	MILS	COLOR	CASE QTY
36100-XP	36" X 100'	2.5	BLUE	1




CARPET PROTECTION FILM 4 MIL

Plastic carpet protection film protects freshly cleaned or dyed carpets and gives used cars a new car look and feel. Self-adhesive carpet cover protection film is printed with "Dealer Must Remove Protective Cover" in the industry standard rectangular pattern. For use in the following industries:

- Automotive dealerships
- Automotive detail centers
- Reconditioning centers
- Upholstery Centers
- Used car lots
- Home construction

ITEM #	ROLL SIZE	MILS	CASE QTY
CM-200-PR-24-4	24" X 200'	4	1



CARPET PROTECTION FILM DISPENSER

Our carpet protection film dispenser is built to last a lifetime. Comes constructed with a solid steel frame and all of the hardware needed for assembly.

Can be wall mounted, bench mounted or left freestanding.

Fits most carpet protection rolls on the market.

ITEM #	DESCRIPTION	CASE QTY
DSP109	FILM DISPENSER	1



LEAD WHEEL WEIGHTS - Lead (Pb) Coated & Uncoated Clip-On Weights for Alloy Wheels.

MC SERIES LEAD UNCOATED

Used mainly for domestic alloy wheels.



ITEM #	SIZE	MATERIAL	BOX QTY
MC-025-PB	0.25oz	LEAD	50
MC-050-PB	0.50oz	LEAD	50
MC-075-PB	0.75oz	LEAD	50
MC-100-PB	1.00oz	LEAD	50
MC-125-PB	1.25oz	LEAD	50
MC-150-PB	1.50oz	LEAD	50
MC-175-PB	1.75oz	LEAD	25
MC-200-PB	2.00oz	LEAD	25
MC-225-PB	2.25oz	LEAD	25
MC-250-PB	2.50oz	LEAD	25
MC-275-PB	2.75oz	LEAD	25
MC-300-PB	3.00oz	LEAD	25

MC SERIES LEAD COATED

Used mainly for domestic alloy wheels. Later model Ford vehicles could use IAW.



ITEM #	SIZE	MATERIAL	BOX QTY
MCC-025-PB	0.25oz	LEAD	25
MCC-050-PB	0.50oz	LEAD	25
MCC-075-PB	0.75oz	LEAD	25
MCC-100-PB	1.00oz	LEAD	25
MCC-125-PB	1.25oz	LEAD	25
MCC-150-PB	1.50oz	LEAD	25
MCC-175-PB	1.75oz	LEAD	25
MCC-200-PB	2.00oz	LEAD	25
MCC-225-PB	2.25oz	LEAD	25
MCC-250-PB	2.50oz	LEAD	25
MCC-275-PB	2.75oz	LEAD	25
MCC-300-PB	3.00oz	LEAD	25

T SERIES LEAD COATED



ITEM #	SIZE	MATERIAL	BOX QTY
TC-025-PB	0.25oz	LEAD	25
TC-050-PB	0.50oz	LEAD	25
TC-075-PB	0.75oz	LEAD	25
TC-100-PB	1.00oz	LEAD	25
TC-125-PB	1.25oz	LEAD	25
TC-150-PB	1.50oz	LEAD	25
TC-175-PB	1.75oz	LEAD	25
TC-200-PB	2.00oz	LEAD	25
TC-225-PB	2.25oz	LEAD	25
TC-250-PB	2.50oz	LEAD	25
TC-275-PB	2.75oz	LEAD	25
TC-300-PB	3.00oz	LEAD	25

P SERIES LEAD UNCOATED

For passenger steel wheels



ITEM #	SIZE	MATERIAL	BOX QTY
REG-025-PB	0.25oz	LEAD	50
REG-050-PB	0.50oz	LEAD	50
REG-075-PB	0.75oz	LEAD	50
REG-100-PB	1.00oz	LEAD	50
REG-125-PB	1.25oz	LEAD	50
REG-150-PB	1.50oz	LEAD	25
REG-175-PB	1.75oz	LEAD	25
REG-200-PB	2.00oz	LEAD	25
REG-225-PB	2.25oz	LEAD	25
REG-250-PB	2.50oz	LEAD	25
REG-275-PB	2.75oz	LEAD	25
REG-300-PB	3.00oz	LEAD	25

AW SERIES LEAD COATED



ITEM #	SIZE	MATERIAL	BOX QTY
AWC-025-PB	0.25oz	LEAD	25
AWC-050-PB	0.50oz	LEAD	25
AWC-075-PB	0.75oz	LEAD	25
AWC-100-PB	1.00oz	LEAD	25
AWC-125-PB	1.25oz	LEAD	25
AWC-150-PB	1.50oz	LEAD	25
AWC-175-PB	1.75oz	LEAD	25
AWC-200-PB	2.00oz	LEAD	25
AWC-225-PB	2.25oz	LEAD	25
AWC-250-PB	2.50oz	LEAD	25
AWC-275-PB	2.75oz	LEAD	25
AWC-300-PB	3.00oz	LEAD	25

FN SERIES LEAD COATED

For Asian alloy wheels



ITEM #	SIZE	MATERIAL	BOX QTY
FNC-005-PB	5g	LEAD	25
FNC-010-PB	10g	LEAD	25
FNC-015-PB	15g	LEAD	25
FNC-020-PB	20g	LEAD	25
FNC-025-PB	25g	LEAD	25
FNC-030-PB	30g	LEAD	25
FNC-035-PB	35g	LEAD	25
FNC-040-PB	40g	LEAD	25
FNC-045-PB	45g	LEAD	25
FNC-050-PB	50g	LEAD	25
FNC-055-PB	55g	LEAD	25
FNC-060-PB	60g	LEAD	25

LEAD WHEEL WEIGHTS - Lead (Pb) Coated & Uncoated Clip-On Weights for Alloy Wheels.



LT1 SERIES LEAD UNCOATED

Used on 3/4 and 1-ton light trucks with steel wheels.

ITEM #	SIZE	MATERIAL	BOX QTY
LT1-100	1.00oz	LEAD	25
LT1-200	2.00oz	LEAD	25
LT1-300	3.00oz	LEAD	25
LT1-400	4.00oz	LEAD	25
LT1-500	5.00oz	LEAD	25
LT1-600	6.00oz	LEAD	25



I7 SERIES LEAD UNCOATED

Used on the majority of medium and heavy duty trucks equipped with tube or tubeless type tires and steel rims.

ITEM #	SIZE	MATERIAL	BOX QTY
I7-100-PB	1.00oz	LEAD	25
I7-200-PB	2.00oz	LEAD	25
I7-300-PB	3.00oz	LEAD	25
I7-400-PB	4.00oz	LEAD	25
I7-500-PB	5.00oz	LEAD	25
I7-600-PB	6.00oz	LEAD	25
I7-700-PB	7.00oz	LEAD	25
I7-800-PB	8.00oz	LEAD	25
I7-1000-PB	10.0oz	LEAD	25



TAL SERIES LEAD COATED


Used on heavy trucks with with Aloca or Accuride tubeless alloy wheels. Single weight fits both sides of the wheel.

ITEM #	SIZE	MATERIAL	BOX QTY
TALC-200	2.00oz	LEAD	25
TALC-300	3.00oz	LEAD	25
TALC-400	4.00oz	LEAD	25
TALC-600	6.00oz	LEAD	25
TALC-800	8.00oz	LEAD	25

WHEEL WEIGHTS - Coated Steel (Fe) Adhesive Weights for Alloy Wheels.

BOXED ADHESIVE WHEEL WEIGHTS

Premium adhesive wheel weights in both box and roll packaging. 4-Season, Premium, High Tack adhesive tape with Easy-Peel paper backing make these wheel weights a breeze to use. Guaranteed to HOLD FAST when properly applied.



ITEM #	SIZE OZ.	BOX QTY	COLOR
PC025-28FEGPLP	.25 oz	28	SILVER/GRAY
PC025-52FEGPLP	.25 oz	52	SILVER/GRAY
PC050-24FEGPLP	.50 oz	24	SILVER/GRAY
PC100-16FEGPLP	1 oz	16	SILVER/GRAY
PC025-28FEBPLP	.25 oz	28	BLACK
PC025-52FEBPLP	.25 oz	52	BLACK
PC050-24FEBPLP	.50 oz	24	BLACK
PC100-16FEBPLP	1 oz	16	BLACK



ROLL WHEEL WEIGHT DOUBLE DISPENSER STAND

- Easy Assembly
- Fits only Gude wheel weights
- Black Finish
- Holds 2 Rolls (**EXCLUSIVE TO GUDE BOX SIZE**)
- All Metal Construction
- Can Be Secured to Workshop Floors

**Wheel Weights sold separately*

ITEM #	DESCRIPTION	BOX QTY
D2SRL	DOUBLE ROLL STAND	1



WHEEL WEIGHT BIN WITH 8 SHELVES

- 56 standard size bin opening (7 up, 8 across)
- Adjustable openings for unlimited configuration
- Heavy Duty steel construction for years of service
- Magnetic signage for easy configuration

**Wheel Weights sold separately*

ITEM #	DESCRIPTION	BOX QTY
R8CLP	WHEEL WEIGHT BIN	1

OEM WHEEL WEIGHTS - Steel (Fe) Clip-On Weights for Alloy & Steel Wheels.

OEM APPROVED!

MC SERIES STEEL COATED

Used mainly for domestic alloy wheels. Later model Ford vehicles could use IAW.



ITEM #	SIZE	MATERIAL	BOX QTY
MC025	0.25oz	STEEL	25
MC050	0.50oz	STEEL	25
MC075	0.75oz	STEEL	25
MC100	1.00oz	STEEL	25
MC125	1.25oz	STEEL	25
MC150	1.50oz	STEEL	25
MC175	1.75oz	STEEL	25
MC200	2.00oz	STEEL	25
MC225	2.25oz	STEEL	25
MC250	2.50oz	STEEL	25
MC275	2.75oz	STEEL	25
MC300	3.00oz	STEEL	25

P SERIES STEEL COATED

For passenger steel wheels



ITEM #	SIZE	MATERIAL	BOX QTY
PS025	0.25oz	STEEL	25
PS050	0.50oz	STEEL	25
PS075	0.75oz	STEEL	25
PS100	1.00oz	STEEL	25
PS125	1.25oz	STEEL	25
PS150	1.50oz	STEEL	25
PS175	1.75oz	STEEL	25
PS200	2.00oz	STEEL	25
PS225	2.25oz	STEEL	25
PS250	2.50oz	STEEL	25
PS275	2.75oz	STEEL	25
PS300	3.00oz	STEEL	25

T SERIES STEEL COATED



ITEM #	SIZE	MATERIAL	BOX QTY
TS025	0.25oz	STEEL	25
TS050	0.50oz	STEEL	25
TS075	0.75oz	STEEL	25
TS100	1.00oz	STEEL	25
TS125	1.25oz	STEEL	25
TS150	1.50oz	STEEL	25
TS175	1.75oz	STEEL	25
TS200	2.00oz	STEEL	25
TS225	2.25oz	STEEL	25
TS250	2.50oz	STEEL	25
TS275	2.75oz	STEEL	25
TS300	3.00oz	STEEL	25

AW SERIES STEEL COATED



ITEM #	SIZE	MATERIAL	BOX QTY
AW025	0.25oz	STEEL	25
AW050	0.50oz	STEEL	25
AW075	0.75oz	STEEL	25
AW100	1.00oz	STEEL	25
AW125	1.25oz	STEEL	25
AW150	1.50oz	STEEL	25
AW175	1.75oz	STEEL	25
AW200	2.00oz	STEEL	25
AW225	2.25oz	STEEL	25
AW250	2.50oz	STEEL	25
AW275	2.75oz	STEEL	25
AW0300	3.00oz	STEEL	25

IAW SERIES STEEL COATED

For Import alloy wheels



ITEM #	SIZE	MATERIAL	BOX QTY
IAW10G	10g	STEEL	25
IAW15G	15g	STEEL	25
IAW20G	20g	STEEL	25
IAW25G	25g	STEEL	25
IAW30G	30g	STEEL	25
IAW35G	35g	STEEL	25
IAW40G	40g	STEEL	25
IAW45G	45g	STEEL	25
IAW50G	50g	STEEL	25
IAW55G	55g	STEEL	25
IAW60G	60g	STEEL	25

FN SERIES STEEL COATED

For Asian alloy wheels



ITEM #	SIZE	MATERIAL	BOX QTY
FN10G	10g	STEEL	25
FN15G	15g	STEEL	25
FN20G	20g	STEEL	25
FN25G	25g	STEEL	25
FN30G	30g	STEEL	25
FN35G	35g	STEEL	25
FN40G	40g	STEEL	25
FN45G	45g	STEEL	25
FN50G	50g	STEEL	25
FN55G	55g	STEEL	25
FN60G	60g	STEEL	25



OEM WHEEL WEIGHTS

OEM WHEEL WEIGHTS - Coated **Steel (Fe)** Adhesive Weights for Alloy Wheels.

OEM APPROVED!

GUDE PASSENGER CAR & LIGHT TRUCK ROLL ADHESIVE WHEEL WEIGHTS

Premium adhesive wheel weights in both box and roll packaging. 4-Season, Premium, High Tack adhesive tape with Easy-Peel, Easy-Tear vinyl backing make these wheel weights a breeze to use. Guaranteed to HOLD FAST when properly applied.


ITEM #	SIZE OZ.	MATERIAL	ROLL QTY	COLOR
AB25R	.25 oz	STEEL	720	BLACK
AB50R	.50 oz	STEEL	360	BLACK
AS25R	.25 oz	STEEL	720	SILVER/GRAY
AS50R	.50 oz	STEEL	360	SILVER/GRAY



GUDE PASSENGER CAR & LIGHT TRUCK BOXED ADHESIVE WHEEL WEIGHTS

Premium adhesive wheel weights in both box and roll packaging. 4-Season, Premium, High Tack adhesive tape with Easy-Peel, Easy-Tear vinyl backing make these wheel weights a breeze to use. Guaranteed to HOLD FAST when properly applied.

ITEM #	SIZE OZ.	MATERIAL	BOX QTY	COLOR
AB25B	.25 oz	STEEL	576	BLACK
AB50B	.50 oz	STEEL	288	BLACK
AB100B	1.00 oz	STEEL	144	BLACK
AS25B	.25 oz	STEEL	576	SILVER/GRAY
AS50B	.50 oz	STEEL	288	SILVER/GRAY
AS100B	1.00 oz	STEEL	144	SILVER/GRAY
AB200	2.00 OZ	STEEL	72	BLACK
AS200	2.00 OZ	STEEL	72	SILVER



PRECISION BALANCE COMPOUND

Coated Tempered Glass, Solid Beads – Will not break down/apart.

TPMS compatible



ITEM #	SIZE	BOX QTY
PB-CS40-3	3 OZ.	40
PB-CS40-4	4 OZ.	40
PB-CS40-6	6 OZ.	40
PB-CS40-8	8 OZ.	40
PB-CS40-10	10 OZ.	40
PB-CS40-12	12 OZ.	40
PB-CS40-14	14 OZ.	40

TIRE CRAYONS - ECONOMY



High quality, easy to see marking crayons write on almost anything.

ITEM #	COLOR	BOX QTY
62W	WHITE	12
62Y	YELLOW	12

TIRE TREAD DEPTH GAUGE



The tire tread gauge calibrated from 0 to 1 inch, reads in 32nds, and three color zones. Red range on bar: 0-3/32nds; Yellow Range on bar: 3/32 - 6/32nds ; Green Range on bar: 6/32-32/32nds, which provides accurate depth readings and allows for a quick and easy reading

ITEM #	DESCRIPTION	BOX QTY
AMA-TDG	TREAD DEPTH GAUGE	50

WHEEL WEIGHT PLIERS



UWT Wheel Weight Hammer and Remove.

- Only tool able to remove all wheel weights
- Tool will not pinch
- Tool will not scratch rims
- Long lasting - parts available

MADE in the USA

ITEM #	DESCRIPTION	QTY
UWT-PLIERS	UWT WHEEL WEIGHT PLIERS	1
UWTPL-RK	UWT WW PLIERS REBUILD	1
924	WHEEL WEIGHT PLIERS	1

MARKAL TIRE CRAYONS




Real lead-free paint in stick form combining the long-lasting durability of paint with ease-of-use of a crayon. Marks on smooth, rough, rusty or dirty surfaces and also marks through oil and water

Temperature range: -50°F to 150°F (-46°C to 66°C)

ITEM #	COLOR	BOX QTY
80220	WHITE	16
80221	YELLOW	16

BRAKE LINING THICKNESS GAUGE



Set of 8 gauges denoting 3 thickness levels: Green, Yellow & Red, which identify if the brakes are still good (Green), should be serviced (Yellow) and must be serviced (Red)

ITEM #	DESCRIPTION	QTY
AMA-BG	BRAKE GAUGE	1

UNIVERSAL MOUNTING PASTE



Tire mounting paste for use when installing new and used tires. White in color. Comes in both high profile and low profile tubs.

- 7.7lb pail
- Reduces rim slippage
- Contains rust inhibitors. Petroleum-free
- Apply with KX-73 brush

MADE IN THE USA

ITEM #	DESCRIPTION	SIZE	CASE QTY
1052N	LOW PROFILE	7.7 LB	4
1052	HIGH PROFILE	7.7 LB	5

TIRE AND TUBE MOUNTING COMPOUND



- Makes tire mounting/demounting faster and easier
- Will not stain or mark aluminum or alloy wheels
- Ideal for packing earthmover beads
- Use for lubricating bead seaters
- Water soluble, can be diluted
- Will not separate and liquefy
- Rust inhibitor added

ITEM #	DESCRIPTION	SIZE	QTY
1280	MOUNTING PASTE	25 LB	1
2214	MOUNTING PASTE	55 LB	1

TIRE MOUNTING LIQUID - CONCENTRATE



This product is a water based lubricant for quick mounting and dismounting. The tire adheres to the rim and will not slip off. It also helps to seal tire bead and reduce damage. Use "as is" (concentrated) or diluted with 2 parts of water to extend volume three times farther.

One gallon and Five gallon pails

ITEM #	DESCRIPTION	SIZE	CASE QTY
81501C	MOUNTING LUBE	1 GAL	4
81505C	MOUNTING LUBE	5 GAL	1

BLACK-ICE STOP RUST RIM RELEASE



BLACK-ICE Stop Rust Rim Release: Lubricates rim and tire for easy mounting & demounting. Prevents rim and bead from bonding together, Protects against rust and corrosion, Performs well in Sub-Zero temperatures, Non-evaporating formula contains no water, Performs well down to -17°C (1.4°F)

ITEM #	DESCRIPTION	SIZE	CASE QTY
K2480	RUST RELEASE	25 LBS	1

MOUNTING BRUSHES & SWABS



- Mounting paste brush w/45 degree head for use with all types of mounting pastes.

- Cotton tipped applicator swab. Use to apply tire lube to bead area when mounting tires to wheels using automated tire changing equipment. Durable wire handle can be bent to any position necessary for comfort or application ease.

ITEM #	DESCRIPTION	QTY
2990	COTTON SWAB	1
73	MOUNT PASTE BRUSH	1

ALL PURPOSE CEMENT



Our Cement contains accelerators that begin the curing process when coming in contact with the vulcanized gum of the repair. Designed to be used with repairs that require heat and pressure for vulcanization. Available in an 8 ounce can with applicator brush cap.

ITEM #	DESCRIPTION	SIZE	CASE QTY
511F	CEMENT	8 FL.OZ.	10
BL-8	BLUE CEMENT	8 FL.OZ.	10

BEAD SEALER



Our KEX Bead Sealer is a thick black sealant designed to stop bead leaks. Quick and economical, these sealers form an air-tight seal between the tire and the rim, effectively reducing comebacks from aggravating bead leaks.

ITEM #	DESCRIPTION	SIZE	CASE QTY
507F	BEAD SEALER	32 FL.OZ.	10

PRE-BUFF CLEANER



Use buffing solution with scraping tool to dissolve and remove lubricants and contaminants from the inner liner before buffing. Flammable.

16 oz. Aerosol or 32 oz. Container.

ITEM #	DESCRIPTION	SIZE	CASE QTY
491F	AEROSOL	16 OZ	12
490F	LIQUID	32 OZ	10

LEAK DETECTOR SPRAY



Leak Detector makes locating air leaks easier!

Available in a ready-to-use spray bottle, or a concentrate

Ideal for locating Air Leaks

Quick/Easy Application

Can be used on all types of Tires, Tubes, Valves and Rims

ITEM #	DESCRIPTION	SIZE	CASE QTY
KLD32	LEAK DETECTOR	32 OZ	4

LINER SEALER BRUSH TOP CAN



Designed for use around the edges of repair units, overbuff areas and on porous innerliners.

ITEM #	DESCRIPTION	SIZE	CASE QTY
508F	LINER SEALER	16 FL.OZ.	10

KEX WALL BLACK CABINET EMPTY

- 20" x 20" heavy gauge all-steel construction Cabinet with a hinged door
- 9 1/2" shelf below the door.
- Color: Black
- Supplied with a Keyed Lock.

ITEM #	DESCRIPTION	QTY
27E-B	EMPTY WALL CABINET	1



BIAS TIRE REPAIR PATCHES



Used for puncture repairs in bias ply passenger, light truck, and truck tires. Each unit features a large, reinforced platform providing added strength while maintaining maximum flexibility. Use with appropriate plug filler material. Apply with Fast-Dry Cement.

ITEM #	SIZE INCHES	SIZE MM	BOX QTY
1000	2"	50 MM	20
1001	2 ½"	65 MM	20
1002	3 ½"	90 MM	10

RADIAL TIRE REPAIR PATCHES



Specifically constructed for puncture repairs in radial tires. BESTPATCH repair units feature a reinforced platform providing added strength while maintaining maximum flexibility. Use with appropriate plug filler material. Apply with Fast-Dry Cement.

ITEM #	SIZE INCHES	SIZE MM	BOX QTY
2001	3" X 2"	75 X 50	20
2001A	3 1/2" X 2 ½"	85 X 65	20
2004	5" X 3"	130 X 80	10
2004A	5 3/4" X 3 ½"	145 X 90	10

PATCH PLUGS W/ PILOT WIRE



Combination of patch and stem covered with dual cure cushion gum with pilot wire. Use for puncture repairs in radial passenger and light truck tires

ITEM #	SIZE INCHES	SIZE MM	BOX QTY
3000	1/8"	4.5 MM	10
3001	¼"	6 MM	10
3002	3/8"	9 MM	10

UNIVERSAL SQUARE PATCH



Universal patches are reinforced with rubber for added strength. Recommended for puncture repairs in the tread area of radial or bias tires.

ITEM #	SIZE INCHES	SIZE MM	BOX QTY
4203	2 3/8" X 2 3/8"	60 X 60 MM	100
4204	3" X 3"	75 X 75 MM	100
4205	1 ¾" X 1 ¾"	45 X 45 MM	100

TIRE PLUG - BLACK




Posi-Cord String / Temporary Repairs. Rubber impregnated for vulcanization. Recommended for non-highway service tires only.

60 per pack

ITEM #	DESCRIPTION	SIZE	BOX QTY
412BL	BLACK PLUGS	4 IN	60

BESTPATCH FUSION INSERT PLUGS



BESTPATCH 350 & 351 Rubber and Fiber Reinforced Inserts for Filling the Injury in All Types of Tubeless Tires

ITEM #	DESCRIPTION	BOX QTY
350	FUSION PLUG - SMALL	50
351	FUSION PLUG - LARGE	50

FAST DRY VULCANIZING CEMENT



OPAQUE



BLUE

BESTPATCH Cement contains accelerators that begin the curing process when coming in contact with the vulcanized gum of the repair. Designed to be used with repairs that require heat and pressure for vulcanization. Available in an 8.5 ounce can with applicator brush cap.

ITEM #	DESCRIPTION	SIZE	QTY
91-701	TIRE CEMENT	8.5 OZ	1
91-801	BLUE CEMENT	8.5 OZ	1


BEAD SEALER



BESTPATCH Bead Sealer is a thick black sealant designed to stop bead leaks. Quick and economical, these sealers form an air-tight seal between the tire and the rim, effectively reducing comebacks from aggravating bead leaks.

ITEM #	DESCRIPTION	SIZE	QTY
95-731	BEAD SEALER	32 OZ	1

TIRE PLUGS - BROWN



Rubber impregnated for vulcanization. Recommended for non-highway service tires only.

ITEM #	DESCRIPTION	SIZE	BOX QTY
361	BROWN PLUGS	4 IN	50

REINFORCED INSERTS



PRI-1 & PRI-2 PremaFill Rubber and Fiber Reinforced Inserts for Filling the Injury in All Types of Tubeless Tires

ITEM #	DESCRIPTION	SIZE	BOX QTY
PR1	THIN INSERT	3-3/4 IN	50
PR2	REGULAR INSERT	3-3/4 IN	50

RADIAL & UNIVERSAL PATCHES



Radial patches are reinforced with tire cord for added strength. Recommended for puncture repairs in the tread area of radial tires.

The MX10 & MX20 patches center over the injury radial repair units are designed for use in crown, shoulder (passenger & truck tire), or sidewall (truck tire) repairs. Install with KX-511F flammable chemical cement.

The UP45 & UP55 are universal patches that are reinforced with rubber for added strength. Recommended for tread areas of radial or bias tires.

ITEM #	DESCRIPTION	SIZE	BOX QTY
5101	SMALL ROUND	1-1/4 IN	120
5102	SMALL ROUND	2-1/4 IN	100
5103	MEDIUM ROUND	3-1/8 IN	50
MX10	SMALL PATCH	2 X 3 IN	20
MX20	LARGE PATCH	3 X 5 IN	10
UP45	SMALL SQUARE	1-3/4 IN	30
UP55	MEDIUM SQUARE	2-1/8 IN	30
PR-109	RADIAL PATCH	2 X 3 IN	20

TIRE PATCH/PLUGS W/ PILOT WIRE



A small diameter steel pilot wire is molded into the plugs on these Combi-Units. When the wire is pulled through the injury, the plug fills the injury and the patch seals the innerliner. Install with KX-511F flammable chemical cement. USE IN CONJUNCTION WITH CC-6, CC-10 CARBIDE CUTTERS

ITEM #	DESCRIPTION	SIZE	QTY
386	MINI ROUND	1/8 IN	24
387	SMALL ROUND	1/4 IN	25
388	MEDIUM ROUND	3/8 IN	25
379	STEM PILOT WIRE	3/8 IN	25

O-RING FOR EARTHMOVER TUBELESS TIRE RIM



Creates An Air tight Seal In Multi-Piece Wheels

ITEM #	DESCRIPTION	SIZE	PACK QTY
OR25T	O-RING	1/4 IN	2
OR325T	O-RING	3/8 IN	2

SPLIT EYE TOOL


Split eye T-Handle insert tool for installing all types of inserts - flat, round and oval in passenger or truck tires.

ITEM #	DESCRIPTION	QTY
901	PISTOL GRIP	1
928	METAL T-HANDLE	1
931	REPLACEMENT NEEDLE KX-928	1

BALL BEARING STITCHER


Essential service tool for proper installation of tire repair units, tube repair units and repair plugs. Durable wooden handle and ball bearing construction provides optimal service life.

ITEM #	DESCRIPTION	QTY
30	STITCHER	1

RUBBER SCRAPER


Essential for preparation of proper tire repair and repair unit installation.

(Use with liquid or aerosol Pre-Buff cleaning solutions.)

ITEM #	DESCRIPTION	BOX QTY
932	SCRAPER	1

PISTOL GRIP SPIRAL CEMENTING TOOL


Use to release trapped air from casing and to remove foreign objects from tire.

ITEM #	DESCRIPTION	QTY
902	SPIRAL PROBE	1

FLEXIBLE SKIVING KNIFE


Essential for preparation and finishing procedures of all types of tire repair.

ITEM #	DESCRIPTION	QTY
929	SKIVING KNIFE	1
930	TAPER POINT KNIFE	1

REGROOVER ANGLE EDGE BLADES


Regroover cutting blades are specifically designed for commercial applications. Manufactured from the highest quality steel, the fixed regrooving blade will out last cheaper replacements. Rema offers multiple sizes in angle blades.

ITEM #	SIZE	CUT DEPTH	QTY
W-1	5/32 IN	7MM	20
W-2	1/4 IN	9MM	20
W-3	9/32 IN	10MM	20
W-4	3/8 IN	14MM	20
W-5	9/16 IN	16MM	20

CHISEL SCRAPER FOR WHEEL WEIGHT

Made of high impact plastic this tool can handle the toughest removal jobs, even ones where it's necessary to bring in a hammer to loosen the clingiest weights, and all the while staying gentle on aluminum and alloy wheels leaving no marks unlike metal scrapers and blades.



ITEM #	DESCRIPTION	QTY
AMA-CS	WHEEL WEIGHT SCRAPER	40

1/4" ARBOR FOR MOUNTING BUFFING WHEELS



Fits a quarter inch drill bit (1/4 inch)

Used for low-speed tire repair buffing

ITEM #	DESCRIPTION	QTY
33	ARBOR	1

6 POINT DEEP IMPACT SOCKET

Drop forged chrome vanadium steel for strength and durability.

Rounded corners for a tighter grip.

Large size laser etching for easy identification.



ITEM #	DRIVE SIZE	SIZE	QTY
M872	1 / 2"	22MM	1
M743-33	3 / 4"	33MM	1

CARBIDE CUTTERS



High tensile carbide cutters are ideal for preparing nail hole through section repair injuries. These diamond cut, long-life cutters are manufactured from high quality, high carbide content steel. (Use with appropriate safety and eye protection.)

ITEM #	SIZE	QTY
CC-3	3/8 IN	1
CC-6	1/8 IN	1
CC-8	1/4 IN	1
CC-10	3/8 IN	1
6068	ADAPTER CC-3, 6	1
6069	ADAPTER FOR CC-8	1

BUFFING RASP

Buffing Rasp

80 Grit



ITEM #	DESCRIPTION	GRIT	QTY
TCW210-80	BUFFING RASP	80	1

1/2" DRIVE FLIP SOCKET



The strategically placed micro grips are one of the more noticeable design innovations of the non-slip impact socket line. Now you can remove most bolts that have 75-Percent of their corners stripped away.

ITEM #	DESCRIPTION	QTY
TDFS-M-THIN	19MM / 21MM	1
A162	3 / 4" X 13/16"	1
1778	7/8" X 15/16"	1

LOCKING LUG NUT MASTER KEY SET



Includes Spline Style Keys:
5-spline, 6-spline, 7-spline,
and 12-spline.

Hex Keys: 9/16-inch,
12mm, 12mm fluted, and
15mm.

Star Keys: 8-point, 9-point,
10-point

Unlock any locking lug nut with this master key set that includes 16 different key shapes. Made of chrome vanadium steel.

- 16 different key shapes to fit a wide variety of stock and after-market wheel locking lug nuts.
- Double hex-head design allows them to be used with both 13/16 and 7/8 in. lug or combo wrench

ITEM #	DESCRIPTION	QTY
M994	LUG NUT MASTER KEY SET	1

1/2 DRIVE THIN WALL SOCKET SET 5 PCS



Heavy duty, thin wall impact sockets featuring protective sleeves and plastic inserts to prevent scratching. Made from chrome molybdenum.

Protective sleeves and plastic inserts prevent scratching of wheels and lug nuts.

Sizes Include: 17mm, 19mm (3/4), 21mm, 13/16 inch and 7/8 inch.

ITEM #	DESCRIPTION	QTY
W32902	5 PCS IMPACT SOCKETS	1

THIN WALL IMPACT SOCKETS



- Features protective sleeves to prevent scratching.
- Protective sleeves and plastic inserts prevent scratching of wheels and lug nuts
- Hollow design allows room for removing longer bolts
- Color coded for easy identification
- Heavy duty chrome molybdenum

ITEM #	DESCRIPTION	SIZE	QTY
W32921	1/2" PURPLE THIN WALL SOCKET	13/16"	1
W32922	1/2" GREEN THIN WALL SOCKET	7/8"	1
W32923	1/2" BLUE THIN WALL SOCKET	17MM	1
W32924	1/2" YELLOW THIN WALL SOCKET	19MM	1
W32925	1/2" RED THIN WALL SOCKET	21MM	1
W32926	1/2" TURQUOISE THIN WALL SOCKET	22MM	1
W32927	1/2" LT BLUE THIN WALL SOCKET FOR MERCEDES-BENZ	17MM	1

1/2" DR. X 3" IMPACT EXTENSION



1/2" drive impact extension crafted from durable chrome vanadium steel. Large laser-etched size for easy identification.

- Drop forged chrome vanadium steel for strength and durability.
- Large size laser etching for easy identification.

ITEM #	DESCRIPTION	CASE QTY
M969	3" IMPACT EXTENSION	6

M14 X 2.00MM BLACK 7 SPLINED LUG NUT



- Uses Key Adapter: White Knight 3800L 7-Point Spline Key Adapter
- Thread Size: 14mm x 2.00
- Length: 2.00"
- Width: 0.90"
- Seat: 60° Taper
- Finish: Black Coat

ITEM #	DESCRIPTION	CASE QTY
3850LTBK	BLACK LUG NUT	30

M14 X 1.5MM BLACK ET 6 SPLINED ACORN HEAT TREATED LUG NUT



- Uses Key Adapter: White Knight 3800L 7-Point Spline Key Adapter
- Thread Size: 14mm x 1.50
- Length: 1.70"
- Width: 0.80"
- Seat: 60° Taper
- Finish: Black Coat / Heat Treated

ITEM #	DESCRIPTION	CASE QTY
3809HETBK	BLACK LUG NUT	50

M14 X 1.50MM BLACK 6 SPLINED ACORN LUG NUT



- Uses Key Adapter: White Knight 3800L 7-Point Spline Key Adapter
- Thread Size: 14mm x 1.50
- Length: 1.37"
- Width: 0.80"
- Seat: 60° Taper
- Finish: Black Coat / Heat Treated

ITEM #	DESCRIPTION	CASE QTY
3809HBK	BLACK LUG NUT	50

M14 X 1.50 LUG NUT - FORD MUSTANG



The Chrome Lug Nuts have M14x1.5 Thread Size, 13/16" (21mm) Hex, 1.4" (35.56mm) Overall Length, 0.91" (23.11mm) Width, 60-Degree Conical Acorn /Cone Seat

NOTE:Please tighten the lug nuts for hubcaps manually, DO NOT use electrical tools.

OEM Number: Ford - ACPZ-1012-M, ACPZ1012D

ITEM #	DESCRIPTION	QTY
287	LUG NUT	40

M14 X 1.50 LUG NUT - FORD F-150



Closed end lug nuts with M14x1.5 thread - 13/16 inch (21mm) hex - 45mm length - 31mm width, tapered 60 degree seat, chrome color, solid one-piece conical lug nuts.

NOTE:Please tighten the lug nuts for hubcaps manually, DO NOT use electrical tools

OEM Number: Ford - ACPZ-1012-B

ITEM #	DESCRIPTION	QTY
289	LUG NUT	25

M12 X 1.50 LUG NUT - FORD FUSION



M12x1.5 thread - closed end bulge style lug nuts - conical 60 degree seat - 19mm hex - 50mm long - 23mm wide - color: silver / chrome.

NOTE:Please tighten the lug nuts for hubcaps manually, DO NOT use electrical tools

OEM Number: GM - 9595165, 9595203/ Ford - 6L8Z-1012-AA, 8L8Z1012A

ITEM #	DESCRIPTION	QTY
1907SL	LUG NUT	40

M14 X 1.50 LUG NUT - FORD FUSION



M12x1.5 thread - closed end bulge style lug nuts - conical 60 degree seat - 19mm hex - 32mm long - 22mm wide - color: silver / chrome.

NOTE:Please tighten the lug nuts for hubcaps manually, DO NOT use electrical tools

OEM Number: Ford - ACPZ1012H, CV6Z101GC, 82SZ-1012-B, M-1012-F

ITEM #	DESCRIPTION	QTY
303	LUG NUT	50

M12 X 1.50 LUG NUT W/ WASHER - TOYOTA



Thread pitch m12-1.5, Overall tall 1.46" (37mm), Width 1.2"(30mm) , Closed end, 0.83"(21mm)Hex Wrench,

Note:it's not fit for vehicles with 60 degree conical seat (also known as cone seat/tapered seat), Ball Seat/Round Seat.

OEM Number: Toyota - MB79290, 90942-01033 / Mitsubishi: MB579290, 90942-01033

ITEM #	DESCRIPTION	QTY
5307	LUG NUT	40

M14 X 1.50 BLACK 7 SPLINE LUG NUT MOPAR



M14 X 1.5 close end spline lug nuts, 51mm length,(23mm) width,tapered 60 degree seat,come with 7 point. Socket key with 7/8"(22mm) and 13/16"(21mm) hex,

ITEM #	DESCRIPTION	QTY
3809DLBK	LUG NUT	40
3800L	SOCKET ADAPTER	20

EXTERNAL THREAD WHEEL NUT - GM



The External Thread Lug Nuts have M14x1.5 Thread Size, 22mm Hex, 28.5mm Overall Length.

NOTE: Please tighten the lug nuts for hubcaps manually, DO NOT use electrical tools.

Fits: Buick 2010-09, Cadillac 2004, 2000-99, Chevrolet 2026-88, GMC 2026-88

ITEM #	DESCRIPTION	QTY
DHW611-115-20	EXTERNAL THREAD LUG NUT	20

M12-1.50 LUG NUT W/ WASHER - TOYOTA



Mag Lug nuts with M12-1.50 thread - 13/16 inch (21mm) hex - 47mm length -

NOTE: Please tighten the lug nuts for hubcaps manually, DO NOT use electrical tools

Fits: Lexus 2023-93, Toyota 2024-83

ITEM #	DESCRIPTION	QTY
DHW611-167-20	MAG LUG NUT	20

M14-2.0 LUG NUT - FORD



M14-2.0 thread - Flanged Flat Face lug nuts. - 21mm hex - 22.6mm long

NOTE: Please tighten the lug nuts for hubcaps manually, DO NOT use electrical tools

Fits: Ford 2004-99, Lincoln 2003-00

ITEM #	DESCRIPTION	QTY
DHW611-196-20	FLANGED FLAT FACE LUG NUT	20

M14-1.5 LUG NUT - GM / HONDA



M14x1.5 thread - Flattop lug nuts - conical 60 degree seat - 22mm hex - 44.5mm long

NOTE: Please tighten the lug nuts for hubcaps manually, DO NOT use electrical tools

Fits: Acura 2025-24, Buick 2026-08, Cadillac 2026-13, 2009-08, 2006-05, Chevrolet 2026-00, GMC 2026-00, Honda 2025-24, Saturn 2010-07

ITEM #	DESCRIPTION	QTY
DHW611-236-20	FLAT TOP LUG NUT	20

M14-1.5 LUG NUT - TOYOTA



M14-1.5 thread - Duplex Acorn lug nuts. - 22mm hex - 46mm long

NOTE: Please tighten the lug nuts for hubcaps manually, DO NOT use electrical tools

Fits: Lexus LX470 2007-98, Lexus LX570 2021-08, Toyota Land Cruiser 2021-13, 2011-98, Toyota Sequoia 2022-08, Toyota Tundra 2021-07

ITEM #	DESCRIPTION	QTY
DHW611-277-20	DUPLEX ACORN LUG NUT	20

M14-1.5 LUG NUT - FORD



M14-1.5 thread - Duplex Acorn lug nuts. - 21mm hex - 48.5mm long

NOTE: Please tighten the lug nuts for hubcaps manually, DO NOT use electrical tools

Fits: Ford F250, Ford F350, Ford F450, Ford F550, Ford F600, Ford Transit, Ford E-Transit

ITEM #	DESCRIPTION	QTY
2535F	DUPLEX ACORN LUG NUT	20

VALVE CAPS



ITEM #	DESCRIPTION	STYLE	BOX QTY
39BLACK	BLACK PLASTIC CAP	DOMES	100
37	METAL CAP	FORK	100
38	METAL CAP	DOMES	100
39B-TPMS	TPMS VALVE CAP BLACK	DOMES	100

HEX HEAD LARGE BORE VALVE CAP



Hex Type Valve Cap For Large Bore Valves.

ITEM #	DESCRIPTION	STYLE	BOX QTY
TRVC7	LARGE BORE CAP	HEX HEAD	50

SCHRADER VALVE CORES

Valve cores for cars, trucks, motorcycles, bicycles and ATV's



STANDARD BORE



LARGE BORE

ITEM #	DESCRIPTION	QTY
CORE-9002	STANDARD BORE	100
CORE-9001	LARGE BORE	100

VALVE ADAPTER LARGE BORE TO STANDARD BORE



Adapts Large Bore valves down to standard bore

Fits over .485-26 valve cap threads

ITEM #	DESCRIPTION	QTY
KX-52872	VALVE ADAPTER	1

DOUBLE SEAL FLOW-THRU VALVE CAP



Replaces standard valve caps on truck tires, enabling operator to check pressure or inflate tires without removing cap.

ITEM #	DESCRIPTION	BOX QTY
410D	DOUBLE SEAL FLOW-THRU CAP	50

AGRICULTURAL/OTR CLAMP-IN VALVES

Tubeless, clamp-in 5/8" rim hole.

Metal clamp-in type valves make filling with liquid ballast easy. By removing core housing, a large opening is provided. .625" valve hole.



TR-618A



TR-622A

ITEM #	DESCRIPTION	RIM HOLE DIA.	VERTICAL HEIGHT	HORI. LENGHT	BOX QTY
TR-618A	OTR CLAMP-IN VALVE	.625"	1-7/8"		50
TR-622A	OTR CLAMP-IN VALVE	.625"	1-3/4"	4-1/2"	10

PASSENGER, LIGHT TRUCK VALVE STEMS

Snap-In/Clamp-In Valves for tubeless passenger and light truck tires. All valves are equipped with a HI-TEMP valve cores.



ITEM #	DESCRIPTION	RIM HOLE DIAMETER (INCH)	VALVE SIZE (INCH)	VALVE SIZE (MM)	BOX QTY
TR-412	SNAP-IN VALVE	.453"	1"	25MM	500
TR-412C	SNAP-IN VALVE, CHROME	.453"	1"	25MM	500
TR-413	SNAP-IN VALVE	.453"	1-¼"	31MM	500
TR-413C	SNAP-IN VALVE, CHROME	.453"	1-¼"	31MM	500
TR-415	SNAP-IN VALVE	.625"	1-¼"	31MM	500
TR-416	CLAMP-IN CUSTOM WHEEL VALVE	.453"	1-7/16"	39MM	100
TR-418	SNAP-IN VALVE	.453"	2"	50MM	500
TR-438	SNAP-IN VALVE	.350"	1-¼"	45MM	100
TR-600HP	HIGH PRESSURE SNAP-IN VALVE	.453"	1-¾"	45MM	500
TR-801HP	HIGH PRESSURE SNAP-IN VALVE	.625"	1-¼"	31MM	500
TR-802HP	HIGH PRESSURE SNAP-IN VALVE	.625"	2"	50MM	500
1-810	CLAMP-IN VALVE, CHROME	.453"	1-¼"	31MM	100
1-811	CLAMP-IN VALVE, BRASS	.453"	2"	50MM	25
1-860	ENKEI STYLE "MINI"	.453"	1-5/16"	34MM	50

CLAMP-IN BRASS TRUCK VALVE STEMS



Brass Clamp-In Valves for Tubeless Truck and Bus tires. Compatible with all standard 5/8" side hole mount. Complete with metal valve cap and HI-TEMP valve core.

ITEM #	DESCRIPTION	VALVE SIZE	VALVE SIZE	QTY
TR-500	BRASS TRUCK VALVE	2-5/32"	54MM	100
TR-501	BRASS TRUCK VALVE	1-½"	32MM	100
TR-570	BRASS TRUCK VALVE	3-9/32"	82MM	100
TR-572	BRASS TRUCK VALVE	3-¾"	95MM	100
TR-573	BRASS TRUCK VALVE	4-3/8"	110MM	100
TR-574	BRASS TRUCK VALVE	5"	125MM	100

ALUMINUM WHEEL TRUCK VALVE STEM

Designed for use with drop-center aluminum wheels. These quality single-bend valves have a 5/8" bottom hole and come with dome-type valve cap and HI-TEMP valve core.



ITEM #	DESCRIPTION	VALVE SIZE (INCH)	VALVE SIZE (MM)	BOX QTY
TR-509	ALUMINUM WHEEL TRUCK VALVES	4-¾"	120MM	100

METRIC CLAMP-IN VALVE STEMS

Compatible with aluminum wheel designs with .389 valve hole. Produced with Viton grommets, all KEX clamp-in valves are equipped with high temperature valve cores.



ITEM #	DESCRIPTION	VALVE SIZE (MM)	BOX QTY
TR-542	CLAMP-IN VALVE	32MM	100
TR-543D	CLAMP-IN VALVE, W/60° BEND	60MM	100
TR-544D	CLAMP-IN VALVE, W/60° BEND	73MM	100
TR-545D	CLAMP-IN VALVE, W/60° BEND	90MM	100
TR-545E	CLAMP-IN VALVE, W/75° BEND	90MM	100
TR-546D	CLAMP-IN VALVE, W/60° BEND	110MM	100
TR-552	CLAMP-IN VALVE	32MM	100
TR-555D	CLAMP-IN VALVE, W/60° BEND	90MM	100
TR-555E	CLAMP-IN VALVE, W/75° BEND	90MM	100

METRIC O-RING SEAL VALVE STEMS FOR STEEL WHEELS

Designed for use on select ISUZU and BUDD steel wheels with .390 (9.7mm) valve holes. All sizes equipped with Hi-Temp Valve Cores, Hi-Temp Valve Caps, Hi-Temp O-Ring Seals.



ITEM #	DESCRIPTION	SIZE (MM)	BOX QTY
V3-20-4	CLAMP-IN TRUCK VALVE W/ 27° BEND	22MM X 60 MM	100
V3-20-5	CLAMP-IN TRUCK VALVE W/ 27° BEND	25MM X 70 MM	100
V3-20-7	CLAMP-IN TRUCK VALVE W/ 27° BEND	25MM X 50MM	100

TPMS REPLACEMENT VALVE STEMS



ITEM #	DESCRIPTION	COMPATIBLE WITH	CROSS-REFERENCE	BOX QTY
6-203C	REPLACEMENT CLAMP-IN VALVE	TPMS CHROME VALVE STEM FOR GM, FORD, DODGE, SUBARU, SUZUKI	VS-925C, 21057, 72-20-458	10
6-207A-1	REPLACEMENT SNAP-IN VALVE	BUICK, CADILLAC, CHEVROLET, CHRYSLER, DODGE, FORD GMC, HYUNDAI, JEEP, KIA, LINCOLN, MAZDA, MERCURY, MITSUBISHI, PONTIAC, SAAB, SUZUKI, VW, VOLVO	20008, 20018, VS950, 92-0145	10
6-208	REPLACEMENT SNAP-IN VALVE	CADILLAC, CHRYSLER, DODGE, INFINITI, JEEP, MITSUBISHI, NISSAN	VS90, 17-50397, 20043	10
6-210H	REPLACEMENT SNAP-IN VALVE	GM, FORD	VS-20, 17-20046, 20046	10
6-211	REPLACEMENT SNAP-IN VALVE	JEEP, RAM	VS65, 17-50395, 20635	10
6-213	REPLACEMENT SNAP-IN VALVE	FORD 2015+	72-20-470, 21774, 5036	10
6-231C	REPLACEMENT CLAMP-IN VALVE	ACURA, BMW, HONDA, HYUNDAI, INFINITI, KIA, LAND ROVER, MAZDA, MITSUBISHI, NISSAN, VOLVO	VS-70	10
17-20046	REPLACEMENT SNAP-IN VALVE	HYUNDAI, KIA	VS-20, 20046, 6-244	10

HAMATON TPMS SERVICE KIT



Hamaton helps you save money by offering TPMS service kits to repair, overhaul, and maintain your sensors. Servicing extends the life of the sensor and avoids the unnecessary costs associated with replacement. This maintains the functionality of the sensor, which ultimately saves money by increasing fuel economy, improving vehicle performance, road handling, and safety, and reducing premature tire wear and your car's CO2 emissions.

Hamaton TPMS service kits are stress tested and certified using industry standard methods to ensure product durability, lifespan, and quality. Each box contains several service kits with a nut, rubber grommet, valve cap, valve core, washers/and or rings and other components needed to service your specific snap-in or clamp-in TPMS sensor type. Select the kit designed for your sensors.

ITEM #	DESCRIPTION	BOX QTY
6-102	TPMS SERVICE KIT FOR SCHRADER GEN J	10

HAMATON TPMS SERVICE KIT TRW VERSION 1



Hamaton helps you save money by offering TPMS service kits to repair, overhaul, and maintain your sensors. Servicing extends the life of the sensor and avoids the unnecessary costs associated with replacement. This maintains the functionality of the sensor, which ultimately saves money by increasing fuel economy, improving vehicle performance, road handling, and safety, and reducing premature tire wear and your car's CO2 emissions.

Hamaton TPMS service kits are stress tested and certified using industry standard methods to ensure product durability, lifespan, and quality. Each box contains several service kits with a nut, rubber grommet, valve cap, valve core, washers/and or rings and other components needed to service your specific snap-in or clamp-in TPMS sensor type. Select the kit designed for your sensors.

ITEM #	DESCRIPTION	BOX QTY
6-127	TPMS SERVICE KIT FOR TRW VERSION 1	10

HAMATON CLAMP-IN SCHRADER GEN ALPHA VALVE



Hamaton offers replacement clamp-in tire pressure monitoring valves designed for use with Schrader Gen Alpha type sensors. They're sold in sets of 10 and are available with or without valve stem caps.

ITEM #	DESCRIPTION	BOX QTY
6-228	TPMS SERVICE KIT CLAMP-IN SCHRADER GEN ALPHA VALVE	10

HAMATON U-PRO HYBRID NFC UNIVERSAL SENSOR W/ DUAL VALVES



PROGRAM WITH
SMARTPHONE
APP



The new Hybrid NFC is a single SKU solution. A dual frequency, configurable and programmable TPMS sensor with dual valves. The sensor can be configured and programmed with Hamaton's user-friendly, FREE phone application. No programming tool required!

ITEM #	DESCRIPTION	BOX QTY
HTS-A78EG	TPMS SENSOR WITH DUAL VALVES	10

HAMATON 6-111 - BOX OF 10 SERVICE KITS FOR PACIFIC LFB1 / LFC1



A box of 10 service kits with each including: 1 nut, 1 rubber grommet, 1 metal washers, 1 screw, 1 valve core, and 1 valve cap Used for the Huf Gen 2 type TPMS sensors.

Interchangeable Part Numbers: 72-20-552, 21029, 20032, 1100K, 1100, 591306, 92-0215

ITEM #	DESCRIPTION	BOX QTY
6-111	SERVICE KITS FOR PACIFIC LFB1 / LFC1	10

HAMATON 6-138 - BOX OF 10 SERVICE KITS FOR VDO TG1C



A box of 10 service kits, with each including: 1 nut, 1 rubber grommet, 1 plastic washer, 1 valve cap and 1 valve core. This service kit is suitable for use with VDO TG1C type sensors.

Interchangeable Part Numbers: 72-20-513, 5628447, 21111, 66070-KU, 7020K, 5628421, 591315, 92-3312

ITEM #	DESCRIPTION	BOX QTY
6-138	SERVICE KITS FOR VDO TG1C	10

HAMATON TPMS REPLACEMENT STARTER KIT



Kit contains four (4) each of the following sensor service kits:

- 6-102 • 6-138 • 6-201
- 6-108 • 6-139 • 6-228
- 6-109 • 6-211 • 6-231C
- 6-116T • 6-207 • 6-240
- 6-120 • 6-208
- 6-127 • 6-210H

Hamaton's Starter Kits meet the needs of garages and tire bays who service valves, as they contain a comprehensive range of OE and aftermarket replacement parts. For extra convenience, Hamaton offers Starter Kit content in individual boxes of 10.

ITEM #	DESCRIPTION	CASE QTY
6-352	TPMS REPLACEMENT STARTER KIT	1

HAMATON 6-116T - BOX OF 10 SERVICE KITS FOR PACIFIC LFB1 / LFC1



A box of 10 service kits, with each including: 1 nut, 1 rubber grommet, 1 plastic washer, 1 valve cap and 1 valve core. This service kit is suitable for use with Pacific LFB1/LFC1 type sensors. Interchangeable Part Numbers: 72-20-525, 21030, 20031, 1110K, 5628533, 591307, 92-0135

ITEM #	DESCRIPTION	BOX QTY
6-116T	SERVICE KITS FOR PACIFIC LFB1 / LFC1	10

HAMATON 6-139B - BOX OF 10 SERVICE KITS FOR VDO TG1C



A box of 10 service kits, with each including: 1 Nut, 1 Rubber Grommet, 1 Plastic Washer, 1 Valve Cap and 1 Valve Core. This service kit is suitable for use with VDO TG1C type sensors.

Interchangeable Part Numbers: 2-20-515, 5629308, 21113, 5058, 7000K, 5628532, 591316, 92-3311, ALC-K010_10,

ITEM #	DESCRIPTION	BOX QTY
6-139B	SERVICE KITS FOR VDO TG1C	10

AUTEL 4 METAL PRESS-IN VALVE STEMS FOR 1-SENSOR



The MXSensorMVK is a box of four press-in metal valve stems. They are compatible with Autel 1-Sensors and Autel 315MHz & 433 MHz MX-Sensors.

ITEM #	DESCRIPTION	BOX QTY
MVK	METAL STEMS	4

AUTEL 4 RUBBER PRESS-IN VALVE STEMS FOR 1-SENSOR



The MXSensorRVK is a box of four press-in rubber valve stems. They are compatible with Autel 1-Sensors and Autel 315MHz & 433 MHz MX-Sensors.

ITEM #	DESCRIPTION	BOX QTY
RVK	RUBBER STEMS	4

AUTEL MX-SENSOR 1-SENSOR (ALUMINUM)



The 1-Sensor is a programmable universal TPMS sensor. It features a combined frequency of 315MHz and 433MHz with aluminum valve stems. The press release button allows for rubber or metal valve stems to be replaced interchangeably. The 1-Sensor is reprogrammable, 99% compatible with OE sensors, and meets SAE standards J1205 and J1206.

ITEM #	DESCRIPTION	BOX QTY
MX1M	ALUMINUM SENSOR	20

AUTEL MX-SENSOR 1-SENSOR (RUBBER)



The 1-Sensor is a programmable universal TPMS sensor. It features a combined frequency of 315MHz and 433MHz with rubber valve stems. The press release button allows for rubber or metal valve stems to be replaced interchangeably. The 1-Sensor is reprogrammable, 99% compatible with OE sensors, and meets SAE standards J1205 and J1206.

ITEM #	DESCRIPTION	BOX QTY
MX1R	RUBBER SENSOR	20

AUTEL WIRELESS ADVANCED TPMS SERVICE TOOL

The TS508WF feature Quick and Advance modes of TPMS service and a TPMS status screen. It can read/activate/relearn all known sensors, has two methods of MX-Sensor programming, and performs placard value resets on supported vehicles. The TS508WF display on-tool MX-Sensor relearn procedures including OBDII and can do key fob signal tests.

ITEM #	DESCRIPTION	CASE QTY
TS508WF	WIRELESS TPMS PROGRAMING TOOL	1



2-WAY VALVE TOOL

Contents: 2 way valve stem install tool essential tire repair and maintenance tool – so useful and handy.



Fits: Compatible for all vehicle valves as well as air conditioning units.

Suitable for Standard Valve Cores – Cars, Trucks, Motorcycles, Bicycles, atv, Lawn Mower Trailer ETC. With this Helpful 2-way tire valve tool, you can install and uninstall the valve core easily.

ITEM #	DESCRIPTION	BOX QTY
834	REPAIR TOOL	1

SCREWDRIVER HANDLE VALVE CORE TOOL

Removing or installing the valve core on your tired without the proper tool can easily do damage. With this valve core tool you will be able to remove and install with ease!



This valve core tool features a screwdriver handle, allowing for a comfortable grip while you work.

ITEM #	DESCRIPTION	BOX QTY
187	VALVE CORE TOOL	10

VALVE INSTALLATION TOOLS

For installation or removal of snap in type tubeless tire valves J1205 and J1206.



ITEM #	DESCRIPTION	BOX QTY
41	VALVE INSERT TOOL	10

4-N-1 VALVE REPAIR TOOL

Contents: 4 way valve stem install tool essential tire repair and maintenance tool – so useful and handy.



Fits: Compatible for all vehicle valves as well as air conditioning units.

Suitable for Standard Valve Cores – Cars, Trucks, Motorcycles, Bicycles, atv, Lawn Mower Trailer ETC. With this Helpful 4-way tire valve tool, you can install and uninstall the valve core easily

ITEM #	DESCRIPTION	BOX QTY
186	REPAIR TOOL	10

VALVE CORE REMOVAL AND INSERTING TOOL

KEX Tire Repair quality OTR products meet the demanding pressure and heat demands of the severe operational environments of today's OTR equipment.



The hardware, components and tools are selected to provide reliable service and functional ease to service the popular OTR and Agricultural configurations.

ITEM #	DESCRIPTION	BOX QTY
EX-685	VALVE CORE TOOL	10

TORQUE VALVE CORE TOOL - TPMS

TPMS Torque Valve Core Tool

- Maintenance Free Precision Ratchet Mechanism
- Safely Tightens Valve Cores to Specifications Mandated for Most TPMS Sensor Valves



ITEM #	DESCRIPTION	BOX QTY
TVCT	TORQUE VALVE TOOL	10

NO MAR, VALVE INSTALLATION TOOL (SCREW ON)



no-mar valve installation tool designed for the safe and efficient installation of snap-in tire valves. This screw-on style tool threads directly onto the valve stem, allowing the technician to pull the valve through the rim hole and seat it properly without damaging or scratching the wheel surface. Its no-mar design helps protect alloy and finished wheels while providing secure grip and leverage for quick valve installation. Ideal for professional tire service and maintenance applications.

ITEM #	DESCRIPTION	QTY
KX-41NM	SCREW ON VALVE INSTALL TOOL	1

24" VALVE FISHING TOOL



KX-837 is a 24-inch cable-type valve fishing tool designed to assist with the installation of tire valves in hard-to-reach rims. The flexible cable easily threads through the valve hole, allowing technicians to guide and pull the valve stem into position from the outside of the wheel. Its extended length and flexible design make it ideal for use on deeper or specialty wheels where direct access is limited.

ITEM #	DESCRIPTION	TYPE	CASE QTY
KX-837	VALVE FISHING TOOL	CABLE	1

VALVE PULLER BENT WITH GUARD



KX-41BG is a bent valve puller designed for installing and removing snap-in tire valves quickly and safely. The angled (bent) design provides improved leverage and access when working inside wheel openings, while the integrated guard helps protect the rim surface from scratches or damage during use. Built for durability and daily shop use, this tool allows technicians to pull valves through the rim hole securely while maintaining control and protecting finished wheels.

ITEM #	DESCRIPTION	CASE QTY
KX-41BG	VALVE PULLER	1

14" DUAL FOOT PRESS ON AIR CHUCK



KX-771LR is designed for efficient tire inflation in professional service environments. The dual-foot head allows easy access to both inner and outer valve stems, making it especially useful for dual-wheel assemblies. Its 14-inch length provides extended reach, while the press-on connection allows quick and secure attachment to the valve stem. The closed design ensures airflow only when the chuck is pressed onto the valve, giving the technician better control during inflation.

ITEM #	DESCRIPTION	CASE QTY
KX-771LR	14" AIR CHUCK	1

DUAL HEAD AIR GAUGE


Tire Pressure Gauges

Professional tire pressure gauges for a variety of applications.

- Permanently lubricated
- Easy-to-read indicator bar
- Chrome plated, brass body construction

ITEM #	DESCRIPTION	QTY
184	DUAL HEAD AIR GAUGE	1

TIRE CHANGER MOUNT HEAD PLASTIC DUCK HEAD KIT FOR COATS®


Plastic Mount Head alternative for COATS® Tire Changer Machine.

Duck Head for Tire Machine Models 5030 5040 5050 5060 5065 6050 6060 6065 7050 7055 7060 7065 7660 7665 all base line models may fit others as well. It replaces for Coats 8183061, 183061, 8182960, 182960, 8183060, 183060, 8182788, 182788

ITEM #	DESCRIPTION	QTY
75124	DUCK HEAD FOR COATS 8183061	1

TIRE CHANGER MOUNT HEAD PLASTIC DUCK HEAD KIT FOR HUNTER RP11-11400327


Nylon replacement winged head for OEM RP11-8-11400327 Fits all Hunter TCX50, TCX51, TCX53, TCX56 Used with TMRTC250 and TMRTC300 Adapter Kit This Duck head will also work in Atlas series 200 and 700

ITEM #	DESCRIPTION	QTY
75131	BLACK DUCK HEAD FOR HUNTER	1

REP-BOY TIRE REPAIR SPREADER


The adjustable tire spreader can accommodate all tires from garden service through light truck while the 360 degree rotating platform offers unparalleled views for tire inspection.

The Tire spreader tilts, has a foot-control swivel, adjustable to handle multiple tire sizes and is equipped with a tool tray and a floor stand baseplate. The tire spreading claws easily fit 13 inch through 20 inch passenger and light truck tires.

ITEM #	DESCRIPTION	QTY
3050RB	TIRE REPAIR SPREADER	1

TIRE CHANGER MOUNT HEAD PLASTIC DUCK HEAD KIT FOR HUNTER RP6-0343R


Compatible with the Following Tire Changer Models:

- Ranger 5150523: R-980XR, R-980NXT, R-30XLT
- Hunter RP6 0343B: TC250, TC300, TC325, TC350, TC2000, TC3250, TC3000, TC3100 series
- Sicam SM102529: 326, 520, 526, 530, 720, 726 Grifeon 516 and Colibri 512, Falco 3009

Replacement for Sicam SM102529 For Use On Models 326, 520, 526, 530, 720, 726 Grifone 516 And Colibri 512, Falco 3009

ITEM #	DESCRIPTION	QTY
RP6-0343	RED DUCK HEAD FOR HUNTER	

TIRE CHANGER MOUNT HEAD PLASTIC DUCK HEAD FOR HUNTER RP6-710014120


This is a Plastic Mount and Demount Head used on Hunter Auto 34 (TCA34) Model machines with serial number 664 and higher .

Hunter Tire Machine Nylon / Plastic Mount Demount / Duck Head Auto34 models RP6-710014120

Fits Hunter Models- TC3900, Auto 28 ,TCA28, Auto34, TCA34 (with serial number 664 and higher) Hunter # RP6-710014120 , 14120, 710416960

ITEM #	DESCRIPTION	QTY
RP6-7100	BLACK DUCK HEAD FOR HUNTER	1

TIRE CHANGER MOUNT HEAD NYLON DUCK HEAD KIT FOR SNAP ON/JOHN BEAN



This is a Plastic Mount and Demount Head used on John Bean, Snap On, Hofmann, & Accuturn tire changer machines. OEM part # 24335 # EHP System IVE IV III IIE

Accuturn OEM part # 20024335 #: 3602, 3602HP, 4260, 4560MR, 4602, 5602, 5602 HP. Sice model OEM part # EAA0247G20 #

Hofmann model: 1520, 1565, 1620, 1625, 1625EM, 3300, 3300EM. Monty OEM part # 24335 #: 1270, 2300, 3000, 3000GP

Using plastic mount heads is much safer for delicate and expensive wheels yet sturdy enough to withstand the stress of larger tires and wheels

ITEM #	DESCRIPTION	QTY
24335	BLACK NYLON DUCK HEAD FOR SNAP ON/JOHN BEAN	1

TIRE CHANGER MOUNT HEAD DUCK HEAD FOR ROTARY 1150 TIRE CHANGER



Leverless Tire Changer Mount/Demount Tool for Rotary 1150 Tire Changer. Each.

ITEM #	DESCRIPTION	QTY
75135-LT	BLACK DUCK HEAD FOR ROTARY 1150	1

DUCK HEAD REPLACEMENT INSERTS FOR HUNTER TCX (RP11-8-11100369)



Hunter Insert TCX SQ PK20 Hunter and CEMB Fits the following Tire Changers brands: Hunter New. TCX Series using Steel Head. Pack 20.


Interchangeable Parts: RP11-8-11100369

ITEM #	DESCRIPTION	QTY
75141	DUCK HEAD INSERTS FOR HUNTER TCX	1

TRUCK GAUGE, DUAL HEAD: 10-150 PSI


Dual Foot Straight-In Tire Pressure Gauge 10-150 PSI. Four sided aluminum readout scale features white printing for easy reading from any angle. Heavy Duty Truck Gauge Straight-In, 10 -150 PSI designed for fleet use.

ITEM #	DESCRIPTION	PSI	QTY
176	TRUCK GAUGE	10-150 PSI	1

EURO-STYLE CLIP-ON AIR CHUCK


1/4" female national pipe thread

Maximum air pressure of 150 pounds per square inch

1/4" hose inside diameter

ITEM #	DESCRIPTION	STYLE	BOX QTY
762	EURO-STYLE AIR CHUCK	CLOSED	10
762-O	EURO-STYLE AIR CHUCK	OPEN	10
762-CF	EURO-STYLE AIR CHUCK	CLOSED	10
762-O-F	EURO-STYLE CHUCK	OPEN	10

1/4" AIR NIPPLE



Common use to air fitting kit for air tools, air compressor, air nailer, air blow gun, pressure washer, air hose.

ITEM #	DESCRIPTION	STYLE	QTY
2231	A STYLE 1/4" AIR NIPPLE	MALE	1
2232	A STYLE 1/4" AIR NIPPLE	FEMALE	1
2239	M STYLE 1/4" AIR NIPPLE	MALE	1
2240	M STYLE 1/4" AIR NIPPLE	FEMALE	1
2256	1/2" AIR NIPPLE	TRU-FLATE	1
ATO23416	FEMALE UNIVERSAL CONNECTOR	HI-FLO	1
ATO023406	MALE UNIVERSAL CONNECTOR	HI-FLO	1

AIR CHUCK, DUAL FOOT, PRESS ON (CLOSED)


Air chuck is designed for easy inflation of tires. The air chuck design inflates tires easily, even on heavy-duty work vehicles. Black poly coating on the tool reduces corrosion.

ITEM #	DESCRIPTION	STYLE	BOX QTY
771	AIR CHUCK	DUAL FOOT	10

1/4" AIR COUPLER - FEMALE


Common Use to air fitting kit for air tools, air compressor, air nailer, air blow gun, pressure washer, air hose.

ITEM #	DESCRIPTION	STYLE	QTY
2132	#775 1/4" AIR COUPLER	A STYLE	1
2140	#715 1/4" AIR COUPLER	M STYLE	1
2156	1/2" AIR COUPLER	TRU-FLATE	1
AH020903	UNIVERSAL QUICK CONNECTOR	MULTI-USE	1
AH025512	UNIVERSAL QUICK CONNECTOR W/ LOCK	MULTI-USE	1

AIR TOOL OIL


Air Tool Oil prevents rust formation while providing positive lubrication for smooth starting and long tool life. Air Tool Oil assures maximum performance by dissolving gum and sludge that cut down tool speed and reduce power output.

ITEM #	DESCRIPTION	QTY
AT032	AIR TOOL OIL	1

ANI RP/1 AIRFLOW REGULATOR WITH PRESSURE GAUGE



The ANI RP/1 is an air flow regulator with a pressure gauge that can help control air output for tools that use compressed air, such as paint sprayers and air brushes. It has a diaphragm that adjusts to pressure fluctuations to maintain an even spray

ITEM #	DESCRIPTION	BOX QTY
AH085411	AIR FLOW REGULATOR	1

LOW SPEED TIRE BUFFER



REMA TIP TOP's exceptional quality, durable Low Speed Tire Buffer (RTT-SSB) is the right choice for injury and surface preparation. The low speed buffer is equipped with a quick release chuck and rear exhaust system.

ITEM #	DESCRIPTION	BOX QTY
RTT-SSB	LOW SPEED TIRE BUFFER	1

RED AIR HOSE - 1/4" NPT MALE ENDS



Heavy duty, non-kink reinforced air hoses perform flawlessly in all conditions. Toughness tested, performance proven. Especially designed to withstand the wide range of weather and abrasion conditions experienced by today's active repair facilities

ITEM #	DESCRIPTION	BOX QTY
890	25' RED AIR HOSE	1
891	50' RED AIR HOSE	1
893	35' RED AIR HOSE	1

IMPACT WRENCH 1/2" DRIVE



- This impact wrench is tough enough to handle harsh environments, repeated drops and run-ins with any number of chemicals.
- The 231HA Series impact wrench provides long-lasting power and reliability. For as long as you have it, it'll work just like it did on day one.

The 231HA Series is the ideal impact wrench for any job you take it to, from facility maintenance and industrial work to vehicle repair and tire work. Tough and durable with a powerful vane motor, this impact wrench won't let you down.

ITEM #	DESCRIPTION	BOX QTY
231HA-2	1/2" IMPACT WRENCH	1

IMPACT WRENCH 1" DRIVE WITH 6" EXTENDED ANVIL

The 285B Series Impact Wrench is great for any garage. Fitted with an extended anvil, changing tires and deeper fastening will be a breeze.

- Designed for the professional with over 1475 ft-lbs of torque for the toughest applications
- New phenolic vanes resist harsh environments for less downtime on the job
- Protective Rubber Tool Boot for all models of this air impact wrench
- Durable design for handling the toughest jobs
- Improved feather-touch trigger enables impressive control of the air impact wrench
- Optimized for the vehicle repair industry, heavy trucks, tire lanes, and MRO



ITEM #	DESCRIPTION	QTY
285B-6	1" IMPACT WRENCH	1

AIR OPERATED HYDRAULIC BOTTLE JACK



Great for Manual Lifting - Includes (2) additional detachable handles for manual lifting when in absence of an air compressor

Versatile Uses - Safely and reliably lifts most vehicles with a minimum lift of 10-1/4 inches high to a maximum of 20 inches high

Easy to Connect - Comes equipped with both hose & connector to quickly connect to air compressor for lifting operations with ease.

ITEM #	DESCRIPTION	CASE QTY
HBJ20T	20 TON	1
HBJ50T	50 TON	1

TIRE BEAD SEATER



Designed Lip & Gauge: A specially designed lip keeps the threaded barrel at the perfect angle for air insertion during bead seating. Gauge can help you accurately read and adjust pressure for various vehicles.

Long reach: metal barrel with a specially designed lip delivers a quick air blast between tire and rim at perfect angle and position to get the job done.

ITEM #	DESCRIPTION	CASE QTY
TBS5G	5 GALLON	1
TBS7G	7.5 GALLON	1
TBS10G	10 GALLON	1

AIR OPERATED HYDRAULIC PRESSURE JACK



Air hydraulic bottle jack is ideal for lifting heavy-duty machinery, industrial construction equipment, farm vehicles, and more; Wide, rugged base adds stability and strength.

High quality large diameter hydraulic steel cylinder unit results in lower oil pressure needed to raise the load, helping to reduce wear and extend service life

ITEM #	DESCRIPTION	CASE QTY
HPJ50T	25-50 TON	1
HPJ60T	30-60 TON	1
HPJ80T	80 TON	1

RAPID PUMP LOW PROFILE FLOOR JACK



Sturdy and Durable: Heavy-duty steel design, valve oil return design, tighten to rise, unscrew to fall, easy to operate; thickened handle rocker, more durable

Detailed Design: Convex stripe design of the lever handle, sufficient friction when using, convenient to use; Extended pull rod, more energy-saving operation; 360-degree rotatable rubber saddle, providing maximum protection for your car

ITEM #	DESCRIPTION	CASE QTY
LPFJ3T	3 TON	1
LPFJ5T	5 TON	1

KNA Supply's Shop Supplies and Bin Systems are ranked among the best in the industry. We pride ourselves on having created the most lean and efficient line of Fastener and Chemical Assortments and Modular Bin Systems on the market today!

See for yourself why KNA Supply is the preferred vendor for some of Florida's largest automotive dealerships, collision centers and mechanical shops.



COLLISION CENTER CHEMICAL SYSTEMS

COLLISION CENTER FASTENER SYSTEMS



ADD-A-STOCK®
FASTENER ASSORTMENTS



FAST-STACK®
FASTENER SYSTEMS

Automotive SUPPLY Distributor

KNA SUPPLY'S MODULAR BIN SYSTEMS:

- Come complete with the most up to date products
- Are updated & revised annually
- Are guaranteed obsolescence-free
- Are modular so they grow as your business grows
- Vertically stack for additional space savings
- Hold a wide selection of products
- Are highly organized with easy to interpret labels that are technician friendly
- Are intuitive and easy to maintain
- Are the most efficient systems on the market for maintaining a LEAN inventory process
- Are 100% Satisfaction Guaranteed

SERVICE CENTER CHEMICAL SYSTEMS



Fast-Stack® and Add-A-Stack® are Registered Trademarks of Kitt, Nicholson & Associates Inc. All Rights Reserved.

FAST-STACK®

Complete Fastener Bin Systems

FAST-STACK® MODULAR FASTENER BIN SYSTEM

Designed and assembled by KNA Supply, our Fast-Stack® Modular Fastener Bin System is guaranteed to have everything you need and nothing you don't, when it comes to Auto Body Fasteners.

We designed Fast-Stack® as an efficient way to grow your fastener selection as you grow your business. Fast-Stack's modular (stackable) design is easy to expand without taking up any additional floor space, and its 6 slot drawers makes it easy for your technicians to find the exact fastener they need to get the job done.

Choose from one of our preset systems: Bronze, Platinum or Platinum+, according to your monthly sales. As with all of our Fast-Stack® bin systems, you can easily add on more stackable bins as your sales increase. Please see our business sizing chart below to select a system that is right for your business.



ADD-A-STACK®

Optional Single Row of Drawers

FOR MONTHLY SALES OF \$250,000 AND UP...

PLATINUM+ SYSTEM

For shops with sales of \$250,000.00 per month and up. KNA Supply's PLATINUM+ Fastener System comes with the most comprehensive assortment of today's fastest moving fasteners, body bolts, bulbs and electrical connectors for today's most popular vehicles. Our PLATINUM+ Fastener System includes three modular stacking bins, one wall mounted bulb bin, one floor stand, 269 drawer dividers, interior fastener labels and exterior drawer labels with descriptions, example pictures and drawer numbers.

Dimensions: 34" Wide x 107" High x 12" Deep - Fastener Bin

Dimensions: 19" Wide x 26-1/2" High x 4" Deep - Bulb Bin

FOR MONTHLY SALES OF \$150,000 - \$250,000...

PLATINUM SYSTEM

For shops with sales between \$150,000.00 and \$250,000.00 per month. KNA Supply's PLATINUM Fastener System holds up to 324 of the fastest moving fasteners, body bolts and electrical connectors for today's most popular vehicles. Our PLATINUM Fastener System includes three modular stacking bins, one floor stand, 235 drawer dividers, interior fastener labels and exterior drawer labels with descriptions, example pictures and drawer numbers.


Dimensions: 34" Wide x 107" High x 12" Deep

FOR MONTHLY SALES UP TO \$150,000...

BRONZE SYSTEM

For shops with sales up to \$150,000.00 per month. KNA Supply's BRONZE Fastener System holds up to 108 of today's most essential fasteners, bulbs and electrical connectors. Our BRONZE Fastener System includes one modular stacking bin, 90 drawer dividers, interior fastener labels and exterior drawer labels with descriptions, example pictures and drawer numbers. Floor stand is optional.

Dimensions: 34" Wide x 11" High x 12" Deep



Fast-Stack® and Add-A-Stack® are Registered Trademarks of Kitt, Nicholson & Associates Inc. All Rights Reserved.

ADD-A-STACK® FASTENER ASSORTMENTS

KNA Supply's ADD-A-STACK® Assortments were created to compliment our FAST-STACK® Fastener Systems. Unlike other companies assortments, the ADD-A-STACK® is meant to round out our Fast-Stack® fastener systems with lesser used but necessary hardware that your shop may require. Every ADD-A-STACK® is carefully thought out with the help of collision industry specialists just like you. And, as with all of our fastener systems, our ADD-A-STACK® assortments are upgraded annually to keep you up to date with the latest body hardware.



ITEM #	ADD-A-STACK® ASSORTMENT	ITEM #	ADD-A-STACK® ASSORTMENT
AAS-EA	ELECTRICAL ASSORTMENT	AAS-ECA	EUROPEAN CLIP ASSORTMENT
AAS-MBA	METRIC BOLT ASSORTMENT	AAS-HCA	HONDA CLIP ASSORTMENT
AAS-BHA	BODY HARDWARE ASSORTMENT	AAS-NCA	NISSAN CLIP ASSORTMENT
AAS-ICA	IMPORT CLIP ASSORTMENT	AAS-TCA	TOYOTA CLIP ASSORTMENT
AAS-DCA	DOMESTIC CLIP ASSORTMENT	AAS-BULB	BULB ASSORTMENT

FOR MONTHLY SALES UP TO \$150,000...

BRONZE SYSTEM

FAST-STACK® COLLISION CENTER MODULAR FASTENER SYSTEM

Our BRONZE Fast-Stack® Fastener System started it all! This fastener system comes with ABSOLUTELY the fastest moving fasteners in the collision industry. Everything a small but busy shop needs to get those cars moving out the door. Can be expanded with our Add-A-Stack® Assortments to suit your needs or up-sized into a Gold or Platinum System as your business grows.



For shops with sales up to \$150,000.00 per month. KNA Supply's BRONZE Fastener System holds up to 108 of today's most essential fasteners, bulbs and electrical connectors. Our BRONZE Fastener System includes one modular stacking bin, 90 drawer dividers, interior fastener labels and exterior drawer labels with descriptions, example pictures and drawer positioning numbers.

ITEM #	FAST-STACK®
FS-BRO	BRONZE FASTENER ASSORTMENT

FOR MONTHLY SALES UP TO \$250,000...

PLATINUM SYSTEM

FAST-STACK® COLLISION CENTER MODULAR FASTENER SYSTEM

Our PLATINUM Fast-Stack® Fastener System is the perfect all-around assortment of collision industry fasteners and hardware. Designed with efficiency in mind, KNA Supply's PLATINUM Fast-Stack® takes up very little floor space and is laid out in a way that every technician can quickly understand. As with all of our Fast-Stack® Fastener Systems, you can always add an ADD-A-STACK® Assortment to expand your selection or add on more modular bins to help you grow. The best part is that all of this can be done vertically so as not to take up anymore precious floor space! Other added benefits to our Fast-Stack® System are: No tracks or moving parts to lubricate, No drawer lids to bend and jamb; Adjustable product compartments; Space saving, highly efficient design and low cost of ownership.

For shops with sales between \$150,000.00 and \$250,000.00 per month. KNA Supply's PLATINUM Fastener System holds up to 324 of the fastest moving fasteners, body bolts and electrical connectors for today's most popular vehicles. Our PLATINUM Fastener System includes three modular stacking bins, one floor stand, 235 drawer dividers, interior fastener labels and exterior drawer labels with descriptions, example pictures and drawer numbers.



ITEM #	FAST-STACK®
FS-PLA	PLATINUM FASTENER ASSORTMENT



COLLISION CENTER FASTENER SYSTEMS

FOR MONTHLY SALES OF \$250,000 AND UP...

PLATINUM+ SYSTEM

FAST-STACK® COLLISION CENTER MODULAR FASTENER SYSTEM

**BULB BIN

Our PLATINUM+ Fast-Stack® Fastener System has the most comprehensive assortment of collision industry fasteners and hardware in the industry. Designed with every possible need in mind, KNA Supply's PLATINUM+ Fast-Stack™ has supplied collision center with revenue of up to **1.2 million dollars per month!** Do not let it's small size fool you! Our PLATINUM+ Fast-Stack™ has a tremendous assortment of fasteners, hardware, clips and bulbs, and is laid out in a way that every technician can quickly understand. As with all of our Fast-Stack™ Fastener Systems, you can always add an ADD-A-STACK™ Assortment to expand your selection or add on more modular bins to help you grow. The best part is that this can be done vertically, so as not to take up anymore precious floor space! Other added benefits to our Fast-Stack™ System are: No tracks or moving parts to lubricate, No drawer lids to bend and jamb; Adjustable product compartments; Space saving, highly efficient design and low cost of ownership.

For shops with sales of \$250,000.00+ per month. KNA Supply's PLATINUM Fastener System holds up to 324 of the fastest moving fasteners, body bolts, bulbs and electrical connectors for today's most popular vehicles. Our PLATINUM Fastener System includes three modular stacking bins, one ADD-A-STACK, one floor stand, 269 drawer dividers, interior fastener labels and exterior drawer labels with descriptions, example pictures and drawer numbers.

EASY TO INTERPRET INTERIOR AND EXTERIOR DRAWER LABELS HELP MAKE YOUR TECHNICIANS MORE EFFICIENT..... SAVING TIME AND MONEY!



For shops with sales of \$250,000.00 per month and up. KNA Supply's PLATINUM Fastener System comes with the most comprehensive assortments of today's fastest moving fasteners, bulbs and electrical connectors for today's most popular vehicles. Our PLATINUM Fastener System includes three modular stacking bins, one wall mounted bulb bin, one floor stand, 233 drawer dividers, interior fastener labels and exterior drawer labels with descriptions, example pictures and drawer numbers.

ITEM #	FAST-STACK®
FS-PLA+	PLATINUM+ FASTENER ASSORTMENT

BRONZE CLASSIC SYSTEM

FAST-STACK® RESTORATION CENTER MODULAR FASTENER SYSTEM

Our BRONZE CLASSIC Fast-Stack® Fastener System was created by popular request! This fastener system comes with ABSOLUTELY the best American assortment in the industry. Everything you need to get those classic cars moving out the door. Can be expanded with our Add-A-Stack® Assortments to suit your needs or stacked on top of our Bronze, Gold or Platinum systems to give extra flexibility in your shop.

For shops that still like to work on that old metal. KNA Supply's BRONZE CLASSIC Fastener System holds up to 108 of the most essential Old School fasteners, bolts, nuts, and trim retainers. Our BRONZE CLASSIC Fastener System includes one modular stacking bin, 90 drawer dividers, interior fastener labels and exterior drawer labels with descriptions, example pictures and drawer positioning numbers.



FILLED WITH AMERICAN THREADED NUTS, BOLTS, U-NUTS AND SPECIALTY RETAINERS TO HELP GET YOU OUT OF AN OLD SCHOOL JAM.
GREAT FOR RESTORATION - RESTOMOD SHOPS.
THE PERFECT SETUP FOR THE TINKERER IN YOUR LIFE!

ITEM #	FAST-STACK®
FS-BROCL	BRONZE CLASSIC FASTENER ASSORTMENT

CHEMICAL STARTER SYSTEMS

COLLISION CENTER CHEMICAL STARTER SYSTEM

Our Collision Center Chemical Starter was created using 30+ years of auto body knowledge. Only our fastest moving, most sought after chemicals are in this system. Products like: Panel Bond, Adhesives, Weld-Thru Primer, Rubberized Undercoat, Adhesive Remover, Plastic Repair and a wide variety of Seam Sealers make up this necessary assortment. As with all of our systems, our Collision Center Chemical Starter System has everything your technicians need and nothing that they don't to help get their job done right. This Space saving, highly efficient system has a low cost of ownership and comes with our 100% Satisfaction Guarantee. Cabinet comes with locking mechanism and two keys.



ITEM #	DESCRIPTION
CS-CC	COLLISION CENTER CHEMICAL STARTER

SERVICE CENTER CHEMICAL STARTER SYSTEM

Our Service Center Chemical Starter was created using our 15+ years of auto supply knowledge. Only our fastest moving, most sought after chemicals are in this system. Products like: Thread-Locker, Adhesives, Epoxy Packets, Assorted Cleaners, Adhesive Remover and a wide variety of Lubricants make up this necessary assortment. As with all of our systems, our Service Center Chemical Starter System has everything your technicians need and nothing that they don't. This Space saving, highly efficient system has a low cost of ownership and comes with our 100% Satisfaction Guarantee.

Cabinet comes with a hasp for a pad lock or a combination lock.

ITEM #	DESCRIPTION
CS-SC	SERVICE SHOP CHEMICAL STARTER



FAST-STACK® SERVICE CENTER SUPPLY SYSTEM

Our Fast-Stack® Service Center Supply System is a comprehensive assortment of service related fasteners, hardware and associated products. Designed with only what is needed in mind, KNA Supply's Service Center Supply System comes with everything your technicians need and nothing that they don't.

Do not let it's small size fool you! Our Service Center Supply System has a comprehensive assortment of fasteners, hardware, electrical connectors, batteries, hose clamps, fuel line, primary wire, abrasives, adhesives, tire supplies and so much more. Our Service Center Supply System is also laid out in a way that every technician can quickly understand. All drawers are clearly labeled for easy management.

As with all of our Fast-Stack® Systems, you can always add on to expand your selection. The best part is that this can be done vertically, so as not to take up anymore precious floor space!

Add our CS-SC Service Center Chemical Starter to create a comprehensive service supply system. *Service Center Chemical Starter System is on page 14-7*

Space saving, highly efficient, expandable design and low cost of ownership.


FASTENERS & SUPPLIES W/ CABINETS



WIRE, VACUUM LINE & FUEL HOSE W/ DISPLAY



HOSE CLAMPS W/ RACK



ITEM #

FAST-STACK®

FS-SCS

PLATINUM FASTENER ASSORTMENT



FAST-STACK™ DRAWER DIVIDERS

Drawer dividers for our Fast-Stack™ Fastener Bin System cabinets 99902 and 99901.

ITEM #	DIMENSIONS	CASE QTY
99900	4-7/8" X 2-3/4"	12




FAST-STACK™ 6 DRAWER ADD-A-STACK™

Part of our FAST-STACK™ Modular Bin System, this 6 drawer ADD-A-STACK™ unit is the perfect way to add a few more drawers when you need them. Made of cold rolled steel with a finish that is rust and acid resistant.

ITEM #	DIMENSIONS	CASE QTY
99902	34" X 4" X 12"	1

BASE STAND FOR 99901 & 99815



WHITE CORRUGATED PARTS BIN

ITEM #	DIMENSIONS	CASE QTY
B684588	2" WIDE X 12" LONG	25
B684591	3" WIDE X 12" LONG	25
B684527	4" WIDE X 12" LONG	25
B684533	6" WIDE X 12" LONG	25




FAST-STACK™ 18 DRAWER MODULAR FASTENER BIN

Part of our FAST-STACK™ Modular Bin System, this 18 drawer unit is the perfect way to add more drawers to your FAST-STACK™ system when you need them or to create your own fastener bin system. Made of cold rolled steel with a finish that is rust and acid resistant.

ITEM #	DIMENSIONS	CASE QTY
99901	34" X 11" X 12"	1

Base stand for 99901, FAST-STACK™ 18 Drawer Modular Bin System or 99815, 40 Compartment Open Bin. Made of cold rolled steel with an finish that is resistant to rust and acid.

ITEM #	DIMENSIONS	CASE QTY
99807	34-1/8" X 12-1/4" X 5-3/4"	1



EPOXY CHEMICAL WALL DISPLAY

Our Epoxy Chemical Wall Display is perfect for putting up partially used 2-Part chemicals such as Panel Bond and Seam Sealer. Using this display will insure that all of your partially used epoxies will be depleted before any new epoxies get used. A great way to cut costs and raise productivity. Holds up to 24 2-Part Cartridges.

ITEM #	DIMENSIONS	CASE QTY
99818	3"H X 30"W X 6"D	1



AEROSOL UTILITY CABINET / FLOOR OR WALL MOUNT

Made of cold rolled steel and powder coated for long lasting durability. Comes with 2 adjustable shelves to hold aerosols, quart cans and anything else that sits securely on a shelf. The door of this cabinet is fitted with a lock hasp for added security. Hangs securely on wall or can be stood on floor using 99805 Base Stand.

ITEM #	DIMENSIONS	CASE QTY
99816	32-3/4" X 19-7/8" X 14-1/4"	1



LARGE ADJUSTABLE SLOT DRAWER

This large adjustable, heavy-duty plastic compartment box is great for storage of nuts, bolts, connectors or any other assortment of small parts. Comes with double latched cover and carry handle.

ITEM #	DIMENSIONS	CASE QTY
99905	18-1/4" X 12-1/4" X 3-1/8"	4



EPOXY & AEROSOL WALL MOUNT CABINET

Made of cold rolled steel and powder coated for long lasting durability. Comes with 2 adjustable shelves to hold aerosols, quart cans and anything else that sits securely on a shelf. Lower shelf has 8 slots to hold any standard size epoxy tube. The door of this cabinet is fitted with a keyed lock for added security.

ITEM #	DIMENSIONS	CASE QTY
99817	20"H X 30"W X 13"D	1



MODULAR SLIDE CABINET FOR DRAWERS

4- Drawer Slide Rack For 99904 & 99905 Drawers. Made of Prime Cold Rolled All Welded Steel Construction. Blue Powder Coated, Baked Enamel. Stand on floor using 99805 Base Stand.

ITEM #	DIMENSIONS	CASE QTY
99907	20" x 5" x 15-3/4"	1
99907S-NBK	NUT & BOLT KIT	1



24 COMPARTMENT DRAWER

This large 24 compartment portable, heavy-duty plastic compartment box is great for storage of nuts, bolts, connectors or any other assortment of small parts. Comes with double latched cover and carry handle.

ITEM #	DIMENSIONS	CASE QTY
99904	18-1/4" X 12-1/4" X 3-1/8"	4



BASE STAND FOR 99907 & 99816

Base stand for 99907, Slide Cabinet or 99816, Aerosol Utility Cabinet. Made of cold rolled steel with an finish that is resistant to rust and acid.


ITEM #	DIMENSIONS	CASE QTY
99805	20-3/8" X 15-1/8" X 16"	1



40 COMPARTMENT OPEN BIN

40 Compartment Open Slot Bin made of prime cold roll steel. As with all of our Fast-Stack™ Bin Systems, two of these bins will bolt together to make an 80 compartment bin. Stand on floor using 99807 Base Stand.

ITEM #	DIMENSIONS	CASE QTY
99815	33-3/4" X 8-1/2" X 22-1/4"	1



HOSE CLAMP DISPLAY

Display provides easy access to adjustable hose clamps from the smallest mini-clamp up to the 2-3/4" diameter #36 clamp. Holds up to 31 clamps. For countertop use or may be wall-mounted.

*HOSE CLAMPS SOLD SEPARATELY

ITEM #	DIMENSIONS	CASE QTY
99925	14" X 21" X 6"	1



WIRE AND HOSE DISPLAY

Made of prime cold rolled steel. Comes with 4 Plated steel rods. For holding spools up to 10" in diameter. Designed to hold electrical wire, fuel line, vacuum line and rolls of abrasives.

ITEM #	DIMENSIONS	CASE QTY
99911	26-1/8" X 37-1/8" X 6"	1

Automotive
SUPPLY
Distributor

KNA Supply's variety of fast moving fasteners are second to none. We pride ourselves on sourcing and supplying the most commonly needed fasteners on the market today! Our fastener selection has been approved by an overwhelming number of shops and technicians.

See for yourself why KNA Supply is the preferred vendor for some of Florida's largest automotive dealerships, collision centers and mechanical shops.



AUTOMOTIVE FASTENERS

Domestic & Import


Teks® Self-Drilling Self-Tapping Screws

Hex Washer Head
#2 Tek Point

ITEM #	SIZE	HEX SIZE	UNIT QTY
9611	8 X ½"	1/4 "	25
9612	8 X ¾"	1/4 "	25
9616	10 X 1"	5/16"	25


15172

Zinc

#8 x 1/2"

Phillips Washer Head with #2 Tek Point
Washer Head Outer Diameter: 13/32"

UNIT PACKAGE: 25


15171

Zinc

#8 x 1/2"

Phillips Low Profile

Round Washer Head with #2 Tek Point
Washer Head Outer Diameter: 23/64"

UNIT PACKAGE: 25


15774

(GM: 20423550)

(Ford: 381801-S2, 390017-S2)

Black Phosphate

#8 x 1/2"

Phillips Washer Head with Tek Point
Washer Head Outer Diameter: 7/16"
GM & Ford

UNIT PACKAGE: 25


16720

Black Oxide

M4.2-1.41 x 16mm (#8 x 5/8")

Phillips Truss Head

Head Outer Diameter: 9.5mm (3/8")

Honda

UNIT PACKAGE: 25


17650

Phosphate

#8 x 3/4"

Phillips Round Washer Head
with Tek Point

Washer Head Outer Diameter: 7/16"

UNIT PACKAGE: 25


19278

(GM: 14090382;

Chry: 6506161-AA)

Black Phosphate

M4.2-1.41 x 20mm (#8 x 25/32")

Hex Head Sems®

Washer Outer Diameter: 20mm (25/32")

Hex: 7mm

GM

UNIT PACKAGE: 25


15775

Phosphate

M4.2-1.41 x 20mm (#8 x 25/32")

Hex Head Sems® with Tek point

Washer Outer Diameter: 12mm (1/2")

Hex: 7mm

UNIT PACKAGE: 25


22070

(GM: 11570637)

Black Zinc

M4.2-1.41 x 20mm (#8 x 25/32")

Torx® Pan Head Sems®

Tapping Screw with Dog Point

T15 Drive

Washer Outer Diameter: 17mm (11/16")

GM 2007 - On

UNIT PACKAGE: 50

**19653**

(N811534-S61)
Black Phosphate
M4.2-1.41 x 30mm (#8 x 1-3/16")
Hex Head Sems®
Washer Outer Diameter: 17mm (11/16")
Hex: 7mm
Ford
UNIT PACKAGE: 25

**18340**

Black Phosphate
M4.8-1.6 x 15mm (#10 x 19/32")
Phillips Truss Head
Head Outer Diameter: 14mm (9/16")
Nissan Bumpers
UNIT PACKAGE: 25

**20259**

(90114-SZ3-000, 90114-SE0-000)
Black E-Coat
M4.8-1.61 x 19mm (#10 x 3/4")
Phillips Truss Head Sems®
Washer Outer Diameter: 16mm (5/8")
Splash Shield & General Purpose
Honda 1986 - On
UNIT PACKAGE: 25

**21774**

(Mercedes-Benz: 201-990-05-36)
Black E-Coat
M4.8-1.61 x 20mm (#10 x 25/32")
Hex Head Sems®
Washer Outer Diameter: 26mm
Hex: 8mm
Front Bumper & Moulding Strip
Mercedes-Benz 2014 - 1993
UNIT PACKAGE: 25

**21865**

(Chrysler: 6509539-AA)
Phosphate
M4.8-1.61 x 32mm (#10 x 1-1/4")
Hex Head Sems® Tapping Screw
Washer Outer Diameter: 19mm (3/4")
Hex: 8mm
Chrysler Town & Country and
Dodge Ram 2014 - 09
UNIT PACKAGE: 25

**22203**

(Honda: 90103-SDA-A00)
Black Phosphate
M5-1.81 x 20mm
Phillips Flat Head
Head Diameter: 13mm
Front & Rear Bumper
Honda Civic, Pilot & Ridgeline 2006 - On
UNIT PACKAGE: 25

**17461**

Zinc & Yellow Dichromate
M5.5-1.81 x 18mm (#12 x 45/64")
Hex Head Sems®
Washer Outer Diameter: 15mm (19/32")
Hex: 8mm
Imports
UNIT PACKAGE: 25

**19170**

Black Phosphate
M6.3-1.81 x 16mm (#14 x 5/8")
Phillips Truss Head
Head Outer Diameter: 15mm (19/32")
Japanese Imports
UNIT PACKAGE: 25

**12057**

(11500994, 11509371)
Phosphate
M6.3-1.81 x 16mm (#14 x 41/64")
Hex Head Sems®
Washer Outer Diameter: 17mm (11/16")
Hex: 10mm
GM
UNIT PACKAGE: 25

**16828**

Zinc & Yellow Dichromate
M6.3-1.81 x 20mm (#14 x 25/32")
Hex Head Sems®
Washer Outer Diameter: 18mm (45/64")
Hex: 10mm
Honda, Nissan & Toyota
UNIT PACKAGE: 25



12339
(11500996, 11505023)
Phosphate
M6.3-1.81 x 25mm (#14 x 1")
Hex Head Sems®
Washer Outer Diameter: 17mm (21/32")
Hex: 10mm
GM
UNIT PACKAGE: 25



12068
(11504981)
Phosphate
M6.3-1.81 x 30mm
(#14 x 1-3/16")
Hex Head Sems®
Washer Outer Diameter: 24mm(15/16")
Hex: 10mm
GM
UNIT PACKAGE: 25

METRIC ITEMS



PHILLIPS PAN HEAD METRIC MACHINE SCREWS
DIN 7985
REGULAR PITCH • ZINC PLATED

ITEM #	DIA. & PITCH	LENGTH	UNIT QTY
15878	60MM-1.00	16MM	25



J.I.S. SMALL HEAD HEX FLANGE BOLTS
J.I.S. B1189 • I.S.O. CLASS 10.9 • ZINC PLATED
10MM BOLTS ARE USED WITH AUVECO HEX FLANGE NUT
16470 ON IMPORT CAR EXHAUST SYSTEMS

ITEM #	SIZE	HEX SIZE	FLANGE	UNIT QTY
17316	M6-1.0 X 16MM	10MM	14MM	25
17388	M8-1.25 X 20MM	12MM	17.5MM	25



12324
(11503800)
Phosphate
M6-1.0 x 20mm
Hex Washer Head
Class 9.8
Washer Head Outer Diameter: 13mm
(1/2")
Hex: 10mm
GM
UNIT PACKAGE: 25



12065
(11503834, 20351035)
Phosphate
M6-1.0 x 25mm
Hex Head Sems®
Class 9.8
Washer Outer Diameter: 17mm (21/32")
Hex: 10mm
GM
UNIT PACKAGE: 25



12693
(11502941, 11503823, 11503941,
11506174)
Phosphate
M6-1.0 x 20mm
Hex Head Sems®
Class 9.8
Washer Outer Diameter: 17mm
Hex: 10mm
GM
UNIT PACKAGE: 25



12066
(11503982)
Phosphate
M6-1.0 x 25mm
Hex Head Sems®
Class 9.8
Washer Outer Diameter: 24mm (15/16")
Hex: 10mm
GM
UNIT PACKAGE: 25

**18416**

(11505044)
Black Phosphate

M6-1.0 x 35mm
Hex Head Sems®
Class 9.8

Washer Outer Diameter: 17mm (21/32")
Hex: 10mm
GM

UNIT PACKAGE: 25

**12336**

(11503632)
Phosphate

M8-1.25 x 25mm
Hex Washer Head
Class 9.8

Washer Head Outer Diameter: 17mm
(21/32")
Hex: 13mm
GM

UNIT PACKAGE: 25

**13614**

(11501188)
Phosphate

M8-1.25 x 30mm
Hex Head Sems®
Class 9.8

Washer Outer Diameter: 24mm (15/16")
Hex: 13mm
GM

UNIT PACKAGE: 25

**11641**

(11501193)
Phosphate

M10-1.50 x 40mm
Hex Head Sems®
Class 9.8

Washer Outer Diameter: 29mm (1-5/32")
Hex: 15mm
GM

UNIT PACKAGE: 25

**16720**

Black Oxide

M4.2-1.41 x 16mm (#8 x 5/8")
Phillips Truss Head
Head Diameter: 9.5mm (3/8")
Honda

UNIT PACKAGE: 25

**19278**

(GM: 14090382; Chry: 6506161-AA)
Black Phosphate

M4.2-1.41 x 20mm (#8 x 25/32")
Hex Head Sems®

Washer Outer Diameter: 20mm
Hex: 7mm
GM

UNIT PACKAGE: 25

**15775**

Phosphate

M4.2-1.41 x 20mm (#8 x 25/32")
Hex Head Sems® with Teks® Point
Washer Outer Diameter: 12mm (1/2")
Hex: 7mm

UNIT PACKAGE: 25

**22070**

(GM: 11570637)
Black Zinc

M4.2-1.41 x 20mm (#8 x 25/32")
Torx® Pan Head Sems®
Tapping Screw with Dog Point
T15 Drive

Washer Outer Diameter: 17mm (11/16")
GM 2007 - On

UNIT PACKAGE: 25

**19653**

(N811534-S61)
Black Phosphate

M4.2-1.41 x 30mm (#8 x 1-3/16")
Hex Head Sems®
Washer Outer Diameter: 17mm (11/16")
Hex: 7mm
Ford

UNIT PACKAGE: 25

18340

Black Phosphate
M4.8-1.61 x 15mm (#10 x 19/32")
Phillips Truss Head
Head Outer Diameter: 14mm (9/16")
Nissan Bumpers
UNIT PACKAGE: 50

20259

(90114-SZ3-000, 90114-SE0-000)
Black E-Coat
M4.8-1.61 x 19mm (#10 x 3/4")
Phillips Truss Head Sems®
Washer Outer Diameter: 16mm (5/8")
Splash Shield & General Purpose
Honda 1986 - On
UNIT PACKAGE: 25

21774

(Mercedes-Benz: 201-990-05-36)
Black E-Coat
M4.8-1.61 x 20mm (#10 x 25/32")
Hex Head Sems®
Washer Outer Diameter: 26mm
Hex: 8mm
Front Bumper & Moulding Strip
Mercedes-Benz 2014 - 1993
UNIT PACKAGE: 25

21865

(Chrysler: 6509539-AA)
Phosphate
M4.8-1.61 x 32mm (#10 x 1-1/4")
Hex Head Sems® Tapping Screw
Washer Outer Diameter: 19mm (3/4")
Hex: 8mm
Chrysler Town & Country
and Dodge Ram 2014 - 09
UNIT PACKAGE: 25

22203

(Honda: 90103-SDA-A00)
Black Phosphate
M5-1.81 x 20mm
Phillips Flat Head
Head Diameter: 13mm
Front & Rear Bumper
Honda Civic, Pilot & Ridgeline 2006 - On
UNIT PACKAGE: 25

17461

Zinc & Yellow Dichromate
M5.5-1.81 x 18mm (#12 x 45/64")
Hex Head Sems®
Washer Outer Diameter: 15mm (19/32")
Hex: 8mm
Imports
UNIT PACKAGE: 25

19170

Black Phosphate
M6.3-1.81 x 16mm (#14 x 5/8")
Phillips Truss Head
Head Outer Diameter: 15mm (19/32")
Japanese Imports
UNIT PACKAGE: 25

12057

(11500994)
Phosphate
M6.3-1.81 x 16mm (#14 x 5/8")
Hex Head Sems®
Washer Outer Diameter: 17mm (11/16")
Hex: 10mm
GM
UNIT PACKAGE: 25

16828

Zinc & Yellow Dichromate
M6.3-1.81 x 20mm (#14 x 25/32")
Hex Head Sems®
Washer Outer Diameter: 18mm (45/64")
Hex: 10mm
Honda, Nissan, & Toyota
UNIT PACKAGE: 25

12339

(11500996, 11505023)
Phosphate
M6.3-1.81 x 25mm (#14 x 1")
Hex Head Sems®
Washer Outer Diameter: 17mm (21/32")
Hex: 10mm
GM
UNIT PACKAGE: 25



12068

(11504981)
Phosphate

M6.3-1.81 x 30mm (#14 x 1-3/16")
Hex Head Sems®
Washer Outer Diameter: 24mm (15/16")
Hex: 10mm
GM

UNIT PACKAGE: 25



15373

(11503892, 11500434)
Phosphate

M4.2-1.41 x 20mm (#8 x 25/32")
Hex Head Sems®
Washer Outer Diameter: 16mm (5/8")
Hex: 7mm
GM
UNIT PACKAGE: 25



TYPE A



TYPE B

METRIC FREE SPINNING WASHER NUTS

ITEM #	THREAD SIZE	TYPE	WASHER O.D.	HEX SIZE	HEIGHT	PLATING	O.E.M. #	UNIT QTY
15325	M4-0.7	B	12MM	9MM	4.5MM	PHOSPHATE	N621900, N800466	25
15327	M5-0.8	B	19MM	10MM	7MM	PHOSPHATE	11504614	25
12595	M6-1.0	A	16MM	10MM	7MM	PHOSPHATE	11505329, 11503752, N90100001	25
12596	M6-1.0	A	19MM	11MM	9.5MM	PHOSPHATE	11503754, 11503756	25
15330	M6-1.0	B	19MM	10MM	8MM	ZINC	11508275	25
15331	M6-1.0	B	20MM	10MM	9MM	PHOSPHATE	6100049	25
15335	M6-1.25	B	24MM	13MM	10.5MM	PHOSPHATE	11503695, 11506117, N621940	25
15337	M6-1.5	B	24MM	15MM	13MM	PHOSPHATE	N921942	25



METRIC FREE SPINNING WASHER NUTS

ITEM #	THREAD SIZE	FLANGE O.D.	HEX SIZE	HEIGHT	PLATING	O.E.M. #	UNIT QTY
19309	M5-.8	11.5MM	8MM	5MM	BLACK OXIDE	N/A	25
11644	M8-1.25	17MM	13MM	8MM	PHOSPHATE	11501889	25
11645	M10-1.5	21MM	15MM	10MM	PHOSPHATE	11501850	25



WASHER TYPE METRIC SELF-THREADING NUTS

ITEM #	STUD SIZE	HEX WIDTH	WASHER DIA.	PLATING	O.E.M. #	UNIT QTY
16134	3MM	8MM	13.5MM	ZINC & YELLOW	N/A	25
12115	4MM	9MM	15MM	ZINC	11502549	25
12116	5MM	10MM	15MM	PHOSPHATE	11508900	25


**METRIC PUSH-ON RETAINERS
FOR NON-THREADED FASTENERS**

ITEM #	STUD SIZE	DIAMETER	FINISH	UNIT QTY
12118	3.2MM	9.5MM	ZINC	25
12119	4MM	11MM	ZINC	25


**METRIC PUSHNUT BOLT RETAINERS
FOR THREADED FASTENERS**


ITEM #	THREAD SIZE	O.D.	FINISH	UNIT QTY
14980	M6-1.0	17MM	ZINC	25
12259	M8-1.25	24MM	ZINC	25
12260	M10-1.50	24MM	ZINC	25
12127	M12-1.75	21MM	ZINC	25
16980	M14-2.0	25MM	PHOSPHATE	25

21017

(Nissan: 76882-0M000)
White Nylon

Screw Size: 4.8mm(#10)
Panel Range: Up to 1.5mm
Center of Hole to Edge: 8mm

UNIT PACKAGE: 25


METRIC EXTRUDED U-NUTS

FOLD OVER NUTS

ITEM #	THREAD SIZE	"A" PANEL RANGE		"B" FOLD OVER CLEAR		FINISH	O.E.M. #	UNIT QTY
		MM	INCHES	MM	INCHES			
20339	M4.2-1.41*	0.50-2.00	1/32-5/64	10	25/64	ZINC ORGANIC	11516397	25
18449	M6-1.0*	0.80-4.00	1/32-5/32	13.5	17/32	PHOSPHATE	6101308	25
12575	M6-1.0	0.80-4.00	1/32-5/32	19.5	25/32	PHOSPHATE	11503715	25
11628	M6.3-1.0	0.80-4.00	1/32-5/32	13.5	17/32	PHOSPHATE	11500658	25
11629	M8-1.25	0.80-4.00	1/32-5/32	14.5	9/16	PHOSPHATE	11500660, 11502617, N623333-S2	25
11630	M8-1.25	0.80-4.50	1/32-11/64	20	13/16	PHOSPHATE	11500661, 11503317, N623343-S2	25
11631	M10-1.50	1.00-6.00	3/64-15/64	19	3/4	PHOSPHATE	11500662	25

**10065**

Phosphate

Screw Size: #8
Panel Range: .025"-.125"
Center of Hole to Edge: 3/8"

UNIT PACKAGE: 25

**9879**

(9440178, 11504531; 381863-S2)

Phosphate

Screw Size: #8
Panel Range: .025"-.150"
Center of Hole to Edge: 5/8"
GM, Ford

UNIT PACKAGE: 25

**15752**

Phosphate

Screw Size: #10
Panel Range: .025"-.150"
Center of Hole to Edge: 9/16"

UNIT PACKAGE: 25

**10067**

Phosphate

Screw Size: #14
Panel Range: .025"-.125"
Center of Hole to Edge: 3/8"

UNIT PACKAGE: 25

**20339**

(11516397)

Zinc Organic

Locking Thread
Screw Size: M4.2-1.41 (#8)
Panel Range: .5mm-2.0mm (.020"-.079")
Center of Hole to Edge: 10mm (25/64")
GM

UNIT PACKAGE: 25

**12575**

(11503715, 11508241, 11609385)

Phosphate

Screw Size: M6-1.0
Panel Range: .80mm-4.0mm (.030"-.160")
Center of Hole to Edge: 19.5mm (25/32")
GM

UNIT PACKAGE: 25

**11628**

(9433043, 11500658)

Phosphate

Screw Size: M6.3-1.0
Panel Range: .80mm-4.00mm (.030"-.160")
Center of Hole to Edge: 13.5mm (17/32")
GM

UNIT PACKAGE: 25

**11629**(11500660, 11502617;
N623333-S2; 6101283)

Phosphate

Screw Size: M8-1.25
Panel Range: .80mm-4.00mm (.030"-.160")
Center of Hole to Edge: 14.5mm (9/16")
GM, Ford, Chrysler

UNIT PACKAGE: 25

**11630**(11500661, 11503317,
11516150;

N623343-S2 & S100)

Phosphate

Screw Size M8-1.25
Panel Range: .80mm-4.00mm (.030"-.160")
Center of Hole to Edge: 20mm (13/16")
GM, Ford

UNIT PACKAGE: 25

**11631**

(11500662, 22531616)

Phosphate

Screw Size: M10-1.50
Panel Range: 1.0mm-6.0mm
(.040"-.230")
Center of Hole to Edge: 19mm (3/4")
GM

UNIT PACKAGE: 25



18769

Black E-Coat
(168 Hours Salt Spray)

M6-1.0 x 20mm
Phillips Pan Head License Plate Screw
Head Diameter: 12mm (15/32")
UNIT PACKAGE: 50 Purpose
UNIT PACKAGE: 25



11369

Zinc

#14 x 3/4"

Slotted Hex Washer Head License Plate Screw
Washer Head O.D.: 1/2"
Hex: 3/8"
Ford
UNIT PACKAGE: 25



8242

(6023925)

Nylon
License Plate Nut
Screw Size: 1/4" (#14)
Chrysler
UNIT PACKAGE: 25



WASHER LOCK NUTS
ZINC PLATED

ITEM #	THREAD SIZE	WIDTH HEX	O.D.	UNIT QTY
2561	1/4"-20	7/16"	19/32"	25
12259	5/16"-18	1/2"	13/16"	25

THIN SHEET NUTSERT® INSERTS

METRIC - STEEL

Threaded Inserts for Thin Material

The Auveco Thin Sheet Nutsert has been designed to provide a highly efficient method of securing threads from one side of the work, in materials generally too thin to support threads. Its performance has been proven in plastic, aluminum, mild steel and fiberglass. They can also withstand high loads without vibrating or loosening under extreme operating conditions. The Auveco Thin Sheet Nutsert is a tension fastener with high pull out, insuring no rotation or vibration where a cover plate is used. The system's unique blind tooling installs TSNs at consistent rates using unskilled labor.

How it Works

The Thin Sheet Nutsert, held securely by the tool, is placed into a prepared hole. Upon the tool's actuation, the threaded portion is pulled until the fastener's wall collapses radially outward, clinching it tight against the sheet. The tool is withdrawn, leaving the Thin Sheet Nutsert ready to receive a bolt or screw. This complete operation takes only a few seconds and can be performed by anyone.



Strength Tests: Torque Strength: with an attaching part over the Thin Sheet Nutsert, offering a bearing surface, the TSN will remain intact past the point of the screw or bolt breaking (head torqued off). In almost all cases the threads of the TSN will remain undistorted and serviceable; an exception to this statement is when an extremely high tensile bolt is used.

Steel: 1010 Low Carbon Steel, Type 11 Class 3 with Zinc Plate, Clear Chromate

ITEM #	THREAD SIZE AFTER INSTALLATION	RECOMMENDED GRIP RANGE	A MAX.	B MAX.	D REF.	HOLE SIZE	DRILL SIZE	UNIT QTY
12984	M6-1.0	.030-.165" .762/4.190MM	.374" 9.50MM	.610" 15.49MM	.415" 10.54MM	.375-.379" 9.53/9.63MM	3/8"	25



22538

(GM: 11570015)

Zinc Organic
Front & Rear Bumper and Headlamp
Assembly Specialty Push-In Nut
Screw Size: M6-1.0
Overall Height: 11.6mm
UNIT PACKAGE: 25



22844

(Ford: W714171S439)

Zinc Organic
Door & Under Cover Nut with Silicon
Rubber Sealer
Screw Size: M4.2-1.41
Head Size: 12mm x 16mm
Stem Length: 6.5mm
UNIT PACKAGE: 25



CASTER AND CAMBER AND BALL JOINTS FORD

1-1/8" x 1-1/8"
Slot: 1/2"
Zinc

ITEM #	THICKNESS	UNIT QTY
5076	1/16"	25
5077	1/8"	25



2288

Zinc

Door & Window Crank Handle
Retaining Clip
GM, Ford & Toyota
UNIT PACKAGE: 25



22818

(Ford: W715197S439)

Zinc Organic
Front & Rear Bumper Speciality Nut with
Pastiol Pad
Screw Size: M4.8-1.6
Head Size: 14mm x 23mm
Stem Length: 7mm
UNIT PACKAGE: 25



25352

(Ford: W713617S439)

Zinc
Specialty Nut with Silicon Rubber Seal
Overall Height: 18mm
Stem Length: 6.5mm
Screw Size: M4.2-1.41
UNIT PACKAGE: 25



20448

Thick: 1/16"

UNIT PKG: 50

20449

Thick: 1/8"

UNIT PKG: 50



Outer Diameter: 15/16"
Slot: 3/8"
Zinc

VISIT

KNASUPPLY.COM


FOR NEW PRODUCT UPDATES




PANEL BLIND RIVETS



Dome Head



Large Flange



Countersunk


ALUMINUM RIVET & MANDREL

CROSS REFERENCE

ITEM #	HEAD (FLANGE) TYPE	HEAD DIAMETER	RIVET DIAMETER	GRIP RANGE	RIVET LENGTH EXC. FLANGE	POP	MARSON KLIL-FAST	UNIT QTY
8925	DOME	1/4"	1/8"	3/16 - 1/4"	3/8"	AD44ABS	AB4-4A	25
8931	LG FLANGE	3/8"	1/8"	3/16 - 1/4"	3/8"	AD44ABSLF	ABL4-4A	25
18729	DOME	5/16"	5/32"	3/16 - 1/4"	13/32"	AD54ABS	AB5-4A	25
8311	DOME	3/8"	3/16"	1/8 - 1/4"	7/16"	AD64ABS	AB6-4A	25
8312	LG FLANGE	5/8"	3/16"	1/4 - 3/8"	9/16"	AD66ABSLF	ABL6-6A	25



O.E.M. NYLON BLIND RIVETS



ITEM #	TYPE	O.E.M #	HOLE DIA.	PANEL RANGE (GRIP)	A	B	C	D	UNIT QTY
13748	1	GM: 20432975	13/64"	1/8" - 15/64"	1-7/8"	25/32"	1/16"	15/32"	25
		VW:175-853-57701C							
		CHRY:6503800							
		FORD:N804343S							
13755	1	CHRY: 6500898	13/64"	15/64" -25/64"	2"	1"	1/16"	15/32"	25
		GM:15718794							
13751	1	GM:10184895	1/4"	5/32" -13/32"	2-3/16"	1-3/32"	3/32"	1/2"	25
		FORD:N803862-S							
		CHRY:6501559,6506007-AA							
13750	1	GM:14063981	1/4"	5/32" -13/32"	2-3/16"	1-3/32"	3/32"	21/32"	25
		FORD:N803043-S							
13752	1	CHRY:6500911,6504700	17/64"	3/32" -3/16"	1-7/8"	25/32"	3/32"	1/2"	25
13753	1	GM:20433026	17/64"	3/32" - 3/16"	1-7/8"	25/32"	3/32"	23/32"	25
		VW:175-853-577A							


11620

(GM: 9436175;
 Ford: 385189-S100;
 Chry: 6031115)

"Peel-Type" Rivet
 Diameter: 1/4"
 Grip: 1/32" - 9/64"
 Flange Diameter: 1/2"
 Aluminum Rivet & Steel Mandrel
 Window Regulators
 GM, Ford & Chrysler 1971 - On
 UNIT PACKAGE: 25


12653

(388047-S102)

"Peel-Type" Rivet
 Diameter: 1/4"
 Grip: 3/32" - 1/8"
 Flange Diameter: 1/2"
 Aluminum Rivet (Black) & Steel Mandrel
 Door Handle Assembly
 Ford 1981 - On
 UNIT PACKAGE: 25


11621

(Ford: 385323-S100; Chry: 6031091;
 GM: 9437938)

"Peel-Type" Rivet
 Diameter: 1/4"
 Grip: 33/64" - 19/32"
 Flange Diameter: 1/2"
 Aluminum Rivet & Steel Mandrel
 Window Regulator
 GM, Ford & Chrysler 1976 - On
 UNIT PACKAGE: 25


20788

(90269-04051,
 90269-A0006)

Diameter: 1/8" (3.2mm)
 Grip: 3/64" - 1/8" (1.2mm - 3.4mm)
 Flange Diameter: 15/64" (6mm)
 Aluminum Rivet with Plastic Cap
 Steel Mandrel
 Lexus 1998 - On
 UNIT PACKAGE: 25


20787

(90269-04006)

Diameter: 1/8" (3.2mm)
 Grip: 3/64" - 5/32" (1.2mm - 4.0mm)
 Flange Diameter: 5/16" (8mm)
 Aluminum Rivet with Plastic Cap
 Steel Mandrel
 Lexus 1998 - On
 UNIT PACKAGE: 25


20627

(90269-04053)

Diameter: 1/8" (3.2mm)
 Grip: 3/64" - 3/16" (1mm - 4.8mm)
 Flange Diameter: 5/16" (8mm)
 Aluminum Rivet (Black) with Plastic Cap
 Steel Mandrel (Black)
 Mouldings
 Toyota Land Cruiser 1998 - On
 UNIT PACKAGE: 25


17615

(6032856)

Diameter: 1/8"
 Grip: 3/16" - 3/8"
 Flange Diameter: 5/16"
 Aluminum Rivet (Black) & Steel Mandrel
 Body Side Moulding
 & Universal Applications
 Chrysler
 UNIT PACKAGE: 25


18304

Diameter: 1/8"
 Grip: 1/16" - 1/8"
 Flange Diameter: 3/8"
 Aluminum Rivet (Black) & Steel Mandrel
 Attachment of Door Glass Moulding
 Ford 1993 - On
 UNIT PACKAGE: 25


18461

(Ford: N807620-S100; GM: 10131511)

Split-Type Rivet

Diameter: 5/32"

Grip: 3/64"-1/4"

Flange Diameter: 5/16"

Aluminum Rivet (Black) & Aluminum
Mandrel

Wheel Openings

Lincoln 1994-On

Bumper Cover, Grille & Rocker Moulding
GM 1997 - On

UNIT PACKAGE: 25


20971

(Mazda: BBM450-355;

Mercedes- Benz: 003-990-94-97)

Split-Type Rivet

Diameter: 5/32" (4mm)

Grip: 3/64" - 9/32" (1mm - 7mm)

Flange Diameter: 5/16" (8mm)

Aluminum Rivet & Mandrel

Mazda 2012 - On

Mercedes-Benz 2004 - On

UNIT PACKAGE: 25


20629

(6036148-AA)

Split-Type Rivet

Diameter: 5/32"

Grip: 3/64" - 1/4"

Flange Diameter: 7/16"

Aluminum Rivet (Black) & Aluminum
Mandrel

Front Bumper, Trim Panel,
Instrument Panel & Running Boards

Chrysler 1999 - On

UNIT PACKAGE: 25


22088

(GM: 9132667)

Front & Rear Bumper Specialty Rivet

Diameter: 5/32" (4mm)

Grip Range: 9/64" - 3/8" (3.6mm -
9.5mm)

Flange Diameter: 7/16" (11.1mm)

Aluminum Rivet & Stainless Steel
Mandrel

Buick Regal & Verano; Chevrolet
Avalanche, Camaro,
Cruze, Malibu, Sonic & Volt 2010 - On

UNIT PACKAGE: 25


17006

(N900-845-01)

Diameter: 5/32"

Grip: 1/4" - 3/8"

Flange Diameter: 15/32"

Aluminum Rivet (Black) & Steel Mandrel
Wheel Opening Moulding Attachment
Jetta, Rabbit & Golf

UNIT PACKAGE: 25


17121

(GM: 25618730;

Ford: N805592-S100)

Split-Type Rivet

Diameter: 3/16"

Grip: 5/64"-15/64"

Flange Diameter: 7/16"

Aluminum Rivet (Black) & Aluminum Mandrel
Wheel House Moulding & General Purpose

UNIT PACKAGE: 25


21046

(90269-05065)

Diameter: 3/16"

(5mm)

Grip: 5/32" - 9/32" (4mm - 7mm)

Flange Diameter: 1/2" (13mm)

Aluminum Rivet with Plastic Cap
Steel Mandrel

Bumpers & General Purpose

Lexus 2004 - On

UNIT PACKAGE: 25


20834

(90269-06013)

Diameter: 3/16" (4.8mm)

Grip: 1/16" - 1/4" (1.6mm - 6.35mm)

Flange Diameter: 9/16" (14mm)

Aluminum Rivet with Plastic Cap
Steel Mandrel

Gas Filler Door

Toyota Camry & Lexus IS300 2001 - On

UNIT PACKAGE: 25

**20626**

(90269-05054)

Diameter: 3/16" (5mm)
Grip: 1/8" - 5/16" (3mm - 8mm)
Flange Diameter: 9/16" (14mm)
Aluminum Rivet with Plastic Cap
Steel Mandrel
Windshield Side Moulding & Gas Filler
Cap
Toyota Camry & Sienna 1997 - On

UNIT PACKAGE: 25

**14127**

(388664-S100)

Diameter: 3/16"
Grip: 3/8"-1/2"
Flange Diameter: 9/16"
Aluminum Rivet (Black) & Aluminum
Mandrel
Fascia & Bumper
Ford 1982 - On

UNIT PACKAGE: 25

**20741**

(11516807)

Split-Type Rivet
Diameter: 3/16" (4.8mm)
Grip: 3/64" - 23/64" (1mm-9mm)
Flange Diameter: 5/8" (16mm)
Aluminum Rivet (Black) & Aluminum
Mandrel
Bumper Fascia & General Purpose
GM 1990 - On

UNIT PACKAGE: 25

**21315**(90269-A0005,
90269-06017)

Diameter: 1/4" (6.3mm)
Grip: 1/16" - 3/16" (1.6mm - 4.8mm)
Flange Diameter: 1/2" (13mm)
Aluminum Rivet (Black) & Steel Mandrel
Fuel Door & General Purpose
Toyota and Lexus 2000 - On
Scion 2005 - On

UNIT PACKAGE: 25

**17639**(Ford: N806830-S100;
Chry: 6035201)

Split-Type Rivet
Diameter: 1/4"
Grip: 3/16"-3/8"
Flange Diameter: 11/16"
Aluminum Rivet & (Black) Aluminum Mandrel
Attachment of Bumper Cover to Bumper &
Front License Plate Bracket to Bumper Cover
Ford 1992 - On
Air Dam to Fascia
Chrysler 1993 - On

UNIT PACKAGE: 25

**12652**

(388442-S100)

Diameter: 1/4"
Grip: 1/8"-1/4"
Flange Diameter: 3/4"
Steel Rivet (Black) & Steel Mandrel
Bumper Assembly
Escort & Lynx 1981 - On

UNIT PACKAGE: 25

VISIT

KNASUPPLY.COM

FOR NEW PRODUCT UPDATES

**14021**

(N803170-S)
Black Nylon

Fascia Retainer
Ford Mustang & Capri 1984 - On

UNIT PACKAGE: 25

**11612**

(GM: 20413107;
Ford: 388246S
AMC: 4006516)

Black Nylon
Weatherstrip Retainer
GM, Ford & AMC

UNIT PACKAGE: 25

**15367**

(20514862)
Black Nylon

Screen Shroud Vent
Grille to Panel Retainer
GM 1985 - On

UNIT PACKAGE: 25

**14709**

(Mazda: G030-68-885-B-38;
Ford: F22Z-16774-A, GA2A-56694)
Nylon

Hood Insulation Retainer
Mazda & Ford Probe

UNIT PACKAGE: 25

**19643**

(90467-06175)
Black Nylon

Luggage Compartment
Retainer
Toyota Solara 1998 - On

UNIT PACKAGE: 25

**16818**

(GM: 21094146, 21110201;
Chry: 6501301)
Black Nylon

Trim Panel Retainer
GM Saturn 1991 - On
Sliding Door & Lift Gate
Trim Panel Retainer
Chrysler Mini Vans 1987 - On

UNIT PACKAGE: 25

**20192**

(Ford: W707889-S300)
Black Nylon

Mud Flap Retainer
Ford Expedition &
F-150 1997 - On

UNIT PACKAGE: 25

**15414**

(GM: 11569768, 15958694, 1605396;
Chry: 6030441;
Ford: 388577S, W705589-S300)
Black Nylon

Radiator Yoke, Fender &
Bumper Shield Retainer
GM, Ford & Chrysler

UNIT PACKAGE: 25

**17664**

(GM: 10121502; Chry: 6033082,
6033840; Ford: 390018-S)
Black Nylon

Shield Retainer
Battery Post Cable Shield,
Engine Splash Shield
Radiator Side Air Baffle
GM 1989-On

UNIT PACKAGE: 25

**17612**

(Chry: 6504043; Ford: N807721-S)
Black Nylon

Trim Panel Retainer
Ford Explorer 1993 - On
Trunk Lid Latch
Chrysler 1996 - On

UNIT PACKAGE: 25


12137

 (1619321)
 Black Nylon

 Radiator Apron Panel Retainer
 GM 1977 - On

UNIT PACKAGE: 25


15478

 (GM: 1631564;
 Ford: N804379S, W706358-S300)

 Black Nylon
 Bumper Fascia Retainer
 Buick, Cadillac & Olds 1981 - On
 Taurus & Sable 1986 - On

UNIT PACKAGE: 25


12909

 (388930-S)
 Black Nylon

 Trim Panel Retainer
 Ford 1980 - On

UNIT PACKAGE: 25


15456

 (20064875)
 Black Nylon

 Hood Insulation Retainer
 GM 1980 - On

UNIT PACKAGE: 25


17975

 (Chry: 6502842,
 GM: 21039129)
 Black Nylon

 Hood Insulation Retainer
 Chrysler Concorde, Dodge Intrepid
 & Eagle Vision 1993 - On
 GM Corvette, Equinox & Saturn 1992 - On

UNIT PACKAGE: 25


21211

 (53326-08010)
 Black Nylon

 Hood Insulation Retaining Clip
 Toyota Sienna 2009 - On

UNIT PACKAGE: 25


18877

 (91530-SP1-003)
 Nylon

 Weatherstrip Retainer
 Acura 3.5 RL & Honda Accord,
 Civic, & Odyssey 1992 - On

UNIT PACKAGE: 25


17339

 (N806289-S)
 Black Nylon

 Weatherstrip Retainer
 Lincoln 1989 - On

UNIT PACKAGE: 25


18033

 (Chry: 4696129;
 GM: 21077575)
 White Nylon

 Weatherstrip Retainer
 Chrysler Concorde & LHS
 Dodge Intrepid & Eagle Vision 1993 - On
 Oldsmobile Alero &
 Pontiac Grand Am 1999 - On

UNIT PACKAGE: 25


18297

 (Toyota: 90467-08004, 90467-08011;
 GM: 94842841, 94849113)
 Black Nylon

 Hood Seal Retaining Clip
 Lexus, Toyota, Geo Prizm
 & Nova 1985 - On

UNIT PACKAGE: 25



25085

(GM: 11603260)
Orange Nylon

Door Trim Applique Clip
Top Head Diameter: 10mm
Bottom Head Diameter: 10mm
Stem Size: 4.4mm x 7mm
Stem Length: 8mm
Overall Height: 12.5mm
Chevrolet Silverado & gmc Sierra 2020 - On
UNIT PACKAGE: 25



19729

(90467-09050, 90467-A0003)
Black Nylon

Hood Insulation Retainer
Lexus, Toyota Camry &
Solara 1998 - On
UNIT PACKAGE: 25



21307

(BP4K-58-762)
Black Nylon

Weatherstrip Retaining Clip
Mazda 2007 - On
UNIT PACKAGE: 25



18114

(91520-SM4-C01)
Black Nylon

Hood Insulation Retaining Clip
Honda & Acura 1990 - On
UNIT PACKAGE: 25



20543

(81126-37010)
Black Nylon

Hood Insulation Retainer
Hyundai Elantra & Sonata
and Kia Optima 1995 - On
UNIT PACKAGE: 25



21012

(75867-AA010)
Black Nylon

Rocker Panel &
Scuff Plate Retainer
Lexus ES300 & ES330 2002 - On
Toyota Avalon, Camry, Scion &
Solara 2004 - On
UNIT PACKAGE: 25



17124

(N805155-S)
Black Nylon

Trim Panel Retainer
Ford 1985 - On
UNIT PACKAGE: 25



21794

(Ford: W713579-S300)
White Nylon

Tail Light Mounting
Retainer with Sealer
Ford Escape, Explorer, Focus
MKZ & Zephyr 2006 - On
UNIT PACKAGE: 25



18876

(Toyota: 90467-10161;
GM: 94858299)
White Nylon

Trim Board Retainer
Overall Length: 20.5mm
Sienna, Solara & Tercel 1990 - On
Geo Prizm & Pontiac Vibe 1998 - On
UNIT PACKAGE: 25



14144

(GM: 95005064;
Toyota: 67771-01010)
Black Nylon

Trim Panel Retainer
Overall Length: 20.5mm
Toyota & GM
UNIT PACKAGE: 25



19386

(6505292AA)
Natural Nylon

Door Trim Panel Retainer
Overall Length: 21mm
Chrysler Vans 1998 - On
UNIT PACKAGE: 25


21103

(90467-05090-B1)
 Black Nylon

Front Bumper Fascia Push-Type Retainer
 Head Diameter: 10mm
 Stem Length: 12mm
 Fits into 5mm Hole
 Toyota Corolla, Matrix & Scion 2008 - On

UNIT PACKAGE: 25


21218

(90467-05063-C0)
 Black Nylon

Front Bumper Push-Type Retainer
 Head Diameter: 11mm
 Stem Length: 8mm
 Fits into 5mm Hole
 Toyota Corolla 2009 - On

UNIT PACKAGE: 25


22058

(Ford: N807673-S)
 Black Nylon

Tailgate Push-Type Retainer
 Head Diameter: 14mm
 Stem Length: 9mm
 Fits into 7mm Hole
 Ford Explorer Sport Trac 2010 - 2007

UNIT PACKAGE: 25


16859

(Nissan: 66860-01W01;
 GM: 94051993)
 Black Nylon

Cowl Panel to Reinforcement Plate &
 Engine Splash Shield Push-Type Retainer
 Head Diameter: 14mm (9/16")
 Stem Length: 16mm (5/8")
 Fits into 6mm (1/4") Hole
 Nissan 1980 - On
 Geo Storm 1990 - On

UNIT PACKAGE: 25


16858

(Nissan: 63844-01A00;
 Kia: MNA01-56-145;
 Mazda: NA01-56-145;
 Ford: MNA01-56145, NA01-56145)
 Black Nylon

Inner Fender Push-Type Retainer
 Head Diameter: 20mm (25/32")
 Stem Length: 18mm (23/32")
 Fits into 8mm (5/16") Hole
 Nissan 1980 - On
 Mazda, Kia & Ford

UNIT PACKAGE: 25


21658

(Mitsubishi: MR288150;
 Subaru: 909130013)
 Black Nylon

Push-Type Retainer
 Head Diameter: 15mm
 Stem Length: 11mm
 Fits into 6mm Hole
 Mitsubishi Endeavor, Galant, Lancer,
 Mirage, Montero & Outlander 1997 - On
 Subaru BRZ, Forester, Impreza, Legacy,
 Outback, & XV Crosstrek 2004 - On

UNIT PACKAGE: 25


19801

(21077123)
 Black Nylon

Wheel Opening Moulding
 Push-Type Retainer
 Head Diameter: 19/32" (15mm)
 Stem Length: 3/4" (19mm)
 Fits into 1/4" (6.4mm) Hole
 Saturn 1991 - On

UNIT PACKAGE: 25


17222

(GM: 21075686;
 Ford: F3LY-14570-B)
 Black Nylon

Rocker Panel, Wheel Liner &
 Air Inlet Duct Push-Type Retainer
 Head Diameter: 15mm
 Stem Length: 20mm
 Fits into 8mm Hole
 GM Saturn 2 Door &
 4 Door Models 1991 - On, Ford

UNIT PACKAGE: 25


14997

(10053182)
 Black Nylon

Push-Type Retainer
 Head Diameter: 19/32" (15mm)
 Stem Length: 13/16" (20.6mm)
 Fits into 5/16" (8mm) Hole
 GM 1987 - On

UNIT PACKAGE: 25


19639

(GM: 15149708;
Chrysler: 6506008AA)
Black Nylon

Radiator Wheelhouse, Fender &
Front Bumper Cover Push-Type Retainer
Head Diameter: 17mm
Stem Length: 16mm
Fits into 6mm Hole
GM C & K Trucks 1999 - On
Jeep Liberty 2002 - On

UNIT PACKAGE: 25


14007

(GM: 14019205, 14019206, 16514113;
Chrysler: 34201621, 6504090)
Black Nylon

Front Fender Mud Skirt
& Fender Liner Push-Type Retainer
Head Diameter: 11/16" (17.5mm)
Stem Length: 9/16" (14.3mm)
Fits into 1/4" (6.4mm) Hole
GM 1981 - On

UNIT PACKAGE: 25


13993

(GM: 20510029; Ford: N803362-S;
Chrysler: 34202672)
Black Nylon

Body Retainer
Head Diameter: 11/16" (17.5mm)
Stem Length: 7/8" (22mm)
Fits into 1/4" (6.4mm) Hole
GM 1984 - On and Ford 1984 - On

UNIT PACKAGE: 25


14753

(GM: 15773445, 20452072, 20664092;
Ford N804570S; Chrysler: 4638136)
Black Nylon

Radiator Shroud & Trim Retainer
Head Diameter: 11/16" (17.5mm)
Stem Length: 7/8" (22mm)
Fits into 1/4" (6.4mm) Hole
GM 1982 - On
Ford 1986 - On
Chrysler 1998 - On

UNIT PACKAGE: 25


21703

Ford: W716510-S300)
Black Nylon

Lower Radiator Shield
Push-Type Retainer
Head Diameter: 18mm
Stem Length: 12mm
Fits into 7mm Hole
Ford Fusion 2013 - On

UNIT PACKAGE: 25


17632

(Mazda: B092-51-833;
Ford: MB-455-56143)
Black Nylon

Push-Type Retainer
Head Diameter: 18mm
Stem Length: 12mm
Fits into 8mm Hole
Mazda & Ford Aspire

UNIT PACKAGE: 25


21146

(OG032-50037-A)
Black Nylon

Bumper, Fender, Grille, Interior & Exterior
Trim and Pillar Push-Type Retainer
Head Diameter: 18mm
Stem Length: 12mm
Fits into 8mm Hole
Kia Amanti, Magentis, Optima, Rio, Sedona,
Sephia, Sorento, Spectra & Sportage 2000 - On

UNIT PACKAGE: 25


20349

(01553-09611)
Black Nylon

Bumper Clip
Push-Type Retainer
Head Diameter: 18mm
Stem Length: 12mm
Fits into 8mm Hole
Nissan Maxima 1994 - On

UNIT PACKAGE: 25


21201

(90467-07211)
Black Nylon

Bumper, Radiator Cover &
Grille Push-Type Retainer
Head Diameter: 19mm
Stem Length: 8mm
Fits into 7mm Hole
Lexus IS & LS, Scion and Toyota Avalon,
Camry & Highlander 2005 - On

UNIT PACKAGE: 25



20247
 (Mitsubishi: MR200300)
 Black Nylon
 Fender & Bumper Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 12mm
 Fits into 9mm Hole
 Honda & Mitsubishi 1998 - On
 UNIT PACKAGE: 25



19246
 (01553-09241)
 Black Nylon
 Bumper Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 15mm
 Fits into 10mm Hole
 Nissan 240SX & Maxima 1994 - On
 UNIT PACKAGE: 25



20988
 (GM: 11589289;
 Chrysler: 6508863-AA)
 Black Nylon
 Air Distributor & Windshield Defroster
 Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 17.5mm
 Panel Range: 2.0mm - 4.5mm
 Fits into 6.5mm Hole
 Buick Enclave, Chevrolet Equinox,
 Chevrolet & GMC S & T Trucks, GMC
 Acadia and Pontiac Torrent 2002 - On
 UNIT PACKAGE: 25



20880
 (GM:11589290; Chry.: 6509049AA)
 Black Nylon
 Air Inlet Grille, Bumper Fascia &
 Front Brake Caliper Cooling Duct
 Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 20mm
 Panel Range: 4.5mm - 7.0mm
 Fits into 6.5mm Hole
 Buick Enclave, Cadillac, CTS & STS,
 Chevrolet Cobalt, Equinox & SSR, GM
 Trucks and Pontiac G5 &
 Torrent 2002 - On
 Chrysler Charger & 300 2011 - On
 UNIT PACKAGE: 25



20888
 (GM: 11561368; Chrysler: 6508712AA)
 Black Nylon
 Fender, Wheel & Bumper Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 20mm
 Panel Range: 3.0mm - 5.8mm
 Fits into 9.5mm Hole
 Chevrolet Impala & Monte Carlo and
 Pontiac Grand Prix & Solstice 2004 - On
 Jeep Wrangler 2000 - On
 UNIT PACKAGE: 25



20989
 (GM: 11589291; Ford: W713331-S300)
 Black Nylon
 Air Dam & Grille Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 22mm
 Panel Range: 7.0mm - 9.5mm
 Fits into 6.5mm Hole
 Cadillac CTS, SRX, and STS 2003 - On
 UNIT PACKAGE: 25



16622
 (10157900, 11517803, 15993201)
 Black Nylon
 Front Bumper Fascia Retainer
 Head Diameter: 18mm
 Stem Length: 23mm
 Fits into 9.5mm (3/8") Hole
 Olds Cutlass 1990 - On
 GM Lt. Truck 1996 - On
 UNIT PACKAGE: 25



18873
 (52161-16010, 52161-02020)
 Black Nylon
 Rear Bumper Cover
 Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 28mm
 Fits into 9mm Hole
 Toyota Tercel 1988 - On
 UNIT PACKAGE: 25



19422
 (6504521)
 Black Nylon
 Fascia Push-Type Retainer
 Head Diameter: 23/32" (18.3mm)
 Stem Length: 29/32" (23mm)
 Fits into 5/16" (8mm) Hole
 Chrysler LHS, Concorde, Intrepid &
 Eagle Vision 1998 - On
 UNIT PACKAGE: 25

20826

(11609417)
 Black Nylon



Fender Apron Push-Type Retainer
 Head Diameter: 19mm
 Stem Length: 14mm
 Panel Range: 2.7mm - 5.3mm
 Fits into 8.5mm Hole
 Buick Enclave & LaCrosse, Cadillac CTS,
 SRX & STS,
 Chevrolet Cobalt, Equinox & Malibu, GM
 Trucks and Pontiac G5, G6
 & Torrent 2003 - On

UNIT PACKAGE: 25

20990

(GM: 15296830;
 Chrysler: 5116530-AA)

Black Nylon

Fascia & General Purpose

Push-Type Retainer

Head Diameter: 19mm

Stem Length: 16mm

Panel Range: 5.0mm - 7.0mm

Fits into 8mm Hole

GM 2007 - On

UNIT PACKAGE: 25


18888

(90467-07166)
 Black Nylon



Front Fender Liner Push-Type Retainer

Head Diameter: 20mm

Stem Length: 8mm (Excluding the Pin)

Fits into 7mm Hole

Toyota Tercel 1994 - On

UNIT PACKAGE: 25


21422

(909140051)
 Black Nylon



Front Bumper & Quarter Panel
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 9mm (Excluding the Pin)
 Fits into 7mm Hole
 Subaru Impreza, Legacy, Outback &
 Tribeca 2005 - On

UNIT PACKAGE: 25

19315

(BC1D-56-145)

Black Nylon

Mud Guard Push-Type Retainer

Head Diameter: 20mm

Stem Length: 9mm (Excluding the Pin)

Fits into 8mm Hole

Mazda Protege 1996 - On

UNIT PACKAGE: 25


19274

(01553-09321)

Black Nylon

Push-Type Retainer

Head Diameter: 20mm

Stem Length: 9mm (Excluding the Pin)

Fits into 8mm Hole

Nissan Maxima & 300ZX 1994 - On

UNIT PACKAGE: 25


20908

(90467-07164)

Black Nylon

Fender Splash Shield

Push-Type Retainer

Head Diameter: 20mm

Stem Length: 10mm

Fits into 7mm Hole

Toyota Camry, Echo, MR2 &

Sienna 1997 - On

UNIT PACKAGE: 25


19118

(91501-S04-003)

Black Nylon

Front Fender Push-Type Retainer

Head Diameter: 20mm

Stem Length: 10mm

Fits into 8mm Hole

Honda Civic & Del Sol 1993 - On

UNIT PACKAGE: 25


21651

(91501-TR0-003)

Black Nylon

Fender Push-Type Retainer

Head Diameter: 20mm

Stem Length: 10mm

Fits into 8mm Hole

Honda Civic 2012 - On

UNIT PACKAGE: 25



19239

(Honda: 91512-SX0-003; Mits: MU000319)
 Black Nylon



Front Fender & Bumper Support Push-Type
 Head Diameter: 20mm
 Stem Length: 11mm
 Fits into 8mm Hole
 Acura 3.5RL, Honda Accord, Prelude &
 Odyssey 1994 - On
 Mitsubishi Lancer 2002 - On
 UNIT PACKAGE: 25

22567

(Toyota: 90467-07220)
 Black Nylon



Bumper Cover, Radiator Support, Under Cover
 & Wheel Opening, Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 12mm
 Fits into 7mm Hole
 Lexus CT 200h, GX 460, IS 300, IS 350, LC
 500h, NX 200t, NX 300h, RX 350 & RX 450h
 and Toyota 4Runner, C-HR, Camry, Corolla,
 Corolla iM, Prius, Prius Prime, Prius V & RAV4
 2013 - On Scion iM, tC & xB 2016 - 2008
 UNIT PACKAGE: 25

21192

(Nissan: 01553-05323)(Mazda: L33X13209)
 Black Nylon



Cowl, Bumper & Fender Liner
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 12mm
 Fits into 8mm Hole
 Infiniti FX35, FX45, G35
 and Nissan 2003 - On, Mazda 2, 3, 5, 6, CX-
 5, CX-7 & CX-9 2007 - On
 UNIT PACKAGE: 25

22039

(Nissan: 01553-2DR9A)
 Black Nylon



Push-Type Retainer
 Top Head Diameter: 16mm x 19mm
 Bottom Head Diameter: 20mm
 Stem Length: 12mm
 Fits into 8mm Hole
 Infiniti G20, JX35, Q45 & QX60 and
 Nissan Frontier, Maxima, NV, Pathfinder,
 Sentra, Versa & Xterra 2002 - On
 UNIT PACKAGE: 25

20953

(11296-AG000)
 Black Nylon



Front Bumper & Radiator Support
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 13mm
 Fits into 8mm Hole
 Infiniti FX 35/45 and Nissan Altima,
 Maxima & Quest 2002 - On
 UNIT PACKAGE: 25

19233

(91503-SZ3-003)
 Black Nylon



Front Bumper Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 13mm
 Fits into 10mm Hole
 Acura 3.5RL Sedan & Honda 1996 - On
 UNIT PACKAGE: 25

21706

(Honda: 91505-TM8-003)
 Black Nylon



Bumper and Wheel Well Liner
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 14mm
 Fits into 10mm Hole
 Acura ILX and Honda Insight 2012 - On
 UNIT PACKAGE: 25

20458

(6506132-AA)
 Black Nylon



Side Radiator Shield
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 17mm
 Fits into 7mm Hole
 Chrysler Sebring & Stratus 2001 - On
 UNIT PACKAGE: 25

20564

(91503-SZ5-003)
 Black Nylon



Front & Rear Bumper
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 18mm
 Fits into 10mm Hole
 Acura 3.5RL and Honda Accord &
 Odyssey 1996 - On
 UNIT PACKAGE: 25

17472

(Mitsubishi: MB547806;
 Nissan: 63854-01A00)
 Black Nylon



Front Bumper Fascia
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 20mm
 Fits into 8mm Hole
 Mitsubishi & Nissan 300ZX 1990 - On
 UNIT PACKAGE: 25


17216

(GM: 21030249;
Ford: N807389S; Chrysler: 6503598)
Black Nylon

Air Baffle to Under Carriage
Push-Type Retainer
Head Diameter: 20mm
Stem Length: 20mm
Fits into 8mm Hole
GM Saturn 2 Door &
4 Door Models 1991 - On
Ford & Chrysler

UNIT PACKAGE: 25


20348

(63878-01E10)
Black Nylon

Push-Type Retainer
Head Diameter: 20mm
Stem Length: 22mm
Fits into 8mm Hole
Nissan Maxima 1994 - On

UNIT PACKAGE: 25


20889

(GM: 11589293;
Ford: W712196-S300)
Black Nylon

Cowl Vent & Fender
Push-Type Retainer
Head Diameter: 20mm
Stem Length: 22mm
Panel Range: 4.5mm - 7.0mm
Fits into 8.5mm Hole
Buick Century, LaCrosse & Regal, Cadillac,
Chevrolet Equinox, GM Trucks, Hummer
H3, Ford 2006 - On and Pontiac Grand
Prix & Torrent 1997 - On

UNIT PACKAGE: 25


20632

(GM: 11518017;
Ford: W708530-S300)
Black Nylon

Bumper Cover & Fender Shield
Push-Type Retainer
Head Diameter: 20mm
Stem Length: 26mm
Fits into 8mm Hole
GM & Ford 1997 - On

UNIT PACKAGE: 25


20993

(GM: 11589295; Ford: W712665-S300)
Black Nylon

Fender, Flare, Gas Tank &
Panel Attachment Push-Type Retainer
Head Diameter: 25mm
Stem Length: 20mm
Panel Range: 3.0mm - 6.0mm
Fits into 10.5mm Hole
Chevrolet Cobalt & HHR,
GM C & K Trucks and
Pontiac G5 2005 - On

UNIT PACKAGE: 25


14019

(Ford: N803421-S, Chrysler: 6501590)
Black Nylon

Splash Shield & Fascia Retainer
Head Diameter: 1" (25.4mm)
Shoulder Length: 1/8" (3.2mm)
Stem Length: 7/8" (22mm)
Fits into 5/16" (8mm) Hole
Ford & Chrysler

UNIT PACKAGE: 25


13994

(GM: 20570245, 20635065;
Ford: N804614S)
Black Nylon

Splash Shield, Seat Cushion &
Spare Tire Retainer
Head Diameter: 1" (25.4mm)
Stem Length: 7/8" (22mm)
Fits into 5/16" (8mm) Hole
GM 1984 - On
Ford

UNIT PACKAGE: 25


20923

(Ford: 3M8Z-1502316-A;
Mazda: GJ6E-50-715A)
Black Nylon

Cowl Vent Push-Type Retainer
Head Size: 8.5mm x 12mm
Stem Length: 9mm
Fits into 5mm Hole
Ford Fusion, Milan & Zephyr 2006 - On
Mazda 5 & 6 2003 - On

UNIT PACKAGE: 25

21835

(Chrysler: 68225214AA)
 White Nylon



Moulding Clip
 Head Size: 11.5mm x 21mm
 Stem Length: 11mm
 Overall Height: 17mm
 Jeep Cherokee 2014 - On

UNIT PACKAGE: 25

22129

(Not Available from O.E.M.)
 White Nylon



Body Side Moulding Clip
 Top Head Size: 4mm x 10.5mm
 Bottom Head Diameter: 11mm
 Stem Length: 10mm
 Fits into 7mm Hole
 Dodge Dart 2014 - On

UNIT PACKAGE: 25

21374

(GM: 11571175; Chrysler: 68172491AA)
 Gray Nylon



Rocker Moulding Clip with Sealer
 Top Head Size: 12mm x 20mm
 Bottom Head Size: 12mm x 20mm
 Stem Length: 11mm
 Fits into 9mm Hole
 Chevrolet Traverse 2010 - On
 Chrysler 200 2015 - On
 Jeep Grand Cherokee 2015 - 2012

UNIT PACKAGE: 25

14753

(Chry: 4638136; GM: 20664092;
 Ford: N804570S)
 Black Nylon



Radiator Shroud & Trim Retainer
 Push-Type Retainer
 Head Diameter: 11/16"
 Stem Length: 7/8"
 Fits into 1/4" Hole
 Chrysler 1998 - On
 GM 1982 - On
 Ford 1986 - On

UNIT PACKAGE: 25

14007

(GM: 14019205, 14019206, 16514113;
 Chry: 34201621, 6504090)
 Black Nylon



Front Fender Mud Skirt
 & Fender Liner Push-Type Retainer
 Head Diameter: 11/16"
 Stem Length: 9/16"
 Fits into 1/4" Hole
 GM 1981 - On
 Chrysler

UNIT PACKAGE: 25

19801

(GM: 21077123; Chry: 6509103AA
 Ford: W705436-S300)
 Black Nylon



Wheel Opening Moulding
 Push-Type Retainer
 Head Diameter: 19/32" (15mm)
 Stem Length: 3/4" (19mm)
 Fits into 1/4" (6mm) Hole
 Saturn 1991 - On
 Ford 2002 - On
 Chrysler 2010 - On

UNIT PACKAGE: 25

19639

(GM: 15149708; Chry: 6506008AA)
 Black Nylon



Radiator, Wheelhouse,
 Fender & Front Bumper Cover
 Push-Type Retainer
 Head Diameter: 17mm
 Stem Length: 16mm
 Fits into 6mm Hole
 GM C & K Trucks 1999 - On
 Jeep Liberty 2002 - On

UNIT PACKAGE: 25

9377

(Chry: 6000943;
 AMC: 8934-201-263)
 White Nylon



Radiator Grille Nut
 Screw Size: #8
 Chrysler & AMC-Renault

UNIT PACKAGE: 25

**13993**

(GM: 20510029; Ford: N803362-S;
Chry: 34202672)
Black Nylon
Body Retainer
Head Diameter: 11/16"
Stem Length: 7/8"
Fits into 1/4" Hole
GM 1984-On
Ford 1984 - On
Chrysler 1984 - On
UNIT PACKAGE: 25

**19422**

(6504521)
Black Nylon
Fascia Push-Type Retainer
Large Head Diameter: 23/32"
Stem Length: 29/32"
Fits into 5/16" Hole
LHS, Concorde, Intrepid &
Eagle Vision 1998-On
UNIT PACKAGE: 25

**20988**

(GM: 11589289;
Chrysler: 6508863-AA)
Black Nylon
Air Distributor & Windshield Defroster
Push-Type Retainer
Head Diameter: 18mm
Stem Length: 17.5mm
Panel Range: 2.0mm - 4.5mm
Fits into 6.5mm Hole
GM 2002 - On
Chrysler
UNIT PACKAGE: 25

**20990**

(GM: 15296830;
Chrysler: 5116530-AA)
Black Nylon
Fascia & General Purpose
Push-Type Retainer
Head Diameter: 19mm
Stem Length: 16mm
Panel Range: 5.0mm - 7.0mm
Fits into 8mm Hole
GM 2007 - On
Chrysler
UNIT PACKAGE: 25

**20888**

(GM: 11589290;
Chry: 6509049AA)
Black Nylon
Fender, Wheel & Bumper
Push-Type Retainer
Head Diameter: 18mm
Stem Length: 20mm
Panel Range: 3.0mm - 5.8mm
Fits into 9.5mm Hole
GM 2004 - On
Jeep Wrangler 2000 - On
Chrysler Charger & 300 2011 - On
UNIT PACKAGE: 25

**20458**

(6506132-AA)
Black Nylon
Side Radiator Shield
Push-Type Retainer
Head Diameter: 20mm
Stem Length: 17mm
Fits into 7mm Hole
Sebring & Stratus 2001 - On
UNIT PACKAGE: 25

**17216**

(GM: 21030249; Ford: N807389S;
Chry: 6503598)
Black Nylon
Air Baffle to Under Carriage
Push-Type Retainer
Head Diameter: 20mm
Stem Length: 20mm
Fits into 8mm Hole
UNIT PACKAGE: 25

14019

(Ford: N803421-S; Chry: 6501590)
Black Nylon



Push-Type Retainer
Head Diameter 1"
Shoulder Length: 1/8"
Stem Length: 7/8"
Fits into 5/16" Hole
UNIT PACKAGE: 25

19779

(6503812, 6504601)
Tin & Zinc



Wheel Opening Moulding Nutsert
Thread: M5 - .8
Head Diameter: 10mm
Overall Length: 12mm
Jeep 1999 - On
UNIT PACKAGE: 25

22289

(GM: 11570654; Chrysler: 6509432AA
Ford: W716529-S900)
Magni-565 Blue Finish



Radiator Grille Nut
Screw Size: M4.2-1.41 (#8)
Head Size: 6mm x 16mm
Overall Height: 7mm



Buick Allure, Enclave, Encore, LaCrosse,
Lesabre, Lucerne, Rainer, Regal & Verano
and Cadillac ATS, CTS, Deville, DTS, ELR,
Escalade, SRX & STS 2000 – On
Chrysler 200, 300, PT Cruiser, Sebring,
Town & Country and Dodge Avenger,
Caliber, Charger, Dart,
Grand Caravan, Ram 2500 &
Ram 3500 2015 – 2006
Ford 250, 350, 450 & 550
Super Duty Trucks 2015 - 2013
UNIT PACKAGE: 25

20173

(6506104AA)
Zinc & Yellow



Roof Rack Nutsert
with Sealer Under Head
Thread: M6-1.0
Grip: .7mm - 3.2mm
Head Diameter: 17mm
Hex : 9.5mm (3/8")
Jeep 1999 - On
UNIT PACKAGE: 25

ITEMS OFFERED IN
PACKAGE QUANTITIES ONLY
BULK QUANTITIES OFFERED ON REQUEST


21165

(W712160-S300)
Black Nylon

Headlight Grommet
Screw Size: M6 (#14, 1/4")
Head Size: 22mm x 23.5mm
Overall Height: 18mm
Expedition, F150 and
Navigator 2003 - On
UNIT PACKAGE: 25


20923

(Ford: 3M8Z-1502316-A;
Mazda: GJ6E-50-715A)
Black Nylon
Cowl Vent

Push-Type Retainer
Head Size: 8.5mm x 12mm
Stem Length: 9mm
Fits into 5mm Hole
Fusion, Milan & Zephyr 2006 - On
Mazda 5 & 6 2003 - On

UNIT PACKAGE: 25


22124

(Ford: W716352-S300)
White Nylon

Rocker Panel & Door
Moulding Clip with Sealer
Top Head Size: 12mm x 20mm
Bottom Head Size: 12mm x 20mm
Stem Length: 14mm
Fits into 9mm Hole
Ford Edge, Mustang &
Mustang G.T. 2015 - On
UNIT PACKAGE: 25


22058

(Ford: N807673-S)
Black Nylon

Tailgate Push-Type
Retainer
Head Diameter: 14mm
Stem Length: 9mm
Fits into 7mm Hole
Ford Explorer Sport Trac 2010 - 2007
UNIT PACKAGE: 25


22818

Front & Rear Bumper Speciality Nut
with Pastiol Pad

Screw Size : M4.8-1.6
Head Size : 14mm x 23mm
Stem Length : 7mm
Includes : Plastisol Pad
Material : Zinc Organic
UNIT PACKAGE: 25


14753

(GM: 20664092;
Ford: N804570S; Chry: 4638136)
Black Nylon

Trim Retainer
Head Diameter: 11/16"
Stem Length: 7/8"
Fits into 1/4" Hole
Ford 1986-On
Chrysler 1998 - On
UNIT PACKAGE: 25


22844

Door & Under Cover Nut
with Silicon Rubber Sealer

Screw Size : M4.2-1.41
Head Size : 12mm x 16mm
Stem Length : 6.5mm
Includes : Rubber Sealer
Material : Zinc Organic
UNIT PACKAGE: 25


21703

(Ford: W716510-S300)
Black Nylon

Lower Radiator Shield
Push-Type Retainer
Head Diameter: 18mm
Stem Length: 12mm
Fits into 7mm Hole
Ford Fusion 2013 - On
UNIT PACKAGE: 25


17632

(Mazda: B092-51-833;
 Ford: MB-455-56143, W705845-S300;
 Hyundai: 86590-28000)
 Black Nylon

Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 12mm
 Fits into 8mm Hole
 Mazda & Ford Aspire
 UNIT PACKAGE: 25


20989

(GM: 11589291; Ford: W713331-S300)
 Black Nylon

Air Dam & Grille Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 22mm
 Panel Range: 7.0mm - 9.5mm
 Fits into 6.5mm Hole
 GM 2003 - On
 Ford
 UNIT PACKAGE: 25


19801

(GM: 21077123; Chry: 6509103AA,
 Ford: W705436-S300)
 Black Nylon

Wheel Opening Moulding
 Push-Type Retainer
 Head Diameter: 19/32" (15mm)
 Stem Length: 3/4" (19mm)
 Fits into 1/4" (6mm) Hole
 Saturn 1991 - On
 Ford 2002 - On
 Chrysler 2010 - On
 UNIT PACKAGE: 25


17216

(GM: 21030249; Ford: N807389S;
 Chry: 6503598)
 Nylon

Air Baffle to Under Carriage
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 20mm
 Fits into 8mm Hole
 UNIT PACKAGE: 25


17222

(Ford: F3LY-14570-B; GM: 21075686)
 Black Nylon

Push-Type Retainer
 Head Diameter: 15mm
 Stem Length: 20mm
 Fits into 8mm Hole
 Rocker Panel, Wheel Liner &
 Air Inlet Duct Applications
 Ford GM Saturn 1991 - On
 UNIT PACKAGE: 25


20889

(GM: 11589293; Ford: W712196-S300)
 Black Nylon

Cowl Vent & Fender
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 22mm
 Panel Range: 4.5mm - 7.0mm
 Fits into 8.5mm Hole
 GM 1997 - On
 Edge, Fusion, Lincoln MKX, Milan
 and Zephyr 2006 - On
 UNIT PACKAGE: 25


13993

(Ford: N803362-S; GM: 20510029,
 Chry: 34202672)

Black Nylon
 Body Retainer
 Head Diameter: 11/16"
 Stem Length: 7/8"
 Fits into 1/4" Hole
 Ford, GM & Chrysler 1984 - On
 UNIT PACKAGE: 25


20632

(GM: 11518017; Ford: W708530-S300)
 Black Nylon

Bumper Cover & Fender Shield
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 26mm
 Fits into 8mm Hole
 GM & Ford 1997 - On
 UNIT PACKAGE: 25

20993

(GM: 11589295;
 Ford: W712665-S300)
 Black Nylon



Fender, Flare, Gas Tank & Panel
 Attachment Push-Type Retainer
 Head Diameter: 25mm
 Stem Length: 20mm
 Panel Range: 3.0mm - 6.0mm
 Fits into 10.5mm Hole
 GM 2005 - On
 Ford

UNIT PACKAGE: 25

14019

(Ford: N803421-S, Chry: 6501590)
 Black Nylon



Splash Shield & Fascia Retainer
 Head Diameter: 1"
 Shoulder Length: 1/8"
 Stem Length: 7/8"
 Fits into 5/16" Hole

UNIT PACKAGE: 25

13994

(GM: 20570245; Ford: N804614S)
 Black Nylon



Spare Tire Retainer
 Head Diameter: 1"
 Stem Length: 7/8"
 Fits into 5/16" Hole

UNIT PACKAGE: 25

14820

(N803685S)
 Dash Panel Nut



Screw Size: #8 (M4.2-1.41)
 Taurus/Sable

UNIT PACKAGE: 25

23486

(Ford: W713297-S300)



Door Trim Panel Retainer With Sealer
 Head Diameter: 16mm
 Stem Diameter: 11mm
 Stem Length: 17mm
 Hole Size: 9mm
 Panel Range: 0.3mm - 2.00mm
 Ford Flex, Fusion, Taurus & Milan 2009 &
 Explorer 2011

UNIT PACKAGE: 25

22289

(GM: 11570654; Chrysler: 6509432AA
 Ford: W716529-S900)
 Magni-565 Blue Finish



Radiator Grille Nut
 Screw Size: M4.2-1.41 (#8)
 Head Size: 6mm x 16mm
 Overall Height: 7mm



Buick Allure, Enclave, Encore, LaCrosse,
 Lesabre, Lucerne, Rainer, Regal & Verano
 and Cadillac ATS, CTS, Deville, DTS, ELR,
 Escalade, SRX & STS 2000 - On
 Chrysler 200, 300, PT Cruiser, Sebring, Town
 & Country and Dodge Avenger, Caliber,
 Charger, Dart, Grand Caravan, Ram 2500 &
 Ram 3500 2015 - 2006, Ford 250, 350, 450
 & 550, Super Duty Trucks 2015 - 2013

UNIT PACKAGE: 25

17003

(Ford: F32Z-17C756-S
 Mazda: GJ21-50-049)



Bumper Cover Retainer
 Front & Rear Bumpers
 Ford Festiva and
 Mazda 1988 - On

UNIT PACKAGE: 25

16421

(N800369-S2)
 Black E-Coat
 #14 (1/4") x 5/8"



Slotted Hex Washer Head
 License Plate Screw
 Washer Head O.D.: 5/8"
 Hex: 5/16" Ford

UNIT PACKAGE: 25


13933

Natural Nylon

Grille Nut

Screw Size: #8 or #10

Head Size: 1/2"

UNIT PACKAGE: 25


15695

(Toyota: 62955-20020; GM: 94848834)

Nylon

Retainer with Sealer

Head Diameter: 15mm

Stem Length: 9mm

Fits into 8mm Hole

Toyota Pick-Up Truck, Pontiac Vibe

UNIT PACKAGE: 25


21158

(11569920)

Green Nylon

Fender Moulding Clip with Sealer

Top Head Size: 7.5mm x 11mm

Bottom Head Size: 15mm x 15mm

Stem Length: 13mm

Fits into 7mm Hole

Buick Enclave, Cadillac CTS, Chevrolet Traverse & GMC Acadia 2003 - On

UNIT PACKAGE: 25


20607

(10323057)

White Nylon

Rocker Moulding Clip

Top Head Size: 12mm x 20mm

Bottom Head Size: 12mm x 24mm

Stem Length: 14mm

Fits into 9mm Hole

Pontiac Grand Prix 2004 - On

UNIT PACKAGE: 25


20377

(11518357)

White Nylon

Rocker Panel Moulding Clip w/ Sealer

Top Head Size: 9/16" x 13/16"

Bottom Head Size: 13/16" x 13/16"

Stem Length: 9/16"

Fits into 7/16" Hole

Chevrolet Avalanche 2002 - On

UNIT PACKAGE: 25


19822

(25693852)

Gray Nylon

Rocker Panel Moulding Clip

Top Head: 9/16" x 3/4"

Bottom Head: 5/8" x 3/4"

Stem Length: 9/16"

Fits into 7/16" Hole

Buick LeSabre; Cadillac Concours, DeVille, Eldorado & Seville; Chevrolet Impala, Lumina & Monte Carlo;

Oldsmobile Aurora and

Pontiac Bonneville 1995 - On

UNIT PACKAGE: 25


20934

(15127746)

White Nylon

Body Side Moulding Clip

Top Head Size: 12mm x 20mm

Bottom Head Size: 12mm x 20mm

Stem Length: 11mm

Fits into 9mm Hole

Buick Terraza, Chevrolet Uplander, GMC Arcadia, Pontiac Montana SV6 and Saturn Relay 2005 - On

UNIT PACKAGE: 25


14007

(GM: 14019205, 14019206, 16514113;

Chry: 34201621, 6504090)

Black Nylon

Front Fender Mud Skirt & Fender Liner Push-Type Retainer

Head Diameter: 11/16"

Stem Length: 9/16"

Fits into 1/4" Hole

GM 1981 - On

UNIT PACKAGE: 25

16859

(Nissan: 66860-01W01;
GM: 94051993)
Black Nylon



Cowl Panel to Reinforcement
Plate & Engine Splash
Shield Retainer
Head Diameter: 14mm (9/16")
Stem Length: 16mm (5/8")
Fits into 6mm (1/4") Hole
Nissan 1980-On
Geo Storm 1990-On
UNIT PACKAGE: 25

14997

(10053182)
Black Nylon



Push-Type Retainer
Head Diameter: 19/32"
Stem Length: 13/16"
Fits into 5/16" Hole
GM 1987 - On
UNIT PACKAGE: 25

14753

(GM: 15773445, 20452072, 20664092;
Ford: N804570S; Chry: 4638136)
Black Nylon



Radiator Shroud & Trim Retainer
Head Diameter: 11/16"
Stem Length: 7/8"
Fits into 1/4" Hole
GM 1982-On
Ford 1986-On
Chrysler 1998 - On
UNIT PACKAGE: 25

13993

(GM: 20510029; Ford: N803362-S;
Chry: 34202672)
Black Nylon
Body Retainer



Head Diameter: 11/16"
Stem Length: 7/8"
Fits into 1/4" Hole
Ford, GM & Chrysler 1984 - On
UNIT PACKAGE: 25

14007

(GM: 14019205, 14019206, 16514113;
Chry: 34201621, 6504090)
Black Nylon



Front Fender Mud Skirt
& Fender Liner Push-Type Retainer
Head Diameter: 11/16"
Stem Length: 9/16"
Fits into 1/4" Hole
GM 1981 - On
Chrysler
UNIT PACKAGE: 25

17222

(GM: 21075686;
Ford: F3LY-14570-B)
Black Nylon



Push-Type Retainer
Head Diameter: 15mm
Stem Length: 20mm
Fits into 8mm Hole
Rocker Panel, Wheel Liner &
Air Inlet Duct Applications
GM Saturn 2 Door & 4 Door Models 1991-On
Ford

19801

(GM: 21077123; Chry: 6509103AA
Ford: W705436-S300)
Black Nylon



Wheel Opening Moulding
Push-Type Retainer
Head Diameter: 19/32" (15mm)
Stem Length: 3/4" (19mm)
Fits into 1/4" (6mm) Hole
Saturn 1991 - On
Ford 2002 - On
Chrysler 2010 - On
UNIT PACKAGE: 25

19639

((GM: 15149708; Chry: 6506008AA)
Black Nylon



Radiator, Wheelhouse, Fender & Front
Bumper Cover Push-Type Retainer
Head Diameter: 17mm
Stem Length: 16mm
Fits into 6mm Hole
GM C & K Trucks 1999 - On
Jeep Liberty 2002 - On
UNIT PACKAGE: 25

20988

(GM: 11589289; Chrysler: 6508863-AA)
 Black Nylon



Air Distributor & Windshield Defroster
 Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 17.5mm
 Panel Range: 2.0mm - 4.5mm
 Fits into 6.5mm Hole
 Buick Enclave, Chevrolet Equinox,
 Chevrolet & GMC S & T Trucks, GMC
 Acadia and Pontiac Torrent 2002 - On

UNIT PACKAGE: 25

20888

(GM: 11561368; Chry: 6508712AA)
 Black Nylon



Fender, Wheel & Bumper
 Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 20mm
 Panel Range: 3.0mm - 5.8mm
 Fits into 9.5mm Hole
 Chevrolet Impala & Monte Carlo and
 Pontiac Grand Prix & Solstice 2004 - On
 Jeep Wrangler 2000 - On

UNIT PACKAGE: 25

20989

(GM: 11589291;
 Ford: W713331-S300)



Black Nylon
 Air Dam & Grille Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 22mm
 Panel Range: 7.0mm - 9.5mm
 Fits into 6.5mm Hole
 Cadillac CTS, SRX and STS 2003 - On

UNIT PACKAGE: 25

16622

(10157900, 11517803, 15993201)



Black Nylon
 Front Bumper Fascia Retainer
 Head Diameter: 18mm
 Stem Length: 23mm
 Fits into 9.5mm (3/8") Hole
 Olds Cutlass 1990-On
 GM Lt. Truck 1996 - On

UNIT PACKAGE: 25

20880

(GM: 11589290
 Chry: 6509049-AA;
 Ford: W714040-S300)



Black Nylon
 Air Inlet Grille, Bumper Fascia &
 Front Brake Caliper Cooling Duct
 Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 20mm
 Panel Range: 4.5mm - 7.0mm
 Fits into 6.5mm Hole
 Buick Enclave, Cadillac CTS & STS,
 Chevrolet Cobalt, Equinox & SSR, GM
 Trucks and Pontiac G5 & Torrent 2002 - On
 Chrysler Charger & 300 2011 - On

UNIT PACKAGE: 25

20826

(11609417)
 Black Nylon



Fender Apron Push-Type Retainer
 Head Diameter: 19mm
 Stem Length: 14mm
 Panel Range: 2.7mm - 5.3mm
 Fits into 8.5mm Hole
 Buick Enclave & LaCrosse, Cadillac CTS,
 SRX & STS, Chevrolet Cobalt, Equinox &
 Malibu, GM Trucks and Pontiac G5, G6 &
 Torrent 2003 - On

UNIT PACKAGE: 50

20990

(GM: 15296830;
 Chrysler: 5116530-AA)
 Black Nylon



Fascia & General Purpose
 Push-Type Retainer
 Head Diameter: 19mm
 Stem Length: 16mm
 Panel Range: 5.0mm - 7.0mm
 Fits into 8mm Hole
 GM 2007 - On

UNIT PACKAGE: 25

17216

(GM: 21030249; Ford: N807389S;
Chry: 6503598)
Black Nylon



Air Baffle to Under Carriage
Push-Type Retainer
Head Diameter: 20mm
Stem Length: 20mm
Fits into 8mm Hole
GM Saturn 2 Door &
4 Door Models 1991 - On

UNIT PACKAGE: 25

20889

(GM: 11589293;
Ford: W712196-S300)
Black Nylon



Cowl Vent & Fender Push-Type Retainer
Head Diameter: 20mm
Stem Length: 22mm
Panel Range: 4.5mm - 7.0mm
Fits into 8.5mm Hole
Buick Century, LaCrosse & Regal, Cadillac
Chevrolet Equinox, GM Trucks, Hummer
H3 and Pontiac Grand Prix &
Torrent 1997 - On, Ford 2006 - On

UNIT PACKAGE: 25

20632

(GM: 11518017)
Ford: W708530-S300)
Black Nylon



Bumper Cover & Fender Shield
Push-Type Retainer
Head Diameter: 20mm
Stem Length: 26mm
Fits into 8mm Hole
GM & Ford 1997 - On

UNIT PACKAGE: 25

20993

(GM: 11589295;
Ford: W712665-S300)



Black Nylon
Fender, Flare, Gas Tank & Panel
Attachment Push-Type Retainer
Head Diameter: 25mm
Stem Length: 20mm
Panel Range: 3.0mm-6.0mm
Fits into 10.5mm Hole
Chevrolet Cobalt & HHR, GM C & K Trucks
and Pontiac G5 2005 - On

UNIT PACKAGE: 25

13994

(GM: 20570245, 20635065
Ford: N804614S)
Black Nylon



Splash Shield, Seat Cushion &
Spare Tire Retainer
Head Diameter: 1"
Stem Length: 7/8"
Fits into 5/16" Hole
GM 1984 - On

UNIT PACKAGE: 25

21187

(Chrysler: 4806226-AA; GM: 11562364)
Zinc



Front & Rear Bumper
and Grille Fastener
Screw Size: #6
Width: 10mm
Overall Height: 18mm
Buick Lucerne and Cadillac CTS &
STS 2005 - On, Chrysler 300, Dodge Nitro
and Jeep Commander 2005 - On

UNIT PACKAGE: 25

20268

(11588650, 15748479)
Black



Garnish Moulding Fastener
Width: 1/2"
Height: 5/8"
GM Cars & Trucks 1994 - On

UNIT PACKAGE: 25

22289

(GM: 11570654; Chrysler: 6509432AA
Ford: W716529-S900)
Magni-565 Blue Finish



Radiator Grille Nut
Screw Size: M4.2-1.41 (#8)
Head Size: 6mm x 16mm
Overall Height: 7mm
Buick Allure, Enclave, Encore, LaCrosse,
Lesabre, Lucerne, Rainer, Regal & Verano and
Cadillac ATS, CTS, Deville, DTS, ELR,
Escalade, SRX & STS 2000 - On
Chrysler 200, 300, PT Cruiser, Sebring, Town &
Country and Dodge Avenger, Caliber, Charger,
Dart, Grand Caravan, Ram 2500 & Ram 3500
2015 - 2006 Ford 250, 350, 450 &
550 Super Duty Trucks 2015 - 2013

UNIT PACKAGE: 25


22491

(GM: 11547582)

Zinc Organic

 Air Duct &
 Rear Bumper Bracket Nut

Thread Size: M6-1.0

Head Size: 8mm x 18mm

Overall Height: 11mm

 Cadillac CT6, Chevrolet Silverado and
 GMC Acadia & Sierra 2016 - On

UNIT PACKAGE: 25


19317

(15707256)

Zinc Organic

 Front Fender Extension & License
 Plate Bracket Retainer Nut

Screw Size: M6-1.0

GM Express & Savanna 1996-On

UNIT PACKAGE: 25


18153

(11561448, 15686142)

Zinc Phosphate

Radiator Grille Nut

Screw Size: #8

GM Trucks C & K, 1, 2 & 3 1993-On

UNIT PACKAGE: 25


20742

Zinc & Yellow

M4-.7 Specialty Insert

Grip: 2mm - 3.3mm

Head Diameter: 9.5mm

Hex Size: 6.2mm

UNIT PACKAGE: 25


14820

(GM: 14083173, 17988488, 17997722,

Ford: N803685S)

Phosphate

Dash Panel Nut

Screw Size: #8 (M4.2-1.41)

GM & Ford 1982-On

UNIT PACKAGE: 25


20395

(10281487)

Zinc & Yellow

M6-1.0 Specialty Insert

Grip: .7mm-4.2mm

Head Diameter: 13mm

Hex Size: 9.5mm (3/8")

Front Fender

 Buick, Cadillac, Corvette, L.D. Truck, Olds
 Aurora and Pontiac 1997 - On

UNIT PACKAGE: 25



20954

(90682-SEA-003)
 Black Nylon



Fender Apron Grommet
 Screw Size: #8 (M4.2)
 Head Diameter: 20mm
 Stem Length: 12mm
 Fits into 9mm Square Hole
 Acura TSX and
 Honda Civic & Odyssey 2004 - On
 UNIT PACKAGE: 25

18877

(91530-SP1-003)
 Orange Nylon



Weatherstrip Retainer
 Head Size: 5mm x 15mm
 Stem Length: 10mm
 Fits into 6mm Hole
 Acura 3.5 RL and Accord, Civic & Odyssey
 1992 - On
 UNIT PACKAGE: 25

18114

(91520-SM4-C01)
 Black Nylon



Hood Insulation Retaining Clip
 Head Diameter: 10mm
 Stem Length: 10mm
 Panel Thickness: 4mm
 Fits into 6mm Hole
 Honda & Acura 1990 - On
 UNIT PACKAGE: 25

19233

(Acura: 91503-SZ3-003)
 Black Nylon



Front Bumper
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 13mm
 Fits into 10mm Hole
 Acura 3.5 RL Sedan
 & Honda 1996-On
 UNIT PACKAGE: 25

19239

(Honda: 91512-SX0-003;
 GM: 11519949;
 Mitsubishi: MU000319)
 Black Nylon



Front Fender
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 11mm
 Fits into 8mm Hole
 Acura 3.5RL, Honda Accord,
 Prelude & Odyssey 1994-On
 GM 1997 - On
 Mitsubishi Lancer 2002 - On
 UNIT PACKAGE: 25

21706

(Honda: 91505-TM8-003)
 Black Nylon



Bumper and Wheel Well Liner
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 14mm
 Fits into 10mm Hole
 Acura ILX and
 Honda Insight 2012 - On
 UNIT PACKAGE: 25

20564

(91503-SZ5-003)
 Black Nylon



Front & Rear Bumper
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 18mm
 Fits into 10mm Hole
 Acura 3.5RL and Honda Accord
 & Odyssey 1996 - On
 UNIT PACKAGE: 25

20380

(Not Supplied By O.E.M.)
 Black Nylon



Cable Strap
 Length: 200mm (8")
 Maximum Bundle Diameter:
 44mm (1-3/4")
 Fits into 6.3mm (1/4") Hole
 Import Cars
 UNIT PACKAGE: 25

Photo not actual size

14695

(Honda: 90661-SC7-003;
 Mazda: H001-50-841;
 Mitsubishi: MS-480012;
 Nissan: 01651-00481, 74798-S9000;
 Toyota: 90189-06042)
 White Nylon



Screw Grommet
 Screw Size: #8 (M4.2)
 Head Diameter: 16mm
 Stem Length: 17mm
 Fits into 8mm x 8mm Hole

UNIT PACKAGE: 25

20954

(90682-SEA-003)
 Black Nylon



Fender Apron Screw Grommet
 Screw Size: #8 (M4.2)
 Head Diameter: 20mm
 Stem Length: 12mm
 Fits into 9mm Square Hole
 Acura TSX and Honda Civic &
 Odyssey 2004 - On

UNIT PACKAGE: 25

18114

(91520-SM4-C01)
 Black Nylon



Hood Insulation Retaining Clip
 Head Diameter: 10mm
 Stem Length: 10mm
 Panel Thickness: 4mm
 Fits into 6mm Hole
 Honda & Acura 1990 - On

UNIT PACKAGE: 25

18877

(91530-SP1-003)
 Red Nylon



Weatherstrip Retainer
 Head Size: 5mm x 15mm
 Stem Length: 10mm
 Fits into 6mm Hole
 Acura 3.5 RL & Honda Accord,
 Civic & Odyssey 1992 - On

UNIT PACKAGE: 25

20247

(Mitsubishi: MR200300)
 Black Nylon



Fender & Bumper
 Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 12mm
 Fits into 9mm Hole
 Honda & Mitsubishi 1998 - On

UNIT PACKAGE: 25

19118

(91501-S04-003)
 Black Nylon



Front Fender
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 10mm
 Fits into 8mm Hole
 Civic & Del Sol 1993-On

UNIT PACKAGE: 25

19233

(Honda: 91503-SZ3-003)
 Black Nylon



Front Bumper
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 13mm
 Fits into 10mm Hole
 Acura 3.5 RL Sedan &
 Honda 1996 - On

UNIT PACKAGE: 25

20564

(91503-SZ5-003)
 Black Nylon



Front & Rear Bumper Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 18mm
 Fits into 10mm Hole
 Acura 3.5RL and Honda Accord &
 Odyssey 1996 - On

UNIT PACKAGE: 25

20380

Black Nylon
 Cable Strap



Width: 5mm (3/16")
 Length: 200mm (8")
 Max. Bundle Diameter: 44mm (1-3/4")
 Fits into 6.3mm (1/4") Hole

UNIT PACKAGE: 25

20567

(87756-38000)
 Black Nylon



Body Side Moulding
 Clip with Sealer
 Top Head Size: 8mm x 9mm
 Bottom Head Size: 14mm x 18mm
 Stem Length: 10mm
 Elantra & Sonata 2002 - On
 Kia Rio 2010 - On

UNIT PACKAGE: 25

21064

(87758-35000)
 Yellow Nylon



Rocker Moulding Clip with Sealer
 Top Head Size: 10mm x 11mm
 Bottom Head Size: 14mm x 19mm
 Stem Length: 10mm
 Accent, Santa Fe & Tiburon 1995 - On

UNIT PACKAGE: 25

22015

(Hyundai: 87756-1F000)
 Blue Nylon



Fender Flare, Rocker, Door & Exterior
 Moulding Clip with Sealer
 Top Head Size: 10mm x 12mm
 Bottom Head Size: 14mm x 20mm
 Stem Diameter: 14mm
 Stem Length: 10mm
 Hyundai Santa Fe 2013 - On
 Kia Sportage 2011 - On

UNIT PACKAGE: 25

20568

(87758-3D000)
 Yellow Nylon



Rocker Panel Clip with Sealer
 Top Head Size: 16mm x 20mm
 Bottom Head Size: 14mm x 18mm
 Stem Length: 10mm
 Elantra & Sonata 2002 - On

UNIT PACKAGE: 25

21244

(87702-H1000)
 White Nylon



Rocker Moulding Clip with Sealer
 Top Head Size: 11mm x 15.5mm
 Bottom Head Diameter: 16mm
 Stem Length: 12mm
 Hyundai Genesis & Sonata
 and Kia Sorento 2009 - On

UNIT PACKAGE: 25

21321

(87758-3L000)
 Blue Nylon



Moulding Clip with Sealer
 Top Head Size: 16mm x 18mm
 Bottom Head Size: 18mm x 20mm
 Stem Length: 15mm
 Hyundai Azera & Genesis 2009 - On

UNIT PACKAGE: 25

20566

(87756-3D000)
 White Nylon



Body Side Nylon Nut
 with Sealer
 Screw Size: M4.2 (#8)
 Head Size: 14mm x 14mm
 Stem Length: 10mm
 Elantra & Sonata 2002 - On

UNIT PACKAGE: 25

21068

(86848-22000)
 Black Nylon



Fender Apron Nylon Nut
 Screw Size: M4.8 (#10)
 Head Diameter: 16mm
 Stem Length: 11mm
 Fits into 8.5mm Square Hole
 Accent, Elantra, Sonata
 & Tiburon 1995 - On

UNIT PACKAGE: 25


20543

(81126-37010)
Black Nylon

Hood Insulation Retainer
Head Diameter: 26mm
Stem Diameter: 12mm
Stem Length: 14mm
Hyundai Elantra & Sonata
and Kia Optima 1995 - On

UNIT PACKAGE: 25


17632

(Mazda: B092-51-833;
Ford: MB-455-56143, W705845-S300;
Hyundai: 86590-28000)
Black Nylon

Push-Type Retainer
Head Diameter: 18mm
Stem Length: 12mm
Fits into 8mm Hole
Hyundai, Mazda & Ford Aspire

UNIT PACKAGE: 25


22253

(Hyundai: 86595-2T500,
14206-08250-B)
Black Nylon

Bumper, Engine Under Cover &
Fender Liner Push-Type Retainer
Head Diameter: 18mm
Stem Length: 14mm
Fits into 8mm Hole
Hyundai Elantra, Equus, Genesis,
Santa Fe & Sonata and Kia Forte, K900,
Optima, Sedona & Sorento 2013 - On

UNIT PACKAGE: 25


22352

(84145-26000)
Black Nylon

Wheel Well Liner &
Splash Shield Nylon Nut
Hex Size: 14mm
Flange Diameter: 30mm
Overall Height: 10mm
Hyundai Accent, Elantra, Equus,
Genesis, Genesis Coupe, Genesis
G90, Santa Fe, Sonata, Tucson,
Veloster & Veracruz 2000 - On

UNIT PACKAGE: 25


21067

(86593-24000)
Stainless Steel

Bumper & Grille Retainer
Width: 13mm
Length: 30mm
Accent, Santa Fe & Sonata 1995 - On

UNIT PACKAGE: 25


21355

(Not Available from O.E.M.)
Black Nylon

Cable Strap
Overall Length: 160mm (6-3/8")
Strap Width: 5mm (3/16")
Maximum Bundle Diameter: 36mm (1-13/32")
Fits into 7mm Hole
Hyundai & Universal
UNIT PACKAGE: 25

Photo not actual size




21850

(Nissan: 26398-ED000)
 White Nylon

Tail Light Clip

Top Head Size: 13mm x 13mm
 Bottom Head Diameter: 19mm
 Stem Length: 10mm

Infiniti M37, M56 & M Hybrid 2013 - On
 Nissan Armada, Juke, Pathfinder,
 Sentra & Versa 2006 - On

UNIT PACKAGE: 25


21192

(Nissan: 01553-05323)
 (Mazda: L33X13209)
 Black Nylon

Cowl, Bumper & Fender Liner

Push-Type Retainer

Head Diameter: 20mm
 Stem Length: 12mm
 Fits into 8mm Hole

Infiniti FX35, FX45, G35 and Nissan 2003 - On
 Mazda 2, 3, 5, 6, CX-5, CX-7 & CX-9 2007 - On

UNIT PACKAGE: 25


22039

(Nissan: 01553-2DR9A)
 Black Nylon

Push-Type Retainer

Top Head Diameter: 16mm x 19mm
 Bottom Head Diameter: 20mm
 Stem Length: 12mm
 Fits into 8mm Hole

Infiniti G20, JX35, Q45 & QX60 and
 Nissan Frontier, Maxima, NV, Pathfinder,
 Sentra, Versa & Xterra 2002 - On

UNIT PACKAGE: 25


21017

(76882-0M000)
 White

Nylon U-Nut

Screw Size: M4.8 (#10)
 Panel Range: Up to 1.5mm
 Center of Hole to Edge: 8mm
 Nissan & Infiniti 1995 - On

UNIT PACKAGE: 25


20953

(11296-AG000)
 Black Nylon

Front Bumper and Radiator Support

Push-Type Retainer

Head Diameter: 20mm
 Stem Length: 13mm
 Fits into 8mm Hole

Infiniti FX 35/45 and Nissan Altima,
 Maxima & Quest 2002 - On

UNIT PACKAGE: 25



22015

(Hyundai: 87756-1F000)
Blue Nylon



Fender Flare, Rocker, Door & Exterior
Moulding Clip with Sealer
Top Head Size: 10mm x 12mm
Bottom Head Size: 14mm x 20mm
Stem Diameter: 14mm
Stem Length: 10mm
Hyundai Santa Fe 2013 - On
Kia Sportage 2011 - On
UNIT PACKAGE: 25

21146

(OG032-50037-A)
Black Nylon



Bumper, Render, Grille,
Interior & Exterior Trim and
Pillar Push-Type Retainer
Head Diameter: 18mm
Stem Length: 12mm
Fits into 8mm Hole
Amanti, Magentis, Optima,
Rio, Sedona, Sephia, Sorento,
Spectra & Sportage 2000 - On
UNIT PACKAGE: 25

20567

(87756-38000)
Black Nylon



Body Side Moulding Clip with Sealer
Top Head Size: 8mm x 9mm
Bottom Head Size: 14mm x 18mm
Stem Length: 10mm
Elantra & Sonata 2002 - On
Kia Rio 2010 - On
UNIT PACKAGE: 25

22253

(Hyundai: 86595-2T500, 14206-08250-B)
Black Nylon



Bumper, Engine Under Cover
& Fender Liner Push-Type Retainer
Head Diameter: 18mm
Stem Length: 14mm
Fits into 8mm Hole
Hyundai Elantra, Equus, Genesis, Santa Fe
& Sonata and Kia Forte, K900, Optima
UNIT PACKAGE: 25

20543

(81126-37010)
Black Nylon



Hood Insulation Retainer
Head Diameter: 26mm
Stem Diameter: 12mm
Stem Length: 14mm
Hyundai Elantra & Sonata
and Kia Optima 1995 - On
UNIT PACKAGE: 25

ITEMS OFFERED IN
PACKAGE QUANTITIES ONLY
BULK QUANTITIES OFFERED ON REQUEST


21857

(Toyota: 75392-35220)
 White Nylon

Front & Rear Spoiler Moulding Clip
 Head Size: 10mm x 20mm
 Stem Length: 24mm
 Overall Length: 27mm
 Lexus HS250 & RX350 and Toyota
 Camry, Corolla, FJ Cruiser &
 Highlander 2010 - On

UNIT PACKAGE: 25


20757

(47749-58010)
 Black Nylon

Front Fender & Bumper
 Cover Pin Retainer
 Head Diameter: 15mm
 Stem Length: 25mm
 Lexus and Toyota 4 Runner,
 Highlander, Sienna & Solara 2000 - On

UNIT PACKAGE: 25


14267

(90189-06013)
 Black Nylon

Screw Grommet
 Screw Size: #14 (1/4") or M6.3-1.81
 Head Diameter: 20mm
 Stem Length: 17mm
 Fits into 8mm x 8mm Hole
 Lexus & Toyota

UNIT PACKAGE: 25


21357

(47749-50090)
 Black Nylon

Bumper Cover Pin Retainer
 Head Diameter: 10mm
 Stem Length: 24mm
 GS, IS & LS 2007 - On

UNIT PACKAGE: 15


20758

(53879-58010)
 Black Nylon

Front Fender & Bumper Cover Clip
 Width: 25mm
 Length: 34mm
 Lexus and Toyota 4 Runner,
 Highlander, Sienna & Solara 2000 - On

UNIT PACKAGE: 25


18297

(Toyota: 90467-08004, 90467-08011)
 (GM: 94842841, 94849113)
 Black Nylon

Hood Seal Retaining Clip
 Head Diameter: 13mm
 Stem Length: 11mm
 Fits into 6mm Hole
 Lexus, Toyota, Geo Prizm & Nova 1985 - On

UNIT PACKAGE: 25


21797

(Toyota: 53879-30040)
 Black Nylon

Front Bumper Cover Clip
 Width: 32mm
 Length: 39mm
 Lexus CT200h &
 HS250h 2010 - On
 Toyota Camry 2012 - On

UNIT PACKAGE: 25


19729

(90467-09050)
 Black Nylon

Hood Insulation Retainer
 Head Diameter: 25mm
 Stem Length: 10mm
 Fits into 7mm Hole
 Lexus, Toyota Camry & Solara 1998-On

UNIT PACKAGE: 25



21012

(75867-AA010)
Black Nylon

Rocker Panel &
Scuff Plate Retainer
Top Head Diameter: 13mm
Bottom Head Diameter: 18mm
Stem Diameter: 9.5mm
Stem Length: 14mm
Lexus ES300 & ES330 2002 - On
Toyota Avalon, Camry, Scion
& Solara 2004 - On
UNIT PACKAGE: 25



20955

(90467-07201)
Black Nylon

Engine Under Cover
Push-Type Retainer
Head Diameter: 20mm
Stem Length: 10mm
Fits into 7mm Hole
Lexus ES300/330 and
Toyota Avalon, Camry &
Solara 2002 - On
UNIT PACKAGE: 25



20349

(Toyota: 90467-08185;
Nissan: 01553-09611)

Black Nylon
Push-Type Retainer
Head Diameter: 18mm
Stem Length: 10mm (Excluding the Pin)
Fits into 8mm Hole
Lexus & Toyota 2002 - On
Nissan 1994 - On
UNIT PACKAGE: 25



20380

(Not Supplied by O.E.M.)
Black Nylon

Cable Strap
Length: 200mm (8")
Max. Bundle Diameter: 44mm (1-3/4")
Fits into 6.3mm (1/4") Hole
Import Cars
UNIT PACKAGE: 25

Photo not actual size

VISIT
KNASUPPLY.COM
FOR NEW PRODUCT UPDATES


13930

(Nissan: 96706-B0700;

Mazda: 9991-00-412)

Natural Nylon

Screw Size: #8

Width: 9.5mm

Length: 9.5mm

Snaps into 7mm x 7mm Hole

UNIT PACKAGE: 25


14695

(Mazda: H001-50-841;

Honda: 90661-SC7-003;

Mitsubishi: MS-480012;

Nissan: 01651-00481, 74798-S9000;

Toyota: 90189-06042)

White Nylon

Screw Grommet

Screw Size: #8

Head Diameter: 16mm

Stem Length: 17mm

Fits into 8mm x 8mm Hole

UNIT PACKAGE: 25


21307

(BP4K-58-762)

Black Nylon

Weatherstrip Retaining Clip

Head Diameter: 9mm

Stem Diameter: 5.5mm

Stem Length: 7mm

Mazda 2007 - On

UNIT PACKAGE: 25


14709

(Mazda: G030-68-885-B-38;

Ford: F22Z-16774-A, GA2A-56694)

Black Nylon

Hood Insulation Retainer

Head Diameter: 20mm

Stem Length: 9mm

Fits into 6mm Hole

UNIT PACKAGE: 25


20923

(Ford: 3M8Z-1502316-A;

Mazda: GJ6E-50-715A)

Black Nylon

Cowl Vent Push-Type Retainer

Head Size: 8.5mm x 12mm

Stem Length: 9mm

Fits into 5mm Hole

Ford Fusion, Milan & Zephyr 2006 - On

Mazda 5 & 6 2003 - On

UNIT PACKAGE: 25


17632

(Mazda: B092-51-833;

Ford: MB-455-56143, W705845-S300;

Hyundai: 86590-28000)

Black Nylon

Push-Type Retainer

Head Diameter: 18mm

Stem Length: 12mm

Fits into 8mm Hole

Mazda, Hyundai & Ford Aspire

UNIT PACKAGE: 25


19315

(BC1D-56-145)

Black Nylon

Mud Guard Push-Type Retainer

Head Diameter: 20mm

Stem Length: 9mm (Excluding the Pin)

Fits into 8mm Hole

Protege 1996-On

UNIT PACKAGE: 25


21192

(Nissan: 01553-05323)

(Mazda: L33X13209)

Black Nylon

Cowl, Bumper & Fender Liner

Push-Type Retainer

Head Diameter: 20mm

Stem Length: 12mm

Fits into 8mm Hole

Infiniti FX35, FX45, G35 and Nissan 2003 - On

Mazda 2, 3, 5, 6, CX-5, CX-7 & CX-9 2007 - On

UNIT PACKAGE: 25

17003

(Mazda: GJ21-50-049;
Ford: F32Z-17C756-S)

Bumper Cover Retainer
Front & Rear Bumpers
Mazda & Ford 1988 - On

UNIT PACKAGE: 25

**20380**

(Not Supplied by O.E.M.)
Black Nylon

Cable Strap
Length: 200mm (8")
Max. Bundle Diameter: 44mm (1-3/4")
Fits into 6.3mm (1/4") Hole
Import Cars

UNIT PACKAGE: 25



Photo not actual size

MERCEDES BENZ FASTENERS

MERCEDES BENZ FASTENERS AVAILABLE UPON REQUEST.


13932

(Mitsubishi: MS-480002;
Toyota: 90189-05013)
Natural Nylon

Screw Size: #10
Width: 12mm
Length: 12mm
Fits into 8mm x 9mm Hole
UNIT PACKAGE: 25


14695

(Mitsubishi: MS-480012;
Honda: 90661-SC7-003;
Mazda: H001-50-841;
Nissan: 01651-00481, 74798-S9000;
Toyota: 90189-06042)
White Nylon

Screw Grommet
Screw Size: #8
Head Diameter: 16mm
Stem Length: 17mm
Fits into 8mm x 8mm Hole
UNIT PACKAGE: 25


14275

(Mitsubishi: MB-098145;
Nissan: 01281-00023, 01281-00231;
Toyota: 90189-06001)
White Nylon

Screw Grommet
Screw Size: #10
Head Diameter: 18mm
Stem Length: 17mm
Fits into 8.5mm x 8.5mm Hole
UNIT PACKAGE: 25


21658

(Mitsubishi: MR288150;
Subaru: 909130013)
Black Nylon

Push-Type Retainer
Head Diameter: 15mm
Stem Length: 11mm
Fits into 6mm Hole
Mitsubishi Endeavor, Galant, Lancer,
Mirage,
Montero & Outlander 1997 - On
Subaru BRZ, Forester, Impreza, Legacy,
Outback, & XV Crosstrek 2004 - On
UNIT PACKAGE: 25


19239

(Honda: 91512-SX0-003;
Mitsubishi: MU000319; GM: 11519949)
Black Nylon

Front Fender & Bumper Support
Push-Type Retainer
Head Diameter: 20mm
Stem Length: 11mm
Fits into 8mm Hole
Acura 3.5RL, Honda Accord,
Prelude & Odyssey 1994-On
Mitsubishi Lancer 2002-On
GM 1997 - On
UNIT PACKAGE: 25


20247

(MR200300)
Black Nylon

Fender & Bumper Push-Type Retainer
Head Diameter: 18mm
Stem Length: 12mm
Fits into 9mm Hole
Honda & Mitsubishi 1998 - On
UNIT PACKAGE: 25


17472

(Mitsubishi: MB547806;
Nissan: 63854-01A00)
Black Nylon

Front Bumper Fascia Push-Type Retainer
Head Diameter: 20mm
Stem Length: 20mm
Fits into 8mm Hole
UNIT PACKAGE: 25


20380

(Not Supplied by O.E.M.)
Black Nylon

Cable Strap
Width: 5mm (3/16")
Length: 200mm (8")
Max. Bundle Diameter: 44mm (1-3/4")
Fits into 6.3mm (1/4") Hole
Import Cars
UNIT PACKAGE: 25

Photo not actual size

21683

(Nissan: 76882-EW00B)
 White Nylon



Rocker Moulding & Exterior Trim
 Moulding Clip with Sealer
 Top Head Size: 6mm x 9mm
 Bottom Head Diameter: 13mm
 Stem Length: 7mm
 Fits into 8mm Hole
 Nissan Altima & Juke 2011 - On

UNIT PACKAGE: 25

21285

(76882-EG01A)
 Black Nylon



Rocker Panel
 Moulding Clip with Sealer
 Top Head Size: 10mm x 15mm
 Bottom Head Diameter: 18mm
 Stem Length: 12mm
 Fits into 8mm Hole
 Altima and Maxima 2010 - On

UNIT PACKAGE: 25

13930

(Nissan: 96706-B0700;
 Mazda: 9991-00-412)
 White Nylon



Screw Size: #8
 Width: 9.5mm
 Length: 9.5mm
 Snaps into 7mm x 7mm Hole

UNIT PACKAGE: 25

14275

(Nissan: 01281-00023, 01281-00231;
 Mitsubishi: MB-098145;
 Toyota: 90189-06001)
 White Nylon



Screw Grommet
 Screw Size: #10
 Head Diameter: 18mm
 Stem Length: 17mm
 Fits into 8.5mm x 8.5mm Hole

UNIT PACKAGE: 25

21850

(Nissan: 26398-ED000)
 White Nylon



Tail Light Clip
 Top Head Size: 13mm x 13mm
 Bottom Head Diameter: 19mm
 Stem Length: 10mm
 Infiniti M37, M56 & M Hybrid 2013 - On
 Nissan Armada, Juke, Pathfinder,
 Sentra & Versa 2006 - On

UNIT PACKAGE: 25

14695

(Nissan: 01651-00481 74798-S9000;
 Honda: 90661-SC7-003;
 Mazda: H001-50-841;
 Mitsubishi: MS-480012;
 Toyota: 90189-06042)
 White Nylon



Screw Grommet
 Screw Size: #8
 Head Diameter: 16mm
 Stem Length: 17mm
 Fits into 8mm x 8mm Hole


UNIT PACKAGE: 25

16859

(Nissan: 66860-01W01;
 GM: 94051993)
 Black Nylon



Cowl Panel to Reinforcement Plate &
 Engine Splash Shield Retainer
 Head Diameter: 14mm (9/16")
 Stem Length: 16mm (5/8")
 Fits into 6mm (1/4") Hole



Nissan 1980-On
 Geo Storm 1990-On

UNIT PACKAGE: 25

22039

(Nissan: 01553-2DR9A)
 Black Nylon



Push-Type Retainer
 Top Head Diameter: 16mm x 19mm
 Bottom Head Diameter: 20mm
 Stem Length: 12mm
 Fits into 8mm Hole
 Infiniti G20, JX35, Q45 & QX60
 and Nissan Frontier, Maxima, NV, Pathfinder,
 Sentra, Versa & Xterra 2002 - On

UNIT PACKAGE: 25

20349

(Nissan: 01553-09611;

Toyota: 90467-08185)

Black Nylon



Bumper Clip

Push-Type Retainer

Head Diameter: 18mm

Stem Length: 10mm (Excluding the Pin)

Fits into 8mm Hole

Maxima 1994 - On

Toyota & Lexus 2002 - On

UNIT PACKAGE: 25

20348

(63878-01E10)

Black Nylon



Push-Type Retainer

Head Diameter: 20mm

Stem Length: 22mm

Fits into 8mm Hole

Maxima 1994 - On

UNIT PACKAGE: 25

19274

(01553-09321)

Black Nylon



Push-Type Retainer

Head Diameter: 20mm

Stem Length: 9mm (Excluding the Pin)

Fits into 8mm Hole

Maxima & 300ZX 1994-On

UNIT PACKAGE: 25

21192

(Nissan: 01553-05323)

(Mazda: L33X13209)

Black Nylon



Cowl, Bumper & Fender Liner

Push-Type Retainer

Head Diameter: 20mm

Stem Length: 12mm

Fits into 8mm Hole

Infiniti FX35, FX45, G35

and Nissan 2003 - On

Mazda 2, 3, 5, 6, CX-5, CX-7

& CX-9 2007 - On

UNIT PACKAGE: 25

20953

(11296-AG000)

Black Nylon



Front Bumper and Radiator Support

Push-Type Retainer

Head Diameter: 20mm

Stem Length: 13mm (Excluding the Pin)

Fits into 8mm Hole

Infiniti FX 35/45 and Nissan Altima,

Maxima & Quest 2002 - On

UNIT PACKAGE: 25

19246

(01553-09241)

Black Nylon



Bumper Push-Type Retainer

Head Diameter: 18mm

Stem Length: 15mm

Fits into 10mm Hole

240SX & Maxima 1994-On

UNIT PACKAGE: 25

17472

(Mitsubishi: MB547806;

Nissan: 63854-01A00)

Black Nylon



Front Bumper Fascia

Push-Type Retainer

Head Diameter: 20mm

Stem Length: 20mm

Fits into 8mm Hole

300ZX 1990-On

UNIT PACKAGE: 25

20380

(Not Supplied by O.E.M.)

Black Nylon

Cable Strap

Width: 5mm (3/16")

Length: 200mm (8")

Max. Bundle Diameter: 44mm (1-3/4")

Fits into 6.3mm (1/4") Hole

Import Cars

UNIT PACKAGE: 25



Photo not actual size

21017

(76882-0M000)

White Nylon

Nylon U-Nut

Screw Size: M4.8 (#10)

Panel Range: Up to 1.5mm

Center of Hole to Edge: 8mm

Nissan & Infiniti 1995 - On

UNIT PACKAGE: 25


21658

(Mitsubishi: MR288150;

Subaru: 909130013)

Black Nylon

Push-Type Retainer

Head Diameter: 15mm

Stem Length: 11mm

Fits into 6mm Hole

 Mitsubishi Endeavor, Galant, Lancer,
 Mirage, Montero & Outlander 1997 - On
 Subaru BRZ, Forester, Impreza, Legacy,
 Outback, & XV Crosstrek 2004 - On

UNIT PACKAGE: 25


SUBARU
24469

(Disco: 10661PK

Shop Supplies: FR10661

W&E: 3178)

Weatherstrip Retainer

Bottom Head Diameter: 5mm x 15mm

Hole Size: 5.3mm

Material: Nylon

Overall Length: 12.5mm

Type: Double Head

UNIT PACKAGE: 100


22495

(Lawson: 1561444

Lexus: 90467-06205-C0

Toyota: 90467-06205-C0 Lawson: 1561444

Lexus: 90467-06205-C0

Toyota: 90467-06205-C0)

 Front Fender Retaining Clip with Sealer
 Black

Head Diameter: 20mm

Includes: Sealer

Material: Nylon

Stem Diameter: 8mm

Stem Length: 9mm

Type: Retaining Clip with Sealer

UNIT PACKAGE: 100


22074

(Clip Lizard: 110244

Crest Midwest: CRX29661

Disco: 11043B, 11043PK

GM: 11515638

Kent - Lawson: 1468620

Kimball - Midwest: 13829

Lawson: 1468620

Shop Supplies: FN11043

Winzer: 396.42)

Center Of Hole To Edge: 15mm

Finish: Zinc

Panel Range: 0.65mm - 3.80mm

Screw Size: M4.2-1.41 (#8)

UNIT PACKAGE: 100


22886

(Disco: 15864B, 15864PK

GM: 11548673

Lawson: 1615276

Shop Supplies: FN15864)

Radiator Shield Nut

Finish: Green Magni-565

Head Size: 13.2mm x 24mm

Screw Size: M4.2-1.41 (#8)

Stem Length: 10mm

UNIT PACKAGE: 100



21684

(Toyota: 81496-21010)
 Yellow Nylon



Rear Light Housing Guide with Sealer
 Top Head Diameter: 13mm
 Bottom Head Diameter: 20mm
 Stem Length: 10mm
 Toyota Prius 2012 - On
 UNIT PACKAGE: 25

15695

(Toyota: 62955-20020, 65955-12010;
 GM: 94848834)
 White Nylon



Moulding Clip with Sealer
 Head Diameter: 15mm
 Stem Length: 9mm
 Fits into 8mm Hole
 Toyota Pick-Up Truck and Pontiac Vibe
 UNIT PACKAGE: 25

20687

(75396-35020, 75495-35010)
 Blue Nylon



Rocker Moulding Clip with Sealer
 Head Diameter: 17mm
 Stem Length: 10mm
 4-Runner 2003 - On
 UNIT PACKAGE: 25

20390

(90904-67036)
 Blue Nylon



Fender Moulding Clip
 Head Diameter: 17mm
 Stem Length: 17mm
 Highlander, Land Cruiser,
 Tacoma & Tundra 2001 - On
 UNIT PACKAGE: 25

20391

(90904-67037)
 Red Nylon



Fender Moulding Clip
 Head Diameter: 17mm
 Stem Length: 13mm
 Highlander, Land Cruiser,
 Tacoma & Tundra 2001 - On
 UNIT PACKAGE: 25

20688

(75397-35010)
 Orange Nylon



Wheel Flare Moulding Clip with Sealer
 Head Diameter: 17mm
 Stem Length: 17mm
 4-Runner 2003 - On
 UNIT PACKAGE: 25

21857

(Toyota: 75392-35220)
 White Nylon



Front & Rear Spoiler Moulding Clip
 Head Size: 10mm x 20mm
 Stem Length: 24mm
 Overall Length: 27mm
 Lexus HS250 & RX350 and Toyota
 Camry, Corolla, FJ Cruiser &
 Highlander 2010 - On
 UNIT PACKAGE: 25

21016

(75392-35200, 75392-04010)
 Blue Nylon



Fender Flare & Bumper Clip
 Head Size: 13mm x 26mm
 Stem Length: 24mm
 Toyota Camry, FJ,
 RAV4 & Tacoma 2005 - On
 UNIT PACKAGE: 25

13932

(Toyota: 90189-05013;
 Mitsubishi: MS-480002)
 Natural Nylon



Screw Size: #10
 Width: 12mm
 Length: 12mm
 Fits into 8mm x 9mm Hole
 UNIT PACKAGE: 25


21857

(Toyota: 75392-35220)
 White Nylon

Front & Rear Spoiler Moulding Clip
 Head Size: 10mm x 20mm
 Stem Length: 24mm
 Overall Length: 27mm
 Lexus HS250 & RX350 and Toyota
 Camry, Corolla, FJ Cruiser &
 Highlander 2010 - On

UNIT PACKAGE: 25


14275

(Toyota: 90189-06001;
 Mitsubishi: MB-098145;
 Nissan: 01281-00023, 01281-00231)

White Nylon
 Screw Grommet
 Screw Size: M4.8 (#10)
 Head Diameter: 18mm
 Stem Length: 17mm
 Fits into 8.5mm x 8.5mm Hole

UNIT PACKAGE: 25


20895

(90189-06193)
 Natural Nylon

Front Bumper Nylon Nut
 Screw Size: M5.5 (#12)
 Head Size: 14mm x 16mm
 Stem Length: 10mm
 Avalon & Camry 2002 - On

UNIT PACKAGE: 25


14267

(90189-06013)
 Black Nylon

Screw Grommet
 Screw Size: #14 (1/4") or M6.3-1.81
 Head Diameter: 20mm
 Stem Length: 17mm
 Fits into 8mm x 8mm Hole
 Lexus & Toyota

UNIT PACKAGE: 25


21191

(90189-05142)
 Natural Nylon

Headlight Mounting Nylon Nut
 Screw Size: M4.2 (#8)
 Head Diameter: 17mm
 Stem Length: 8mm
 Fits into 9mm Square Hole
 Toyota & Scion 2001 - On

UNIT PACKAGE: 25


21797

(Toyota: 53879-30040)
 Black Nylon

Front Bumper
 Cover Clip
 Width: 32mm
 Length: 39mm
Use with 21357
 Lexus CT200h &
 HS250h 2010 - On
 Toyota Camry 2012 - On

UNIT PACKAGE: 25


14695

(Toyota: 90189-06042;
 Honda: 90661-SC7-003;
 Mazda: H001-50-841;
 Mitsubishi: MS-480012;
 Nissan: 01651-00481, 74798-S9000)
 White Nylon

Screw Grommet
 Screw Size: #8
 Head Diameter: 16mm
 Stem Length: 17mm
 Fits into 8mm x 8mm Hole

UNIT PACKAGE: 25


20758

(53879-58010)
 Black Nylon

Front Fender &
 Bumper Cover Clip
 Width: 25mm
 Length: 34mm
Use with 20757
 Lexus and Toyota 4 Runner,
 Highlander, Sienna & Solara 2000 - On

UNIT PACKAGE: 25


20757

(47749-58010)
 Black Nylon

Front Fender & Bumper
 Cover Pin Retainer
 Head Diameter: 15mm
 Stem Length: 25mm
 Lexus and Toyota 4 Runner,
 Highlander, Sienna & Solara 2000 - On

UNIT PACKAGE: 25


19643

(90467-06175)
 Black Nylon

Luggage Compartment Retainer
 Head Diameter: 16mm
 Stem Diameter: 6mm
 Stem Length: 16mm
 Solara 1998-On

UNIT PACKAGE: 25


18297

(Toyota: 90467-08004, 90467-08011;
 GM: 94842841, 94849113)

Black Nylon

Hood Seal Retaining Clip
 Head Diameter: 13mm
 Stem Length: 11mm
 Fits into 6mm Hole
 Lexus, Toyota, Geo Prizm
 & Nova 1985 - On

UNIT PACKAGE: 25


21211

(53326-08010)
 Black Nylon

Hood Insulation Retaining Clip
 Head Diameter: 24mm
 Stem Length: 12mm
 Fits into 7mm Hole
 Sienna 2009 - On

UNIT PACKAGE: 25


21226

(75867-02010)
 Black Nylon

Rocker Moulding Retainer
 Top Head Diameter: 13mm
 Bottom Head Diameter: 18mm
 Stem Diameter: 9mm
 Stem Length: 10mm
 Overall Length: 15.5mm
 Corolla 2009 - On

UNIT PACKAGE: 25


19729

(90467-09050)
 Black Nylon

Hood Insulation Retainer
 Head Diameter: 25mm
 Stem Length: 10mm
 Fits into 7mm Hole
 Lexus, Camry & Solara 1998-On

UNIT PACKAGE: 25


21012

(75867-AA010)
 Black Nylon

Rocker Panel & Scuff Plate Retainer
 Top Head Diameter: 13mm
 Bottom Head Diameter: 18mm
 Stem Diameter: 9.5mm
 Stem Length: 14mm
 Overall Length: 18.5mm
 Lexus ES300 & ES330 2002 - On
 Toyota Avalon, Camry, Scion &
 Solara 2004 - On

UNIT PACKAGE: 25


18876

(Toyota: 90467-10161;
 GM: 94858299)
 White Nylon

Trim Board Retainer
 Top Head Diameter: 13mm
 Middle Head Diameter: 16mm
 Bottom Head Diameter: 18mm
 Stem Diameter: 9mm x 9mm
 Stem Length: 14mm
 Overall Length: 20mm
 Toyota Sienna, Solara & Tercel 1990 - On
 Geo Prizm & Pontiac Vibe 1998 - On

UNIT PACKAGE: 25


14144

(67771-01010)
 Black Nylon

Trim Panel Retainer
 Top Head Diameter: 13mm
 Middle Head Diameter: 15.5mm
 Bottom Head Diameter: 18mm
 Stem Diameter: 9.5mm
 Stem Length: 14mm
 Overall Length: 20.5mm

UNIT PACKAGE: 25


21103

(90467-05090-B1)
 Black Nylon

Front Bumper Fascia Push-Type Retainer
 Head Diameter: 10mm
 Stem Length: 12mm
 Fits into 5mm Hole
 Corolla, Matrix & Scion 2008 - On

UNIT PACKAGE: 25


21218

(90467-05063-C0)
 Black Nylon

Front Bumper Push-Type Retainer
 Head Diameter: 11mm
 Stem Length: 8mm
 Fits into 5mm Hole
 Corolla 2009 - On

UNIT PACKAGE: 25


20349

(Toyota: 90467-08185;
 Nissan: 01553-09611)
 Black Nylon

Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 10mm (Excluding the Pin)
 Fits into 8mm Hole
 Lexus & Toyota 2002 - On
 Nissan 1994 - On

UNIT PACKAGE: 25


18873

(52161-16010, 52161-02020)
 Black Nylon

Rear Bumper Cover
 Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 28mm
 Fits into 9mm Hole
 Terrel 1988 - On

UNIT PACKAGE: 25


20380

(Not Supplied by O.E.M.)
 Black Nylon

Cable Strap
 Length: 200mm (8")
 Max. Bundle Diameter: 44mm (1-3/4")
 Fits into 6.3mm (1/4") Hole
 Import Cars

UNIT PACKAGE: 25

Photo not actual size


18888

(90467-07166)
 Black Nylon

Front Fender Liner
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 8mm (Excluding the Pin)
 Fits into 7mm Hole
 Terrel 1994 - On

UNIT PACKAGE: 25


20908

(Toyota: 90467-07164;
 Suzuki: 09409-07332)
 Black Nylon

Fender Splash Shield
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 10mm
 Fits into 7mm Hole
 Camry, Echo, MR2 & Sienna 1997 - On
 Suzuki 1999 - On

UNIT PACKAGE: 25


21201

(90467-07211)
 Black Nylon

Bumper, Radiator Cover &
 Grille Push-Type Retainer
 Head Diameter: 19mm
 Stem Length: 8mm
 Fits into 7mm Hole
 Lexus IS & LS, Scion and Toyota Avalon,
 Camry & Highlander 2005 - On

UNIT PACKAGE: 25


21225

(53888-48010)
 Black Nylon

Wheel Opening Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 14mm
 Fits into 7mm Hole
 Toyota Highlander 2001 - On

UNIT PACKAGE: 25

LICENSE PLATE SCREWS



200233

Bright Finish
(168 Hour Salt Spray) M6-1.0 x 16mm
Phillips Pan Head
Import Vehicles & General Use

UNIT PACKAGE: 100



897616

Zinc Plated Steel
M6 x 16mm
Phillips Pan Head Machine Screw

UNIT PACKAGE: 100

897616-1000
UNIT PACKAGE: 1000



150070

Zinc
#14 x 3/4"
Slotted Hex Washer Head Washer Hd
OD: 1/2"
Hex: 3/8"
Ford

UNIT PACKAGE: 100



200616

Zinc
1/4" x 3/4"
Phillips Truss Head ScrewHead
Dia: 6/16"
Ford

UNIT PACKAGE: 100



125260

Zinc
#14 x 3/4"
Slotted Truss Head Head Dia.: 9/16" Box

UNIT PACKAGE: 100

SELF DRILLING HEX WASHER HEAD SCREWS

WASHER SOLID TO HEAD
ZINC CHROMATE



Photo not actual size

ITEM #	SIZE	POINT	QTY
TEKS-850HWHS-100	#8 X 1/2"	#2	100
TEKS-875HWHS-100	#8 X 3/4"	#2	100
TEKS-8100HWHS-100	#8 X 1"	#2	100
TEKS-8125HWHS-100	#8 X 1-1/4"	#2	100
TEKS-8150HWHS-100	#8 X 1-1/2"	#2	100
TEKS-1050HWHS-100	#10 X 1/2"	#2	100
TEKS-1075HWHS-100	#10 X 3/4"	#2	100
TEKS-10100HWHS-100	#10 X 1"	#2	100
TEKS-10125HWHS-100	#10 X 1-1/4"	#3	100
TEKS-10150HWHS-100	#10 X 1-1/2"	#3	100
TEKS-1475HWHS-100	#14 X 3/4"	#3	100
TEKS-14100HWHS-100	#14 X 1"	#3	100
TEKS-14125HWHS-100	#14 X 1-1/4"	#3	100
TEKS-14150HWHS-100	#14 X 1-1/2"	#3	100


CAP SCREW GRADE 5 ZINC PLATED

120,000 P.S.I. Minimum
Tensile Strength

1/4"
DIA.

1/4"-20
USS (Coarse)

Photo not actual size



5/16"
DIA.

5/16"-18
USS (Coarse)

ITEM #	LENGTH	QTY
GR5-142050-100	1/2"	100
GR5-142075-100	3/4"	100
GR5-1420100-100	1"	100
GR5-1420125-100	1-1/4"	100
GR5-1420150-100	1-1/2"	100
GR5-1420175-100	1-3/4"	100
GR5-1420200-100	2"	100
GR5-1420225-50	2-1/4"	50
GR5-1420250-50	2-1/2"	50
GR5-1420275-50	2-3/4"	50
GR5-1420300-50	3"	50
GR5-1420325-50	3-1/4"	50
GR5-1420350-50	3-1/2"	50
GR5-1420375-50	3-3/4"	50
GR5-1420400-25	4"	25

ITEM #	LENGTH	QTY
GR5-51618050-100	1/2"	100
GR5-51618075-100	3/4"	100
GR5-51618100-100	1"	100
GR5-51618125-50	1-1/4"	50
GR5-51618150-50	1-1/2"	50
GR5-51618175-50	1-3/4"	50
GR5-51618200-50	2"	50
GR5-51618225-50	2-1/4"	50
GR5-51618250-50	2-1/2"	50
GR5-51618275-50	2-3/4"	50
GR5-51618300-25	3"	25
GR5-51618325-25	3-1/4"	25
GR5-51618350-25	3-1/2"	25
GR5-51618375-25	3-3/4"	25
GR5-51618400-25	4"	25


CAP SCREW GRADE 5 ZINC PLATED

120,000 P.S.I. Minimum
Tensile Strength

3/8"
DIA.

3/8"-16
USS (Coarse)

Photo not actual size



7/16"
DIA.

7/16"-14
USS (Coarse)

ITEM #	LENGTH	QTY
GR5-3816075-100	3/4"	50
GR5-3816100-50	1"	50
GR5-3816125-50	1-1/4"	50
GR5-3816150-50	1-1/2"	50
GR5-3816175-25	1-3/4"	25
GR5-3816200-25	2"	25
GR5-3816225-25	2-1/4"	25
GR5-3816250-25	2-1/2"	25
GR5-3816275-25	2-3/4"	25
GR5-3816300-25	3"	25
GR5-3816325-25	3-1/4"	25
GR5-3816350-25	3-1/2"	25
GR5-3816375-25	3-3/4"	25
GR5-3816400-25	4"	25

ITEM #	LENGTH	QTY
GR5-71614075-25	3/4"	25
GR5-71614100-25	1"	25
GR5-71614125-25	1-1/4"	25
GR5-71614150-25	1-1/2"	25
GR5-71614175-25	1-3/4"	25
GR5-71614200-25	2"	25
GR5-71614225-25	2-1/4"	25
GR5-71614250-25	2-1/2"	25
GR5-71614275-25	2-3/4"	25
GR5-71614300-25	3"	25
GR5-71614320-25	3-1/4"	25
GR5-71614350-25	3-1/2"	25
GR5-71614375-25	3-3/4"	25
GR5-71614400-25	4"	25


**CAP SCREW
GRADE 5
ZINC PLATED**

120,000 P.S.I. Minimum
Tensile Strength

1/2"
DIA.

1/2"-13
USS (Coarse)

Photo not actual size



5/8"
DIA.

5/8"-11
USS (Coarse)

ITEM #	LENGTH	QTY
GR5-1213075	3/4"	25
GR5-1213100	1"	25
GR5-1213125	1-1/4"	25
GR5-1213150	1-1/2"	25
GR5-1213175	1-3/4"	25
GR5-1213200	2"	25
GR5-1213225	2-1/4"	25
GR5-1213250	2-1/2"	25
GR5-1213275	2-3/4"	25
GR5-1213300	3"	25
GR5-1213325	3-1/4"	25
GR5-1213350	3-1/2"	25
GR5-1213375	3-3/4"	25
GR5-1213400	4"	25

ITEM #	LENGTH	QTY
GR5-5811100-10	1"	10
GR5-5811125-10	1-1/4"	10
GR5-5811150-10	1-1/2"	10
GR5-5811175-10	1-3/4"	10
GR5-5811200-10	2"	10
GR5-5811225-10	2-1/4"	10
GR5-5811250-10	2-1/2"	10
GR5-5811275-10	2-3/4"	10
GR5-5811300-10	3"	10
GR5-5811325-10	3-1/4"	10
GR5-5811350-10	3-1/2"	10
GR5-5811375-10	3-3/4"	10
GR5-5811400-10	4"	10

3/4"
DIA.

3/4"-11
USS (Coarse)

ITEM #	LENGTH	QTY
GR5-3410100-10	1"	10
GR5-3410125-10	1-1/2"	10
GR5-3410200-10	2"	10
GR5-3410250-10	2-1/2"	10
GR5-3410300-10	3"	10
GR5-3410350-10	3-1/2"	10
GR5-3410400-10	4"	10

CAP SCREW GRADE 8 ZINC PLATED

120,000 P.S.I. Minimum
Tensile Strength

1/4"
DIA.

1/4"-20
USS (Coarse)

ITEM #	LENGTH	QTY
GR8-142050-50	1/2"	50
GR8-142075-50	3/4"	50
GR8-1420100-50	1"	50
GR8-1420125-50	1-1/4"	50
GR8-1420150-50	1-1/2"	50
GR8-1420175-50	1-3/4"	50
GR8-1420200-50	2"	50
GR8-142025-25	2-1/4"	25
GR8-1420250-25	2-1/2"	25
GR8-1420275-25	2-3/4"	25
GR8-1420300-25	3"	25

Photo not actual size



5/16"
DIA.

5/16"-18
USS (Coarse)

ITEM #	LENGTH	QTY
GR8-51618050-50	1/2"	50
GR8-51618075-50	3/4"	50
GR8-51618100-50	1"	50
GR8-51618125-50	1-1/4"	50
GR8-51618150-50	1-1/2"	50
GR8-51618175-50	1-3/4"	50
GR8-51618200-50	2"	50
GR8-51618225-25	2-1/4"	25
GR8-51618250-25	2-1/2"	25
GR8-51618275-25	2-3/4"	25
GR8-51618300-25	3"	25



3/8"
DIA.

3/8"-16
USS (Coarse)

ITEM #	LENGTH	QTY
GR8-3816075-50	3/4"	50
GR8-3816100-50	1"	50
GR8-3816125-50	1-1/4"	50
GR8-3816150-50	1-1/2"	50
GR8-3816175-50	1-3/4"	50
GR8-3816200-50	2"	50
GR8-3816225-25	2-1/4"	25
GR8-3816250-25	2-1/2"	25
GR8-3816275-25	2-3/4"	25
GR8-3816300-25	3"	25
GR8-3816325-25	3-1/4"	25
GR8-3816350-25	3-1/2"	25
GR8-3816375-25	3-3/4"	25
GR8-3816400-25	4"	25

CAP SCREW GRADE 8 ZINC PLATED

120,000 P.S.I. Minimum
Tensile Strength

7/16"

DIA.

7/16"-14
USS (Coarse)

ITEM #	LENGTH	QTY
GR8-71614075-50	3/4"	50
GR8-71614100-50	1"	50
GR8-71614125-50	1-1/4"	50
GR8-71614150-25	1-1/2"	25
GR8-71614175-25	1-3/4"	25
GR8-71614200-25	2"	25
GR8-71614225-25	2-1/4"	25
GR8-71614250-25	2-1/2"	25
GR8-71614275-25	2-3/4"	25
GR8-71614300-25	3"	25
GR8-71614350-10	3-1/2"	10
GR8-71614400-10	4"	10

Photo not actual size



1/2"

DIA.

1/2"-13
USS (Coarse)

ITEM #	LENGTH	QTY
GR8-1213100-25	1"	25
GR8-1213125-25	1-1/4"	25
GR8-1213150-25	1-1/2"	25
GR8-1213175-25	1-3/4"	25
GR8-1213200-25	2"	25
GR8-1213225-25	2-1/4"	25
GR8-1213250-25	2-1/2"	25
GR8-1213275-25	2-3/4"	25
GR8-1213300-25	3"	25
GR8-1213325-25	3-1/4"	25
GR8-1213350-10	3-1/2"	10
GR8-1213375-10	3-3/4"	10
GR8-1213400-10	4"	10

5/8"

DIA.

5/8"-11
USS (Coarse)

ITEM #	LENGTH	QTY
GR8-5811100-10	1"	10
GR8-5811125-25	1-1/4"	10
GR8-5811150-25	1-1/2"	10
GR8-5811175-25	1-3/4"	10
GR8-5811200-25	2"	10
GR8-5811225-25	2-1/4"	10
GR8-5811250-25	2-1/2"	10
GR8-5811275-25	2-3/4"	10
GR8-5811300-25	3"	10
GR8-5811325-25	3-1/4"	10
GR8-5811350-10	3-1/2"	10
GR8-5811375-10	3-3/4"	10
GR8-5811400-10	4"	10

CAP SCREW GRADE 8 ZINC PLATED

120,000 P.S.I. Minimum
Tensile Strength

3/4"
DIA.

3/4"-10
USS (Coarse)

ITEM #	LENGTH	QTY
GR8-3410125-10	1-1/4"	10
GR8-3410150-10	1-1/2"	10
GR8-3410175-10	1-3/4"	10
GR8-3410200-10	2"	10
GR8-3410225-10	2-1/4"	10
GR8-3410250-10	2-1/2"	10
GR8-3410275-10	2-3/4"	10
GR8-3410300-10	3"	10
GR8-3410325-10	3-1/4"	10
GR8-3410350-10	3-1/2"	10
GR8-3410375-10	3-3/4"	10
GR8-3410400-10	4"	10

Photo not actual size



GRADE 5 HEX NUTS

Standard Finish
Bright Zinc Plated



ITEM #	THREAD	HEX WIDTH	QTY
GR5-1420HN-100	1/4-20 USS	7/16"	100
GR5-51618HN-100	5/16-18 USS	1/2"	100
GR5-3816HN-100	3/8-16 USS	9/16"	100
GR5-71614HN-100	7/16-14 USS	11/16"	100
GR5-1213HN-100	1/2-13 USS	3/4"	100
GR5-5811HN-50	5/8-11 USS	15/16"	50
GR5-3410HN-25	3/4-10 USS	1-1/8"	25

GRADE 8 HEX NUTS

Finished Hex Nuts
Yellow Zinc Plated



ITEM #	THREAD	HEX WIDTH	QTY
GR8-1420HN-50	1/4-20 USS	7/16"	50
GR8-51618HN-50	5/16-18 USS	1/2"	50
GR8-3816HN-50	3/8-16 USS	9/16"	50
GR8-71614HN-50	7/16-14 USS	11/16"	50
GR8-1213HN-50	1/2-13 USS	3/4"	50
GR8-5811HN-25	5/8-11 USS	15/16"	25
GR8-3410HN-25	3/4-10 USS	1-1/8"	25

GRADE 5 NYLON LOCK NUTS

Lock Nuts
Bright Zinc Plated



ITEM #	THREAD	HEX WIDTH	QTY
GR5-1420HLN-100	1/4-20 USS	7/16"	100
GR5-51618HLN-100	5/16-18 USS	1/2"	100
GR5-3816HLN-100	3/8-16 USS	9/16"	100
GR5-71614HLN-100	7/16-14 USS	11/16"	100
GR5-1213HLN-100	1/2-13 USS	3/4"	100
GR5-5811HLN-50	5/8-11 USS	15/16"	50
GR5-3410HLN-25	3/4-10 USS	1-1/8"	25

GRADE 5 SAE FLAT WASHERS

ZINC CHROMATE



Photos not actual size

ITEM #	BOLT SIZE	INSIDE DIAMETER	OUTSIDE DIAMETER	QTY
GR5-14SAEFW-100	1/4"	9/32"	5/8"	100
GR5-516SAEFW-100	5/16"	11/32"	11/16"	100
GR5-38SAEFW-100	3/8"	13/32"	13/16"	100
GR5-716SAEFW-100	7/16"	15/32"	15/16"	100
GR5-12SAEFW-100	1/2"	17/32"	1-1/16"	100
GR5-58SAEFW-50	5/8"	21/32"	1-5/16"	50
GR5-34SAEFW-50	3/4"	21/32"	1-5/16"	50

GRADE 5 USS FLAT WASHERS

ZINC CHROMATE



Photos not actual size

ITEM #	BOLT SIZE	INSIDE DIAMETER	OUTSIDE DIAMETER	QTY
GR5-14USSFW-100	1/4"	5/16"	3/4"	100
GR5-516USSFW-100	5/16"	3/8"	7/8"	100
GR5-38USSFW-100	3/8"	7/16"	1"	100
GR5-716USSFW-100	7/16"	1/2"	1-1/4"	100
GR5-12USSFW-100	1/2"	9/16"	1-3/8"	100
GR5-58USSFW-50	5/8"	11-16"	1-3/4"	50
GR5-34USSFW-50	3/4"	13/16"	2"	50

GRADE 8 SAE FLAT WASHERS

YELLOW ZINC



Photos not actual size

ITEM #	BOLT SIZE	INSIDE DIAMETER	OUTSIDE DIAMETER	QTY
GR8-14FW-100	1/4"	9/32"	5/8"	100
GR5-516FW-100	5/16"	11/32"	11/16"	100
GR5-38FW-100	3/8"	13/32"	13/16"	100
GR5-716FW-100	7/16"	15/32"	15/16"	100
GR5-12FW-100	1/2"	17/32"	1-1/16"	100
GR5-58SFW-50	5/8"	21/32"	1-5/16"	50
GR5-34FW-50	3/4"	21/32"	1-5/16"	50

FENDER WASHERS

ZINC CHROMATE



Photos not actual size

ITEM #	WASHER SIZE	QTY
FW1-3161-100	#10 OR 3/16" X 1"	100
FW2-316125-100	#10 OR 3/16" X 1-1/4"	100
FW3-141-100	1/4" X 1"	100
FW4-14125-100	1/4" X 1-1/4"	100
FW5-14150-100	1/4" X 1-1/2"	100
FW6-516125-100	5/16" X 1-1/4"	100
FW7-516150-100	5/16" 1-1/4"	100
FW8-38125-100	3/8" X 1-1/4"	100
FW9-38150-100	3/8" X 1-1/2"	100

STANDARD SPRING TYPE LOCK WASHER

GRADE 5

ZINC CHROMATE



Photos not actual size

ITEM #	WASHER SIZE	QTY
GR5-14SLW-100	1/4"	100
GR5-516SLW-100	5/16"	100
GR5-38SLW-100	3/8"	100
GR5-716SLW-100	7/16"	100
GR5-12SLW-100	1/2"	100
GR5-58SLW-50	5/8"	50
GR5-34SLW-50	3/4"	50

HIGH ALLOY SPRING TYPE LOCK WASHER

GRADE 8

ZINC & YELLOW DICHROMATE



Photos not actual size

ITEM #	WASHER SIZE	QTY
GR8-14SLW-100	1/4"	100
GR8-516SLW-100	5/16"	100
GR8-38SLW-100	3/8"	100
GR8-716SLW-100	7/16"	50
GR8-12SLW-100	1/2"	50
GR8-58SLW-50	5/8"	50
GR8-34SLW-50	3/4"	50

REGULAR PITCH METRIC CAP SCREWS

DIN 931 & DIN 933

ZINC PLATED

8.8 Heat Treated Alloy Steel

Tensile Strength: 113,000 PSI Min. To 142,000 Max.



Photo not actual size

Hex Head Size 8mm

ITEM #	DIAMETER & PITCH	LENGTH	QTY
M5-810HB-50	5MM-.8	10MM	50
M5-816HB-50	5MM-.8	16MM	50
M5-820HB-50	5MM-.8	20MM	50
M5-825HB-50	5MM-.8	25MM	50
M5-830HB-50	5MM-.8	30MM	50
M5-835HB-50	5MM-.8	35MM	50

Hex Head Size 10mm

ITEM #	DIAMETER & PITCH	LENGTH	QTY
M6-1010HB-50	6MM-1.00	10MM	50
M6-1012HB-50	6MM-1.00	12MM	50
M6-1016HB-50	6MM-1.00	16MM	50
M6-1020HB-50	6MM-1.00	20MM	50
M6-1025HB-50	6MM-1.00	25MM	50
M6-1030HB-50	6MM-1.00	30MM	50
M6-1035HB-50	6MM-1.00	35MM	50
M6-1040HB-50	6MM-1.00	40MM	50
M6-1045HB-50	6MM-1.00	45MM	50
M6-1050HB-50	6MM-1.00	50MM	50
M6-1060HB-50	6MM-1.00	60MM	50

Hex Head Size 13mm

ITEM #	DIAMETER & PITCH	LENGTH	QTY
M8-1216HB-50	8MM-1.25	16MM	50
M8-1220HB-50	8MM-1.25	20MM	50
M8-1225HB-50	8MM-1.25	25MM	50
M8-1230HB-50	8MM-1.25	30MM	50
M8-1235HB-50	8MM-1.25	35MM	50
M8-1240HB-50	8MM-1.25	40MM	50
M8-1245HB-25	8MM-1.25	45MM	25
M8-1250HB-25	8MM-1.25	50MM	25
M8-1255HB-25	8MM-1.25	55MM	25
M8-1260HB-25	8MM-1.25	60MM	25

Hex Head Size 17mm

ITEM #	DIAMETER & PITCH	LENGTH	QTY
M10-15020HB-25	10MM-1.50	20MM	25
M10-15025HB-25	10MM-1.50	25MM	25
M10-15030HB-25	10MM-1.50	30MM	25
M10-15035HB-25	10MM-1.50	35MM	25
M10-15040HB-25	10MM-1.50	40MM	25
M10-15045HB-25	10MM-1.50	45MM	25
M10-15050HB-25	10MM-1.50	50MM	25
M10-15055HB-10	10MM-1.50	55MM	10
M10-15060HB-10	10MM-1.50	60MM	10

Hex Head Size 19mm

ITEM #	DIAMETER & PITCH	LENGTH	QTY
M12-17520HB-25	12MM-1.75	20MM	25
M12-17525HB-25	12MM-1.75	25MM	25
M12-17530HB-25	12MM-1.75	30MM	25
M12-17535HB-25	12MM-1.75	35MM	25
M12-17540HB-25	12MM-1.75	40MM	25
M12-17545HB-10	12MM-1.75	45MM	10
M12-17550HB-10	12MM-1.75	50MM	10
M12-17555HB-10	12MM-1.75	55MM	10
M12-17560HB-10	12MM-1.75	60MM	10

METRIC HEX NUTS

CLASS 8
 DIN 934
 ZINC PLATED
 TENSILE STRENGTH: 116,000 MAX.



ITEM #	DIA. THREAD	WRENCH SIZE	QTY
M5-8HN-50	5MM-.8	8MM	50
M6-10HN-50	6MM-1.00	10MM	50
M8-125HN-50	8MM-1.25	13MM	50
M10-150HN-25	10MM-1.50	17MM	25
M12-175HN-25	12MM-1.75	19MM	25

METRIC NYLON INSERT LOCK NUTS

DIN 985
 REGULAR PITCH
 HEAT TREATED ALLOY STEEL
 ZINC PLATED



ITEM #	DIA. THREAD	HEX WIDTH	QTY
M6-10NLN-50	6MM-1.00	10MM	50
M8-125NLN-50	8MM-1.25	13MM	50
M10-150NLN-50	10MM-1.5	17MM	50
M12-175NLN-50	12MM-1.75	19MM	50

METRIC FLANGE LOCK NUTS WITH SERRATIONS

STANDARD FLANGE
 CASE HARDENED
 ZINC PLATED



ITEM #	DIA. THREAD	HEX WIDHT	QTY
M6-10SFN-25	6MM-1.00	10MM	25
M8-125SFN-25	8MM-1.25	13MM	25
M10-125SFN-25	10MM-1.25	17MM	25

METRIC FLANGE LOCK NUTS NON-SERRATED

CASE HARDENED
 ZINC PLATED



ITEM #	DIA. THREAD	HEX WIDHT	QTY
M6-10FN-25	6MM-1.00	10MM	50
M8-125FN-25	8MM-1.25	13MM	50
M10-125FN-25	10MM-1.25	17MM	50

METRIC PREVAILING TORQUE LOCK NUTS

V980-8
 CLASS 8 STEEL



ITEM #	DIA. THREAD	HEX WIDHT	QTY
M6-10PLN-50	6MM-1.00	10MM	50
M8-125PLN-50	8MM-1.25	13MM	50
M10-150PLN-25	10MM-1.25	17MM	25
M12-175PLN-25	12MM-1.25	19MM	25

***Photos not actual size*

METRIC FLAT WASHERS

CLASS 10.9, DIN 125-A
ZINC PLATED



Photos not actual size

ITEM #	SIZE	INSIDE DIAMETER	OUTSIDE DIAMETER	QTY
M5-FW-100	5MM	5.3MM	11MM	100
M6-FW-100	6MM	6.3MM	15MM	100
M8-FW-100	8MM	8.4MM	17MM	100
M10-FW-50	10MM	10.5MM	21MM	50
M12-FW-50	12MM	13MM	24MM	50

METRIC LOCK WASHERS

CLASS 10.9, DIN 127-B
ZINC PLATED



Photos not actual size

ITEM #	SIZE	INSIDE DIAMETER	OUTSIDE DIAMETER	QTY
M5-LW-100	5MM	5.2MM	8MM	100
M6-LW-100	6MM	6.10MM	11.50MM	100
M8-LW-100	8MM	8.20MM	14.40MM	100
M10-LW-100	10MM	10.20MM	17.50MM	100
M12-LW-50	12MM	12.20MM	20.30MM	50

J.I.S. SMALL HEAD HEX FLANGE BOLTS

J.I.S. B1189, I.S.O. CLASS 10.9
ZINC PLATED



ITEM #	SIZE	HEX SIZE	FLANGE O.D	QTY
M6-JISFLBT12-50	M6-1.0 X 10MM	10MM	14MM	50
M6-JISFLBT16-50	M6-1.0 X 15MM	10MM	14MM	50
M6-JISFLBT20-50	M6-1.0 X 20MM	10MM	14MM	50
M6-JISFLBT25-25	M6-1.0 X 25MM	10MM	14MM	25
M6-JISFLBT30-25	M6-1.0 X 30MM	10MM	14MM	25
M6-JISFLBT35-25	M6-1.0 X 35MM	10MM	14MM	25
M6-JISFLBT40-25	M6-1.0 X 40MM	10MM	14MM	25
M6-JISFLBT45-25	M6-1.0 X 45MM	10MM	14MM	25
M6-JISFLBT50-10	M6-1.0 X 50MM	10MM	14MM	10
M6-JISFLBT55-10	M6-1.0 X 55MM	10MM	14MM	10
M6-JISFLBT60-10	M6-1.0 X 60MM	10MM	14MM	10
M8-JISFLBT12-25	M8-1.25 X 12MM	12MM	17.5MM	25
M8-JISFLBT16-25	M8-1.25 X 16MM	12MM	17.5MM	25
M8-JISFLBT20-25	M8-1.25 X 20MM	12MM	17.5MM	25
M8-JISFLBT25-25	M8-1.25 X 25MM	12MM	17.5MM	25
M8-JISFLBT30-15	M8-1.25 X 30MM	12MM	17.5MM	15
M8-JISFLBT35-15	M8-1.25 X 35MM	12MM	17.5MM	15
M8-JISFLBT40-15	M8-1.25 X 40MM	12MM	17.5MM	15
M8-JISFLBT50-15	M8-1.25 X 50MM	12MM	17.5MM	15
M8-JISFLBT60-15	M8-1.25 X 60MM	12MM	17.5MM	15
M10-JISFLBT16-10	M10-1.25 X 16MM	14MM	20MM	10
M10-JISFLBT20-10	M10-1.25 X 20MM	14MM	20MM	10
M10-JISFLBT25-10	M10-1.25 X 25MM	14MM	20MM	10
M10-JISFLBT30-10	M10-1.25 X 30MM	14MM	20MM	10
M10-JISFLBT35-10	M10-1.25 X 35MM	14MM	20MM	10
M10-JISFLBT40-10	M10-1.25 X 40MM	14MM	20MM	10
M10-JISFLBT45-10	M10-1.25 X 45MM	14MM	20MM	10
M10-JISFLBT50-10	M10-1.25 X 50MM	14MM	21MM	10
M10-JISFLBT55-10	M10-1.25 X 55MM	14MM	21MM	10
M10-JISFLBT60-10	M10-1.25 X 60MM	14MM	21MM	10

J.I.S. SMALL HEAD CAP SCREWS

J.I.S. B1180 - STEEL
HEAT TREATED
I.S.O. CLASS 8.8
ZINC PLATED



ITEM #	SIZE	QTY
M8-JISBT12-25	M8-1.25 X 12MM	25
M8-JISBT16-25	M8-1.25 X 16MM	25
M8-JISBT20-25	M8-1.25 X 20MM	25
M8-JISBT25-25	M8-1.25 X 25MM	25
M8-JISBT30-25	M8-1.25 X 30MM	25
M8-JISBT35-25	M8-1.25 X 35MM	25
M8-JISBT40-25	M8-1.25 X 40MM	25
M8-JISBT45-25	M8-1.25 X 45MM	25
M8-JISBT50-25	M8-1.25 X 50MM	25
M8-JISBT55-25	M8-1.25 X 55MM	25
M8-JISBT60-25	M8-1.25 X 60MM	25
M10-JISBT16-25	M10-1.25 X 16MM	25
M10-JISBT20-25	M10-1.25 X 20MM	25
M10-JISBT25-25	M10-1.25 X 25MM	25
M10-JISBT30-10	M10-1.25 X 30MM	10
M10-JISBT35-10	M10-1.25 X 35MM	10
M10-JISBT40-10	M10-1.25 X 40MM	10
M10-JISBT45-10	M10-1.25 X 45MM	10
M10-JISBT50-10	M10-1.25 X 50MM	10
M10-JISBT60-10	M10-1.25 X 60MM	10

J.I.S. Fasteners have a smaller hex dimension across the flats than DIN or ISO metric fasteners. J.I.S. Fasteners are designed to fit into tight spaces where DIN or ISO fasteners may not fit.

J.I.S. Fasteners are OEM equipment on many foreign and domestic vehicles.

JIS LOCK NUTS WITH SERRATIONS

STANDARD FLANGE

J.I.S. B1180 - STEEL

HEAT TREATED, ZINC PLATED

I.S.O. CLASS 8.8



ITEM #	DIA. THREAD	HEX WIDTH	QTY
M6-10JISFN-25	6MM-1.00	10MM	25
M8-12JISFN-25	8MM-1.25	13MM	25
M10-12JISFN-25	10MM-1.25	17MM	25
M12-12JISFN-10	12MM-1.25	19MM	10

***Photos not actual size*

METRIC COTTER PINS

STEEL
Din 94



ITEM #	SIZE	QTY
CP-M1.610-100	M1.6X10 94 COTTER PIN ZN	100
CP-M1.612-100	M1.6X12 94 COTTER PIN ZN	100
CP-M1.616-100	M1.6X16 94 COTTER PIN ZN	100
CP-M1.618-100	M1.6X18 94 COTTER PIN ZN	100
CP-M1.620-100	M1.6X20 94 COTTER PIN ZN	100
CP-M1.625-100	M1.6X25 94 COTTER PIN ZN	100
CP-M1.632-100	M1.6X32 94 COTTER PIN ZN	100
CP-M216-100	M2X16 94 COTTER PIN ZN	100
CP-M218-100	M2X18 94 COTTER PIN ZN	100
CP-M220-100	M2X20 94 COTTER PIN ZN	100
CP-M222-100	M2X22 94 COTTER PIN ZN	100
CP-M225-100	M2X25 94 COTTER PIN ZN	100
CP-M232-100	M2X32 94 COTTER PIN ZN	100
CP-M240-100	M2X40 94 COTTER PIN ZN	100
CP-M2.516-100	M2.5X16 94 COTTER PIN ZN	100
CP-M2.520-100	M2.5X20 94 COTTER PIN ZN	100
CP-M2.525-100	M2.5X25 94 COTTER PIN ZN	100
CP-M2.532-100	M2.5X32 94 COTTER PIN ZN	100
CP-M2.540-100	M2.5X40 94 COTTER PIN ZN	100
CP-M3.220-100	M3.2X20 94 COTTER PIN ZN	100
CP-M3.225-100	M3.2X25 94 COTTER PIN ZN	100
CP-M3.232-50	M3.2X32 94 COTTER PIN ZN	50
CP-M3.240-50	M3.2X40 94 COTTER PIN ZN	50
CP-M3.250-50	M3.2X50 94 COTTER PIN ZN	50
CP-M425-50	M4X25 94 COTTER PIN ZN	50
CP-M432-50	M4X32 94 COTTER PIN ZN	50
CP-M440-50	M4X40 94 COTTER PIN ZN	50
CP-M445-50	M4X45 94 COTTER PIN ZN	50
CP-M525-50	M5X25 94 COTTER PIN ZN	50
CP-M532-50	M5X32 94 COTTER PIN ZN	50
CP-M540-50	M5X40 94 COTTER PIN ZN	50
CP-M545-50	M5X45 94 COTTER PIN ZN	50
CP-M550-50	M5X50 94 COTTER PIN ZN	50
CP-M6.340-50	M6.3X40 94 COTTER PIN ZN	50
CP-M6.345-50	M6.3X45 94 COTTER PIN ZN	50
CP-M6.350-50	M6.3X50 94 COTTER PIN ZN	50
CP-M6.363-50	M6.3X63 94 COTTER PIN ZN	50
CP-M6.380-50	M6.3X80 94 COTTER PIN ZN	50

HAMMER LOCK

Plated
C 1008 Steel



ITEM #	SIZE	QTY
CP-116050-100	1/16 X 1 1/2 COTTER PIN Z/P	100
CP-116075-100	1/16 X 3/4 COTTER PIN Z/P	100
CP-116100-100	1/16 X 1 COTTER PIN Z/P	100
CP-116125-100	1/16 X 1 1/4 COTTER PIN Z/P	100
CP-116150-100	1/16 X 1 1/2 COTTER PIN Z/P	100
CP-116200-100	1/16 X 2 COTTER PIN Z/P	100
CP-182075-100	1/8 X 3/4 COTTER PIN Z/P	100
CP-182100-100	1/8 X 1 COTTER PIN Z/P	100
CP-182125-100	1/8 X 1 1/4 COTTER PIN Z/P	100
CP-182150-100	1/8 X 1 1/2 COTTER PIN Z/P	100
CP-182175-100	1/8 X 1 3/4 COTTER PIN Z/P	100
CP-182200-100	1/8 X 2 COTTER PIN Z/P	100
CP-182250-100	1/8 X 2 1/2 COTTER PIN Z/P	100
CP-332075-100	3/32 X 3/4 COTTER PIN Z/P	100
CP-332100-100	3/32 X 1 COTTER PIN Z/P	100
CP-332125-100	3/32 X 1 1/4 COTTER PIN Z/P	100
CP-332150-100	3/32 X 1 1/2 COTTER PIN Z/P	100
CP-332200-100	3/32 X 2 COTTER PIN Z/P	100
CP-632100-100	5/32 X 1 COTTER PIN Z/P	100
CP-532125-100	5/32 X 1 1/4 COTTER PIN Z/P	100
CP-532150-100	5/32 X 1 1/2 COTTER PIN Z/P	100
CP-532175-100	5/32 X 1 3/4 COTTER PIN Z/P	100
CP-532200-100	5/32 X 2 COTTER PIN Z/P	100
CP-532250-100	5/32 X 2 1/2 COTTER PIN Z/P	100
CP-316075-100	3/16 X 3/4 COTTER PIN Z/P	100
CP-316100-100	3/16 X 1 COTTER PIN Z/P	100
CP-316125-100	3/16 X 1 1/2 COTTER PIN Z/P	100
CP-316200-100	3/16 X 2 COTTER PIN Z/P	100
CP-316300-100	3/16 X 3 COTTER PIN Z/P	100
CP-14125-100	1/4 X 1 1/4 COTTER PIN Z/P	100
CP-14150-100	1/4 X 1 1/2 COTTER PIN Z/P	100
CP-14250-50	1/4 X 2 1/2 COTTER PIN Z/P	50
CP-14300-50	1/4 X 3 COTTER PIN Z/P	50
CP-14400-50	1/4 X 4 COTTER PIN Z/P	50
CP-14500-50	1/4 X 5 COTTER PIN Z/P	50

PHOTOS NOT ACTUAL SIZE

Automotive **SUPPLY** Distributor

KNA Supply offers a comprehensive selection of electrical accessories designed to support the needs of automotive service departments, body shops, and repair facilities. Our range includes essential components such as electrical connectors, fuses, bulbs, wiring accessories, and specialty tapes that help ensure reliable electrical performance and efficient repairs. Carefully sourced for quality and durability, these products are designed to meet the demands of professional technicians and high-volume service environments.

Whether you're performing routine electrical maintenance or completing complex repairs, KNA Supply provides dependable solutions that keep operations running smoothly. With a focus on value, reliability, and ease of installation, our electrical accessories help professionals maintain vehicle safety and functionality while minimizing downtime. Backed by KNA Supply's commitment to service and industry expertise, these products deliver the dependable performance technicians expect in the shop every day.

WIRE CONNECTORS



TERMINALS



MAXI FUSE



FUSE HOLDER



ELECTRICAL ACCESSORIES

Domestic & Import


ATC/ATO AMP FUSE



Most Common Standard Blade Fuse. Found on Cars, Trucks, Buses & Off-Road Vehicles. Color Coded for Easy Amp Identification. Colors Follow Industry Standard to Indicate Amp Rating. Voltage Rating: Max 32 Volts DC. Complies with SAE J1284 Standard. Temperature Rating: -40°F - 221°F (-40°C - 105°C)

ITEM #	DESCRIPTION	AMPS	COLOR	QTY
1012A	ATC/ATO FUSE	7.5	BROWN	10
1013A	ATC/ATO FUSE	10	RED	10
1014A	ATC/ATO FUSE	15	BLUE	10
1015A	ATC/ATO FUSE	20	YELLOW	10
1016A	ATC/ATO FUSE	25	CLEAR	10
1017A	ATC/ATO FUSE	30	GREEN	10
1018A	ATC/ATO FUSE	40	ORANGE	10

LOW PROFILE FUSE




Low Profile Mini Blade Fuse. Designed as Space Saving Feature in Late Model Autos & Light Duty Trucks Fuses Used With Tuning-Fork Terminals That Replace Female Box Terminals. Color Coded for Easy Amp Identification. Colors Follow Industry Standard to Indicate Amp Rating

ITEM #	DESCRIPTION	AMPS	COLOR	QTY
1033A	LOW PROFILE FUSE	7.5	BROWN	10
1034A	LOW PROFILE FUSE	10	RED	10
1035A	LOW PROFILE FUSE	15	BLUE	10
1036A	LOW PROFILE FUSE	20	YELLOW	10
1037A	LOW PROFILE FUSE	25	CLEAR	10
1038A	LOW PROFILE FUSE	30	GREEN	10

MICRO3 AMP FUSE

The MICRO3 Fuse is the new standard for vehicle circuit protection. The MICRO3 Fuse has 3 terminals and 2 fuse elements with a common center terminal. Its sub-miniature design meets the need for more circuits to be protected while utilizing less space and its ability to cope with high temperatures in adverse environments makes the MICRO3 Fuse the recommended choice for protection.

ATM MINI FUSE



Miniature Designed Mini Blade Fuse. Allows for Protection of More Circuits in Less Space. Color Coded for Easy Amp Identification. Colors Follow Industry Standard to Indicate Amp Rating. Voltage Rating: Max 32 Volts DC. Complies with SAE J2077 Standard


ITEM #	DESCRIPTION	AMPS	COLOR	QTY
1022A	ATM MINI FUSE	7.5	BROWN	10
1023A	ATM MINI FUSE	10	RED	10
1024A	ATM MINI FUSE	15	BLUE	10
1025A	ATM MINI FUSE	20	YELLOW	10
1026A	ATM MINI FUSE	25	CLEAR	10
1027A	ATM MINI FUSE	30	GREEN	10

MICRO2 AMP FUSE



Micro2, Newer Standard of Blade Fuse. Designed to Fit More Fuses in Small Area to Accommodate New Car Designs. Color Coded for Easy Amp Identification. Colors Follow Industry Standard to Indicate Amp Rating Voltage Rating: Max 32 Volts DC. Complies with SAE J2741 Standard. Temperature Rating: -40°F - 221°F (-40°C - 105°C)

ITEM #	DESCRIPTION	AMPS	COLOR	QTY
1041A	MICRO2 FUSE	7.5	BROWN	10
1042A	MICRO2 FUSE	10	RED	10
1043A	MICRO2 FUSE	15	BLUE	10
1044A	MICRO2 FUSE	20	YELLOW	10
1045A	MICRO2 FUSE	25	CLEAR	10
1046A	MICRO2 FUSE	30	GREEN	10



ITEM #	DESCRIPTION	AMPS	COLOR	QTY
1060A	MICRO3 FUSE	5	TAN	10
1061A	MICRO3 FUSE	7.5	BROWN	10
1062A	MICRO3 FUSE	10	RED	10
1063A	MICRO3 FUSE	15	BLUE	10

FEMALE J CASE MAXI FUSE



ITEM #	DESCRIPTION	AMPS	QTY
0531G	FEMALE J CASE MAXI FUSE AMP	20	10
0532G	FEMALE J CASE MAXI FUSE AMP	25	10
0533G	FEMALE J CASE MAXI FUSE AMP	30	10
0534G	FEMALE J CASE MAXI FUSE AMP	40	10
0535G	FEMALE J CASE MAXI FUSE AMP	50	10
0536G	FEMALE J CASE MAXI FUSE AMP	60	10

FEMALE J CASE MAXI FUSE (LOW PROFILE)



ITEM #	DESCRIPTION	AMPS	QTY
0541G	LOW PROFILE FEMALE J CASE MAXI FUSE AMP	20	10
0542G	LOW PROFILE FEMALE J CASE MAXI FUSE AMP	25	10
0543G	LOW PROFILE FEMALE J CASE MAXI FUSE AMP	30	10
0544G	LOW PROFILE FEMALE J CASE MAXI FUSE AMP	40	10
0545G	LOW PROFILE FEMALE J CASE MAXI FUSE AMP	50	10
0546G	LOW PROFILE FEMALE J CASE MAXI FUSE AMP	60	10

FEMALE M CASE MICRO MAXI FUSE



ITEM #	DESCRIPTION	AMPS	QTY
0511G	FEMALE J CASE MAXI FUSE AMP	15	5
0512G	FEMALE J CASE MAXI FUSE AMP	20	5
0513G	FEMALE J CASE MAXI FUSE AMP	25	5
0514G	FEMALE J CASE MAXI FUSE AMP	30	5
0515G	FEMALE J CASE MAXI FUSE AMP	40	5

INSULATED BLADE TERMINALS



1764C



1765C



1864C



1865C



1964C



1965C



WTN-68-14-250F



WTN-68-18-250F

ITEM #	DESCRIPTION	QTY
1764C	INSULATED 22-18 GA MALE TERMINAL	100
1765C	INSULATED 22-18 GA FEMALE TERM.	100
1864C	INSULATED 16-14 GA MALE TERMINAL	25
1865C	INSULATED 16-14 GA FEMALE TERMINAL	50
1964C	INSULATED 22-18 GA MALE TERMINAL	25
1965C	INSULATED 22-18 GA FEMALE TERM.	25
WTN-68-14-250F	NYLON FLAG 16-14 GA FEMALE	10
WTN-68-18-250F	NYLON FLAG 22-18 GA FEMALE	10

LOW PROFILE FUSE HOLDER W/ DUST CAP

FUSE NOT INCLUDED



Low Profile Fuse Holder With Dust Cap 11" Wire
PVC Body With Brass Tin Plated Contacts
#PIC-0970C - Red 16 GA Wire 10 AMP
#PIC-0971C - Red 12 GA Wire 30 AMP

ITEM #	DESCRIPTION	QTY
0970C	16GA RED WIRE 10AMP	1
0971C	12GA RED WIRE 30AMP	1

MICRO2 BLADE FUSE HOLDER W/ DUST CAP

FUSE NOT INCLUDED



ATR Micro2 Blade Fuse Holder With Dust Cap & 12" Wire
PVC Body With Brass Tin Plated Contacts
#PIC-0959C - Red 16 GA Wire 10 AMP
#PIC-0960C - Red 12 GA Wire 30 AMP

ITEM #	DESCRIPTION	QTY
0959C	16GA RED WIRE 10AMP	1
0960C	12GA RED WIRE 30AMP	1

ATC/ATO FUSE HOLDER

FUSE NOT INCLUDED



0961PT



0963PT

ATC/ATO Type Fuse Holders with 7" Wire Loop
Nylon Body With Brass Tin Plated Contacts
#PIC-0961C - Black 16 GA Wire 10 AMP
#PIC-0963C - Red 12 GA Wire 30 AMP

ITEM #	DESCRIPTION	QTY
0961PT	16GA BLACK WIRE 10AMP	1
0963PT	12GA RED WIRE 30AMP	1

ATC/ATO FUSE HOLDER WITH DUST CAP

FUSE NOT INCLUDED



ATC/ATO Type Fuse Holder With Dust Cap & 11" Wire
PVC Body With Brass Tin Plated Contacts
#PIC-0962C - Red 16 GA Wire 10 AMP
#PIC-0964C - Red 12 GA Wire 30 AMP

ITEM #	DESCRIPTION	BOX QTY
0962C	16GA RED WIRE 10AMP	1
0964C	12GA RED WIRE 30AMP	1

ATM MINI FUSE HOLDER WITH DUST CAP

FUSE NOT INCLUDED



0965C



0967C

ATM Mini Fuse Holder With Dust Cap & 12" Wire
PVC Body With Brass Tin Plated Contacts
#PIC-0965C - Orange 16 GA Wire 10 AMP
#PIC-0967C - Black 12 GA Wire 30 AMP

ITEM #	DESCRIPTION	BOX QTY
0965C	16GA ORANGE WIRE 10AMP	1
0967C	12GA BLACK WIRE 30AMP	1

COPPER BATTERY LUG TERMINALS



BCLU-2-38-PK



BCLU-20-38-PK



BCLU-2-516-PK



BCLU-20-516-PK



BCLU-4-38-PK



BCLU-4-516-PK

ITEM #	DESCRIPTION	QTY
BCLU-2-38-PK	2 AWG, 3/8" STUD	10
BCLU-20-38-PK	2/0 AWG, 3/8" STUD	10
BCLU-2-516-PK	2 AWG, 5/16" STUD	10
BCLU-20-516-PK	2/0 AWG, 5/16" STUD	10
BCLU-4-38-PK	4AWG, 3/8" STUD	10
BCLU-4-516-PK	4AWG, 5/16" STUD	10

LEAD BATTERY TERMINALS 1 POSITIVE/1 NEGATIVE (DIN/SAE/ISO)



ITEM #	DESCRIPTION	QTY
0880AS	UNIVERSAL BATTERY TERMINALS	10

OEM (STEEL) STYLE BATTERY TERMINALS 1 POSITIVE, 1 NEGATIVE



ITEM #	DESCRIPTION	QTY
0865C	1 POSITIVE 1 NEGATIVE BATTERY TERMINAL	1

HEAT SHRINK BUTT CONNECTORS

MADE IN

U. S. A.



KS5-10



KS5-14



KS5-16



KS5-20

ITEM #	DESCRIPTION	QTY
KS5-10	12-10 AWG BUTT CONNECTOR	10
KS5-14	16-14 AWG BUTT CONNECTOR	10
KS5-16	22-18 AWG BUTT CONNECTOR	10
KS5-20	24-22 AWG BUTT CONNECTOR	10

NYLON WIRE BUTT CONNECTORS

MADE IN

U. S. A.



1100G



1200G



1300G

ITEM #	DESCRIPTION	QTY
1100G	NYLON BUTT CONNECTOR 22-18GA RED	25
1200G	NYLON BUTT CONNECTOR 16-14GA BLUE	25
1300G	NYLON BUTT CONNECTOR 12-10GA YELLOW	25

SOLDER BUTT CONNECTORS

MADE IN

U. S. A.



MLF5-10



MLF5-14



MLF5-16



MLF5-20

ITEM #	DESCRIPTION	QTY
MLF5-10	12-10 AWG BUTT CONNECTOR	10
MLF5-14	16-14 AWG BUTT CONNECTOR	10
MLF5-16	22-18 AWG BUTT CONNECTOR	10
MLF5-20	24-22 AWG BUTT CONNECTOR	10

NON-INSULATED BUTT CONNECTORS



KS5-20-BP-PK



WTHT-5-10



WTHT-5-14



WTHT-5-16

ITEM #	DESCRIPTION	QTY
KS5-20-BP-PK	24-22 AWG BUTT CONNECTOR	25
WTHT-5-10	HIGH TEMP TERMINAL - 50, 12-10 AWG BUTT CONNECTOR	25
WTHT-5-14	HIGH TEMP TERMINAL - 50, 16-14 AWG BUTT CONNECTOR	25
WTHT-5-16	HIGH TEMP TERMINAL - 50, 22-18 AWG BUTT CONNECTOR	25

NYLON DISCONNECT TERMINALS



WTN-8-18-10



WTN-8-22-14

ITEM #	DESCRIPTION	QTY
WTN-8-18-10	NYLON CLOSED-END CONNECTOR - 50, 18-10 AWG CLEAR	10
WTN-8-22-14	NYLON CLOSED-END CONNECTOR - 50, 22-14 AWG CLEAR	10

NON-INSULATED BUTT CONNECTORS



2300C



2400C



2500C

Butt Splices Take Two Crimps, One Over Each Wire Permanently Joins Two Wires Providing Insulation From Wire To Wire

ITEM #	DESCRIPTION	QTY
2300C	NON-INSULATED BUTT CONNECTOR 22-18GA	25
2400C	NON-INSULATED BUTT CONNECTOR 16-14 GA	25
2500C	NON-INSULATED BUTT CONNECTOR 12-10 GA	25

CLEAR DIELECTRIC GREASE 1/4 OZ TUBE



Keeps battery terminals corrosion free

Seals high energy ignition systems Prevents voltage leakage

Coats electrical connections & light bulbs

Protects against arcing & corrosion Keeps moisture out of sensitive electrical connections

ITEM #	DESCRIPTION	BOX QTY
0099C	1/4 OZ GREASE TUBE	1

2 OZ SOLDER FLUX



Apply a few drops of Flux Cleaning Fluid to both the Cable Strands and the Terminal. Fluid aids in the cable soldering by preventing dirt and contaminants from interfering with the soldering process. Helps to keep the solder flowing around the cable strands for a solid bond. Highly recommended when soldering.

ITEM #	DESCRIPTION	BOX QTY
0627C	2 OZ SOLDER FLUX BOTTLE	1

BLACK EPDM RUBBER VACUUM CAP



7030PT



7031PT



7032PT



7033PT



7034PT

ITEM #	DESCRIPTION	ID	QTY
7030PT	BLACK EPDM RUBBER VACUUM CAP	1/8"	25
7031PT	BLACK EPDM RUBBER VACUUM CAP	3/16"	25
7032PT	BLACK EPDM RUBBER VACUUM CAP	1/4"	20
7033PT	BLACK EPDM RUBBER VACUUM CAP	5/16"	15
7034PT	BLACK EPDM RUBBER VACUUM CAP	3/8"	10

IDC CONNECTOR


Connects 2 or 3 Wire Ends. Self Stripping - Insert Wires & Compress Blue Top. Internal Grease Pocket Provides Moisture Resistant Seal

ITEM #	WIRE SIZE	UNIT QTY
1556A	22-14 AWG IDC BLUE	1

TAP IN CONNECTOR


1558A



1560A



1561A



1562A

Insert Hot Line & Tap-In Wire. Compress Metal Clip With Pliers. Close Cover.

ITEM #	WIRE SIZE	UNIT QTY
1558A	22-18 AWG RED	25, 100
1560A	18-14 AWG BLUE	25, 100
1561A	18-14 TAP/12-10 RUN BROWN	25, 100
1562A	12-10 AWG YELLOW	25, 100

T-TAP QUICK CONNECTOR


1567A



1568A



1569A

Snap T-Tap On Hot Wire. Closing Forms a Female Receptacle. Insert .250" Male Tab

ITEM #	WIRE SIZE	UNIT QTY
1567A	22-18 AWG RED	25, 100
1568A	18-14 AWG BLUE	25, 100
1569A	12-10 AWG YELLOW	25, 100

PRIMARY WIRE

COPPER STRANDED CONDUCTOR WITH PVC JACKET



"J" SPOOL
3" PLASTIC "JUNIOR" SPOOL



"S" SPOOL
3" PLASTIC SPOOL

AWG	PART NUMBER AND COLOR CODE			ADD SUFFIX TO SPECIFY SPOOL SIZE	
	RED	BLACK	WHITE	"S" SPOOL	"J" SPOOL
10	81101	81103	81107	75'	10'
12	81121	81123	81127	100'	15'
14	81141	81143	81147	100'	25'
16	81161	81163	81167	100'	35'
18	81181	81183	81187	100'	50'
20	81201	81203	81207	100'	50'
22	81221	81223	81227	100'	50'

CONDUCTOR SPEAKER WIRE



8136S

8137S

Two Clear Insulated Copper Wires
Bonded To Form Dual-Conductor Cord
Bare Copper Conductor & Tin Plated
Conductor
Coded for Easy Identification
Easily Separated

ITEM #	DESCRIPTION	AWG	ROLL SIZE
8136S	2 CONDUCTOR SPEAKER WIRE BONDED LIGHT & DARK DUAL	22	100FT
8137S	2 CONDUCTOR SPEAKER WIRE BONDED LIGHT & DARK DUAL	18	100FT

BRAIDED NYLON SPLIT LOOM

PET Braid is More Flexible than Convuluted Tube or Spi Wrap Sleeving Allows for Additional or Removal of Wires Without Disassembly 25% Edge Overlap



ITEM #	DESCRIPTION	ROLL LENGTH
5180A	BLACK 1/4" ID POLYETHYLENE BRAIDED SPLIT LOOM	100FT
5181A	BLACK 3/8" ID POLYETHYLENE BRAIDED SPLIT LOOM	100FT
5182A	BLACK 1/2" ID POLYETHYLENE BRAIDED SPLIT LOOM	100FT
5183A	BLACK 3/4" ID POLYETHYLENE BRAIDED SPLIT LOOM	50FT
5185A	BLACK 1" ID POLYETHYLENE BRAIDED SPLIT LOOM	50FT

HIGH TEMP BLACK NYLON CONVOLUTED TUBING


Flexible Black Nylon Tubing With Blue/Gray Stripe Tubing Split For Easy Wire Insertion
Temperature Rating: -40°F to 300°F (-40°C to 149°C)



ITEM #	DESCRIPTION	ROLL LENGTH
5170A	BLACK NYLON 1/4" ID SPLIT CONVOLUTED TUBING	100FT
5171A	BLACK NYLON 3/8" ID SPLIT CONVOLUTED TUBING	100FT
5172A	BLACK NYLON 1/2" ID SPLIT CONVOLUTED TUBING	100FT
5173A	BLACK NYLON 5/8" ID SPLIT CONVOLUTED TUBING	100FT
5174A	BLACK NYLON 3/4" ID SPLIT CONVOLUTED TUBING	100FT

HIGH PERFORMANCE IMPORTED MINIATURE BULBS

Photos not actual size



ITEM #	TYPE	UNIT QTY
B194	2	10
B194A	2	10
B1156	3	10
B1156A	3	10
B1157	1	10
B1157A	1	10
B2057	1	10
B2357	1	10
B2357A	1	10
B3057	15	10
B3057A	15	10
B3156	18	10
B3156A	18	10
B3157	15	10
B3157A	15	10
B7440	22	10
B7440A	22	10
B7443	16	10
B7443A	16	10
B906	10	10
B921	10	10

**B9005**

9005/HB3 Bulb
High Beam in
Dual Headlight Assemblies
Volts: 12.8
Watts: 65
UNIT PACKAGE: 1

**B9006**

9006/HB4 Bulb
Low Beam in
Dual Headlight Assemblies
Volts: 12.8
Watts: 55
UNIT PACKAGE: 1

**B9007**

9007/HB5 Bulb
High-Low Beam
Volts: 12.8
Watts: 55-65
UNIT PACKAGE: 1

**B9008**

9008/HB13 Bulb
High-Low Beam
Volts: 12
Watts: 55-60
UNIT PACKAGE: 1

**BH7**

H7 Bulb
UNIT PACKAGE: 1

**BH9**

H9 Bulb
UNIT PACKAGE: 1

**BH10**

H10/9145 Bulb
UNIT PACKAGE: 1

**BH11**

H11 Bulb
UNIT PACKAGE: 1

21355

Photo not actual size



Black Nylon, 160mm (6-3/8") Long, Max. Bundle Diameter: 36mm (1-13/32"), Fits into 7mm Hole

UNIT PACKAGE: 25

20380

Photo not actual size



Black Nylon, 200mm (8") Long, Max. Bundle Diameter: 44mm (1-3/4"), Fits into 6.3mm (1/4") Hole

UNIT PACKAGE: 25

BLACK NYLON CABLE TIES SELF CLAMPING



ITEM #	TENSILE STRENGTH	LENGTH	WIDTH	UNIT QTY
15144	18 LB.	4"	3/32"	25
15198	50 LB.	7"	3/16"	25
15199	50 LB.	11"	3/16"	25
15200	120 LB.	14"	5/16"	25

BLACK CABLE TIES - MADE IN USA



ITEM #	TENSILE STRENGTH	LENGTH	UNIT QTY
7074EE	18 LB.	4"	100
7076EE	50 LB.	7"	100
7077EE	50 LB.	11"	100
7078EE	50 LB.	14"	100



KNA Supply drill bits are precision-engineered cutting tools designed for reliable performance across a wide range of drilling applications. These drill bits deliver durability, strength, and long service life in both professional and industrial environments.

Designed for accuracy and efficiency, our drill bits feature sharp cutting edges and optimized flute geometry to ensure fast chip removal, reduced heat buildup, and smooth, clean holes. They are suitable for use on various materials including metal, wood, plastic, and masonry (depending on the bit type).

Available in multiple sizes, lengths, and point configurations. Our drill bits are compatible with standard handheld drills, drill presses, and CNC equipment. Whether for construction, fabrication, maintenance, or DIY projects, KNA Supply provides dependable drilling solutions built to perform under demanding conditions.

SPOTWELD DRILL BITS



SAW BLADES



HHS DRILL BITS



DRILL BIT SETS



DRILL BITS

Domestic & Import

MECHANICS DRILL BIT BLACK & GOLD

Heavy Duty
3-Flat Shank Design
(On 3/16" and Larger)
135° Split Point
Black Oxide & Gold Finish



Photo not actual size

ITEM #	SIZE	DECIMAL EQUIV.	FLUTE LENGTH	OVERALL LENGTH	QTY
BBML74201	*1/16	.0625	7/8	1-7/8	1
BBML74202	*5/64	.0781	1	2	1
BBML74203	*3/32	.0938	1-1/4	2-1/4	1
BBML74204	*7/64	.1094	1-5/16	2-3/8	1
BBML74205	*1/8	.1250	1-7/16	2-1/2	1
BBML74206	*9/64	.1406	1-9/16	2-5/8	1
BBML74207	*5/32	.1562	1-11/16	2-3/4	1
BBML74208	*11/64	.1719	1-13/16	2-7/8	1
BBML74209	3/16	.1875	1-7/8	3	1
BBML74210	13/64	.2031	1-15/16	3-1/8	1
BBML74211	7/32	.2188	2	3-1/4	1
BBML74212	15/64	.2344	2-1/16	3-3/8	1
-BBML74213	1/4	.2500	2	3-1/2	1
BBML74215	9/32	.2812	2-1/4	3-3/4	1
BBML74217	5/16	.3125	2-1/2	4	1
BBML74218	21/64	.3281	2-9/16	4-1/16	1
BBML74219	11/32	.3438	2-5/8	4-1/8	1
BBML74220	23/64	.3594	2-11/16	4-3/16	1
BBML74221	3/8	.3750	2-11/16	4-1/8	1
BBML74222	25/64	.3906	2-3/4	4-5/16	1
BBML74223	5/8	.4062	2-13/16	4-3/8	1
BBML74224	27/64	.4219	2-7/8	4-7/16	1
BBML74225	7/16	.4375	2-15/16	4-1/2	1
BBML74226	29/64	.4531	3	4-5/8	1
BBML74227	15/32	.4688	3-1/8	4-3/4	1
BBML74229	1/2	.5	3-3/8	5	1

- Engineered for heavy duty work, Blitz Bits are high performance drills for production as well as tough maintenance applications.
- Made from a premium grade of M-7 molybdenum high-speed steel, which has a special black and gold surface treatment to increase lubricity and reduce friction.
- The strong web construction provides greater strength and rigidity to drill in hard-to-drill materials like stainless steel and titanium alloys.
- Precision ground 135° split point is self-centering and reduces thrust.
- Designed for drilling the widest range of materials like mild steel, stainless steel and non-ferrous materials.
- The special 3-flat shank design provides a positive no-slip grip, ideal for cordless, keyless chuck and conventional power tools.
- Shorter overall length increases rigidity.



ITEM #	SIZE	SET QTY
BBML74290	29 PC 1/16" - 1/2" BY 64ths	1
BBML74290DM	29 PC 1/16" - 1/2" BY 64ths	1
BMLS10190	29 PC BLITZ STORM DRILL METAL BOX	1
BMLS10190DM	29 PC BLITZ STORM DRILL MUG	1

M2 JOBBER DRILL BITS

Jobber Length
 135° Split Point
 Black Oxide



Photo not actual size

FRACTIONAL

ITEM #	SIZE	DECIMAL EQUIV.	FLUTE LENGTH	OVERALL LENGTH	QTY
S250101	1/16	.0625	7/8	1-7/8	1
S250102	5/64	.0781	1	2	1
S250103	3/32	.0938	1-1/4	2-1/4	1
S250104	7/64	.1094	1-1/2	2-5/8	1
S250105	1/8	.1250	1-5/8	2-3/4	1
S250106	9/64	.1406	1-3/4	2-7/8	1
S250107	5/32	.1562	2	3-1/8	1
S250108	11/64	.1719	2-1/8	3-1/4	1
S250109	3/16	.1875	2-5/16	3-1/2	1
S250110	13/64	.2031	2-7/16	3-5/8	1
S250111	7/32	.2188	2-1/2	3-3/4	1
S250112	15/64	.2344	2-5/8	3-7/8	1
S250113	1/4	.2500	2-3/4	4	1
S250115	9/32	.2812	2-15/16	4-1/4	1
S250117	5/16	.3125	3-3/16	4-1/2	1
S250119	11/32	.3438	3-7/16	4-3/4	1
S250121	3/8	.3750	3-5/8	5	1
S250123	13/32	.4062	3-7/8	5-1/4	1
S250125	7/16	.4375	4-1/16	5-1/2	1
S250127	15/32	.4688	4-5/16	5-3/4	1
S250129	1/2	0.5	4-1/2	6	1

FEATURE

- Ideal for portable or machine drilling in low-tensile strength
- alloy steels and for other applications .
- • These drills meet all aircraft manufacturing standards and
- feature a heavy duty 135 degree split point for self-centering and quick penetration.
- • Heavy duty web geometry provides added rigidity to
- resist tensional strain when drilling up to three times
- the drill diameter



ITEM #	SIZE	SET QTY
S250190	1/16" - 1/2" by 64ths	29
S250190DM	Drill Mug 1/16" - 1/2" by 64ths	29

HSS DOUBLE END SHEET DRILL BITS

Photos below not actual size



SH50205D



SH50209D



SH50213D

ITEM #	DIAMETER	DECIMAL EQUIVALENT	SPLIT POINT	QTY
SH50205D	1/8"	0.125	135 DEGREES	12
SH50209D	3/16"	0.1875	135 DEGREES	12
SH50213D	1/4"	0.25	135 DEGREES	12

COBALT PILOT POINT SPOT WELD BIT

Photos below not actual size



ITEM #	DIAMETER	SIZE	INCHES	QTY
37520	6.5MM	1/4"	1.75"	1
37470	8.0MM	5/16"	1.75"	1
37530	10MM	3/8"	1.75"	1

COBALT BULLET POINT SPOT WELD BIT

Photos below not actual size



ITEM #	DIAMETER	SIZE	INCHES	QTY
66180	8MM	5/16"	2.25"	1
66190	10MM	3/8"	2.25"	1

SPOT WELD DRILL BITS

Photos below not actual size




FOR SPITZNAGEL DRILLS



FOR SPOTLE DRILLS

ITEM #	DIAMETER	SIZE	INCHES	FLAT	QTY
FOR SPOTLE DRILLS					
37250	6.5MM	1/4"	1.49"	.44"	1
FOR SPITZNAGEL DRILLS					
37510	8.0MM	5/16"	1.69"	.75"	1

MEGACUT DRI-LUBE



Excellent for use on cutting tools where liquid coolants or lubricants are not recommended.

Improves cutting

Increases tool life

Speeds operation

Available in a jar and convenient push tube packaging - no spills

Use on metal, wood, composites, plastics

A completely organic lubricating and polishing wax compound produces smoother, cleaner cutting and grinding action.



ITEM #	DESCRIPTION	CASE QTY
DL12	12 oz JAR	12

CARBIDE SPOT WELD DRILL BITS


85910



85920



85890


**TRIPLE FLUTE
DESIGN**


85880

TYPE 187-B					
ITEM #	DIAMETER	SPOTWELD SIZE	OAL INCHES	FLAT LENGTH	QTY
85890	8.0MM	5/16"	2"	NONE	1
85910	6.7MM	17/64"	3"	NONE	1
TYPE 187-B WITH FLAT					
85880	8.0MM	5/16"	1-3/4"	.750"	1
85920	6.7MM	17/64"	1-3/4"	.750"	1

HSS STEP DRILL BITS


MBML6TN



MBML13TNC



MBML9TN


45401
NORSEMAN

High-speed steel step drill bits replaces 28 individual drill bits. That means you don't have to constantly change bits when drilling a range of holes on a single project.

- Cool-running coating lasts longer than uncoated bits
- High-speed steel for longer life
- Automatically deburrs holes while drilling
- 2-flute design for faster, smoother cutting
- Tri-flat shank won't slip when drilling

ITEM #	STYLE	NO. OF STEPS	SIZE RANGE	SHANK SIZE	OAL	QTY
MBML6TN	STEP DRILL BIT	6	3/16" - 1/2" IN 1/16ths	1/4" HEX	3-1/4"	1
MBML9TN	STEP DRILL BIT	9	1/4" - 3/4" in 1/16ths	1/4" HEX	2-13/16"	1
MBML13TNC	STEP DRILL BIT	13	1/8" - 1/2" in 1/32nds	1/4" HEX	3"	1
45401	STEP DRILL BIT	13	1/8" - 1/2" in 1/32nds	1/4" HEX	3"	1

12" COBALT CUTTING BLADE



Hacksaw Blade Bi-Metal Cobalt

12-inch Overall Length, 1/2-inch Blade Height, .025-inch Blade Thickness, 24 Teeth per Inch, 10-deg Teeth Rake

The ultimate safety blade which is flexible, shatterproof, supple and strong

65 HRC hardened teeth have 50 HRC back hardness, allowing rigidity during use

ITEM #	LENGTH	THICKNESS	WIDTH	TPI	QTY
HB24	12"	0.025	1/2"	24	10

12" RECIPROCATING SAW BLADE



Reciprocating Saw Blade, BiMetal, 12" Length, 3/4" Width, .050" Thickness, 18 Teeth per Inch, 1/2" Shank, Made in USA

5 per pack.

ITEM #	LENGTH	WIDTH	THICKNESS	TPI	QTY
RSBM1218P	12"	3/4	.050"	18	5

6" RECIPROCATING SAW BLADE



Reciprocating Saw Blades, 1/2-inch Universal Shank. Unique combination of features provide triple the life of standard reciprocating saw blades. 8-percent Cobalt cutting edge is electron beam welded to a high strength steel backer for greater wear resistance and longer life.

5 per pack.

ITEM #	LENGTH	WIDTH	THICKNESS	TPI	QTY
RSBM618P	6"	3/4	.035"	18	5
RSBM624P	6"	3/4	0.35"	24	5

BI-METAL 3" & 4" AIR SAW BLADE



3" INCH



4" INCH

Air Saw Blade, Bi-Metal, 3" & 4" Length, 1/2" Width, .025 Thickness, 18 Teeth per Inch, Fits most Pneumatic Saws

5 per pack.

ITEM #	LENGTH	WIDTH	THICKNESS	TPI	QTY
JSA31218P	3"	1/2"	0.025	18	5
JSA31224P	3"	1/2"	0.025	24	5
JSA31232P	3"	1/2"	0.025	32	5
JSA418P	4"	1/2"	0.025	18	5
JSA432P	4"	1/2"	0.025	32	5

4" RECIPROCATING SAW BLADE



Reciprocating Saw Blades, 1/2-inch Universal Shank. Unique combination of features provide triple the life of standard reciprocating saw blades. 8-percent Cobalt cutting edge is electron beam welded to a high strength steel backer for greater wear resistance and longer life.

5 per pack.

ITEM #	LENGTH	WIDTH	THICKNESS	TPI	QTY
RSBM424P	4"	3/4	0.35	24	5

8" RECIPROCATING SAW BLADE



Reciprocating Saw Blades, 1/2-inch Universal Shank. Unique combination of features provide triple the life of standard reciprocating saw blades. 8-percent Cobalt cutting edge is electron beam welded to a high strength steel backer for greater wear resistance and longer life

5 per pack.

ITEM #	LENGTH	WIDTH	THICKNESS	TPI	QTY
RSBM818P	8"	3/4	0.35	18	5

TEROSON MS 9320 SF - ONE SOLUTION SPRAYABLE SEAM SEALER

- Reproduce multiple OEM seams, beads & ribbons
- Very good adhesion to a wide range of substrates without primer
- Excellent UV resistance and weathering performance
- Reproduce OEM sound deadening
- Immediately over-paintable, up to 3 days without scuffing
- Spot-weldable before cure
- Non-shrinking



ITEM #	DESCRIPTION	BOX QTY
2568818	MS 9320 SF GREY SPRAYABLE SEAM SEALER 310ML	12
2619275	MS 9320 SF OCHRE SPRAYABLE SEAM SEALER 310ML	12
2820041	MS 9320 SF BLACK SPRAYABLE SEAM SEALER 310ML	12

TEROSON MS 9120 SF - HEAVY BODIED SEAM SEALER

- Ideal gap filling material
- Very good adhesion to a wide range of substrates without primer
- Excellent UV resistance and weathering performance
- Excellent sag resistance
- Immediately over-paintable, up to 3 days without scuffing
- Spot-weldable before cure
- Non-shrinking



ITEM #	DESCRIPTION	BOX QTY
2568817	MS 9120 SF WHITE SEAM SEALER 310ML	12
2568820	MS 9120 SF GREY SEAM SEALER 310ML	12

PNEUMATIC SEAM SEALER GUN



ITEM #
TER-960304

SPRAYABLE SEAM SEALER GUN



ITEM #
TER-142241

PREHEATING BOX 6 CARTRIDGES



ITEM #
TER-2456728

STANDARD (10 PIECES)



2399909

DOOR EDGE (10 PIECES)



2399541

WIDESTREAM II (10 PIECES)



1470999

FLATSTREAM (10 PIECES)



1305486

SPRAY (12 PIECES)



547882

T2 NOZZLE (10 PIECES)



2399908


TEROSON MS222 ANTI FLUTTER-MATERIAL



1-part silane-modified polymer sealant that cures with humidity into a soft, elastic material. Its softness prevents read-through and surface irregularities, making it ideal for anti-flutter use in vehicle repair and other metal construction applications. Easy to apply, non-migrating, odorless, and free of solvents, isocyanates, silicones, and PVC.

ITEM #	DESCRIPTION	BOX QTY
2568797	MS222 ANTI-FLUTTER MATERIAL	12

FLEXIBLE WAND KIT



FLEX HOSE COMPLEX is a dispensing tool designed for applying materials around complex car body parts or hard-to-reach areas. The internal pipe can be quickly replaced without having to clean the flexible hose.

Can be exchanged easily

For complex car body parts

ITEM #	DESCRIPTION	QTY
1542651	FLEXIBLE WAND KIT	1

OEM SEAM SEAL BRUSH



The OEM Seam Seal Brush is a semi-rigid, solvent-resistant nylon brush for applying and structuring seam sealers, effectively creating original factory finish.

Semi-rigid

Solvent resistant

Mimics original factory finish (OEM structures)

ITEM #	DESCRIPTION	BOX QTY
2399542	OEM SEAM SEAL BRUSH	10

FLEXIBLE WAND REPLACEMENT INSERTS



FLEX HOSE INLINER 10 is a flexible inner hose for applying materials around complex car body parts or hard-to-reach areas. It's a component designed for use specifically with the FLEX HOSE COMPLEX.

Can be exchanged easily

ITEM #	DESCRIPTION	QTY
1542653	FLEXIBLE WAND REPLACEMENT INSERTS	10

INTEGRA-GRAY SALAMI PACK POLYMERIC SEALANT/ADHESIVE



Use on: Automotive seams and joints that need a strong bond and have a lot of mechanical stress, shock, vibration and sudden impact. Bonds: Steel, aluminum, SMC, FRP, galvanized, ABS, fiberglass, most rigid plastics, wood and glass. Do not use for windshields or back-glass installation.

Each case contains 6 replacement tips. May be brushed for OE look. May be applied to bare metal. Paintable immediately. Mixed color: Gray.

ITEM #	DESCRIPTION	BOX QTY
1570P	10.1 FL. OZ FOIL POUCH	6

INTEGRA POLYMERIC SEAM SEALER



A permanently flexible rubber base sprayable seam sealer formulated to duplicate automotive OEM coarse textured and beaded seams. Paintable when cured and has excellent adhesion to metal, galvanized steel, rigid plastics, fiberglass and aluminum. Contains no silicone. Do not use for windshield or back-glass installations. May be applied to bare metal

ITEM #	DESCRIPTION	BOX QTY
1593	WHITE 10.1 FL.OZ. CARTRIDGE	12
1565P	GRAY 10.1 FL. OZ. CARTRIDGE	12

INTER-SEAM SPRAYABLE SEAM SEALER



IES Sprayable Seam Sealer is an isocyanate free Sprayable Seam Sealer used for the sealing of joints. Spot welded seams. Weather strips. Trunk seam, cowl seam, under hood seam etc. IES seam sealer is rubber based, remains flexible and duplicates OEM textures and beads. Paintable any time after curing.

ITEM #	DESCRIPTION	QTY
1589B	BLACK SEAM SEALER	12
1589G	GRAY SEAM SEALER	12
1589T	TAN SEAM SEALER	12
1589W	WHITE SEAM SEALER	12

F1/SAM SPRAYABLE SEAM SEALER GUN



F1 series are intended for professional market that requires good performance and durability at a very competitive price. The tests to which it is subjected each spray gun guarantee high level performance. The particular shape of the air cap provides optimum performance with any type of paint. It sprays the product in various finishes, creating the complete desired effect with every use.

ITEM #	DESCRIPTION	QTY
F1SAM	PNEUMATIC GUN	1

**INTER-MIX™ 15 SEAM SEALER / ADHESIVE
LIMITED FLOW**


A limited flow, firm, semi-flexible adhesive/sealant used for sealing vertical and horizontal seams and joints on automobiles

and trucks. Can be used to reinforce and eliminate flutter and vibration of body panel cross members. **Excellent adhesion to: bare metal, primed metal, SMC, FRP, fiberglass, aluminum and most plastics*.** Our automatic mixing system eliminates errors which are common in manual mixing.

Working time: 15 - 20 Min. **Paintable time:** Immediately
Handling time: 20 - 30 Min. **Full cure:** 6 - 8 Hours
Sandable time: 45 Min. **Mixed color:** Gray

ITEM #	DESCRIPTION	BOX QTY
8411	10 FL. OZ KIT (300ML)	4

**INTER-MIX™ 15 SEAM SEALER / ADHESIVE
EXTREMELY FLEXIBLE, THICK-SET**


A thick-set, non-sagging, firm, extremely flexible adhesive/sealant used for sealing vertical and horizontal seams and joints on automobiles and trucks. Can be used to reinforce and eliminate flutter and vibration of body panel cross members. Excellent for pickup beds and around hinges. Will hold brush marks. **Excellent adhesion to: bare metal, primed metal, SMC, FRP, fiberglass, aluminum and most plastics*.** Our automatic mixing system eliminates errors which are common in manual mixing.

Working time: 15 - 20 Min. **Paintable time:** Immediately
Handling time: 20 - 30 Min. **Full cure:** 6 - 8 Hours
Sandable time: 45 Min. **Mixed color:** Gray

ITEM #	DESCRIPTION	BOX QTY
8413	10 FL. OZ. KIT (300ML)	4

INTER-MIX™ 45 DOOR SKIN ADHESIVE


A high-strength structural adhesive designed for bonding and sealing flanged type door skins. Specially formulated to provide the proper degree of flexibility that is necessary to withstand the repeated shock cause by slamming doors. Our automatic mixing system eliminates errors which are common in manual mixing.

NOTE: Not for Camaro or Firebird late model door skins!

Working time: 45 - 60 Min. **Handling time:** 120 Min.
Sandable time: 60 Min. **Full cure:** 6 - 8 Hours
Paintable time: 60 Min. **Mixed color:** Gray

ITEM #	DESCRIPTION	BOX QTY
8415	10 FL. OZ. KIT (300ML)	4

**INTER-MIX™ 10 SEAM SEALER / ADHESIVE
BARE METAL, THICK-SET, SEMI-FLEXIBLE**


A thick set, non-sagging, firm, semi-flexible bare metal adhesive / seam sealer. Designed for sealing vertical and horizontal seams and joints on automobile and truck applications. May be applied to bare metal and primed sheet metal joints. Will hold brush marks. Specially formulated for easy matching of OEM seams. **Excellent adhesion to: bare metal, primed metal, SMC, FRP, fiberglass, aluminum and most plastics.** Features corrosion inhibiting chemistry. Passes 1500 hour salt fog test!

Working time: 10-15 Min. **Paintable time:** Immediately
Sandable time: 45 Min. **Full cure:** 6 - 8 Hours

ITEM #	DESCRIPTION	BOX QTY
8405	GRAY 10 FL. OZ. KIT (300ML)	4

**INTER-MIX™ 90 HYBRID PANEL BONDING
ADHESIVE**


A heavy bodied, two-part high strength epoxy/urethane hybrid adhesive that will bond to a wide variety of metal, aluminum and plastic substrates. When used according to specific directions, IES Hybrid Panel Bonding Adhesive may be used in the replacement of: Quarter Panels, Door Skins, Roof Panels, Truck box Sides and Outer Body Sheet Metal. High strength bond. Reduces welding time and fire risks. Provides corrosion protection. *Contains glass beads* to maintain a constant bondline thickness. 2:1 cartridge. **NOTE: Do not use on structural components such as Rails, Rocker Panels, Core Supports, Pillars, etc.**

Working time: 60 - 90 minutes*
Handling time (De-clamping): 6 - 8 hours*
Full cure time: 24 hours
Mixed color: Black

ITEM #	DESCRIPTION	BOX QTY
8422	6.76 FL. OZ. KIT (200ML)	4

**INTER-MIX™ 5 HI-STRESS EPOXY
(RIGID/SEMI-RIGID)**


A superb rigid adhesive, filler and resurfacer. Adheres to metal, aluminum, fiberglass, most plastics, urethane, SMC, glass, wood and concrete. Resistant to gasoline, acid and solvents. Handling strength in 10 to 20 minutes. Sandable in 20 minutes. Our automatic mixing system eliminates errors which are common in manual mixing.

Working time: 5 - 10 Min.
Full cure: 6 - 8 Hours
Sandable/Paintable time: 10 - 20 Min.
Mixed color: Blue
Handling time: 10 - 15 Min.

ITEM #	DESCRIPTION	BOX QTY
8416	10 FL. OZ. KIT (300ML)	4
8001	10 FL. OZ. TUBE KIT	4

INTER-MIX™ 5 EPOXYFLEX (FLEXIBLE/SEMI-FLEXIBLE)



A superb flexible adhesive, filler and resurfacer. Formulated for repairing urethane bumpers, filler panels, valances, flexible vinyl or plastic parts. May be used to reinforce major tears and cuts. As a resurfacer it has excellent feathering characteristics. Adheres to glass and metal and is an excellent door glass channel adhesive. EPOXYFLEX sets up in approximately 5 minutes and achieves handling strength in 10 to 20 minutes. Our automatic mixing system eliminates errors which are common in manual mixing.

Working time: 5 - 10 Min.
Full cure: 6 - 8 Hours
Sandable/Paintable time: 10 - 20 Min.

Mixed color: Gray
Handling time: 10 - 15 Min.

ITEM #	DESCRIPTION	BOX QTY
8010	10 FL. OZ TUBE KIT	4

INTER-MIX™ 40 SEC FSF BLACK FLEXIBLE/SEMI-FLEXIBLE



An extra fast set, two-part epoxy filler and surfacer. Designed for bonding flexible/semi-flexible substrates such as: polyurethane and other automotive plastic parts. Our automatic mixing system eliminates errors which are common in manual mixing.

Working time: 40 - 50 Seconds

Paintable time: 20 - 30 Min.
Handling time: 5 - 10 Min.

Full cure: 6 - 8 Hours
Sandable time: 15 - 20 Min.
Mixed color: Black

ITEM #	DESCRIPTION	BOX QTY
8409	10 FL. OZ. KIT (300ML)	4

EASY-SAND (MULTI-PURPOSE) ADHESIVE / FILLER / SURFACE REPAIR



An easy sanding two-part epoxy adhesive, filler and surface repair material designed for repairing most plastics, SMC, fiberglass and other materials. Use over top of IES™ repair compounds to fill sander marks, low spots and other imperfections (skim coat). Quick dry, superior feathering.

Working time: 5 Minutes approx
Sandable time: 10 - 20 Min.
Paintable time: 10 - 20 Min.
Full cure: 6 - 8 Hours
Mixed color: Gray

ITEM #	DESCRIPTION	BOX QTY
8480	10 FL. OZ. KIT (300ML)	4

MANUAL DUAL CARTRIDGE GUN - 200 & 300 ML



Designed for high viscosity products. Provides extra thrust and power.

Mechanical advantage (18:1)

A heavy duty gun designed for use with 10 fl. oz. (300ml) and 7.4 fl. oz. (220 ml) INTER-MIX, INTER-FOAM and INTER-WELD products. Includes a push disc for converting to a 2:1 gun.

ITEM #	DESCRIPTION	BOX QTY
DM2CAB300	MANUAL DUAL CARTRIDGE GUN	1

QUICKIE-FIX 1.5 PLASTIC BONDING ADHESIVE



A fast-set plastic bonding adhesive used for bonding & repairing small panels, bumper tabs, headlamp buckets, header panels, etc. Use on small panels, bumper tabs, headlamp buckets, header panels, grills, consoles, arm rest supports, and much more! Our automatic mixing system eliminates errors which are common in manual mixing.

Working time: 1-2 Min
Clamp time: 10 - 15 Min
Sandable/Paintable time: 30 Min
Full Cure: 24 Hours Mixed color: Black

ITEM #	DESCRIPTION	BOX QTY
8642	1.7 FL. OZ. KIT (50ML)	6

CLEAR EPOXY ADHESIVE




Used wherever a clear high strength bond is needed. Bonds to: steel, aluminum, SMC, fiberglass, glass and most other plastics. Handling strength in 10 to 20 minutes.

Working Time: 5 min.
Handling Time: 10 - 15 min.
Sandable/Paintable: 15 to 30 min.
Full Cure: 6 to 8 hours.

ITEM #	DESCRIPTION	BOX QTY
8030	30ML KIT (SYRINGE)	12

70 SECOND REPAIR BONDING ADHESIVE



AE7010 is a 2-Component, Polyurethane Adhesive that is suitable for bonding & repairing Plastic, Fiberglass, SMC, Carbon Fiber & properly prepared Steel & Aluminum. Once cured, AE7010 offers superior bonding, filling & feathering characteristics.

Working Time: 70 Seconds
Sandable: 20-25 Minutes
Paintable: 30-45 Minutes
Full Cure: 24 Hours
Color: Black

ITEM #	DESCRIPTION	BOX QTY
AE7010-50	50ML KIT	6

QUICKIE-FIX 40 BLACK / 40 SECOND REPAIR ADHESIVE / COMPOUND




A fast set epoxy repair compound used for bonding, filling and finishing. Used on plastics, FRP, SMC, fiberglass and metal parts. Ideal for plastic tab replacement. Excellent bonding and sanding characteristics. Accepts automotive primers and paints. Black in color.

Working time: 40 - 60 Seconds
Sandable: 15 - 20 Min
Paintable: 45 Min
Full Cure: 24 Hours Mixed color: Black

ITEM #	DESCRIPTION	BOX QTY
8440	50ML KIT	6

30 SECOND REPAIR BONDING ADHESIVE



AE303 is a 2-Component, Polyurethane Adhesive that is suitable for bonding & repairing Plastic, Fiberglass, SMC, Carbon Fiber & properly prepared Steel & Aluminum. Once cured, AE303 offers superior bonding, filling & feathering characteristics.

Working Time: 30 Seconds
Sandable: 10-15 Minutes
Paintable: 30-45 Minutes
Full Cure: 24 Hours
Color: Black

ITEM #	DESCRIPTION	BOX QTY
AE303-50	50ML KIT	6

MANUAL DUAL CARTRIDGE GUN - 50 ML



Suitable for 1:1 and 2:1 ratio cartridges and 50ml dual barrel cartridges, can be used with major adhesive brands and other standard 50ml cartridges.

ITEM #	DESCRIPTION	BOX QTY
DMAAB 51-00-10	MANUAL GUN 1:1 - 50ML	1

MIXING NOZZLES FOR 50 ML, 200 ML, 300 ML CARTRIDGES



MAQAB-05-16L MAQAB-05-24L MBQAB-05-16L MGQAB-08-18L

Mixing nozzles for 50ml, 200ml & 300ml 2-Part cartridges.

ITEM #	DESCRIPTION	BOX QTY
MAQAB-05-16L	MIX TIP 50 ML (SHORT)	25
MAQAB-05-24L	MIX TIP 50 ML (LONG)	25
MBQAB-05-16L	MIX TIP 50 ML (AE PROPRIETARY)	25
MGQAB-08-18L	MIX TIP 200-300 ML	25

SUPER GLUE QUICK-WELD #1



A low viscosity, water thin cyanoacrylate adhesive. Used mainly for bonding close fitting parts or where penetration is needed. Used on grilles, knobs, mouldings, emblems and countless other automotive plastic parts. Cures to a shear strength of 1400-3625 psi depending on the substrate.

ITEM #	DESCRIPTION	BOX QTY
612	CLEAR 1 FL. OZ. BOTTLE	4

QUICK SET ACTIVATOR FOR 612 & 622


Used to activate QUICK-WELD adhesives or other instant adhesives. Can also be used to prime one of the mating surfaces to insure a successful bond. Can also be used to spray over a bonded area for a quick set.

ITEM #	DESCRIPTION	BOX QTY
650	4 FL. OZ. SPRAY PUMP	4

SOUND DEADENER PADS


Used to replace factory installed pan insulators damaged in collisions. Reduces road noise. Use on floor pans, trunks and door skins. Self sticking and paintable. Can be heated to 300°F to conform to irregular surfaces.

ITEM #	DESCRIPTION	BOX QTY
1581	12" X 12" X 1/16" THICK	10

SUPER GLUE QUICK-WELD #2


A high viscosity (thicker), cyanoacrylate adhesive. Used to bond irregular surfaces or when gap filling requirements are needed. Used on grilles, knobs, mouldings, emblems and countless other automotive plastic parts. Cures to a shear strength of 1400-3625 psi depending on the substrate.

ITEM #	DESCRIPTION	BOX QTY
622	CLEAR 1 FL. OZ. BOTTLE	4

SUPER WEATHERSTRIP & EMBLEM ADHESIVE (CLEAR)


A fast setting high-strength, multi-purpose adhesive for bonding all types rubber weatherstrip, gaskets, vinyls and other trim pieces. An excellent adhesive for vinyl, metal, fabrics, rubber and paper and cork gaskets. Resists oil, grease, solvents, heat, cold and moisture resistant. Remains flexible and strong, will not become brittle.

ITEM #	DESCRIPTION	BOX QTY
226	5 FL. OZ. TUBE	12

QUICK-WELD ADHESIVE KIT


An excellent cyanoacrylate repair adhesive kit for most plastics, urethane, SMC and fiberglass. Used on grilles, knobs, mouldings, emblems and countless other automotive plastic parts.

Includes:

- 1 QUICK-WELD #1,
- 1 QUICK-WELD #2,
- 1 QUICK-SET ACTIVATOR

ITEM #	DESCRIPTION	BOX QTY
631	6 FL. OZ. KIT	4

LOCTITE® 242 THREADLOCKER



ITEM #	DESCRIPTION	QTY
487229	242 BLUE MEDIUM 6ML	1

LOCTITE® 262 THREADLOCKER



ITEM #	DESCRIPTION	QTY
487231	262 RED HIGH STRENGTH 6ML	1

LOCTITE® 271 THREADLOCKER



ITEM #	DESCRIPTION	QTY
487271	271 RED HEAVY DUTY 6ML	1

LOCTITE® BLUE THREADLOCKER STICKS



506166



504466

ITEM #	DESCRIPTION	QTY
504466	BLUE 19GM MEDIUM STRENGTH	1
506166	BLUE 9GM MEDIUM STRENGTH	1

LOCTITE® RED THREADLOCKER STICKS



511537



511535

ITEM #	DESCRIPTION	QTY
511535	RED 19GM HIGH STRENGTH	1
511537	RED 9GM HIGH STRENGTH	1



LOCTITE® QUICK SET EPOXY - 5 MINUTES

Loctite 0.85 fl. oz. Quick Set Epoxy is a water-resistant, clear, permanent 2-component adhesive for large or multi-piece projects that require the highest bonding strength. The bond resists solvents, moisture and impacts. It works with most common materials and can be sanded or painted when cured.

- Works with wood, metal, glass, ceramic, plastic and most other common materials
- 2-part resin and hardener formula makes a permanent bond
- Sets in just 5 minutes, cures fully in 24 hours
- Comes with a convenient dual syringe that allows for a precise mixture of resin and hardener
- Resists water, solvents and impact
- Resistant to water, solvents, moisture and impact
- Permanent bond
- Bonds to: tile, wood, metal, ceramic, and glass or as a filler for gap filling, surface repairs and laminating

ITEM #	DESCRIPTION	QTY
1395391	25ML EPOXY QUICK SET SYRINGE	1

LOCTITE® HY 4070 HYBRID ADHESIVE



Loctite Epoxy Quick Set is a two-part adhesive consisting of an epoxy resin and a hardener. When mixed in equal volumes, the resin and hardener react to produce a tough, rigid, high strength bond in 5 minutes for most projects. Available in a convenient dual syringe which delivers equal parts of both components every time.

ITEM #	DESCRIPTION	QTY
2264448	HY 4070 HYBRID ADHESIVE	1
1434516	HY 4070 REPLACEMENT NOZZLE	5

LOCTITE® LOCWELD BONDING COMPOUND KIT



When you need a reliable repair solution that doesn't require welding equipment or downtime, Loctite Locweld Bonding Compound delivers the strength and durability your builds demand. This two-part epoxy formula bonds metal, composites, and ceramics with a permanent hold that withstands vibration, thermal cycling, and mechanical stress—critical for race applications where failures aren't an option.

ITEM #	DESCRIPTION	QTY
495540	LOCWELD BONDING COMPOUND	1

LOCTITE® COPPER ANTI-SEIZING BRUSH 8oz



500995



555336

A premium quality copper anti-seize and thread lubricant that may be used to prevent seizing, corrosion and galling where high temperature conditions exist.

ITEM #	DESCRIPTION	SIZE	QTY
555336	COPPER ANTI-SEIZE	8OZ	1
500995	COPPER ANTI-SEIZE	1LB	1

LOCTITE® EPOXY MIXER CUPS 12oz



Precise epoxy mixing is critical when bonding critical components. Whether you're securing engine block fittings, repairing chassis cracks, or assembling custom fabrication projects. These pre-measured mixer cups eliminate guesswork and ensure proper 2-part epoxy ratios every time, saving you material waste and failed repairs. At 0.12oz per cup.

ITEM #	DESCRIPTION	QTY
494151	EPOXY MIXER CUPS	10

LOCTITE® SELF FUSING SEALING TAPE



Loctite Insulating & Sealing Wrap is a non-sticky, self fusing, multipurpose wrap. It can withstand extreme conditions: -65°F to 500°F, tensile strength up to 700 psi and dielectric strength up to 400 vpm. The wrap is uv, saltwater, fuel and acid resistant.

ITEM #	DESCRIPTION	QTY
1212164	RED SELF FUSING SEALING TAPE WATERPROOF	1
1540599	BLACK SELF FUSING SEALING TAPE WATERPROOF	1

LOCTITE® SILVER ANTI-SEIZE



501000



501001

Loctite Silver Anti-Seize Lubricant is typically used in equipment repair and general maintenance for long-term assemblies. It's designed to prevent seizing, galling, and corrosion at temperatures up to 1600 degrees F.

ITEM #	DESCRIPTION	SIZE	QTY
501000	SILVER ANTI-SEIZE	8OZ	1
501001	SILVER ANTI-SEIZE	1LB	1

LOCTITE® COPPER ANTI-SEIZE 20GM LUBRICANT STICK



Exclusive formula suspends copper and graphite in a high quality grease. Protects metal parts from rust, corrosion, galling, and seizing at temperatures to 1800°F (982°C).

A premium quality copper anti-seize and thread lubricant that may be used to prevent seizing, corrosion and galling where high temperature conditions exist. Temperature range: -30°F to 1800°F. Provides good electrical conductivity.

ITEM #	DESCRIPTION	BOX QTY
504468	HY 4070 HYBRID ADHESIVE	1

LOCTITE® SILVER ANTI-SEIZE 20GM LUBRICANT STICK



Loctite Silver anti-seize sticks are heavy-duty, temperature-resistant, petroleum-based lubricant compounds fortified with graphite and metallic flake. The lubricant will not evaporate or harden in extreme cold or heat. Use them during assembly to prevent seizing, galling, and corrosion up to 1,600 degrees F (871 degrees C). Suggested applications include spark plugs, cylinder head bolts, and exhaust head bolts.

ITEM #	DESCRIPTION	BOX QTY
504469	HY 4070 HYBRID ADHESIVE	1

LOCTITE® THREAD TREATMENT ASSORTMENT



Loctite, the original inventor of anaerobic technology, now offers the same trusted performance as their liquid counterparts in five semi-solid formulas to meet all of your threadlocking, thread sealing, gasketing, retaining, and anti-seize needs. Loctite thread treatment sticks are neat, convenient, and portable, making them perfect for tough applications, especially overhead. Their patented semi-solid formula also means that they won't spill or leak.

ITEM #	DESCRIPTION	BOX QTY
576507	HY 4070 HYBRID ADHESIVE	1

PREMIUM RUBBERIZED UNDERCOAT



Rust preventative with quick dry adhesion that won't crack or chip under normal conditions. Helps soundproof cars, excellent on new panel and fender replacements, section repairs, weld joints and rust holes.

Can be painted when dry.

ITEM #	SIZE OZ.	BOX QTY
18021	19.4 oz	12

AEROSOL TRIM PAINT - ENAMEL



High quality, heat resistant paints that match OEM trim colors. Excellent adhesion and resistance to the sun's ultraviolet rays.

All paints are in 16 fl. oz. aerosol cans. Net Weight 12 oz.

ITEM #	DESCRIPTION	BOX QTY
4192	FLAT BLACK	12
4187	SEMI-GLOSS	12

AEROSOL TRIM PAINT - ENAMEL



High quality, heat resistant paints that match OEM trim colors. Excellent adhesion and resistance to the sun's ultraviolet Rays.

16 oz. aerosol can. Net Weight 12 oz.

ITEM #	DESCRIPTION	BOX QTY
4518	SEMI-GLOSS	12

HI-TECH ENAMEL SPRAY PAINT


Premium automotive spray paint that covers easily to provide a tough, durable, heat resistant finish. This product can be used for vehicle wheel wells and undercarriages. Hi Tech Aerosol Paint can also be used on most types of metal and wood. Hi-Tech paints are specially formulated to dry quickly and smoothly.

- Hi-Tech Aerosol Spray Paint Provides a Tough Durable Finish on All Types of Surfaces
- Can be used on Interior or Exterior Surfaces
- Use on Metal, Wood, or Wicker
- Quick Dry Formula
- Great For Use on Car Wheel Wells, Frames, and Undercarriage



ITEM #	DESCRIPTION	COLOR	CASE QTY
HT-1802	ENAMEL SPRAY PAINT	GLOSS WHITE	12
HT-1803	ENAMEL SPRAY PAINT	GLOSS BLACK	12
HT-1810	ENAMEL SPRAY PAINT	FLAT BLACK	12
HT-1824	ENAMEL SPRAY PAINT	SEMI-GLOSS BLACK	12
HT-1831	ENAMEL SPRAY PAINT	GLOSS CLEAR	12
HT-810	ENAMEL SPRAY PAINT	TRIM BLACK	12

BLYSK SUPER GRIP 1K ADHESION PROMOTER - QUART



The AP1000 Super Grip Adhesion Promoter is a quick drying single-component, non-sanding, fast-drying adhesion promoter designed for topcoats and undercoats.

ITEM #	DESCRIPTION	CASE QTY
AP1000Q	SUPER GRIP ADHESION PROMOTER	4

INTER-BOND ADHESION PROMOTER



A specially designed formula to promote super strong adhesion to all TPO-polyolefin based materials before painting or repairing. Seals in oils and plasticizers that are an integral part of any polyolefin based substrate. Fast tacking. Non isocyanate.

ITEM #	DESCRIPTION	CASE QTY
4182	16 OZ. AEROSOL CAN	12

ALL-IN-ONE IES SELF-ETCHING PRIMER



IES all in one self etching auto body primer

- Fast drying, excellent adhesion
- Corrosion resistant
- For metal & plastic parts
- For rigid or flexible surfaces
- Chemically etches to bare metal
- Sands easy with superior fill

ITEM #	DESCRIPTION	CASE QTY
4186	14 OZ. AEROSOL CAN	12
4188	14 OZ. AEROSOL CAN	12

COPPER WELD-THRU PRIMER



Copper Weld-Thru Primer is formulated to eliminate the corrosion that forms between welded surfaces. Provides excellent adhesion and superior conductive properties that minimize the heat zone, thereby reducing distortion and welding splatter. Fast drying time. Exceptional weldability and sprayability. Zinc enriched to provide corrosion Protection. Copper in color.

ITEM #	DESCRIPTION	CASE QTY
4527	16 OZ. AEROSOL CAN	12

This primer chemically etches the surface of bare metal to replace the "metal conditioning" step needed for corrosion resistance. Ideal for small rub-throughs. This product can also be used to prime aluminum and galvanized surfaces to prevent top coats from peeling off. This new improved formula works well on plastics, SMC and fiberglass! Professional fan spray. Corrosion resistant. Excellent adhesion. Dries fast. Easy to use. No measuring, mixing or gun cleaning. Net Weight 14 oz.

For Steel, Aluminum and Plastic Parts!

For Rigid or Flexible Surfaces!

ITEM #	DESCRIPTION	CASE QTY
4186	GREEN 20 OZ. AEROSOL CAN	12
4188	GRAY 20 OZ. AEROSOL CAN	12

**QUICKIE 5000
ADHESIVE / CEMENT REMOVER**


An extra strength, fast acting solvent for removing dried rubber cement, sealers, overspray, undercoating, tar, silicone and wax. Fast drying. Non-staining. Film free. Contains no Chlorinated Solvents or CFC'S.

Does not meet California & OTC regulations.

ITEM #	DESCRIPTION	BOX QTY
4750	20 OZ. AEROSOL CAN	12
1750	32 FL. OZ. CAN	12

BLYSK SPRAY GUN CLEANER AEROSOL


Our Spray Gun Cleaner features a powerful cleaning formula in an easy-to-use aerosol can that blasts paint from hard to reach areas. Easy spray application reduces cleanup time for spray gun bodies, atomizing heads, hoses and fittings. Tight spray pattern helps reduce the use of cleaning solvents for removing paints, stains, varnishes, base coats, undercoats, primers, sealers, clear coats, gelcoats and sprayable adhesives from paint spray equipment. Removes waterborne and solvent-based coatings from metal spray equipment ideal for use on automotive and general industrial spraying equipment.

ITEM #	DESCRIPTION	BOX QTY
D633	12 OZ. AEROSOL	12

THROTTLE BODY & CARBURETOR CLEANER


Cleans and frees automatic chokes, air intake manifolds, throttle bodies, carburetor valves, PVC valves and transmission valve body assemblies from varnish, gum, etc. High pressure spray. Leaves no residue.

Meets OTC regulations!

Does not meet California regulations.

ITEM #	DESCRIPTION	BOX QTY
4577	20 OZ. AEROSOL	4

SUPER CLEANING SOLVENT


A quick, safe, multi-purpose virgin solvent. Excellent for removing silicone wax, adhesives, tar, undercoating, sealers, paint overspray and bugs. Safe on most fully cured paints, fabric, vinyl, glass and most plastics. Non-staining. Film free. Contains no chlorinated Solvents or CFC'S.

Does not meet California & OTC regulations.

ITEM #	DESCRIPTION	BOX QTY
4700	20 OZ. AEROSOL CAN	12
1700	32 FL. OZ. CAN	12

NON-CHLORINATED BRAKE CLEANER


High VOC formula. Quickly and effectively dissolves and removes grease, oil, brake fluid, and other contaminants from brakes, C.V. joints and clutch components. Superior cleaning power extends beyond brakes. Cleans and degreases brakes, rotors, drums, pads, shoes, wheel cylinders and parts. Help stop brake squeaking and can improve braking performance. Leaves no residue.

Fast-drying formula

98% VOC

Not for Sale in CA, UT, OTC or LADCO

ITEM #	DESCRIPTION	BOX QTY
4520	PENRAY 12.5 OZ. AEROSOL	12

INTER-LOCK THREAD LOCKER


The IES 771 Inter-Lock #71 Is a high strength thread locker used in applications where extreme shock, vibration and/or environmental conditions are present. Used on fasteners up to 1" diameter. Color: Red

The IES 772 Inter-Lock #42 Is a medium strength, general purpose thread locker for nuts, bolts and screws 1/4" (6mm) and larger. Prevents vibration loosening and is removable with hand tools. Color: Blue

ITEM #	DESCRIPTION	BOX QTY
742	BLUE INTER-LOCK #42 - 10ML BOTTLE	4
771	RED INTER-LOCK #71 - 10ML BOTTLE	4

LIQUID GASKET LOW VOLATILE RTV SILICONE SEALANT




A specially formulated gasket sealant for automotive, marine and industrial applications. Full-bodied, will not sag or run. Replaces rubber and cork gaskets. Sensor safe. High temp. range: 500°F. Remains flexible, skins over rapidly.

Packaged in a 8 oz. Auto-Tube. The Auto-Tube dispenses an even 1/8" bead of silicone and is faster than standard tubes. Advantages include 95% evacuation and superior flow control.

ITEM #	DESCRIPTION	BOX QTY
1211	BLACK, NON- CORROSIVE	12

IES-2000 ANTI-SEIZE LUBRICANT



A special copper and graphite lubricant used to prevent seizing, galling, reduce friction and prevent corrosion. Withstands temperatures of 2000°F. Uses: brake parts, bolts, nuts, etc. Will not wash off. Excellent on frame machine bolts.

ITEM #	DESCRIPTION	BOX QTY
1470	8 FL. OZ. BRUSH TOP	12
4570	16 OZ. AEROSOL	

INTER-SHINE RUBBER, VINYL & PLASTIC PROTECTANT



A convenient ready-to-use aerosol dressing that creates a high-gloss finish on rubber, plastic, vinyl and most other surfaces. It shines and protects against weathering, aging and ultra-violet rays without the use of silicone. Keeps rubber resilient in the harsh summer conditions. Restores rubber that is drying out, fading or cracking. Brightens exterior trim and remove wax deposits without harming painted surfaces.

*Body Shop Friendly - Contains No Silicone!
Does not meet California & OTC regulations.*

ITEM #	DESCRIPTION	BOX QTY
4537	20 OZ. AEROSOL	12

RUST BUSTER PENETRATING OIL WITH GRAPHITE



RUST-BUSTER penetrates deep and fast to release rusty bolts, nuts and fittings almost instantly. A long lasting lubricant that protects against further rusting. Fast capillary action. Excellent penetration. High graphite content for additional lubrication. Contains no silicone - Body Shop safe!

No chlorinated solvents.

ITEM #	DESCRIPTION	BOX QTY
4700	20 OZ. AEROSOL CAN	12

CLEAR PEN-LUBE



A multi-purpose clear lubricant. Penetrates instantly. Prevents rust. Sprays thin - changes to a grease. No silicone - Body Shop safe! Tenacious adhesion. Safe on paint. Will not wash off.

ITEM #	DESCRIPTION	BOX QTY
4550	20 OZ. AEROSOL	12

MTP-1 MOULDING TAPE PRIMER



MTP-1 Moulding Tape Primer is designed to work in conjunction with *IES Conform Tape* and *HIGH-BOND* moulding tapes. Specifically designed to leave an acrylic polymer film (adhesion promoter) on the surface to achieve maximum adhesion of the attachment tape to the moulding. Mouldings made out of PVC and other certain plastics require use of MTP-1 Moulding Tape Primer to prevent expensive mouldings from falling off. Goes on clear.

ITEM #	DESCRIPTION	BOX QTY
70774	4 OZ DAUBER TOP BOTTLE	12

SILICONE SPRAY 100%



Lubricates, waterproofs and protects various surfaces. Stops squeaks and prevents weatherstrips and windows from sticking.

Provides lubrication from -70°F to +400°F.

ITEM #	DESCRIPTION	BOX QTY
4504	16 OZ. AEROSOL	12

WHITE LITHIUM GREASE



A heavy-bodied, lithium based lubricant used to lubricate hinges, latches, window regulators, cables and other metal to metal contact parts. Heat resistant. Will not wash off.

Will not run or drip.

ITEM #	DESCRIPTION	BOX QTY
4505	16 OZ. AEROSOL	12

BATTERY PROTECTOR & SEALER



Air and moisture combine to form corrosion on your battery terminals. Battery Protector & Sealer from IES seals and protects your terminals from that corrosion, which is a major cause of hard starting and battery failure. Has a visible red coating that contains high quality corrosion inhibitors for long lasting protection. Seals terminals, cables and ignition systems. Prevents corrosion. Extends battery life. Helps stop acid leaks around terminals.

ITEM #	DESCRIPTION	BOX QTY
4585	20 OZ. AEROSOL	12

BATTERY CLEANER / LEAK DETECTOR / ACID NEUTRALIZER



Provides an easy way to remove power-sapping corrosion from all battery parts. This superior foaming cleaner will also detect acid leaking terminal joints and cracked cases (by changing color), which rob batteries of power and shorten battery life.

Excellent clean-up and neutralizer for broken batteries in the body shop.

ITEM #	DESCRIPTION	BOX QTY
4586	16 OZ. AEROSOL	12

ULTRA PREMIUM BUTANE FUEL


Emzone Ultra-Premium Butane Fuel is a high-quality clean fuel that reduces the potential for clogged burner valves or misfires. This product has a universal filling tip.

ITEM #	DESCRIPTION	CASE QTY
72087	BUTANE FUEL 165 g	12

SILICONE LUBE


Emzone Silicone Lube contains 100% pure high viscosity silicone. It lubricates, stops squeaks and prevents rust. The Emzone Silicone Lube is ideal for use on rubber parts around windows, doors, trunk lids, mounts and contact points on hoods and prevents rubber from freezing and sticking to metal. It also helps keep rubber flexible. For use at home on garage doors, windows, doors, drawers and cabinets and helps rustproof tools and barbecues.

ITEM #	DESCRIPTION	CASE QTY
P6-045006	SILICONE LUBRICANT 10.6 OZ	12

PRO-TEX NO DRIP OIL


Emzone Pro-Tex No Drip Oil is a long lasting, water resistant lubricant and rust inhibitor and coats and protects metals from rust, keeps moving parts and mechanisms well lubricated, penetrates to loosen seized parts, and inhibits rust in vulnerable crevice areas. The Emzone Pro-Tex No Drip Oil is an effective corrosion protection for outdoor equipment and is ideal for do-it-yourself vehicle undercoating and protecting battery terminals. Use to protect equipment for winter storage. The Emzone Pro-Tex No Drip Oil is also silicone and solvent free.

ITEM #	DESCRIPTION	CASE QTY
P6-045025	PRO-TEX NO DRIP OIL 14 OZ.	12

ADHESIVE & RESIDUE REMOVER


Emzone RESIDUE REMOVER is an industrial strength solvent that quickly removes adhesive, tar, wax, silicone, or residue from most surfaces. Safe to use on glass, granite, marble, porcelain, stainless steel, and other automobile surfaces. Professional grade Emzone Residue Remover is easy-to-apply and can be used to remove even the toughest of buildup. Ideal for use after removing labels or wheel balancing weights.

- QUICKLY REMOVES Adhesive, Wax, Silicone & Tar

ITEM #	DESCRIPTION	CASE QTY
P6-045030	RESIDUE REMOVER 13.8 OZ	12

PENETRATING LUBRICANT


Emzone Penetrating Lubricant is a high strength, fast acting lubricant that loosens and lubricates tight or sticky parts. It is ideal for use on bolts, nuts, hinges, locks, tools, and rollers to stops squeaks, displace moisture and help prevent rust.

ITEM #	DESCRIPTION	CASE QTY
P6-045002	PENETRATING LUBRICANT 14 OZ.	12

WHITE LITHIUM GREASE


Emzone White Lithium Grease is a high performance grease that lubricates parts and metal while protecting against rust. It also reduces friction and wear on metal and moving parts. The Emzone White Lithium Grease withstands high heat, is water resistant and ideal for use on door hinges, hood latches, hatchback struts, seat tracks, jacks, winches, gear shift mechanisms, steering linkages, garage door and delivery truck door tracks. It is safe on most paints and plastics and is silicone free.

ITEM #	DESCRIPTION	CASE QTY
P6-045007	WHITE LITHIUM GREASE 14 OZ	12

PENETRATING FOAM


Emzone Penetrating Foam penetrates through rust and surfaces to allow tight or sticky parts to be loosened. The No Drip foam formula adheres to the surface while it penetrates, making work underneath automobiles and equipment easier with less mess. It also lubricates and protects surfaces against rust while repelling water and displacing moisture. The 360° valve allows spraying from any angle.

ITEM #	DESCRIPTION	CASE QTY
P6-045028	PENETRATING FOAM 15.7 OZ	12

RUBBERIZED UNDERCOAT


Emzone Gravel Guard Undercoating is a tough, flexible, textured black coating that provides protection against road abrasion and weathering. It is paintable and offers excellent adhesion to metals and plastics. Gravel Guard Undercoating offers superior protection against rust, corrosion, moisture and abrasion and quickly dries to a flexible, textured surface. It is professionally formulated to be tough, durable and long-lasting and reduces road noises and vibrations. The Gravel Guard Undercoating is ideal for rocker panels, wheel wells and underbody and is silicone free.

ITEM #	DESCRIPTION	CASE QTY
P6-045008	RUBBERIZED UNDERCOAT	12

AIR INTAKE CARB & CHOKE CLEANER



Emzone Air Intake Carb & Choke Cleaner effectively cleans dirt, gum and varnish from carburetors, fuel injection throttle bodies, air intakes, automatic chokes, PCV valves and throttle linkage.

BATTERY PROTECTOR



Emzone Battery Protector is formulated to protect against corrosion, climatic effects, and battery acid. Industrial-grade protective coating provides a durable temperature-resistant film to completely encapsulate the exposed surfaces of battery terminals. Easy-to-apply spray protects charging clips and prevents corrosion and voltage drop. Extends battery life and helps in hard starts and battery failure.

PREVENTS CORROSION & EXTENDS BATTERY LIFE

Protective coating for battery terminals

ITEM #	DESCRIPTION	CASE QTY
P6-045009	CARB & CHOKE CLEANER 14.7 OZ	12

ITEM #	DESCRIPTION	CASE QTY
P6-045032	BATTERY PROTECTOR 6 OZ.	12

BATTERY CLEANER & ACID DETECTOR



Emzone Battery Cleaner & Acid Detector instantly neutralizes, dissolves and removes battery corrosion and prolongs battery life. Changes color upon contact with acid to visually detect acid leaks. The easy-to-use spray is designed to ensure maximum current flow and reduce potential voltage leakage. Ideal for battery terminals, cables, hold-downs, battery boxes and more.

PREVENTS CORROSION & EXTENDS BATTERY LIFE

Protective coating for battery terminals

BRAKE & PARTS CLEANER



Brake & Parts Cleaner – Industrial is an advanced formulation of cleaning solvents that quickly dissolve and remove grease, oil, brake fluid, road grime and dirt from brake parts, CV joints, disc pads, drums and other components. Brake & Parts Cleaner – Industrial also helps to reduce brake squeal and leaves no residue, is fast drying and has a low odor.

100% HEPTANE FORMULA

ITEM #	DESCRIPTION	CASE QTY
P6-045033	BATTERY CLEANER 7.6 OZ.	12

ITEM #	DESCRIPTION	CASE QTY
P6-045204	G4 BRAKE & PARTS CLEANER	12

TOTAL DYE – MULTI PURPOSE UV DYE


Use with motor oil, hydraulic fluid, power steering fluid, brake fluid*, diesel fuel, gasoline & transmission fluids.

Mix 1/4oz per quart of fluid.

Most effective in clean diesel and engine oils.

Detectable when exposed to U/V light.

ITEM #	SIZE	BOX QTY
16525	1 OZ	12

RADIATOR UV COOLANT DYE


Professional U/V Leak Detector dye for water based engine cooling systems.

Helps to quickly find cooling system leaks.

Detectable with any U/V light.

Use 1 ounce per vehicle

ITEM #	SIZE	BOX QTY
16532	1 OZ	12

PAG OIL 46 VISCOSITY WITH PERFORMANCE ENHANCER 8OZ


Premium, Synthetic PolyalkyleneGlycol (PAG) oil plus additives for R134a air conditioning systems

Performance enhancer improves heat transfer & increase system efficiency reducing vent temperature.

Helps reduce compressor wear. Contains conditioners, inhibitor & anti-wear agents for added compressor protection.

ITEM #	SIZE	BOX QTY
P46-8PE	8 OZ.	12

ODOR BUSTER AUTO FOGGER NEW CAR 3OZ


Specially formulated to handle problems with moisture accumulation and odors in Automotive air conditioning systems.

Quick and Easy to Use (15 minute procedure).
 Odor Buster Auto Fogger eliminates odors caused by mold, mildew, pets, tobacco smoke & more.

Ideal for all automotive A/C systems.
 New car scent.

ITEM #	DESCRIPTION	BOX QTY
27002	3 OZ. AEROSOL	12

LUBEGARD® ASSEMBLEE GOO


LUBEGARD Assemblee Goo is formulated for use as an assembly aid and lubricant for virtually any assembly application including transmissions and engines. It facilitates the assembly process by holding components such as needle bearings and hydraulic seals in place helping to achieve a faster, trouble free assembly.

ITEM #	DESCRIPTION	QTY
19250	GREEN GOO	12
19260	BLUE GOO	12

GLASS CLEANER



Hi-Tech 18012, Glass Cleaner is formulated with extra cutting strength to lift dirt, grime and smoke film from glass, mirrors, chrome, stainless steel, porcelain and other hard surfaces that demand a clean, clear finish. It will cut through the most stubborn dirt and film without streaking, hazing or smudging with no ammonia added.

Aerosol can net weight 18 oz. California / OTC VOC Compliant.

- 18 Oz Can
- No Ammonia
- Streak Proof
- Window Tint Film Safe

ITEM #	DESCRIPTION	BOX QTY
18012	18 OZ. AEROSOL	12

SUPER CHERRY HIGH FOAM CAR WASH



Super Cherry Wash is a concentrated, high foaming, cherry scented detergent designed for hand car washing. Super Cherry Wash will provide long lasting mounds of foam, while maintaining excellent lubrication properties. Super Cherry Wash is pH balanced, and will not strip wax if used properly.

ITEM #	DESCRIPTION	QTY
2900-1	1 GALLON BOTTLE	4
2900-5	5 GALLON BUCKET	1
2900-55	55 GALLON DRUM	1


SPEED WAX FINAL FINISH (BODY SHOP SAFE)



ULTRA BLUE is a Concentrated formula that is safe and easy to use. ULTRA BLUE is a cleaner that dissolves smudges, fingerprints, bug residue and more. This product can be used on windows, mirrors, windshields, chrome, tile, porcelain, acrylic, polycarbonate and more.

ITEM #	DESCRIPTION	BOX QTY
3400-1	1 GALLON BOTTLE	4
3400-5	5 GALLON BUCKET	1

VERY BERRY WASH & WAX CAR WASH



VERY BERRY is a highly concentrated car shampoo fortified with carnauba wax. VERY BERRY is formulated to break down dirt and lubricate the surface to eliminate swirls or scratches while washing. Very BERRY has a unique berry scent, for added customer experience.

ITEM #	DESCRIPTION	QTY
3300-1	1 GALLON BOTTLE	4
3300-5	5 GALLON BUCKET	1
3300-55	55 GALLON DRUM	1

DIAMOND SHINE INTERIOR & EXTERIOR DRESSING



DIAMOND SHINE is a high viscosity all purpose dressing. This VOC compliant, water-based silicone dressing is ideal for tires, engines, exterior moulding, rubber, and vinyl trim. DIAMOND SHINE works great as an interior dressing as well. DIAMOND SHINE provides high gloss while restoring original beauty.

ITEM #	DESCRIPTION	BOX QTY
7500-1	1 GALLON BOTTLE	4
7500-5	5 GALLON BUCKET	1

SPARKLE HEAVY DUTY ACID WHEEL CLEANER



SPARKLE is a heavy duty, acid based wheel cleaner and brightener formulated for most wheel types. SPARKLE contains string mineral acids which clean and brighten wheels without excessive scrubbing. SPARKLE quickly removes break dust and road film, reducing labor cost. DO NOT USE on: PVD, polished uncoated aluminum, or anodized wheels.

ITEM #	DESCRIPTION	QTY
5700-1	1 GALLON BOTTLE	4
5700-5	5 GALLON BUCKET	1
5700-55	55 GALLON DRUM	1


ULTRA BLUE PREMIUM CONCENTRATED WASHER FLUID



ULTRA BLUE is a Concentrated formula that is safe and easy to use. ULTRA BLUE is a cleaner that dissolves smudges, fingerprints, bug residue and more. This product can be used on windows, mirrors, windshields, chrome, tile, porcelain, acrylic, polycarbonate and more.

ITEM #	DESCRIPTION	BOX QTY
8405	2-1/2 GALLON BOTTLE	1
8405-KIT	2-1/2 GALLON BOTTLE (W/ PUMP & ADAPTER)	1

GENUINE BROWN NON-ACID WHEEL CLEANER



GENUINE BROWN is a special concentrated cleaner designed to remove road dirt, brake dust, grease, and bugs from aluminum, chrome, and painted surfaces. GENUINE BROWN is biodegradable and safe for all water reclaim systems. GENUINE BROWN is also excellent on whitewall tires and love bugs.

ITEM #	DESCRIPTION	BOX QTY
9302-1	1 GALLON BOTTLE	4
9302-5	5 GALLON BUCKET	1
9302-55	55 GALLON DRUM	1

SUPER HOT ALL PURPOSE CLEANER (HOT WHEN UNDERDILUTED)



SUPER HOT APC is a heavy duty, all purpose, concentrated cleaner for interior and exterior surfaces. SUPER HOT APC makes carpets, vinyl, plastic, fabric, upholstery, engines, wheels, and tires look like new. SUPER HOT APC is ideal for shop floors. SUPER HOT APC is VOC compliant and body shop safe.

ITEM #	DESCRIPTION	BOX QTY
9800-5	5 GALLON BUCKET	1
9800-55	55 GALLON DRUM	1

FUEL LINE


ITEM #	SIZE	UNIT QTY
CRP-25060	1/4" X 25' FT FUEL LINE	1 ROLL
CRP-25078	5/16" X 25' FT FUEL LINE	1 ROLL
CRP-25088	3/8" X 25' FT FUEL LINE	1 ROLL

VACUUM HOSE


ITEM #	SIZE	UNIT QTY
5161A	1/8" X 50' VACUUM HOSE	1 ROLL
5162A	3/16" X 50' VACUUM HOSE	1 ROLL
5163A	1/4" X 50' VACUUM HOSE	1 ROLL

HOSE CLAMPS

Photos not actual size



ITEM #	SIZE	UNIT QTY
MC4	5/16" - 5/8" DIAMETER	10
MC6	5/16" - 7/8" DIAMETER	10
HC8	7/16" - 1" DIAMETER	10
HC10	1/2" - 1-1/16" DIAMETER	10
HC12	1/2" - 1-1/4" DIAMETER	10
HC16	1-1/16" - 1-1/2" DIAMETER	10
HC20	3/4" - 1-3/4" DIAMETER	10
HC24	1" - 2" DIAMETER	10
HC28	1-1/4" - 2-1/4" DIAMETER	10
HC32	1-1/2" - 2-1/2" DIAMETER	10

UNIVERSAL "T" CONNECTOR & COUPLER



5253A



5254A

ABS Plastic Connectors. Temperature Range up to 250°F (121°C). Ends Fit 1/8", 3/16" or 5/16" Hose Barbed To Hold Hose Without Clamps

ITEM #	DESCRIPTION	QTY
5253A	UNIVERSAL VACUUM TEE ABS CONNECTOR	1
5254A	UNIVERSAL VACUUM ABS COUPLER	1

HIGH IMPACT NYLON CONNECTORS



5225C



5231C



5241C

5232C

5242C

5233C

5243C

5235C

5244C


High Impact Nylon Connectors
Chemical Resistance
Barbed To Hold Hose Without Clamps
Colors May Vary

Operating Temperature:-40°F to 250°F (-40°C to 121°C)

ITEM #	DESCRIPTION	O.D.	I.D.	QTY
5225C	3-WAY BARBED NYLON VACUUM CONNECTOR	3/16"	3/16"	10
5231C	HIGH IMPACT NYLON TEE VACUUM CONNECTOR	1/8"	1/8"	25
5232C	HIGH IMPACT NYLON TEE VACUUM CONNECTOR	3/16"	3/16"	25
5233C	HIGH IMPACT NYLON TEE VACUUM CONNECTOR	1/4"	1/4"	10
5235C	HIGH IMPACT NYLON TEE VACUUM CONNECTOR	3/8"	3/8"	5
5241C	HIGH IMPACT NYLON COUPLER VACUUM CONNECTOR	1/8"	1/8"	25
5242C	HIGH IMPACT NYLON COUPLER VACUUM CONNECTOR	3/16"	3/16"	25
5243C	HIGH IMPACT NYLON COUPLER VACUUM CONNECTOR	1/4"	1/4"	20
5244C	HIGH IMPACT NYLON COUPLER VACUUM CONNECTOR	5/16"	5/16"	15


LONG LIFE BATTERIES

Photos not actual size



ITEM #	TYPE	UNIT QTY
AAABAT	AAA BATTERY	5
AABAT	AA BATTERY	5
CBAT	C BATTERY	2
DBAT	D BATTERY	2
9VBAT	9 VOLT BATTERY	1
CR1616	3V LITHIUM COIN BATTERY	5
CR1620	3V LITHIUM COIN BATTERY	5
CR1632	3V LITHIUM COIN BATTERY	5
CR2016	3V LITHIUM COIN BATTERY	5
CR2032	3V LITHIUM COIN BATTERY	5
CR2025	3V LITHIUM COIN BATTERY	5
CR2412	3V LITHIUM COIN BATTERY	5
CR2450	3V LITHIUM COIN BATTERY	5

#9 SINGLE EDGE, DOUBLE HONED RAZOR BLADE



Our #9 Razor Blades boast a single edge design, expertly crafted to provide precision and consistency in every cut. Ideal for a wide range of applications, these blades deliver superior performance and accuracy.

Perfect for automotive detailing or crafting projects, these blades are designed to handle intricate work with ease.

ITEM #	DESCRIPTION	BOX QTY
111-01-DH	SINGLE EDGE BLADE	100

SUPER GLUE - CYANOACRYLATE ADHESIVE



CARWORX SUPER GLUE is a cyanoacrylate adhesive designed for use on porous and nonporous surfaces. Sets quickly and offers exceptional, long-lasting adhesion..

ITEM #	DESCRIPTION	QTY
330.071	SUPER GLUE	12

CLOTH ELECTRICAL TAPE



Strong adhesive thread strap, made of polyester fabric substrate and strong acrylic pressure-sensitive adhesive, has strong anti stripping performance and will not peel off during use. No harmful substances, good flexibility, tear resistance. The adhesive of this tape is durable and has strong grip

ITEM #	DESCRIPTION	QTY
CET	CLOTH ELECTRICAL TAPE	1
CET-5	CLOTH ELECTRICAL TAPE	5

BLACK VINYL ELECTRICAL TAPE



Professional black PVC electrical tape for electrical insulation under 600V / wire wrapping. Strong stretchability heavy duty electrical tape will supply you tight wrapping with strong holding force to avoid electricity leakage.

ITEM #	DESCRIPTION	QTY
VET	ELECTRICAL TAPE	1
VET-10	ELECTRICAL TAPE	10

CLEAR CARTON SEALING TAPE



Keep your packages secure during transit with our Premium Clear Carton Sealing Tape. Designed with our strongest adhesive, this high-quality tape guarantees a firm and lasting seal, making it perfect for both heavy-duty and everyday applications. The crystal-clear finish also ensures that labels and branding will remain visible.

ITEM #	DESCRIPTION	BOX QTY
02-B135-02	CLEAR SEALING TAPE	12

TEFLON TAPE



PTFE Thread Seal Tape, known as Teflon Tape or plumbers tape, is a versatile pipe thread sealant used in various industries, including fire protection. Wrap tape around male threading to easily & reliably ensure thread sealing & leak prevention.

ITEM #	DESCRIPTION	BOX QTY
PTFE	TEFLON TAPE ½ X 520 ROLL	1


GAFFERS TAPE



2" By 55 Yd. Black gaffers tape is a professional grade 11-mil matte cloth gaffers tape used widely in performance spaces commonly to mark stages, label equipment cases and temporarily hold Lighting or cables throughout performances. It's rubber based adhesive makes it easy to tear, hold tight and remove cleanly from most surfaces.

ITEM #	DESCRIPTION	QTY
02-B620-02	2" X 55 YDS	1

DUCT TAPE - SILVER & BLACK



ITEM #	DESCRIPTION	QTY
DUCTBL	DUCT TAPE BLACK 2" X 30" X 9MIL	1
DUCTSL	DUCT TAPE SILVER 2" X 30" X 9MIL	1

MINI WIRE BRUSH



ITEM #	DESCRIPTION	QTY
MWBB	BRASS BRUSH	1
MWBSS	STAINLESS STEEL BRUSH	1
MWBP	NYLON BRUSH	1
MWBSSB-14	BRASS & STAINLESS STEEL BRUSH SET (7 OF EA.)	1



CREDIT CARD AUTHORIZATION

AUTHORIZATION TO CHARGE CREDIT CARD

COMPLETE AND SIGN THIS PORTION TO AUTHORIZE KNA SUPPLY TO CHARGE YOUR CREDIT CARD.

I _____ hereby authorize **KNA Supply** to charge the following credit card:
(Print Your Full Name)

Account Type: ☐ AMERICAN EXPRESS ☐ VISA ☐ MASTERCARD ☐ DISCOVER

Account Number: _____

Expiration Date: _____ **Validation Code (CVV2):** _____
(4 DIGITS ON AMEX)

Cardholder Name: _____

Billing Address: _____

City: _____ **State:** _____ **Zip Code:** _____

Business Name: _____

Business Address: _____

City: _____ **State:** _____ **Zip Code:** _____

For The Amount Of: (U. S.) \$ _____ **Payment of Invoice #:** _____

SIGNATURE: _____ **DATE:** _____

PRINT NAME: _____ **TITLE:** _____

AUTHORIZATION TO KEEP CREDIT CARD ON FILE

COMPLETE AND SIGN THIS PORTION TO AUTHORIZE KNA SUPPLY TO KEEP YOUR CREDIT CARD ON FILE FOR FUTURE PAYMENTS.

I _____ hereby authorize **KNA Supply** to keep the above credit card on file:
(Print Your Full Name)

SIGNATURE: _____ **DATE:** _____

PRINT NAME: _____ **TITLE:** _____

PLEASE FAX THIS AUTHORIZATION WITH A VALID FORM OF PICTURE ID.

KNA Supply

PO Box 771826, Ocala, FL 34477 • TEL: (352) 351-1170 • FAX: (352) 351-2600 • www.knasupply.com



NEW ACCOUNT FORM CREDIT APPLICATION

COMPANY INFORMATION

COMPANY NAME: _____

STREET ADDRESS: _____

CITY: _____ STATE: _____ ZIP CODE: _____

TELEPHONE NO.: _____ FAX NO.: _____ E-MAIL: _____

TYPE OF BUSINESS: ☐ WHOLESALE ☐ RETAIL ☐ OTHER _____ NO. OF OUTLETS: _____

EIN NUMBER: _____ RESALE TAX NUMBER: _____ YEARS IN BUSINESS: _____

BUSINESS IS: ☐ SOLE PROPRIETORSHIP ☐ PARTNERSHIP ☐ CORPORATION

NAME OF PRINCIPALS

NAME	TITLE	ADDRESS	SOCIAL SECURITY No.
------	-------	---------	---------------------

_____	_____	_____	_____
-------	-------	-------	-------

_____	_____	_____	_____
-------	-------	-------	-------

_____	_____	_____	_____
-------	-------	-------	-------

COMPLETE GRAY SECTION IF YOU WOULD LIKE PAYMENT TERMS

BANK REFERENCE

BANK NAME: _____

☐ Check ☐ Saving

Address: _____

City: _____ State: _____ Zip Code: _____

Tel.# _____ Fax# _____

TRADE REFERENCES

(1) NAME: _____

DBA: _____

Account#: _____ Contact: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Tel.# _____ Fax# _____

(2) NAME: _____

DBA: _____

Account#: _____ Contact: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Tel.# _____ Fax# _____

(3) NAME: _____

DBA: _____

Account#: _____ Contact: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Tel.# _____ Fax# _____

(4) NAME: _____

DBA: _____

Account#: _____ Contact: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Tel.# _____ Fax# _____

(5) NAME: _____

DBA: _____

Account#: _____ Contact: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Tel.# _____ Fax# _____

TERMS and CONDITIONS

Minimum Opening Order is \$50.00. Minimum Reorder is \$50.00, Under Minimum Charge is \$5.00, Drop Ship Charge is \$5.00. We accept Credit Cards (VISA, MASTERCARD, AMERICAN EXPRESS or DISCOVER) Discover card will incur a 2% processing fee, NET30 Terms based on approved credit. 2% early pay. Return Merchandise Authorization (RMA) # is required for returns. Refused or returned merchandise are subject to 20% Re-Stocking Fee plus freight.

Our liability is limited to the value of the product. Price, product offering and terms are subject to change without prior notice.

We certify that above information is true and correct. We authorize KNA Supply and/or those acting on KNA Supply's behalf to investigate the references/information provided in this application. We agree to pay all costs including attorney and collection fees should we fail to pay within credit terms.

SIGNATURE: _____

TITLE: _____

DATE: _____



(352) 351-1170 - PHONE
(352) 351-2600 - FAX
sales@knasupply.com
www.knasupply.com

☐ CALL FOR PAYMENT
☐ SEND PAYPAL INVOICE
☐ CHARGE TO CARD ON FILE
☐ NET 30 DAYS
(With approved credit)

ORDER FORM

ACCT # _____ DATE _____

SHOP _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

CONTACT _____

PHONE NUMBER _____

EMAIL ADDRESS _____

Cust. PO#		Credit Card Info:			# Of Pages
PART NO.		QUANTITY	DESCRIPTION	PRICE	EXTENTION
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					

SUBTOTAL	
TOTAL	

Signature _____

Fax back to KNA Supply @ (352) 351-2600

Proud Partners In Business

We partner with suppliers who share the same philosophies as we do and hold the same level of commitment to their customers. KNA Supply is proud to carry products from the worlds leading manufacturers of retail products and automotive supplies.

AUTO  *Writer*

Mayfair

SELLARS®

Premium Quality

 **SUNGOLD**®
ABRASIVES

EPPCO
QUALITY RELIABILITY

AUTEL

KEX
Tire Repair

KARDOL

Hi-Tech
Industries

 **CARWORX**

intex

PARTNERS IN BUSINESS

TRUSTED & TRUE!

WE PROUDLY SUPPLY

Automotive Dealerships, Collision Centers, Mechanical Shops and Car Wash Centers the products they need to keep their facility up, running and profitable. We supply the following: FASTENERS • CHEMICALS • ABSORBENTS • BATH TISSUE • ABRASIVES • WHEEL WEIGHTS • JANITORIAL SUPPLIES • SAFETY SUPPLIES • RETAIL PRODUCTS • TIRE SUPPLIES.....

And So Much More!

One Supplier • One Phone Call • KNA Supply!



Westshore Honda BEFORE



Westshore Honda AFTER

MAILING ADDRESS

KNA Supply
P.O. Box 771826
Ocala, FL 34477
(352) 351-2600 - Fax
sales@knasupply.com

PHYSICAL ADDRESS

KNA Supply
1607 N. Magnolia Ave.
Ocala, FL 34475
(352) 351-1170 - Phone
www.knasupply.com

Proudly Brought to You By:

