

Special
EVENT
SALES

DANCEPRO_{2.0}

DANCE FLOOR COLLECTION


1 - 888-601-2961 | SPECIALEVENTSALES.COM



DancePro 2.0 leads the event industry with dance floors engineered for versatility, performance and visual appeal.

SPECIALEVENTSALES.COM

BENEFITS OF DANCEPRO^{2.0}



TRUSTED

Backed with 2
year warranty

DURABLE

Able to withstand
Indoor & outdoor use

VARIETY

Comes in 6 different colours
that you can mix & match



SAFETY

Added edge length to
minimize liability risks

USER FRIENDLY

Easy to install, tear
down & clean


QUALITY

Military grade aluminum
preventing rust

STRENGTH

6 layers for added support

Panel OPTIONS




STONE BLACK

SKU: 522-0110




MAPLE

SKU: 522-0150



STONE WHITE

SKU: 522-0120




WALNUT

SKU: 522-0130



NEVADA ELM

SKU: 522-0180



BIRCH


SKU: 522-0175

BLACK & SILVER EDGE OPTIONS

SPECIALEVENTSALES.COM

6 LAYERS

This collection has been designed with 5 layers, out performing it's competitors in every way.



PERFORMANCE + DURABILITY


Unlike other dance floors on the market, they are constructed from plywood which makes them susceptible to moisture and humidity. Our DancePro floor features an engineered PVC honeycomb core that is water resistant! This advanced honeycomb structure delivers an exceptional strength-to-weight ratio, distributing loads evenly across the surface for superior strength and durability. The result is a floor that offers outstanding rigidity and stability so your guests can dance all night long! The honeycomb core ensures long-term performance, preventing bending, warping, or buckling under pressure.

OUTDOOR + INDOOR

While not intended for permanent outdoor use, the DancePro floor is engineered to perform well in unpredictable and changing environments. Unlike plywood alternatives that swell or warp, our High Pressure Laminate (HPL) surface forms a resilient barrier against moisture and UV rays. Preserving both appearance and structure. Every metal component is crafted from marine-grade aluminum, ensuring rust resistance and long-lasting protection, making DancePro the ideal choice for both indoor and outdoor events.

THERMOPLASTIC HONEYCOMB

Long lasting strength




WHY HONEYCOMB?

UV



Honeycomb adds extra strength and stability to our dance floors. There is no other dance floor on the market that has the structural integrity as DancePro 2.0. Where other dance floors use traditional plywood, we have a PVC honeycomb core that outperforms others on the market. It is designed to perform well outdoors and made to withstand harsh conditions. Because of the honeycomb and military grade aluminum, it will never rot, rust, warp, soften or crack under pressure.



Many dance floors on the market have an industry standard edge of 1.5 inches. We on the other hand have extended that edge to 5 inches with an 11 degree angle. This significantly decreases the risk of tripping and injury for both guests and employees! This ramp was designed for ADA compliance and maximum safety. Not only does this added length enhance accessibility but also helps reduce liability risks during events.

CARE



CAUTION: Prolonged exposure to direct sunlight is likely to cause discoloration of your dance floor or create soft spots along the corners. Minimizing UV light will extend the life of your dance floor.

CARE & CLEANING

To maintain the appearance and condition of your DancePro surface, clean them using mild soap or detergent mixed with lukewarm water. Use a clean, soft cloth and apply only gentle pressure to avoid scratching the surface. Rinse thoroughly with clean water and gently blot dry with a damp cloth or chamois.

For grease, oil or tar, a suitable grade of hexane, aliphatic naphtha, or kerosene may be used. Always follow the cleaner manufacturer's instructions and test products carefully before use.

- Use only soft, non-abrasive cloths when cleaning.
- Avoid scrubbing or applying excessive pressure.
- Do not use window cleaning sprays, scouring compounds, or abrasive cleaners.
- Avoid acetone, gasoline, benzene, alcohol, carbon tetrachloride, lacquer thinner and similar solvents.
- NEVER USE ammonia or ammonia based cleaners.
- Improper cleaners can scratch, weaken or damage the tops of your panels and may cause fine surface cracks known as crazing.


MAINTENANCE

Regular cleaning will help maintain the appearance and extended the life of your dance floor panels. For routine maintenance, sweep panels with a soft push broom or use a dry mop to remove dust and debris. Any spills or materials that could stain the surface should be cleaned immediately.

- Use a soft push broom or dry mop for regular cleaning. A dry mop is recommended over a vacuum for removing dust.
- Clean spills and potential staining materials as soon as possible.
- For stubborn stains, adhesive, or floor tape residue, apply an all-purpose cleaner directly to a soft cloth and gently work the affected area. Rinse with clean water and allow to dry.
- For deeper cleaning, use an all purpose floor cleaner diluted with water according to the cleaner manufacturer's instructions.
- Apply the cleaning solution with a mop and clean using a low- abrasive scrubbing or polishing pad. A soft scrubbing brush may also be used.
- Do not use scouring pads, steel wool, or other abrasive cleaning materials, as these may damage the floor surface.
- Once cleaned, remove all dirty water and residue with a mop or suitable wet vacuum.
- Rinse thoroughly with clean, cold water and allow the panels to dry completely before use or storage.

DANCEPRO

Event Dance Floor



High Pressure Laminate (HPL).
No sub floor needed!

5 inch edge, adding an extra safety feature against risks.

Combination of 3.2 mm of military grade aluminum. Giving you a more sturdy dance floor.


Temperature regulated so it can withstand different environments.

Water Resistant

Fast & Easy Installation

Heavy Duty to help insulate for outdoors & stable foot traffic

DancePro



Standard Plywood. Sub floor needed

1.5 inch edge. Risking the chance of tripping hazards.

1 mm thick top layer of plywood giving a flimsy floor.


Not regulated and will damage quickly.

Water Absorbent

Complicated Design

Typically more lightweight because of thinner layers.

Industry Standard



POPULAR SIZE
12 X 12



PANEL OF CHOICE
X9



SKU:522-0610
HEX KEY 5MM
X1



SKU:522-0600
DANCEPRO CART
X1



SKU:522-0450 (S)
SKU:522-0350 (B)
FEMALE LEFT
CORNER
X2



SKU:522-0430 (S)
SKU:522-0330 (B)
FEMALE RIGHT
CORNER
X2



SKU:522-0410 (S)
SKU:522-0310 (B)
FEMALE
STRAIGHT EDGE
X2



SKU:522-0400 (S)
SKU:522-0300 (B)
MALE
STRAIGHT EDGE
X2




SKU:522-0420 (S)
SKU:522-0320 (B)
MALE RIGHT
CORNER
X2




SKU:522-0440 (S)
SKU:522-0340 (B)
MALE LEFT
CORNER
X2

Event Size	Guest Count	Floor Size	Sq Ft	Dancers
Small	0 - 50	12 X 12	144 sq ft	20
Medium	100 - 150	16 X 16	256 sq ft	50
Large	150 - 250	20 X 20	400 sq ft	80



POPULAR SIZE
16 X 16



PANEL OF CHOICE
X16



SKU:522-0610
HEX KEY 5MM
X2



SKU:522-0600
DANCEPRO CART
X2



SKU:522-0450 (S)
SKU:522-0350 (B)
FEMALE LEFT
CORNER
X2



SKU:522-0430 (S)
SKU:522-0330 (B)
FEMALE RIGHT
CORNER
X2



SKU:522-0410 (S)
SKU:522-0310 (B)
FEMALE
STRAIGHT EDGE
X4



SKU:522-0400 (S)
SKU:522-0300 (B)
MALE
STRAIGHT EDGE
X4




SKU:522-0420 (S)
SKU:522-0320 (B)
MALE RIGHT
CORNER
X2



SKU:522-0440 (S)
SKU:522-0340 (B)
MALE LEFT
CORNER
X2

Event Size	Guest Count	Floor Size	Sq Ft	Dancers
Small	0 - 50	12 X 12	144 sq ft	20
Medium	100 - 150	16 X 16	256 sq ft	50
Large	150 - 250	20 X 20	400 sq ft	80



POPULAR SIZE
20 X 20



PANEL OF CHOICE
X25



SKU:522-0610
HEX KEY 5MM
X3



SKU:522-0600
DANCEPRO CART
X2



SKU:522-0450 (S)
SKU:522-0350 (B)
FEMALE LEFT
CORNER
X2



SKU:522-0430 (S)
SKU:522-0330 (B)
FEMALE RIGHT
CORNER
X2



SKU:522-0410 (S)
SKU:522-0310 (B)
FEMALE
STRAIGHT EDGE
X6



SKU:522-0400 (S)
SKU:522-0300 (B)
MALE
STRAIGHT EDGE
X6



SKU:522-0420 (S)
SKU:522-0320 (B)
MALE RIGHT
CORNER
X2



SKU:522-0440 (S)
SKU:522-0340 (B)
MALE LEFT
CORNER
X2

Event Size	Guest Count	Floor Size	Sq Ft	Dancers
Small	0 - 50	12 X 12	144 sq ft	20
Medium	100 - 150	16 X 16	256 sq ft	50
Large	150 - 250	20 X 20	400 sq ft	80

2 YEAR WARRANTY

We stand behind the quality of our DancePro flooring. Each panel comes with a 2 year warranty covering manufacturing defeats excluding damage of misuse, improper maintenance, normal wear and tear or environmental factors. Should any panel fail during the 2 year period, we will replace it, giving you confidence and peace of mind during each event!



Special
EVENT
S A L E S

Two locations across Canada.

Edmonton:

7063 68 Ave NW
Edmonton, AB T6B 3E3

780 - 430 - 8911

sales@specialeventsales.com

Woodstock:

Unit 5, 454 Innovation Way
Woodstock, ON N4V 0A2

416 - 613 - 2211

sales@specialeventsales.com



@specialeventsales



Special Event Sales



Special Event Sales



@specialeventsales

SPECIALEVENTSALES.COM