



GERKO

PAINT RELATED PRODUCTS



PRODUCT CATALOGUE

2027



A modern staircase with wide, light-colored concrete steps and a glass railing. The railing is supported by metal brackets with visible screws. The background is a plain, light-colored wall.

GERKO INTERNATIONAL PRESENTS WE PROUDLY PRESENT OUR NEW 2027 CATALOGUE.

Gerko international designs and develops non-paint and paint products for the professional collision repair business with the goal of becoming a one-stop shop for our distributors. Efficiency, innovation and quality together form the standard of excellence in automotive repair. What does this mean for you? It means streamlined workflows and improved efficiency with products designed to be both user-friendly and exceptionally effective. Save time and effort at every stage. Say goodbye to substandard results and welcome flawless surfaces that showcase your expertise and professionalism. Elevate your skills with Gerko and experience the true impact of experience, innovation and quality.

**"GERKO
INTERNATIONAL
FOR THOSE
WHO VALUE
EFFICIENCY,
INNOVATION
& QUALITY"**

OUR MISSION

It is Gerko's mission to help our distributors grow as a business by supporting them with as complete a range as possible, with the emphasis on the quality, efficiency and appearance of our products, so that our distributors can fully focus on the customer.

AMBITION

**COMMITMENT
TO RESULTS**

PROTECTION

**ONE
STOP
SHOP**



EFFICIENCY

CUSTOMER FOCUS

QUALITY

GROWTH

OUR VISION

It is Gerko's vision to continuously expand with quality and innovative products that directly lead to greater efficiency in damage repair. This, combined with protecting our brand for our distributor.





GERKO INTERNATIONAL IS READY FOR THE FUTURE

with the investment in a brand-new **distribution centre** where we can store more than 7000 pallets. We organize courses and workshops at our **technical training centre** at our headquarters in Belgium where distributors from all over the world can see how our Gerko products work and how they should be used.



OUR PRODUCTS

1

**PERSONAL
PROTECTION**

● PAGE 10 - 19

2

MASKING

● PAGE 20 - 37

3

SANDING

● PAGE 38 - 55

4

PUTTIES

● PAGE 56 - 63

5

**GLUES &
ADHESIVES**

● PAGE 64 - 69



**PAINT
PREPARATION**

● PAGE 70 - 83



PAINTING

● PAGE 84 - 105



CLEANING & POLISHING

● PAGE 108 - 119



SPRAY BOOTH

● PAGE 120 - 127



PROMO

● PAGE 128 - 129



PERSONAL PROTECTION

Personal protection is essential in automotive refinishing to work safely and comfortably during sanding, painting and preparation work. High-quality protective products help protect the user against dust, paint mist, chemicals and other harmful influences in the workshop.



GERKO
PRODUCTS
Particulate Prefilter
AS/NZS 1716:2012 P2
14387:2004+A1:2008 P2 R
this side toward the face!
MAN: 13/10/2024
EXP: 13/10/2029

GERKO
PRODUCTS



SPRAY MASK A1P2 (ART. SMA1P2)

Compact spray mask for protection against organic vapours and harmful dust particles during general sanding and painting work.

- Protection against solvent vapours and paint mist
- P2 filter for harmful dust particles
- Comfortable and light in use
- Ideal for general automotive body repair
- Airtight storage box that extends the service life of the filters

CONTENTS OF STORAGE BOX

1 x mask
2 x A1 gas filters
2 x P2 dust pre-filters
2 x plastic cartridge

PACKAGING

Per piece

BESTSELLER



SPRAY MASK A2P3 (ART. SMA2P3)

Professional spray mask with higher filter capacity for intensive work and maximum protection against organic vapours and fine dust particles.

- Higher protection against organic vapours
- P3 filter for very fine and toxic particles
- Suitable for 2K paints and intensive spray work
- Recommended for professional automotive body repair
- Airtight storage box that extends the service life of the filters
- Dust filter integrated into the carbon filter

CONTENTS OF STORAGE BOX

1 x mask
2 x A2 gas filter with integrated P3 dust pre-filters

PACKAGING

Per piece



GAS FILTER A1 (ART. FA1)

Gas filter for protection against organic vapours during general painting and painting work with solvent-based products.

- ▶ Gas filter for protection against organic vapours during general painting and painting work with solvent-based products
- ▶ Suitable for lacquers, paints and degreasers
- ▶ Compact and lightweight design
- ▶ Compatible with various half-face masks
- ▶ Replace filters completely after approximately 40 hours of intensive use

PACKAGING

Per pair



GAS FILTER A2P3 R D (ART. FA2P3)

High-quality gas and dust filter with maximum protection against organic vapours, overspray and very fine harmful particles.

- ▶ High filter capacity for organic vapours
- ▶ P3 protection against fine and toxic dust particles
- ▶ Suitable for intensive spray work and 2K paints
- ▶ "R" = reusable for multiple shifts
- ▶ "D" = tested on dolomite dust for longer breathing resistance and higher durability
- ▶ Replace filters completely after approximately 40 hours of intensive use

PACKAGING

Per pair



DUST PRE-FILTER P2 (ART. FP2)

Dust pre-filter for protection against harmful dust particles, sanding dust and paint mist during sanding and painting work.

- ▶ P2 filter for harmful dust particles and aerosols
- ▶ Protects against sanding dust, primer dust and paint mist
- ▶ Extends the service life of gas filters
- ▶ Lightweight and easy to assemble
- ▶ To be used in combination with gas filter A1 for spray mask (SMA1P2)

PACKAGING

10 pieces



DUST MASK FFP2 WITH VALVE (ART. DM10)

Comfortable dust mask for protection against harmful dust particles, aerosols and mist during sanding and preparation work.

- ▶ FFP2 protection against harmful dust particles
- ▶ Suitable for sanding dust and light mist
- ▶ Lightweight and comfortable design
- ▶ Good fit for long-lasting use
- ▶ Equipped with soft foam on the inside at the nose area
- ▶ Suitable for people wearing glasses, lenses do not fog up

PACKAGING

15 pieces



DUST MASK FFP3 WITH VALVE (ART. DM40)

FFP3 dust mask with valve for optimal protection against harmful dust particles, mists and aerosols. The low breathing resistance provides high wearing comfort, even during prolonged use.

- ▶ FFP3 protection against fine dust particles and aerosols
- ▶ Exhalation valve for low breathing resistance
- ▶ Soft inner seal for extra comfort
- ▶ Adjustable nose clip for an optimal seal
- ▶ Suitable for glasses wearers
- ▶ Ideal for sanding, grinding, filling and painting
- ▶ Comfortable for prolonged use and warm working environments
- ▶ Suitable for people wearing glasses, lenses do not fog up

PACKAGING

10 pieces



DISPOSABLE SPRAY OVERALL (ART. DSC)

Protective disposable coverall with CE category III Type 5/6 protection and breathable back material for extra comfort. Fitted with a hood, elasticated closures and knitted cuffs.

- Protects against dust and light chemical splashes (CE Type 5/6)
- Light, breathable and low-linting material
- Back panel in breathable SMS material for extra comfort
- Elastic cuffs, waist and ankles for optimal fit
- Antistatically treated and fitted with a closable zip



POLYESTER SPRAY OVERALL (ART. POW)

Polyester spray coverall for professional use during painting work. The blue colour helps prevent reflection in the paint, while the underarm ventilation provides extra wearing comfort and optimal temperature regulation.

- 100% polyester and flame-retardant
- Lint-free, silicone-free and antistatic
- Blue colour for minimal reflection in the paint
- Underarm ventilation for optimal temperature regulation
- Equipped with a hood, elastic closures and a 2-way zipper
- Includes 2 rear pockets
- Washable at 30°C or dry-cleanable

BESTSELLER



SUPERIOR NYLON SPRAY OVERALL (ART. SNC)

Durable nylon coverall with high wearing comfort and elastic fit. Equipped with ventilation at the armpits, back and hood for optimal heat regulation.

- Antistatic, dust-, silicone- and lint-free
- Protects against spray mist
- Breathable and ventilated for optimal heat regulation
- Close-fitting cuffs for a perfect fit
- Durable design with concealed zipper and high wearing comfort
- Ensures optimal freedom of movement throughout the working day

SIZE

M (DSC10)
L (DSC20)
XL (DSC30)
XXL (DSC40)

PIECES/ OUTER BOX

25 pieces

SIZE

M (POW10)
L (POW20)
XL (POW30)
XXL (POW40)

PIECES/ OUTER BOX

25 pieces

SIZE

S (SNC10)
M (SNC20)
L (SNC30)
XL (SNC40)
XXL (SNC50)
XXXL (SNC60)

PIECES/ OUTER BOX

20 pieces



NITRILE DISPOSABLE GLOVES (ART. NGB)

Nitrile gloves for optimal protection and comfort during painting work. Prevent contamination of the paint by skin oils, hair and dust particles and protect the user against chemicals and splashes.

- ▶ Thickness of 6 mil (0,15 mm) for extra durability
- ▶ Textured fingertips and palm for optimal grip
- ▶ Extremely suitable for paint and solvent applications
- ▶ Latex-free and silicone-/powder-free
- ▶ Prevents contamination of the paint
- ▶ 6 gr. weight for medium size

SIZE

M (NGB10)
L (NGB20)
XL (NGB30)

PACKAGING

100 pieces

BESTSELLER



DIAMOND NITRILE GLOVES (ART. NDG)

Extra strong diamond nitrile gloves with a unique diamond grip pattern for maximum grip and control. They protect against paint, chemicals and contamination, while the comfortable fit offers long-lasting wearing comfort and optimal freedom of movement.

- ▶ Thickness of 6 mil (0,15 mm) and extremely strong
- ▶ Diamond structure for optimal grip and anti-slip effect
- ▶ Suitable for mechanical work, spray work and paint applications
- ▶ Resistant to paint and solvents
- ▶ Latex-free and silicone-/powder-free to prevent paint contamination
- ▶ 7 gr. weight for medium size

SIZE

M (NDG10)
L (NDG20)
XL (NDG30)

PACKAGING

50 pieces

BESTSELLER

**PU WORK GLOVES** (ART. PWG)

PU work gloves with an excellent fit, high finger sensitivity and optimal grip. The wear-resistant PU coating provides extra comfort and durability for precision work.

- ▶ Thin, wear-resistant PU coating for optimal grip
- ▶ Excellent finger sensitivity
- ▶ Lightweight and flexible
- ▶ Breathable back panel for extra comfort
- ▶ Perfect fit for maximum control
- ▶ Low-lint, ideal for clean working environments
- ▶ EN388-certified protection
- ▶ Suitable for assembly, sanding and preparation work

**MICROFOAM WORK GLOVES** (ART. MWG)

Microfoam work gloves with excellent grip, even in oily or damp conditions. The wear-resistant microfoam nitrile coating provides optimal comfort and high durability.

- ▶ Microfoam nitrile coating for optimal grip
- ▶ Excellent grip in oil and moisture
- ▶ Very wear-resistant
- ▶ Flexible and ergonomic design
- ▶ Breathable back panel for extra comfort
- ▶ Low-lint finish
- ▶ EN388-certified protection
- ▶ Ideal for: Automotive body repair, assembly, metalworking and work in oily and damp environments

**INDUSTRIAL NITRILE GLOVES** (ART. ING)

Extra thick industrial nitrile gloves with excellent protection against paint, solvents and chemicals. The strong, reusable nitrile material offers high chemical resistance and optimal wearing comfort.

- ▶ Extra thick and strong nitrile material
- ▶ Resistant to paint, solvents and chemicals
- ▶ High chemical resistance
- ▶ Ergonomic fit
- ▶ Anti-slip profile for optimal grip
- ▶ High wearing comfort
- ▶ CE certified
- ▶ Ideal for mixing paints and coatings

SIZE

M (PWG10)
L (PWG20)
XL (PWG20)

PACKAGING

12 pairs

SIZE

M (MWG10)
L (MWG20)
XL (MWG30)

PACKAGING

12 pairs

SIZE

L (ING20)
XL (ING30)

PACKAGING

12 pairs



ALLCLEAN WIPES (ART. AW100)

Professional impregnated cleaning wipes for quickly cleaning tools, parts and hard surfaces. Ideal for removing dirt, grease and other contamination in workshop environments.

- ▶ Impregnated cleaning wipes for stubborn industrial contamination
- ▶ Removes, among others, 2K paint, adhesive, epoxy, sealant, grease and lubricants
- ▶ Suitable for hands and tools
- ▶ No water required and solvent-free
- ▶ Dermatologically tested and biodegradable
- ▶ Free of parabens

DIMENSION

26 x 30 cm

PACKAGING

100 pieces per bucket



PRO HAND CLEANER (ART. PHC)

Powerful citrus hand cleaner for removing everyday and stubborn contamination such as paint, ink, glue and tar. Cleans and cares for the hands at the same time and helps prevent skin irritation. Contains natural scrubbing particles for effective cleaning.

- ▶ Excellent cleaning power
- ▶ Removes paint, ink, adhesive and tar
- ▶ Cleans and cares for hands at the same time
- ▶ Helps prevent skin irritation
- ▶ With natural abrasive particles for effective cleaning

SUPERIOR HAND CLEANER (ART. SHC)

High-quality hand cleaner for removing extremely heavy contamination in automotive body repair and industrial applications. Removes paint, sealant, adhesive, resins and 2-component products, among others, thanks to its powerful formula with natural micro-granules.

- ▶ Excellent cleaning power
- ▶ Solvent-free and pH-neutral
- ▶ Moisture-regulating and skin-friendly
- ▶ With biodegradable corn meal scrub
- ▶ Pleasantly scented

WALL HOLDER FOR HAND CLEANER 3,8 L (ART. WH38)

- ▶ Convenient wall bracket for Gerko hand soap 3,8 liter

CONTENTS

300 ml (PHC03)
3,8 liter (PHC38)

PIECES/ OUTER BOX

24 pieces
4 pieces

CONTENTS

300 ml (SHC03)
3,8 liter (SHC38)

PIECES/ OUTER BOX

24 pieces
4 pieces

CONTENTS

3,8 liter

PACKAGING

Per piece

2

MASKING

Masking is an essential step in the body repair process and provides efficient protection of vehicle parts during painting and sanding work. Correctly covering surfaces prevents overspray, dust, dirt and unwanted paint build-up, resulting in a crisp and professional finish.

In bodywork, various masking products are used, such as masking tapes, masking film, masking paper and protective solutions for specific applications. A quality masking system not only increases the speed and efficiency of the work process, but also helps limit time-consuming rework and material loss.





GERKO
PAINT RELATED PRODUCTS



OTHER

GERKO
PAINT RELATED PRODUCTS



MAGNETIC FOIL CUTTER (ART. MFC10)

- ▶ Easy and safe cutting
- ▶ Suitable for masking film and masking paper
- ▶ Magnetic back for easy storage

PIECES/ OUTER BOX

100 pieces



MASKING FILM

Masking films and protective covers are used to protect vehicles and parts against overspray, dust, dirt and moisture during body repair and painting work. Transparent HDPE masking film has static properties for optimal adhesion to the surface and is paint-adherent for better absorption of paint mist.



DESCRIPTION

Masking film
Superior masking film
Masking film with integrated tape
Rim masking film



THICKNESS

10 µm
15 µm
8 µm
20 µm



PAINT ADHESIVE

✓
✓
✓
✓



MOISTURE ABSORBING

-
✓
-
-



STATIC LOADED

✓
✓
✓
✓



COLOUR

Transparent

Transparent




PAGE

24
24
25
25





MASKING FILM (ART. PM)

HDPE masking film for quickly and efficiently covering vehicles during spray work. Protects against overspray, dirt and dust and, thanks to its static properties, adheres perfectly to the surface for optimal coverage.

- ▶ Transparent HDPE masking film against overspray, dirt and dust
- ▶ Paint-adherent with printed spray side
- ▶ Easy to apply by one person
- ▶ Strong, elastic and easy to cut
- ▶ Static cling to the surface
- ▶ Suitable for infrared drying
- ▶ Packed per roll in a cardboard box
- ▶ Film thickness: 10 µm

DIMENSION

4 x 300 m (PM40)
 4 x 150 m (PM4015)
 4,8 x 300 m (PM48)
 5 x 120 m (PM50)
 6 x 100 m (PM60)



SUPERIOR MASKING FILM MOISTURE ABSORPTION (ART. SPM)

Transparent masking film with moisture-absorbing properties that prevents unsightly marks and can be applied to damp surfaces. Extra-thick quality for increased strength and protection.

- ▶ Paint-adherent for optimal absorption of paint and overspray
- ▶ Moisture-absorbing and breathable
- ▶ Easy to apply by one person
- ▶ Strong, elastic and easy to cut
- ▶ Static cling to the surface
- ▶ Suitable for infrared drying
- ▶ Temperature-resistant up to 120 °C
- ▶ Packed per roll in a cardboard box
- ▶ Film thickness: 15 µm

DIMENSION

4 x 150 m (SPM40)
 5 x 120 m (SPM50)



MASKING FILM WITH INTEGRATED TAPE (ART. MFT)

Transparent masking film with integrated tape for quickly masking car windows, bonnets and other vehicle parts. Provides neat and efficient protection during painting work.

- ▶ Transparent masking film with tape and paint absorption
- ▶ Can be torn off by hand
- ▶ Static cling
- ▶ Corona-treated
- ▶ Straight cut
- ▶ 80 °C tape

DIMENSION

35 cm x 25 m (MFT35)
 60 cm x 25 m (MFT60)
 90 cm x 25 m (MFT90)
 120 cm x 25 m (MFT120)
 180 cm x 25 m (MFT180)
 260 cm x 25 m (MFT260)



RIM MASKING FILM (ART. RMF80)

Fast and professional solution for painting and repairing wheels without removing the tire. The wheel does not need to be rebalanced after repair.

- ▶ For painting and repairing wheels without tire removal
- ▶ Suitable for wheels from 300 mm to 480 mm
- ▶ Time-saving and economical in use
- ▶ Equipped with an elastic band
- ▶ Film thickness: 20 µm

PACKAGING

80 pieces (4 x 20 pieces)



COVER SET 5 IN 1 (ART. CS05)

Complete cover set for protecting the car interior against dirt, dust and grease during repairs. Contains all essential protective covers for a neat and professional finish of the vehicle.

- ▶ Complete protection set for the car interior
- ▶ Convenient to use with 1 set per job
- ▶ Ensures a neat and professional finish

PACKAGING

1 x plastic car seat cover
 1 x paper floor mat
 1 x plastic steering wheel cover
 1 x gear lever cover
 1 x brake cover

MASKING TAPE

Masking tape is used for precise taping of surfaces during painting, painting and repair work in the automotive sector. Depending on the application, different tapes offer resistance to high temperatures, moisture and solvents, with excellent adhesion to various substrates and clean removal without adhesive residue. Thanks to flexible paper backings and high-quality adhesive layers, crisp paint lines and efficient processing are guaranteed.

							
DESCRIPTION	TEMPERATURE- RESISTANT 30 min	THICKNESS	TENSILE STRENGTH N/cm	ELONGATION %	PEEL ADHESION N/25 mm R	COLOUR	PAGE
Superior masking tape	100 °C	120 µm	38 N/cm	7,5 %	5		28
Azure masking tape	110 °C	125 µm	38 N/cm	7,5 %	5,75		28
Aqua masking tape	120 °C	130 µm	42 N/cm	8 %	5		29
Washi tape gold	120 °C	92 µm	30 N/cm	3,5 %	3		29



BESTSELLER



SUPERIOR MASKING TAPE (ART. SMT)

Temperature-resistant masking tape with a semi-crepe paper backing and strong rubber resin adhesive for general painting work. Suitable up to 80 °C and ideal in combination with masking paper and masking film thanks to its good adhesive strength.

- ▶ Excellent tape-on-tape adhesion
- ▶ Suitable for metal and plastic
- ▶ Easy to remove without adhesive residue
- ▶ Resistant to solvents
- ▶ Suitable for water- and solvent-based paints
- ▶ Excellent formability and easy to tear
- ▶ Suitable for IR and UV drying
- ▶ Adhesive strength on steel: 5 N/25 mm
- ▶ Thickness: 125 micron

DIMENSION

18 cm x 50 m (SMT18)
24 cm x 50 m (SMT24)
30 cm x 50 m (SMT30)
36 cm x 50 m (SMT36)
48 cm x 50 m (SMT48)

PIECES/ MASTER CARTON

48 pieces
36 pieces
32 pieces
24 pieces
24 pieces



AZURE MASKING TAPE (ART. MAT)

Premium masking tape with flexible crepe paper backing and strong rubber resin adhesive, suitable for automotive repairs and spray work up to 120 °C. The mouldable paper follows curved surfaces perfectly and, thanks to its striking colour, ensures good visibility and easy removal.

- ▶ Strong and durable adhesion
- ▶ Excellent formability on curved surfaces
- ▶ Removable without adhesive residue
- ▶ High visibility
- ▶ 3 days UV-resistant
- ▶ High quality
- ▶ Suitable for IR and UV drying
- ▶ Temperature-resistant up to 120 °C
- ▶ Adhesive strength on steel: 5,75 N/25 mm
- ▶ Thickness: 130 micron

DIMENSION

18 cm x 50 m (MAT18)
24 cm x 50 m (MAT24)
30 cm x 50 m (MAT30)
36 cm x 50 m (MAT36)
48 cm x 50 m (MAT48)

PIECES/ MASTER CARTON

48 pieces
36 pieces
32 pieces
24 pieces
24 pieces



AQUA MASKING TAPE (ART. AMT)

Premium aqua masking tape with water-resistant crepe paper backing and strong rubber resin adhesive, resistant to moisture, waterborne paints and high temperatures up to 120 °C. Ideal for wet sanding and spray work, with excellent visibility and clean removal.

- ▶ Suitable for waterborne paints
- ▶ Excellent adhesion on rubber and metal
- ▶ Removable without adhesive residue
- ▶ Water-resistant green crepe paper
- ▶ Excellent tape-on-tape adhesion
- ▶ Solvent- and water-resistant
- ▶ Suitable for IR and UV drying
- ▶ Temperature-resistant up to 120 °C
- ▶ Adhesive strength on steel: 5 N/25 mm
- ▶ Thickness: 135 micron

DIMENSION

18 cm x 50 m (AMT18)
 24 cm x 50 m (AMT24)
 30 cm x 50 m (AMT30)
 36 cm x 50 m (AMT36)
 48 cm x 50 m (AMT48)

PIECES/ MASTER CARTON

48 pieces
 36 pieces
 32 pieces
 24 pieces
 24 pieces



WASHI MASKING TAPE (ART. WTG)

Washi masking tape with high-quality acrylic adhesive for extremely crisp and fine masking lines. The thin yet strong Japanese paper structure ensures excellent tape-on-tape performance in automotive and professional painting applications.

- ▶ Suitable for water- and solvent-based paints
- ▶ Excellent adhesion on various substrates
- ▶ Flexible for tight curves and paint break lines
- ▶ Wet-removable without adhesive residue
- ▶ Solvent-, water- and UV-resistant
- ▶ Oven-resistant up to 120 °C
- ▶ Adhesive strength on steel: 5 N/25 mm
- ▶ Thickness: ≤ 90 micron

DIMENSION

18 cm x 50 m (WTG18)
 24 cm x 50 m (WTG24)
 36 cm x 50 m (WTG36)
 48 cm x 50 m (WTG48)

PIECES/ MASTER CARTON

48 pieces
 36 pieces
 24 pieces
 24 pieces



MASKING PAPER (ART. MP)

Masking paper made from recycled brown paper, ideal for covering vehicles and parts during painting work. The dust-free and absorbent paper prevents paint bleed-through and is available in various sizes.

- ▶ 50 g/m² recycled brown paper
- ▶ Ideal for masking vehicles and parts
- ▶ Dust-free and highly absorbent
- ▶ Prevents paint bleed-through
- ▶ Available in various sizes

DIMENSION

20 cm x 300 m (MP020)	100 cm x 300 m (MP100)
30 cm x 300 m (MP030)	120 cm x 300 m (MP120)
40 cm x 300 m (MP040)	150 cm x 300 m (MP150)
60 cm x 300 m (MP060)	
90 cm x 300 m (MP090)	

2 | MASKING | MASKING PAPER



MASKING PAPER KRAFT (ART. MPK)

High-quality kraft paper with high density and excellent perforation resistance for reliable coverage during spray work. The strong paper combines a smooth outer side with a rough inner side for optimal handling.

- ▶ 40 g/m² high-quality kraft paper
- ▶ Strong and puncture-resistant
- ▶ Smooth and lint-free surface
- ▶ Increased water resistance
- ▶ Suitable for solvent- and water-based paints
- ▶ Available in various sizes

DIMENSION

20 cm x 300 m (MPK020)	100 cm x 300 m (MPK100)
30 cm x 300 m (MPK030)	120 cm x 300 m (MPK120)
40 cm x 300 m (MPK040)	150 cm x 300 m (MPK150)
60 cm x 300 m (MPK060)	
90 cm x 300 m (MPK090)	



SILICONE MASKING PAPER (ART. SP)

Silicone masking paper with a double-sided glossy protective layer, suitable for demanding paints, powder coatings and stoving enamels. The extra sturdy quality makes it ideal for both horizontal and vertical applications.

- ▶ 58 g/m² masking paper
- ▶ Ideal for vehicles and parts
- ▶ Dust-free and waterproof
- ▶ Glossy side for extra protection
- ▶ Available in various sizes

DIMENSION

20 cm x 240 m (SP020)	90 cm x 240 m (SP090)
30 cm x 240 m (SP030)	100 cm x 240 m (SP100)
40 cm x 240 m (SP040)	120 cm x 240 m (SP120)
50 cm x 240 m (SP050)	150 cm x 240 m (SP150)
60 cm x 240 m (SP060)	



DESCRIPTION

Masking paper
Masking paper kraft
Silicone masking paper



PAPERWEIGHT

50 g/m²
40 g/m²
58 g/m²



TEMPERATURE- RESISTANCE

± 80 °C - 100 °C
± 100 °C - 120 °C
± 120 °C - 180 °C




RECYCLED

✓
-
-



MATERIAL TYPE

Brown paper
Kraft paper
Silicone coated paper





SENSOR COVERS (ART. SC05)

Gerko sensor covers are specially developed to quickly and easily cover parking sensors during the sanding, polishing and painting process

- ▶ Time-saving protection of sensors
- ▶ No sensor removal required
- ▶ Protects during sanding, polishing and painting
- ▶ Prevents contamination of sensors

DIMENSION

18 mm

PACKAGING

60 pieces



SPECIAL TAPE

Special tapes have been developed for specific applications within body repair, assembly and finishing in the automotive sector. The range includes, among others, **foam tapes** for sealing door openings, **fine line tapes** for tight paint lines, **duct tapes** for strong temporary fastenings, **double-sided tapes** for assembly work and **T-foam tapes** for preventing hard paint transitions. Thanks to their specific adhesion, flexibility and durability, these tapes ensure professional and efficient processing.

DESCRIPTION	TEMPERATURE-RESISTANT 30 min.	THICKNESS	TENSILE STRENGTH N/25 mm	ELONGATION %	PEEL ADHESION N/25 mm	COLOUR	PAGE
Double-sided tape	149 °C	1,1 mm	61	50 %	87,5		35
Fine line tape	140 °C	150 µm	210	100 %	4,5		35
Duct tape	60 °C	300 µm	44	9 %	18	 	35
Economy duct tape	60 °C	145 µm	35	20 %	17,5		35



T-FOAM TAPE (ART. TFT25)

T-foam masking tape with a semi-rigid flat shape for quick and easy placement on vehicle edges and openings. Prevents paint seepage and hard paint transitions without leaving adhesive residue.

- Easy and quick to apply
- Perfect edge finish without paint build-up
- Flexible and easy to shape
- Removable without adhesive residue
- Solvent-resistant
- No bleed-through

DIMENSION

25 m



FOAM MASKING TAPE (ART. FT)

Foam masking tape for professionally sealing gaps between hoods, doors and body panels during painting work. Prevents hard paint edges, absorbs paint mist and ensures a neat finish.

- For masking seams and openings
- Prevents edge build-up and absorbs paint
- Flexible foam, easy to cut to size
- Removable without adhesive residue

DIMENSION

13 mm x 50 m (FT13)
19 mm x 35 m (FT19)



LIFTING TAPE (ART. LT10)

Lifting tape for lifting and protecting rubber edges and trims during painting work. The integrated polyester strip ensures fast application and crisp paint results without overspray.

- Simplifies masking of rubber parts
- Prevents overspray on rubber parts
- Pre-cut every 46 mm
- Removable without adhesive residue
- Easy to tear off
- Polyester strip of 10mm

DIMENSION

10 mm x 10 m




LIFTING TAPE MULTI (ART. LT20)

Lifting tape multi for lifting and protecting rubber edges and trims during painting work. The double polyester strip ensures fast application and crisp paint results without overspray.

- Simplifies masking of rubber parts
- Prevents overspray on rubber parts
- Pre-cut every 42 mm
- 2 multifunctional plastic strips
- Removable without adhesive residue
- Easy to tear off
- Polyester strip of 9 + 11m

DIMENSION

9,11 mm x 10 m



FINE LINE TAPE (ART. FLT)

Fine line tape is an ultra-thin and highly flexible masking tape for tight lines and sharp curves without tearing or creasing. Ideal for multi-color work, design lines, lettering and custom painting.

- ▶ Suitable for water- and solvent-based paints
- ▶ Excellent adhesion on plastic, rubber and metal
- ▶ Ultra-thin and extremely flexible
- ▶ Ideal for sharp edges and small details
- ▶ Removable without adhesive residue
- ▶ Temperature-resistant up to 140 °C

DIMENSION

3 mm x 55 m (FLT03)
6 mm x 55 m (FLT06)
9 mm x 55 m (FLT09)
12 mm x 55 m (FLT12)



DOUBLE-SIDED TAPE (ART. DST)

Acrylic-based double-sided tape with excellent adhesion and stress-absorbing properties. Provides durable and reliable attachment in automotive assembly and finishing applications.

- ▶ Acrylic adhesive tape for stripes, licence plates and accessories
- ▶ Strong and fast adhesion
- ▶ High adhesive strength at any temperature
- ▶ UV resistant
- ▶ Fast and easy to apply

DIMENSION

6 mm x 10 m (DST06)
9 mm x 10 m (DST09)
12 mm x 10 m (DST12)
19 mm x 10 m (DST19)



DUCT TAPE (ART. CTZ50 | CTG50)

Duct tape for protecting vehicle parts during sanding, blasting and repair work. Also ideal for temporary fastening and protection during transport of damaged vehicles.

- ▶ Excellent adhesion at low and high temperatures
- ▶ Good performance on rough surfaces
- ▶ Easy to tear off and unroll
- ▶ Removable without adhesive residue
- ▶ Silicone-free
- ▶ Suitable for plastic and sheet metal
- ▶ Weave density: 70 mesh

COLOUR

Black (CTZ50)
Grey (CTG50)

DIMENSION

50 mm x 50 m



ECONOMY DUCT TAPE (ART. DTG48)

Economy duct tape with synthetic rubber-resin adhesive for bundling, sealing and general repairs. Thanks to its good adhesion, flexibility and tensile strength, suitable for various applications and do-it-yourself work.

- ▶ Easy to tear
- ▶ Good adhesive strength
- ▶ Good tensile strength
- ▶ Excellent formability
- ▶ Suitable for multiple surfaces
- ▶ Perfectly waterproof

DIMENSION

48 mm x 50 m



MASKING FILM DISPENSER (ART. MFD10)

Masking film dispenser for quick and efficient covering of vehicles with plastic film. Thanks to the practical design, one person can easily apply the film and cut it neatly along the integrated cutting guide.

- Suitable for rolls of masking paper
- Efficient masking by one person
- Space-saving in the workshop
- Suitable for rolls up to 100 cm wide

DIMENSION

1230 x 270 x 330 mm

FILM WIDTHS

Up to 100 cm



MASKING FILM DISPENSER & CUTTER (ART. MFD20)

Masking film dispenser including cutter for quick and professional application of masking film on vehicles. Ensures efficient processing and easy, precise cutting of the film during masking work.

- Large wheels for smooth maneuvering
- Robust and movable construction
- Easy to use by one person
- Equipped with a cutting rail for smooth tearing

DIMENSION

1270 x 600 x 720 mm

FILM WIDTHS

Up to 120 cm



MASKING PAPER DISPENSER 3 ROLLS (ART. MS30)

Sturdy masking paper dispenser suitable for 3 rolls of masking paper. Ensures fast, neat and efficient processing during masking work.

- Ideal for quick and easy masking
- Suitable for 3 paper rolls and 3 tape rolls
- Sharp anodized blade for precise cutting
- Adjustable rings for perfect alignment

DIMENSION

1170 x 600 x 1200 mm

PAPER WIDTHS

30 cm · 60 cm · 90 cm



MASKING PAPER DISPENSER 5 ROLLS (ART. MS60)

Sturdy masking paper dispenser suitable for 5 rolls of masking paper. Ideal for organized, fast and efficient processing of different paper widths during masking work.

- Fast and easy masking for automotive body repair
- Suitable for 5 paper rolls and 5 tape rolls
- Sharp anodized blades for precise cutting
- Movable tape holders for perfect alignment

DIMENSION

1550 x 600 x 1370 mm

PAPER WIDTHS

30 to 120 cm

3

SANDING

Sanding is an essential step in automotive body repair. It ensures an even surface, removes old paint, rust and imperfections, and creates the perfect adhesion for putty, primer and paint. By using the right sanding materials and grit progression, a flawless end result is achieved with minimal preparation time.

Our range offers a complete selection of professional sanding products for every step of the sanding process. The range includes electric and pneumatic sanders, mobile vacuum cleaners for a dust-free working environment, sanding discs in various qualities and grit sizes, foam sanding discs, sanding rolls, hand sanding materials and various accessories. This ensures you always have the right solution, from coarse sanding work to the finest finishing.





GERKO
PAINT RELATED PRODUCTS

SOFT FLEX ABRASIVE
115MM X 25M

GERKO
PAINT RELATED PRODUCTS

INFINITY NET ROLL

70MM X 10M - 250µm X 11.32µm
- 100% POLYESTER FIBRE
- 100% FREE FROM LUBRICANTS
- 100% FREE FROM DUST
- 100% FREE FROM OIL
- 100% FREE FROM SOLIDS

GERKO
PAINT RELATED PRODUCTS




MACHINE SANDING

High-quality 150 mm sanding discs for efficient machine sanding of various surfaces. Suitable for orbital sanders and usable in all phases of the sanding process, from coarse levelling to fine finishing. Ensures an even sanding pattern, optimal dust extraction and consistent end quality.



BESTSELLER



INFINITY SANDING DISCS (ART. SPI)

Ceramic Infinity sanding discs offer high cutting power, fast material removal and a long service life for efficient, professional sanding performance.

- ▶ Paper backing
- ▶ Premium ceramic grain with self-sharpening effect
- ▶ Very high cutting power and consistent performance
- ▶ Long service life and lower consumption
- ▶ High cutting speed saves time
- ▶ Anti-sagging coating for maximum durability
- ▶ Suitable for various surface preparations

GRAINS

P40 (SPI0040) • P60 (SPI0060) • P80 (SPI0080) • P120 (SPI0120) • P180 (SPI0180) • P220 (SPI0220) • P240 (SPI0240) • P320 (SPI0320) • P400 (SPI0400) • P500 (SPI0500) • P600 (SPI0600) • P800 (SPI0800) • P1000 (SPI1000)

DIMENSION


ø 150 mm

HOLES

15

PACKAGING

50 pieces



GREEN SANDING DISCS (ART. SPG)

Green sanding discs offer high cutting power, minimal clogging thanks to a stearate coating, and a flexible film structure for perfect results, even on curved surfaces.

- ▶ Film backing
- ▶ Aluminium oxide abrasive grain
- ▶ High cutting performance without clogging
- ▶ Longer service life through durability
- ▶ Stearate layer prevents the sandpaper from clogging
- ▶ Double bonding of the grain
- ▶ Perfect sanding surface

GRAINS

P40 (SPG0040) • P60 (SPG0060) • P80 (SPG0080) • P120 (SPG0120) • P150 (SPG0150) • P180 (SPG0180) • P220 (SPG0220) • P240 (SPG0240) • P280 (SPG0280) • P320 (SPG0320) • P360 (SPG0360) • P400 (SPG0400) • P500 (SPG0500) • P600 (SPG0600) • P800 (SPG0800) • P1000 (SPG1000) • P1200 (SPG1200) • P1500 (SPG1500) • P2000 (SPG2000)

DIMENSION


ø 150 mm

HOLES

15

PACKAGING

50 pieces (P40 - P60)
100 pieces (P80 - P2000)



BLUE CERAMIC SANDING DISCS (ART. SPC)

Blue ceramic sanding disc is made with premium grain, strong resin bond and special stearate coating. This ensures superior performance and service life. It has a general application.

- ▶ Ceramic aluminium oxide grains
- ▶ High initial cutting power for efficient sanding
- ▶ Durable thanks to anti-clogging layer
- ▶ Lower labour costs
- ▶ Longer service life of the abrasives

GRAINS

P40 (SPC0040) • P60 (SPC0060) • P80 (SPC0080) • P120 (SPC0120) • P150 (SPC0150) • P180 (SPC0180) • P220 (SPC0220) • P240 (SPC0240) • P280 (SPC0280) • P320 (SPC0320) • P400 (SPC0400) • P500 (SPC0500) • P600 (SPC0600) • P800 (SPC0800)

DIMENSION

ø 150 mm

HOLES

15

PACKAGING

50 pieces



TRIFLEX FOAM SANDING DISCS (ART. TFS | TFB)

Triflex sanding discs with a unique pyramid structure on a foam backing provide an extremely uniform sanding finish and a perfect result without recurring scratches. Thanks to the consistent sanding action, they form the ideal basis for polishing work.

- ▶ Pyramidal structure with microreplication technology
- ▶ Smooth and even finish
- ▶ Ideal for removing sanding scratches
- ▶ Longer service life
- ▶ Even distribution of abrasive minerals
- ▶ Up to 30% less workload

GRAINS

P3000 (TFS3000, TFB3000) · P5000 (TFS5000, TFB5000)

DIMENSION

Ø 75 mm · Ø 150 mm

PACKAGING

15 pieces

BESTSELLER



INFINITY FOAM SANDING DISCS (ART. IFD)

Infinity Foam sanding discs, thanks to their flexible foam backing, ensure an even sanding pattern and perfect conformity to the surface. Ideal for matting clear coats, paint, primer and plastics, for use both wet and dry.

- ▶ Sanding disc on flexible foam backing
- ▶ Suitable for wet and dry sanding
- ▶ Adapts to the shape of the surface
- ▶ Ideal for sanding headlights
- ▶ Aluminium oxide abrasive grain
- ▶ Excellent cutting action and finish
- ▶ Suitable for manual and machine use
- ▶ Velcro hook-and-loop backing

GRAINS

P600 (IFD0600) · P800 (IFD0800) · P1000 (IFD1000) · P1200 (IFD1200) · P1500 (IFD1500) · P2000 (IFD2000)

DIMENSION

Ø 150 mm

PACKAGING

20 pieces



FOAM SANDING DISCS (ART. FD10 | FD20 | FD30 | FD40)

Foam sanding discs are used for fine sanding, matting, and surface preparation during painting and repair work. Thanks to the flexible foam backing, they conform perfectly to shapes and contours, ensuring an even sanding pattern and a high-quality finish.

- ▶ 4 versions for fine sanding applications
- ▶ Saves material and reduces waste
- ▶ Uniform sanding pattern without clogging
- ▶ Durable and high-performance
- ▶ Suitable for wet and dry use
- ▶ Ensures a perfect finish
- ▶ Flexible foam structure follows contours and irregularities

● fine, ● superfine, ● ultrafine, ● microfine

GRAINS

P240 - P320 (FD10) · P500 - P600 (FD20) · P800 - P1000 (FD30) · P1200 - P1500 (FD40)

DIMENSION

Ø 150 mm

HOLES

15

PACKAGING

20 pieces



QUICK-CHANGE SANDING DISCS (ART. QCD)

Quick-change sanding discs allow fast disc changes and efficient material removal in sanding applications. Ideal for precision work, edge treatment and hard-to-reach areas thanks to their high cutting power, long service life and easy fitting.

- ▶ Quick-change sanding disc for medium and heavy-duty applications
- ▶ High cutting power and fast material removal
- ▶ Ideal for edge work and precision tasks
- ▶ Suitable for stainless steel and special alloys
- ▶ Long service life and high productivity

GRAINS

P36 (QCD36) · P50 (QCD50) · P80 (QCD80)

DIMENSION

Ø 50 mm

PACKAGING

25 pieces

SANDING BY HAND

Hand sanding is used for precise surface preparation, hard-to-reach areas and fine finishing work within the automotive refinishing industry. With products such as [Infinity sanding strips](#), [soft flex sandpaper](#), [wet & dry sanding sheets](#) and [non-woven abrasive](#) you create an even sanding pattern and optimal preparation before primer, paint or polishing work. The range offers solutions for coarse sanding, fine finishing, matting and sanding of contours and complex shapes.



SANDING BLOCK WITH EXTRACTION (ART. SB198 | SB230 | SB420)

Sanding blocks with ergonomic handle and balanced weight distribution for even pressure while sanding. Equipped with a dust extraction connection for a clean, low-dust working environment. Thanks to the rounded-corner design, sandpaper can be changed quickly and easily.

- ▶ Ergonomic handle for comfortable use
- ▶ Balanced weight distribution for even pressure
- ▶ Equipped with a connection for dust extraction
- ▶ Rounded corners for easy removal of sandpaper

DIMENSION

70 x 198 mm (SB198)
115 x 230 mm (SB230)
70 x 420 mm (SB420)

PIECES/ OUTER BOX

1 piece



INFINITY NET ROLL (ART. INR)

Infinity net roll sandpaper combines a ceramic abrasive grain with an open mesh structure for maximum dust extraction and a consistent sanding result. Thanks to the precut every 70 mm, the roll can be easily torn off by hand.

- ▶ Ceramic abrasive grain for high cutting power
- ▶ Open mesh structure for optimal dust extraction
- ▶ Precut every 70 mm for easy tearing
- ▶ Suitable for wood, putty, primer, lacquer, paint, plastic and metal
- ▶ Consistent finish and longer service life

GRAINS

P80 (INR080) • P120 (INR120) • P150 (INR150) • P180 (INR180) • P240 (INR240) • P320 (INR320) • P400 (INR400)

DIMENSION

SHEET 70 x 70 mm
ROLL 70 mm x 12 m

PACKAGING

Per roll



INFINITY SANDING SHEET ROLL (ART. SRI)

Infinity roll sandpaper with ceramic grain for fast material removal and a long service life. The multi-hole pattern ensures efficient dust extraction and a cleaner working environment. Developed for high-quality results in automotive repairs.

- ▶ Ceramic, self-sharpening grain for high cutting speed and long service life, premium quality
- ▶ Anti-sagging coating prevents sagging and increases durability
- ▶ Precut every 70 mm for easy tearing
- ▶ Chevron multi-hole pattern for optimal dust extraction

GRAINS


P80 (SRI080) • P120 (SRI120) • P150 (SRI150) • P180 (SRI180) • P240 (SRI240) • P320 (SRI320) • P400 (SRI400)

DIMENSION

SHEET 70 x 70 mm
ROLL 70 mm x 12 m

PACKAGING

Per roll



BLUE CERAMIC SANDING STRIPS (ART. SCB | SCC | SCD)

Blue Ceramic sanding strips with premium ceramic grain provide high cutting power, long service life and excellent sanding performance. Thanks to the strong resin bond and special stearated coating, they are ideal for various professional sanding applications.

- ▶ Ceramic aluminium oxide grains
- ▶ High initial cutting power for efficient sanding
- ▶ Durable and lower labor costs

GRAINS

P60 • P80 • P120 • P150 • P180 • P240 • P320 • P400

DIMENSION

70 x 198 mm (SCB)
115 x 230 mm (SCC)
70 x 420 mm (SCD)

PACKAGING

50 sheets



INFINITY SANDING FILM PADS (ART. ISP)

Self-adhesive Infinity sanding discs for the precise removal of dust nibs, minor paint imperfections and defects without damaging the surrounding paintwork.

- Self-adhesive abrasive film pads with ceramic grain
- Removes dust nibs, runs and minor paint defects
- Suitable for wet and dry sanding
- Optimal preparation for micro-polishing
- Ideal for use with the matching sanding block for optimal control (ART. SB35)

GRAINS

P800 (ISP0800) · P1000 (ISP1000) · P1200 (ISP1200) · P1500 (ISP1500) · P2000 (ISP2000) · P2500 (ISP2500)

DIMENSION

35 x 28 mm

PACKAGING

20 sheets x 8 pieces



SOFT FLEX ABRASIVE (ART. SR)

Soft flex sandpaper for manual sanding of profiled and hard-to-reach surfaces. The soft foam backing ensures even pressure distribution and reduces the risk of sanding through. Thanks to the stearate coating, the sandpaper stays free of clogging longer for an efficient sanding process.

- Flexible foam backing for contours and profiles
- Adapts to round and concave shapes
- Even pressure distribution reduces sand-through
- Stearate coating prevents clogging
- Semi-open grain for good dust extraction
- Perforated for easy tearing
- Dust-free packaging in dispenser box

GRAINS

P150 (SR0150) · P240 (SR0240) · P320 (SR0320) · P400 (SR0400) · P500 (SR0500) · P600 (SR0600) · P800 (SR0800) · P1000 (SR1000)

DIMENSION

115 mm x 25 m

PIECES/ MASTER CARTON

5 pieces





WET & DRY SANDING SHEETS (ART. WDS)

Wet & dry sanding sheets are ideal for manual wet sanding, removing paint defects and repairing orange peel texture. Suitable for spot repair and creating a fine, even sanding pattern. For optimal results, the use of a sanding block is recommended.

- Suitable for wet and dry sanding
- Silicon carbide grain for fine sanding performance
- Easily removes scratches on painted surfaces
- Ensures optimal sanding quality and a smooth finish

GRAINS

P80 (WDS0080) • P120 (WDS0120) • P150 (WDS0150) • P220 (WDS0220) • P240 (WDS0240) • P320 (WDS0320) • P400 (WDS0400) • P600 (WDS0600) • P800 (WDS0800) • P1000 (WDS1000) • P1200 (WDS1200) • P1500 (WDS1500) • P2000 (WDS2000) • P2500 (WDS2500)

DIMENSION

230 x 280 mm

PACKAGING

50 sheets

BESTSELLER



DOUBLE-SIDED SANDING SPONGES

(ART. MESP50 | FISP50 | SUSP50 | ULSP50 | MISP50)

Double-sided sanding sponges for sanding edges, contours and profiled surfaces. The soft foam structure prevents sand-through and deep scratches. Ensures an even finish.

- Extra durable sanding sponge with a long service life
- 5 versions for fine sanding applications
- Uniform sanding finish without clogging
- Flexible foam follows contours and irregularities
- For perfect preparation of the next layer
- Can be used wet and dry

● medium, ● fine, ● superfine, ● ultrafine, ● microfine

GRAINS

P120 - P180 (MESP50) • P240 - P320 (FISP50) • P500 - P600 (SUSP50)
P800 - P1000 (ULSP50) • P1200 - P1500 (MISP50)

DIMENSION

120 x 98 x 13 mm

PACKAGING

50 pieces



SCUFF ROLLS (ART. SB01 | SB02 | SB03)

Non-woven nylon abrasive fleece with impregnated abrasive grain for matting surfaces.

- Flexible and follows the shape of the surface
- Suitable for painted and unpainted surfaces
- Three-dimensional fiber structure for long-lasting performance
- Can be used wet and dry
- **SB01** For roughening unpainted parts and new sheet metal parts
- **SB02** For roughening paints, blend zones and primer materials
- **SB03** For preparing already sprayed surfaces

GRAINS

P360 (Red, SB01) • P1500 (Grey, SB02) • P2000 (Gold, SB03)

DIMENSION

ROLL 115 mm x 10 m

PIECES/ MASTER CARTON

5 pieces



MATTING COMPOUND (ART. MC1)

Matting paste for matting car paint for painting work. Ensures optimal preparation and improves the sanding and matting effect.

- Cleans, degreases and matts in one step
- Removes wax, grease and silicone residue
- Improves the sanding and matting effect
- Water-based and easy to use
- Ideal in combination with Gerko abrasive fleece (ART. SB01, SB02, SB03)

CONTENTS

1 kg

PIECES/ OUTER BOX

8



OTHERS

GERKO
PAINT RELATED PRODUCTS



CONTROL POWDER 150 GR. WITH APPLICATOR (ART. CP150)

MACHINES & ACCESSORIES

Our sanders and accessories are designed for efficient, low-dust preparation in automotive body repair. The range includes various **sanding machines** both in electric and pneumatic versions and a **mobile vacuum cleaner** with accessories for optimal dust extraction. Suitable for sanding putty, primer, old paint layers and surface preparation prior to painting, with a focus on speed, control and a perfect end result.

						
DESCRIPTION	DIMENSION	ROTATIONAL SPEED (RPM)	WATTAGE	SANDING ORBIT	POWER SUPPLY / FREQUENCY	PAGE
Electric sanding machine (ESM05)	ø 150	4.000 - 10.000 rpm	350 Watt	5 mm	220-240V~, 50Hz	52
Electric sanding machine (ESM25)	ø 150	4.000 - 10.000 rpm	350 Watt	2,5 mm	220-240V~, 50Hz	52
Electric sanding machine (ESM70)	70 x 198 mm	4.000 - 10.000 rpm	350 Watt	3 mm	230-240V/110V-120V~, 50-60Hz	52
Pneumatic sanding machine (SM05)	ø 150	0 - 12000 rpm	-	2,5 mm	-	53
Pneumatic sanding machine (SM06)	ø 150	0 - 12000 rpm	-	5 mm	-	53
Mobile vacuum cleaner with automatic M-class filter cleaning 40 L (VC1000)	-	-	1600 Watt	-	220V-240V, 50-60Hz	54

BESTSELLER



ELECTRIC SANDING MACHINE (ART. ESM05 | ESM25)

Electric sanding machine with 150 mm backing pad and powerful brushless motor. Suitable for coarse and fine sanding on various surfaces such as paint, primer, putty, wood, metal and plastic. Features adjustable speed, dust extraction connection and a lightweight, ergonomic design for comfortable working.

- ▶ Powerful 350 W brushless motor
- ▶ Compact and lightweight design for hard-to-reach places
- ▶ Soft start and constant speed under load
- ▶ Stepped speed control
- ▶ Energy-saving and without transformer
- ▶ Equipped with 5 m cable and 2,5 mm or 5 mm deflection

DIMENSION

ø 150

ORBIT

5 mm (ESM05)
2,5 mm (ESM25)



ELECTRIC SANDING MACHINE 70 X 198 MM (ART. ESM70)

Electric sanding machine 70 x 198 mm with powerful brushless motor for professional and intensive use. Thanks to the 3 mm orbit, the machine ensures fast material removal and a very smooth finish. Suitable for sanding body panels, bumpers, wood, paint, coatings and other surfaces.

- ▶ Professional orbital sander with 3 mm orbit
- ▶ 350 W brushless motor for high performance
- ▶ Adjustable speed of 4.000 – 10.000 rpm
- ▶ Ergonomic and lightweight design with low vibration
- ▶ Integrated dust extraction for a clean workspace
- ▶ Suitable for various materials
- ▶ Equipped with a standard 5 m cable

DIMENSION

70 x 198 mm

ORBIT

3 mm



PNEUMATIC SANDING MACHINE (ART. SM05 | SM06)

Pneumatic random orbital sander with 150 mm backing pad, air-powered, for professional sanding work. Ideal for sanding putty, primer, paint, lacquer and other surfaces in automotive refinishing. Ensures fast material removal and an even sanding pattern.

- Premium-quality ergonomic orbital sanding machine
- Available with 2,5 mm or 5 mm orbit
- Low vibration and very low noise level
- Perfectly balanced for comfortable use
- Included ø 150 mm velcro sanding pad with 15 holes
- Choice between dust extraction or dust-free working

DIMENSION


ø 150

ORBIT


5 mm (SM05)
2,5 mm (SM06)

3 | SANDING | MACHINES & ACCESSORIES


1



2



3



1. SANDING PAD MEDIUM (ART. BP150)

DIMENSION | ø 150

PACKAGING | Per piece

2. SANDING PAD 70 X 198 MM (ART. BP70)

DIMENSION | 70 x 198 mm

PACKAGING | Per piece

3. INTERFACE PAD (ART. IP05 | IP10)

DIMENSION | 5 mm (IP05) · 10 mm (IP10)

PACKAGING | Per piece

BESTSELLER



MOBILE VACUUM CLEANER WITH AUTOMATIC FILTER CLEANING M-CLASS 40 L (ART. VC1000)

Mobile wet and dry vacuum cleaner with automatic filter cleaning, M-class certification and 40 L capacity for professional use. Equipped with an integrated socket for power tools, automatic start function and a robust, user-friendly construction. Ideal for low-dust working in workshops and vehicle body repair.

- ▶ M-class dust extraction with HEPA filter
- ▶ Retains 99.9% of dust
- ▶ Automatic filter cleaning for constant suction power
- ▶ Powerful 1600 W brushless motor
- ▶ Suitable for wet and dry use
- ▶ 40 L collection capacity
- ▶ Compact design with optimal mobility

INCLUDED ACCESSORIES

1x non-woven dust bag
1x HEPA filter
1x antistatic vacuum cleaner hose 4,7 m

PACKAGING

Per piece

ACCESSORY



Y CONNECTOR (ART. YCON)





HEPA FILTER (ART. HF10)

HEPA filter for efficiently filtering fine and harmful dust particles during sanding work. Ensures a cleaner working environment, less contamination and consistent extraction performance.

- Reduces exposure to fine dust
- Ensures a clean workplace
- Reduced risk of dust inclusions
- Professional extraction quality with less recirculation of dust particles

PACKAGING

Per piece



NON-WOVEN DUST BAG (ART. DB05)

Non-woven dust bag is specially designed for the Gerko vacuum cleaner and ensures powerful, clean and efficient dust extraction for every sanding job. Thanks to the durable material, the bag captures even the finest dust without loss of suction power.

- For vacuum cleaners with 40 L capacity
- Easy and quick to install
- Ensures a longer lifespan of the Gerko vacuum cleaner
- High filtration efficiency thanks to durable non-woven material

PACKAGING

5 pieces



ANTISTATIC HOSE 4,7M (ART. VCP567)

The antistatic vacuum cleaner hose is lightweight, flexible and made from the highest quality for a long service life.

- Antistatic vacuum cleaner hose of 4,7 m
- Perfect connection with Gerko sanders
- Lightweight

PACKAGING

Per piece



WORKSTATION (ART. WS10)

Workstation for mounting on a mobile vacuum cleaner with extra storage space for tools and accessories. Freely configurable for an organized and efficient workspace.

- Creates order and overview in the workspace
- Flexible and versatile to organize
- Compatible with various accessories
- Robust and durable design

DIMENSION

588 x 698 x 359 mm

PACKAGING

Per piece

4

PUTTIES

Putties are indispensable in automotive refinishing for filling, levelling and repairing imperfections, scratches, dents and damage prior to the sanding and painting process. Correct putty application ensures a smooth surface, optimal adhesion of subsequent layers and a high-quality end result.

Our range includes various types of Putties for different applications, complemented by mixing boards, putty spreaders, putty knives and accessories for precise mixing, application and finishing.





GERKO

PAINT RELATED PRODUCTS





PUTTIES

Putty is used in automotive refinishing to fill and level damage such as scratches, dents, pinholes and imperfections in the substrate. It ensures a smooth, tight surface with an optimal base for further sanding, priming and painting work.

	STEEL	GALVANISED STEEL	ALUMINIUM	PLASTIC	WOOD	GFK					
DESCRIPTION							COLOUR	PACKAGING	POT LIFE AT 20 °C	SANDING TIME AT 20 °C	PAGE
Polycream putty (PC20)	✓	✓	✓	-	✓	✓		2 kg	3 - 4 min	20 min	60
Multi green putty (MG16)	✓	✓	✓	-	✓	✓		1,6 kg	3 - 4 min	20 min	60
Multi green putty (MG14)	✓	✓	✓	-	✓	✓		1,4 kg	3 - 4 min	20 min	60
Multi blue putty (MF10)	✓	✓	✓	-	✓	✓		1,6 kg	3 - 4 min	20 min	60
Multi blue putty (MF30)	✓	✓	✓	-	✓	✓		3 liter	3 - 4 min	20 min	60
Easygo putty (EG10)	✓	✓	✓	-	✓	✓		1 liter	3 - 4 min	20 min	61
Fiber putty (FP18)	✓	-	✓	-	✓	✓		1,8 kg	4 - 5 min	20 min	61
Uniflex putty (UF20)	✓	-	✓	✓	✓	✓		1,8 kg	4 - 5 min	20 - 30 min	61
Tin replacer putty (TR20)	✓	✓	✓	-	✓	✓		2 kg	4 - 6 min	20 min	62
Aluminium putty (AP18)	✓	✓	✓	-	✓	✓		1,8 kg	4 - 5 min	20 min	62
Turbo Glaze putty (TG850)	✓	✓	✓	-	✓	✓		850 ml	3 - 4 min	15 - 20 min	62
Spray putty (SP12)	✓	-	✓	✓	✓	✓		1,2 kg	20 - 30 min	90 - 120 min	63

BESTSELLER



POLYCREAM PUTTY (ART. PC20)

Universal polyester putty for various applications within automotive body repair. Characterised by smooth application, fast drying and easy sandability for a neat end result.

- Universal 2K polyester putty with high filling power
- Excellent adhesion on steel, aluminium and galvanised metals
- Very easy to spread, with a smooth, non-porous surface
- Easy to sand
- Maximum stability on vertical surfaces
- To be finished with fine putty or directly with primer
- Colour: beige – hardener: red (BPO)
- Mixing ratio: 2–3% hardener

CONTENTS

2 kg

BESTSELLER



MULTI GREEN PUTTY (ART. MG14 | MG16)

Versatile body putty with excellent adhesion on steel, aluminium, galvanised substrates, wood and fibreglass-reinforced plastics. Characterised by fast drying, easy sandability and high filling power without pinholing.

- Suitable as filling and finishing putty
- Medium creamy structure for easy application
- Smooth, non-porous surface
- Excellent sandability from P120
- Good adhesion on various substrates
- Mixing ratio: 2–3% hardener

CONTENTS

1,4 kg cartridge (MG14)
1,6 kg (MG16)



MULTI BLUE PUTTY (ART. MF10 | MF30)

High-quality semi-lightweight polyester putty suitable as both a body putty and finishing putty. Easy to apply and sand, with a colour indicator that changes from blue to grey when the product is ready to sand.

- Universal polyester putty with low specific gravity
- Suitable as filling and finishing putty
- Colour change indicates sanding time
- Extra creamy texture for easy application
- Smooth, non-porous surface
- Excellent sandability from P120
- Good adhesion on various substrates
- Mixing ratio: 2–3% hardener

CONTENTS

1,6 kg (MF10)
3 liter (MF30)



EASYGO PUTTY (ART. EG10)

Lightweight polyester putty with low product consumption for filling imperfections and dents. Easy to apply with excellent adhesion to steel, aluminium and galvanised substrates.

- ▶ Universal lightweight polyester putty with low specific gravity
- ▶ Extreme adhesion on steel, aluminum, e-coat and GRP
- ▶ With glass beads for lightweight filling
- ▶ Low shrinkage and high flexibility
- ▶ Vibration-resistant on thin metal
- ▶ Smooth, compact surface with excellent sandability
- ▶ Short drying time and high stability in the can
- ▶ Mixing ratio: 2–3% hardener

CONTENTS

1 liter



FIBRE PUTTY (ART. FP18)

Polyester putty reinforced with fiberglass for strong repairs of polyester parts and rusted metal surfaces. Characterized by smooth application, good adhesion and improved sandability.

- ▶ Polyester putty with fiberglass for larger repairs
- ▶ Suitable for deep irregularities, cracks and holes
- ▶ High strength with good flexibility
- ▶ Easy to spread thanks to impregnated fibers
- ▶ Water-resistant and ideal for polyester repairs
- ▶ Excellent sandability from P120
- ▶ Mixing ratio: 2–3% hardener

CONTENTS

1,8 kg



UNIFLEX PUTTY (ART. UF20)

Two-component plastic putty with exceptional flexibility and easy application. Offers strong adhesion on most plastics and, thanks to its high impact and vibration resistance, is ideal for durable plastic repairs.

- ▶ Flexible putty for plastic and various substrates
- ▶ Ideal for finishing plastic repairs
- ▶ Built-in sanding guide: black changes to grey during sanding
- ▶ Smooth surface and easy to sand
- ▶ Good adhesion on metal, plastic, wood and old paint layers
- ▶ Mixing ratio: 2–3% hardener

CONTENTS

1,8 kg



TIN REPLACER PUTTY (ART. TR20)

Tin replacer two-component putty with excellent adhesion to steel, aluminum, zinc, wood and fiberglass-reinforced plastics. Easy to apply and sand, with high durability and good resistance to fuels and mechanical stress.

- ▶ Resistant to petrol, diesel and battery acid after curing
- ▶ Ideal for wheel arches, doors, roofs and wheel rim repairs
- ▶ High elasticity and strong mechanical resistance
- ▶ Colour: steel grey
- ▶ Mixing ratio: 2% hardener

CONTENTS

2 kg



ALUMINIUM PUTTY (ART. AP18)

Polyester putty enriched with aluminum particles for strong adhesion and high temperature resistance. Ideal for filling larger cracks and imperfections thanks to its low shrinkage and high flexibility.

- ▶ Polyester putty with aluminum particles
- ▶ Suitable for body panels under mechanical stress
- ▶ Ideal for filling coarse imperfections and holes
- ▶ Good adhesion on steel, aluminum and galvanized substrates
- ▶ High elasticity and stability on vertical surfaces
- ▶ Easy to sand
- ▶ Mixing ratio: 2–3% hardener

CONTENTS

1,8 kg



TURBO GLAZE FINISHING PUTTY (ART. TG850)

2-component self-levelling putty with excellent flow properties for an ultra-smooth, pore-free finish. Ideal for eliminating scratches and minor imperfections, and easy to sand for a fast, professional result.

- ▶ Self-levelling without pinholes
- ▶ Extra fine finishing putty
- ▶ For finishing other polyester Putties
- ▶ For removing small scratches or holes
- ▶ Easy to sand

CONTENTS


850 ml



SPRAY PUTTY (ART. SP12)

Spray filler for filling scratches and imperfections after filling and sanding. Thanks to its excellent thixotropy, it is also suitable for thicker layers and vertical surfaces. After sanding, it leaves a smooth surface ready for further finishing.

- For small and large imperfections
- Smooth finish, even on large surfaces
- Excellent adhesion
- Fast-drying and pore-free
- High filling capacity
- Easy to sand



CONTENTS

1,2 kg

1. METAL SPREADERS (ART. MS04)

PACKAGING | 4 pieces

2. RUBBER SPREADERS (ART. PMR20)

PACKAGING | 20 pieces

3. PLASTIC SPREADERS (ART. PS50)

PACKAGING | 50 pieces

4. MIXING BOARD (ART. MB100)

PACKAGING | 100 sheets

5. DISPENSER FOR PUTTY 1,4 KG (ART. DUV15)

CONTENTS | 1,4 kg

6. TUBE OF HARDENER FOR PUTTY (ART. HFP50)

CONTENTS | 50 gr



GLUES & ADHESIVES

Adhesives and sealants play an important role in vehicle body repair for mounting, sealing and bonding various components. They are used for applications such as bonding body panels, plastic repairs, sealing seams and protecting against moisture, vibration and corrosion.

Thanks to their strong adhesion, flexibility and durability, adhesives and sealants contribute to a reliable repair and a professional finish.





PLASTIC REPAIR & METAL BONDING

Our range for plastic repair and metal bonding includes products such as [plastic repair](#), [metal bond \(MMA\)](#) and structural [metal bonding](#). These products ensure strong, durable and reliable repairs of plastic and metal components in automotive body repair.

APPLICATOR GUN FOR PLASTIC REPAIR 50 ML (ART. SPR50)



PLASTIC REPAIR (ART. PR01 | PR02 | PR03)

Fast and user-friendly 2-component plastic repair adhesive for durable repairs of plastic parts. Offers excellent adhesion, high resistance to heat, moisture and chemicals, and is quick to sand and recoat. Thanks to its good gap-filling properties, also suitable for reconstructing bumper tabs in combination with reinforcing mesh.

- ▶ Excellent adhesion
- ▶ Very fast drying
- ▶ Perfectly sandable and overcoatable
- ▶ Good sag resistance

CONTENTS

50 ml (PR01, PR02)
25 ml (PR03)

PACKAGING

Per piece

VERSION

Fast (30 sec) (PR01)
Medium (90 sec) (PR02, PR03)



METAL BONDING MMA (ART. MB50)

2-component structural acrylic adhesive for durable bonding of composites, plastics and metals. Fast curing at room temperature with excellent resistance to impact, peel and tear. Suitable for industrial and body repair applications.

- Does not affect surfaces and is safe for various materials
- Fast curing at room temperature with short open time
- Recoatable after curing
- Excellent UV and ageing resistance
- Fills gaps of up to 5 mm
- Thixotropic formula prevents sagging on vertical applications
- High impact, peel and shear strength for durable bonding

CONTENTS

50 ml

PACKAGING

Per piece



PANEL BONDING ADHESIVE (ART. PBA195)

2-component structural epoxy adhesive for bonding metal and composite panels. Suitable for steel, aluminium, SMC and various plastics, with high strength, energy absorption and corrosion protection. Overpaintable after curing and suitable for professional body repairs.

- Curing at room temperature, heat acceleration possible
- Long open time of 60 min, processing within 4 hours at 23 °C, fully cured within 24 hours
- Glass beads ensure a constant bond line thickness
- Resistant to high temperatures up to 230°C
- Excellent corrosion protection and crash performance
- Spot-weldable before curing

CONTENTS

195 ml

PIECES/ OUTER BOX

12 pieces



SEAM SEALER MS POLYMER (ART. SS10 | SS20 | SS30)

High-quality MS polymer seam sealer and assembly adhesive based on hybrid technology. Cures through air humidity into a durable, permanently elastic rubber.

- Universal sealing, bonding and mounting for automotive
- Fast curing and recoatable
- Excellent adhesion on various substrates
- UV, weather and mould resistant
- High mechanical resistance and vibration absorption
- Isocyanate-, solvent- and silicone-free

CONTENTS

290 ml

COLOURS

White (SS10)
Grey (SS20)
Black (SS30)



SCREENBOND MS POLYMER (ART. SCB10)

High-quality MS polymer windscreen adhesive for fast, professional bonding of car windows. Provides strong adhesion to glass, ceramic edges and old windscreen adhesive without primer. Thanks to its high initial strength, the window does not slip during installation.

- High initial strength prevents sagging
- Excellent adhesion without primer
- Increases body stiffness
- Easy processing
- UV resistant
- Free of solvents, isocyanates and silicones

CONTENTS

290 ml

COLOUR

Black



BRUSHABLE SEAM SEALER (ART. BSS10)

One-component trowel-applied sealant for sealing weld and metal joints. Forms a durable, elastic seal resistant to water, oil and petrol. Can be overpainted with common paint systems.

- Easy to spread without stringing
- Provides an original texture
- Very strong adhesion
- Nylon brush (ART. NB30)

CONTENTS

1 kg



INSTANT GLUE (ART. IG20)

Fast-drying cyanoacrylate adhesive for bonding metal, plastics, wood, paper, leather and fabric. Suitable for fast and strong bonds on various surfaces.

- Universally applicable on various materials
- Medium viscosity
- 1-component product
- Cures at room temperature and humidity

CONTENTS

20 gr

PACKAGING

Per piece



MIXER TIPS FOR PLASTIC REPAIR (ART. MT50)

Mixing tips for correctly mixing 2-component plastic repair products in 50 ml cartridges. Ensure a consistent mixing ratio and precise application.

- ▶ Suitable for 50 ml 2K cartridges
- ▶ Ensures homogeneous mixing and a constant mixing ratio
- ▶ Even and precise product flow
- ▶ Easy to use
- ▶ Ideal for professional plastic and body repair

CONTENTS

50 ml

PACKAGING

10 pieces



MIXER TIPS FOR METAL BONDING (ART. MT195)

Mixer tips for correctly mixing 2-component metal bonding adhesive in 195 ml cartridges. Ensure homogeneous mixing and precise application.

- ▶ Suitable for 195 ml 2K metal bonding cartridges
- ▶ Ensures homogeneous mixing and a constant mixing ratio
- ▶ Reduces mixing errors and promotes consistent curing
- ▶ Easy to use

CONTENTS

195 ml

PACKAGING

10 pieces



RUBBER ERASER PAD Ø 100 (ART. REP100)

Serrated rubber removal pad for extra-fast removal of stickers and adhesive residue without damaging the substrate. The extra-thick and serrated design ensures better cooling, a longer service life and up to 3x faster operation.

- ▶ Serrated design for faster removal
- ▶ Works up to 3x faster than traditional adhesive erasers
- ▶ Removes stickers and adhesive residue without damage
- ▶ No chemical products required
- ▶ Supplied with adapter

DIMENSION

ø 100 - 25 mm

PACKAGING

Per piece



RUBBER ERASER PAD Ø 88 (ART. REP200)

Rubber removal pad for safely removing stickers, films and adhesive residue without scratching paint or glass. Easy to mount on a drill or angle grinder thanks to the integrated thread.

- ▶ Removes stickers and adhesive residue without damage
- ▶ No chemical products required
- ▶ Recommended speed: 2.000 – 4.000 rpm
- ▶ Supplied with adapter

DIMENSION

ø 88 - 15 mm

PACKAGING

Per piece



PAINT PREPARATION

Paint preparation is an essential step in vehicle body repair and helps determine the quality, adhesion and durability of the final result. Correct preparation ensures a clean, dust-free and perfectly prepared surface before applying primer, basecoat or clear coat.

Within this category we offer a complete range for efficient and professional paint preparation: from mixing cups and spray guns to degreasing cloths, tack cloths, mixing accessories and cleaning products. These solutions help with precise mixing of paints, preventing contamination and achieving a smooth and even spray result.





SPRAY GUNS & ACCESSORIES

Spray gun accessories are essential for maintaining, adjusting and optimising spray performance in automotive body repair. With products such as [Nozzle sets](#), [air control replacement kits](#), [Pattern control assembly sets](#) and [maintenance kits](#) the spray gun continues to work accurately, guaranteeing constant paint atomization and a professional finish.

GERKO
PAINT RELATED PRODUCTS



PRESSURE REGULATOR (ART. PRSG)

Pressure regulator for precisely controlling and stabilizing the air supply to the spray gun. Ensures a consistent spray pattern, efficient atomization and a high-quality finish. Suitable for various spray guns.

- Improved control over the painting process
- Consistent atomisation and finish quality
- Fewer pressure fluctuations during painting
- Efficient material consumption
- Easy pressure setting for reproducible results



SMART PERFORMANCE SPRAY GUN

(ART. SPSG-0.8 | SPSG-1.0 | SPSG-1.2)

Advanced spot repair spray gun for small and extremely precise spray work. The ergonomic design and anodized body ensure optimal comfort and control. Thanks to the durable stainless steel components and low-maintenance construction, it is ideal for compact precision work.

- Compact HVLP spray gun for small surfaces and detail work
- Ergonomic and lightweight design with perfect balance
- Fine atomization with adjustable spray pattern
- Parts made from 100% stainless steel with no rubber components
- Available with various Nozzle sets
- Includes 100 ml top cup
- Low air consumption and low working pressure

NOZZLE SETS

NS-0.8SPSG
NS-1.0SPSG
NS-1.2SPSG

AIR CONTROL REPLACEMENT

ACSPSG

MAINTENANCE KIT

MKSPSG

PATTERN CONTROL ASSEMBLY

PCSPSG



PERFORMANCE PRO SPRAY GUN

(ART. PSG-1.3 | PSG-1.4 | PSG-1.6 | PSG-1.8 | PSG-2.0 | PSG-2.5)

Advanced spray gun for daily professional and industrial spray work. The ergonomic design and anodized body ensure optimal comfort and control. Thanks to the durable stainless steel components and low-maintenance construction, it is ideal for high-quality 2K applications.

- ▶ Ergonomic HVLP spray gun with perfect balance
- ▶ Lightweight anodised aluminium grip
- ▶ Fine atomization with adjustable spray pattern
- ▶ Parts made from 100% stainless steel with no rubber components
- ▶ Available with various Nozzle sets
- ▶ Includes 600 ml top cup
- ▶ Efficient air consumption at low working pressure

NOZZLE SETS

NS-1.3PSG
NS-1.4PSG
NS-1.6PSG
NS-1.8PSG
NS-2.0PSG
NS-2.5PSG

AIR CONTROL REPLACEMENT

ACPSG

PATTERN CONTROL ASSEMBLY

PCPSG

MAINTENANCE KIT

MKPSG



ELITE1 SPRAY GUN (ART. E1SG-1.2 | E1SG-1.3 | E1SG-1.4 | E1SG-1.8)

Premium spray gun developed for the perfect application of modern paint systems. The combination of ergonomics, balance and a high-quality air cap ensures a consistent spray pattern and optimal efficiency. Thanks to its durable high-end construction, the spray gun requires little maintenance and has a long service life.

- ▶ High-quality HVLP spray gun with high transfer efficiency
- ▶ Ergonomic and lightweight design for comfortable working
- ▶ Consistent spray pattern for professional finishing
- ▶ Parts made from 100% stainless steel with no rubber components
- ▶ Available with different Nozzle sets
- ▶ Includes 600 ml top cup
- ▶ Low working pressure with efficient air consumption

NOZZLE SETS

NS-1.2E1SG
NS-1.3E1SG
NS-1.4E1SG
NS-1.6E1SG
NS-1.8E1SG

AIR CONTROL REPLACEMENT

ACE1SG

PATTERN CONTROL ASSEMBLY

PCE1SG

MAINTENANCE KIT

MKE1SG



SPRAY GUN CLEANING KIT (ART. SGCK23)

Ideal for cleaning the paint passage, inner head, needle and air cap of the spray gun
A reusable box with 22 items including brushes and various small accessories for perfect cleaning of all types of spray guns.

- ▶ Wire brush with long handle
- ▶ Straight steel brush with long handle
- ▶ Brass brush, medium size (in bottle)
- ▶ Fine brushes (in bottle)
- ▶ Fine points (in bottle)
- ▶ Hobby knife holders
- ▶ Brush with plastic handle
- ▶ Detail brushes
- ▶ Bottle of cleaning agent (excluding oil)
- ▶ Case

PACKAGING

Per piece



GRAVITY CUPS (ART. C100 | C600 | C600UV)

Gravity cup for mounting on spray guns, suitable for efficient processing of paints and coatings.
Available in 100 ml and 600 ml versions, including a UV-resistant 600 ml version for UV products.

- ▶ Separate gravity cup for spray guns
- ▶ Equipped with an airtight, sealable lid
- ▶ 100 ml (ART. C100 (smart performance spray gun)) or 600 ml (ART. C600 (performance pro / Elite1 spray gun))
- ▶ Suitable for painting UV primer (ART. C600UV)

CONTENTS

100 ml (C100)
600 ml (C600 & C600UV)

MIXING CUPS

Mixing cups are used for accurately mixing paints, primers, clear coats and other coatings according to the correct mixing ratio. They ensure efficient preparation of the painting process and consistent application.



LIDS FOR MIXING CUPS (ART. GML)

Lids for an airtight seal on mixing cups. Keep the paint fresh for longer and protect against contamination and drying out.



MIXING CUPS (ART. GMX)

Professional mixing cup made of high-quality polypropylene, free of phthalates and silicones. Resistant to thinner and solvents, ideal for mixing paint and 2K lacquers. Featuring a stable flat bottom and stackable design.

- ▶ High-quality mixing cup for precise mixing
- ▶ Antistatic and thinner-resistant
- ▶ Clear mixing ratios and content indication
- ▶ Easy to stack and pour
- ▶ Matching sealing lids available ([ART. GML](#))

6 | PAINT PREPARATION | MIXING CUPS



MIXING CUP DISPENSERSET (ART. MXSET)

Wall dispenser set for the organized storage and easy removal of mixing cups. Ideal for paint preparation areas where efficiency and cleanliness are important. The sturdy construction protects cups against contamination and damage.

- ▶ Suitable for mixing cups from 385 ml to 2300 ml
- ▶ Wall mounting for a tidy and efficient workspace
- ▶ Easy and quick removal of cups
- ▶ Keeps mixing cups clean and protected
- ▶ Robust design for professional use

CONTENTS

400 ml ([GML0400-V](#))
700 ml ([GML0700-V](#))
1400 ml ([GML1400-V](#))
2300 ml ([GML2300-V](#))
5000 ml ([GML5000](#))

PACKAGING

200 pieces
200 pieces
200 pieces
100 pieces
40 pieces

CONTENTS

400 ml ([GMX0400-V](#))
700 ml ([GMX0700-V](#))
1400 ml ([GMX1400-V](#))
2300 ml ([GMX2300-V](#))
5000 ml ([GMX5000](#))

PACKAGING

200 pieces
200 pieces
200 pieces
100 pieces
40 pieces

CONTENTS

385 ml
750 ml
1400 ml
2300 ml

PACKAGING

Per piece



MIXING STICKS (ART. MP)

Sturdy plastic mixing sticks with a corrugated shape for fast and efficient mixing of paints and coatings. The open structure ensures optimal blending of pigments and a consistent texture.

- Corrugated design for more efficient mixing
- Ensures optimal pigment blending
- Consistent product texture
- Extra strong plastic version



NYLON PAINT STRAINERS (ART. VF125 | VF190 | VF280)

Nylon paint strainers filter paint and primer before painting and remove dust particles and impurities. Ensures a smooth finish and prevents clogging in the spray gun.


- **BLUE AND RED** suitable for conventional and waterborne paints
- **GREEN** specially for high solid primers and undercoat materials
- High-quality nylon strainer with fine mesh
- Ensures optimal filtering of paint and primer



METAL SPRAY CARDS (ART. MSC10 | MSC20 | MSC30)

Metal spray cards for checking colour matching and paint finish. Ideal for testing paints before application on the vehicle. Available in white, grey and dark grey.

- Black coverage line for checking coverage
- Colour accuracy check before painting
- Suitable for waterborne and conventional coatings
- ø 15 mm inspection opening for colour comparison



METAL SPRAY CARD HOLDER (ART. MSCH10)

Magnetic spray card holder for painting colour samples.

- Keeps hands clean when painting colour samples
- Steel version with powder coating and magnet
- Rubber handle

DIMENSION

20 cm (MP20-S)
30 cm (MP30)

PACKAGING

500 pieces
200 pieces

MICRON

125 µm - Blue (VF125)
190 µm - Red (VF190)
280 µm - Green (VF280)

DIMENSION

148 x 105 mm

PACKAGING

100 pieces/box

COLOUR

White (MSC10)
Grey (MSC20)
Dark grey (MSC30)

PIECES/ OUTER BOX

5 pieces



TOUCH-UP BOTTLE 20 ML (ART. TUB20)

Plastic bottles with screw cap and integrated brush for small-scale paint applications. Fitted with a mixing ball and suitable for water- and solvent-based paints.

- Transparent 20 ml touch-up bottle with brush cap
- Metal ball for optimal mixing of the paint
- Includes self-adhesive labels for marking
- Equipped with a funnel for easy filling



TOUCH-UP BOTTLE 50 ML (ART. TUB50)

Plastic bottles for precisely touching up car paint. Fitted with a safety cap, integrated brush and mixing ball, suitable for water- and solvent-based paints.

- Semi-transparent 50 ml touch-up bottle with brush cap
- Plastic ball for optimal mixing of the paint
- Includes self-adhesive labels for marking



TOUCH-UP BOTTLE + PEN 20 ML (ART. TUP20)

Touch-up pen with an ultra-fine metal tip for precisely repairing stone chip damage. Fitted with a screw cap with integrated brush.

- Suitable for quick repairs of stone chips and paint damage
- Fine needle point for small damage
- Soft touch-up brush for larger repairs
- Sealing needle prevents the paint from drying out
- Can be used horizontally and vertically
- Equipped with a stainless steel ball

CONTENTS

20 ml

PACKAGING

100 pieces

CONTENTS

50 ml

PACKAGING

60 pieces

CONTENTS

20 ml

PACKAGING

100 pieces

EQUIPMENT

Colour inspection lamps and ionizer guns are indispensable tools for a high-quality paint finish in automotive body repair. Color inspection lamps make it possible to accurately check colors and detect surface defects such as scratches, dust inclusions and color differences at an early stage under different lighting conditions.

Ionizer guns neutralise static electricity on the surface, so fewer dust particles are attracted and paint defects are significantly reduced. Together, these devices contribute to a more efficient painting process, less rework and a professional end result.





COLOUR INSPECTION LAMP (ART. CIL03)

Colour inspection lamp for precisely checking colours, paint finish and surface defects. Simulates various lighting conditions to quickly reveal colour differences, scratches and dust inclusions. Ideal for colour matching, spot repair and quality control in the workshop.

- ▶ Rechargeable inspection lamp for color control and detection of paint irregularities
- ▶ Quick detection of irregularities
- ▶ 3 colour temperatures: 2700K, 4500K and 6500K
- ▶ Improves finish quality and prevents re-painting
- ▶ Equipped with a hook and integrated magnets
- ▶ Removable and easy-to-clean lens

COLOUR TEMPERATURES

2700K • 4500K • 6500K



IONIZER GUN (ART. IZG10)

Ionizer gun for neutralising static electricity during paintwork. Reduces dust inclusions and other paint defects for a better finish on metallic paints, clear coats and coatings. Features a directed airflow for precise work on statically charged surfaces.

- ▶ Rechargeable ionization gun with a long operating time of up to 6 hours
- ▶ Reduces dust inclusions in the paintwork
- ▶ Ensures better colour accuracy and more even coverage
- ▶ Reduces polishing and finishing times
- ▶ Light, robust and user-friendly design
- ▶ Without radioactive radiation and ATEX approved

PACKAGING

Per piece

DEGREASING

Efficient degreasing is essential for optimal paint adhesion and a flawless end result. Use a **water-based degreaser** for general cleaning and antistatic action, and a **solvent-based degreaser** for removing silicones, greases and stubborn contamination. Combine with **degreasing cloths** for a lint-free pickup of dirt and residue. Application is done in a controlled and even manner using a hand sprayer for maximum efficiency and ease of use.



WATER-BASED DEGREASER (ART. WD)

Universal water-based degreaser for a perfectly clean surface. Removes organic contamination such as grease, sweat and tree resin and prevents blistering on paint, primer, metal and plastic.

- ▶ Antistatic action on the surface
- ▶ Safe for rubber, plastic and paint layers
- ▶ Leaves no traces
- ▶ Suitable without masking
- ▶ Eco-friendly and biodegradable
- ▶ Efficiently removes salt and soap residue



CONTENTS

5 liter (WD05)
25 liter (WD25)





BESTSELLER



BESTSELLER



SOLVENT-BASED DEGREASER (ART. OS)

Universal solvent-based degreaser for cleaning and degreasing the surface to be sprayed. Efficiently removes dust, grease, tar and silicones. Ideal in combination with degreasing wipes.

- Powerful degreaser
- Not aggressive on sensitive paint surfaces
- Cleans the surface and removes all silicones

DEGREASING CLOTHS (ART. OD10)

Degreasing cloths are lint-free and silicone-free cloths with high absorbency. They are suitable for both water-borne and solvent-borne degreasers.

- Strong degreasing cloths with high absorption capacity
- Suitable for water- and solvent-based degreasers
- For wet and dry use
- Lint- and silicone-free

SUPERIOR PRESSURE SPRAYER (ART. HV15)

This robust and versatile pressure sprayer is designed for intensive professional use. Thanks to the 1,5 liter reservoir, the extra-wide stable base and the durable PA spray nozzle, it is ideal for daily use in the automotive body repair industry.

- 1,5 liter capacity for less refilling
- Extra wide base for maximum stability
- Wear-resistant PA (polyamide) spray nozzle
- Viton seals, resistant to solvents
- Adjustable nozzle for a precise spray pattern
- Ergonomic design for optimal comfort
- Ideal for degreasers, cleaners and silicone removers
- Premium choice for professional use

CONTENTS

1 liter (OS01)
5 liter (OS05)
25 liter (OS25)

VERSION

Normal
Fast (OS05-F)



DIMENSION

42 x 30 cm

PACKAGING

200 pieces

CONTENTS

1,5 liter



PRESSURE SPRAYER (ART. HV10)

Manual spray bottle for evenly misting degreasers and waterborne products. Equipped with an adjustable nozzle for efficient and controlled application.

- ▶ Manual spray bottle with adjustable nozzle
- ▶ Suitable for waterborne and mild chemical products
- ▶ Even atomization and comfortable use
- ▶ Reusable and resistant to professional use
- ▶ Coding caps can be ordered separately (ART. CC05)

CONTENTS

1 liter

ACCESSORIES

5 coding caps (CC05)



BESTSELLER

6 | PAINT PREPARATION | TACK RAGS



TACK RAGS (ART. TR10)

High-quality tack cloths for effectively removing dust, dirt and lint from surfaces before painting.

- ▶ Strong dust pickup thanks to woven cotton and special impregnation
- ▶ Antistatic action
- ▶ Suitable for waterborne and conventional paints
- ▶ Leaves no adhesive residue
- ▶ Lint-free and does not dry out

RUFFLED TACK RAGS (ART. TR50)

High-quality tack cloths for effectively removing dust, dirt and lint from surfaces before painting. The special corrugated structure quickly absorbs both large and fine dust particles and ensures a clean, dust-free surface.

- ▶ Strong dust pickup thanks to woven cotton and special impregnation
- ▶ Antistatic action
- ▶ Suitable for waterborne and conventional paints
- ▶ Leaves no adhesive residue
- ▶ Lint-free and does not dry out

WATER-BASED TACK CLOTHS (ART. TCW20)

Water-based tack cloths with a perforated structure for effectively removing dust, dirt and lint from surfaces before painting.

- ▶ Water-based tack cloth made of polyester and viscose
- ▶ Antistatic action
- ▶ Ideal for waterborne paints
- ▶ Perforated structure for optimal absorption of dust and dirt
- ▶ Suitable for small and large dust particles
- ▶ Low tack without adhesive residue

DIMENSION

45 x 45 cm

PACKAGING

Individually wrapped
10 pieces per box

DIMENSION

80 x 90 cm

PACKAGING

Individually wrapped
50 pieces per box

DIMENSION

43 x 31 cm

PIECES/ OUTER BOX

20 pieces packed in foil



PAINTING

The painting category includes products that are essential for the preparation, application and finishing of paintwork in automotive body repair. The range includes, among others, clear coats, aerosols, UV primer and UV lamps, hardeners, paint systems, thinners and other products for efficient and professional paint build-up.

These products contribute to optimal processing, fast curing, durable protection and a high-quality end result.



CLEAR COATS

Clear coats for the automotive sector provide durable protection and a high-quality finish for painted surfaces. They offer high gloss, excellent flow and strong resistance to UV rays, weather influences, chemicals and scratches. Suitable for both spot repairs and full repaints, and developed for a professional end result with optimal durability.

DIAMOND

"SCRATCH RESISTANT"

Drying 20 °C / 60 °C
13 hours / 30 min

Dust-free 20 °C
25 min

Final hardness
4 days

VOC II/B/e limit* = 840 g/l,
VOC = 562 g/l

CRISTAL

Drying 20 °C / 60 °C
14 hours / 30 min

Dust-free 20 °C
25 min

Final hardness
4 days

VOC II/B/d limit* = 420 g/l,
VOC = 418 g/l

SPEED

"AIR DRY"

Drying 20 °C / 60 °C
3 hours / 5 min

Dust-free 20 °C
25 min

Final hardness
4 days

VOC II/B/e limit* = 840 g/l,
VOC = 510 g/l

EXPRESS

"AIR DRY"

Drying 20 °C / 60 °C
3 hours / 5 min

Dust-free 20 °C
25 min

Final hardness
4 days

VOC II/B/d limit* = 420 g/l,
VOC = 418 g/l



2:1 MATT CLEAR COAT + HARDENER (ART. MC10 | HMC05)

High-quality clear coat with reduced gloss level for an elegant matte finish. Specially developed for automotive body repair and resistant to weathering, UV radiation and stone chips.

- ▶ High-quality matte clear coat
- ▶ Creates a sleek matte finish
- ▶ Resistant to weather influences, UV rays and stone chips
- ▶ Durable protection for painted surfaces

CONTENTS

1 liter (Clear coat, MC10) • 0,5 liter (Hardener, HMC05)



DIAMOND CLEAR COAT 'SCRATCH RESISTANT'

(ART. CD05-1 | CD05-5)

Two-component acrylic clear coat with high solids content, high hardness and excellent gloss. Resistant to UV rays, weather conditions and stone chips. Provides perfect flow and a durable end result.

- Medium Solid clear coat with high hardness
- Excellent UV and weather resistance
- Very good resistance to stone chipping
- Durable high gloss with color-depth effect
- Compatible with solvent-based and water-based paints
- Hardener available in slow, medium and fast versions

CONTENTS

1 liter (CD05-1)
5 liter (CD05-5)

HARDENERS

Slow - 0,5 L (HSCD-0,5)
Normal - 0,5 L (HNCD-0,5)
Fast - 0,5 L (HFCD-0,5)
Slow - 2,5 L (HSCD-2,5)
Normal - 2,5 L (HNCD-2,5)
Fast - 2,5 L (HFCD-2,5)



CRISTAL CLEAR COAT UHS (ART. CC10-1 | CC10-5)

UHS two-component acrylic clear coat with high solids content and high hardness. Resistant to UV rays, weather conditions and stone chips. Provides excellent gloss, flow and a durable end result.

- Suitable for partial and full repairs
- Very easy to apply
- High-quality finish
- High gloss
- Easy to polish
- Hardener available in slow, medium and fast versions

CONTENTS

1 liter (CC10-1)
5 liter (CC10-5)

HARDENERS

Slow - 0,5 L (HSCC-0,5)
Normal - 0,5 L (HNCC-0,5)
Fast - 0,5 L (HFCC-0,5)
Slow - 2,5 L (HSCC-2,5)
Normal - 2,5 L (HNCC-2,5)
Fast - 2,5 L (HFCC-2,5)

BESTSELLER



SPEED CLEAR COAT UHS (ART. CS10-1 | CS10-5)

UHS high solid clear coat with an extremely short curing time, enabling fast polishing. Provides high gloss, excellent hardness and optimal scratch resistance.

- ▶ Extremely fast-drying
- ▶ Long open time, ideal for painting large parts
- ▶ 5 min drying time at 60 °C
- ▶ Can be used for air drying
- ▶ Significant energy savings
- ▶ High gloss level
- ▶ Excellent flow properties
- ▶ Can be diluted 0 - 5 %
- ▶ 2 full-layer system

CONTENTS

1 liter (CS10-1)
5 liter (CS10-5)

HARDENERS

0,5 L (HCS10-0,5)
2,5 L (HCS10-2,5)

7 | PAINTING | CLEAR COATS

BESTSELLER



EXPRESS CLEAR COAT VHS (ART. CX10-1 | CX10-5)

Fast-drying VHS clear coat with extremely short curing time, long open time and quick polishability. Provides high gloss, excellent hardness and strong scratch resistance.

- ▶ Extremely fast-drying
- ▶ Long open time, ideal for painting large parts
- ▶ 5 min drying time at 60 °C
- ▶ Can be used for air drying
- ▶ Significant energy savings
- ▶ High gloss level
- ▶ Excellent flow properties
- ▶ To be used without dilution
- ▶ 1,5-layer system

CONTENTS

1 liter (CX10-1)
5 liter (CX10-5)

HARDENERS

0,5 L (HCX10-0,5)
2,5 L (HCX10-2,5)



UV CURING LAMP (ART. UVCL)

Professional UV drying lamp for fast and efficient curing of UV products such as primers, Putties, coatings and lacquers, resulting in shorter drying time and higher workshop efficiency.

- Very fast curing times
- UV-A intensity of 55 mW/cm² at 20 cm, suitable for UV paint products from all major manufacturers
- Produces only UV-A (395 nm) and no UV-B or UV-C
- Ultrasonic distance measurement function
- LCD control display
- Active cooling system for optimal temperature and constant light output

PACKAGING

UV drying lamp
Universal charger
Universal charging adapter
Charging station for wall mounting
UV protective glasses



1K UV PRIMER (ART. UVPF10)

UV primer is suitable for medium-sized and small repairs and enables drying times of almost 1 minute through the use of UV drying lamps, significantly shortening the total repair time.

- UV-cured 1K primer for fast and efficient repairs
- Extremely short drying time compared to 2K systems
- High film build and easy to sand
- Perfectly matched to the Gerko UV lamp
- Ideal for small and medium-sized repairs
- Increases efficiency and reduces costs

CONTENTS

1 liter

COLOUR

Grey ●

ACCESSORY



TRIPOD FOR UV DRYING LAMP (ART. TUVCL)



UV PAINT SYSTEM



PAINT SYSTEM UV 600 ML (ART. GPS190600UV)



ARTICLE	CONTENTS	TYPE	MICRON	OUTER CUP	PACKAGING
GPS125180	180 ml	Standard	125 µm	PSB180	50 sets
GPS125400	400 ml	Standard	125 µm	PSB400	50 sets
GPS125600	600 ml	Standard	125 µm	PSB600	50 sets
GPS190600	600 ml	Standard	190 µm	PSB600	50 sets
GPS190600UV	600 ml	UV	190 µm	PSB600	50 sets
GPS125800	800 ml	Standard	125 µm	PSB800	50 sets



PAINT SYSTEM (ART. GPS)

Closed paint system that eliminates the need for separate mixing cups and paint strainers. Ensures faster working, less paint consumption and a cleaner painting process with minimal risk of contamination.

- Suitable for both solvent- and water-based paints
- Equipped with caps to store your paint if needed
- Includes outer cup (also available separately)
- Available in 125 and 190 micron



DISPENSER FOR PAINT SYSTEM CUPS (ART. D600)

Wall dispenser for the neat and dust-free storage of paint system cups. The cups can easily be taken out one by one and can be easily refilled from the top.

- Dispenser for Gerko Paint System cups
- Suitable for 600 ml and 800 ml cups
- Cups removable one by one
- Wall mounting possible
- Easy to refill from the top
- Keeps cups clean and dust-free



DISPENSER FOR PAINT SYSTEM LIDS (ART. DGPSL)

Wall dispenser for the neat and dust-free storage of paint system lids. The lids can be taken one by one and can be easily refilled from above.

- Dispenser for Gerko Paint System lids
- Lids removable one by one
- Wall mounting possible
- Easy to refill from the top
- Keeps lids clean and dust-free

CONTENTS

180 ml · 400 ml · 600 ml · 800 ml

MICRON

125 µm · 190 µm

PACKAGING

50 pieces

CONTENTS

600 ml · 800 ml

PACKAGING

Per piece

PACKAGING

Per piece

ADAPTERS FOR GERKO PAINT SYSTEM



AD10 AD20 AD30 AD40 AD50 AD60 AD70 AD80 AD90 AD100

AD10	Adapter 1/4	quick adaptor
AD20	Adapter M12	external thread
AD30	Adapter 3/8	external thread
AD40	Adapter M16	internal thread
AD50	Adapter 1/4	internal thread
AD60	Adapter M12 x 1	external thread
AD70	Adapter M16	external thread
AD80	Adapter M14 x 1	internal thread
AD90	Adapter 7/16	external thread
AD100	Adapter 1/8	external thread

BRAND	MODEL	CODE	BRAND	MODEL	CODE
ADIR	GRAVITY SERIES	AD40	CENTRAL PNEUMATIC	GRAVITY SERIES	AD40
ACCUSPRAY	PERFORMAX 05-100 PRIMER	AD70		PROFESSIONAL MINI	AD60
ADVANTAGE	9011S	AD40		MINI	AD80
AES	150	AD40	CORNWELL	PSG-1400	AD40
AIRGUNSA	AZ3 HTE 2	AD10		PSG-1200 MINI	AD80
AIRVERTER	GG-100	AD40	CRAFTSMAN	9-15531	AD40
	CT-100 MINI	AD80	DART PRODUCTS	AB17G	AD40
AMPRO	AR6025	AD40		H827A/H881A	AD40
	AR6029 MINI	AD80		H2000MG MINI	AD60
ANI	F1-S	AD30	DEFYNIK	GRAVITY SERIES	AD20
ASTRO	GF6S MINI	AD80	DEVILBISS	FINISHLINE FLG-653G	AD30
	6GFS MINI HVLP	AD80		GFHV-510	AD30
	4020 MINI	AD80		GTI 600G/625G WATERBORNE	AD30
	STAR QUL/M-STAR	AD40		GTI MILLENNIUM 620G/2000	AD30
	EVO 4014/4018	AD40		GTI PRO BASE/CLEAR/DIGITAL	AD30
	ECO-S/SX	AD40		GTIW WATERBORNE	AD30
	QUANTUM ULTRA	AD40		PRI 601G PRIMER	AD30
ASTURO	ECO-S/SX	AD40		TEKNA PROLITE/QUICKCLEAN/COPPER	AD30
ASTUROMEC	9011 SERIES	AD60		CVI 522G/620G/620GW	AD30
ATD	GRAVITY SERIES	AD40		DRD/EXL620G	AD30
	6900 SERIES	AD40		FLG 4 GRAVITY	AD30
	LEONARDO 6865/6872/6913/6914/6915/6918	AD70		FLG 615/635/643/645/647WB/648/651G/654/691/695	AD30
	6845/6900 MINI SERIES	AD80		GFG 5/516/517/618/670PLUS	AD30
BINKS	M1-G	AD30		GTI FAMILY/DV1	AD30
	MGI1.8 PRIMER	AD30		JGA 535G/635G	AD30
	630/95G	AD30		PRI/TEKNA	AD30
	BBR/M1-G	AD30		COMPACT 506/510 GRAVITY	AD30
	CUB SLG MINI GRAVITY	AD90		COMPACT MINI HVLP	AD90
C.A. TECHNOLOGIES	JAGUAR J100H/SLP/100C/300C	AD40		COMPACT MINI TRANS TECH	AD90
	TECHLINE T3	AD40		SRI MINI	AD90
	TECHLINE TJR	AD80		SRIW MINI	AD90
CAMPBELL HAUSFELD	DH-6500/7800/7900	AD40		SRI PRO MINI	AD90
CAPSPRAY	3100 GRAVITY SERIES	AD40		LT200/LT300	AD40
	MINI	AD40	DURA-BLOCK	AF900K	AD40
CARQUEST	PROVALUE 2304-PV/2305-PV	AD40		007 EXTREME PERFORMANCE	AD40
				MINI	AD80

BRAND	MODEL	CODE	BRAND	MODEL	CODE
DUX	GRAVITY SERIES	AD20	PROVALUE (CARQUEST)	2304/2305-PV	AD40
ECCO	652-S	AD30	SAGOLA	403G/433G/434G/444G/450G	AD30
EVERCRAFT (NAPA)	BK7703758	AD40		3300G/4100G/4200G	AD40
FUJI	5175G T75 SERIES HVLP	AD40		MINI EXTREME	AD40
GERKO	PERFORMANCE PRO	AD40		CLASSIC PRO	AD40
	ELITE1	AD40	SATA	MINIJET 4400 B HVLP QCC/4400 B RP QCC	AD10
	SMART PERFORMANCE	AD80		JET B	AD40
GONI	321	AD40		JET B NR-92/NR-95	AD40
GRACO	DELTA GF	AD30		QCC FAMILY	AD10
	LT100 MINI	AD60		KL-PRIMER	AD30
GRIP	H827W	AD40		MCB-93	AD30
	MINI	AD80		KLC-B/P/RP	AD40
GRIZZLY	H7669	AD40		LM-92	AD40
HUSKY	HDS-780/790/890 PRO	AD40		LM2000B/LM2000K	AD40
INGERSOL RAND	210G/270G	AD40		MCB PRIMER/90	AD40
	200G	AD80		JET90	AD40
IWATA	W400/W400LV/WR400	AD40		JET90-2 RP/HVLP	AD40
	LPA94/LPH440	AD40		NR2000 RP/HVLP	AD40
	LPH400 PRIMER	AD40	SATAJET	100 BF HVLP QCC/RP QCC	AD10
	LPH400LV/LVB/LVX	AD40		100 BP QCC	AD10
	VX929/VXL949 PRIMER	AD40		2000/3000 HVLP QCC	AD10
	SUPERNOVA LS400/SUPERNOVA WS400	AD50		2000/3000/4000 RP QCC	AD10
	AZ3 HTE 2	AD50		1000/3000/4000 B HVLP QCC	AD10
	LPH80	AD100		1000/3000 B RP QCC	AD10
JONNESWAY	JA-6111	AD40	SEM	71001 PRO-TEX TRUCK BED LINER GUN	AD30
KOBALT (LOWE'S)	KC-566CG/577HG	AD40	SHARP	FX200	AD40
	SGY-AIR86/AIR88	AD40		FX300 HVLP	AD40
KRAUTZBERGER	MIGNON 3	AD20		COBALT HVLP(EU)	AD30
MAC	SG1250/SG1300 SERIES	AD40	SHARPE (GRACO)	FX-100 MINI	AD80
	ECONOCOAT	AD40	SMART (FINISHMASTER)	SPRAY GUN KIT (STD)	AD40
	SG610K	AD30		SPRAY GUN KIT (MINI)	AD80
	SG1100-10 MINI	AD80	SNAP-ON	BLUE POINT BF325 MINI	AD80
MARK I	AF7003	AD40	SPITZNAGEL	W2000A	AD40
	AF7002 MINI	AD80	SPRAY-IT	522	AD40
MATCO	GRAVITY SERIES	AD40	STAR	III	AD40
	MTDPGHV1/MTDPGHV8 DETAIL GUN	AD80		SV-106T/J MINI	AD80
	RL-75 MINI	AD80	SUNEX	9002A/9004A	AD40
	MTPGHE 13/15	AD70	TITAN	VAPER 1.0MM MINI	AD80
MAX AIR	W98	AD40		VAPER 1.4/17MM	AD40
MOUNTAIN	STAR MINI	AD80	TRANSTAR	6613/6614/6617	AD40
MSB	GRAVITY SERIES	AD40		6618 MINI	AD80
M-STAR	GRAVITY SERIES	AD40	TREM PRO	GRAVITY SERIES	AD40
NAPA (EVERCRAFT)	#BK7703758	AD40	U-POL	MAXIMUM	AD40
NESCO	840/868/870	AD40		MAXIMUM MINI	AD80
	880	AD70	WALCOM	GEO/EGO	AD60
	808 MINI	AD80		GENESI	AD70
NIKOTA	HVLP-G	AD40	WARWICK	861-C/863	AD40
PORTER-CABLE	PSH-1/3	AD40		H881W	AD40
	PSH2 MINI	AD80		881H/904H	AD40
PRO-TEK	2600	AD40		827-C/878	AD70
	4000GH	AD40		828-C	AD80
	764X	AD40		MINI	AD80
	2500/2550 MINI	AD80			



ACRYLIC THINNER (ART. AV)

Versatile acrylic thinner based on oxygenated and aromatic hydrocarbons. Colourless, clear and suitable for various paint applications.

- Thinner for acrylic paints and primers
- Ensures optimal application and flow
- Improves atomisation and final finish

CONTENTS

1 liter (AV01, AV01-S)
5 liter (AV05, AV05-S)
25 liter (AV25)

VERSION

Normal
Slow (AV01-S, AV05-S)



FADE OUT THINNER (ART. FOT01)

A specially developed flow-out solvent that softens the transition between existing and newly applied clear coat, for an invisible repair.

- Painting thinner for use with a spray gun
- Ensures a smooth transition between old and new paint layers
- Effect immediately visible and verifiable
- Creates soft transition zones
- Minimal polishing work required
- Compatible with virtually all high-quality clear coats

CONTENTS

1 liter



FADE OUT THINNER (ART. AS140)

Blend of organic solvents for blending transitions between old and new layers of acrylic lacquer. Ensures a smooth transition and an even final result.

- Efficient solution for SMART repairs without a spray gun
- Ensures a smooth transition between old and new paint layers
- Effect immediately visible and verifiable
- Creates soft transition zones
- Minimal polishing work required
- Compatible with virtually all high-quality clear coats

CONTENTS

500 ml



2K HS PRIMER + HARDENER (ART. PF | HPF)

Two-component high-build primer with excellent adhesion on steel, galvanised steel and aluminium. Characterised by good sandability, fast drying and versatile applications such as high-build, primer and wet-on-wet.

- Very high solids content
- Fast-drying with short recoat times
- Easy to sand
- Suitable for wet-on-wet applications
- Ensures efficient and fast repairs
- 4/1 ratio
- Can be used as a high build primer, primer or wet-on-wet depending on the amount of thinner

CONTENTS

1 liter · 4 liter

COLOUR

White (PFW10, PFW40)
Grey (PFG10, PFG40)
Black (PFB10, PFB40)

HARDENERS

Normal - 250 ml (HPF025)
Fast - 250 ml (HPF026)
Normal - 1 liter (HPF10)
Fast - 1 liter (HPF20)
Extra fast - 1 liter (HPF30)

BESTSELLER



2K HS EXPRESS PRIMER + HARDENER (ART. PX | HPX)

High-build acrylic primer with extremely fast drying for efficient surface preparation. Offers excellent adhesion, good filling of minor imperfections and is available in various mixable colors for optimal matching to the topcoat.

- Innovative primer with high build capacity
- Extremely fast drying time
- Excellent adhesion on various substrates
- High efficiency and fast processing
- Easy to finish further after drying
- 4/1 ratio

CONTENTS

1 liter · 3,5 liter

COLOUR

White (PXW10, PXW40)
Grey (PXG10, PXG40)
Black (PXB10, PXB40)

HARDENERS

Normal - 250 ml (HPX025)
Normal - 875 ml (HPX085)



1K EXPRESS PRIMER (ART. EPG35)

One-component primer with high filling power, active corrosion protection and excellent adhesion on steel, aluminum, zinc and various paintable plastics.

- ▶ 1K fast-drying primer with high filling power
- ▶ Active corrosion protection
- ▶ Excellent adhesion on steel, aluminium, zinc and plastics
- ▶ Suitable as primer and putty
- ▶ Overcoatable with solvent- and water-borne paints



1:1 EPOXY PRIMER + HARDENER (ART. EP750 | EH375)

Two-component epoxy primer with excellent corrosion protection for metal substrates. Offers strong adhesion, high chemical resistance and a durable base for further paint build-up.

- ▶ Can be applied wet-on-wet
- ▶ High corrosion resistance
- ▶ Excellent sandability
- ▶ Simple 1:1 mixing ratio
- ▶ Overcoatable with 2K paints and polyester putty
- ▶ Fast drying time



1K PLASTIC PRIMER (ART. PP10)

One-component colorless primer for plastic body parts, to be applied with a brush or spray gun. Ensures optimal adhesion of the topcoat to plastic surfaces.

- ▶ 1K clear plastic primer
- ▶ To be applied with a brush or spray gun
- ▶ Ensures optimal adhesion on plastic parts
- ▶ Improves adhesion of the topcoat
- ▶ Suitable for plastic body panels

CONTENTS

3,5 liter

COLOUR

Grey

CONTENTS

800 ml

COLOUR

Grey

CONTENTS

1 liter

AEROSOLS

Aerosols are used within automotive body repair for restoring, protecting and finishing parts quickly and efficiently. Products such as bumper texture spray, anti gravel, primers and various paint finishes ensure correct surface preparation, protection against external influences and a professional end result.

They are used to build up structure, fill small imperfections, improve adhesion and create the desired final finish in high gloss, matte or satin.





BESTSELLER



SUPERIOR PRIMER (ART. SAS)

Fast-drying elastic primer with high fill and excellent adhesion to plastic, metal and existing paint layers. Provides a smooth spray finish and can be overcoated with all common paint systems.

- High-build and fast-drying primer
- Excellent adhesion and sandability
- Anti-corrosion protection with zinc phosphate
- To be applied directly on bare metal
- Petrol-resistant and overpaintable
- Suitable for almost all plastics

CONTENTS

500 ml

COLOURS

Light grey (SAS010)
Dark grey (SAS030)
White (SAS040)



PRIMER FILLER (ART. AS)

Primer spray for filling surface defects such as sanding marks and small stone chip damage. Can also be used for extra film thickness and increased corrosion resistance.

- Fast-drying hard and flexible primer
- Excellent adhesion and sandability
- Anti-corrosion protection with zinc phosphate
- To be applied directly on bare metal
- Petrol-resistant and overpaintable with modern paints

CONTENTS

400 ml

COLOURS

Light grey (AS010)
Grey (AS020)
Dark grey (AS030)
White (AS040)



PLASTIC PRIMER (ART. AS050)

Professional plastic primer for significantly improved adhesion on most common plastics. Fast-drying formula, ideal for plastic repair, bonding and painting applications.

- Universally applicable
- Effective adhesion promoter
- Fast-drying and quickly recoatable
- Recoatable after 10 minutes
- Ideal for building up repairs

CONTENTS

500 ml

COLOUR

Transparent



ETCH PRIMER (ART. AS060)

Fast-drying etch primer with excellent adhesion to aluminum, stainless steel and galvanized sheet. Provides a smooth, non-porous finish suitable for any topcoat.

- Excellent etching and corrosion-inhibiting action
- Fast-drying and flexible primer
- Can be applied directly to bare metal
- Ensures a super-smooth finish
- Petrol-resistant and widely overpaintable

CONTENTS

500 ml

COLOUR

Grey



HIGH-GLOSS BLACK

(ART. AS080)

High-gloss black paint for decorative applications on cars and motorcycles. Ideal for contrast parts and partial paintwork.

- High-gloss paint in deep black color
- Fast-drying with excellent coverage
- Good adhesion on various substrates
- Ensures a smooth finish
- Resistant to chemicals and weather influences

CONTENTS

500 ml



SEMI-GLOSS BLACK

(ART. AS090)

Black satin-gloss paint for decorative applications on cars and motorcycles. Ideal for contrast parts and partial paintwork.

- Satin lacquer in deep black
- Fast-drying with excellent coverage
- Good adhesion on various substrates
- Ensures a smooth finish
- Resistant to chemicals and weather influences

CONTENTS

500 ml



MATT BLACK

(ART. AS100)

Matt black paint for decorative applications on cars and motorcycles. Ideal for contrast parts and partial paintwork.

- Fast-drying paint with excellent coverage
- Good adhesion on various substrates
- Ensures a smooth finish
- Resistant to chemicals and weather influences

CONTENTS

500 ml



ANTI GRAVEL

(ART. AS110 | AS120)

Overcoatable stone chip coating for protecting sills and spoilers. Forms a durable, elastic layer against stone chips, moisture and rust.

- Elastic and textured protective coating
- Protects against rust and stone chips
- Sound-dampening properties
- Fast-drying and drip-free application
- Good adhesion on various substrates
- Overcoatable with all paint systems

CONTENTS

500 ml

COLOURS

Black (AS110)
Grey (AS120)



WHEELSPRAY (ART. AS130)

Glossy silver-colored spray paint for quick and easy wheel repair. Provides an even finish with a durable result.

- Fast-drying, good adhesion
- Glossy, good flexibility, good hardness
- Excellent UV protection
- Good outdoor durability
- Non-yellowing

CONTENTS

500 ml



BUMPER SPRAY STRUCTURANT (ART. AS150 | AS160)

Structure coating for restoring the original texture on bumpers and plastic parts. Fast-drying and adheres directly to plastic, recoatable with common paint systems.

- Flexible structure coating for plastic and bumpers
- Restores the original texture of plastic parts
- Can be applied directly without plastic primer
- Overcoatable with all common paint systems
- Ideal for plastic repairs

CONTENTS

500 ml

COLOURS

Black (AS150)
Grey (AS160)



ZINC SPRAY (ART. AS170)

High-quality zinc spray for durable protection of metal surfaces against rust and corrosion. Ideal for automotive repairs and industrial applications where reliable metal protection is required.

- Zinc spray with 90% zinc content
- Corrosion-resistant and heat-resistant up to 300°C
- Can be applied to rusty surfaces
- Suitable as a weld primer and for spot welding
- Overcoatable after drying

CONTENTS

500 ml



PREFILL SOLVENT (ART. AS210 | AS220 | AS230)

Pre-filled spray cans with propellant gas and solvents for easily filling with your own paint. Ideal for color matching and small repair work.

- Pre-filled spray can for small paint repairs
- Ideal as an alternative to the spray gun
- Suitable for acrylic, alkyd and cellulose paints
- Fillable with a maximum of 100 ml of paint
- Not suitable for most waterborne basecoats
- Fillon technology cap integrated (ART. AS230)

CONTENTS

400 ml (AS210, AS220)

ACCESSORY

Fillon technology cap (AS220)



PREFILL WATER-BASED (ART. AS250)

Pre-filled spray cans with propellant gas and solvents for easily filling with your own paint. Ideal for color matching and small repair work.

- Pre-filled spray can for small paint repairs
- Ideal as an alternative to the spray gun
- Suitable for waterborne paints
- Fillable with up to 100 ml of paint
- Integrated fillon technology cap

CONTENTS

400 ml



CLEAR COAT 1K (ART. AS300)

High-quality 1K clear coat with a crystal-clear finish for water- and solvent-based basecoats. Provides a durable protective layer and is ideal for smart repairs.

- Ultra-glossy finish with long-lasting gloss retention
- Fast-drying 1K paint with high build
- UV and petrol resistant
- Ideal for application at a distance of 25 cm
- Best result with 2 full coats and 10 min flash-off time

CONTENTS

500 ml



CLEAR COAT 2K (ART. AS400)

Fast-drying 2K clear coat for clear-over-base applications with excellent flow and durability. Resistant to weather influences, chemicals, mechanical stress and fuel.

- 2K clear coat with deep high gloss
- Ideal for SMART repair
- Two full coats for a spray-gun quality result
- Extremely scratch-resistant
- UV, chemical and weather resistant

CONTENTS

400 ml



ANTI GRAVEL (ART. AG)

Anti-chip coating with sound-deadening properties, protecting bodywork parts against stone chips, moisture, salt and oil. Forms a durable, elastic coating and can be overpainted with all common topcoat systems.

- Protects against stone chips, water, salt and oil
- Forms an elastic, fine-grained coating
- Sound-dampening properties
- Ideal for sills, wheel arches and spoilers
- Overcoatable after 3–4 hours
- Suitable for various substrates and paint systems

CONTENTS

1 liter

COLOUR

Black (AG100)
Grey (AG110)
White (AG120)



UNDERBODY COATING (ART. UBC100)

Underbody Coating protects the underside of vehicles against rust, stone chips and weather influences. Forms a wear-resistant and sound-dampening protective layer.

- Bitumen coating for protection of vehicle underbodies
- Protects against rust, stone chips and weather influences
- Sound-dampening properties
- Extremely high wear resistance
- Suitable for all vehicle types

CONTENTS

1 kg

COLOUR

Black



UNDERCOATING GUN (ART. USG10)

Spray gun for applying truck bedliner coatings and other 1K and 2K sprayable protective coatings. Ensures an even and professional application.

- Housing made of cast aluminium alloy
- Nickel-plated trigger handle with comfortable grip
- Robust and durable construction
- Suitable for 1L cans of anti-chip and underbody coating

PACKAGING

Per piece



1K BUMPER PAINT (ART. TBP10)

One-component texture coating for repairing and painting bumpers and other plastic parts. Adheres directly to various plastics, is fast-drying and resistant to weather conditions and temperatures up to 70 °C.

- Strong adhesion to various plastics
- Fast-drying and easy to process
- Durable, weather- and temperature-resistant finish
- Ensures an original texture and even finish

CONTENTS

1 liter

COLOUR

Black



NITRO MATT BLACK (ART. NMB10)

Fast-drying nitro-combination paint with a deep black, uniform matte finish. Ideal for applications requiring a durable, wear-resistant coating and fast processing.

- Fast-drying nitro-combination paint
- Deep black matte finish
- High hardness and excellent scratch resistance
- UV and weather resistant
- Heat-resistant up to 120°C
- Quick to recoat and process

CONTENTS

1 liter



BASECOAT 1K RAL9005 (ART. GB9005)

Basecoat for painting automotive bodywork with fast air-drying and no chemical curing. Must be finished with a clear coat for durable protection and gloss.

- 2:1 mixing ratio
- Air-drying
- To be finished with clear coat
- No chemical curing required

CONTENTS

1 liter




2K ACCELERATOR (ART. AA05)

Professional accelerator that speeds up the curing and drying of 2K polyurethane and acrylic products. To be added to the mixture for faster processing without loss of quality when used correctly.

- Accelerates curing and drying of 2K PU and acrylic products
- Addition of 1–2% of the total mixing weight
- Suitable for paint and hardener
- Faster processing without loss of quality when used correctly

CONTENTS

500 ml



CLEANING & POLISHING

A perfect end result starts with thorough cleaning and a professional finish. In this step of the car body repair process, surfaces are cleaned and polished to achieve a dust- and scratch-free result.

The range includes products for cleaning, polishing and finishing both new and repaired paint surfaces. From polishing compounds and polishing pads to microfiber cloths – everything for a high-gloss final finish and an optimal paint result.







OTHER

GERKO
PAINT RELATED PRODUCTS



POLISHING PAD Ø 120 - M14 (ART. PP120)

POLIERMACHINES

Our professional polishers have been developed for the quick and efficient restoration and finishing of car paintwork. The range includes both electric and battery-powered models, available in centric (rotary) and eccentric versions. This means you can find the right machine for every polishing application, offering the ideal combination of power, control and ease of use.

					
DESCRIPTION	DIMENSION	ROTATIONAL SPEED (RPM)	WATTAGE	SANDING ORBIT	PAGE
Electric polishing machine centric (CPM10)	ø 120	1.000 - 3.000 rpm	1200 Watt	-	110
Electric polishing machine eccentric (EPM10)	ø 125	1.650 - 4.800 rpm	810 Watt	15 mm	110
Polishing machine with battery centric (BACPM05)	ø 125	500 - 3.000 rpm	18 V	-	111
Polishing machine with battery eccentric (BAEPM05)	ø 125	2.000 - 5.000 rpm	18 V	15 mm	111
Mini polishing machine with battery centric/ eccentric (BACPM01)	ø 75	2.500 - 5.000 rpm	12 V	-	111



ELECTRIC POLISHING MACHINE (ART. CPM10)

Powerful electric rotary polisher for professional polishing of painted surfaces. Provides a high-gloss finish and efficient removal of scratches. Ideal for use in vehicle body repair and detailing.

- ▶ Powerful 1200 W electric polisher
- ▶ 5 m cable for optimal freedom of movement
- ▶ Includes 120 mm backing pad and extra carbon brushes
- ▶ Lightweight design of ± 3 kg

VERSION

Centric

PACKAGING

Per piece



ELECTRIC POLISHING MACHINE ECCENTRIC (ART. EPM10)

Electric orbital polishing machine for a hologram-free and even polishing result. The orbital motion reduces the risk of overheating and paint damage, ideal for both correction work and fine finishing.

- ▶ Electric polishing machine with 15 mm orbit
- ▶ 5 m cable for optimal freedom of movement
- ▶ Variable speed from 1650 – 4800 rpm
- ▶ Includes 125 mm backing pad and extra carbon brushes
- ▶ Lightweight design of ± 3 kg

VERSION

Eccentric

PACKAGING

Per piece



CORDLESS POLISHER CENTRIC (ART. BACPM05)

Battery-powered rotary polisher for the professional polishing, waxing and correction of paint surfaces. Equipped with a powerful brushless motor, adjustable speed and 125 mm backing pad. The rotary action ensures a high degree of paint correction.

- ▶ Cordless polisher with powerful brushless motor
- ▶ Variable speed display via LCD screen
- ▶ Spindle lock for quick pad changes
- ▶ Ergonomic design with comfortable soft grip
- ▶ Includes 2 batteries and 1 charger



CORDLESS POLISHER ECCENTRIC (ART. BAEPM05)

Battery-powered random orbital polisher for the professional polishing of painted surfaces. Equipped with a powerful brushless motor, adjustable speed and 125 mm backing pad. The random orbital action ensures a hologram-free result.

- ▶ Cordless polisher with powerful brushless motor
- ▶ 15 mm orbit for high efficiency and optimal polishing results
- ▶ LCD screen with real-time speed display
- ▶ Spindle lock for quick pad changes
- ▶ Ergonomic design with comfortable soft grip
- ▶ Includes 2 batteries and 1 charger



MINI POLISHER WITH BATTERY (ART. BACPM01)

Compact mini polishing machine for polishing small surfaces and hard-to-reach places. Equipped with a powerful Li-ion battery for cordless and professional use on various paint surfaces. Can be used both centric and eccentric for a versatile finish.

- ▶ Mini polisher with powerful brushless motor
- ▶ Ideal for hard-to-reach places
- ▶ Suitable for both rotary and random orbital polishing
- ▶ Spindle lock for quick pad changes
- ▶ Ergonomic design for optimal user comfort
- ▶ Includes 2 batteries, charger and 2 pads of 75 mm

VERSION

Centric

PACKAGING

Per piece

VERSION

Eccentric

PACKAGING

Per piece

VERSION

Centric/eccentric

PACKAGING

Per piece

POLISHING

Professional polishing products for every step of the polishing process, from correction to high-gloss finish. The range includes **foam pads** in various hardnesses and finishes such as smooth and waffle pads, combined with **polishing pastes** for both advanced cut and anti-hologram applications. Complemented with high-quality **microfibre** and **polishing cloths** for a perfect and streak-free final result.



ADVANCED CUT FOAM PAD (ART. POL90)

Advanced Cut foam pad for powerful paint correction and removing deeper scratches, oxidation and sanding marks. Provides a high cutting capacity with efficient, even processing of the surface.

- Specially developed for use with Gerko Advanced Cut polishing paste (ART. POL130)
- Quickly removes scratches and paint defects
- Ensures an optimal and time-saving polishing result

DIMENSION

ø 150 - 20 mm

PACKAGING

2 pieces



BESTSELLER



ADVANCED CUT POLISHING PASTE (ART. POL130)

Powerful compound for removing sanding marks and usage marks on painted surfaces. Effectively removes sanding scratches up to grit P1500 and combines high cutting power with an excellent level of gloss. Suitable for all paint types.

- Polishes and creates high gloss in one step
- Heavy cut, medium cut and finish in one product
- Time-saving and highly efficient 1-step polishing process
- Water-based, silicone- and solvent-free
- Low dust formation and easy to clean
- Ideal in combination with the Gerko Advanced cut foam pad (ART. POL90)

ANTI-HOLOGRAM FOAM PAD (ART. POL100)

Anti-hologram foam pad for fine finishing and removing holograms, light haze and micro-scratches. Combined with a fine polish, it ensures an even, high-gloss end result.

- Specially developed for use with Gerko Anti-Hologram polishing paste (ART. POL140)
- Ensures an optimal high-gloss finish
- Ensures a smooth, hologram-free final result

8 | CLEANING & POLISHING | POLISHING

ANTI-HOLOGRAM POLISHING PASTE (ART. POL140)

Fine polishing paste for permanently removing holograms, light scratches and sanding marks up to grit P3000. Provides a deep high-gloss finish without masking the surface. Easy to apply, economical in use and suitable for all paint systems.

- Effectively removes holograms and micro-scratches
- Ensures a high-gloss final result
- Water-based, silicone- and solvent-free
- Low dust formation and easy to clean
- Ideal in combination with the Gerko Anti-Hologram foam pad (ART. POL100)

CONTENTS

1 kg

PIECES/ OUTER BOX

10 pieces

DIMENSION

ø 150 - 20 mm

PACKAGING

2 pieces

CONTENTS

1 liter

PIECES/ OUTER BOX

10 pieces



ORANGE FOAM PAD (ART. POL10 | POL50)

Orange foam polishing pad for correcting coarser to medium paint defects. Suitable for removing swirl marks, light scratches and oxidation on painted surfaces. Combined with a polishing compound, it delivers an even, glossy final result.


- Suitable for coarser polishing and correction work
- Open structure for optimal control and performance
- Ensures an even and professional final finish
- Widely usable in various polishing steps



GREEN FOAM PAD (ART. POL20 | POL60)

Green foam polishing pad for medium polishing work and refining paint surfaces. Suitable for removing light haze, micro-scratches and holograms. Combined with a fine polish, it delivers a deep, glossy and even final result.

- Ideal for polishing dull and weathered paint
- Removes medium and small scratches and refines the surface
- Increases gloss and depth in the paint
- Open structure for controlled, smooth working
- Ensures an even final finish



YELLOW FOAM PAD (ART. POL30 | POL70)

Yellow waffled foam polishing pad for more intensive polishing work and correcting visible paint defects. The waffled structure reduces heat build-up and ensures even processing. Suitable for removing swirls, scratches and oxidation.

- Ensures a high gloss and mirror-like final finish
- Waffle foam structure for optimal heat control
- Removes light scratches and oxidation
- Supports even distribution of polish
- Suitable for gloss optimization and controlled paint correction

DIMENSION

ø 150 - 30 mm (POL10)
ø 80 - 25 mm (POL50)

PACKAGING

2 pieces
5 pieces

DIMENSION

ø 150 - 30 mm (POL20)
ø 80 - 25 mm (POL60)

PACKAGING

2 pieces
5 pieces

DIMENSION

ø 150 - 30 mm (POL30)
ø 80 - 25 mm (POL70)

PACKAGING

2 pieces
5 pieces



BLACK FOAM PAD (ART. POL40 | POL80)

Black waffle-textured foam polishing pad for fine finishing and bringing painted surfaces to a high gloss. The soft waffle structure limits heat build-up and ensures even application. Ideal for removing light holograms and fine imperfections.

- ▶ Soft foam pad for removing holograms
- ▶ Ensures a deep high gloss and mirror-like finish
- ▶ Waffle structure reduces heat build-up during polishing
- ▶ Ideal for finishing with fine polish
- ▶ Refines the surface without aggressive correction
- ▶ Ensures a smooth and even final result

DIMENSION

ø 150 - 30 mm (POL40)
ø 80 - 25 mm (POL80)

PACKAGING

2 pieces
5 pieces



SUPERIOR MICROFIBER CLOTH (ART. SMC40)

High-quality microfibre cloth with extra-long fibres for absorbing polishing compounds, polish and wax. The ultrasonically cut edge helps prevent scratches on sensitive surfaces, while the cloth efficiently attracts and retains dust and dirt.

- ▶ High-quality microfibre cloth, 550 g/m²
- ▶ 80% polyester / 20% polyamide
- ▶ Ultrasonically cut edges for scratch-free use
- ▶ Ideal for removing polish residue and cleaning interior/exterior
- ▶ Ensures a high gloss and attracts dust and dirt

DIMENSION

40 x 40 cm

PACKAGING

3 pieces



POLISHING CLOTHS (ART. PD10)

Silicone-free polishing cloths with a soft texture for use in and around the spray booth. Suitable for cleaning painted and plastic parts, as well as removing polishing residue, dust and fingerprints without scratching.

- ▶ Silicone-free and suitable for paint preparation
- ▶ Soft, low-lint structure for scratch-free cleaning
- ▶ Suitable for degreasing and removing polish residue
- ▶ Removes dust, fingerprints and stains
- ▶ Also suitable for interior cleaning

DIMENSION

32 x 36 cm

PACKAGING

400 pieces



MULTI FOAM CLEANER (ART. MFC750)

Multifunctional foam cleaner for cleaning soft and hard surfaces, both indoors and outdoors. Leaves a fresh scent and ensures a stain- and residue-free finish. Silicone-free and safe to use on most surfaces.

- Powerful foam cleaner for various surfaces
- Effectively removes dirt, grease and stains
- Suitable for interior, plastic, glass and paintwork
- Fast-drying and easy to use
- Leaves a streak-free result

CONTENTS

750 ml

PIECES/ OUTER BOX

12 pieces



CLEANING PAPER (ART. PB30 | PW20)

Versatile 2-ply (white) and 3-ply (blue) cleaning paper with high absorbency for fast and efficient cleaning. Ideal for controlled preparation and maintenance without reusing cloths.

- Strong and highly absorbent wiping paper
- Suitable for water, oil, grease and dirt
- Low-lint and tear-resistant
- Ideal for daily and intensive cleaning tasks
- Available in 2-ply and 3-ply versions

DIMENSION

38 x 37 cm - blue (PB30)
38 x 28 cm - white (PW20)

PACKAGING

500 pieces
1000 pieces



CLEANING CLOTHS (ART. RD10 | RD20)

Cleaning cloths with high absorbency and a soft structure for comfortable use. Ideal for degreasing and cleaning with solvents, oil and other contamination in the workshop and bodywork.

- Low linting and soft in use
- High absorption of water, oil and solvents
- Usable wet and dry
- Silicone-free and solvent-resistant
- Chamois effect with absorption up to 8x its own weight

DIMENSION

38 x 32 cm on a roll (RD10)
42 x 40 cm on sheet (RD20)

PACKAGING

500 pieces
12 packs x 35 pieces



CELLULOSE THINNER

(ART. CT01 | CT05 | CT25)

Powerful thinner for diluting cellulose paint and cleaning spray guns, brushes and tools. Suitable for removing paint, glue and other stubborn residues.

- Specially developed for cleaning paint spray guns
- Compatible with manual and automatic gun cleaners
- Ensures fast and thorough cleaning



PREMIUM CELLULOSE THINNER

(ART. PCT24)

Professional cellulose thinner for diluting cellulose paint and cleaning spray guns, paint brushes and tools. Suitable for removing glue and paint residue. Based on aromatics and ketones.

- 100% pure cellulose thinner
- Suitable for thinning paint and coatings
- Ideal for cleaning guns and tools
- Effectively removes adhesive residue
- Helps reduce orange peel



H²O GUN SHAMPOO (ART. GS20)

Water-based cleaning shampoo for automatic and manual cleaning of spray guns used with waterborne paints. Ensures low consumption, strong waste reduction and cost-efficient operation. Coagulable up to 10 times and environmentally friendly without compromising on cleaning performance.

- Specially developed for cleaning guns used with waterborne paints
- No coagulation required
- Suitable for manual and automatic gun cleaners
- Ensures fast and efficient cleaning within 5 minutes

CONTENTS

1 liter (CT01)
5 liter (CT05)
25 liter (CT25)



CONTENTS

24 liter

CONTENTS

20 liter





HEADLAMP RESTAURATION KIT (ART. HRK600 | HRP600)

Headlight repair kit for professionally restoring and refreshing weathered, yellowed or dull plastic headlights. Helps restore the clarity and original appearance of the headlight. Suitable for bodyshops, detailing and garage workshops.

- ▶ Restores dull, yellowed and oxidized headlights
- ▶ Removes light scratches and restores clarity
- ▶ Easy and quick to apply
- ▶ Protects against UV radiation
- ▶ Extends the service life of headlights and can be used preventively
- ▶ Refill headlamp restoration polymer 600 ml also available separately (ART. HRP600)

CONTENTS

1 x headlight repair fluid
1 x spray cup
1 x hose spray cap
1 x curved spray cap
2 x sealing ring
1 x 200 cm power cord

PACKAGING

Per piece



- 1. DEGREASING** Clean the headlight with Gerko degreaser and dry with Gerko degreasing wipes.
- 2. MASKING** Use masking tape to protect nearby painted surfaces.
- 3. SANDING AND CLEANING** Sand with Gerko sanding discs. Follow the steps below: P320/P500/P800/P1000/P1200/P1500. Clean the surface to ensure the entire headlight is sanded evenly.
- 4. ADD POLYMER** Add headlight restoration polymer up to half of the evaporator and cover with the cap.
- 5. CONNECTING AND HEATING** Connect the cup and heat for approximately 5 minutes until steam comes out of the cap.
- 6. EVAPORATE** Start evaporating at 1 cm distance from the headlight, applying from the bottle towards the top until the headlight becomes clear. Make sure the nozzle opening is pointed upwards to prevent steam from turning into water droplets. Keep your face at least 40 cm away from the nozzle opening.
- 7. SWITCH OFF AND COOL** Switch off after use. Wait 5 minutes for the polymer to cool down, then pour the remaining liquid back into the bottle.



PAINT TOUCH-UP STICKS (ART. PTUS10 | PTUS15 | PTUS20)

Paint touch-up sticks for retouching small paint damage. Available in 3 different thicknesses.

- ▶ 100 touch-up sticks in a convenient dust-free dispenser tube
- ▶ Ideal for small paint repairs and touch-ups
- ▶ Suitable for basecoat, clear coat and primer
- ▶ Lint-free, non-absorbent tip for precise work
- ▶ Also suitable for cleaning small parts and removing dust

VERSION

Very fine - 1,0 mm (PTUS10) ●
 Fine - 1,5 mm (PTUS15) ●
 Regular - 2,0 mm (PTUS20) ●

PACKAGING

100 pieces



DUST NOZZLE SET (ART. DNS10 | RDN10)

Dust nozzle set for precisely removing dust inclusions and small imperfections in painted surfaces. The fine needle tips allow local corrections without damaging the surrounding paint surface. Ideal before polishing the surface.

- ▶ Dust nozzle set with pen holder and 10 dust needles
- ▶ Microscopic hooks remove dust without damage
- ▶ Ideal for removing dust particles from wet paint
- ▶ The paint flows and seals itself automatically due to surface tension
- ▶ Packed in convenient blister packaging
- ▶ Refill set dust needles 10 pieces in blister pack also available separately (ART. RDN10)

CONTENTS

1 set of dust needle refills
 1 x aluminium pen for dust removal
 1 x pencil box

PACKAGING

Per piece



SPRAY BOOTH

The spray booth is a crucial environment in automotive body repair where work can be carried out dust-free and under controlled conditions to achieve a perfect paint result. Good preparation and protection of the booth contribute to an efficient workflow and a high-quality finish.

Within this category you will find products such as trestles, booth coatings, booth filters and masking film for the spray booth. These products help protect the booth, reduce dust particles and optimally position parts during the painting process.





ko
PRODUCTS



GERKO
PAINT RELATED PRODUCTS



TRESTLES

Professional trestles and stands for safely positioning parts during painting and preparation work. The range includes butterfly trestles, X-trestles, portal rotating panel stand, telescopic universal stands and rim holders for an efficient and stable working position.



WHEEL RIM HOLDER (ART. WRH)



TELESCOPIC UNIVERSAL STAND (ART. TUS10)

Telescopic universal stand for stable support of body parts during preparation, painting and drying. Height-adjustable and suitable for various parts and applications in automotive body repair.

- ▶ Ideal for car windows and panel repairs
- ▶ Easy to move around the workshop
- ▶ Vertically and horizontally adjustable
- ▶ Rubber cover plates protect parts during repair
- ▶ Ensures comfortable and efficient working

PACKAGING

Per piece



BUTTERFLY TRESTLE (ART. PS10)

Robust butterfly trestle with PU foam protection for supporting doors, wings, bonnets and bumpers. Ideal for preparation work, sanding and painting without damaging the surface.

- Foldable trestle with adjustable height and width
- Equipped with 2 chains for easy adjustment
- Extra bar for stable attachment of the feet
- High quality and durability



X-TRESTLE (ART. PS20)

Adjustable X-stand for supporting and storing bumpers during preparation and painting work. Thanks to the extendable arms, suitable for various bumper types and sizes.

- Universal trestle with adjustable height
- Includes bumper supports
- Foldable for easy storage
- Sturdy K/D construction



PORTAL ROTATING PANEL STAND (ART. PS30)

Rotating gantry stand for supporting doors, bonnets, bumpers and other body parts. Equipped with adjustable and rotatable supports for flexible positioning during preparation and painting work.

- Mobile panel stand with rotating and lockable central axis
- Adjustable to different working angles
- Includes extensions for mounting 2 doors
- Sturdy construction and easy to move

PACKAGING

Per piece

PACKAGING

Per piece

PACKAGING

Per piece



SPRAY BOOTH CEILING FILTER (ART. CF)

Premium ceiling filter with progressive build-up for professional filtration in spray booths. Ensures high filtration efficiency and stable dust particle capture thanks to the treated synthetic fibers with durable adhesive strength.

- High-quality filter material made of break-resistant synthetic fibers
- Ensures even air distribution and filtration
- Essential for a dust-free and flawless paint process
- Filter class EN779 / UL900: M5-M6
- Thickness: 25 mm – 600 g/m²
- Initial resistance: 25 Pa / final resistance: 400 Pa



PAINTSTOP FILTERS (ART. PTS)

High-quality Paintstop filter for efficiently capturing overspray and dust in spray booths. The progressive fiberglass structure ensures high capture capacity, low pressure drop and a long service life. Made of non-flammable material and suitable for professional use.

- High capture capacity for overspray and dust
- Prevents rapid clogging of the ventilation system
- Average mist capture efficiency of 93 – 97 %
- Temperature-resistant up to 170 °C
- Compliant with DIN53438-F1 standard
- Thickness of 76 mm, rolls of 20 m



SPRAY BOOTH MASKING FILM 4 IN 1 (ART. SBMF4)

Keep your spray booth clean for longer with this innovative 4-in-1 masking film. Thanks to its four protective layers, a single application provides long-lasting protection against paint mist and overspray.

- 4 protective layers for 4x longer protection
- Protects spray booth walls against overspray and paint mist
- Can be applied by one person in just 10 minutes
- High-quality masking tape, heat-resistant up to 140°C
- Electrostatic for easy placement and dust binding
- Corona treatment for optimal paint adhesion
- Pre-cut layers for quick and tear-free removal
- Less maintenance, less downtime and lower labour costs

DIMENSION

0,5 m x 20 m (CF50)
1 m x 20 m (CF100)
1,5 m x 20 m (CF150)
2 m x 20 m (CF200)
Price per m² (CF)

PACKAGING

Per piece

DIMENSION

0,5 m x 20 m (PTS50)
0,6 m x 20 m (PTS60)
0,7 m x 20 m (PTS70)
0,76 m x 20 m (PTS76)
0,8 m x 20 m (PTS80)
0,9 m x 20 m (PTS90)

1 m x 20 m (PTS100)
1,2 m x 20 m (PTS120)
1,5 m x 20 m (PTS150)
2 m x 20 m (PTS200)

PACKAGING

Per piece

DIMENSION

2,40 m x 18 m

PACKAGING

Per piece



CABINE COATING PRO (ART. CCP05 | CCP25)

Transparent, temporary and washable adhesive coating for protecting spray booth walls against overspray. Ensures a clean working environment and helps limit contamination in the booth.

- Binds airborne dust particles thanks to its adhesive properties
- Contaminated coating easily removed with warm water
- Biodegradable and silicone-free
- Temperature-resistant up to 65 °C

CONTENTS

5 liter (CCP05)
25 liter (CCP25)

PACKAGING

Per piece



DUST CONTROL (ART. DC05 | DC10 | DC25)

Transparent, water-based coating for floors in spray booths and preparation areas. Binds dust and dirt so that dust particles stay close to the ground. Ready to use and easy to apply with a pressure spray atomiser.

- Ionising action instantly attracts dust and holds it in place
- Suitable for walls and floors
- Water-removable and water-borne
- Biodegradable, non-toxic and silicone-free
- Saves cleaning time and is economical in use
- Temperature-resistant up to 80 °C

CONTENTS

5 liter (DC05)
10 liter (DC10)
25 liter (DC25)

PACKAGING

Per piece





INFRARED PAINT DRYER WITH 1 CASSETTE (ART. ICL10)

Speed up the drying and curing process of putty, primer, basecoat and clear coat with powerful short-wave infrared technology. The direct heat transfer ensures faster curing, lower energy consumption and higher productivity.

- ▶ Single 1 kW short-wave infrared cassette
- ▶ Compact, ideal for SMART repair
- ▶ Drying surface up to 600 × 500 mm
- ▶ Suitable for putty, primer, basecoat and clear coat
- ▶ Shortens drying times and increases productivity
- ▶ Height-adjustable and easy to position
- ▶ 230 V, ready for immediate use

PACKAGING

Per piece



INFRARED PAINT DRYER WITH 2 CASSETTES (ART. ICL20)

Speed up the drying and curing process of putty, primer, basecoat and clear coat with powerful short-wave infrared technology. The direct heat transfer ensures faster curing, lower energy consumption and higher productivity.

- ▶ Dual 2 kW short-wave infrared cassettes
- ▶ Drying surface up to 1000 × 1200 mm
- ▶ Adjustable temperature from 0–100°C
- ▶ Height-adjustable (250–2500 mm)
- ▶ Easy to position above the vehicle
- ▶ Suitable for putty, primer, basecoat and clear coat
- ▶ Even heat distribution for optimal drying
- ▶ 230 V, ready for immediate use

PACKAGING

Per piece

BESTSELLER



INFRARED PAINT DRYER WITH 3 CASSETTES (ART. ICL30)

Speed up the drying and curing process of putty, primer, basecoat and clear coat with powerful short-wave infrared technology. The direct heat transfer ensures faster curing, lower energy consumption and higher productivity.

- ▶ Three-head 3 kW version for large body panels
- ▶ Drying surface up to 2000 × 2000 mm
- ▶ Adjustable temperature from 0–100°C
- ▶ Height-adjustable (400–2500 mm)
- ▶ Intelligent LCD display with drying programmes
- ▶ Automatic distance and temperature control
- ▶ Robust, mobile design
- ▶ 230 V, ready for immediate use

INFRARED LAMP 1000 WATT 33 CM & 48 CM (ART. ILF33 | ILF48)

Replacement infrared lamps for Gerko paint dryers. Ideal for replacing worn lamps and maintaining optimal drying performance.

- ▶ Replacement lamps 33 cm for [ART. ICL10](#)
- ▶ Replacement lamps 48 cm for [ART. ICL20 and ICL30](#)

PACKAGING

Per piece

DIMENSION

33 cm ([ILF33](#))
48 cm ([ILF48](#))

PACKAGING

Per piece



SHIRT BLUE (ART. SHB)



POLO SHIRT (ART. PL)



PEN (ART.P01)



SHIRT WHITE (ART. SHW)



T-SHIRT (ART. TS)



SWEATER (ART.SW)

SIZE BLUE

S (SHB01)
M (SHB02)
L (SHB03)
XL (SHB04)
XXL (SHB05)

SIZE WHITE

S (SHW01)
M (SHW02)
L (SHW03)
XL (SHW04)
XXL (SHW05)

SIZE T-SHIRT

M (TS01)
L (TS02)
XL (TS03)
XXL (TS04)

SIZE POLO

S (PL01)
M (PL02)
L (PL03)
XL (PL04)
XXL (PL05)

SIZE

M (SW01)
L (SW02)
XL (SW03)
XXL (SW04)



ROLL-UP BANNER 1
(ART. RUB01)

DIMENSION
100 x 200 cm



ROLL-UP BANNER 2
(ART. RUB02)

DIMENSION
100 x 200 cm



ROLL-UP BANNER 3
(ART. RUB03)

DIMENSION
100 x 200 cm



RACKS (ART. REK)

DIMENSION
H 220 x W 95 x D 53 cm (REK01)
H 220 x W 95 x D 53 cm (REK02) -
rack extension module

3 SANDING

MACHINE SANDING

SPI0040	Infinity sanding discs ø 150 - P40
SPI0060	Infinity sanding discs ø 150 - P60
SPI0080	Infinity sanding discs ø 150 - P80
SPI0120	Infinity sanding discs ø 150 - P120
SPI0180	Infinity sanding discs ø 150 - P180
SPI0220	Infinity sanding discs ø 150 - P220
SPI0240	Infinity sanding discs ø 150 - P240
SPI0320	Infinity sanding discs ø 150 - P320
SPI0400	Infinity sanding discs ø 150 - P400
SPI0500	Infinity sanding discs ø 150 - P500
SPI0600	Infinity sanding discs ø 150 - P600
SPI0800	Infinity sanding discs ø 150 - P800
SPI1000	Infinity sanding discs ø 150 - P1000
SPG0040	Green sanding discs ø 150 - P40
SPG0060	Green sanding discs ø 150 - P60
SPG0080	Green sanding discs ø 150 - P80
SPG0120	Green sanding discs ø 150 - P120
SPG0150	Green sanding discs ø 150 - P150
SPG0180	Green sanding discs ø 150 - P180
SPG0220	Green sanding discs ø 150 - P220
SPG0240	Green sanding discs ø 150 - P240
SPG0280	Green sanding discs ø 150 - P280
SPG0320	Green sanding discs ø 150 - P320
SPG0360	Green sanding discs ø 150 - P360
SPG0400	Green sanding discs ø 150 - P400
SPG0500	Green sanding discs ø 150 - P500
SPG0600	Green sanding discs ø 150 - P600
SPG0800	Green sanding discs ø 150 - P800
SPG1000	Green sanding discs ø 150 - P1000
SPG1200	Green sanding discs ø 150 - P1200
SPG1500	Green sanding discs ø 150 - P1500
SPG2000	Green sanding discs ø 150 - P2000
SPC0040	Blue ceramic sanding discs ø 150 - P40
SPC0060	Blue ceramic sanding discs ø 150 - P60
SPC0080	Blue ceramic sanding discs ø 150 - P80
SPC0120	Blue ceramic sanding discs ø 150 - P120
SPC0150	Blue ceramic sanding discs ø 150 - P150
SPC0180	Blue ceramic sanding discs ø 150 - P180
SPC0220	Blue ceramic sanding discs ø 150 - P220
SPC0240	Blue ceramic sanding discs ø 150 - P240
SPC0280	Blue ceramic sanding discs ø 150 - P280
SPC0320	Blue ceramic sanding discs ø 150 - P320
SPC0400	Blue ceramic sanding discs ø 150 - P400

P38	SPC0500	Blue ceramic sanding discs ø 150 - P500
P40	SPC0600	Blue ceramic sanding discs ø 150 - P600
P40	SPC0800	Blue ceramic sanding discs ø 150 - P800
P40	TFS3000	Triflex foam sanding discs ø 75 - P3000
P40	TFS5000	Triflex foam sanding discs ø 75 - P5000
P40	TFB3000	Triflex foam sanding discs ø 150 - P3000
P40	TFB5000	Triflex foam sanding discs ø 150 - P5000
P40	IFD0600	Infinity foam sanding discs ø 150 - P600
P40	IFD0800	Infinity foam sanding discs ø 150 - P800
P40	IFD1000	Infinity foam sanding discs ø 150 - P1000
P40	IFD1200	Infinity foam sanding discs ø 150 - P1200
P40	IFD1500	Infinity foam sanding discs ø 150 - P1500
P40	IFD2000	Infinity foam sanding discs ø 150 - P2000
P40	FD10	Foam sanding discs ø 150 - P240 - P32
P40	FD20	Foam sanding discs ø 150 - P500 - P600
P41	FD30	Foam sanding discs ø 150 - P800 - P1000
P41	FD40	Foam sanding discs ø 150 - P1200 - P1500
P41	QCD36	Quick-change sanding discs ø 50 - P36
P41	QCD50	Quick-change sanding discs ø 50 - P50
P41	QCD80	Quick-change sanding discs ø 50 - P80
P41	SANDING BY HAND	
P41	SB198	Sanding blocks with extraction 70 x 198 mm
P41	SB320	Sanding blocks with extraction 115 x 230 mm
P41	SB420	Sanding blocks with extraction 70 x 420 mm
P41	INR080	Infinity net roll 70 mm x 12 m - P80
P41	INR120	Infinity net roll 70 mm x 12 m - P120
P41	INR150	Infinity net roll 70 mm x 12 m - P150
P41	INR180	Infinity net roll 70 mm x 12 m - P180
P41	INR240	Infinity net roll 70 mm x 12 m - P240
P41	INR320	Infinity net roll 70 mm x 12 m - P320
P41	INR400	Infinity net roll 70 mm x 12 m - P400
P41	SRI080	Infinity sanding sheet roll 70 mm x 12 m - P80
P41	SRI120	Infinity sanding sheet roll 70 mm x 12 m - P120
P41	SRI150	Infinity sanding sheet roll 70 mm x 12 m - P150
P41	SRI180	Infinity sanding sheet roll 70 mm x 12 m - P180
P41	SRI240	Infinity sanding sheet roll 70 mm x 12 m - P240
P41	SRI320	Infinity sanding sheet roll 70 mm x 12 m - P320
P41	SRI400	Infinity sanding sheet roll 70 mm x 12 m - P400
P41	SCB060	Blue ceramic sanding strips 70 x 198 mm - P60
P41	SCB080	Blue ceramic sanding strips 70 x 198 mm - P80
P41	SCB120	Blue ceramic sanding strips 70 x 198 mm - P120
P41	SCB150	Blue ceramic sanding strips 70 x 198 mm - P150
P41	SCB180	Blue ceramic sanding strips 70 x 198 mm - P180
P41	SCB240	Blue ceramic sanding strips 70 x 198 mm - P240
P41	SCB320	Blue ceramic sanding strips 70 x 198 mm - P320

REGISTER | PRODUCT CODES

P41	SCB400	Blue ceramic sanding strips 70 x 198 mm - P400	P45
P41	SCC060	Blue ceramic sanding strips 115 x 230 mm - P60	P45
P41	SCC080	Blue ceramic sanding strips 115 x 230 mm - P80	P45
P42	SCC120	Blue ceramic sanding strips 115 x 230 mm - P120	P45
P42	SCC150	Blue ceramic sanding strips 115 x 230 mm - P150	P45
P42	SCC180	Blue ceramic sanding strips 115 x 230 mm - P180	P45
P42	SCC240	Blue ceramic sanding strips 115 x 230 mm - P240	P45
P42	SCC320	Blue ceramic sanding strips 115 x 230 mm - P320	P45
P42	SCC400	Blue ceramic sanding strips 115 x 230 mm - P400	P45
P42	SCD060	Blue ceramic sanding strips 70 x 420 mm - P60	P45
P42	SCD080	Blue ceramic sanding strips 70 x 420 mm - P80	P45
P42	SCD120	Blue ceramic sanding strips 70 x 420 mm - P120	P45
P42	SCD150	Blue ceramic sanding strips 70 x 420 mm - P150	P45
P43	SCD180	Blue ceramic sanding strips 70 x 420 mm - P180	P45
P43	SCD240	Blue ceramic sanding strips 70 x 420 mm - P240	P45
P43	SCD320	Blue ceramic sanding strips 70 x 420 mm - P320	P45
P43	SCD400	Blue ceramic sanding strips 70 x 420 mm - P400	P45
P43	ISP0800	Infinity sanding film pads 35 x 28 mm - P800	P46
P43	ISP1000	Infinity sanding film pads 35 x 28 mm - P1000	P46
P43	ISP1200	Infinity sanding film pads 35 x 28 mm - P1200	P46
P44	ISP1500	Infinity sanding film pads 35 x 28 mm - P1500	P46
P44	ISP2000	Infinity sanding film pads 35 x 28 mm - P2000	P46
P44	ISP2500	Infinity sanding film pads 35 x 28 mm - P2500	P46
P44	SB35	Sanding block 35 x 28 mm	P46
P45	SR0150	Soft flex abrasive 115 mm x 25 m - P150	P46
P45	SR0240	Soft flex abrasive 115 mm x 25 m - P240	P46
P45	SR0320	Soft flex abrasive 115 mm x 25 m - P320	P46
P45	SR0400	Soft flex abrasive 115 mm x 25 m - P400	P46
P45	SR0500	Soft flex abrasive 115 mm x 25 m - P500	P46
P45	SR0600	Soft flex abrasive 115 mm x 25 m - P600	P46
P45	SR0800	Soft flex abrasive 115 mm x 25 m - P800	P46
P45	SR1000	Soft flex abrasive 115 mm x 25 m - P1000	P46
P45	WDS0080	Wet & dry sanding sheets 230 x 280 mm - P80	P48
P45	WDS0120	Wet & dry sanding sheets 230 x 280 mm - P120	P48
P45	WDS0150	Wet & dry sanding sheets 230 x 280 mm - P150	P48
P45	WDS0220	Wet & dry sanding sheets 230 x 280 mm - P220	P48
P45	WDS0240	Wet & dry sanding sheets 230 x 280 mm - P240	P48
P45	WDS0320	Wet & dry sanding sheets 230 x 280 mm - P320	P48
P45	WDS0400	Wet & dry sanding sheets 230 x 280 mm - P400	P48
P45	WDS0600	Wet & dry sanding sheets 230 x 280 mm - P600	P48
P45	WDS0800	Wet & dry sanding sheets 230 x 280 mm - P800	P48
P45	WDS1000	Wet & dry sanding sheets 230 x 280 mm - P1000	P48
P45	WDS1200	Wet & dry sanding sheets 230 x 280 mm - P1200	P48
P45	WDS1500	Wet & dry sanding sheets 230 x 280 mm - P1500	P48
P45	WDS2000	Wet & dry sanding sheets 230 x 280 mm - P2000	P48

WDS2500	Wet & dry sanding sheets 230 x 280 mm - P2500
MESP50	Double-sided sanding sponges medium - P120 - P180
FISP50	Double-sided sanding sponges fine - P240 - P320
SUSP50	Double-sided sanding sponges super fine - P500 - P600
ULSP50	Double-sided sanding sponges ultra fine - P800 - P1000
MISP50	Double-sided sanding sponges micro fine - P1200 - P1500
SB01	Scuff rolls red 115 mm x 10 m - P360
SB02	Scuff rolls grey 115 mm x 10 m - P1500
SB03	Scuff rolls gold 115 mm x 10 m - P2000
MC1	Matting compound 1 kg

MACHINES & ACCESSORIES

CP150	Control powder 150 gr. with applicator
ESM05	Electric sanding machine ø 150 - 5 mm orbit
ESM25	Electric sanding machine ø 150 - 2,5 mm orbit
ESM70	Electric sanding machine 70 x 198 mm
SM05	Pneumatic sanding machine ø 150 - 5 mm orbit
SM06	Pneumatic sanding machine ø 150 - 2,5 mm orbit
BP150	Sanding pad medium
BP70	Sanding pad 70 x 198 mm
IP05	Soft interface pad velcro ø 150 - 5 mm
IP10	Soft interface pad velcro ø 150 - 10 mm
VC1000	Mobile vacuum cleaner with automatic filter cleaning M-class 40 L
YCON	Y connector for vacuum cleaner
HF10	HEPA filter
DB05	Non-woven dust bag
VCP567	Vacuum cleaner hose 4,7 m
WS10	Workstation for vacuum cleaner

4 PUTTIES

PUTTY

PC20	Polycream putty 2 kg
MG14	Multi green putty cartridge 1,4 kg
MG16	Multi green putty 1,6 kg
MF10	Multi blue putty 1,6 kg
MF30	Multi blue putty 3 liter
EG10	Easygo putty 3 liter
FP18	Fiber putty 1,8 kg
UF20	Uniflex putty 1,8 kg
TR20	Tin replacer putty 2 kg
AP18	Aluminium putty 1,8 kg
TG850	Turbo glaze finishing putty 850 ml
SP12	Spray putty 1,2 kg

ACCESSORIES

MS04	Metal spreaders 4 pieces
PMR20	Rubber spreaders 20 pieces

P48	PS50	Plastic spatulas 50 pieces
P48	MB100	Mixing board 100 sheets
P48	DUV15	Dispenser for putty 1,4 kg
P48	HFP50	Tube of hardener for putty 50 gr

5 GLUES & ADHESIVES

PLASTIC REPAIR & METAL BONDING

P49	SPR50	Applicator gun for plastic repair 50 ml
P49	PR01	Plastic repair fast (30 sec) 50 ml
P49	PR02	Plastic repair medium (90 sec) 50 ml
P50	PR03	Plastic repair medium (50 sec) 25 ml
P50	MB50	Metal bonding MMA 50 ml
P52	PBA195	Panel bonding adhesive 195 ml

SEALANTS

P52	SS10	Seam sealer MS polymer white 290 ml
P53	SS20	Seam sealer MS polymer grey 290 ml
P53	SS30	Seam sealer MS polymer black 290 ml
P53	SCB10	Screenbond MS polymer black 290 ml
P53	BSS10	Brushable seam sealer 1 kg
P53	NB30	Nylon brush
P53	IG20	Instant glue 20 gr

OTHER

P54	MT150	Mixer tips for plastic repair 50 ml
P54	MT195	Mixer tips for metal bonding 195 ml
P54	REP100	Rubber eraser pad ø 100 - 25 mm
P54	REP200	Rubber eraser pad ø 88 - 15 mm
P54		

6 PAINT PREPARATION

SPRAY GUNS & ACCESSORIES

P56	PRSG	Pressure regulator
P60	SPSG-0.8	Smart performance spray gun HVLP 0.8 nozzle set
P60	SPSG-1.0	Smart performance spray gun HVLP 1.0 nozzle set
P60	SPSG-1.2	Smart performance spray gun HVLP 1.2 nozzle set
P60	NS-0.8SPSG	0.8 nozzle set HVLP for smart performance spray gun
P60	NS-1.0SPSG	1.0 nozzle set HVLP for smart performance spray gun
P61	NS-1.2SPSG	1.2 nozzle set HVLP for smart performance spray gun
P61	ACSPSG	Air control replacement kit for smart performance spray gun
P61	PCSPSG	Pattern control assembly for smart performance spray gun
P62	MKSPSG	Maintenance kit for smart performance spray gun
P62	PSG-1.3	Performance pro spray gun HVLP 1.3 nozzle set
P62	PSG-1.4	Performance pro spray gun HVLP 1.4 nozzle set
P63	PSG-1.6	Performance pro spray gun HVLP 1.6 nozzle set
P63	PSG-1.8	Performance pro spray gun HVLP 1.8 nozzle set
P63	PSG-2.0	Performance pro spray gun HVLP 2.0 nozzle set
P63	PSG-2.5	Performance pro spray gun HVLP 2.5 nozzle set

P63	NS-1.3PSG	1.3 nozzle set HVLP for performance pro spray gun	P73
P63	NS-1.4PSG	1.4 nozzle set HVLP for performance pro spray gun	P73
P63	NS-1.6PSG	1.6 nozzle set HVLP for performance pro spray gun	P73
P63	NS-1.8PSG	1.8 nozzle set HVLP for performance pro spray gun	P73
	NS-2.0PSG	2.0 nozzle set HVLP for performance pro spray gun	P73
P64	NS-2.5PSG	2.5 nozzle set HVLP for performance pro spray gun	P73
P65	ACPSG	Air control replacement kit for performance pro spray gun	P73
P66	PCPSG	Pattern control assembly performance pro spray gun	P73
P66	MKPSG	Maintenance kit performance pro spray gun	P73
P66	E1SG-1.2	Elite1 spray gun HVLP 1.2 nozzle set	P73
P66	E1SG-1.3	Elite1 spray gun HVLP 1.2 nozzle set	P73
P67	E1SG-1.4	Elite1 spray gun HVLP 1.2 nozzle set	P73
P67	E1SG-1.8	Elite1 spray gun HVLP 1.2 nozzle set	P73
P68	NS-1.2E1SG	1.2 nozzle set HVLP for elite1 spray gun	P73
P68	NS-1.3E1SG	1.3 nozzle set HVLP for elite1 spray gun	P73
P68	NS-1.4E1SG	1.4 nozzle set HVLP for elite1 spray gun	P73
P68	NS-1.6E1SG	1.6 nozzle set HVLP for elite1 spray gun	P73
P68	NS-1.8E1SG	1.8 nozzle set HVLP for elite1 spray gun	P73
P68	ACE1SG	Air control replacement kit for elite1 spray gun	P73
P68	PCE1SG	Pattern control assembly for elite1 spray gun	P73
P68	MKE1SG	Maintenance kit for elite1 spray gun	P73
P69	SGCK23	Spray gun cleaning kit	P74
P69	C100	Gravity cup 100 ml	P74
P69	C600	Gravity cup 600 ml	P74
P69	C600UV	Gravity cup UV 600 ml	P74
P69	MIXING CUPS		P75
	GML0400-V	Lids for mixing cups 400 ml	P75
P70	GML0700-V	Lids for mixing cups 700 ml	P75
P72	GML1400-V	Lids for mixing cups 1400 ml	P75
P72	GML2300-V	Lids for mixing cups 2300 ml	P75
P72	GML5000	Lids for mixing cups 5000 ml	P75
P72	GMX0400-V	Mixing cups 400 ml	P75
P72	GMX0700-V	Mixing cups 700 ml	P75
P72	GMX1400-V	Mixing cups 1400 ml	P75
P72	GMX2300-V	Mixing cups 2300 ml	P75
P72	GMX5000	Mixing cups 5000 ml	P75
P72	MXSET	Dispenser set for mixing cups	P75
P72	PAINT CORRECTION		P76
P72	MP20-S	Mixing sticks S-shape 20 cm	P76
P73	MP30	Mixing sticks 30 cm	P76
P73	VF125	Nylon paint strainers blue - 125 µm	P76
P73	VF190	Nylon paint strainers red - 190 µm	P76
P73	VF280	Nylon paint strainers green - 280 µm	P76
P73	MSC10	Metal spray cards white	P76
P73	MSC20	Metal spray cards grey	P76

MSC30	Metal spray cards dark grey
MSCH10	Metal spray card holder
TUB20	Touch-up bottle 20 ml
TUB50	Touch-up bottle 50 ml
TUP20	Touch-up bottle + pen 20 ml

EQUIPMENT

CIL03	Colour inspection lamp
IZG10	Ionizer gun

DEGREASING

WD05	Water-based degreaser 5 liter
WD25	Water-based degreaser 25 liter
OS01	Solvent-based degreaser 1 liter
OS05	Solvent-based degreaser 5 liter
OS05-F	Solvent-based degreaser fast 5 liter
OS25	Solvent-based degreaser 25 liter
OD10	Degreasing cloths 42 x 30 cm
HV15	Superior pressure sprayer 1,5 L
HV10	Pressure sprayer 1 L
CC05	Assortment of coloured caps - 5 pieces

TACK RAGS

TR10	Tack rags 45 x 45 cm
TR50	Ruffled tack rags 80 x 90 cm
TCW20	Water-based tack cloths 43 x 31 cm

7 PAINTING

CLEAR COATS + HARDENERS

MC10	2:1 matt clear coat 1 liter
HMC05	2:1 hardener for matte clear coat 500 ml
CD05-1	Diamond clear coat 1 liter
CD05-5	Diamond clear coat 5 liter
HSCD-0,5	Diamond hardener slow 0,5 liter
HNCD-0,5	Diamond hardener normal 0,5 liter
HFCD-0,5	Diamond hardener fast 0,5 liter
HSCD-2,5	Diamond hardener slow 2,5 liter
HNCD-2,5	Diamond hardener normal 2,5 liter
HFCD-2,5	Diamond hardener fast 2,5 liter
CC10-1	Cristal clear coat UHS 1 liter
CC10-5	Cristal clear coat UHS 5 liter
HSCC-0,5	Cristal hardener UHS slow 0,5 liter
HNCC-0,5	Cristal hardener UHS normal 0,5 liter
HFCC-0,5	Cristal hardener UHS fast 0,5 liter
HSCC-2,5	Cristal hardener UHS slow 2,5 liter
HNCC-2,5	Cristal hardener UHS normal 2,5 liter
HFCC-2,5	Cristal hardener UHS fast 2,5 liter
CS10-1	Speed clear coat UHS 1 liter

P76	CS10-5	Speed clear coat UHS 5 liter
P76	HCS10-0,5	Speed hardener UHS 0,5 liter
P77	HCS10-2,5	Speed hardener UHS 2,5 liter
P77	CX10-1	Express clear coat VHS 1 liter
P77	CX10-5	Express clear coat VHS 5 liter
P78	HXC10-0,5	Express hardener VHS 0,5 liter
P79	HXC10-2,5	Express hardener VHS 2,5 liter

UV

P80	UVCL	UV curing lamp
P80	UVPF10	1K UV primer 1 liter
P80	TUVCL	Tripod for UV drying lamp

PAINT SYSTEM

P81	GPS125180	Paint system 125 µm - 180 ml
P81	GPS125400	Paint system 125 µm - 400 ml
P81	GPS125600	Paint system 125 µm - 600 ml
P81	GPS190600	Paint system 190 µm - 600 ml
P81	GPS190600UV	Paint system 190 µm - 600 ml
P82	GPS125800	Paint system 125 µm - 800 ml
P82	PSB180	Outer cup for paint system 180 ml
P83	PSB400	Outer cup for paint system 400 ml
P83	PSB600	Outer cup for paint system 600 ml
P83	PSB800	Outer cup for paint system 800 ml
P83	D600	Dispenser for paint system cups 600 & 800 ml
	DGPSL	Dispenser for paint system lids

P84

P86	AD10	Adapter 1/4 quick adapter
P87	AD20	Adapter M12 external thread
P87	AD30	Adapter 3/8 external thread
P87	AD40	Adapter M16 internal thread
P88	AD50	Adapter 1/4 internal thread
P88	AD60	Adapter M12 x 1 external thread
P88	AD70	Adapter M16 external thread
P88	AD80	Adapter M14 x 1 internal thread
P88	AD90	Adapter 7/16 external thread
P88	AD100	Adapter 1/8 external thread

THINNERS

P88	AV01	Acrylic thinner 1 liter
P88	AV01-S	Acrylic thinner slow 1 liter
P88	AV05	Acrylic thinner 5 liter
P88	AV05-S	Acrylic thinner slow 5 liter
P88	AV25	Acrylic thinner 25 liter
P88	FOT01	Fade out thinner 1 liter
P88	AS140	Fade out thinner 500 ml

PRIMER

P88	PFW10	2K HS primer white 1 liter
P89	PFG10	2K HS primer grey 1 liter

P89	PFB10	2K HS primer black 1 liter	P96
P89	PFW40	2K HS primer white 4 liter	P96
P89	PFG40	2K HS primer grey 4 liter	P96
P89	PFB40	2K HS primer black 4 liter	P96
P89	HPF10	2K HS hardener normal 1 liter	P96
P89	HPF20	2K HS hardener fast 1 liter	P96
P89	HPF30	2K HS hardener extra fast 1 liter	P96
P90	HPF025	2K HS hardener normal 250 ml	P96
P90	HPF026	2K HS hardener fast 250 ml	P96
P90	PXW10	2K HS Express primer white 1 liter	P96
P91	PXG10	2K HS Express primer grey 1 liter	P96
P92	PXB10	2K HS Express primer black 1 liter	P96
P92	PXW35	2K HS Express primer white 3,5 liter	P96
P92	PXG35	2K HS Express primer grey 3,5 liter	P96
P92	PXB35	2K HS Express primer black 3,5 liter	P96
P92	HPX025	2K HS Express hardener 250 ml	P96
P92	HPX085	2K HS Express hardener 850 ml	P96
P92	EPG35	1K Express primer 3,5 liter	P97
P92	EP750	1:1 epoxy primer grey 800 ml	P97
P92	EH375	1:1 hardener for epoxy primer 800 ml	P97
P92	PP10	1K plastic primer 1 liter	P97
P92	AEROSOLS		P98
P93	SAS10	Superior primer light grey 500 ml	P100
P93	SAS20	Superior primer white 500 ml	P100
P94	SAS30	Superior primer dark grey 500 ml	P100
P94	AS010	Primer filler light grey 400 ml	P100
P94	AS020	Primer filler grey 400 ml	P100
P94	AS030	Primer filler dark grey 400 ml	P100
P94	AS040	Primer filler white 400 ml	P100
P94	AS050	Plastic primer 500 ml	P100
P94	AS060	Etch primer 500 ml	P101
P94	AS080	High-gloss black 500 ml	P101
P94	AS090	Semi-gloss black 500 ml	P101
P94	AS100	Matt black 500 ml	P101
P95	AS110	Anti gravel black 500 ml	P102
P95	AS120	Anti gravel grey 500 ml	P102
P95	AS130	Wheelspray 500 ml	P102
P95	AS150	Bumper spray structurant black 500 ml	P102
P95	AS160	Bumper spray structurant grey 500 ml	P102
P95	AS170	Zinc spray 500 ml	P102
P95	AS210	Prefill solvent 400 ml	P103
P95	AS220	Fillon technology cap	P103
P96	AS230	Prefill solvent fillon technology 400 ml	P103
P96	AS250	Prefill water-based 400 ml	P103
P96	AS300	1K clear coat 500 ml	P103

AS400	2K clear coat 500 ml	P103	GS20	H ² O gun shampoo 20 liter	P117	ILF48	Infrared lamp 1000 watt 48 cm	P127
OTHER		P104	HRK600	Headlamp restauration kit	P118			
AG100	Anti gravel black 1 liter	P104	HRP600	Headlamp restauration polymer 600 ml	P118	PROMO		P128
AG110	Anti gravel grey 1 liter	P104	PAINT CORRECTION		P119	SHB01	Shirt blue S	P128
AG120	Anti gravel white 1 liter	P104	PTUS10	Paint touch-up sticks white - very fine 1.0 mm	P119	SHB02	Shirt blue M	P128
UBC100	Underbody coating black 1 kg	P104	PTUS15	Paint touch-up sticks yellow - fine 1.5 mm	P119	SHB03	Shirt blue L	P128
USG10	Undercoating gun	P104	PTUS20	Paint touch-up sticks blue - regular 2.0 mm	P119	SHB04	Shirt blue XL	P128
TBP10	1K bumper paint 1 liter	P105	DNS10	Dust needle set	P119	SHB05	Shirt blue XXL	P128
NMB10	Nitro matt black 1 liter	P105	RDN10	Refill dust needles (10 pcs.)	P119	SHW01	Shirt white S	P128
GB9005	Basecoat 1K RAL9005 1 liter	P105				SHW02	Shirt white M	P128
AA05	2K accelerator 500 ml	P105	9 SPRAY BOOTH		P120	SHW03	Shirt white L	P128
8 CLEANING & POLISHING			TRESTLES		P122	SHW04	Shirt white XL	P128
POLISHERS		P106	WRH	Wheel rim holder	P122	SHW05	Shirt white XXL	P128
PP120	Polishing pad ø 120 - M14	P106	TUS10	Telescopic universal stand	P122	PL01	Polo shirt white S	P128
CPM10	Electric polishing machine	P108	PS10	Butterfly trestle	P123	PL02	Polo shirt M	P128
EPM10	Electric polishing machine - eccentric - 15 mm orbit	P110	PS20	X-trestle	P123	PL03	Polo shirt L	P128
BACPM05	Polisher with battery - centric	P111	PS30	Portal rotating panel stand	P123	PL04	Polo shirt XL	P128
BAEPM05	Polisher with battery - eccentric - 15 mm orbit	P111	FILTERS & MASKING FILM		P124	PL05	Polo shirt XXL	P128
BACPM01	Mini polisher with battery - centric/ eccentric	P111	CF50	Spray booth ceiling filter 0,5 m x 20 m - 600 gr.	P124	TS01	T-shirt blue M	P128
POLISHING		P112	CF100	Spray booth ceiling filter 1 m x 20 m - 600 gr.	P124	TS02	T-shirt blue L	P128
POL90	Advanced cut foam pad ø 150 - 2 pieces	P112	CF150	Spray booth ceiling filter 1,5 m x 20 m - 600 gr.	P124	TS03	T-shirt blue XL	P128
POL130	Advanced cut polishing paste 1 kg	P113	CF200	Spray booth ceiling filter 2 m x 20 m - 600 gr.	P124	TS04	T-shirt blue XXL	P128
POL100	Anti-hologram foam pad ø 150 - 2 pieces	P113	CF	Spray booth ceiling filter - per m ² - 600 gr.	P124	SW01	Sweater M	P128
POL140	Anti-hologram polishing paste 1 liter	P113	PTS50	Paintstop filter 0,5 m x 20 m	P124	SW02	Sweater L	P128
POL10	Orange foam pad ø 150 - 2 pieces	P113	PTS60	Paintstop filter 0,6 m x 20 m	P124	SW03	Sweater XL	P128
POL50	Orange foam pad ø 80 - 5 pieces	P114	PTS70	Paintstop filter 0,7 m x 20 m	P124	SW04	Sweater XXL	P128
POL20	Green foam pad ø 150 - 2 pieces	P114	PTS76	Paintstop filter 0,76 m x 20 m	P124	P01	Pen	P128
POL60	Green foam pad ø 80 - 5 pieces	P114	PTS80	Paintstop filter 0,8 m x 20 m	P124	RUB01	Roll-up banner 1	P129
POL30	Yellow foam pad ø 150 - 2 pieces	P114	PTS90	Paintstop filter 0,9 m x 20 m	P124	RUB02	Roll-up banner 2	P129
POL70	Yellow foam pad ø 80 - 5 pieces	P114	PTS100	Paintstop filter 1 m x 20 m	P124	RUB03	Roll-up banner 3	P129
POL40	Black foam pad ø 150 - 2 pieces	P114	PTS120	Paintstop filter 1,2 m x 20 m	P124	REK01	Rack	P129
POL80	Black foam pad ø 80 - 5 pieces	P115	PTS150	Paintstop filter 1,5 m x 20 m	P124	REK02	Rack extension module	P129
SMC40	Superior microfiber cloth 40 x 40 cm	P115	PTS200	Paintstop filter 2 m x 20 m	P124			
PD10	Polishing cloths 32 x 36 cm	P115	SBMF4	Spray booth masking film 4 in 1	P124			
CLEANING		P115	COATINGS		P125			
MFC750	Multi foam cleaner 750 ml	P116	CCP05	Cabine coating pro 5 liter	P125			
PW20	Cleaning paper 2-ply white - 38 cm x 28 cm - 1000 pieces	P116	CCP25	Cabine coating pro 25 liter	P125			
PB30	Cleaning paper 3-ply blue - 38 cm x 37 cm - 500 pieces	P116	DC05	Dust control 5 liter	P125			
RD10	Cleaning cloths on roll - 38 x 32cm - 500 pieces	P116	DC10	Dust control 10 liter	P125			
RD20	Cleaning cloths in box - 42 x 40 cm (12 packs x 35 pcs.)	P116	DC25	Dust control 25 liter	P125			
CT01	Cellulose thinner 1 liter	P117	PAINT DRYERS		P126			
CT05	Cellulose thinner 5 liter	P117	ICL10	Infrared paint dryer with 1 cassette	P126			
CT25	Cellulose thinner 25 liter	P117	ICL20	Infrared paint dryer with 2 cassettes	P126			
PCT24	Premium cellulose thinner 24 liter	P117	ICL30	Infrared paint dryer with 3 cassettes	P126			
		P117	ILF33	Infrared lamp 1000 watt 33 cm	P127			



GERKO

PAINT RELATED PRODUCTS



FOLLOW US ON SOCIAL MEDIA



GERKO INTERNATIONAL

Beemdenstraat 36, 2340 Beerse, Belgium
info@gerkoproducts.com



www.gerkoproducts.com