Spicers Sign & Display Catalogue *Edition 4*







Signage.
Made easier.







The essential guide to products,
applications, and print compatibility.

Spicers
Creating Solutions Together







Signage.
Made easier.







Spicers is a dynamic and solutions-focused company with a passion for supplying quality materials, equipment, and solutions to customers in the signage, visual display, and architectural industries. Our wide range of products, high-quality materials, commitment to sustainability, and experienced, knowledgeable team offer expert advice and guidance to help our clients succeed.

We aim to be the business partner of choice for our customers by delivering on our promises, every day.

3M · Avery Dennison · imageperfect ANZ · General Formulations · Photo-Tex™

Neschen · Autotex · contrAvision® · Yupo · STEK

CoverStyl · Bauhaus Media for Creatives · Gerber Technology · Ace · 3A Composites

SKYBOND™ · Brett Martin · ImageFlute · ImageBond ANZ · DIGISTAR

hp · Roland · Mimaki™ · EPSON Exceed Your Vision · RollsRoller Flatbed Applicator

ORDER YOUR FAVOURITE PRODUCTS ONLINE

1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together

SELF-ADHESIVE



16

Explore the range of self-adhesive media for signage, displays, wall graphics and promotional applications. Designed for outstanding print quality and reliable performance, our solutions suit both short-term campaigns and long-term installations.

LAMINATES


108

Browse the Spicers range of laminates designed to protect and enhance printed graphics. Available in a variety of finishes, our laminates improve durability, appearance and longevity across indoor and outdoor applications.

PRINT MEDIA



140

Spicers carry all of your print media essentials as well as a fine collection of specialty products to suit any creative sign and display project. We supply media for Aqueous, Eco-Solvent, UV Curable, Latex and LED ink technologies.

HEAT TRANSFER


166

Discover Spicers' heat transfer films for professional printing and customisation, quality materials delivering vibrant, reliable results across apparel, textiles and promotional products.

RIGID SUBSTRATES




170

Our Rigids deliver durable, high-impact signage for outdoor, indoor and exhibition use. Built for superior printability and performance, they meet the demands of commercial and creative projects alike.


217

Films designed to go the distance.


19

Make your mark with print media.



169

Brilliant results with heat transfer films.


404

Finishing touch for every Sign & Display project.



78

Lead the way in floor graphics.



179

Make your products stand out.



90


Durable, vibrant, and built to be seen.



362

Everything you need for smooth production.

VEHICLE WRAP



204

Premium materials for wrappers and installers who demand durability, flawless finishes and easy application every time.

CUT COLOUR VINYL



258

Cut Coloured Vinyl offers vibrant, durable colour options for signs, window graphics and vehicle wraps. Easy to cut and apply, it adheres seamlessly indoors or out for standout, lasting results.

REFLECTIVES



342

Spicers' Reflective range delivers high-visibility, weather-resistant films engineered for maximum reflectivity, ideal for safety signs, vehicle graphics and outdoor advertising that stay clear and impactful day or night.


INK & CONSUMABLES



360

Spicers offers a wide portfolio of trusted wide format printing and finishing equipment from respected industry brands.

ACCESSORIES



396

From mounting tapes and adhesives to display stands and banner systems, Spicers' Sign & Display accessories bring your visual ideas to life with quality, precision and ease.

EDITION 4

Welcome to the Spicers Sign & Display Catalogue.

At Spicers, we see ourselves as part of your business, not just your supplier. Our range of trusted brands and strong industry expertise mean you always have the right substrate and a team that makes business easier.

Spicers' Sign & Display portfolio is an invaluable resource for the sign and wide format printing industry, covering consumables, hardware, inks, accessories, training and support — from point-of-sale and vehicle graphics to exhibition stands and shop fit-out.

With our Sign & Display specialists, local stock and distribution network, we're ready to advise and deliver. Contact your local Spicers representative for enquiries or to request a sample.

ORDER YOUR FAVOURITE PRODUCTS ONLINE

1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together



Drive your business forward faster.

Spicers Credit Application form is the easiest way to start driving your business forward. Applications are open to businesses registered in Australia, and individuals requiring Spicers for business purposes.

Apply for a credit account online.

1. Visit **spicers.com.au**
2. Click on the **Credit Application** option on the Home page.
3. Complete the form.

If you require any assistance with your application, please contact Spicers Accounts Department on **03 9768 8400.**

APPLY NOW ▶



Apply now!
spicers.com.au

Spicers
Creating Solutions Together

Contents

Spicers
Creating Solutions Together

SELF-ADHESIVE

Premium 19
Intermediate 28
Promotional 53
Low-Tack & Ultra Removable 64
High-Tack & LSE 68
Backlit 76
Floor Graphic 78
Wall Graphic 82
Window Graphics 90
Ultra Clear 92
Perforated Window Films 96
Holographic & Chrome 104

LAMINATES

Premium 110
Intermediate 115
Promotional 126
Optically Clear 130
Anti-Graffiti 132
Floor Laminate 136
Whiteboard 139
Underlay 139

PRINT MEDIA

BANNER

Frontlit 142
Blockout 148
Mesh Banner FR 150

FILMS

Backlit 151
Blockout 152
Pull Up 156

CANVAS

Cotton & Polyester Canvas 159

MAGNET & FERRO

Magnet Printable 160
Magnet Self-Adhesive 160
Ferro Film 161

PAPER

Poster 162
Photographic 165
Self-Adhesive Paper 165

RIGID SUBSTRATES

ALUMINIUM COMPOSITE PANEL

Skybond Print 173
ImageBond 174
ImageBond Lite Latex 174
ImageBond Lite & Ultra Lite 175
ImageBond Colours 176
ImageBond Indoor 176
Skybond FR 177
SignWhite Steel Sheeting 177

FIBRE DISPLAY BOARD

Ace Screenboard 179
Ace High White 181
Ace Kraft 181
3A DISPA Paper Board 182
Ace Outdoor 182
3A SWEDBOARD Fibre Premium 183
3A SWEDBOARD Fibre Brown 183
Ace ICB 184
Ace HCB 185

STRUCTURAL ACCESSORIES

3A SWEDBOARD Accessories 186

DISPLAY BOARD

Ace EB Flute 187
E Flute Clay Coat 1/S 187
B Flute Clay Coat 1/S 187

HEAT TRANSFER

Heat Transfer Films 169

SYNTHETIC DISPLAY BOARD

3A FOREX Classic 188
3A FOREX Print 188
3A FOREX Lite 189
3A FOAMALITE X-press 189
Brett Martin Foamalux & LW 190
3A Gatorfoam 191
3A KAPAplast 192
3A KAPAtex 193
3A KAPAfix 193
3A KAPAmount 193
3A Fome-Cor Box & Bulk 194
3A Foam-X Print Box & Bulk 195
3A SINTREX PET 197
3A Smart-X 197
Foamstar XPS 197

DISPLAY PAPER

Ace High Bulk 1/S 198
Ace High Bulk 2/S 198
Ace Matt Art 198
Ace Blockout 199

DISPLAY FILM


Yupo FPU250 Sheets 199
Rodure Ublock 2/S PP 199

FLUTED POLYPROPYLENE

Digistar Flute Bulk 200
Digistar Flute Reamed 200
Image Flute Board 201
Digistar Imageboard 201

Contents continued →

Unlock the benefits of shopping online!



Register for an online order account:

1. Visit **spicers.com.au**
2. Click **Register** on the Home page.
3. Complete the form to create an online order account.

If you require any assistance, please contact your local Spicers representative on **1300 132 644.**

REGISTER NOW ▶

Quick Order

Simply enter all the item codes you wish to order.

Australia Wide

Spicers distributes across the country.

Click & Collect

Save time by shopping online with Click & Collect on stocked items.

ORDER YOUR FAVOURITE PRODUCTS ONLINE
1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together

Contents

Spicers
Creating Solutions Together

VEHICLE WRAP

PRINT

3M Envision LX480mC 206
3M Envision SV480mC 206
Avery SP 1504 Easy Apply RS & Kit 206
3M IJ280mC SF 207
3M IJ180mC-10 207
Avery MPI 1105 Easy Apply RS & Kit 208
AUTO Wrap 3D Film & Kit 209
Imageperfect iD9 Slide & Kit 209
AUTO Wrap 2D Film & Kit 210
OS-501/OS-502 Film & Kit 211

LAMINATES

3M Envision Overlaminate 211
Avery SL 6460 High Gloss 212
3M 8528 Overlaminate 212
3M Cast Overlaminate 212
3M 8428 Overlaminate 213
Avery DOL 1400 Max Series 213
Avery DOL 1060 Max Gloss 213
AUTO Wrap 2D & 3D Laminate 214
Imageperfect iD9 Laminate 215
OS-510 & OS-512 215

PREMIUM WRAP COLOURS

3M 2080 Series 217
3M 2080 Brushed/Carbon/Flip 219
3M 2080 High Gloss Series 221
Avery Supreme Wrapping Film 223
Avery Conform Chrome 227
Omega Skinz UM6 Wrap Film 229
Omega Skinz Wrap Film 230

WINDOW TINT

3M Crystalline BLK 232
3M Ceramic IM, IR & XP 232
STEK LUNARAY NEX+ Series 234
STEK LUNARAY SMART+ Series 235
STEK LUNARAY ACTION+ Series 236
3M PPF 150 Series 15m Rolls 237
3M PPF 100 & 200 Series 237

PAINT PROTECTION FILMS

STEK DYNO Clear, Roll & Kit 238
STEK FORCESHIELD Clear PPF 239
STEK DYNO Headlight PPF 239
STEK DYNOtop & Cool 240
3M Protection Wrap Film 241
STEK DYNO Series Colour 243
STEK FORCESHEILD PPF 244
STEK DYNOdamascus 245
STEK FORCESHIELD Air 245

STEK FORMULA CAR CARE

Premium Car Care 249

KNIFELESS TAPE

3M Knifeless Tape 255

CUT COLOUR VINYL

PREMIUM COLOUR FILMS

Avery 900 Super Cast 261
3M 180mC Series 267
Avery 800 Premium Cast & EA 273
3M 7725 Series 279
Avery XL Metallic Film 284
Avery Cast Ultra Metallic Film 285
3M 7725 Series 279

INTERMEDIATE COLOUR FILMS

Avery 700 Premium Film & EA 287
3M SC50 Series 297
Imageperfect 5700 PA, HP & HT 300

PROMOTIONAL

Avery 500 Event Film 311
Avery SF-100 Fluorescent 315
Avery 1200 Banner Films 315

SPECIALTY

Avery Metallised & Economy PET Film 316
Imageperfect 6500 Metallised Film 316
Nekoosa VinylEfx Metallised Film 317

CUT COLOUR VINYL

LIGHT MANAGEMENT FILMS

Avery 5500 QM Translucent Film 319
Avery 900 Super Cast Blockout 323
Avery UC900 Diffuser Film 323
3M 3630 Translucent 324
3M 3635-20B/22B Blockout Film 325
3M 3635-91 Day/Night Film 325
3M 3635 Diffuser Film & Dual Colour 325
3M 3635-91 Day/Night Film 325

WINDOW FILMS

3M 7725 Dusted/Frosted 326
Avery Frosted/Etched Window Film 326
3M 5525 Haze/Sandblast 327
Avery Dusted/Crystal Window Films 327
Imageperfect 3 & 8 Year 7800 Series 328
General Formulations GF 790AE Etch 329

APPLICATION TAPE

AB TransferRite 330
Imageperfect Tape AT-505 MT & HT 331
R.Tape 4075 332
R.Tape AT65 333
Avery Signmask Light Blue 333
Imageperfect Signmask Blue Pro 333
General Formulations Sign Mask 333

HIGH-PERFORMANCE FILMS

Avery 700, 800 & 900 334

GERBER EDGE

Heat Transfer Foils 335

Contents continued →

Explore our Green Spotlight sustainable products.

Spicers provide a range of sustainable and environmentally friendly solutions for all your visual communication requirements. Find the Green Spotlight throughout the catalogue.

With industry leading brands, our tested and approved substrates are sure to perform both technically and aesthetically during all processes. We are committed to the development of sustainable products and services which help our customers and their clients achieve their sustainability goals.

The Spicers Visual Communication product portfolio includes a range of sustainable fibre-based, polypropylene, non-PVC vinyl and non-PVC wall covering products.

Find out more spicers.com.au/environs or contact your local Spicers representative on 1300 132 644 for enquiries or to request a sample.



PROUD SUPPORTER OF

Greenfleet

Spicers

Creating Solutions Together

Contents

Spicers
Creating Solutions Together

REFLECTIVES

SIGNAGE REFLECTIVE

3M 6680CR & 780mC Series ... 345
Avery V-4000 EA, RS Kit & Premium ... 346
Avery VisiFlex V-8000 ... 347
3M 4000 Series Reflective ... 348
Avery T-11500 OmniCube ... 348
3M 3930, 3800 & 3300 Series ... 349
Avery T-6500/W-6500 Series ... 350
Avery W-6500D Series ... 350
3M 610 Series Beaded Reflective ... 350
3M 7600 & 7300 Series Reflective ... 351
Imageperfect 2574 ImageBrite ... 352
KIWALITE 2600 & Photoluminescent ... 352
3M 1170 Transparent ... 353
3M 1160 Anti-Graffiti ... 353
3M OL 2000 Transparent Overlay ... 353

REFLECTIVE TAPES

3M 4000 Series ... 356
Avery T-11500 Reflective Tapes ... 357
Avery VisiFlex V-8000 EA ... 357
3M 983 ... 358
Avery V-6700-B Conspicuity Tape ... 359

INK & CONSUMABLES

ROLAND INK

Roland Eco-UV5 Ink ... 362
Roland Eco-UV5-7 Ink ... 362
Roland E-US Inks ... 363
Roland DTF S-PG2-5 Ink ... 363
Roland Eco Sol Max Inks ... 363
Roland TrueVIS Inks ... 365
Roland EJ Ink ... 366
Roland Resin Ink ... 367
Cleaning & Accessories ... 367
Blades & Spare Parts ... 367

MIMAKI INK

Mimaki AS5 Inks ... 368
Mimaki SS22 & SS21 Ink ... 368
Mimaki LX100 Ink ... 370
Mimaki ELH & ELS Ink ... 370
Mimaki LUS-120 & 150 Ink ... 371
Mimaki LUS-170 & 200 Ink ... 372
Mimaki LH-100 Ink ... 372
Mimaki SB411 ... 373
Cleaning & Accessories ... 375
Blades & Spare Parts ... 375

HP INK

HP 821, 831 & 832 Latex Ink ... 376
HP Latex 837 Printheads ... 377
HP 871, 872, 873, 881 & 882 Latex Ink ... 378
HP Latex 831 & 836 Printheads ... 380
HP 881 & 886 Printheads ... 381
Cleaning & Accessories ... 381

NAZDAR INK

Nazdar 130,153, 290, 202 & 2000 Inkjet ... 382

EPSON INK

Epson UltraChrome PRO ... 384
Epson UltraChrome Pro 6,10 & 12 ... 384
Epson UltraChrome HDX, XD2 & XD ... 387
Epson UltraChrome HD, HDR & K3 ... 389
Epson Blades & Maintenance Tanks ... 392
Epson Consumables ... 392

CANON INK

Canon Pro/GP Ink ... 393
Canon Pro/S Ink ... 394
Canon Spare Parts ... 394

SUMMA CONSUMABLES

Summa Stationary ... 395
Summa Knives, Blades & Holders ... 395

ACCESSORIES

Display Systems ... 398
Application Tape ... 404
Tape & Applicators ... 409
Applicators ... 410
Knives & Blades ... 413
Accessories ... 419
Mounting Systems ... 424
Edge Sealers ... 426
Double Sided Tapes ... 427
Surface Cleaners ... 428
Adhesion Promoters ... 431
Mounting Films & Underlay ... 434
Banner & Fabric Edge Fix ... 435
Protective Packaging ... 436
Packaging Tapes ... 437









Spicers
Creating Solutions Together

Greenfleet

Greenfleet partnership

In 2022 Spicers embarked on our journey towards Carbon Neutrality.

Spicers Australia is offsetting CO2 emissions relating to our Australian operations. This includes emissions from LPG for our gas forklifts, the diesel used in our fleet of trucks, the fuel used in company cars (including those with car allowances) and electricity used in our offices and Distribution centres. Whilst Spicers have taken action through solar panels on some of our sites, LED lighting upgrades and movement to more electric forklifts, we still have some work to go. We are proud to be partnering with Greenfleet to take climate action and offset our carbon emissions through native reforestation.

Greenfleet is a leading not-for-profit environmental organisation committed to protecting our climate by restoring our forests. Greenfleet plants native biodiverse forests to capture carbon emissions and help fight the impacts of climate change. Since 1997, Greenfleet has planted over 10.8 million trees across 550+ forests in Australia and New Zealand. As they grow, Greenfleet forests absorb carbon emissions, improve soil and water quality and restore habitat for native wildlife, including many endangered species.

Spicers' first offset was allocated to Glendalough, VIC. In the rolling hills of South Gippsland, this previously cleared 240-hectare property will be returned to native ecosystem. The property is adjacent to remnant native forest and will provide an important vegetation link for Strzelecki Koalas and habitat for native birds such as the Yellow-faced Honeyeater and Grey Fantail.

"By partnering with Greenfleet, we are confident that our climate action provides genuine and lasting environmental benefits. We are proud of the impact we have made and that we will continue to make into the future," said David Martin, CEO of Spicers Limited. "By offsetting our emissions with Greenfleet, we are taking practical action against climate change to help to restore Australia's forests, recreate crucial habitat for native wildlife and transform degraded land back to its natural state."

Through practical climate action, Greenfleet is growing hope for our climate.

For more information visit **www.greenfleet.com.au**

FIND OUT MORE ▶

SUSTAINABLE DELIVERIES

SPICERS' JOURNEY TO CARBON NEUTRALITY



We are proud to highlight that all Spicers deliveries are now carbon neutral made possible through our partnership with Greenfleet.

Delivering Sustainability

Greenfleet's remarkable efforts include the revegetation of land in Victoria, New South Wales, Queensland and New Zealand. The forests they plant will be protected beyond this century and are projected to remove nearly 513,887 tonnes of carbon as they grow. This initiative not only offsets our emissions but also contributes to the long-term health and sustainability of our environment.

Spicers
Creating Solutions Together


PROUD SUPPORTER OF
Greenfleet

Spicers are proud to be partnered with Greenfleet.


All Spicers deliveries are now carbon neutral.

CO_2

Balancing emissions for a sustainable future.



OUTDOOR APPLICATIONS



ORDER YOUR FAVOURITE PRODUCTS ONLINE

1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together







Self-Adhesive





Explore the range of self-adhesive media for signage, displays, wall graphics and promotional applications. Designed for outstanding print quality and reliable performance, our solutions suit both short-term campaigns and long-term installations.

ORDER YOUR FAVOURITE PRODUCTS ONLINE

1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together



Naturally Versatile.

3M™ Envision™ Print Wrap Films
3M™ Envision™ Wrap Overlaminates

The non-PVC films that outperforms the rest.

When a non-PVC film is this conformable and versatile, why use anything else?

3M™ Envision™ Wrap Films include the 3M innovations you know and love: excellent print quality, slideability, repositionability, heated film recovery and now non-visible air-release channels using micro technology for a smooth visual appearance, superior performance and even an easier, faster and better-looking installation.

VIEW THE RANGE ▶

High-performance technology with a sustainable edge.

Meet the suite that's 100% printer compatible:

Conformable and durable Non-PVC Wrap Films

3M Envision™ Print Wrap Film SV480mC
3M Envision™ Print Wrap Film LX480mC
3M Envision™ Gloss Wrap Overlaminate 8548G
3M Envision™ Luster Wrap Overlaminate 8549L
3M Envision™ Matt Wrap Overlaminate 8550M

ALSO available in Versatile Non-PVC Intermediate Film

3M Envision™ Print 48C
3M Envision™ Gloss Overlaminate 8048G
3M Envision™ Matt Overlaminate 8050M

For enquiries or a sample please contact your local Spicers representative.
1300 132 644 spicers.com.au

Spicers

3M™ Envision™ LX480mC

ORDER NOW PREMIUM

- 3M™ Envision™ Print Wrap Film is a high performance, non-PVC, gloss white film with 3M™ Comply™ Adhesive micro technology and non-visible air release channels for fast, easy, bubble-free installations
- Grey pressure activated adhesive for easy sliding and repositioning with non-visible air release channels for fast & easy bubble-free installations
- Flexible, highly conformable over compound curves, corrugations and rivets and requires less heat during application than vinyl films with up to 50% stretch characteristics
- Specifically engineered for vehicle wraps
- For use with Envision Overlaminates 8548G, 8549L & 8550M
- Durability: Up to 8 years (refer to specification sheet)
- Print Compatibility: Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194907	3M Envision LX480mC	Gloss White	Grey Removable Airflow	50	1371	45.7
195168	3M Envision LX480mC	Gloss White	Grey Removable Airflow	50	1524	45.7

3M™ Envision™ SV480mC

ORDER NOW PREMIUM

- 3M™ Envision™ Print Wrap Film is a high performance, non-PVC, gloss white film with 3M™ Comply™ Adhesive micro technology and non-visible air release channels for fast, easy, bubble-free installations
- Grey pressure activated adhesive for easy sliding and repositioning with non-visible air release channels for fast & easy bubble-free installations
- Flexible, highly conformable over compound curves, corrugations and rivets and requires less heat during application than vinyl films with up to 50% stretch characteristics
- Specifically engineered for vehicle wraps
- For use with Envision Overlaminates 8548G, 8549L & 8550M
- Durability: Up to 8 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194906	3M Envision SV480mC	Gloss White	Grey Removable Airflow	50	1371	45.7
195169	3M Envision SV480mC	Gloss White	Grey Removable Airflow	50	1524	45.7

AVERY DENNISON

Sustainable Graphics Solutions

Our Sustainable Graphics Solutions portfolio offers customers access to the latest generation of more sustainable products. Each product in the portfolio qualifies by meeting one or more of our criteria.

- SP 1504 Easy Apply RS™
- SP 1540 Ultra Clear
- SP 3522 Opaque Matte Removable
- SP 3523 Opaque Matte Permanent
- SL 6460 High Gloss
- SF100 Specialty Polyester range
- SL 4530 Anti-Graffiti

VIEW THE RANGE

PVC Reduce VOCs & Solvents

Reduce environmental impact during use phase

Reduction in the use of materials

Renewable Content

Learn more

graphics@ap.averydennison.com

Avery Dennison® SP 1504 Easy Apply RS

ORDER NOW

PREMIUM

- Avery Dennison SP 1504 Easy Apply RS is a premium, non-PVC, digitally printable film
- Environmentally friendly yet high-performance solution
- Excellent printability for stunning colours & highly conformable and easy to wrap around corrugations, curves and rivets
- Easy installation with Easy Apply RS adhesive
- It is free of chlorine, phthalates, and other halogens, reducing volatile organic compounds (VOC) making it sustainable without compromising on performance
- Durability: Up to 6 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121329	SP 1504 Easy Apply RS	Gloss White	Grey Permanent EA RS	60	1371	45.7
121298	SP 1504 Easy Apply RS	Gloss White	Grey Permanent EA RS	60	1524	45.7

Avery Dennison® SP 1504 Easy Apply RS Kit

ORDER NOW

PREMIUM

- Film: Avery Dennison SP 1504 Easy Apply RS 60ums
- Overlaminate: Avery Dennison SL 6460
- Overlaminate: Avery Dennison DOL 1460 Max
- Overlaminate: Avery Dennison DOL 1470 Max
- Overlaminate: Avery Dennison DOL 1480 Max



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121316	SP 1504 Easy Apply RS Kit	High Gloss Clear	SP 1504EARS/SL6460	1371	45.7
121317	SP 1504 Easy Apply RS Kit	Gloss Clear	SP 1504EARS/DOL1060	1371	45.7
121318	SP 1504 Easy Apply RS Kit	Gloss Clear	SP 1504EARS/DOL1460	1371	45.7
121319	SP 1504 Easy Apply RS Kit	Satin Clear	SP 1504EARS/DOL1470	1371	45.7
121320	SP 1504 Easy Apply RS Kit	Matt Clear	SP 1504EARS/DOL1480	1371	45.7
121322	SP 1504 Easy Apply RS Kit	High Gloss Clear	SP 1504EARS/SL6460	1524	45.7
121323	SP 1504 Easy Apply RS Kit	Gloss Clear	SP 1504EARS/DOL1060	1524	45.7
121324	SP 1504 Easy Apply RS Kit	Gloss Clear	SP 1504EARS/DOL1460	1524	45.7
121325	SP 1504 Easy Apply RS Kit	Satin Clear	SP 1504EARS/DOL1470	1524	45.7
121326	SP 1504 Easy Apply RS Kit	Matt Clear	SP 1504EARS/DOL1480	1524	45.7



Self-Adhesive Vinyl

3M™ IJ280 SF

ORDER NOW

PREMIUM

- Printable white lustre wrap film with new 3M™ Comply™ v4 Air Release and proprietary adhesive for fast, easy, bubble-free installations
- Up to 20% faster to install & proven to lift 2x less
- Conforms with less heat & removes cleanly at end of life with heat
- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Excellent slideability, flexible, conforms to compound curves, corrugations and rivets
- For use with over laminates 8428G, 8518, 8519, 8520, 8548G, 8549L, 8550M & 8528
- Durability: Up to 10 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173172	3M IJ280 SF	Lustre White	Grey Removable Airflow	50	1371	45.7
173173	3M IJ280 SF	Lustre White	Grey Removable Airflow	50	1524	45.7

3M™ IJ180mC-10

ORDER NOW

PREMIUM

- Printable white lustre wrap film with micro technology non-visible air release channels for fast, easy, bubble-free installations
- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Excellent hiding power, flexible, conforms to compound curves, corrugations and rivets
- Many finished graphic constructions can be stretched up to 130% (i.e., a 10 inch [25 cm] piece of film can stretch to 13 inches [33 cm]) without primer or relief cuts and maintain lift resistance
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Durability: Up to 10 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194650	3M IJ180mC-10	Lustre White	Grey Removable Airflow	50	1371	45.7
194651	3M IJ180mC-10	Lustre White	Grey Removable Airflow	50	1524	45.7

Avery Dennison® MPI 1105 Easy Apply RS

ORDER NOW

PREMIUM

- Avery Dennison MPI 1105 Easy Apply RS is a premium, gloss white, 50ums opaque cast vinyl
- Designed for ease of application on long term outdoor signage or fleet applications where superior conformability, durability, high opacity and outdoor performance
- Features clean and easy removal
- Outstanding colour 'pop' and an ability to cope easily with challenges such as rivets and corrugations make MPI 1105 EA RS the product of choice across many different applications
- Suitable for flat sided trucks, corrugated trucks, cars and vans,trains and light rail, buses, marine vessels and corporate signage
- For use with overlaminates SL 6460, 1460 Max, 1470 Max, 1480 Max and 1060 Max
- Durability: Up to 10 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121136	MPI 1105 Easy Apply RS	Gloss White	Grey Permanent EA RS	50	1371	22.8
121250	MPI 1105 Easy Apply RS	Gloss White	Grey Permanent EA RS	50	1371	45.7
121241	MPI 1105 Easy Apply RS	Gloss White	Grey Permanent EA RS	50	1524	22.8
121251	MPI 1105 Easy Apply RS	Gloss White	Grey Permanent EA RS	50	1524	45.7

1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison®
MPI 1105 Easy Apply RS Kit

ORDER NOW

PREMIUM

- Film: Avery Dennison MPI 1105 Easy Apply RS 50ums White Gloss
- Overlaminate: Avery Dennison DOL 1060 Max Gloss
- Overlaminate: Avery Dennison DOL 1460 Max Gloss
- Overlaminate: Avery Dennison DOL 1470 Max Satin
- Overlaminate: Avery Dennison DOL 1480 Max Matt

OUTDOOR APPLICATIONS · VEHICLE WRAP · ROLLS · SELF ADHESIVE · TRANSIT GRAPHICS · ECO SOLVENT MEDIA · UV MEDIA · LATEX MEDIA

Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121135	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1060	1371	22.8
121234	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1460	1371	22.8
121235	MPI 1105 Easy Apply RS Kit	Matt Clear	MPI 1105EARS/DOL1480	1371	22.8
121236	MPI 1105 Easy Apply RS Kit	High Gloss Clear	MPI 1105EARS/SL6460	1371	22.8
121246	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1060	1371	45.7
121247	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1460	1371	45.7
121248	MPI 1105 Easy Apply RS Kit	Matt Clear	MPI 1105EARS/DOL1480	1371	45.7
121249	MPI 1105 Easy Apply RS Kit	High Gloss Clear	MPI 1105EARS/SL6460	1371	45.7
121303	MPI 1105 Easy Apply RS Kit	Satin Clear	MPI 1105EARS/DOL1470	1371	22.8
121304	MPI 1105 Easy Apply RS Kit	Satin Clear	MPI 1105EARS/DOL1470	1371	45.7
121237	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1060	1524	22.8
121238	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1460	1524	22.8
121239	MPI 1105 Easy Apply RS Kit	Matt Clear	MPI 1105EARS/DOL1480	1524	22.8
121240	MPI 1105 Easy Apply RS Kit	High Gloss Clear	MPI 1105EARS/SL6460	1524	22.8
121299	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1060	1524	45.7
121300	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1460	1524	45.7
121301	MPI 1105 Easy Apply RS Kit	Matt Clear	MPI 1105EARS/DOL1480	1524	45.7
121302	MPI 1105 Easy Apply RS Kit	High Gloss Clear	MPI 1105EARS/SL6460	1524	45.7
121305	MPI 1105 Easy Apply RS Kit	Satin Clear	MPI 1105EARS/DOL1470	1524	22.8
121306	MPI 1105 Easy Apply RS Kit	Satin Clear	MPI 1105EARS/DOL1470	1524	45.7


Self-Adhesive Vinyl

AUTO Wrap 3D Film

ORDER NOW

PREMIUM

- AUTO Wrap 3D Film is a 50ums white gloss cast film with bubble releasing, tinted, clean removing, repositionable, permanent pressure- sensitive solvent based acrylic adhesive
- The adhesive system is designed to provide excellent opacity as well as easy installation
- Provides superior conformability around rivets, curves, contours and channels
- Autoglide Technology allows for fast installation
- For applications such as vehicle graphics, retail signage & POP signage
- For use with overlaminates AUTO Wrap 3D gloss laminate
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121879	AUTO Wrap 3D Film	Gloss White	Grey Permanent Airflow	50	1371	50
122968	AUTO Wrap 3D Film	Gloss White	Grey Permanent Airflow	50	1524	50

AUTO Wrap 3D Kit


ORDER NOW

PREMIUM

- Film: AUTO Wrap 3D 50-micron white gloss cast
- Overlaminate: AUTO Wrap 3D Gloss



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121784	AUTO Wrap 3D Kit	Gloss Clear	AUTO 3D GWGAP/Gloss	1371	50
122347	AUTO Wrap 3D Kit	Gloss Clear	AUTO 3D GWGAP/Gloss	1524	50



1300 132 644 info.mail@spicers.com.au spicers.com.au

3M™ IJ180mC Specialty Series

ORDER NOW PREMIUM

- **10UR:** Gloss white premium cast wrap film, with a grey ultra removable micro technology non-visible air release adhesive and PE coated liner. Removable without heat and/or chemicals
- **114:** Lustre clear premium cast wrap film, with a clear micro technology non-visible air release adhesive and PE coated liner. Printable clear film for vehicle and fleet graphics
- **120:** Lustre metallic silver premium cast wrap film, with a silver micro technology non-visible air release removable adhesive & PE coated liner. Printable metallic silver film for vehicle and fleet graphics
- **10LSE:** Gloss white premium cast wrap film, with a grey high-tack Comply™ air release adhesive and PE coated liner. Designed to adhere to Low Surface Energy (LSE) plastics
- **10SLS:** Gloss white premium cast wrap film, with a grey high-tack micro technology non-visible air release adhesive and PE coated liner. Engineered to adhere to stainless steel surfaces
- Excellent hiding power, flexible, conforms to compound curves, corrugations and rivets
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- For use with overlaminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Durability: Up to 8 years for 10UR (refer to specification sheet)
- Durability: Up to 10 years for 114, 120, 10SLS & 10LSE (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
451375	3M IJ180mC-10UR	Gloss White	Grey Ultra Removable Airflow	50	1371	45.7
400572	3M IJ180mC-114	Lustre Clear	Clear Removable Airflow	50	1371	45.7
400573	3M IJ180mC-114	Lustre Clear	Clear Removable Airflow	50	1524	45.7
400570	3M IJ180mC-120	Lustre Silver	Silver Removable Airflow	50	1371	45.7
400571	3M IJ180mC-120	Lustre Silver	Silver Removable Airflow	50	1524	45.7
451373	3M IJ180mC-10LSE	Gloss White	Grey High-Tack Airflow	50	1371	45.7
451374	3M IJ180mC-10SLS	Gloss White	Grey High-Tack Airflow	50	1371	45.7

3M™ IJ3650-10

ORDER NOW PREMIUM

- 3M™ IJ3650 is a 50 micron premium cast printable film for permanent, medium term cut graphics or single panel vertical graphics and signs
- Grey pressure sensitive solvent acrylic adhesive
- It can be applied using either dry or wet application methods
- Great for commercial fleet vehicle graphics and signs
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Durability: Up to 10 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
452411	3M IJ3650-10	Lustre White	Clear Permanent	50	1371	45.7

Avery Dennison® MPI 1106 EA High-Tack

ORDER NOW PREMIUM

- Avery Dennison MPI 1106 High-Tack Easy Apply is a 50ums gloss premium cast film
- Designed for use in demanding applications such as heavy equipment, snow vehicles, trucks and trailers
- The adhesive system on the product makes it excellent for use on low energy surface substrates such as plastics, powder coat paints, fibreglass and more
- Uses as high-tack, grey permanent solvent acrylic adhesive
- For use with overlaminates SP 6460 High Gloss & DOL 1400 Max Series
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121137	MPI 1106	Gloss White	High-Tack Grey Permanent EA	50	1371	22.8
121307	MPI 1106	Gloss White	High-Tack Grey Permanent EA	50	1371	45.7
121242	MPI 1106	Gloss White	High-Tack Grey Permanent EA	50	1524	22.8
121308	MPI 1106	Gloss White	High-Tack Grey Permanent EA	50	1524	45.7

Self-Adhesive Vinyl

Imageperfect iD9 Slide

ORDER NOW

PREMIUM

imageperfect ANZ

- Imageperfect iD9 Slide is a premium polymeric printable 50ums film developed specifically for 2D vehicle wrap applications
- Designed for installers who need speed, precision, and reliability
- Features a super soft construction, advanced Slide technology, and air-release channels to help achieve clean, bubble-free results with effort
- High opacity face film in conjunction with Grey tinted adhesive provides a total blockout solution ensuring bold, true to colour prints with no show-through
- Offers smooth handling, excellent lay flat properties and strong visual impact every application
- Perfect for commercial vehicle graphics, fleet branding, and other medium-term applications
- For use with overlaminates iD9 Lam Gloss or Matt
- Durability: Up to 9 years (refer to specification sheet)

VEHICLE WRAP SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
122306	iD9 Slide	Gloss White	Grey Permanent	50	1371	50
122307	iD9 Slide	Gloss White	Grey Permanent	50	1600	50

Imageperfect iD9 Slide Kit

ORDER NOW

PREMIUM

imageperfect ANZ

- Film: Imageperfect iD9 Slide 50ums
- Overlaminate: Imageperfect iD9 Gloss
- Overlaminate: Imageperfect iD9 Matt

VEHICLE WRAP SELF ADHESIVE

Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121761	iD9 Slide Kit	Gloss Clear	iD9 GWGAP/iD9	1371	45.7
122308	iD9 Slide Kit	Matt Clear	iD9 GWGAP/iD9	1371	45.7
122309	iD9 Slide Kit	Gloss Clear	iD9 GWGAP/iD9	1600	45.7
122310	iD9 Slide Kit	Matt Clear	iD9 GWGAP/iD9	1600	45.7








Omega Skinz OS-501/OS-502 Gloss Cast Film

ORDER NOW

PREMIUM

- Omega Skinz OS-501 Pearl of Wisdom and OS-502 Silver Spirit are 100ums printable gloss cast PVC films with a repositionable permanent, grey solvent-based adhesive
- OS-501 features a white pearl finish with pearlescent & metallic flakes
- Films produce vibrant colours and a sophisticated finish that goes beyond the appearance of standard printed vinyl
- OS-502 delivers a bright silver metallic appearance
- Suitable for applications such as vehicle wraps, fleet graphics, marine wraps & transit wraps
- For use with overlaminates 510 Razor Blade (satin) or 512 Clearcoat (gloss)
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121788	OS-501 Pearl of Wisdom	Gloss White	Grey Permanent Repositionable	100	1524	25
122355	OS-502 Silver Spirit	Gloss Silver	Grey Permanent Repositionable	100	1524	25

Omega Skinz OS-501/OS-502 Gloss Cast Kit

ORDER NOW

PREMIUM

- Film: Omega Skinz OS-501 Pearl of Wisdom/OS-502 Silver Spirit 100ums
- Overlaminate: 510 Razor Blade Satin
- Overlaminate: 512 Clearcoat Gloss



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121787	OS-501 Pearl of Wisdom Kit	Clearcoat	OS Pearl/Clearcoat	1524	25
122352	OS-501 Pearl of Wisdom Kit	Razer Blade	OS Pearl/Razor Blade	1524	25
122353	OS-502 Silver Spirit Kit	Clearcoat	OS Silver/Clearcoat	1524	25
122354	OS-502 Silver Spirit Kit	Razer Blade	OS Silver/RazorBlade	1524	25




Self-Adhesive Vinyl

3M™ Envision™ 48C PVC Free

ORDER NOW

INTERMEDIATE

- 3M™ Envision™ 48C Print Film is a high performance, non-PVC, matt white, intermediate film that incorporates air release channels (Comply™ Adhesive) and slideability (Controltac™) for quick easy installs
- Non-PVC Envision meets the growing demand for more sustainable solutions
- Designed for use indoors and out, for signs, walls, windows, floors, partial vehicle graphics and more
- Use with non-PVC Envision Gloss Overlaminate 8048G or Envision Matt Overlaminate 8050M for enhanced scratch resistance and UV protection
- Durability: Up to 5 years (refer to specification sheet)
- Fire Rating: BCA GRP1 AS/NZS3837:1998
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
193430	3M Envision 48C	Matt White	Grey Removable	1371	45.7

3M™ 40C Series

ORDER NOW

INTERMEDIATE

- Gloss white polymeric vinyl, with grey permanent or removable adhesive and a PE coated liner
- Features 3M™ Controltac™ Technology and 3M Comply™ Adhesive for easier, bubble free installation
- Perfect for flat and simple curved surfaces
- For use with overlaminate IJ40-114/124, 5808, 5809
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168032	3M 40C-10	Gloss White	Grey Permanent Airflow	75	1371	50
191840	3M 40C-10R	Gloss White	Grey Removable Airflow	75	1371	45.7
191859	3M 40C-10R	Gloss White	Grey Removable Airflow	75	1524	45.7
168033	3M 40C-20R	Matt White	Grey Removable Airflow	75	1371	45.7
194149	3M 40C-20R	Matt White	Grey Removable Airflow	75	1524	45.7

3M™ 40C Series Clear

ORDER NOW

INTERMEDIATE

- 3M™ Controltac™ Print Film 40C is a versatile, transparent removable vinyl film that can be applied to a wide variety of surfaces for maximum adaptability
- Features 3M™ Controltac™ Technology and Comply™ Adhesive for easier, bubble free installation
- For general signage, POP, walls, trucks, partial vehicle wraps, and indoor floor and carpet graphics
- Graphic Protection for 8508, 8509, 8510M, 8048G, 8050M, 8518, 8519, 8520
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
196818	3M 40C-114R	Gloss Clear	Clear Removable	75	1371	45.7
196819	3M 40C-114R	Gloss Clear	Clear Removable	75	1524	45.7

1300 132 644 info.mail@spicers.com.au spicers.com.au

3M™ IJ40 Series

ORDER NOW

INTERMEDIATE

- Gloss white polymeric vinyl, with clear permanent, grey permanent or grey removable adhesive and 1/sided PE coated liner
- Perfect for flat and simple curved surfaces
- For use with overlaminate IJ40-114/124, 8993, 8508, 8509 & 8510
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168029	3M IJ40-10	Gloss White	Grey Permanent	75	1371	50
192660	3M IJ40-10	Gloss White	Grey Permanent	75	1524	50
191619	3M IJ40-10R	Gloss White	Grey Removable	75	1371	50
191620	3M IJ40-10R	Gloss White	Grey Removable	75	1524	50
191704	3M IJ40-10T	Gloss White	Clear Permanent	75	1371	50
191916	3M IJ40-10T	Gloss White	Clear Permanent	75	1524	50

3M™ IJ40 Series Clear

ORDER NOW

INTERMEDIATE

- 3M™ Scotchcal™ Graphic Film Series IJ40 offers great versatility for indoor and outdoor signs and fleet graphics
- IJ40 are opaque/transparent, stabilised, calendared vinyl films
- Pressure sensitive, transparent, solvent acrylic, removable adhesive
- Application method: wet applied
- Easy removability
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168017	3M IJ40-114	Gloss Clear	Clear Permanent	75	1371	50
168018	3M IJ40-114	Gloss Clear	Clear Permanent	75	1524	50
168019	3M IJ40-124	Matt Clear	Clear Permanent	75	1371	50
168020	3M IJ40-124	Matt Clear	Clear Permanent	75	1524	50







Self-Adhesive Vinyl

Avery Dennison®
MPI 2105 Easy Apply RS

ORDER NOW

INTERMEDIATE

- Avery Dennison MPI 2105 Easy Apply RS is an 80ums flexible high gloss polymeric calendared vinyl
- It has high an opacity permanent adhesive and long-term removability performance
- Offers the benefits of reduced wrinkling and air entrapment inherent in the application of decals
- The low adhesive tack level allows graphics to be repositioned during application
- For use with overlaminates DOL 2460 Gloss, 2470 Satin, 2480 Matt
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121348	MPI 2105 Easy Apply RS	Gloss White	Grey Permanent EA	1371	50
121349	MPI 2105 Easy Apply RS	Gloss White	Grey Permanent EA	1524	50

Avery Dennison®
MPI 2105 Easy Apply RS Kit

ORDER NOW

INTERMEDIATE

- Film: Avery Dennison MPI 2105 Easy Apply RS 80ums High Gloss
- Overlaminate: Avery Dennison DOL 2460 Gloss
- Overlaminate: Avery Dennison DOL 2470 Satin
- Overlaminate: Avery Dennison DOL 2480 Matt



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121342	MPI 2105 Easy Apply RS Kit	Gloss Clear	MPI 2105EARS/DOL2460	1371	50
121344	MPI 2105 Easy Apply RS Kit	Satin Clear	MPI 2105EARS/DOL2470	1371	50
121346	MPI 2105 Easy Apply RS Kit	Matt Clear	MPI 2105EARS/DOL2480	1371	50
121259	MPI 2105 Easy Apply RS Kit	Gloss Clear	MPI 2105EARS/DOL2000	1524	45.7
121260	MPI 2105 Easy Apply RS Kit	Matt Clear	MPI 2105EARS/DOL2100	1524	45.7
121261	MPI 2105 Easy Apply RS Kit	Lustre Clear	MPI 2105EARS/DOL2200	1524	45.7
121343	MPI 2105 Easy Apply RS Kit	Gloss Clear	MPI 2105EARS/DOL2460	1524	50
121345	MPI 2105 Easy Apply RS Kit	Satin Clear	MPI 2105EARS/DOL2470	1524	50
121347	MPI 2105 Easy Apply RS Kit	Matt Clear	MPI 2105EARS/DOL2480	1524	50

Avery Dennison® MPI 2040 & 2041

ORDER NOW

INTERMEDIATE

- Gloss clear polymeric vinyl with clear adhesive & PE liner
- StaFlat liner provides excellent converting properties
- Very good outdoor durability and performance
- Good conformability to flat and simple curved surfaces
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
165177	MPI 2041	Gloss Clear	Clear Removable	1371	50
190050	MPI 2040	Gloss Clear	Clear Permanent	1371	50
165182	MPI 2040	Gloss Clear	Clear Permanent	1524	50

1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison® MPI 2000 White

ORDER NOW **INTERMEDIATE**

- Avery Dennison MPI 2000 is an 80ums white high-gloss polymeric vinyl with a clear permanent acrylic adhesive
- Designed for architectural, transportation and general signage applications where excellent durability and slight conformability are required
- Offers excellent dimensional stability and reliable converting performance
- Ideal for general signage, outdoor advertising, trains, light rail, buses, flat-sided trucks and vehicle graphics
- For use on flat or simply curved surfaces
- For use with overlaminates DOL2460 Gloss, DOL2470 Satin or DOL2480 Matt
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121338	MPI 2000	Gloss White	Clear Permanent	80	1371	50
121339	MPI 2000	Gloss White	Clear Permanent	80	1524	50

Avery Dennison® MPI 2000 Kit

ORDER NOW **INTERMEDIATE**

- Film: Avery Dennison MPI 2000 80ums White Gloss polymeric
- Overlaminate: Avery Dennison DOL 2460 Gloss
- Overlaminate: Avery Dennison DOL 2470 Satin
- Overlaminate: Avery Dennison DOL 2480 Matt



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121332	MPI 2000 Kit	Gloss Clear	MPI 2000/DOL2460	1371	50
121333	MPI 2000 Kit	Satin Clear	MPI 2000/DOL2470	1371	50
121334	MPI 2000 Kit	Matt Clear	MPI 2000/DOL2480	1371	50
121335	MPI 2000 Kit	Gloss Clear	MPI 2000/DOL2460	1524	50
121336	MPI 2000 Kit	Satin Clear	MPI 2000/DOL2470	1524	50
121337	MPI 2000 Kit	Matt Clear	MPI 2000/DOL2480	1524	50

Avery Dennison® MPI 2120 Matt White

ORDER NOW **INTERMEDIATE**

- Avery Dennison MPI2120 Matt White Film 86ums is a high performance calendered blockout vinyl film
- Designed for use in a wide range of outdoor advertising and general signage applications where excellent print quality are required
- For used with overlaminates DOL 2460 Gloss, DOL 2470 Satin & DOL 2480 Matt
- Durability: Up to 6 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
123048	MPI 2120	Matt White	Clear Permanent	86	1371	45.7

Self-Adhesive Vinyl

AUTO Wrap 2D Film

ORDER NOW

INTERMEDIATE

AUTO

- AUTO Wrap 2D Film is an 80ums white gloss high-performance calendered film with a tinted, clean removing, repositionable solvent based acrylic system.
- The repositionable light grey adhesive allows easy installation while ensuring enough opacity to cover existing graphics or dark substrates.
- Auto glide Technology for easy install
- Suitable for fleet graphics, vehicle applications and intermediate signage
- For use with overlaminates AUTO Wrap 2D gloss or matt laminate
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121878	AUTO Wrap 2D	Gloss White	Grey Permanent Airflow	80	1371	50
122967	AUTO Wrap 2D	Gloss White	Grey Permanent Airflow	80	1524	50

AUTO Wrap 2D Kit

ORDER NOW

INTERMEDIATE

AUTO

- Film: AUTO Wrap 2D 80ums White Gloss
- Overlaminate: AUTO Wrap 2D Cast Gloss
- Overlaminate: AUTO Wrap 2D Cast Matt



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121782	AUTO Wrap 2D Kit	Gloss Clear	AUTO 2D GWGAP/Gloss	1371	50
122343	AUTO Wrap 2D Kit	Matt Clear	AUTO 2D GWGAP/Matt	1371	50
122344	AUTO Wrap 2D Kit	Gloss Clear	AUTO 2D GWGAP/Gloss	1524	50
122345	AUTO Wrap 2D Kit	Matt Clear	AUTO 2D GWGAP/Matt	1524	50



1300 132 644 info.mail@spicers.com.au spicers.com.au

Imageperfect iD9 Air

ORDER NOW

INTERMEDIATE

imageperfect ANZ

- Imageperfect iD9 Air Gloss is a premium polymeric printable 50ums high opacity film with a clear adhesive that is versatile and easy to install
- Easy to reposition and minimises bubbles so graphics can be applied faster
- Specifically engineered to fit the vast range of projects that come your way, from flat signage to vehicle imagery
- All films in the iD9 series are designed with the same face film so you can apply the same graphic image on multiple surfaces with the same colour accuracy
- Verified Environmental Product Declaration (EPD)
- Durability: Up to 9 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121758	iD9 Air	Gloss White	Clear Permanent IP Air	50	1371	45.7
122301	iD9 Air	Gloss White	Clear Permanent IP Air	50	1600	50

Imageperfect iD9 Air Kit

ORDER NOW

INTERMEDIATE

- Film: Imageperfect iD9 Air 50ums
- Overlaminate: Imageperfect iD9 Gloss
- Overlaminate: Imageperfect iD9 Matt

imageperfect ANZ



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121759	iD9 Air Kit	Gloss Clear	iD9 Air GWCAP/Gloss	1371	45.7
122302	iD9 Air Kit	Matt Clear	iD9 Air GWCAP/Matt	1371	45.7
122303	iD9 Air Kit	Gloss Clear	iD9 Air GWCAP/Gloss	1600	45.7
122304	iD9 Air Kit	Matt Clear	iD9 Air GWCAP/Matt	1600	45.7







Self-Adhesive Vinyl

Imageperfect iD7 PerfectApply Film

ORDER NOW

INTERMEDIATE

- Imageperfect iD7 PerfectApply Film is a 70ums polymeric vinyl with both clear and grey permanent adhesive featuring PerfectApply technology
- Suitable for both indoor and outdoor environments
- The grey adhesive adds extra opacity, vinyl is suitable for dry application only
- Ideal for applications such as markings, decorations and vehicle graphics
- Ensures high-quality print performance with excellent text definition and a broad colour gamut for vivid, rich images
- For use with overlaminates iD7 Gloss & Matt
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121698	iD7 PerfectApply	Gloss White	Clear Permanent PA	70	1371	45.7
122113	iD7 PerfectApply	Gloss White	Grey Permanent PA	70	1371	45.7
122114	iD7 PerfectApply	Gloss White	Clear Permanent PA	70	1524	45.7
122115	iD7 PerfectApply	Gloss White	Grey Permanent PA	70	1524	45.7

Imageperfect iD7 PerfectApply Kit

ORDER NOW

INTERMEDIATE

- Imageperfect iD7 PerfectApply Gloss White
- Overlaminate: Imageperfect iD7 Gloss
- Overlaminate: Imageperfect iD7 Matt



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121697	iD7 PerfectApply Kit	Gloss Clear	iD7 GWCAP/Gloss	1371	45.7
122106	iD7 PerfectApply Kit	Matt Clear	iD7 GWCAP/Matt	1371	45.7
122107	iD7 PerfectApply Kit	Gloss Clear	iD7 GWGAP/Gloss	1371	45.7
122108	iD7 PerfectApply Kit	Matt Clear	iD7 GWGAP/Matt	1371	45.7
122109	iD7 PerfectApply Kit	Gloss Clear	iD7 GWCAP/Gloss	1524	45.7
122110	iD7 PerfectApply Kit	Matt Clear	iD7 GWCAP/Matt	1524	45.7
122111	iD7 PerfectApply Kit	Gloss Clear	iD7 GWGAP/Gloss	1524	45.7
122112	iD7 PerfectApply Kit	Matt Clear	iD7 GWGAP/Matt	1524	45.7

"We've made the switch to Imageperfect iD7, and we're loving it! The laminate, which also doubles as a print film, prints beautifully with vibrant colours on eco-solvent. It's been a real standout or us - highly recommend it!"

Signs One
South Australia

"I'm absolutely blown away by this material - easily the best Imageperfect media I've ever used! The quality and performance are unmatched, and it's clear they've truly come such a long way."

Applied Signs
Queensland


1300 132 644 info.mail@spicers.com.au spicers.com.au

Imageperfect 2504 Pro Clear Gloss

ORDER NOW

INTERMEDIATE

- Imageperfect 2504 Pro Clear Gloss is a 70ums clear gloss polymeric film with a permanent solvent based acrylic adhesive
- It features specific polymeric, non-migrating plasticisers and UV stabilisers, which ensure maximum light fastness
- It is suitable for many flat applications, both interior and exterior with an excellent outdoor durability
- Suitable for applications such as flat & slightly curved surfaces, vehicle & fleet graphics, architectural, general signage, outdoor & indoor advertising
- For use with laminates iD7 Gloss or Matt
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121766	IP 2504	Gloss Clear	Permanent	70	1371	50
122311	IP 2504	Gloss Clear	Permanent	70	1600	50

HP Optimal Gloss Air Film

ORDER NOW

INTERMEDIATE

- HP Optimal Gloss Air Film is an 80ums original HP media product, it delivers amazing print quality and lay flatness
- Optimised for use on HP Latex Printers
- White premium polymeric, that also incorporates a tinted permanent/repositionable air egress adhesive system, saving you time and energy on installation
- Ideal for all applications, such as outdoor advertising, window, and fleet graphics
- For use with overlaminates HP Optimal Gloss Clear or Optimal Matt Clear
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121177	HP Optimal Gloss Air	Gloss White	Grey Permanent Airflow	80	1371	45
121399	HP Optimal Gloss Air	Gloss White	Grey Permanent Airflow	80	1524	45

HP Optimal Gloss Air Kit

ORDER NOW

INTERMEDIATE

- HP Optimal Gloss Air Film is an 80ums original HP media product paired with your choice of HP Optimal Gloss Clear or Optimal Matt Clear overlaminates
- It delivers amazing print quality and lay flatness
- Optimised for use on HP Latex Printers
- White premium polymeric that incorporates a tinted permanent/ repositionable air egress adhesive system, saving you time and energy on installation
- Ideal for all applications, such as outdoor advertising, window, and fleet graphics
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121178	HP Optimal Gloss Air Kit	Matt Clear	Optimal Air/Optimal	1371	45
121403	HP Optimal Gloss Air Kit	Gloss Clear	Optimal Air/Optimal	1371	45
121400	HP Optimal Gloss Air Kit	Gloss Clear	Optimal Air/Optimal	1524	45
121401	HP Optimal Gloss Air Kit	Matt Clear	Optimal Air/Optimal	1524	45

Self-Adhesive Vinyl

3M™ IJ35C Series

ORDER NOW

INTERMEDIATE

- Gloss and matt white polymeric vinyl, with grey permanent Comply Adhesive and PE coated liner
- Comply™ adhesive with air release for fast, easy bubble-free installations
- Perfect for flat and simple curved surfaces
- For use with overlaminate 8508, 8509, 8510, 8038, 8040 & 8993
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168031	3M IJ35C-10	Gloss White	Grey Permanent Airflow	80	1371	45.7
168053	3M IJ35C-10	Gloss White	Grey Permanent Airflow	80	1524	45.7
191451	3M IJ35C-20	Matt White	Grey Permanent Airflow	80	1371	45.7
194116	3M IJ35C-20	Matt White	Grey Permanent Airflow	80	1524	45.7

3M™ IJ35 Series

ORDER NOW

INTERMEDIATE

- Gloss white polymeric vinyl, with grey permanent adhesive and PE coated kraft liner
- Perfect for flat and simple curved surfaces
- For use with overlaminate 8508, 8509, 8510, 8038, 8040 & 8993
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168049	3M IJ35-10	Gloss White	Grey Permanent	80	1371	45.7
192046	3M IJ35-20	Matt White	Grey Permanent	80	1371	45.7

Avery Dennison® MPI 2900 EA White

ORDER NOW

INTERMEDIATE

- Avery Dennison MPI2900EA White Film 76ums is a Gloss White polymeric calendered vinyl film with clear permanent Easy Apply adhesive
- Designed for use for a wide range of intermediate outdoor and general signage applications where good outdoor durability and good print quality are required
- For used with overlaminates DOL2900 series or DOL2400 premium series
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
123049	MPI 2900 EA	Gloss White	Clear Permanent EA	76	1371	50
123050	MPI 2900 EA	Gloss White	Clear Permanent EA	76	1524	50

1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison® MPI 2900 & 2920 Kit

ORDER NOW INTERMEDIATE

- Film: Avery Dennison MPI 2900 76ums White Gloss
- Film: Avery Dennison MPI 2920 White Matt
- Overlaminate: Avery Dennison DOL 2960 Gloss
- Overlaminate: Avery Dennison DOL 2980 Matt



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
123148	MPI 2900 Kit	Matt Clear	MPI 2900/DOL2980	1371	45.7
123147	MPI 2900 Kit	Gloss Clear	MPI 2900/DOL2960	1371	45.7
121266	MPI 2920 Kit	Matt Clear	MPI 2920/DOL2980	1371	45.7
121267	MPI 2920 Kit	Gloss Clear	MPI 2920/DOL2960	1371	45.7

Avery Dennison® MPI 2900 EA Kit

ORDER NOW INTERMEDIATE

- Film: Avery Dennison MPI 2900 EA 76ums White Gloss
- Overlaminate: Avery Dennison DOL 2960 Gloss
- Overlaminate: Avery Dennison DOL 2980 Matt



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
123098	MPI 2900 EA Kit	Gloss Clear	MPI 2900EA/DOL2960	1371	50
123099	MPI 2900 EA Kit	Matt Clear	MPI 2900EA/DOL2980	1371	50
123100	MPI 2900 EA Kit	Gloss Clear	MPI 2900EA/DOL2960	1524	50
123101	MPI 2900 EA Kit	Matt Clear	MPI 2900EA/DOL2980	1524	50

Avery Dennison® MPI 2900 EA Premium Kit

ORDER NOW INTERMEDIATE

- Film: Avery Dennison MPI 2900 EA 76ums White Gloss
- Overlaminate: Avery Dennison DOL 2460 Gloss
- Overlaminate: Avery Dennison DOL 2470 Satin
- Overlaminate: Avery Dennison DOL 2480 Matt



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
123102	MPI 2900 EA Premium Kit	Gloss Clear	MPI2900EA/DOL2460	1371	50
123104	MPI 2900 EA Premium Kit	Satin Clear	MPI2900EA/DOL2470	1371	50
123106	MPI 2900 EA Premium Kit	Matt Clear	MPI2900EA/DOL2480	1371	50
123103	MPI 2900 EA Premium Kit	Gloss Clear	MPI2900EA/DOL2460	1524	50
123105	MPI 2900 EA Premium Kit	Satin Clear	MPI2900EA/DOL2470	1524	50
123107	MPI 2900 EA Premium Kit	Matt Clear	MPI2900EA/DOL2480	1524	50

Self-Adhesive Vinyl

Avery Dennison®
MPI 2904/2924 Easy Apply

ORDER NOW

INTERMEDIATE

- Avery Dennison MPI 2904 Gloss & MPI 2924 Matt Easy Apply are 80ums polymeric intermediate vinyls with a permanent, grey, solvent-based acrylic adhesive
- Designed to deliver crisp, vibrant print quality with smooth, efficient application
- The range features Easy Apply technology and a permanent adhesive for reliable performance
- These films are ideal for general signage, point-of-purchase displays, indoor and outdoor advertising, exhibition graphics and vehicle graphics
- Suitable for flat or simple curved surfaces
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121287	MPI 2904 Easy Apply	Gloss White	Grey Permanent EA	80	1371	45.7
121363	MPI 2904 Easy Apply	Gloss White	Grey Permanent EA	80	1524	45.7
121154	MPI 2924 Easy Apply	Matt White	Grey Permanent EA	80	1371	45.7
121288	MPI 2924 Easy Apply	Matt White	Grey Permanent EA	80	1524	45.7

Avery Dennison®
MPI 2904/2924 Easy Apply Kit

ORDER NOW

INTERMEDIATE

- Film: Avery Dennison MPI 2904 Gloss Easy Apply
- Film: Avery Dennison MPI 2924 Matt Easy Apply
- Overlaminate: Avery Dennison DOL 2960 Gloss
- Overlaminate: Avery Dennison DOL 2980 Matt



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121152	MPI 2924 Easy Apply Kit	Gloss Clear	MPI2924EA/DOL2960	1371	45.7
121270	MPI 2924 Easy Apply Kit	Matt Clear	MPI2924EA/DOL2980	1371	45.7
121271	MPI 2904 Easy Apply Kit	Gloss Clear	MPI2904EA/DOL2960	1371	45.7
121272	MPI 2904 Easy Apply Kit	Matt Clear	MPI2904EA/DOL2980	1371	45.7
121273	MPI 2924 Easy Apply Kit	Gloss Clear	MPI2924EA/DOL2960	1524	45.7
121274	MPI 2924 Easy Apply Kit	Matt Clear	MPI2924EA/DOL2980	1524	45.7
121275	MPI 2904 Easy Apply Kit	Gloss Clear	MPI2904EA/DOL2960	1524	45.7
121362	MPI 2904 Easy Apply Kit	Matt Clear	MPI2904EA/DOL2980	1524	45.7

1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison®
MPI 2904/2924 Easy Apply Premium Kit

ORDER NOW

INTERMEDIATE

- Avery Dennison MPI2904 Gloss & MPI2924 Matt Easy Apply are 80ums polymeric intermediate vinyls paired with either DOL2460 Gloss, DOL2470 Satin or DOL2480 Satin overlaminates
- Features a permanent, grey, solvent-based acrylic adhesive with Easy Apply technology
- Designed to deliver crisp, vibrant print quality with smooth, efficient application
- These films are ideal for general signage, point-of-purchase displays, indoor and outdoor advertising, exhibition graphics and vehicle graphics
- Suitable for flat or simple curved surfaces
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121153	MPI 2924 Easy Apply Premium Kit	Gloss Clear	MPI2924EA/DOL2000	1371	45.7
121276	MPI 2924 Easy Apply Premium Kit	Matt Clear	MPI2924EA/DOL2100	1371	45.7
121277	MPI 2924 Easy Apply Premium Kit	Lustre Clear	MPI2924EA/DOL2200	1371	45.7
121278	MPI 2904 Easy Apply Premium Kit	Gloss Clear	MPI2904EA/DOL2000	1371	45.7
121279	MPI 2904 Easy Apply Premium Kit	Matt Clear	MPI2904EA/DOL2100	1371	45.7
121280	MPI 2904 Easy Apply Premium Kit	Lustre Clear	MPI2904EA/DOL2200	1371	45.7
121281	MPI 2924 Easy Apply Premium Kit	Gloss Clear	MPI2924EA/DOL2000	1524	45.7
121282	MPI 2924 Easy Apply Premium Kit	Matt Clear	MPI2924EA/DOL2100	1524	45.7
121283	MPI 2924 Easy Apply Premium Kit	Lustre Clear	MPI2924EA/DOL2200	1524	45.7
121284	MPI 2904 Easy Apply Premium Kit	Gloss Clear	MPI2904EA/DOL2000	1524	45.7
121285	MPI 2904 Easy Apply Premium Kit	Matt Clear	MPI2904EA/DOL2100	1524	45.7
121286	MPI 2904 Easy Apply Premium Kit	Lustre Clear	MPI2904EA/DOL2200	1524	45.7

Avery Dennison®
MPI 2902 Easy Apply White

ORDER NOW

INTERMEDIATE

- Avery Dennison MPI 2902EA White Gloss Film Grey Removable calendered vinyl film designed for vivid high-quality printing
- It features a removable multi-purpose adhesive for extensive application coverage
- A smoother, brighter film brings the ultimate intermediate digital print solution, for crisp vibrant results every time
- For used with overlaminates DOL2900 series or DOL2400 premium series
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
123051	MPI 2902 Easy Apply White	Gloss White	Grey Removable EA	1371	45.7
123052	MPI 2902 Easy Apply White	Gloss White	Grey Removable EA	1524	45.7


Self-Adhesive Vinyl

Avery Dennison®
MPI 2900/2920 White Film

ORDER NOW

INTERMEDIATE

- Avery Dennison MPI 2900 gloss is a 76ums white polymeric calendered vinyl and MPI2920 is a 76ums matt white polymeric calendared vinyl
- Designed for use in a wide range of intermediate indoor and outdoor applications and general signage
- Good outdoor durability and print quality
- For use with overlaminates DOL 2460 Gloss, 2480 Matt, 2470 Satin, 2960 Gloss or 2980 Matt
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121268	MPI 2900	Gloss White	Clear Permanent	76	1371	45.7
121150	MPI 2920	Matt White	Clear Permanent	76	1371	45.7

Avery Dennison® MPI 2900/2920 Kit

ORDER NOW

INTERMEDIATE

- Film: Avery Dennison MPI 2900 76ums White Gloss
- Film: Avery Dennison MPI 2920 White Matt
- Overlaminate: Avery Dennison DOL 2960 Gloss
- Overlaminate: Avery Dennison DOL 2980 Matt



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121266	MPI 2920 Kit	Matt Clear	MPI 2920/DOL2980	1371	45.7
121267	MPI 2920 Kit	Gloss Clear	MPI 2920/DOL2960	1371	45.7
123098	MPI 2900 Kit	Gloss Clear	MPI 2900EA/DOL2960	1371	50
123099	MPI 2900 Kit	Matt Clear	MPI 2900EA/DOL2980	1371	50
123100	MPI 2900 Kit	Gloss Clear	MPI 2900EA/DOL2960	1524	50
123101	MPI 2900 Kit	Matt Clear	MPI 2900EA/DOL2980	1524	50

Avery Dennison® MPI 2900 Premium Kit

ORDER NOW

INTERMEDIATE

- Film: Avery Dennison MPI 2900 76ums Gloss White polymeric
- Overlaminate: Avery Dennison DOL 2460



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121149	MPI 2900 Premium Kit	Gloss Clear	MPI 2900/DOL2000	1371	45.7

1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison® MPI 2904 White

ORDER NOW

INTERMEDIATE

- Avery Dennison MPI2904 White Film is a smooth glossy and flexible calendered vinyl film designed for vivid high-quality printing
- It features a permanent multi-purpose grey adhesive for extensive application coverage
- A smoother, brighter film brings the ultimate intermediate digital print solution, for crisp vibrant results every time
- Pair with either DOL2900 series or DOL2400 series premium laminates to maximise your application options and guarantee sharper finished graphics
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
123053	MPI 2904	Gloss White	Grey Permanent	1371	50
123054	MPI 2904	Gloss White	Grey Permanent	1524	50

Avery Dennison® MPI 2904 Kit

ORDER NOW

INTERMEDIATE

- Film: Avery Dennison MPI 2904 Gloss
- Overlaminate: Avery Dennison DOL 2960 Gloss
- Overlaminate: Avery Dennison DOL 2980 Matt

Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
123114	MPI 2904 Kit	Gloss Clear	MPI2904/DOL2960	1371	50
123115	MPI 2904 Kit	Matt Clear	MPI2904/DOL2980	1371	50
123116	MPI 2904 Kit	Gloss Clear	MPI2904/DOL2960	1524	50
123117	MPI 2904 Kit	Matt Clear	MPI2904/DOL2980	1524	50

Avery Dennison® MPI 2904 Premium Kit

ORDER NOW

INTERMEDIATE

- Film: Avery Dennison MPI 2904 Gloss
- Overlaminate: Avery Dennison DOL 2460 Gloss
- Overlaminate: Avery Dennison DOL 2470 Satin
- Overlaminate: Avery Dennison DOL 2480 Matt

Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
123108	MPI 2904 Premium Kits	Gloss Clear	MPI2904/DOL2460	1371	50
123110	MPI 2904 Premium Kits	Satin Clear	MPI2904/DOL2470	1371	50
123112	MPI 2904 Premium Kits	Matt Clear	MPI2904/DOL2480	1371	50
123109	MPI 2904 Premium Kits	Gloss Clear	MPI2904/DOL2460	1524	50
123111	MPI 2904 Premium Kits	Satin Clear	MPI2904/DOL2470	1524	50
123113	MPI 2904 Premium Kits	Matt Clear	MPI2904/DOL2480	1524	50

AUTO WRAP

The AUTO brand, exclusively from Spicers, is designed to cater for the ever-changing needs of professional wrappers, detailers and fleet applicators.



AUTO Wrap 3D

Full vehicle wraps
and fleet graphics



AUTO Wrap 2D

Partial vehicle wraps,
fleet and public
transport graphics



AUTO Wrap 1D

Flat side of vehicles,
retail displays and
general signage

VIEW THE RANGE ▶


Developed for Wrappers - Exclusively from Spicers

AUTO Wrap 1D Film

ORDER NOW

INTERMEDIATE

- AUTO Wrap 1D Film is a 70ums white polymeric film featuring a permanent, pressure-sensitive, solvent-based adhesive with Autoglide Technology
- The Autoglide Technology allows air to escape through channels for faster installation while maintaining enough adhesion to ensure a long-lasting bond
- The high-quality polymeric material ensures exceptional graphics for intermediate signage
- Suitable for flat sided vehicles and intermediate interior and exterior signage
- For use with overlaminates AUTO Wrap 1D gloss or matt laminate
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121877	AUTO Wrap 1D Film	Gloss White	Grey Permanent Airflow	70	1371	50
122966	AUTO Wrap 1D Film	Gloss White	Grey Permanent Airflow	70	1524	50

AUTO Wrap 1D Kit

ORDER NOW

INTERMEDIATE

- Film: AUTO Wrap 1D 70ums White
- Overlaminate: AUTO Wrap 1D gloss
- Overlaminate: AUTO Wrap 1D matt



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121781	AUTO Wrap 1D Kit	Gloss Clear	AUTO 1D GWGAP/Gloss	1371	50
122340	AUTO Wrap 1D Kit	Matt Clear	AUTO 1D GWGAP/Matt	1371	50
122341	AUTO Wrap 1D Kit	Gloss Clear	AUTO 1D GWGAP/Gloss	1524	50
122342	AUTO Wrap 1D Kit	Matt Clear	AUTO 1D GWGAP/Matt	1524	50




Imageperfect iD5 PerfectApply Film

ORDER NOW

INTERMEDIATE

imageperfect ANZ

- Imageperfect iD5 PerfectApply Film is an 86ums white intermediate print film that provides a permanent solution for both internal and mid-term external purposes
- Applications include decorative, static and fleet graphics consisting of flat or non-complex curves
- A wide colour gamut ensures colourful images with vibrant area infill's and high levels of print quality with outstanding text definition
- The adhesive system can perform well even at high altitudes and cold temperatures
- Two adhesive colour options are available for iD5, clear and grey, with grey providing higher opacity where needed
- For use with overlaminates iD5 Gloss / Satin & Matt
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121695	iD5 PerfectApply Film	Gloss White	Clear Permanent PA	86	1371	45.7
122099	iD5 PerfectApply Film	Gloss White	Grey Permanent PA	86	1371	45.7
122100	iD5 PerfectApply Film	Matt White	Grey Permanent PA	86	1371	45.7
122101	iD5 PerfectApply Film	Gloss White	Clear Permanent PA	86	1524	45.7
122102	iD5 PerfectApply Film	Gloss White	Grey Permanent PA	86	1524	45.7


Imageperfect iD5 PerfectApply Kit

ORDER NOW

INTERMEDIATE

imageperfect ANZ

- Film: Imageperfect iD5 PerfectApply 86 ums
- Overlaminate: Imageperfect iD5 Gloss
- Overlaminate: Imageperfect iD5 Matt
- Overlaminate: Imageperfect iD5 Satin




Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121694	iD5 PerfectApply Kit	Gloss Clear	iD5 GWCAP/Gloss	1371	45.7
122090	iD5 PerfectApply Kit	Matt Clear	iD5 GWCAP/Matt	1371	45.7
123124	iD5 PerfectApply Kit	Satin Clear	iD5 GWCAP/Satin	1371	45.7
122091	iD5 PerfectApply Kit	Gloss Clear	iD5 GWGAP/Gloss	1371	45.7
122092	iD5 PerfectApply Kit	Matt Clear	iD5 GWGAP/Matt	1371	45.7
123125	iD5 PerfectApply Kit	Satin Clear	iD5 GWGAP/Satin	1371	45.7
122093	iD5 PerfectApply Kit	Gloss Clear	iD5 MWGAP/Gloss	1371	45.7
122094	iD5 PerfectApply Kit	Matt Clear	iD5 MWGAP/Matt	1371	45.7
123126	iD5 PerfectApply Kit	Satin Clear	iD5 MWGAP/Satin	1371	45.7
122095	iD5 PerfectApply Kit	Gloss Clear	iD5 GWCAP/Gloss	1524	45.7
122096	iD5 PerfectApply Kit	Matt Clear	iD5 GWCAP/Matt	1524	45.7
122097	iD5 PerfectApply Kit	Gloss Clear	iD5 GWGAP/Gloss	1524	45.7
122098	iD5 PerfectApply Kit	Matt Clear	iD5 GWGAP/Matt	1524	45.7

Imageperfect iD5 White Film

ORDER NOW

INTERMEDIATE

- Imageperfect iD5 Film is an 86ums Intermediate print film provides a permanent solution for both internal and mid-term external purposes
- Applications include decorative, static, and fleet graphics consisting of flat or non-complex curves
- A wide colour gamut ensures colourful images with vibrant area infill's and high levels of print quality with outstanding text definition
- Films are equipped with excellent lay-flat properties due to their backing paper
- The adhesive system can perform well even at high altitudes and cold temperatures & two adhesive colour options are available for iD5, clear and grey, with grey providing higher opacity
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121696	iD5 White Film	Gloss White	Clear Permanent	86	1371	45.7
122103	iD5 White Film	Gloss White	Grey Permanent	86	1371	45.7
122104	iD5 White Film	Gloss White	Clear Permanent	86	1524	45.7

Imageperfect iD5 Kit

ORDER NOW

INTERMEDIATE

- Film: Imageperfect iD5 86ums
- Overlaminate: Imageperfect iD5 Gloss
- Overlaminate: Imageperfect iD5 Matt
- Overlaminate: Imageperfect iD5 Satin



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
122086	iD5 Kit	Gloss Clear	iD5 GWCP/Gloss	1371	45.7
122087	iD5 Kit	Matt Clear	iD5 GWCP/Matt	1371	45.7
123122	iD5 Kit	Satin Clear	iD5 GWCP/Satin	1371	45.7
122088	iD5 Kit	Gloss Clear	iD5 GWGP/Gloss	1371	45.7
122089	iD5 Kit	Matt Clear	iD5 GWGP/Matt	1371	45.7
123123	iD5 Kit	Satin Clear	iD5 GWGP/Satin	1371	45.7
121693	iD5 Kit	Gloss Clear	iD5 GWCP/Gloss	1524	45.7
122083	iD5 Kit	Matt Clear	iD5 GWCP/Matt	1524	45.7

Self-Adhesive Vinyl

Imageperfect 2573 PerfectApply

ORDER NOW

INTERMEDIATE

- Imageperfect 2573 PerfectApply White 80ums is a versatile white gloss polymeric vinyl with PerfectApply technology, ideal for both indoor and outdoor applications
- Designed for large-format inkjet printing perfect for markings, decorations, and vehicle graphics offering high repositionability and bubble-free application thanks to its PerfectApply technology
- The vinyl delivers excellent print quality with sharp text definition and a wide cover gamut, ensuring vivid images
- Featuring polymeric plasticizers, UV stabilisers for long-term outdoor durability, and a grey adhesive for enhanced opacity, it also includes a lay-flat backing paper for smooth handling
- For use with overlaminates IP iD5 Clear Gloss, Satin or Matt
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121703	IP 2573 PerfectApply	Gloss Clear	Grey Removable PA	80	1371	45
122858	IP 2573 PerfectApply	Gloss Clear	Grey Removable PA	80	1524	45

Imageperfect 2573 PerfectApply Kit

ORDER NOW

INTERMEDIATE

- Film: Imageperfect 2573 PerfectApply 80ums White
- Overlaminate: Imageperfect iD5 Gloss
- Overlaminate: Imageperfect iD5 Matt
- Overlaminate: Imageperfect iD5 Satin



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121704	IP 2573 PerfectApply Kit	Gloss Clear	2573PA WGGAR/Gloss	1371	45.7
122125	IP 2573 PerfectApply Kit	Matt Clear	2573PA WGGAR/Matt	1371	45.7
123129	IP 2573 PerfectApply Kit	Satin Clear	2573PA GWGAR/Satin	1371	45.7
122126	IP 2573 PerfectApply Kit	Gloss Clear	2573PA WGGAR/Gloss	1524	45.7
122127	IP 2573 PerfectApply Kit	Matt Clear	2573PA WGGAR/Matt	1524	45.7

1300 132 644 info.mail@spicers.com.au spicers.com.au

Imageperfect 2556 PerfectApply

ORDER NOW

INTERMEDIATE

imageperfect ANZ

- Imageperfect 2556 PerfectApply Plus White Gloss Polymeric Vinyl is suitable for flat/slightly curved, indoor and outdoor applications, including markings, decorations and vehicle graphics
- It will deliver high levels of print quality with a large colour gamut that ensures colourful images with high black value and vibrant area in-fills
- It incorporates PerfectApply technology to increase repositionability and to facilitate bubble-free application
- Equipped with a backing paper that offers excellent lay flat properties and utilises a permanent, grey adhesive system which performs well in areas of high altitude and at cold temperatures
- It should be applied at surface temperatures of greater than +5°C
- For use with overlaminates IP 2810-103 (gloss finish), IP 2810-202 (matt finish), IP 2830-109 (anti-graffiti)
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121772	IP 2556 PerfectApply	Gloss White	Grey Permanent PA	70	1600	50

Imageperfect 2556 PerfectApply Kit

ORDER NOW

INTERMEDIATE

imageperfect ANZ

- Film: Imageperfect 2556 PerfectApply 70ums White Gloss
- Overlaminate: Imageperfect 2810-103 Gloss
- Overlaminate: ImagePerfect 2810-202 Matt



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121650	IP 2556 PerfectApply Kit	Gloss Clear	2556PA/2810-103	1600	50
121899	IP 2556 PerfectApply Kit	Matt Clear	2556PA/2810-202	1600	50

Self-Adhesive Vinyl

Imageperfect 2554 Plus Clear Gloss

ORDER NOW

INTERMEDIATE

- Imageperfect 2554 Plus Clear Gloss is a 70ums polymeric vinyl with a permanent, advances acrylic adhesive
- Suitable for flat/slightly curved, indoor and outdoor applications, including markings, decorations and vehicle graphics
- It delivers high levels of print quality with a large colour gamut that of print quality with a large colour gamut that ensures colourful images with high black value and vibrant area in-fills
- It should be applied at surface temperatures greater than +5°C.
- For use with laminates IP iD5 Clear Gloss, Satin or Matt
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121770	IP 2554 Plus Clear Gloss	Gloss Clear	Permanent	70	1371	50

Imageperfect 2592 Apollo PerfectApply

ORDER NOW

INTERMEDIATE

- Imageperfect 2592PA White Apollo is white gloss 80ums polymeric vinyl for indoor and outdoor applications such as markings, decorations, vehicle graphics and other general signage
- It is also available with PerfectApply technology to increase repositionability and to facilitate bubble-free applications
- The films promote high levels of print quality with remarkable text definition and a large colour gamut to ensure colourful images with vibrant area infill's
- They feature specific polymeric, non-migrating plasticisers and UV stabilisers, which ensure long-term outdoor durability
- Additional opacity is provided by the grey adhesive
- For use with overlaminates IP2810-104 Gloss & IP2810-203 Matt
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121705	IP 2592 Apollo PerfectApply	Gloss White	Grey Permanent PA	80	1371	45




1300 132 644 info.mail@spicers.com.au spicers.com.au

HP Prime Gloss & Gloss Air

ORDER NOW

INTERMEDIATE

- HP Prime Gloss & Gloss Air are 75ums white high gloss polymeric vinyls with a permanent grey or clear acrylic adhesive
- HP Prime Gloss features a clear permanent adhesive
- Designed to deliver outstanding image quality, vibrant colour and reliable performance across a wide variety applications
- HP Prime Gloss Air GP features an opaque grey permanent adhesive and an air-release liner for easier, more efficient installation
- Suitable for both interior and exterior applications
- Ideal for advertising, POS displays, signage, window graphics, vehicle and fleet graphics & architectural
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121391	HP Prime Gloss	Gloss White	Clear Permanent	75	1371	45
121175	HP Prime Gloss Air	Gloss White	Grey Permanent Airflow	75	1371	45
121390	HP Prime Gloss Air	Gloss White	Grey Permanent Airflow	75	1524	45

HP Prime Gloss & Gloss Air Kit

ORDER NOW

INTERMEDIATE

- HP Prime Gloss & Gloss Air Kit are 75ums white high gloss polymeric vinyls with a permanent grey or clear acrylic adhesive paired with Prime Gloss or Matt overlaminates
- HP Prime Gloss features a clear permanent adhesive
- Designed to deliver outstanding image quality, vibrant colour and reliable performance across a wide variety applications
- HP Prime Gloss Air GP features an opaque grey permanent adhesive and an air-release liner for easier, more efficient installation
- Suitable for both interior and exterior applications
- Ideal for advertising, POS displays, signage, window graphics, vehicle and fleet graphics & architectural
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121176	HP Prime Gloss Air Kit	Gloss Clear	HP Prime Air/Prime	1371	45
121393	HP Prime Gloss Air Kit	Matt Clear	HP Prime Air/Prime	1371	45
121394	HP Prime Gloss Kit	Gloss Clear	HP Prime/Prime	1371	45
121402	HP Prime Gloss Kit	Matt Clear	HP Prime/Prime	1371	45
121395	HP Prime Gloss Air Kit	Gloss Clear	HP Prime Air/Prime	1524	45
121396	HP Prime Gloss Air Kit	Matt Clear	HP Prime Air/Prime	1524	45


GENERAL FORMULATIONS
PSA VINYL SOLUTIONS FOR
VANS
BUSES
CARS
UTE
GLASS
BRICK
METAL
PLYWOOD
PLASTIC
ALUMINUM
COMPOSITE
HERE
HERE
HERE
HERE
HERE
HERE
HERE
HERE
VIEW THE RANGE
MAKE YOUR
MARK
www.generalformulations.com

General Formulations GF 201 & GF 203

ORDER NOW INTERMEDIATE

- GF 201 is an 85 micron polymeric matt white calendared vinyl with clear acrylic high-tack permanent adhesive
- GF 203 is a 75 micron polymeric gloss white calendared vinyl with a clear acrylic high-tack permanent adhesive
- The HTAP adhesive creates a permanent bond to a variety of common substrates such as metals, painted metals, smooth wood, plywood, primed MDO board, vinyl, ABS, styrene, polyester, polycarbonate as well as smooth polyolefins
- For use with overlaminate GF231, GF240, GF587, GF588, 400 Series
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
175029	GF 201	Matt White	Clear Permanent	85	1524	45.7
175030	GF 203	Gloss White	Clear Permanent	75	1524	45.7
173881	GF 201 OPAE	Matt White	Grey Permanent Airflow	85	1371	45.7
173882	GF 201 OPAE	Matt White	Grey Permanent Airflow	85	1524	45.7
173883	GF 203 OPAE	Gloss White	Grey Permanent Airflow	75	1371	45.7
173884	GF 203 OPAE	Gloss White	Grey Permanent Airflow	75	1524	45.7

General Formulations GF 246

ORDER NOW INTERMEDIATE

- GF 246 is a premium 60 micron polymeric gloss white vinyl film with permanent repositionable grey solvent acrylic pressure sensitive adhesive
- Best suited for simple to moderate curves. This product is a polymeric calendared vinyl, and thus is not meant for complex curves
- This product is recommended for indoor and outdoor uses where flexibility, durability and resistance to sunlight are required
- These films can be used for fleet and vehicle graphics, architectural signage, commercial-retail signage, point-of-purchase graphics, and decals
- For use with overlaminate: GF231 & GF240
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173605	GF 246	Gloss White	Grey Permanent	60	1371	45.7

General Formulations Print-n-Lam™

ORDER NOW INTERMEDIATE

- GF Print-n-Lam™ is a 76 micron Gloss or Matt Clear UV Polymeric Vinyl with a clear permanent Emulsion Acrylic adhesive on a double-sided PE liner
- Specifically engineered for use in flat general signage, window, and decal applications
- GF Print-n-Lam™ is ideal for printing OR laminating
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173615	GF 247	Gloss Clear	Clear Permanent	76	1371	45.7
173616	GF 247	Gloss Clear	Clear Permanent	76	1524	45.7
173617	GF 248	Matt Clear	Clear Permanent	76	1371	45.7

Self-Adhesive Vinyl

Rocal 5 Year

ORDER NOW

INTERMEDIATE

ROCAL self adhesive print media

- Intermediate 100ums polymeric vinyl, with 170gsm 2/sided PE coated liner and solvent acrylic adhesive
- Everyday vinyl for flat and simple curve surfaces
- For use with overlaminates Rolam 5 Year
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Liner	Face Thickness (ums)	Width (mm)	Length (m)
173110	Rocal 5 Year	Gloss White	Clear Permanent	2PE	100	1371	50
173111	Rocal 5 Year	Gloss White	Clear Permanent	2PE	100	1524	50
173112	Rocal 5 Year	Gloss White	Clear Removable	2PE	100	1371	50
173114	Rocal 5 Year	Gloss White	Grey Permanent	2PE	100	1371	50
173118	Rocal 5 Year	Gloss White	Grey Permanent Airflow	2PE AIR	100	1371	50
173115	Rocal 5 Year	Gloss White	Grey Permanent	2PE	100	1524	50
173119	Rocal 5 Year	Gloss White	Grey Permanent Airflow	2PE AIR	100	1524	50
173116	Rocal 5 Year	Gloss White	Grey Removable	2PE	100	1371	50
173120	Rocal 5 Year	Gloss White	Grey Removable Airflow	2PE AIR	100	1371	50
173121	Rocal 5 Year	Gloss White	Grey Removable Airflow	2PE AIR	100	1524	50
173117	Rocal 5 Year	Gloss White	Grey Removable	2PE	100	1524	50
173122	Rocal 5 Year	Matt White	Clear Permanent	2PE	100	1371	50
173130	Rocal 5 Year	Matt White	Grey Permanent Airflow	2PE AIR	100	1371	50
173132	Rocal 5 Year	Matt White	Grey Removable Airflow	2PE AIR	100	1371	50

Rolam Printable 5 Year Clear

ORDER NOW

INTERMEDIATE

ROLAM laminate media

- Intermediate gloss clear polymeric laminate with clear permanent or removable adhesive
- 100ums 170gsm 2/sided PE coated liner, Eco-Solvent, Latex & UV Curable Inks
- Graphic protection for Rocal 5 Year print vinyls
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Liner	Face Thickness (ums)	Width (mm)	Length (m)
173134	Rolam Printable 5 Year Clear	Gloss Clear	Clear Permanent	2PE 170G	100	1371	50
173135	Rolam Printable 5 Year Clear	Gloss Clear	Clear Permanent	2PE 170G	100	1524	50
173136	Rolam Printable 5 Year Clear	Gloss Clear	Clear Removable	2PE 170G	100	1371	50
173137	Rolam Printable 5 Year Clear	Gloss Clear	Clear Removable	2PE 170G	100	1524	50
198172	Rolam Printable 5 Year Clear	Matt Clear	Clear Permanent	2PE 170G	100	1371	50
198173	Rolam Printable 5 Year Clear	Matt Clear	Clear Permanent	2PE 170G	100	1524	50

Avery Dennison®
SP 3522/3523 Opaque Film

ORDER NOW **PROMOTIONAL**

- Avery Dennison SP 3522/3523 Opaque Film are 90ums matt white, PVC-free self-adhesive print films
- SP 3522 removable grey adhesive for temporary applications
- SP 3523 permanent grey, solvent-free adhesive for longer-lasting adhesion
- Designed as a more sustainable alternative to standard vinyl
- For short-term promotional graphics & signage applications & point of sale advertising
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121167	SP 3522	Matt White	Grey Removable	90	1371	50
121375	SP 3523	Matt White	Grey Permanent	90	1371	50

3M™ IJ1220 White

ORDER NOW **PROMOTIONAL**

- 3M™ Scotchcal™ IJ1220C series is an economical white opaque film series with a semi-permanent pressure-sensitive adhesive
- Designed for the market of short-term promotional films that need good quality
- Short to mid term, indoor and outdoor promotional graphics
- Available in gloss and matt finishes
- Application method: wet or dry
- Graphic protection IJ1220-114 can be used with IJ1220-10
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
163468	3M IJ1220C-10	Gloss White	Grey Permanent Airflow	1371	50
163469	3M IJ1220C-20	Matt White	Grey Permanent Airflow	1371	50

3M™ IJ1220 Series Clear

ORDER NOW **PROMOTIONAL**

- 3M™ Scotchcal™ IJ1220 series is an economical clear film with a clear, permanent adhesive
- Designed for the market of short-term promotional film that needs good quality
- Available in gloss and matt finishes
- Graphic protection for IJ1220
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
163470	3M IJ1220-114	Gloss Clear	Clear Permanent	1371	50
163471	3M IJ1220-124	Matt Clear	Clear Permanent	1371	50

Self-Adhesive Vinyl

Avery Dennison® MPI 3000PP Series

ORDER NOW **PROMOTIONAL**

- Avery Dennison MPI 3000PP Series is a 90ums white gloss monomeric vinyl with clear permanent (MPI 3000), clear removable (MPI 3001) & grey removable (MPI 3002) adhesive
- Designed for short-term promotional graphics and signage on flat substrates
- High-quality graphics for retail promotions, point-of-purchase displays, exhibitions, window graphics and outdoor advertising
- Can be paired with Avery Dennison DOL3460 Gloss, DOL3100 Matt & DOL3200 Satin overlaminates
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
165171	MPI 3000PP Series	Gloss White	Clear Permanent	90	1371	50
165172	MPI 3000PP Series	Gloss White	Clear Permanent	90	1524	50
165173	MPI 3001PP Series	Gloss White	Clear Removable	90	1371	50
188141	MPI 3001PP Series	Gloss White	Clear Removable	90	1524	50
165174	MPI 3002PP Series	Gloss White	Grey Removable	90	1371	50
188142	MPI 3002PP Series	Gloss White	Grey Removable	90	1524	50

Avery Dennison® MPI 3000PP/3001PP Kits

ORDER NOW **PROMOTIONAL**

- Film: Avery Dennison MPI3000PP 95ums white gloss
- Film: Avery Dennison MPI3001PP 95ums white gloss
- Film: Avery Dennison MPI3002PP 95ums white gloss
- Overlaminate: Avery Dennison DOL 3100 Matt
- Overlaminate: Avery Dennison DOL 3200 Satin
- Overlaminate: Avery Dennison DOL 3460 Gloss



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121128	MPI 3001PP Kits	Matt Clear	MPI 3001PP/DOL3100	1371	50
121227	MPI 3001PP Kits	Satin Clear	MPI 3001PP/DOL3200	1371	50
121228	MPI 3001PP Kits	Gloss Clear	MPI 3001PP/DOL3460	1371	50
121229	MPI 3002PP Kits	Matt Clear	MPI 3002PP/DOL3100	1371	50
121289	MPI 3000PP Kits	Matt Clear	MPI 3000PP/DOL3100	1371	50
121290	MPI 3000PP Kits	Satin Clear	MPI 3000PP/DOL3200	1371	50
121291	MPI 3000PP Kits	Gloss Clear	MPI 3000PP/DOL3460	1371	50

1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison® MPI 3300 White

ORDER NOW

PROMOTIONAL

- Avery Dennison MPI 3300 is a 90ums gloss white promotional vinyl film designed for use in a wide range of short-term applications
- Available in a combination of both Clear & Grey and both Permanent and Removable adhesive options
- Easy application, good removability and good outdoor durability Suitable for indoor & outdoor use, POS & promotional & general signage
- For use with overlaminates DOL 3000 Series
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121164	MPI 3300	Gloss White	Clear Permanent	90	1371	50
121368	MPI 3300	Gloss White	Clear Permanent	90	1524	50
121364	MPI 3301	Gloss White	Clear Removable	90	1371	50
121367	MPI 3301	Gloss White	Clear Removable	90	1524	50
121365	MPI 3302	Gloss White	Grey Removable	90	1371	50
121366	MPI 3303	Gloss White	Grey Permanent	90	1371	50

Avery Dennison® MPI 3300 Easy Apply

ORDER NOW

PROMOTIONAL

- Avery Dennison MPI 3300 Easy Apply is a 90ums gloss white promotional vinyl film designed for use in a wide range of short-term applications
- Uses a clear permanent solvent based acrylic adhesive
- Easy application, good removability and good outdoor durability
- Suitable for indoor & outdoor use, POS & promotional & general signage
- For use with overlaminates DOL 3000 Series
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121369	MPI 3300 Easy Apply	Gloss White	Clear Permanent EA	90	1371	50
121165	MPI 3302 Easy Apply	Gloss White	Grey Removable EA	90	1371	50
121370	MPI 3302 Easy Apply	Gloss White	Grey Removable EA	90	1524	50

Avery Dennison® MPI 3041 PP

ORDER NOW

PROMOTIONAL

- Avery Dennison MPI 3041 PP Is a clear gloss 100ums short term film with a removable adhesive
- Suitable for Point of purchase, outdoor advertising, window graphics indoor advertising and exhibitions
- For use with a overlaminates DOL 3000 Series
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121163	MPI 3041 PP	Gloss Clear	Clear Removable	100	1524	50
165176	MPI 3041 PP	Gloss Clear	Clear Removable	100	1371	50

Self-Adhesive Vinyl

Imageperfect iD3 White Film

ORDER NOW

PROMOTIONAL

imageperfect ANZ

- The Imageperfect iD3 are a range of 100ums white monomeric digital print films that are engineered for short-term promotional applications
- Available in gloss or matt finishes, these films come with clear or grey adhesives and are offered in removable or permanent variants to meet diverse project requirements
- Specifically designed for flat, smooth surfaces, these films are suitable for indoor and outdoor use
- Ideal for applications such as point-of-sale displays, promotional signage, and general-purpose graphics
- iD3 White print films are both REACH compliant and Cadmium Free
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121707	iD3 White Film	Gloss White	Clear Permanent	100	1371	50
122129	iD3 White Film	Gloss White	Clear Removable	100	1371	50
122130	iD3 White Film	Gloss White	Grey Permanent	100	1371	50
122131	iD3 White Film	Gloss White	Grey Removable	100	1371	50
122132	iD3 White Film	Matt White	Clear Permanent	100	1371	50
122133	iD3 White Film	Matt White	Clear Removable	100	1371	50
122134	iD3 White Film	Matt White	Grey Permanent	100	1371	50
122135	iD3 White Film	Matt White	Grey Removable	100	1371	50
122136	iD3 White Film	Gloss White	Clear Permanent	100	1524	50
122137	iD3 White Film	Gloss White	Grey Permanent	100	1524	50
122138	iD3 White Film	Gloss White	Grey Removable	100	1524	50
122139	iD3 White Film	Matt White	Grey Removable	100	1524	50

Imageperfect iD3 White Film PerfectApply

ORDER NOW

PROMOTIONAL

imageperfect ANZ

- The Imageperfect iD3 PerfectApply are a range of 100ums white monomeric digital print films that are engineered for short-term promotional applications
- Available in gloss or matt finishes, these films come with clear or grey adhesives and are offered in removable or permanent variants to meet diverse project requirements
- Specifically designed for flat, smooth surfaces, these films are suitable for indoor and outdoor use
- Ideal for applications such as point-of-sale displays, promotional signage, and general-purpose graphics
- iD3 White print films are both REACH compliant and Cadmium Free
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121710	iD3 PerfectApply	Gloss White	Grey Removable PA	100	1371	50
122140	iD3 PerfectApply	Matt White	Clear Removable PA	100	1371	50
122141	iD3 PerfectApply	Matt White	Grey Removable PA	100	1371	50
122142	iD3 PerfectApply	Gloss White	Grey Permanent PA	100	1371	50

1300 132 644 info.mail@spicers.com.au spicers.com.au

Imageperfect Monomeric Print Film

ORDER NOW PROMOTIONAL

- Imageperfect Monomeric range are 100ums versatile digital print films with multiple adhesive and finish combinations available
- Suitable for indoor and outdoor applications on flat, smooth surfaces
- Engineered to deliver excellent print quality, the films produce vibrant colours and sharp text
- Provides a reliable solution for temporary promotions, displays and everyday signage applications
- Please note: this range is currently transitioning to iD3
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
122860	IP 2563	Gloss White	Clear Permanent	100	1371	45.7
122871	IP 2563	Gloss White	Clear Permanent	100	1371	50
122872	IP 2563	Gloss White	Clear Removable	100	1371	50
122867	IP 2563	Gloss White	Clear Permanent	100	1524	45.7
122861	IP 2564	Gloss White	Grey Permanent	100	1371	45.7
122868	IP 2564	Gloss White	Grey Permanent	100	1524	45.7
122869	IP 2565	Gloss White	Grey Removable	100	1524	45.7
122863	IP 2566	Matt White	Grey Removable	100	1371	45.7
122866	IP 2566	Matt White	Grey Permanent	100	1371	45.7
122870	IP 2566	Matt White	Grey Removable	100	1524	45.7
122864	IP 2576	Matt White	Clear Permanent	100	1371	45.7
122865	IP 2576	Matt White	Clear Removable	100	1371	45.7

Imageperfect Monomeric PerfectApply Print

ORDER NOW PROMOTIONAL

- Imageperfect Monomeric PerfectApply range are 100ums versatile digital print films with multiple adhesive and finish combinations available
- Suitable for indoor and outdoor applications on flat, smooth surfaces
- Engineered to deliver excellent print quality, the films produce vibrant colours and sharp text
- Provides a reliable solution for temporary promotions, displays and everyday signage applications
- Please note: this range is currently transitioning to iD3
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121713	IP 2564	Gloss White	Grey PA Permanent	100	1371	45.7
122144	IP 2565	Gloss White	Grey PA Removable	100	1371	45.7
122146	IP 2576	Matt White	Clear PA Removable	100	1371	45.7

Self-Adhesive Vinyl

HP Vital Air Film

ORDER NOW

PROMOTIONAL

- HP Vital Gloss Air Film is a 100ums original HP media product that delivers amazing print quality and lay-flatness and is also optimised for use on HP Latex Printers
- The film is a gloss white monomeric, that also incorporates a tinted permanent air egress adhesive system, saving you time and energy on installation
- The film is ideal for short-term applications, such real estate signage, point-of-sale, decals, indoor and short-term outdoor signage
- For use with overlaminates HP Vital Gloss Clear or Vital Matt Clear
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121174	HP Vital Air	Gloss White	Grey Permanent Airflow	100	1371	45
121387	HP Vital Air	Matt White	Grey Removable Airflow	100	1371	45
121386	HP Vital Air	Gloss White	Grey Removable Airflow	100	1371	45

Rocal 3 Year

ORDER NOW

PROMOTIONAL

- Promotional 100ums monomeric vinyl, with 170gsm 2/sided PE coated liner and solvent acrylic adhesive
- Everyday vinyl for flat and simple curve surfaces
- For use with overlaminates Rolam 3 Year
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Liner	Face Thickness (ums)	Width (mm)	Length (m)
173396	Rocal 3 Year	Gloss White	Clear Ultra Removable	2PE	100	1371	50
173064	Rocal 3 Year	Gloss White	Clear Permanent	2PE	100	1371	50
173065	Rocal 3 Year	Gloss White	Clear Permanent	2PE	100	1524	50
173066	Rocal 3 Year	Gloss White	Clear Removable	2PE	100	1371	50
173067	Rocal 3 Year	Gloss White	Clear Removable	2PE	100	1524	50
173072	Rocal 3 Year	Gloss White	Grey Permanent Airflow	2PE AIR	100	1371	50
173068	Rocal 3 Year	Gloss White	Grey Permanent	2PE	100	1371	50
173074	Rocal 3 Year	Gloss White	Grey Removable Airflow	2PE AIR	100	1371	50
173070	Rocal 3 Year	Gloss White	Grey Removable	2PE	100	1371	50
173071	Rocal 3 Year	Gloss White	Grey Removable	2PE	100	1524	50
173075	Rocal 3 Year	Gloss White	Grey Removable Airflow	2PE AIR	100	1524	50
173076	Rocal 3 Year	Matt White	Clear Permanent	2PE	100	1371	50
173078	Rocal 3 Year	Matt White	Clear Removable	2PE	100	1371	50
173086	Rocal 3 Year	Matt White	Grey Removable Airflow	2PE AIR	100	1370	50
173087	Rocal 3 Year	Matt White	Grey Removable Airflow	2PE AIR	100	1524	50

1300 132 644 info.mail@spicers.com.au spicers.com.au

Rolam Printable 3 Year Clear

ORDER NOW PROMOTIONAL

ROLAM laminate media

- Promotional monomeric gloss, matt & satin laminates with clear permanent or removable adhesive
- 100ums 170gsm 2/sided PE coated liner printable
- 80ums 120gsm 2/sided PE coated liner laminate only
- Graphic protection for Rocal 3 Year printed vinyls
- Durability: Up to 3 years (refer to specification sheet)



Material	Material Description	Finish	Adhesive	Liner	Face Thickness (ums)	Width (mm)	Length (m)
173088	Rolam Printable 3 Year Clear	Gloss Clear	Clear Permanent	2PE 170G	100	1371	50
173089	Rolam Printable 3 Year Clear	Gloss Clear	Clear Permanent	2PE 170G	100	1524	50
173090	Rolam Printable 3 Year Clear	Gloss Clear	Clear Removable	2PE 170G	100	1371	50
198170	Rolam Printable 3 Year Clear	Matt Clear	Clear Permanent	2PE 170G	100	1371	50
198171	Rolam Printable 3 Year Clear	Matt Clear	Clear Permanent	2PE 170G	100	1524	50

3M™ IJ20-10R

ORDER NOW PROMOTIONAL

3M

- 3M™ IJ20-10R is a gloss white monomeric vinyl, with grey removable solvent based acrylic adhesive and kraft liner
- Suitable for flat surfaces only
- Perfect for indoor and outdoor signs and short-term fleet graphics
- For use with overlaminate IJ20-114
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168044	3M IJ20-10R	Gloss White	Grey Removable	80	1371	50

3M™ IJ20-114 Clear

ORDER NOW PROMOTIONAL

3M

- 3M™ IJ20-114 is a gloss clear promotional vinyl with a clear removable solvent-based acrylic adhesive & kraft liner
- Printable clear vinyl
- Perfect for indoor and outdoor signs and short-term fleet graphics
- Graphic protection for IJ20 series
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168021	3M IJ20-114	Gloss Clear	Clear Removable	70	1371	45.7

3M Science. Applied to Life.™



THE ULTIMATE SUITE OF PRINTABLE GRAPHIC FILMS

Spicers & 3M offer a suite of solutions for printable graphic wrap films.

3M Printable Graphic films cover a range of intermediate, premium and non-PVC solutions. Spicers and 3M offer the technical support and performance warranty, giving our customers confidence for more effective and efficient installs.

From vehicles, boats, fleet, windows, walls, floors, interior & exterior signs, POP displays, short, medium or long term requirements, 3M Graphic films are sure to transform, enhance and protect spaces.

Whatever your application, print, sustainability and economical requirements, Spicers and 3M have a solution.

Meet the printable suite:

- 3M™ Envision™ Print Wrap Film SV/LX 480mC
- 3M™ Print Wrap Film IJ280mC SF
- 3M™ Print Wrap Film IJ180mC
- 3M™ Envision™ 48C-20R
- 3M™ Scotchcal™ High Tack Graphic Film IJ39-20
- 3M™ Scotchcal™ Intermediate Graphic Film 40 Series
- 3M™ Scotchcal™ Intermediate Graphic Film IJ35 Series
- 3M™ Scotchcal™ Promotional IJ1220 Series

VIEW THE RANGE ▶

Spicers

Request a sample from your local Spicers representative.

1300 132 644 | spicers.com.au

3M™ IJ16 Series

ORDER NOW PROMOTIONAL

- 3M™ IJ16 Series is a economical, promotional monomeric vinyl with grey removable and permanent adhesives
- Available in gloss & matt finishes
- Suitable for short term, indoor and outdoor promotional graphics
- Everyday vinyl, for flat surfaces only
- For use with overlaminate IJ15-114
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169798	3M IJ16-10	Gloss White	Grey Permanent	100	1371	50
175084	3M IJ16-20	Matt White	Grey Removable	100	1371	50
175085	3M IJ16R-10	Gloss White	Grey Removable	100	1371	50

3M™ IJ15-10

ORDER NOW PROMOTIONAL

- Gloss white, economical, promotional monomeric vinyl, with clear permanent pressure-sensitive adhesive and a polycoated paper liner
- Everyday vinyl, for flat surfaces only
- Short term, indoor and outdoor promotional graphics such as signs, trade show and point-of-purchase displays
- For use with overlaminate IJ15-114
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169794	3M IJ15-10	Gloss White	Clear Permanent	100	1371	50

3M™ IJ15-114 Clear

ORDER NOW PROMOTIONAL

- Gloss clear, economical, promotional monomeric vinyl, with clear permanent pressure-sensitive adhesive and a polycoated paper liner
- Everyday vinyl, for flat surfaces only
- Short term, indoor and outdoor promotional graphics such as signs, trade show and point-of-purchase displays
- Can be used as overlaminate for IJ15/IJ16 products
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169796	3M IJ15-114	Gloss Clear	Clear Permanent	100	1371	50

A range of versatile adhesive and film-based visual communication products, perfectly adapted for wall, floor and window surfaces.

Spicers

EVOLUTION IN GRIP

REQUEST A SAMPLE PACK! ▶

Taking inspiration from nature, Spicers developed a diverse range of unique and sustainable graphic solutions for many environments.



Spicers

For enquiries or a sample contact your local Spicers representative.

1300 132 644 | spicers.com.au | @spicersaus

EVOLUTION IN GRIP

Rocal 1 Year

ORDER NOW **PROMOTIONAL**

ROCAL self adhesive print media

- Promotional 100um monomeric vinyl, with 140gsm 2/sided PE coated liner
- Stable ink absorption, bright colours, vivid images
- Everyday vinyl for flat surfaces only
- For use with overlaminates Rolam 1Year
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, UV Curable & Latex Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
199487	Rocal 1 Year	Gloss White	Black Removable	100	1371	50
172828	Rocal 1 Year	Gloss White	Clear Permanent	100	1371	50
172830	Rocal 1 Year	Gloss White	Clear Removable	100	1371	50
172833	Rocal 1 Year	Gloss White	Grey Removable Airflow	100	1371	50
198441	Rocal 1 Year	Gloss White	Grey Removable Airflow	100	1524	50
172831	Rocal 1 Year	Gloss White	Grey Removable	100	1371	50
172832	Rocal 1 Year	Gloss White	Grey Removable	100	1524	50
172834	Rocal 1 Year	Matt White	Clear Permanent	100	1371	50
172835	Rocal 1 Year	Matt White	Clear Removable	100	1371	50
172836	Rocal 1 Year	Matt White	Grey Removable Airflow	100	1371	50

Rolam Printable 1 Year Clear

ORDER NOW **PROMOTIONAL**

ROLAM laminate media

- Promotional 100ums monomeric vinyl, with 140gsm 2/sided PE coated liner
- Stable ink absorption, bright colours, vivid images
- Everyday vinyl for flat surfaces only
- Graphic protection for Rocal 1 Year
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
172837	Rolam Printable 1 Year Clear	Gloss Clear	Clear Permanent	100	1371	50
172838	Rolam Printable 1 Year Clear	Matt Clear	Clear Permanent	100	1371	50



Self-Adhesive Vinyl

Neschen Easy Dot® PET

ORDER NOW

LOW-TACK & ULTRA REMOVABLE

- Easy dot® PET L-UV is a printable, self-adhesive film
- This PVC-free film uses proven easy dot® technology
- Ideal for use with smooth substrates indoors, matt white can be used outdoors
- Excellent printing quality & easy to apply with no bubbles
- Can be removed without residues
- White film is made with 25% post-consumer recycled content (PCR)
- Durability: Up to 2 years (refer to specification sheet)
- Print Compatibility: Latex & UV Curable Inks

ISO 9001 QUALITY MANAGEMENT SYSTEMS · INDOOR APPLICATIONS · SALE POINT OF SALE · LATEX MEDIA · SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
163163	Neschen Easy Dot® PET	Matt White	Clear Removable	75	1371	50
163164	Neschen Easy Dot® PET	Matt White	Clear Removable	75	1600	50

Neschen Easy Dot® PVC

ORDER NOW

LOW-TACK & ULTRA REMOVABLE

- Printable, self-adhesive film with a matt surface that can be clear, transparent, white or whiteout
- With proven easy dot® technology for easy, bubble-free installation
- Matt and Whiteout are suitable for indoor and outdoor use
- Clear is suitable for indoor use
- Whiteout version features high opacity
- Durability: Up to 2 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

*Clear & transparent only compatible with some UV LED inks, speak to your Spicers representative for more information

ISO 9001 QUALITY MANAGEMENT SYSTEMS · INDOOR APPLICATIONS · SALE POINT OF SALE · LATEX MEDIA · SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
163162	Neschen Easy Dot® PVC	Matt Clear	Clear Dot	100	1371	50
163158	Neschen Easy Dot® PVC	Matt White	Clear Dot	100	1371	50
163159	Neschen Easy Dot® PVC	Matt White	Clear Dot	100	1600	50
163160	Neschen Easy Dot® PVC	Matt Whiteout	Clear Dot	100	1371	50
163161	Neschen Easy Dot® PVC	Matt Whiteout	Clear Dot	100	1600	50
178223	Neschen Easy Dot® PVC	Transparent	Clear Dot	100	1600	50
178224	Neschen Easy Dot® PVC	Transparent	Clear Dot	100	1371	50

Self-Adhesive Vinyl

Imageperfect 2575 ImageDot

ORDER NOW

LOW-TACK & ULTRA REMOVABLE

- Imageperfect 2575 Image Dot is a 120ums self-adhesive vinyl, matt with a special "dot" adhesive, rather than a smooth coating
- The film is very easy to handle and can be applied quickly, even by untrained users
- It delivers a bubble free finish as air travels between the adhesive dots, and can be removed and re-stuck without leaving any adhesive residue
- The film is suitable for short-term, indoor applications such as tradeshows, retail, and POP/POS advertising
- Delivers excellent print quality on glass, or other smooth/glossy surfaces
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121655	IP 2575	Matt White	Dot Adhesive Removable	120	1371	22.5
121903	IP 2575	Gloss Clear	Dot Adhesive Removable	120	1371	30
121904	IP 2575	Matt White	Dot Adhesive Removable	120	1371	45.7

Rocal POPDOT

ORDER NOW

LOW-TACK & ULTRA REMOVABLE

- Matt white monomeric vinyl with a dot pattern, clear, removable adhesive
- Dot adhesive offers quick & easy, bubble-free installation with no need for tools or wet application
- Recommended for short-term indoor applications on windows, walls & other internal flat surfaces
- For clean, flat, smooth and lightly textured surfaces (indoors)
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194769	Rocal POPDOT	White Matt	Clear Dot Removable	100	1371	50

Yupo® Octopus XAD1069

ORDER NOW

LOW-TACK & ULTRA REMOVABLE

- 166gsm/210ums Polypropylene film that sticks to clean, dry and smooth surfaces using Yupo's very own micro suction technology
- Premium product that offers superior print & removability for multiple POS and retail applications
- No glue or adhesives of any kind and is bubble-free
- Easy to apply, remove and reapply - will not leave any residue behind
- Thicker, more rigid liner making the product more stable when printing and easier to cut
- Print Compatibility: UV Curable Inks

Material	Material Description	Finish	Adhesive-Free	Grammage (GSM)	Width (mm)	Length (m)
400588	Yupo® Octopus XAD1069	Satin	Micro Suction Cup	166	1270	100

Self-Adhesive Vinyl

Imageperfect ImageVision

ORDER NOW

LOW-TACK & ULTRA REMOVABLE

- Imageperfect 2928 and 2927 feature ultra-removable adhesive systems with clean-peel properties, making them easy-to-use
- IP 2928 is a white polypropylene film 250um suitable for application on glass and high-energy surfaces like gloss-painted doors or acrylic
- IP 2927 is an ultra-clear polyester film 235um ideal for decoration on glass panels, shop windows, and partition screens
- It is an easy-to-use customer-friendly product for indoor and short-term applications
- It is ideal for both decorative and functional applications on glass, shop windows, display cases, partition screens, branding and POS/POP promotional advertising
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

SELF ADHESIVE · POINT OF SALE · INDOOR APPLICATIONS · ECO SOLVENT MEDIA · UV MEDIA · LATEX MEDIA

Material	Material Description	Finish	Adhesive	Grammage (GSM)	Width (mm)	Length (m)
121797	IP 2927	Gloss Clear	Ultra Removable	235	1270	25
122368	IP 2927	Gloss Clear	Ultra Removable	235	1270	50
122369	IP 2928	Matt White	Ultra Removable	250	1270	25
122370	IP 2928	Matt White	Ultra Removable	250	1270	50
122371	IP 2928	Matt White	Ultra Removable	250	1270	100

General Formulations GF 204

ORDER NOW

LOW-TACK & ULTRA REMOVABLE

- GF 204 is a 76 micron polymeric gloss white calendered vinyl coated with a clear low-tack removable acrylic pressure sensitive adhesive laminated to a white 2/Sided PE coated kraft liner
- The clear adhesive creates a lasting bond to a variety of common substrates yet will remove easily and cleanly at the end of the useful life of the graphic
- Durability: Up to 5 years (refer to specification sheet)
- Removability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · LATEX MEDIA · LOW TAC ADHESIVE · SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
199983	GF 204	Gloss White	Low-Tack Removable	1524	45.7



1300 132 644 info.mail@spicers.com.au spicers.com.au

Rocal Ultra Removable

ORDER NOW

LOW-TACK & ULTRA REMOVABLE

ROCAL self adhesive print media

- Gloss white monomeric vinyl, with a clear ultra removable adhesive and double sided PE coated paper liner
- Perfect for promotional graphics with clean removal on flat surfaces
- For use with overlaminates Rolam 3 Year
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Liner	Face Thickness (ums)	Width (mm)	Length (m)
173396	Rocal Ultra Removable	Gloss White	Clear Ultra Removable	2PE	100	1371	50

Rocal Supacling Ultra

ORDER NOW

LOW-TACK & ULTRA REMOVABLE

ROCAL self adhesive print media

- Rocal Supacling Ultra White is removable, recyclable and environmentally friendly opaque, matt polypropylene film
- Treated print surface and a suction coating on the reverse side is designed to stick onto glass and other glossy surfaces
- Ideal for sign, display and graphic applications where easy installation, repositioning, clean removability and re-use are desirable
- Durability: Up to 2 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173446	Rocal Supacling Ultra	Matt White	Clear Removable	195	1371	50
173447	Rocal Supacling Ultra	Matt White	Clear Removable	195	1371	100


General Formulations Static Cling®

ORDER NOW

LOW-TACK & ULTRA REMOVABLE

GENERAL FORMULATIONS

- GF 207 is a 175 micron premium monomeric clear static cling flexible calendared vinyl film on a double sided PE Liner
- GF 208 is a 175 micron premium white static cling flexible calendared vinyl film on a double sided PE Liner
- This product may be used for temporary applications to exterior glass
- You can use either application method for this product, but the best way for a smooth, bubble free application, is to spray the glass and the graphic surface, using a wet edged squeegee to easily apply
- Durability: Up to 3 month (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173597	GF 207 Static Cling	Clear	Static Cling	1371	45.7
173598	GF 208 Static Cling	White	Static Cling	1371	45.7

Self-Adhesive Vinyl

3M™ IJ180mC-10LSE

ORDER NOW

HIGH-TACK & LSE

- Gloss white premium cast wrap film,with a grey high-tack comply air release adhesive and PE coated liner
- Designed to adhere to Low Surface Energy (LSE) plastics
- Excellent hiding power, flexible, conforms to compound curves, corrugations and rivets
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Durability: Up to 10 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
451373	3M IJ180mC-10LSE	Gloss White	Grey High-Tack Airflow	1371	45.7

Avery Dennison®
MPI 1106 Easy Apply High-Tack

ORDER NOW

HIGH-TACK & LSE

- Avery Dennison MPI 1106 High-Tack Easy Apply is a 50ums gloss premium cast film
- Designed for use in demanding applications such as heavy equipment, snow vehicles, trucks and trailers
- The adhesive system on the product makes it excellent for use on low energy surface substrates such as plastics, powder coat paints, fibreglass and more
- Uses as high-tack, grey permanent solvent acrylic adhesive
- For use with overlaminates SP 6460 High Gloss & DOL 1400 Max Series
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121137	MPI 1106	Gloss White	Grey High-Tack Permanent EA	50	1371	22.8
121307	MPI 1106	Gloss White	Grey High-Tack Permanent EA	50	1371	45.7
121308	MPI 1106	Gloss White	Grey High-Tack Permanent EA	50	1524	45.7

Avery Dennison®
MPI 2126 Easy Apply High-Tack

ORDER NOW

HIGH-TACK & LSE

- Avery Dennison MPI 2126 EA High-Tack Matt is an 80ums premium calendared film
- It is an opaque solid colour, flexible vinyl film designed for use in demanding applications
- The adhesive system is designed for use on low surface energy substrates such as plastics, powder coat paints, fibreglass, clear coats and painted metal surfaces
- This product is ideal for a variety of outdoor projects
- For use with overlaminates DOL2460 Gloss / DOL2470 Satin & DOL2480 Matt
- Durability: Up to 6 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121147	MPI 2126	Matt White	Clear High-Tack Perm EA	80	1371	45.7
121263	MPI 2126	Matt White	Clear High-Tack Perm EA	80	1524	45.7


1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison® MPI 2006 High-Tack

ORDER NOW

HIGH-TACK & LSE

- Avery Dennison MPI 2006 High-Tack is a 80ums gloss, white polymeric self-adhesive vinyl
- Due to its special adhesive, it is suitable for difficult to adhere to surfaces such as low surface energy substrates (eg. HDPE or PP) and matt interior painted walls
- Recommended for a variety of applications to flat or slightly curved low energy surfaces, such as vehicle graphics, architectural interior and exterior signs
- Uses a Solvent acrylic based, High-tack, permanent adhesive
- For use with overlaminates DOL 2400 Series
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121140	MPI 2006	Gloss White	High-Tack Permanent	80	1371	25
121340	MPI 2006	Gloss White	High-Tack Permanent	80	1371	50

3M™ IJ39 Series High-Tack

ORDER NOW

HIGH-TACK & LSE

- Matt white intermediate vinyl, with clear, high-tack permanent adhesive and doubled side poly-coated kraft liner
- Perfect for low energy surfaces such as plastics (including polyethylene and polypropylene) and powder coated paints
- Smooth, flat and simple curved surfaces
- For use with overlaminates 8508, 8509, 8510, 8038, 8040, IJ40 & 40C
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169008	3M IJ39-20	Matt White	Clear High-Tack Permanent	90	1371	45.7

Avery Dennison® MPI 2906 Easy Apply High-Tack

ORDER NOW

HIGH-TACK & LSE

- Avery Dennison MPI 2906 Easy Apply High-Tack is an 80ums gloss white polymeric calendered vinyl film designed for easy application on low surface energy substrates
- Grey solvent acrylic based, Hi Tack-permanent Easy Apply adhesive
- Ideal for a wide range of intermediate outdoor uses, general signage, and vehicle graphics on flat or simply curved surfaces
- Ensures good outdoor durability,high opacity, and excellent print quality
- For use with overlaminates DOL 2400 & 2900 Series
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121151	MPI 2906	Gloss White	Grey High-Tack Perm EA	80	1371	45.7
123121	MPI 2906	Gloss White	Grey High-Tack Perm EA	80	1524	45.7
121269	MPI 2906	Matt White	Grey High-Tack Perm EA	80	1371	45.7
121310	MPI 2906	Matt White	Grey High-Tack Perm EA	80	1524	45.7

Imageperfect 2571 PerfectApply High-Tack

ORDER NOW

HIGH-TACK & LSE

- Imageperfect 2571PA High-Tack Matt White 150ums is specially engineered film with a clear adhesive
- Suitable for printed wallpapers, wall graphics along with wall decals
- The High-Tack adhesive which provides flexibility for both internal and external applications on challenging surfaces
- It incorporates PerfectApply technology, increasing repositionability during application and facilitates a bubble-free finish
- For use with overlaminate iD5
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121700	IP 2571	Matt White	Clear High-Tack Permanent PA	150	1371	22.5
122119	IP 2571	Matt White	Clear High-Tack Permanent PA	150	1371	45

Imageperfect 2572 PerfectApply High-Tack

ORDER NOW

HIGH-TACK & LSE

- Imageperfect 2572 PerfectApply White High-Tack is a 90ums white gloss or matt polymeric vinyl that has been specifically engineered to adhere to LSE (low surface energy) substrates and/or substrates
- Solvent based acrylic, high-tack, grey permanent with PerfectApply adhesive
- Suitable for wall graphics, rough surfaces, large graphics, decals & general signage
- For use with iD5 laminates
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121701	IP 2572	Gloss White	Grey High-Tack Permanent PA	90	1371	22.5
122853	IP 2572	Matt White	Grey High-Tack Permanent PA	90	1371	22.5
122855	IP 2572	Gloss White	Grey High-Tack Permanent PA	90	1371	45
122856	IP 2572	Matt White	Grey High-Tack Permanent PA	90	1371	45
122854	IP 2572	Matt White	Grey High-Tack Permanent PA	90	1524	22.5
122857	IP 2572	Matt White	Grey High-Tack Permanent PA	90	1524	45

Imageperfect 2572 PerfectApply High-Tack Kit

ORDER NOW

HIGH-TACK & LSE

- Film: Imageperfect 2572 PerfectApply High-Tack 90ums Gloss
- Film: Imageperfect 2572 PerfectApply High-Tack 90ums Matt
  Film: Imageperfect 2572 PerfectApply High-Tack 90ums Satin
- Overlaminate: Imageperfect iD5 Gloss
- Overlaminate: Imageperfect iD5 Matt
- Overlaminate: Imageperfect iD5 Satin




Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121702	IP 2572 PerfectApply High-Tack Kit	Gloss Clear	2572PA WGGHTAP/Gloss	1371	45.7
122120	IP 2572 PerfectApply High-Tack Kit	Matt Clear	2572PA WGGHTAP/Matt	1371	45.7
123127	IP 2572 PerfectApply High-Tack Kit	Satin Clear	2572PA MWGHTAP/Satin	1371	45.7
122121	IP 2572 PerfectApply High-Tack Kit	Gloss Clear	2572PA WMGHTAP/Gloss	1371	45.7
122122	IP 2572 PerfectApply High-Tack Kit	Matt White	2572PA WMGHTAP/Matt	1371	45.7
123128	IP 2572 PerfectApply High-Tack Kit	Satin Clear	2572PA GWGHTAP/Satin	1371	45.7
122123	IP 2572 PerfectApply High-Tack Kit	Gloss Clear	2572PA WMGHTAP/Gloss	1524	45.7
122124	IP 2572 PerfectApply High-Tack Kit	Matt Clear	2572PA WMGHTAP/Matt	1524	45.7

Imageperfect 2572 Satin White High-Tack Film

ORDER NOW

HIGH-TACK & LSE

- Imageperfect 2572 Satin White 90ums polymeric vinyl with a clear high-tack adhesive
- Specifically engineered to adhere to low surface energy substrates and/or substrates with a low surface temperature
- Created for digital printing on large-format inkjet printers
- For use with iD5 laminates
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
123059	IP 2572 High-Tack Film	Satin White	Clear High-Tack Permanent	90	1371	45

Imageperfect 2572 Satin White High-Tack Kit

ORDER NOW

HIGH-TACK & LSE

- Film: Imageperfect 2572 Satin White High-Tack
- Overlaminate: Imageperfect iD5 Gloss
- Overlaminate: Imageperfect iD5 Matt
- Overlaminate: Imageperfect iD5 Satin



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
123060	IP 2572 High-Tack Kit	Gloss Clear	IP 2572/iD5	1371	45.7
123061	IP 2572 High-Tack Kit	Matt Clear	IP 2572/iD5	1371	45.7
123062	IP 2572 High-Tack Kit	Satin Clear	IP 2572/iD5	1371	45.7


General Formulations
GF 201 & GF 203 High-Tack

ORDER NOW

HIGH-TACK & LSE

GENERAL FORMULATIONS

- GF 201 is a 85 micron polymeric matt white calendared vinyl with clear acrylic high-tack permanent adhesive
- GF 203 is an 75 micron polymeric gloss white calendared vinyl with a clear acrylic high-tack permanent adhesive
- The HTAP adhesive creates a permanent bond to a variety of common substrates such as metals, painted metals, smooth wood, plywood, primed MDO board, vinyl, ABS, styrene, polyester, polycarbonate as well as smooth polyolefins
- For use with overlaminate GF 231, GF 240, GF 587, GF 588, 400 Series
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173591	GF 201 HTAP	Matt White	Clear High-Tack Permanent	1371	45.7
173592	GF 201 HTAP	Matt White	Clear High-Tack Permanent	1524	45.7
175014	GF 201 HTAPAE	Matt White	Clear High-Tack Permanent Airflow	1371	45.7
175015	GF 201 HTAPAE	Matt White	Clear High-Tack Permanent Airflow	1524	45.7
173593	GF 203 HTAP	Gloss White	Clear High-Tack Permanent	1371	45.7
173594	GF 203 HTAP	Gloss White	Clear High-Tack Permanent	1524	45.7
173595	GF 203 HTAPAE	Gloss White	Clear High-Tack Permanent Airflow	1371	45.7
173596	GF 203 HTAPAE	Gloss White	Clear High-Tack Permanent Airflow	1524	45.7

General Formulations
GF 235 MotoMark® GRIP

ORDER NOW

HIGH-TACK & LSE

GENERAL FORMULATIONS

- GF 235 MotoMark® 100 micron GRIP is specially formulated premium flexible matt white Polymeric PVC film with double sided PE Liner and unique High Bond solvent acrylic pressure sensitive adhesive
- GF 235 MotoMark® is designed to be applied to, quads, snowmobiles, motocross, powersport vehicles, helmets, and carts. Testing is always suggested before application
- GF 238 MotoMark® "ARMOR" 12.0 300 micron is a flexible gloss clear laminate that offers UV protection
- GF 238 MotoMark® Laminate is the matching laminate and provides the most protection for the helmet and powersport types of applications
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
452327	GF 235	Matt White	Permanent	100	1371	45.7

Rocal Intermediate High-Tack

ORDER NOW

HIGH-TACK & LSE

ROCAL self adhesive print media

- Gloss & matt intermediate vinyl with high-tack permanent adhesive
- 100ums face film on a 170gsm 2/sided PE liner
- Smooth, flat and simple curved surfaces
- Perfect for low energy surfaces such as plastics (including polyethylene and polypropylene) and powder coated paints
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Liner	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
199447	Rocal Intermediate	Gloss White	2PE AIR	Clear High-Tack Permanent Airflow	100	1371	50
173144	Rocal Intermediate	Gloss White	2PE	Clear High-Tack Permanent	100	1371	50
173145	Rocal Intermediate	Gloss White	2PE	Clear High-Tack Permanent	100	1524	50
173148	Rocal Intermediate	Gloss White	2PE AIR	Grey High-Tack Permanent Airflow	100	1371	50
173146	Rocal Intermediate	Gloss White	2PE	Grey High-Tack Permanent	100	1371	50
173149	Rocal Intermediate	Gloss White	2PE AIR	Grey High-Tack Permanent Airflow	100	1524	50
173147	Rocal Intermediate	Gloss White	2PE	Grey High-Tack Permanent	100	1524	50
173150	Rocal Intermediate	Matt White	2PE	Clear High-Tack Permanent	100	1371	50
173154	Rocal Intermediate	Matt White	2PE AIR	Grey High-Tack Permanent	100	1371	50
173152	Rocal Intermediate	Matt White	2PE	Grey High-Tack Permanent	100	1371	50
173155	Rocal Intermediate	Matt White	2PE AIR	Grey High-Tack Permanent	100	1524	50


Avery Dennison® MPI 3026 High-Tack

ORDER NOW

HIGH-TACK & LSE

AVERY DENNISON

- Avery Dennison MPI 3026 High-Tack 95ums film is matt white, monomeric vinyl, suitable for promotional short term applications on slightly structured and apolar substrates
- New whiter face-stock with great printability
- Easy cutting and application on a wide variety of substrates
- To enhance colour and to protect images against UV radiation and abrasion, it is recommended to protect MPI 3026 Supertack film using an overlaminate or varnish
- Suitable for interior walls. Short term outdoor applications with slightly structured surfaces and outdoor applications on apolar substrates such as polypropylene
- For use with overlaminates DOL 3000 Series
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121162	MPI 3026 High-Tack	Matt White	Clear Permanent Supertack	95	1371	50

Imageperfect Monomeric High-Tack Print Film

ORDER NOW

HIGH-TACK & LSE

imageperfect ANZ

- Imageperfect Monomeric High-Tack range are 100ums are engineered for superior adhesion to low surface (LSE) substrates, where standard adhesives often fail
- Suitable for indoor and outdoor applications on flat, smooth surfaces
- Engineered to deliver excellent print quality, the films produce vibrant colours and sharp text
- Provides a reliable solution for temporary promotions, displays and everyday signage applications
- Please note: this range is currently transitioning to iD3
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
122143	IP 2560	Matt White	Clear High-Tack Permanent	1371	45.7
121712	IP 2560	Matt White	Clear High-Tack Permanent	1524	45.7

Imageperfect iD3 White Film High-Tack

ORDER NOW

HIGH-TACK & LSE

imageperfect ANZ

- The iD3 Imageperfect range of white monomeric digital print films are engineered for short-term promotional applications, offering robust performance and versatile options
- Available in gloss or matt finishes
- These films come with clear or grey PA Hi-Tack adhesive
- Suitable for interior and exterior applications
- Ideal for applications such as point-of-sale displays, promotional signage, and general-purpose graphics
- For use with iD3 laminates
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121708	iD3 High-Tack PerfectApply	Matt White	Clear Permanent High-Tack	100	1371	50
122859	iD3 High-Tack PerfectApply	Matt White	Clear Permanent High-Tack	100	1524	50

Imageperfect iD3 High-Tack PerfectApply

ORDER NOW

HIGH-TACK & LSE

- The Imageperfect iD3 High-Tack PerfectApply are a range of 100ums white monomeric digital print films that are engineered for short-term promotional applications
- Available in a matt white finish with grey PerfectApply High-Tack adhesive
- iD3 Hi-Tack excels on challenging surfaces & grey PerfectApply (PA) adhesive technology is suited for easy bubble free application
- Specifically designed for flat, smooth surfaces, these films are suitable for indoor and outdoor use
- Ideal for applications such as point-of-sale displays, promotional signage, and general-purpose graphics
- iD3 White print films are both REACH compliant and Cadmium Free
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121709	iD3	Matt White	Grey High-Tack Permanent PA	100	1371	50

Rocal Monomeric High-Tack

ORDER NOW

HIGH-TACK & LSE

- Gloss & matt monomeric vinyl with High-Tack permanent adhesive
- Smooth, flat and simple curved surfaces
- 100um face film on a 170gsm 2/sided PE liner
- Perfect for low energy surfaces such as plastics (including polyethylene and polypropylene) and powder coated paints
- Up to 3 Years unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Liner	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173098	Rocal Monomeric	Gloss White	2PE	Clear High-Tack Permanent	100	1371	50
173100	Rocal Monomeric	Gloss White	2PE	Grey High-Tack Permanent	100	1371	50
173101	Rocal Monomeric	Gloss White	2PE	Grey High-Tack Permanent	100	1524	50
173106	Rocal Monomeric	Matt White	2PE	Grey High-Tack Permanent	100	1371	50
173108	Rocal Monomeric	Matt White	2PE AIR	Grey High-Tack Permanent Airflow	100	1371	50

Self-Adhesive Vinyl

3M™ IJ3630-20

ORDER NOW

BACKLIT

- The 3M™ Scotchcal™ Translucent Film IJ3630-20 is a white cast translucent film with a pressure sensitive, permanent adhesive adheres to rigid and flexible substrates
- Application to first or second surface of plastic substrate and glass in the creation of internally illuminated signs and window graphics
- For applications such as displays, illuminated signage, non-illuminated signage & windows
- Application method: wet apply
- For use with 3M Overlaminate 8518, 8519 & 8520
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco Solvent, UV Curable & Latex Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
400479	3M IJ3630-20	Matt White	Clear Permanent	1371	45.7

Avery Dennison® MPI 2050 Translucent

ORDER NOW

BACKLIT

- Avery Dennison MPI 2050 Translucent is a 86ums matt translucent intermediate film
- It has 2-sided PE-coated liner
- It features a solvent based acrylic, clear permanent adhesive
- Suitable for illuminated signs and window graphics
- For use with overlaminates DOL 2400 Series or DOL 4000 Series
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121144	MPI 2050	Matt	Clear Permanent	86	1371	45.7
121257	MPI 2050	Matt	Clear Permanent	86	1524	45.7

Imageperfect 2516 White Translucent

ORDER NOW

BACKLIT

- Imageperfect 2516 is a 80ums white, matt, calendered, translucent vinyl suitable for use on a wide variety of clean, dry surfaces
- It has been formulated to promote brilliant and colourful images with a medium to long-term, exterior durability
- This translucent vinyl can be used in most interior applications and many exterior decorative and illuminated display applications, for example, lightboxes
- For use with either iD7 or iD9 laminates
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121769	IP 2516	Matt	Clear Permanent	80	1371	25
122313	IP 2516	Matt	Clear Permanent	80	1371	50
122312	IP 2516	Matt	Clear Permanent	80	1600	25
122314	IP 2516	Matt	Clear Permanent	80	1600	50

1300 132 644 info.mail@spicers.com.au spicers.com.au

Rocal 5 Year Translucent

ORDER NOW

BACKLIT

ROCAL self adhesive print media

- Satin white translucent polymeric vinyl, with a clear permanent adhesive and single side PE coated liner
- Engineered for digitally printed backlit applications
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173398	Rocal 5 Year Translucent	Satin White	Clear Permanent	100	1371	50

Rocal 3 Year Translucent

ORDER NOW

BACKLIT

ROCAL self adhesive print media

- Satin white translucent monomeric vinyl, with a clear permanent adhesive and single side PE coated liner
- Engineered for digitally printed backlit applications
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173397	Rocal 3 Year Translucent	Satin White	Clear Permanent	120	1371	50



Self-Adhesive Vinyl


Imageperfect 2555 StreetApp

ORDER NOW

FLOOR GRAPHIC

imageperfect ANZ

- Imageperfect 2555 StreetApp 150ums is a white, textured, scuff- resistant print media with a non-slip surface
- Specifically engineered for the application of graphics to asphalt, tarmac, pavements, concrete, walls, etc
- Its adhesive technology also makes it suitable for application to carpet, wooden flooring, walls etc
- Its embossed texture makes it an interesting wallpaper product
- Offers a high level of scratch resistance and an inherent non-slip surface without needing additional lamination and is equipped with a semi-permanent adhesive system
- Multi-layered construction incorporates a fabric layer which provides the product with flexibility and strength, increasing its resistance to cracking
- Anti Slip: AS 4586: P4/R11
- Durability: Up to 1 year (refer to specification sheet)



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121771	IP 2555	Textured White	Permanent	150	1220	25
122315	IP 2555	Textured White	Permanent	150	1220	50

Imageperfect 2931 AllyApp

ORDER NOW

FLOOR GRAPHIC

imageperfect ANZ

- Imageperfect 2931 AllyApp Floor Graphic is an ideal product for external floor graphics where the application is to a challenging external surface
- It is an aluminium base film providing increased film flexibility which lends itself to better suitability on heavily textured surfaces
- Suited to asphalt, tarmac, pavements, concrete and other similar textured surface applications
- It features a permanent adhesive system that (depending on the substrate)can be removed cleanly
- It allows for high levels of print quality with a large colour gamut that ensures colourful images with vibrant area in-fills
- It has achieved one of the highest slip ratings: AS 4586:2013 P5/R12
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121794	IP 2931	Matt White	Permanent	1200	15.24
122362	IP 2931	Matt White	Permanent	1200	30.48



1300 132 644 info.mail@spicers.com.au spicers.com.au

Rocal Floortac Outdoor

ORDER NOW

FLOOR GRAPHIC

ROCAL self adhesive print media

- White gloss, deep grain embossed, anti-slip vinyl with an aluminium construction and a permanent solvent acrylic adhesive
- Perfect for outdoor applications on rough wall & floor surfaces such as concrete, asphalt, brick, tiles, marble, terrazzo
- Rated to R12 in accordance with AS 4586:2013 Slip resistance classification of new pedestrian surface materials, Appendix D - Oil Wet Inclining Platform Test - test sheet can be supplied on request
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Anti-Slip Rating	Width (mm)	Length (m)
400581	Rocal Floortac Outdoor	Deep Grain	Clear Permanent	R12	1220	30

Neschen UV Dot Print 'N' Walk

ORDER NOW

FLOOR GRAPHIC

NESCHEN

- Neschen Print 'N' Walk is a matt white PVC-film (200um) with a "Dot Shaped" adhesive and PE release liner providing excellent flatness for short term indoor applications
- Repositionable and bubble free installation with no laminate required
- Great for trade shows or seasonal sales floor graphic advertising
- Solvent-free, age resistant and permanently elastic acrylate adhesive
- Washable and resistant to a large number of detergents and solvents
- Slip resistance R9 tested with UV Curable Inks according to DIN EN 16165
- Durability: Up to 3 months (refer to specification sheet)
- Print Compatibility: UV Curable Inks



Material	Material Description	Finish	Adhesive	Anti-Slip Rating	Face Thickness (ums)	Width (mm)	Length (m)
163310	Neschen UV Dot Print 'N' Walk	Textured	Clear Dot	R9	200	1371	30


General Formulations GF 212 Traffic Graphic®

ORDER NOW

FLOOR GRAPHIC

GENERAL FORMULATIONS

- GF 212 is an 86 micron polymeric matt white calendered vinyl coated with a special formulated clear solvent removable adhesive laminated to a lay flat liner
- Specifically designed to adhere to common commercial carpets and allows for easy and clean removability of the graphic
- The liner offers excellent product lay flat in a variety of ambient conditions along with ease of application of large format graphics
- For use with overlaminate: GF 213
- Removability: Up to 6 months (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Laminate	Face Thickness (ums)	Width (mm)	Length (m)
401014	GF 212 Traffic Graphic	Matt White	Clear Removable	GF 213	86	1371	45.7

A range of versatile adhesive and film-based visual communication products, perfectly adapted for wall, floor and window surfaces.

Spicers

EVOLUTION IN GRIP

REQUEST A SAMPLE PACK!

Taking inspiration from nature, Spicers developed a diverse range of unique and sustainable graphic solutions for many environments.



Spicers

For enquiries or a sample contact your local Spicers representative.

1300 132 644 | spicers.com.au | @spicersaus


EVOLUTION IN GRIP

Neschen Rug 'N' Wall

ORDER NOW

FLOOR GRAPHIC

- Rug 'N' Wall is a printable, self-adhesive textile fabric with a textured surface suitable for indoor and short term outdoor applications
- Specially designed for use on floors, carpets and walls
- Flexible textile fabric adheres to many different surfaces, including tiles, wood and PVC floors, and untreated stone floors (not marble)
- Printing with latex and UV inks, the surface has high scratch resistance and can be easily removed
- Slip resistance R12 is certified according to DIN 51130
- Durability: Up to 2 years indoor (refer to specification sheet)
- Durability: Up to 3 months outdoor (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Anti-Slip Rating	Face Thickness (ums)	Width (mm)	Length (m)
163316	Neschen Rug 'N' Wall	Textured	Clear Permanent	R12	430	1371	25

Rocal Floortac Carpet

ORDER NOW

FLOOR GRAPHIC

- Matt white PET fabric with bead adhesive technology and a R11 anti-slip rating
- Excellent anti-scratch and slip technology for indoor environments on carpet
- Recommended for retail shop campaigns, sponsorship targeted marketing promotional events, way-finding, point of purchase and facility safety flooring
- To be applied on short pile commercial carpet only
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Anti-Slip Rating	Face Thickness (ums)	Width (mm)	Length (m)
400785	Rocal Floortac Carpet	Textured Matt	Clear Removable	R11	100	1371	30

Rocal Floortac Indoor

ORDER NOW

FLOOR GRAPHIC

- 200um, printable white, dull polish PVC film with clear, removable adhesive
- No laminate required
- Suitable for indoor hard, flat surfaces (not recommended for carpet)
- Anti-slip, abrasion resistant surface, approved by P4/R10 anti-skid certification
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Anti-Slip Rating	Face Thickness (ums)	Width (mm)	Length (m)
451828	Rocal Floortac Indoor	Textured Matt	Clear Removable	R10	200	1320	25

Self-Adhesive Vinyl

Avery Dennison®
MPI 2611 Satin White Film

ORDER NOW

WALL GRAPHIC

- Avery Dennison MPI 2611 is a 152ums Satin white polymeric calendered vinyl film
- It is designed for wall graphic applications where excellent dimensional stability after application, removability and excellent print quality are required
- A thick face film construction provides added stability reducing application time and edge curl from solvent inkjet inks
- Superior adhesive technology meets the demanding requirements of most wall surfaces
- It is suitable for most walls – tested and recommended for use over many kinds of paints including high gloss, semi-gloss and satin paints
- For use with overlaminates DOL 2400 Series
- Removability: Up to 1 year (refer to specification sheet)
- Durability: Up to 4 years (refer to specification sheet)



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121138	MPI 2611	Satin White	Clear Removable	152	1371	22.8
121264	MPI 2611	Satin White	Clear Removable	152	1371	45.7

Avery Dennison®
MPI 2636 Textured Wall Film

ORDER NOW

WALL GRAPHIC

- Avery Dennison MPI 2636 is available in 3 different Textured Wall Film Finishes with High-Tack adhesive
- The series offers tough, scuff resistant, flexible, white premium calendered vinyl film designed specifically for wall graphic applications
- It is designed specifically for wall graphic applications where good dimensional stability after application, adhesion to apolar and slightly rough substrates, and excellent print quality are required
- Suitable for Internal wall graphics, retail wall graphics, wall decorations, exhibition wall graphics, internal window graphics and indoor advertising
- Durability: Up to 4 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121139	MPI 2636	Canvas White	Clear Permanent High-Tack	1371	22.8
121243	MPI 2636	Stone White	Clear Permanent High-Tack	1371	22.8
121244	MPI 2636	Stucco White	Clear Permanent High-Tack	1371	22.8





Imageperfect 2571 PerfectApply White

ORDER NOW

WALL GRAPHIC

imageperfect ANZ

- Imageperfect 2571PA Matt White 150ums is specially engineered with a clear removable adhesive which make it suitable for printed wallpapers, wall graphics along with wall decals
- IP 2571PA is also available with a clear Hi Tack adhesive which provides flexibility for both internal and external applications on challenging surfaces
- It incorporates PerfectApply technology, increasing repositionability during application and facilitates a bubble-free finish
- For use with overlaminate iD5
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121699	IP 2571	Matt White	Clear Removable PA	1371	22.5
122118	IP 2571	Matt White	Clear Removable PA	1371	45.7

Nekoosa Mojave Wall

ORDER NOW


WALL GRAPHIC

NEKOOSA

- Nekoosa Mojave Wall Film is a matt white repositionable film featuring a microsphere removable adhesive
- Allows for easy positioning and clean removal for applications under one year
- Designed for short-term indoor and outdoor wall graphic applications
- Suitable for a wide range of smooth, flat surfaces including painted walls, wallpaper, wood panelling, concrete, polished stone, stainless and glass
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121841	Nekoosa Mojave	Augusta Canvas White	Microsphere Removable	1371	45.7
167871	Nekoosa Mojave	Matt White	Microsphere Removable	1371	45.7





On Point. On Time. On Track.

HP Latex 630/730/830 Printer Series

VIEW THE RANGE ▶



HP Latex 630/630 W



HP Latex 730/730 W



HP Latex 830/830 W

HP PVC Free Wallpaper

ORDER NOW

WALL GRAPHIC

- With HP PVC free Wall Paper 178ums, you can create custom designed, truly unique wall decorations that enable a powerful combining professional photography, interior design, and digital printing technology
- Create your own custom designs
- This wall paper is pre-pasted requiring only water to activate the glue and is designed for easy application and clean removal
- Delivers a "Greener" solution that is better for the environment
- PVC Free works in conjunction with latex inks
- Provides odourless prints that are ready to print straight away
- Durability: Up to 20 years (refer to specification sheet)
- Print Compatibility: HP Latex Inks

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
186188	HP PVC Free Wallpaper	Matt White	Removable	178	1371	30.5
121179	HP PVC Free Wallpaper	Matt White	Removable	178	1371	91.4


Neschen Performance Wallpaper

ORDER NOW

WALL GRAPHIC

- Neschen performance wallpaper is a textured, PVC and solvent free non-woven wallpaper
- Photorealistic prints are further enhanced by the structure of the wallpaper
- After printing, the wallpaper is resistant to washing and abrasion and thus suitable for long term use
- For individual design of interiors such as in shopping malls, trade fairs or museums
- The product is certified for HP latex inks
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
163215	Neschen Performance Wallpaper Classic	Matt White	Paste up	280	1371	50
163216	Neschen Performance Wallpaper Classic	Matt White	Paste up	280	1600	30
163309	Neschen Performance Wallpaper Smooth	Matt White	Paste up	280	1600	50





ENDLESS ADVENTURES IN PRINT

Reposition, Refresh, Reimagine with PhotoTex™ Self-Adhesive Fabric.

Designed for ease and versatility, PhotoTex™ applies seamlessly —just peel and stick for a bubble-free finish. Need a change? Its reusable and repositionable design lets you move it without residue. Ideal for indoor and outdoor use, PhotoTex withstands extreme conditions while delivering vivid print quality. Compatible with walls, glass, metal, wood, and more, it's the perfect solution for high-impact visuals wherever creativity takes you.

REQUEST A SAMPLE ▶

Features & Benefits

- 99% block out performance (opaque version)
- Removable, reusable ad repositionable
- Suitable for any non-porous flat surface
- Air bubbles filter out through fabric
- Compatible with aqueous pigment ink, eco-solvent, latex and UV curable ink
- Paint and wallpaper safe
- Tear- resistant
- Wrinkle free
- Perfect for overlapping/panelling and hiding marked or coloured surfaces
- High Tack options for difficult to stick to surfaces
- Australian tested to Group 1 – ASNZ 38

Applications

- Retail Displays & POP Graphics
- Office & Hospitality Décor
- Exhibition & Event Signage
- Window & Vehicle Graphics
- Home & DIY Wall Art

From cityscapes to scenic landscapes, PhotoTex™ transforms any surface into a story. Pack your creativity, and let your ideas take flight with PhotoTex.

For samples and enquiries please contact your local Spicers representative.

1300 132 644 | spicers.com.au

Spicers

PhotoTex™ OS Opaque Solvent

ORDER NOW

WALL GRAPHIC

Photo-Tex™

- Polyester blend fabric with a low-tack, blockout adhesive that is removable, repositionable & reusable, also totally paste free
- Sticks to any non-porous surface, walls, windows, doors & floors
- Removes easily with no residue for sharp-looking, seamless graphics and superior photographic images every time
- Very easy application with air bubbles filtering out through the fabric
- Liquid laminate recommended to protect the printed image
- Ideal for life-size photographic cut-outs, POS and wall murals
- Fire and Smoke Test certificates for AS 1530.2-1993, and AS 1530.3-1999
- Print Compatibility: Eco-Solvent & UV Curable Ink



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
190169	PhotoTex OS Opaque Solvent	Matt White	Grey Low-Tack	165	1371	30
191456	PhotoTex OS Opaque Solvent	Matt White	Grey Low-Tack	165	1524	30


PhotoTex™ S Solvent

ORDER NOW

WALL GRAPHIC

Photo-Tex™

- Polyester blend fabric with a low tack self-adhesive that is removable, repositionable & reusable, also totally paste free
- Removes easily with no residue for sharp-looking, seamless graphics and superior photographic images every time
- Liquid laminate recommended to protect the printed image
- Sticks to any non-porous surface, walls, windows, doors & floors
- Very easy application with air bubbles filtering out through the fabric
- Ideal for life-size photographic cut-outs, POS and wall murals
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173055	PhotoTex S Solvent	Matt White	Clear Low-Tack	165	1371	30

PhotoTex™ EXS H/T Solvent

ORDER NOW

WALL GRAPHIC

Photo-Tex™

- Polyester blend fabric with a high tack adhesive that is removable, repositionable & reusable, also totally paste free
- Removes easily with no residue for sharp-looking, seamless graphics and superior photographic images every time
- Liquid laminate recommended to protect the printed image
- Sticks to any non-porous surface, walls, windows, doors & floors
- Very easy application with air bubbles filtering out through the fabric
- Ideal for life-size photographic cut-outs, POS and wall murals
- Fire and Smoke Test certificates for AS 1530.2-1993, and AS 1530.3-1999
- Print Compatibility: Eco Solvent, Latex & UV Curable Ink



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
171766	PhotoTex EXS H/T Solvent	Matt White	Clear High-Tack	165	1371	30

Self-Adhesive Vinyl

Imageperfect 2324 WallTex

ORDER NOW

WALL GRAPHIC

imageperfect ANZ

- Imageperfect 2324 WallTex 180ums is specially engineered as a self-adhesive option for printed wallpapers, wall graphics, wall stickers and wall decals on lightly structured surfaces
- It offers a high print quality with remarkable text definition and a large colour gamut to ensure colourful images and vibrant area in-fills
- For applications such as POS, textile billboards and posters, backgrounds for retail outlets, trade events, offices, theatres, showrooms, exhibition halls and other textile applications
- Solvent based acrylic adhesive available in permanent & removable
- Print compatibility Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121747	IP 2324	Picasso	Permanent	180	1371	25
122383	IP 2324	Rembrandt	Removable	180	1371	25


General Formulations GF 226 WallMark®

ORDER NOW

WALL GRAPHIC

GENERAL FORMULATIONS

- GF 226 WallMark® is a 150 micron matt white wall vinyl with a clear high-tack removable adhesive and a 90# layflat liner
- Give smooth painted walls the look of decorative plaster with this easy-to-apply textured vinyl
- Unique HTR adhesive allows for ease of install with repositionability and clean removal, but is designed to hold on a wider range of wall surfaces
- Excellent image quality and opacity for wall murals, graphics and POP decals
- Safe for all spaces with its E84 Class A Fire rating and compliance with REACH, RoHS and Prop 650
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173889	GF 226 WallMark	Matt White	High-Tack Removable	150	1371	30
199669	GF 226 WallMark	Matt White	High-Tack Removable	150	1371	50


1300 132 644 info.mail@spicers.com.au spicers.com.au

General Formulations GF 229 WallMark® Canvas

ORDER NOW

WALL GRAPHIC

- GF 229 WallMark® Canvas is a 152 micron embossed matt white semi-rigid calendered vinyl film
- A specially formulated High-Tack and removable microsphere emulsion acrylic pressure sensitive adhesive designed for ease of removal, repositioning and reuse
- GF 229 is designed for wall murals, decals, and graphics on most types of smooth painted interior walls
- Double Sided PE Liner
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173880	GF 229 WallMark	Canvas	High-Tack Removable	152	1371	30

General Formulations RoughMark®

ORDER NOW

WALL GRAPHIC

- GF 285 RoughMark® is a 90 micron matt white opaque polymeric vinyl film with a solvent acrylic High-Tack removable (HTR) pressure sensitive adhesive on a double side PE Liner
- GF 885 is a 50 micron high gloss white cast film with a solvent acrylic High-Tack removable (HTR) pressure-sensitive adhesive on an air-egress liner
- Designed to aggressively grip onto textured substrates such as brick or block, yet cleanly remove without leaving adhesive residue on the contact surface
- This film conforms well with controlled heat and features clean removability from a variety of moderately textured substrates in vertical application only
- GF RoughMark can be used in applications where a conformable removable vinyl is desired
- GF 885 Durability: Up to 7 years (refer to specification sheet)
- GF 825 Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173613	GF 285 RoughMark	Matt White	High-Tack Removable	90	1371	45.7
177871	GF 885 RoughMark	Gloss White	High-Tack Removable	90	1371	45.7


Self-Adhesive Vinyl

3M™ 7725SE Dusted/Frosted

ORDER NOW

WINDOW GRAPHIC

- Special effects, matt premium cast vinyl with clear permanent solvent adhesive and transparent synthetic liner
- Available in dusted (etched glass appearance) and frosted (sandblast glass appearance) finishes in a range of colours
- Perfect for indoor and outdoor window decoration
- Suitable for electronic cutting
- Durability: Up to 15 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent & UV Curable Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
400247	3M 7725 SE-314 Crystal Glass	Dusted Crystal	Clear Permanent	1220	45.7
400240	3M 7725 SE-314 Crystal Glass	Dusted Crystal	Clear Permanent	1524	45.7
450919	3M 7725 SE-324 Crystal Glass	Frosted Crystal	Clear Permanent	1220	45.7
450949	3M 7725 SE-324 Crystal Glass	Frosted Crystal	Clear Permanent	1524	45.7

3M™ 5525SE Haze/Sandblast

ORDER NOW

WINDOW GRAPHIC

- Special effects, matt intermediate polymeric vinyl with clear permanent solvent adhesive and kraft liner
- Available in dusted (etched glass appearance) and frosted (sandblast glass appearance) finishes
- Perfect for indoor & outdoor window decoration medium term applications
- Suitable for electronic cutting
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
400278	3M 5525SE-314 Special Effect	Haze	Clear Permanent	1220	50
450296	3M 5525SE-314 Special Effect	Haze	Clear Permanent	1524	50
400279	3M 5525SE-324 Special Effect	Sandblast	Clear Permanent	1220	50
450562	3M 5525SE-324 Special Effect	Sandblast	Clear Permanent	1524	50

Avery Dennison®
Dusted Glass Easy Apply RS

ORDER NOW

WINDOW GRAPHIC

- Avery Dennison Dusted Glass EA RS is an 80ums film with a clear permanent adhesive
- Milky translucent frosted glass effect with a smooth, homogeneous matt finish
- Ideal for windows, doors, mirrors and partitions
- Easy Apply RS technology for easier installation
- Helps minimise air bubbles and creasing
- Suitable for indoor and outdoor applications
- Durability: Up to 7 years (refer to specification sheet)



Material	Material Description	Finish	Face Thickness (ums)	Width (mm)	Length (m)
181703	AD Dusted Glass Easy Apply RS	Matt Frost	80	1371	50

1300 132 644 info.mail@spicers.com.au spicers.com.au

General Formulations GF 218 WindowMark®

ORDER NOW

WINDOW GRAPHIC

- GF 218 WindowMark® Blockout is a 203 micron gloss white print media with dual-layer construction making it 100% opaque with a removable adhesive for easy, clean removal
- Excellent for window graphics & retail displays where total opacity and zero light transmission is required and front windows and internal windows where total privacy is a must
- Reverse print on GF 255 (clear vinyl), print on GF 218 (Right read) and laminate the two films together. Apply the film on the inside of the window for a Push Pull type decal or graphics
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173599	GF 218 WindowMark	White	Clear Removable	203	1371	30

Imageperfect 7800 SE Series (R)

ORDER NOW

WINDOW GRAPHIC

- Imageperfect 7800 SE Series is a versatile range of decorative glass films designed for privacy, glass manifestation and architectural enhancement
- Available in Opal Frost SE, Satin Crystal SE, Satin Crystal HD SE, Light Silver Frost SE & Silver Frost SE
- Frosted, crystal and metallic etched-glass effects
- Ideal for larger window, partition and interior glass applications
- Suitable foor indoor and outdoor applications
- Durability: Up to 3 years (refer to specification sheet) for IP 7801
- Durability: Up to 8 years (refer to specification sheet) for IP 7802, 7803 & 7804
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
122318	IP 7801 Opal Frost SE	Opal Frost	Permanent	1600	50
121775	IP 7801 Opal Frost SE	Opal Frost	Removable	1600	50
122319	IP 7802 Satin Crystal SE	Satin Crystal	Permanent	1600	50
122320	IP 7803 Satin Crystal HD SE	Satin Crystal	Permanent	1600	50
122321	IP 7804 Light Silver Frost SE	Light Silver Frost	Permanent	1600	50

Imageperfect 8 Year 7800 Series Satin Crystal Film

ORDER NOW

WINDOW GRAPHIC

- The Imageperfect 7800 Series is a versatile range of decorative glass films
- Manufactured from flexible matt calendered PVC with a permanent solvent-based adhesive
- Available in Satin Crystal & denser Satin Crystal HD finishes
- Suitable for retail, hospitality, commercial, educational and other high-traffic environments
- The permanent solvent-based adhesive creates a strong final bond to ensure a secure and durable finish
- Suitable for use on a wide variety of clean, dry surfaces
- Durability: Up to 8 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121774	IP 7802 Satin Crystal	Satin Crystal	Permanent	1371	50
122317	IP 7803 Satin Crystal HD	Satin Crystal	Permanent	1371	50


Self-Adhesive Vinyl

3M™ IJ8150 Optically Clear

ORDER NOW

ULTRA CLEAR

- Optically clear, gloss cast vinyl with clear removable adhesive and transparent synthetic liner
- Perfect for window graphics
- Optimised for wet application, making it very easy to install
- Suitable for flat surfaces, without rivets, simple curves and mild compound curves
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
450507	3M IJ8150	Optically Clear	Clear Removable	1371	45.7
450839	3M IJ8150	Optically Clear	Clear Removable	1524	45.7

Avery Dennison® SP 1540 Ultra Clear

ORDER NOW

ULTRA CLEAR

- Avery Dennison SP1540 Ultra Clear PU is a 40ums optically clear PVC free 3D conforming Polyurethane film designed for premium graphic applications
- It comes with a permanent adhesive and long term outdoor durability, superior 3D conformability for a wide range of applications
- The face film has been especially developed for exceptional print results on all major printer platforms
- Ultra clear for no substrate look & extreme gloss finish
- Can be used as a protective overlaminate film
- Applications include architectural interior and exterior window decoration, glass decoration, partial or full car wrapping and long term applications
- Durability: Up to 12 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121141	SP 1540	Gloss Ultra Clear	Permanent	1371	25
121373	SP 1540	Gloss Ultra Clear	Permanent	1371	50
121245	SP 1540	Gloss Ultra Clear	Permanent	1524	25
121374	SP 1540	Gloss Ultra Clear	Permanent	1524	50

Contra Vision Ultra Clear PET

ORDER NOW

ULTRA CLEAR

- An optically clear, printable self-adhesive PET film delivering impeccable clarity without any 'haze' once applied.
- Offers clean removability for up to 12 months whilst providing semi-permanent performance for longer term installations.
- 75 Micron Optically Clear Gloss PET Film
- Durability: Up to 3 years externally applied and 5 years internally (perimeter glass)
- Print Compatibility: UV Curable & Latex Inks



Material	Material Description	Finish	Width (mm)	Length (m)
452653	Contra Vision Ultra Clear PET	Gloss Clear	1371	50

1300 132 644 info.mail@spicers.com.au spicers.com.au

Neschen Window Grip Ultra Clear

ORDER NOW

ULTRA CLEAR

- Crystal clear, self-adhesive PVC free PET film with a glossy surface
- For indoor advertising and short-term outdoor use on flat and smooth substrates, such as glass, mirrors or monitors
- A reverse print allows this optically clear film to be applied to the inside of shop windows so that the advertising can be read outside
- Easy and residue-free removal
- Can be repositioned multiple times without loss of adhesive strength
- Wet application is recommended, refer install guidelines
- Very dimensionally stable
- Durability: Up to 3 years (refer to specification sheet)

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
163217	Neschen Window Grip	Gloss Ultra Clear	Clear Repositionable	125	1371	50
163218	Neschen Window Grip	Gloss Ultra Clear	Clear Repositionable	125	1600	50

Imageperfect 2557 Ultra Clear

ORDER NOW

ULTRA CLEAR

- Imageperfect 2557 Ultra Clear is a 50ums highly transparent cast film with a clear pressure sensitive, solvent based acrylic adhesive
- It is supported on a polyester liner and provides high levels of print quality
- Suitable for applications such as interior design, branding and advertising, POS/POP and enhanced privacy screening
- Suitable for indoor and outdoor applications
- Please note, if IP 2557 is overlaminated, it will lose some of its transparency
- Durability: Up to 8 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121880	IP 2557	Gloss Clear	Semi-permanent	50	1371	25
122970	IP 2557	Gloss Clear	Semi-permanent	50	1371	50
122969	IP 2557	Gloss Clear	Semi-permanent	50	1524	25
122971	IP 2557	Gloss Clear	Semi-permanent	50	1524	50

Imageperfect 2930 Ultra Clear

ORDER NOW

ULTRA CLEAR

- Imageperfect 2930 Ultra Clear is a Polymeric is an 80ums transparent permanent & removable print media that is supported on a polyester liner
- It provides high levels of print quality with a large colour gamut that ensures colourful images with vibrant area in-fills
- Suitable for interior design applications, branding and advertising opportunities, POS/POP promotional advertising, for information placement and for enhanced privacy screening
- Suitable for both indoor and outdoor applications but it is not recommended for windows with built-in heating elements or coatings
- Can be used as a laminate to further enhance digitally printed output on polymeric print stocks
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
121800	IP 2930	Gloss Clear	Clear Removable	80	1371	22.5
122384	IP 2930	Gloss Clear	Clear Removable	80	1371	45
122883	IP 2930	Gloss Clear	Clear Permanent	80	1371	22.5
115749	IP 2930	Gloss Clear	Clear Permanent	80	1371	45
115748	IP 2930	Gloss Clear	Clear Permanent	80	1524	45
122884	IP 2930	Gloss Clear	Clear Permanent	80	1524	22.5
122885	IP 2930	Gloss Clear	Clear Removable	80	1524	22.5
122886	IP 2930	Gloss Clear	Clear Removable	80	1524	45



YUPO

Discover a stock that offers extraordinary strength and flexibility. Yupo® is the synthetic stock that excels in all worlds and conditions. Start discovering Yupo® by Spicers

VIEW THE RANGE ▶

ORDER YOUR FAVOURITE PRODUCTS ONLINE

1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together

General Formulations GF 255 OptiMark®

ORDER NOW

ULTRA CLEAR

- GF 255 OptiMark® is a 76 micron optically clear high gloss flexible calendered PVC film with a clear Solvent acrylic removable pressure sensitive adhesive and a clear polyester liner
- Clean removal from glass for up to one year under normal exposure conditions
- Wet application is the preferred method. Wet application on solvent based clear products is the best way to achieve bubble free and optically clear results
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173607	GF 255 OptiMark	Clear Gloss	Clear Removable	76	1371	45.7


Yupo® Octopus XAD1068 Clear

ORDER NOW

ULTRA CLEAR

- Optically Clear PET Film
- Adheres to any clean, dry and smooth surface by way of a low-tack resin
- Easy to apply and is removable and reusable
- Perfect for window graphics and multiple POS and retail applications
- Print Compatibility: UV Curable Inks

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
400834	Yupo Octopus XAD1068 Clear	Ultra Clear	Low-Tack Resin	1270	100



Self-Adhesive Vinyl

Contra Vision®
AutoGraph 50% PWF

ORDER NOW

PERFORATED WINDOW FILMS

- Contra Vision 50% White AutoGraph is a White on Black is a premium 50% (50/50) perforated window film, with 2mm perforation, purpose-built for vehicle window graphics
- Its innovative adhesive features micro air-release channels that run through every perforation - allowing air to escape during installation for a smooth, bubble-free finish, even when laminated
- It delivers reliable durability, sharp print results, & maximum through-vision from inside the vehicle
- Suitable for curved or flat glass when laminated
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121832	Contra Vision AutoGraph	Gloss White	Airflow Removable	1371	25
122594	Contra Vision AutoGraph	Gloss White	Airflow Removable	1371	50

Contra Vision®
AutoGraph 50% PWF Kit

ORDER NOW

PERFORATED WINDOW FILMS

- Film: Contra Vision 50% White AutoGraph
- Overlaminate: Imageperfect 2800-102 Optically Clear Gloss

Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121833	Contra Vision AutoGraph Kit	Gloss Clear	CV Auto /IP2800-102	1371	25
122595	Contra Vision AutoGraph Kit	Gloss Clear	CV Auto /IP2800-102	1371	50




1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison® MPI 2509 PWF

ORDER NOW

PERFORATED WINDOW FILMS

- Avery Dennison MPI 2509 PWF is a 150ums digital printable white/black perforated calendered vinyl film
- For use in a wide range of promotional window graphics applications where one way vision, removability and value for money is required
- Used on passenger vehicles for continuous, uninterrupted vehicle graphics covering painted and window areas
- Also used for large size graphics on building windows that still provide sufficient interior daylight and exterior viewing capabilities
- Viewability: 50/50 transmission, 2mm hole size, black backed
- For use with overlaminates DOL 4000 or DOL 1060 Max
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent & Latex Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121130	MPI 2509	Gloss White	Clear Removable	1371	12.5
121350	MPI 2509	Gloss White	Clear Removable	1371	50
121231	MPI 2509	Gloss White	Clear Removable	1524	12.5
121351	MPI 2509	Gloss White	Clear Removable	1524	50

Avery Dennison® MPI 2509 PWF Kit

ORDER NOW

PERFORATED WINDOW FILMS

- Film: Avery Dennison MPI 2509 PWF 150ums White Gloss
- Overlaminate: Avery Dennision DOL 4000 Ultra Clear Cast
- Overlaminate: Avery Dennision DOL 1060 Max Gloss



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121352	MPI 2509 PWF Kit	Gloss Clear	MPI 2509/DOL 1060	1371	50
121353	MPI 2509 PWF Kit	Gloss Clear	MPI 2509/DOL 4000	1371	50
121355	MPI 2509 PWF Kit	Gloss Clear	MPI 2509/DOL 1060	1524	50



Self-Adhesive Vinyl

Contra Vision® Performance 50% RL

ORDER NOW

PERFORATED WINDOW FILMS

contravision®

- White on Black perforated window films for printing one-way vision graphics
- Removable without residue up to 12 months at 23 - 25 degrees celsius
- Transparency: 40% Transparent (60/40) with Replacement Grayliner™ and 1.5mm hole diameter
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent & Latex Inks

OUTDOOR APPLICATIONS

Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
401091	Contra Vision Performance 50% RL	White	50/50 2mm	Replacement	1371	50
401092	Contra Vision Performance 50% RL	White	50/50 2mm	Replacement	1520	50

Contra Vision® Performance 50% UL

ORDER NOW

PERFORATED WINDOW FILMS

contravision®

- White on Black perforated window films for printing one-way vision graphics
- Transparency: 40% Transparent (60/40) with Replacement Grayliner™ and 1.5mm hole diameter
- Removable without residue up to 12 months at 23 - 25 degrees celsius
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

OUTDOOR APPLICATIONS VEHICLE WRAP

Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
401025	Contra Vision Performance 50% UL	White	50/50 2mm	Universal	1371	50
401026	Contra Vision Performance 50% UL	White	50/50 2mm	Universal	1520	50

Contra Vision® Performance 50% PWF Kit

ORDER NOW

PERFORATED WINDOW FILMS

contravision®

- Contra Vision 50% Performance White PWF
- Overlaminate: Imageperfect 2800-102 Optically Clear Gloss

SELF ADHESIVE OUTDOOR APPLICATIONS INDOOR APPLICATIONS ROLLS


Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121835	Contra Vision Performance 50% PWF Kit	Gloss Clear	Perform/2800-102 RL	1371	10
122600	Contra Vision Performance 50% PWF Kit	Gloss Clear	Perform/2800-102 UL	1371	10
122603	Contra Vision Performance 50% PWF Kit	Gloss Clear	Perform/2800-102 RL	1371	50
122604	Contra Vision Performance 50% PWF Kit	Gloss Clear	Perform/2800-102 UL	1371	50
122601	Contra Vision Performance 50% PWF Kit	Gloss Clear	Perform/2800-102 RL	1524	10
122602	Contra Vision Performance 50% PWF Kit	Gloss Clear	Perform/2800-102 UL	1524	10
122605	Contra Vision Performance 50% PWF Kit	Gloss Clear	Perform/2800-102 RL	1524	50
122606	Contra Vision Performance 50% PWF Kit	Gloss Clear	Perform/2800-102 UL	1524	50

Imageperfect 2708 PWF

ORDER NOW

PERFORATED WINDOW FILMS

- Imageperfect 2708 PWF White 50% is a white polymeric perforated window film with a permanent adhesive and a black backside for use on transparent substrates
- The perforations in the film are designed to allow full images to be seen from the outside whilst still allowing for viewability through the film from the inside
- Recommended for flat surfaces, it is intended for indoor and outdoor use
- Excellent option for retail displays on shop windows, for promotional advertising on cars and public transport vehicles (such as buses, coaches and taxis, trams, etc.)
- This product should not be exposed to cleaning fluids that contain solvent ammonia
- Recommended laminate: Imageperfect 2800-102
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent & Latex




Gloss Clear	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121642	IP 2708	Gloss White	Clear Removable	1371	45
121892	IP 2708	Gloss White	Clear Removable	1371	10
121887	IP 2708	Gloss White	Clear Removable	1524	45
121893	IP 2708	Gloss White	Clear Removable	1524	10

Imageperfect 2708 PWF Kit

ORDER NOW

PERFORATED WINDOW FILMS

- Film: Imageperfect 2708 Gloss White PWF
- Overlaminate: Imageperfect 2800-102 Optically Clear Gloss



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121647	IP 2708 PWF Kit	Gloss Clear	IP 2708/2800-102	1371	10
121890	IP 2708 PWF Kit	Gloss Clear	IP 2708/2800-102	1371	45
121890	IP 2708 PWF Kit	Gloss Clear	IP 2708/2800-102	1524	10
121891	IP 2708 PWF Kit	Gloss Clear	IP 2708/2800-102	1524	45



Self-Adhesive Vinyl

Avery Dennison® MPI 2709 PWF

ORDER NOW

PERFORATED WINDOW FILMS

- Avery Dennison MPI 2709 PWF is a 150ums Digital printable white/black perforated calendered vinyl film
- For use in a wide range of promotional window graphics applications where one way vision, removability & value for money is required
- Used on commercial vehicles for continuous, uninterrupted vehicle graphics covering painted & window areas
- Also used for large size graphics on building windows that still provide sufficient interior daylight & exterior viewing capabilities
- Viewability: 60/40 transmission, 1.5mm hole size
- For use with overlaminates DOL 4000 or DOL 1060 Max
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent & Latex Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121131	MPI 2709	Gloss White	Clear Removable	1371	12.5
121356	MPI 2709	Gloss White	Clear Removable	1371	50
121232	MPI 2709	Gloss White	Clear Removable	1524	12.5
121357	MPI 2709	Gloss White	Clear Removable	1524	50

Avery Dennison® MPI 2709 PWF Kit

ORDER NOW

PERFORATED WINDOW FILMS

- Film: Avery Dennison MPI 2709 PWF 150ums
- Overlaminate: Avery Dennison DOL 4000 Ultra Clear
- Overlaminate: Avery Dennison DOL 1060 Max Gloss



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121161	MPI 2709 PWF Kit	Gloss Clear	MPI 2709/DOL 1060	1371	50
121358	MPI 2709 PWF Kit	Gloss Clear	MPI 2709/DOL 1060	1371	50
121361	MPI 2709 PWF Kit	Gloss Clear	MPI 2709/DOL 1060	1524	50

Contra Vision® HD Performance 40% UL

ORDER NOW

PERFORATED WINDOW FILMS

- White on Black perforated window films for printing one-way vision graphics
- Transparency: 40% Transparent (60 40) with Replacement Grayliner and 1.6mm hole diameter
- On window lifetime of 3+ years, recommended for longer term and demanding applications such as vehicle and building wraps
- Removable without residue up to 12 months at 23-25 degrees celsius
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
452744	Contra Vision HD Performance 40% UL	White	60/40 1mm	Universal	1370	50
452745	Contra Vision HD Performance 40% UL	White	60/40 1mm	Universal	1520	50


1300 132 644 info.mail@spicers.com.au spicers.com.au

Contra Vision® Performance 40% HD PWF Kit

ORDER NOW

PERFORATED WINDOW FILMS

- Film: Contra Vision Performance 40% HD PWF White Gloss
- Overlaminate: IP 2800-102 Optically Clear



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121828	Contra Vision Performance 40% HD PWF Kit	Gloss Clear	CVPerfHD/IP2800-102	1371	25
122586	Contra Vision Performance 40% HD PWF Kit	Gloss Clear	CVPerfHD/IP2800-102	1371	50
122585	Contra Vision Performance 40% HD PWF Kit	Gloss Clear	CVPerfHD/IP2800-102	1524	25
122587	Contra Vision Performance 40% HD PWF Kit	Gloss Clear	CVPerfHD/IP2800-102	1524	50

Contra Vision® Performance 40% UL

ORDER NOW

PERFORATED WINDOW FILMS

- White on Black perforated window films for printing one-way vision graphics
- Transparency: 40% Transparent (60/40) with Replacement Grayliner™ and 1.6mm hole diameter
- On window lifetime of 3+ years, recommended for longer term and demanding applications such as vehicle and building wraps
- Removable without residue up to 12 months at 23 - 25 degrees celsius
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
401028	Contra Vision Performance 40% UL	White	60/40 1.6mm	Universal	1371	50
401029	Contra Vision Performance 40% UL	White	60/40 1.6mm	Universal	1520	50

Contra Vision® Performance 40% RL

ORDER NOW

PERFORATED WINDOW FILMS

- White on Black perforated window films for printing one-way vision graphics
- Removable without residue up to 12 months at 23 - 25 degrees celsius
- Transparency: 40% Transparent (60/40) with Replacement Grayliner™ and 1.6mm hole diameter
- On window lifetime of 3+ years, recommended for longer term and demanding applications such as vehicle and building wraps
- Print Compatibility: Eco-Solvent & Latex Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
401093	Contra Vision Performance 40% RL	White	60/40 1.6mm	Replacement	1371	50
401094	Contra Vision Performance 40% RL	White	60/40 1.6mm	Replacement	1520	50

Self-Adhesive Vinyl

Contra Vision® Performance 40% PWF Kit

ORDER NOW

PERFORATED WINDOW FILMS

- Film: Contra Vision Performance White Gloss PWF
- Overlaminate: Imageperfect 2800-102 Optically Clear Gloss


Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121831	Contra Vision Performance 40% PWF Kit	Gloss Clear	CVPerform/IP2800-102	1371	10
122592	Contra Vision Performance 40% PWF Kit	Gloss Clear	CVPerform/IP2800-102	1371	50
122591	Contra Vision Performance 40% PWF Kit	Gloss Clear	CVPerform/IP2800-102	1524	10
122593	Contra Vision Performance 40% PWF Kit	Gloss Clear	CVPerform/IP2800-102	1524	50

Imageperfect 2707 Clean Image PWF

ORDER NOW

PERFORATED WINDOW FILMS

- Imageperfect 2707 PWF White 40% is a white polymeric product with a permanent adhesive and a black backside for use on transparent substrates
- The product incorporates a dual layer liner construction which allows the perforations in the printed film to remain clean and open when exposed to UV ink
- The perforations are also designed to allow the full image to be seen from the outside of the window whilst still allowing viewability through the film from the inside of the window
- It is an excellent option for retail displays on shop windows, promotional advertising on cars and for decorative applications
- Recommended laminate: Imageperfect 2800-102
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
122286	IP 2707	Gloss White	Clear Permanent	1371	50
121646	IP 2707	Gloss White	Clear Permanent	1371	25

Imageperfect 2707 PWF Kit

ORDER NOW

PERFORATED WINDOW FILMS

- Film: Imageperfect 2707 Gloss White PWF
- Overlaminate: Imageperfect 2800-102 Optically Clear Gloss



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121645	IP 2707 PWF Kit	Gloss Clear	IP 2707/2800-102	1371	25
121888	IP 2707 PWF Kit	Gloss Clear	IP 2707/2800-102	1371	50


1300 132 644 info.mail@spicers.com.au spicers.com.au

Contra Vision® Campaign UL

ORDER NOW

PERFORATED WINDOW FILMS

- White on Black films are economical monomeric perforated window films with removable clear adhesive
- Clear adhesive and a Universal Liner featuring Grayliner™ technology
- Removable without residue up to 12 months at 23-25 degrees celsius
- Durability: Up to 2 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
401027	Contra Vision Campaign 40% UL	White	60/40 1.6mm	Universal	1371	50
121829	Contra Vision Campaign 20% UL	White	80/20 1.6mm	Universal	1371	50
122588	Contra Vision Campaign 30% UL	White	70/30 1.6mm	Universal	1371	50
122589	Contra Vision Campaign 40% UL	White	60/40 1.6mm	Universal	1524	50

Contra Vision® Clear Campaign 30% UL

ORDER NOW

PERFORATED WINDOW FILMS

- Contra Vision 30% Campaign UL 150ums is a monomeric perforated window film offering (70/30) transparency
- Designed for interior applications, it is applied to the inside of glass while delivering strong image pop outwardly
- The 1.5mm perforations balance colour vibrancy and through-vision, making it ideal for short-term retail promotions and projects with limited external access
- Suitable for all major large-format print technologies
- Durability: Up to 2 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121825	Contra Vision Clear Campaign 30% UL	Gloss Clear	Clear Removable	1371	50

General Formulations WindowMark®

ORDER NOW

PERFORATED WINDOW FILMS

- GF WindowMark® is a 150 micron perforated high performance matt white vinyl film with a clear low tack repositionable removable solvent acrylic pressure sensitive adhesive
- Dual Layer (Perforated/Solid) White 2/sided PE-Coated liner offers good dimensional stability in a variety of ambient conditions
- Designed for exterior application
- Removable up to 1 year
- For use with overlaminate GF 242
- Durability: Up to 2 years outdoor (refer to specification sheet)
- Print Compatibility: Eco Solvent, UV Curable & Latex Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
173609	GF 260 WindowMark®	White	60/40	Universal	1371	30
173612	GF 280 WindowMark®	White	80/20	Universal	1371	30

Self-Adhesive Vinyl

Imageperfect 2932 Mirror Gold & Silver

ORDER NOW

HOLOGRAPHIC & CHROME

imageperfect ANZ

- Imageperfect 2932 Mirror Gold & Silver printable PET film with a mirror finish and clear removable designed primarily for internal applications
- Short term external use where high impact, eye catching graphics are required, removable
- Suitable for digital printing on large format inkjet printers
- Ideal for POS advertising and promotional applications, as well as architectural and general signage where a strong visual impact is desired
- Performs well across a wide range of environments including retail, hospitality, events, and corporate or educational spaces
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121777	IP 2932	Mirror Gold	Short Term Removable	1270	25
122322	IP 2932	Mirror Silver	Short Term Removable	1270	25
122323	IP 2932	Mirror Gold	Short Term Removable	1270	50
122324	IP 2932	Mirror Silver	Short Term Removable	1270	50

General Formulations Chrome

ORDER NOW

HOLOGRAPHIC & CHROME

GENERAL FORMULATIONS

- GF 759 is a 50 micron print receptive Chrome Silver metallized polyester film
- GF 760 is a 50 micron print receptive Chrome Gold metallized polyester film
- Permanent Solvent Acrylic pressure sensitive adhesive
- Designed for sign cutting machines
- Chrome polyester films are recommended to simulate metallic finishes. These products can be used for architectural signage, commercial-retail signage, point-of-purchase graphics, product identification
- Durability: Up to 2 years (refer to specification sheet)
- Print Compatibility: UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
452029	GF 759 Chrome	Chrome Silver	Clear Permanent	1524	45.7
452030	GF 760 Chrome	Chrome Gold	Clear Permanent	1524	45.7

1300 132 644 info.mail@spicers.com.au spicers.com.au

General Formulations Holographic

ORDER NOW

HOLOGRAPHIC & CHROME

- General Formulations Holographic is a 150 micron holographic film coated with a permanent acrylic pressure sensitive adhesive on a 2/sided PE kraft lay flat liner
- As with other holographic films, GF 765 has a shim line running through the middle of the roll, with a less noticeable line running every 30cm approximately. GF 767 only features the faint shim lines
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

ECO SOLVENT MEDIA · LATEX MEDIA · UV MEDIA

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
452234	GF 765 Holographic	Rainbow	Clear Permanent	1524	45.7
452621	GF 767 Holographic	Sparkles	Clear Permanent	1371	45.7

Imageperfect 2570 Photoluminescent

ORDER NOW

HOLOGRAPHIC & CHROME

- Imageperfect 2570 Photoluminescent is a printable luminous yellow-green film with a satin finish that absorbs UV light and emits a strong after-glow in the dark once light source has been removed
- Used for identification markings and symbols, it is perfect for indoor applications such as safety and emergency signage
- This would include the location marking of emergency equipment (including fire extinguishers), barriers and obstacle markings, danger and area exits
- Imageperfect 2570 offers a high print quality with remarkable text definition and vibrant area in-fills
- Durability: Up to 5 years (refer to specification sheet)

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
454079	Imageperfect 2570	Yellow/Green	Permanent	1000	10












RETAIL APPLICATIONS



ORDER YOUR FAVOURITE PRODUCTS ONLINE

1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together




REDISCOVER
COMFORT
(232) 446-5936
temperliving.com



Laminates


BARBECUE
STEAK HOUSE
Grill & Bar



Browse the Spicers range of laminates designed to protect and enhance printed graphics. Available in a variety of finishes, our laminates improve durability, appearance and longevity across indoor and outdoor applications.

ORDER YOUR FAVOURITE PRODUCTS ONLINE

1300 132 644 | spicers.com.au | @spicersaus


Spicers
Creating Solutions Together

Laminates

3M™ Envision™ Overlaminate

ORDER NOW PREMIUM

- New 3M™ Envision™ high performance non-PVC high gloss & matt wrap overlaminate with a polyester liner and clear permanent adhesive
- Exceptional conformability and lifting resistance
- Less prone to scratching
- Superior UV and acid dew protection
- For use with Envision Print Wrap Film 480mC, IJ180mC, IJ680CR & IJ780mC
- Durability: Up to 8 years (refer to specification sheet)




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
400590	3M Envision Overlaminate 8548G	Gloss Clear	Clear Permanent	1371	45.7
400591	3M Envision Overlaminate 8548G	Gloss Clear	Clear Permanent	1524	45.7
451530	3M Envision Overlaminate 8550M	Matt Clear	Clear Permanent	1371	45.7
451531	3M Envision Overlaminate 8550M	Matt Clear	Clear Permanent	1524	45.7

Avery Dennison® SL 6460 High Gloss

ORDER NOW PREMIUM

- Avery Dennison SL 6460 PU Laminate High Gloss is a 38ums premium, ultra- conformable clear polyurethane overlaminate
- Designed to protect and enhance digitally or screen-printed graphics
- Its synthetic liner ensures a smooth, glass-like gloss finish, perfect for wraps that need to stand out and last
- Ideal for use on full vehicle wraps, trucks and vans with deep corrugations
- Delivers outstanding UV and weathering protection, abrasion resistance and exceptional conformability even in channels and concave areas
- Pair with MPI 1105 Easy Apply RS or SP 1500 Series for optimal performance
- Not recommended for use on perforated window film
- Durability: Up to 8 years (refer to specification sheet)



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
454055	SL 6460	Gloss Clear	Clear Permanent	1371	45.7
454057	SL 6460	Gloss Clear	Clear Permanent	1524	45.7

1300 132 644 info.mail@spicers.com.au spicers.com.au

3M™ 8528 Overlaminate

ORDER NOW PREMIUM

- High gloss, clear premium overlaminate with clear permanent pressure-sensitive adhesive
- Designed to better withstand harsh conditions, such as acid dew, intense UV rays and extreme heat to help prevent discolouration on all parts of a vehicle
- Excellent conformability and dimensional stability
- Graphic protection for IJ180mC, IJ280, 680CR, 780mC printable films
- Durability: Up to 9 years (refer to specification sheet)

LAMINATES

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
451720	3M 8528 Overlaminate	Gloss Clear	Clear Permanent	1371	45.7
452729	3M 8528 Overlaminate	Gloss Clear	Clear Permanent	1524	45.7

3M™ Cast Overlaminate

ORDER NOW PREMIUM

- High gloss, matt & lustre clear premium over laminate with clear permanent adhesive
- High gloss finish offers a wet paint look and polyester liner
- The matt and lustre finishes have a kraft liner
- Resists fuel vapours
- Series 8518 Gloss, 8519 Lustre, 8520 Matt all highly conformable
- Graphic protection for IJ180mC, IJ280, IJ680CR printable films
- Durability: Up to 8 years (refer to specification sheet)

LAMINATES · LAMINATED APPLICATIONS · OUTDOOR APPLICATIONS · VEHICLE WRAP · SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
451534	3M Cast Overlaminate 8518	Gloss Clear	Clear Permanent	1371	45.7
451535	3M Cast Overlaminate 8518	Gloss Clear	Clear Permanent	1524	45.7
400786	3M Cast Overlaminate 8519	Lustre Clear	Clear Permanent	1371	45.7
400787	3M Cast Overlaminate 8519	Lustre Clear	Clear Permanent	1524	45.7
451532	3M Cast Overlaminate 8520	Matt Clear	Clear Permanent	1371	45.7
451533	3M Cast Overlaminate 8520	Matt Clear	Clear Permanent	1524	45.7

3M™ 8428 Overlaminate

ORDER NOW PREMIUM

- High gloss, clear premium overlaminate with clear permanent adhesive
- Highly conformable for compound curves and deep recesses, this 1.2 mil/ 30ums overlaminate delivers exceptional performance, productivity, and enhanced UV durability
- Versatile enough to use on vehicles, trailers, boats, and flat surfaces including interior and exterior walls
- Excellent lifting resistance & features a gloss finish for a wet paint look
- Graphic protection for IJ280mC
- Durability: Up to 4 years (refer to specification sheet)

LAMINATES

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
451921	3M 8428G Overlaminate	Gloss Clear	Clear Permanent	1371	45.7
451922	3M 8428G Overlaminate	Gloss Clear	Clear Permanent	1524	45.7

Laminates

Avery Dennison® DOL 1400 Max Series

ORDER NOW

PREMIUM

- Avery Dennison DOL 1400 Max Series 32ums is a conformable premium quality UV stable cast overlaminate film
- Available in 1460-Gloss, 1470-Satin & 1480-Matt
- Designed for use as a protective overlaminating film for digitally printed images
- Suitable for durable outdoor images on irregular surfaces such as vehicles, where gloss finish and the excellent conformability is necessary
- Common applications include cars & vans, corrugated trucks, flat sided trucks, exterior signage, window graphics, internally illuminated signage and marine vessels
- Durability: Up to 7 years (refer to specification sheet)



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
454049	DOL 1460	Gloss Clear	Clear Permanent	1371	45.7
454052	DOL 1460	Gloss Clear	Clear Permanent	1524	45.7
454050	DOL 1470	Satin Clear	Clear Permanent	1371	45.7
454053	DOL 1470	Satin Clear	Clear Permanent	1524	45.7
454051	DOL 1480	Matt Clear	Clear Permanent	1371	45.7
454054	DOL 1480	Matt Clear	Clear Permanent	1524	45.7

Avery Dennison® DOL 1060 Max Gloss

ORDER NOW

PREMIUM

- Avery Dennison DOL 1060 Max Gloss is a 50ums premium quality UV stable clear high gloss cast PVC film designed for use as a protective overlaminate film for digitally printed images
- Features a permanent, solvent based acrylic adhesive
- Suitable for durable outdoor images on flat or simple curved surfaces
- Features a synthetic liner that creates a super smooth high gloss finish which provides an overall paint like finish of printed graphics
- Suitable applications include cars & vans, corrugated trucks, flat sided trucks, exterior signage, window graphics and marine vessels
- Durability: Up to 7 years (refer to specification sheet)



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
454048	DOL 1060	Gloss Clear	Clear Permanent	1371	45.7
453112	DOL 1060	Gloss Clear	Clear Permanent	1524	45.7

1300 132 644 info.mail@spicers.com.au spicers.com.au

AUTO Wrap 3D Laminate

ORDER NOW

PREMIUM

- AUTO Wrap 3D Laminate gloss film, is a 35ums premium film with a clear, permanent solid based acrylic pressure-sensitive adhesive
- Designed to protect printed graphics, the thinner face-stock provides excellent conformability for your vehicle wraps, intermediate signage, and graphics
- The gloss finish provides an extra pop to printed graphics
- Durability: Up to 7 years (refer to specification sheet)

LAMINATED APPLICATIONS

VEHICLE WRAP

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121876	AUTO 3D	Gloss Clear	Clear Permanent	1371	50
122965	AUTO 3D	Gloss Clear	Clear Permanent	1524	50

AUTO Wrap 2D Laminate

ORDER NOW

PREMIUM

- AUTO Wrap 2D Laminates are a 35ums premium gloss or matt cast film with clear, permanent pressure-sensitive solvent based acrylic adhesive
- Designed to protect printed graphics, the thinner face stock provides a higher conformability for your vehicle wraps, intermediate signage, and graphics
- Durability: Up to 7 years (refer to specification sheet)

LAMINATED APPLICATIONS

VEHICLE WRAP

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121875	AUTO 2D	Gloss Clear	Clear Permanent	1371	50
122962	AUTO 2D	Matt Clear	Clear Permanent	1371	50
122963	AUTO 2D	Gloss Clear	Clear Permanent	1524	50
122964	AUTO 2D	Matt Clear	Clear Permanent	1524	50



Laminates

Omega Skinz OS-510 & OS-512

ORDER NOW

PREMIUM

OMEGA SKINZ

- Omega-Skinz OS-512 Clearcoat (Gloss) 50ums and OS-510 Razor Blade (Satin) 40ums are premium cast PVC laminates
- They are designed to protect digital prints and used in conjunction with OS-510 Pearl of Wisdom & OS-502 Silver Sprint print films
- OS-510 & OS-512 have a permanent clear adhesive
- Especially soft and malleable
- Designed for applications that require 3D stretching and shaping, such as channels and corrugations
- Suitable for car wrap applications
- Durability: Up to 7 years (refer to specification sheet)

SELF ADHESIVE · VEHICLE WRAP · FINISHING · ROLLS

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121789	OS-510	Razor Blade	Clear Permanent	1524	25
122356	OS-512	Clearcoat	Clear Permanent	1524	25

General Formulations GF 240 AutoMark™

ORDER NOW

PREMIUM

GENERAL FORMULATIONS

- GF 240 AutoMark™ is a premium 60 micron calendered matt UV clear laminate with a clear permanent acrylic adhesive on a PE coated kraft liner
- This laminate offers protection from ultra violet radiation, moisture and other environmental exposures
- It can be laminated by using a cold laminating process without the addition of heat, and is intended to be paired with GF 230 AutoMark vinyl for wrap applications
- Engineered for use in most vehicle wrap and decal applications
- Durability: Up to 7 years (refer to specification sheet)

LAMINATES · VEHICLE WRAP

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
199663	GF 240 AutoMark	Matt Clear	Permanent	1371	45.7
199664	GF 240 AutoMark	Matt Clear	Permanent	1524	45.7



1300 132 644 info.mail@spicers.com.au spicers.com.au

3M™ Envision™ Overlaminate

ORDER NOW INTERMEDIATE

- 3M™ Envision™ high performance intermediate non-PVC gloss and matt overlaminate protection for 3M™ Envision™ Print Film 48C
- Less prone to scratching & superior UV protection
- Suitable for application surfaces that are flat or have simple curves
- Versatile enough to use on vehicles, trailers, boats, and flat surfaces including interior and exterior walls
- Durability: Up to 4 years (refer to specification sheet)

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
193431	3M Envision Overlaminate 8048G	Gloss Clear	Clear Permanent	1371	45.7
197381	3M Envision Overlaminate 8050M	Matt Clear	Clear Permanent	1371	45.7

3M™ IJ40 Series Clear

ORDER NOW INTERMEDIATE

- 3M™ Scotchcal™ Graphic Film Series IJ40 offers great versatility for indoor and outdoor signs and fleet graphics
- IJ40 are opaque/transparent, stabilised, calendared vinyl films
- Pressure sensitive, transparent, solvent acrylic, removable adhesive
- Application method: wet applied
- Easy removability
- Graphic Protection for IJ40 Series, 40C Series, IJ335 Series
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
168017	3M IJ40-114	Gloss Clear	Clear Permanent	1371	50
168018	3M IJ40-114	Gloss Clear	Clear Permanent	1524	50
168019	3M IJ40-124	Matt Clear	Clear Permanent	1371	50
168020	3M IJ40-124	Matt Clear	Clear Permanent	1524	50

3M™ 40C -114R Clear

ORDER NOW INTERMEDIATE

- 3M™ Controltac™ Print Film 40C is a versatile, transparent removable vinyl film that can be applied to a wide variety of surfaces for maximum adaptability
- Features 3M™ Controltac™ Technology and Comply™ Adhesive for easier, bubble free installation
- For general signage, POP, walls, trucks, partial vehicle wraps, and indoor floor and carpet graphics
- Graphic Protection for IJ40 Series, 40C Series, IJ335 Series
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
196818	3M 40C-114R	Gloss Clear	Clear Removable	1371	45.7
196819	3M 40C-114R	Gloss Clear	Clear Removable	1524	45.7



Naturally Versatile.

3M™ Envision™ Print Wrap Films
3M™ Envision™ Wrap Overlaminates

The non-PVC films that outperforms the rest.

When a non-PVC film is this conformable and versatile, why use anything else?

3M™ Envision™ Wrap Films include the 3M innovations you know and love: excellent print quality, slideability, repositionability, heated film recovery and now non-visible air-release channels using micro technology for a smooth visual appearance, superior performance and even an easier, faster and better-looking installation.

VIEW THE RANGE ▶

High-performance technology with a sustainable edge.

Meet the suite that's 100% printer compatible:

Conformable and durable Non-PVC Wrap Films

3M Envision™ Print Wrap Film SV480mC
3M Envision™ Print Wrap Film LX480mC
3M Envision™ Gloss Wrap Overlaminate 8548G
3M Envision™ Luster Wrap Overlaminate 8549L
3M Envision™ Matt Wrap Overlaminate 8550M

ALSO available in Versatile Non-PVC Intermediate Film

3M Envision™ Print 48C
3M Envision™ Gloss Overlaminate 8048G
3M Envision™ Matt Overlaminate 8050M

For enquiries or a sample please contact your local Spicers representative.
1300 132 644 spicers.com.au

Spicers

3M™ 8038 & 8040

ORDER NOW

INTERMEDIATE

- 3M 8038G and 8040M are transparent, polymeric calendered overlaminates
- 75ums (0.075 mm) film thickness
- Permanent, clear, pressure-sensitive adhesive
- Available in gloss finish (8038G) and matte finish (8040M)
- Suitable for flat surfaces
- Graphic protection for 40C Series, IJ40 Series & IJ40C Series
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
120875	3M 8038G	Gloss Clear	Clear Permanent	1371	50
120876	3M 8038G	Gloss Clear	Clear Permanent	1524	50
120877	3M 8040M	Matt Clear	Clear Permanent	1371	50
120878	3M 8040M	Matt Clear	Clear Permanent	1524	50

Avery Dennison® DOL 2400 Series

ORDER NOW

INTERMEDIATE

- Avery Dennison DOL 2400 Series 80ums is a premium quality UV stable polymeric overlaminate
- Available in 2460-Gloss, 2470-Satin & 2480-Matt
- Designed to protect digitally printed graphics in demanding indoor and outdoor environments
- Engineered for medium term applications, it delivers excellent transparency, reliable adhesion, and a polished surface that enhances both appearance and durability
- Suitable for flat or gently curved surfaces, it helps safeguard graphics against abrasion, moisture, chemicals, and UV exposure
- Ideal solution for professional signage and display applications
- Durability: Up to 7 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
454033	DOL 2460	Gloss Clear	1371	50
454037	DOL 2460	Gloss Clear	1524	50
454034	DOL 2470	Satin Clear	1371	50
454036	DOL 2470	Satin Clear	1524	50
454035	DOL 2480	Matt Clear	1371	50
454038	DOL 2480	Matt Clear	1524	50

Laminates

Imageperfect iD9 Clear Laminate

ORDER NOW

INTERMEDIATE

- Imageperfect iD9 is a 50ums gloss and matt clear overlaminate with a clear, permanent solvent-based acrylic adhesive
- This laminate pairs seamlessly with all Imageperfect iD9 Series polymeric films to maintain print vibrancy and long-term durability
- Engineered to protect and enhance your graphics
- For use on interior and exterior applications where protection is needed
- It features UV stabilisers that help colours stay bright and resist fading over time
- Durability: Up to 9 years (refer to specification sheet)



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
454244	iD9 Clear Laminate	Gloss Clear	Clear Permanent	1371	45.7
454245	iD9 Clear Laminate	Matt Clear	Clear Permanent	1371	45.7
454242	iD9 Clear Laminate	Gloss Clear	Clear Permanent	1600	50
454247	iD9 Clear Laminate	Matt Clear	Clear Permanent	1600	45.7

Imageperfect iD7 Clear Laminate

ORDER NOW

INTERMEDIATE

- Imageperfect iD7 gloss & matt 70ums clear laminates are high-performance polymeric films with a permanent solvent-based adhesive, designed to protect digital prints
- It incorporates non-migrating plasticisers and UV stabilisers, ensuring maximum light fastness and excellent outdoor durability
- iD7 Clear doubles as a print film also and is suitable for flat and slightly curved surfaces such as markings, decorations, window graphics, and vehicle graphics
- The laminates pair seamlessly with Imageperfect iD7 Digital Print films
- Compatible with large-format inkjet printers
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
454073	iD7 Clear Laminate	Gloss Clear	Clear Permanent	1371	45.7
454220	iD7 Clear Laminate	Matt Clear	Clear Permanent	1371	45.7
454221	iD7 Clear Laminate	Gloss Clear	Clear Permanent	1524	45.7
454222	iD7 Clear Laminate	Matt Clear	Clear Permanent	1524	45.7



1300 132 644 info.mail@spicers.com.au spicers.com.au

HP Optimal Gloss Clear

ORDER NOW

INTERMEDIATE

- HP Optimal Gloss Clear film is an 80ums original HP media product designed as both a protective overlaminate for digitally printed images and a digital print film
- It is a premium polymeric film that matches as a laminate with HP Optimal Gloss Air, HP Optimal Matte Air
- As a print film, it is ideally suited for window graphics and outdoor signage applications
- Performs perfectly with wide format printers
- Suitable for applications such as vehicle marking, windows and signage
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Width (mm)	Length (m)
121173	HP Optimal Gloss Clear	Gloss Clear	1371	45
121382	HP Optimal Gloss Clear	Matt Clear	1371	45
121383	HP Optimal Gloss Clear	Gloss Clear	1524	45
121384	HP Optimal Gloss Clear	Matt Clear	1524	45

Imageperfect 2830-104/205 UV Clear Laminate

ORDER NOW

INTERMEDIATE

- Imageperfect 2830-104/205 UV Clear Laminate 70ums has been specifically engineered to allow for the lamination of UV prints that are otherwise difficult to laminate
- The low-energy nature of the printed output makes it challenging to establish any sort of adhesive bond with the laminate
- This laminate option even works effectively on large areas of dark, Block UV print
- This generally has a lower peel value than areas that are covered in light-coloured print and can be more problematic in terms of establishing an adhesive bond with the laminate
- Imageperfect 2830-104 can be used as a laminate option for polymeric and monomeric products
- Please note that it should not be used in conjunction with high- pressure washing systems as it would increase the risk of the product losing its adhesive bond with the substrate
- Durability: Up to 6 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
454086	IP 2830-104	Gloss	1371	50
454253	IP 2830-205	Matt	1371	50

Laminates

3M™ 5 Year Polymeric Overlaminate

ORDER NOW

INTERMEDIATE

- 3M™ Scotchcal™ 8508 gloss, 8509 lustre & 8510M are clear transparent overlaminates with a clear permanent solvent-based acrylic adhesive
- 8510 Matt clear intermediate over laminate with clear permanent adhesive and kraft liner
- 8509 Lustre clear intermediate overlaminate with clear permanent adhesive & kraft liner Designed for use on flat surfaces and simple curves. Not for use on applications that must be stretched during application. Floor graphic overlaminate is UL approved for slip resistance on floors
- Guards printed graphics from moisture, abrasion and UV light
- Apply at room temperature
- Not for use on applications that must be stretched during application
- Graphic protection for IJ35C, IJ35 series, IJ40 Series & 40C Series
- Durability for Gloss Clear: Up to 5 years (refer to specification sheet)

LAMINATES · LAMINATED APPLICATIONS · OUTDOOR APPLICATIONS · POINT OF SALE · SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168023	3M Overlaminate 8508	Gloss Clear	Clear Permanent	60	1371	45.7
191574	3M Overlaminate 8509	Lustre Clear	Clear Permanent	60	1371	45.7
192447	3M Overlaminate 8510	Matt Clear	Clear Permanent	60	1371	45.7
168054	3M Overlaminate 8508	Gloss Clear	Clear Permanent	60	1524	45.7
192526	3M Overlaminate 8510	Matt Clear	Clear Permanent	60	1371	45.7

Avery Dennison® DOL2900 Laminate

ORDER NOW

INTERMEDIATE

- Avery Dennison DOL2900 Laminates is a 70ums flexible high-quality UV stable gloss & matt polymeric calendered overlaminate
- Designed for use as a protective overlaminating film
- Improved UV digital silvering performance suitable for medium life outdoor images on flat or simple curved surface
- Durability: Up to 5 years (refer to specification sheet)

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · FINISHING · LAMINATES · ROLLS

Material	Material Description	Finish	Face Thickness (ums)	Width (mm)	Length (m)
455554	DOL 2960	Gloss Clear	70	1371	50
453061	DOL 2960	Gloss Clear	70	1524	45.7
453060	DOL 2980	Matt Clear	70	1371	45.7
453062	DOL 2980	Matt Clear	70	1524	45.7



1300 132 644 info.mail@spicers.com.au spicers.com.au

Imageperfect iD5 Clear Laminates

ORDER NOW

INTERMEDIATE

- Imageperfect iD5 Clear Laminates are 80ums polymeric laminates that incorporates specific polymeric, non-migrating plasticisers and UV stabilisers
- iD5 are available in gloss, satin & matt finishes
- Provides maximum light fastness and excellent outdoor durability
- Can be used for a variety of flat and slightly curved applications including window graphics, vehicle graphics, markings, and decorations
- These laminates can be used in conjunction with the iD5 range of print films along with IP 2573PA & IP 2572PA Gloss / Matt High-Tack films
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
454072	iD5 Clear Laminates	Satin Clear	1371	45.7
454215	iD5 Clear Laminates	Gloss Clear	1371	45.7
454216	iD5 Clear Laminates	Matt Clear	1371	45.7
454217	iD5 Clear Laminates	Gloss Clear	1524	45.7
454218	iD5 Clear Laminates	Matt Clear	1524	45.7
454219	iD5 Clear Laminates	Satin Clear	1524	45.7

AUTO Wrap 1D Laminate

ORDER NOW

INTERMEDIATE

- AUTO Wrap 1D Laminate is a 80ums polymeric film with clear, permanent pressure-sensitive adhesive
- Designed to protect and prolong the life of printed images
- Available in gloss and matt
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121874	AUTO 1D	Gloss Clear	Permanent	1371	50
122959	AUTO 1D	Matt Clear	Permanent	1371	50
122960	AUTO 1D	Gloss Clear	Permanent	1524	50
122961	AUTO 1D	Matt Clear	Permanent	1524	50



Laminates

HP Prime Clear

ORDER NOW **INTERMEDIATE**

- HP Prime Gloss Clear and Matt 80ums Clear Films are high-quality polymeric films designed for use as both protective overlaminates and printable media
- Has a clear solvent-based permanent adhesive
- Suitable for a wide range of applications such as decoration, displays, POS, windows, signage and protection
- Performs perfectly with wide format printers
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Width (mm)	Length (m)
121172	HP Prime Clear	Gloss Clear	1371	45
121379	HP Prime Clear	Matt Clear	1371	45
121380	HP Prime Clear	Gloss Clear	1524	45
121381	HP Prime Clear	Matt Clear	1524	45

Imageperfect 2810-103/202 Clear Laminate

ORDER NOW **INTERMEDIATE**

- Imageperfect 2810-103 Gloss & 2810-202 Matt 70ums is a clear polymeric laminate that features non-migrating plasticisers and UV stabilizers
- Ensures maximum light fastness and excellent outdoor durability
- Intended for many flat applications, both interior and exterior, such as markings and decorations, window and vehicle graphics
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
454251	2810-103	Gloss Clear	1600	50
454252	2810-202	Matt Clear	1600	50

Imageperfect 2810-104/203 Clear Laminate

ORDER NOW **INTERMEDIATE**

- Imageperfect Apollo 2810-104 Gloss & 2810-203 Matt 80ums are clear polymeric laminates incorporating specific polymeric, non-migrating plasticisers and UV stabilisers
- Ensures maximum light fastness and excellent outdoor durability
- Intended for many flat applications, both interior and exterior, such as markings and decorations, window graphics, vehicle graphics and other general signage applications
- This laminate is recommended for use on Imageperfect 2592PA Apollo
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
121706	2810-104	Gloss Clear	1371	45
122128	2810-203	Matt Clear	1371	45

1300 132 644 info.mail@spicers.com.au spicers.com.au

Imageperfect 2830-112 ImageArmour

ORDER NOW

INTERMEDIATE

- Imageperfect 2830-112 ImageArmour is a 305ums heavy-duty overlaminate, with a clear solvent-based acrylic, permanent adhesive
- Designed for applications where there is a high level of abrasion, and a long-lasting barrier to protect graphics and decals is required
- Suited for use on vehicles such as Motocross Bikes, Jet Skis, Quad Bikes, Go-Karts and other similar types of powered recreational vehicles
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
454120	2830-112	Gloss Clear	1371	25

Imageperfect DecoLam

ORDER NOW

INTERMEDIATE

- Imageperfect DecoLam is a range of textured, embossed laminates that have been specifically designed to enhance digital prints and/or signage colours
- Finishes, include wood grain, brushed metal, sandstone, traditional linen, leather and reptile skin
- These patterns will add texture, interest and value to a wide range of applications, such as decorative displays, advertising backdrops and POS promotions, as well as graphics on flat or slightly curved
- DecoLam Sandstone is also compatible with floor application and has a certified level of R9 slip rating
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
454108	2830-220	Brushed	1371	25
454548	2830-220	Leather	1371	25
454549	2830-220	Linen	1371	25
454550	2830-220	Reptile	1371	25
454551	2830-220	Sandstone	1371	25
454552	2830-220	Wood-grain	1371	25

General Formulations GF 588

ORDER NOW

INTERMEDIATE

- GF 588 is a 75ums calendered polymeric matt UV clear laminate with clear permanent acrylic adhesive on an 86gsm PE coated kraft liner
- This laminate offers protection from ultra violet radiation, moisture and other environmental exposures
- It can be laminated by using a cold laminating process without the addition of heat
- Ideal for use with flat or very slight curves
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
176549	GF Overlaminate 588	Matt Clear	Clear Permanent	1371	45.7

Laminates

General Formulations Polymeric Overlaminate

ORDER NOW INTERMEDIATE

- GF 400 and GF 402 are 76 micron clear UV pressure sensitive vinyl laminates that offer resistance to ultraviolet degradation with a permanent adhesive on a smooth liner
- Protect graphics from abrasion and moisture
- Best applied by the cold laminating process without the addition of heat and is designed to protect digital and screen-printed images for exhibit and display graphics
- Can be used in most instances where an overlay with a high gloss or matt finish is required on interior or exterior applications
- Durability: Up to 5 years (refer to specification sheet)

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173894	GF 400 Overlaminate	Gloss Clear	Clear Permanent	1371	45.7
173895	GF 400 Overlaminate	Gloss Clear	Clear Permanent	1524	45.7
173896	GF 402 Overlaminate	Matt Clear	Clear Permanent	1371	45.7
173897	GF 402 Overlaminate	Matt Clear	Clear Permanent	1524	45.7

General Formulations GF 231 AutoMark™

ORDER NOW INTERMEDIATE

- GF 231 AutoMark is a premium 61ums calendared gloss clear laminate with a clear permanent acrylic adhesive on a PE coated kraft liner
- This laminate offers protection from ultraviolet radiation, moisture and other environmental exposures
- It can be laminated by using a cold laminating process without the addition of heat
- GF 231 is intended to be paired with GF 230 AutoMark vinyl for wrap applications
- Durability: Up to 7 years (refer to specification sheet)

LAMINATES · LAMINATED APPLICATIONS · OUTDOOR APPLICATIONS · POINT OF SALE · SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173892	GF 231 AutoMark	Clear	Clear Permanent	1371	45.7
173893	GF 231 AutoMark	Clear	Clear Permanent	1524	45.7

General Formulations Print-n-Lam™

ORDER NOW INTERMEDIATE

- GF Print-n-Lam™ is a 76 micron Gloss or Matt Clear UV Polymeric Vinyl with a clear permanent Emulsion Acrylic adhesive on a double-sided PE liner
- Specifically engineered for use in flat general signage, window, and decal applications
- GF Print-n-Lam is ideal for printing OR laminating
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173615	GF 247 Print-n-Lam	Gloss Clear	Clear Permanent	1371	45.7
173616	GF 247 Print-n-Lam	Gloss Clear	Clear Permanent	1524	45.7
173617	GF 248 Print-n-Lam	Matt Clear	Clear Permanent	1371	45.7

GF MotoMark® GF 238 Armour

ORDER NOW

INTERMEDIATE

- GF 238 MotoMark® ARMOR is a 300 micron flexible gloss clear monomeric laminate with a single sided PE liner designed for use as a protective overlaminating film when used in combination with GF 235 Moto
- Designed for use as a very thick protective over laminating film suitable for a variety of applications including quads, snowmobiles, motocross, powersport vehicles, helmets and carts
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
452328	GF 238	Clear	Permanent	1371	22.8

Rolam Polymeric Overlaminate

ORDER NOW

INTERMEDIATE

- Intermediate gloss clear polymeric laminate with clear permanent or removable adhesive
- 100ums 170gsm 2/sided PE coated liner, Eco-Solvent, Latex & UV Curable
- 80ums 120gsm 2/sided PE coated liner, laminate only
- Graphic protection for Rocal 5 year print vinyls
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Liner	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
199276	Rolam Polymeric Overlaminate	Gloss Clear	2PE 120G	Clear Permanent	80	1350	50
173134	Rolam Polymeric Overlaminate	Gloss Clear	2PE 170G	Clear Permanent	100	1371	50
173138	Rolam Polymeric Overlaminate	Gloss Clear	2PE 120G	Clear Permanent	80	1371	50
173135	Rolam Polymeric Overlaminate	Gloss Clear	2PE 170G	Clear Permanent	100	1524	50
173139	Rolam Polymeric Overlaminate	Gloss Clear	2PE 120G	Clear Permanent	80	1524	50
199279	Rolam Polymeric Overlaminate	Matt Clear	2PE 120G	Clear Permanent	80	1350	50
198172	Rolam Polymeric Overlaminate	Matt Clear	2PE 170G	Clear Permanent	100	1371	50
173140	Rolam Polymeric Overlaminate	Matt Clear	2PE 120G	Clear Permanent	80	1371	50
198173	Rolam Polymeric Overlaminate	Matt Clear	2PE 170G	Clear Permanent	100	1524	50
173141	Rolam Polymeric Overlaminate	Matt Clear	2PE 120G	Clear Permanent	80	1371	50
199280	Rolam Polymeric Overlaminate	Textured Matt	2PE 120G	Clear Permanent	80	1371	50

Laminates

3M™ IJ1220 Series Clear

ORDER NOW PROMOTIONAL

- 3M™ Scotchcal™ IJ1220 series is an economical clear film with a clear, permanent adhesive
- Designed for the market of short-term promotional films that need good quality
- Available in gloss and matt finishes
- Graphic protection for IJ1220
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
163470	3M IJ1220-114	Gloss Clear	Clear Permanent	1371	50
163471	3M IJ1220-124	Matt Clear	Clear Permanent	1371	50

Avery Dennison® DOL 3000/3400 Laminate

ORDER NOW PROMOTIONAL

- Avery Dennision DOL3000/3400 Laminates are 80ums gloss, satin & matt pressure-sensitive overlaminating films
- Protects against UV radiation and abrasion
- Adds attractive uniform finish to a print
- Especially designed for inkjet printed images
- Suitable for lamination of photographic papers and digital printed substrates such as paper, polyester and vinyl requiring a matt finish followed by application on flat surfaces such as windows
- Suitable for indoor (preferable) and short life outdoor use
- Durability: Up to 2 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
452888	DOL 3100	Matt Clear	1371	50
454039	DOL 3460	Gloss Clear	1371	50
454041	DOL 3460	Gloss Clear	1524	50

Imageperfect 2567 & 2568 Clear Laminate

ORDER NOW PROMOTIONAL

- Imageperfect Monomeric Clear Laminate is an 80ums clear printable overlaminate, for use in indoor and outdoor applications
- Imageperfect 2567 gloss and Imageperfect 2568 matt
- Suitable for applications on flat, smooth surfaces, such as point-of-sale and promotional installations
- Can also be used for digital printing on large-format ink-jets
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Width (mm)	Length (m)
454078	IP 2567	Clear	1371	45.7
454228	IP 2567	Clear	1524	45.7
454227	IP 2568	Clear	1371	45.7
454229	IP 2568	Clear	1524	45.7

1300 132 644 info.mail@spicers.com.au spicers.com.au

Imageperfect iD3 Gloss & Matt Film

ORDER NOW PROMOTIONAL

- Imageperfect iD3 Gloss & Matt Films are 80ums overlaminate films
- Engineered for short-term promotional applications
- Designed for flat, smooth surfaces and suitable for indoor and outdoor use
- Ideal for point-of-sale displays, promotional signage and general- purpose graphics
- Used as protection for iD3 print films
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Width (mm)	Length (m)
454077	iD3	Gloss Clear	1371	50
454225	iD3	Gloss Clear	1524	50
454224	iD3	Matt Clear	1371	50
454226	iD3	Matt Clear	1524	50

HP Vital Clear Film

ORDER NOW PROMOTIONAL

- HP Vital Clear Films are 80ums versatile monomeric films and overlaminates featuring a clear, permanent acrylic adhesive
- Designed for use as both protective overlaminates and printable media
- Available in gloss and matt finishes, they pair perfectly with HP Vital Gloss and Matt Air films
- Protect digitally printed graphics while providing a professional finished appearance
- HP Vital Clear is ideal for window graphics and short-term signage applications
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent & UV Curable Inks



Material	Material Description	Finish	Width (mm)	Length (m)
121171	HP Vital Clear Film	Gloss Clear	1371	45
121376	HP Vital Clear Film	Matt Clear	1371	45
121378	HP Vital Clear Film	Matt Clear	1524	45



Laminates

Rolam Monomeric Overlaminate

ORDER NOW PROMOTIONAL

ROLAM laminate media

- Promotional monomeric gloss, matt & satin laminates with clear permanent or removable adhesive
- 100ums 170gsm 2/sided PE coated liner printable
- 80ums 120gsm 2/sided PE coated liner laminate only
- Graphic protection for Rocal 3 year printed vinyls
- Durability: Up to 3 years (refer to specification sheet)



Material	Material Description	Finish	Liner	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173088	Rolam 3 Year Overlaminate	Gloss Clear	2PE 170G	Clear Permanent	100	1371	50
173092	Rolam 3 Year Overlaminate	Gloss Clear	1PE 120G	Clear Permanent	80	1371	50
173089	Rolam 3 Year Overlaminate	Gloss Clear	2PE 170G	Clear Permanent	100	1524	50
173093	Rolam 3 Year Overlaminate	Gloss Clear	1PE 120G	Clear Permanent	80	1524	50
173090	Rolam 3 Year Overlaminate	Gloss Clear	2PE 170G	Clear Removable	100	1371	50
198170	Rolam 3 Year Overlaminate	Matt Clear	2PE 170G	Clear Permanent	100	1371	50
173094	Rolam 3 Year Overlaminate	Matt Clear	1PE 120G	Clear Permanent	80	1371	50
198171	Rolam 3 Year Overlaminate	Matt Clear	2PE 170G	Clear Permanent	100	1371	50
173095	Rolam 3 Year Overlaminate	Matt Clear	1PE 120G	Clear Permanent	80	1524	50
173096	Rolam 3 Year Overlaminate	Satin Clear	1PE 120G	Clear Permanent	80	1371	50

3M™ IJ20-114 Clear

ORDER NOW PROMOTIONAL

3M

- 3M™ IJ20-114 is a gloss clear promotional vinyl with a clear removable solvent-based acrylic adhesive & kraft liner
- Printable clear vinyl
- Perfect for indoor and outdoor signs and short-term fleet graphics
- Graphic protection for IJ20 series
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
168021	3M IJ20-114	Gloss Clear	Clear Removable	1371	45.7

3M™ IJ15-114 Clear

ORDER NOW PROMOTIONAL

3M

- Gloss clear, economical, promotional monomeric vinyl, with clear permanent pressure-sensitive adhesive and a poly-coated paper liner
- Everyday vinyl, for flat surfaces only
- Short term, indoor and outdoor promotional graphics such as signs, trade show and point-of-purchase displays
- Can be used as overlaminate for IJ15/IJ16 Series
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169796	3M IJ15-114	Gloss Clear	Clear Permanent	80	1371	50

1300 132 644 info.mail@spicers.com.au spicers.com.au

Rolam 1 Year

ORDER NOW

PROMOTIONAL

ROLAM laminate media

- Promotional 100ums monomeric vinyl, with 140gsm 2/sided PE coated liner
- Stable ink absorption, bright colours, vivid images
- Everyday vinyl for flat surfaces only
- Graphic protection for Rocal 1 year
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
172837	Rolam 1 Year Overlaminate	Gloss Clear	Clear Permanent	100	1371	50
172838	Rolam 1 Year Overlaminate	Matt Clear	Clear Permanent	100	1371	50

General Formulations GF PPS2W Barrier Film

ORDER NOW

PROMOTIONAL

GENERAL FORMULATIONS

- A 60 micron white metallised print-treated polypropylene film coated with 207-4841 white pigmented acrylic pressure sensitive adhesive on a smooth overlay liner
- Opaque film designed to laminate clear window decals to create double sided window graphics
- Can be used to laminate to static cling and low tack films, as due to its light weight, the graphics are not weighed down and will not fall from the surface
- May also be used with flexographic, offset and letterpress inks but must be tested prior to use
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173891	GF PPS2W	White	Permanent	1371	45.7

Laminates

Avery Dennison®
DOL 4000 Ultra Clear

ORDER NOW

OPTICALLY CLEAR

- Avery Dennison DOL4000 is a 50ums premium, crystal-clear cast vinyl overlaminate with a clear acrylic based, permanent adhesive
- Its exceptional transparency provides a virtually invisible protective layer while maintaining the appearance and clarity of the printed graphic
- Excellent properties when used in combination with PWF on curved windows
- Highly transparent and improves durability of image
- Protects against UV radiation and abrasion
- Not suited for wet application
- Durability: Up to 3 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
452889	DOL 4000	Optically Clear	1371	50

Contra Vision Ultra Clear Laminate

ORDER NOW

OPTICALLY CLEAR

- CL50CY is a 50ums clear, gloss cast PVC overlaminating film featuring a one sided polyester liner
- The perfect match for Contra Vision® Perforated Window Films, to help protect the graphics from accidental or deliberate damage and prevent water from getting trapped in the perforations
- Applied using dry method only. Do not use slip solutions, water, or surfactants
- Durability: Up to 4 years (refer to specification sheet)



Material	Material Description	Finish	Liner	Width (mm)	Length (m)
401030	Contra Vision Ultra Clear Overlaminate	Optically Clear	1 Sided PE	1371	50
401031	Contra Vision Ultra Clear Overlaminate	Optically Clear	1 Sided PE	1520	50

1300 132 644 info.mail@spicers.com.au spicers.com.au

Imageperfect 2800-102 Optically Clear

ORDER NOW

OPTICALLY CLEAR

- Imageperfect 2800-102 Optically Clear Gloss 50ums cast is a PVC laminate with a permanent, solvent-based adhesive system designed for protecting perforated window films
- Excellent solution if you require an optically clear laminate solution with non-perforated digital work
- It offers a very high degree of optical clarity and external durability hence provides an outstanding finished result upon installation
- We recommend using IP 2800-102 in conjunction with our Imageperfect 2707and Imageperfect 2708 PWF and the Contra Vision Performance range of PWF
- Durability: Up to 9 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
454119	IP 2800-102	Optically Clear	1371	45.7
454712	IP 2800-102	Optically Clear	1524	45.7

Rolam 5 Year Overlaminate Optically Clear

ORDER NOW

OPTICALLY CLEAR

- Optically clear, cold laminating film with clear permanent adhesive, engineered for protective lamination onto digitally printed images to extend durability
- Calandered PVC film, 100gsm single PE release liner
- Suitable protective over lamination to one way view film
- Consistent performance, low shrinkage, optimum clarity and gloss level
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
173533	Rolam 5 Year Overlaminate	Optically Clear	230	Clear Permanent	1371	50
173534	Rolam 5 Year Overlaminate	Optically Clear	230	Clear Permanent	1524	50

Laminates

3M™ 8588G Anti-Graffiti

ORDER NOW

ANTI-GRAFFITI

- PVDF polymer blended anti-graffiti, high gloss 30ums overlaminate with a clear permanent adhesive and PET liner designed to protect graphic surfaces from stains, abrasion, UV light and graffiti
- Recommended for use flat to compound curves, including rivets and corrugations
- Graphic protection for Envision 480mC & IJ180mC series
- Durability: Up to 8 years (refer to specification sheet)



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
171188	3M 8588G Anti-Graffiti	High Gloss Clear	Clear Permanent	30	1371	50

3M™ 8993 Anti-Graffiti

ORDER NOW

ANTI-GRAFFITI

- Clear, anti-graffiti, high gloss 25ums polyester overlaminate with a clear permanent adhesive and kraft liner
- Superior resistance against harsh solvents
- Recommended for use flat & simple surfaces only
- It is recommended to give additional time for out gassing solvent ink when laminating with a polyester (PET) film
- Graphic protection for IJ180mC, 680CR, IJ40C, IJ40,IJ35C & IJ35
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
450535	3M 8993 Anti-Graffiti	Clear Gloss	Clear Permanent	25	1371	50
450534	3M 8993 Anti-Graffiti	Clear Gloss	Clear Permanent	25	1524	50


1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison® SL 4530

ORDER NOW

ANTI-GRAFFITI

- Avery Dennison SL 4530 is a 23ums high quality UV stable high gloss anti-graffiti polyester overlaminate
- Designed for use as a protective overlaminating film for digitally printed images
- Allows easy removal of graffiti
- Features a clear, permanent, pressure sensitive acrylic based adhesive
- Suitable for short term indoor or durable outdoor images on flat surfaces
- Good resistance to chemicals and solvents
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
452857	SL 4530	Gloss Clear	1371	50

Avery Dennison® OL1000 Anti-Graffiti

ORDER NOW

ANTI-GRAFFITI

- Avery Dennison OL1000 is a 30ums optically clear Anti-Graffiti overlaminate film
- Suited for digitally printed images and is suitable for short term indoor images on flat surfaces
- High clarity & excellent adhesion
- Allows easy removal of graffiti
- Used on images created by screen-printing or digitally printed images
- Good resistance to UV radiation and outdoor exposure conditions
- High abrasion resistance
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
452840	OL1000	Gloss Clear	1220	45.7

Avery Dennison® 7110 FasFiti

ORDER NOW

ANTI-GRAFFITI

- Avery Dennison 7110 FasFiti Gloss Clear Anti-Graffiti polyester overlaminate
- Protects indoor and outdoor markings/decorations against permanent damage from graffiti paints
- Acrylic based permanent adhesive
- Recommended on public transport vehicles & will also give protection against stone chipping
- Most commercially available graffiti removal fluids will allow the removal of graffiti without damaging the film
- Good resistant to UV radiation and weathering exposure
- Excellent dimensional stability, resistance to chemicals and solvents & vandal resistance
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
452873	7110 FasFiti	Gloss Clear	1230	50

Laminates

Imageperfect 2830-109 Anti-Graffiti

ORDER NOW

ANTI-GRAFFITI

imageperfect ANZ

- Imageperfect 2830-109 Anti-Graffiti Premium 25ums clear PVF overlaminate film
- Features include resistance to a wide variety of chemicals, solvents and staining agents
- Suitable for long-term, outdoor applications, such as decorations and vehicle graphics protecting them from any permanent damage that could result from exposure to graffiti
- Also protects from spray paints, felt-tip marker pens and staining agents
- Offers excellent resistance to weathering more broadly and protection from the potentially harmful impact of UV rays more specifically (principally UVA and UVB rays)
- Durability: Up to 10 years (refer to specification sheet)

SELF ADHESIVE ROLLS LAMINATES OUTDOOR APPLICATIONS

Material	Material Description	Finish	Width (mm)	Length (m)
454087	2830-109	Gloss Clear	1371	50

Imageperfect 2840-106 Anti-Graffiti

ORDER NOW

ANTI-GRAFFITI

imageperfect ANZ

- Imageperfect 2840-106 Anti-graffiti overlaminate is a 25ums clear gloss polyester overlaminate
- Offers excellent resistance to a wide variety of chemicals, solvents and staining agents
- Specifically designed for protecting your prints against permanent damage from graffiti paints, spray painting, felt tip markers and other methods
- Graffiti can be easily removed with the help of common solvents or proprietary cleaning products such as Imageperfect Surface Cleaner
- Equipped with a clear solvent pressure sensitive adhesive provides fast, efficient processing through roll lamination techniques without the need for heat or drying
- Not suitable for use on apolar or low energy surfaces
- Durability: Up to 4 years (refer to specification sheet)

SELF ADHESIVE ROLLS LAMINATES OUTDOOR APPLICATIONS

Material	Material Description	Finish	Width (mm)	Length (m)
454080	2840-106	Gloss Clear	1371	50
454230	2840-106	Gloss Clear	1524	50

General Formulations GF 108 Tedlar®

ORDER NOW

ANTI-GRAFFITI

- GF 108 Tedlar® DuPont is a satin clear 25ums transparent PVF Film with a solvent permanent pressure sensitive adhesive
- Extended resistance to UV exposure, colour stability or abrasion resistance and is graffiti resistant
- Designed to extend the exposure resistance of graphics, decals, and nameplates
- This laminate will protect inks and graphics from fading caused by exposure to UV radiation
- Tedlar® DuPont film is resistant to permanent markers, spray paint, and harsh chemicals
- For smooth surface and substrate applications only
- The PVF film is not suitable for use as a laminate on textured print materials
- Durability: Up to 10 years (refer to specification sheet)



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
452354	GF 108 Tedlar	Satin Clear	Permanent	1371	45.7
452713	GF 108 Tedlar	Satin Clear	Permanent	1524	45.7

Rolam Overlaminate Anti-Graffiti

ORDER NOW

ANTI-GRAFFITI

- Gloss Clear Polyester (PET) film specially designed for consistent performance, low shrinkage, optimum clarity, gloss level and graffiti resistance
- Permanent, solvent based acrylic adhesive on a single PE release liner
- Recommended for flat surfaces only
- Durability: Up to 3 years (refer to specification sheet)



Material	Material Description	Finish	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
173393	Rolam 3 Year Anti-Graffiti	Gloss Clear	60	Clear Permanent	1371	50
173394	Rolam 3 Year Anti-Graffiti	Gloss Clear	60	Clear Permanent	1520	50

Laminates

General Formulations GF 213 Traffic Graphic®

ORDER NOW

FLOOR LAMINATE

- GF 213 is a 95ums clear embossed polypropylene film designed for use as an economical protective laminate for Traffic Graffic® decals
- This non-glare laminate is also an environmentally friendly alternative to vinyl films
- The adhesive is formulated to adhere to most common printing inks
- Slip Rating: AS HB198:2014 (AS/NZS 4586) - Dry PTV: 87, Wet PTV: 24
- Pair GF 213 with GF 212
- For indoor use only
- Durability: Up to 6 months (refer to specification sheet)

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
401013	GF 213 Traffic Graffic	Light Embossed	Permanent	95	1371	45.7

Imageperfect 2830-204 Textured Floor Graphic

ORDER NOW

FLOOR LAMINATE

- Imageperfect 2830-204 Floor Graphics 180ums is a textured vinyl overlaminate
- Features a permanent, solvent-based adhesive system
- Specifically designed for the protection of printed floor graphics
- Locally certified in Australia by the CSIRO
- Offers outstanding slip resistance, making it a safe choice for pedestrian areas where floor graphics are used for branding, way-finding or promotional messaging
- High level of scratch resistance for your printed floors
- Affordable solution which caters for all floor graphic requirements
- Anti Slip rating: AS 4586: P1/R9

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
454076	2830-204	Textured Matt	Permanent	1371	45.7
454223	2830-204	Textured Matt	Permanent	1524	45.7

1300 132 644 info.mail@spicers.com.au spicers.com.au

Rolam Floor Laminate R9

ORDER NOW

FLOOR LAMINATE

ROLAM laminate media

- 199164 Rolam LAM 3yr FloorLam R9 is a slip approved and rough textured transparent film designed for lamination onto floor graphics vinyls
- 199165 Rolam LAM 3yr FloorLam LITE R9 is a slip approved and rough textured lighter transparent film designed for lamination over printed floor graphic vinyls
- Designed with a permanent, solvent-based acrylic adhesive and a single PE release liner
- UV resistant, controlled shrinkage formulation and waterproof
- Durability: Up to 5 years (refer to specification sheet)



Material	Material Description	Finish	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
199165	Rolam Floor Laminate Lite	Textured Matt	140	Clear Permanent	1350	50
199164	Rolam Floor Laminate	Textured Matt	200	Clear Permanent	1540	50

Rolam Floor Laminate R10

ORDER NOW

FLOOR LAMINATE

ROLAM laminate media

- 115 micron Sandtex, anti-slip, monomeric PVC floor laminate with permanent, clear adhesive
- P3 non-slip rating in accordance with AS 4586:2013 Slip resistance classification
- Perfect for floor graphic applications in locations suited to the P3 non-slip rating
- R10 Slip rating



Material	Material Description	Finish	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
172551	Rolam Floor Laminate	Matt Transparent	115	Clear Permanent	1371	50

GENERAL FORMULATIONS

PSA VINYL SOLUTIONS FOR PLASTERBOARD

- GLASS
- TILE
- CARPET
- PLASTERBOARD
- BRICK
- BLOCK
- METAL
- ALUMINUM
- PLASTIC
- TABLES
- COUNTERS
- SNEEZE GUARDS



MAKE YOUR MARK

VIEW THE RANGE

www.generalformulations.com

Imageperfect 5900 Series

ORDER NOW

WHITEBOARD

imageperfect ANZ

- Imageperfect 5900 Series Writing Films offer a versatile solution for transforming surfaces into functional writing boards
- IP 5901 Whiteboard Film 145ums for whiteboard markers
- IP 5902 Clearboard Film 145ums for dry-wipe markers
- IP 5903 Blackboard Film 180ums for use with chalk
- Excellent resistance to a range of oils, fats, fuels, mild acids
- A durable choice for offices, classrooms, retail, hospitality and other creative spaces
- Durability: Up to 5 years (refer to specification sheet)

INDOOR APPLICATIONS LAMINATES

Material	Material Description	Finish	Width (mm)	Length (m)
454526	IP 5903	Black	610	50
454523	IP 5903	Black	1220	50
454525	IP 5902	Clear	610	50
454522	IP 5902	Clear	1220	50
454102	IP 5901	White	610	50
454101	IP 5901	White	1220	50

General Formulations Dry Erase Laminate

ORDER NOW

WHITE & BLACKBOARD

GENERAL FORMULATIONS

- GF EraseMark is a 50 micron gloss clear laminate that turns any graphic into a writeable dry erase surface
- GF 110 is high performance hard coated engineered scratch and abrasion resistant polyester film surface with a permanent solvent acrylic pressure sensitive adhesive
- GF 111 is a clear polypropylene film with a permanent emulsion acrylic pressure sensitive adhesive
- Single Sided PE Liner
- EraseMark is formulated for high-use dry erase applications such as hospital boards, conference rooms, menu boards, restaurants, and schools
- It works well for applications where the written information needs to change frequently
- Durability: Up to 5 years (refer to specification sheet) GF 110
- Durability: Up to 6 months (refer to specification sheet) GF 111

INDOOR APPLICATIONS LAMINATES

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
452024	GF 110	Gloss Clear	Permanent	1371	45.7
452025	GF 111	Gloss Clear	Removable	1371	45.7


Sacrificial Underlay Polypropylene


ORDER NOW

UNDERLAY

- 76mm core
- Polypropylene won't have static issues experienced with polyester
- If liner creased it will not transfer to the surface of the image as it can with paper

Material	Material Description	Width (mm)	Length (m)
187322	Sacrificial Underlay Polypropylene	1400	400
187323	Sacrificial Underlay Polypropylene	1430	400
187324	Sacrificial Underlay Polypropylene	1540	400
187781	Sacrificial Underlay Polypropylene	1630	400







Print Media



AVERY DENNISON

YUPO

hp

ROMAG magnetic materials

RODURE display films

ROBAN banner media

ROLIGHT backlit films

imageperfect ANZ

BAUHAUS MEDIA FOR CREATIVES

ACE

Spicers carry all of your print media essentials as well as a fine collection of specialty products to suit any creative sign and display project. We supply media for Aqueous, Eco-Solvent, UV Curable, Latex and LED ink technologies.

ORDER YOUR FAVOURITE PRODUCTS ONLINE

1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together

Avery Dennison®
MPI 4130/4120 Frontlit Banner 440

ORDER NOW

FRONTLIT

- Avery Dennison 4130 (gloss) & 4230 (matt) are a 440gsm versatile and durable banner media
- Suitable for a wide variety of indoor and outdoor promotional and signage applications
- Denier - 1000D x 1000D / Thread count - 9 x 9/sq inch
- Excellent durability, tear resistance & welding characteristics
- Resistance to UV exposure, rain, fungi and frost
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
165150	MPI 4130	Gloss	440	1371	50
165151	MPI 4130	Gloss	440	1600	50
165153	MPI 4120	Matt	440	1371	50

Avery Dennison®
MPI 4210 Frontlit Banner 340

ORDER NOW

FRONTLIT

- Avery Dennison MPI 4210 Economy Matt Banner is a lightweight banner
- Suitable for a range of indoor and outdoor applications
- Denier - 500D x 250D / Thread count - 18 x 12/sq inch
- Excellent outdoor durability & resistant to UV, rain, fungi & frost
- Suitable for indoor banners, exhibition stands, POS, shopping centre & special event banners
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
184895	MPI 4210	Matt	340	1371	50

Avery Dennison®
MPI 4310 D/S Blockout Banner

ORDER NOW

FRONTLIT

- Avery Dennison MPI 4310 Double-Sided Matt is a 520gsm blockout banner
- Suitable for a range of indoor and outdoor applications
- Denier - 500D x 250D / Thread count - 18 x 12/sq inch
- Printable on both sides with no show through
- Excellent outdoor durability & resistant to UV, rain, fungi & frost
- Suitable for exhibition signage & short term outdoor banners
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
165149	MPI 4310	Matt	510	1371	50

Avery Dennison®
MPI 4330 HD Banner 680

ORDER NOW

FRONTLIT

- Avery Dennison MPI 4330 Heavy-Duty double-sided is a 680gsm blockout banner
- Suitable for a range of indoor and outdoor applications
- Denier - 1000D x 1000D / Thread count - 12 x 12/sq inch
- Suitable for street banners, display and exhibition signage & special events
- Printable on both sides with no show through
- Excellent outdoor durability & resistant to UV, rain, fungi and frost
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
165156	MPI 4330	Matt	680	1371	50
166941	MPI 4330	Matt	680	1600	50

Avery Dennison®
MPI 4350 Scrimless Banner 510

ORDER NOW

FRONTLIT

- Avery Dennison MPI 4350 is a double-sided Scrimless matt blockout banner
- Suitable for a range of indoor applications
- Printable on both sides with no show through
- Excellent outdoor durability & resistant to UV, rain, fungi & frost
- Suitable for portable display systems, exhibition signage & indoor advertising
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
166993	MPI 4350	Matt	510	1371	30

Imageperfect 2121 Frontlit Banner 610

ORDER NOW

FRONTLIT

imageperfect ANZ

- Imageperfect 2121 F/LIT Banner 610gsm is a premium coated blockout banner designed for digital printing on large-format inkjet printers
- It offers 100% opacity and double-sided printability
- Combines high print quality with a flexible, soft handle and a strong fabric that ensures excellent text definition and vibrant colours
- Suitable for billboards, trade shows, events, construction sites, and promotional campaigns
- Features include UV stabilization and an anti-fungus treatment for durability
- For double-sided printing, ensure the first side is fully dry before printing the second
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
122517	IP 2121	Satin	610	1371	37
122522	IP 2121	Satin	610	1600	37

Imageperfect 2125 Frontlit Banner 510

ORDER NOW

FRONTLIT

imageperfect ANZ

- Imageperfect 2125 Frontlit Banner 510gsm is a premium coated banner with excellent thermal welding characteristics and printability
- Designed for large-format digital printing
- Suitable for indoor and outdoor applications such as billboards at trade shows and events, construction sites, show rooms, promotional campaigns and many other applications
- High print quality with remarkable text definition and a large colour gamut to ensure colourful images and vibrant area in-fills
- UV-stabilised and incorporates an anti-fungus treatment
- For strong seams, use thermal welding or banner tape, and protect the surface with a water-based liquid laminate
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
122518	IP 2125	Satin	510	1371	37
122523	IP 2125	Satin	510	1600	37

Imageperfect 2128 Frontlit Banner 450

ORDER NOW

FRONTLIT

imageperfect ANZ

- Imageperfect 2128 Frontlit Banner 450gsm is perfect for vibrant signage and displays
- Offers high print quality and enhances the visibility of your message at a competitive price
- Delivers excellent text definition and a wide colour gamut, ensuring vibrant images and enhanced durability
- Its superior wind and tear resistance make it ideal for indoor and short-term outdoor applications such as billboards at trade shows, events, construction sites, and promotional campaigns
- For added strength it can be thermally welded or secured with banner for durable seams
- Available in both Gloss and Satin finishes, it is also compatible with water-based liquid laminate for UV protection and extended performance
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
122519	IP 2128	Gloss	450	1371	37
122524	IP 2128	Gloss	450	1600	37
122526	IP 2128	Satin	450	1600	37
122521	IP 2128	Satin	450	1371	37

Imageperfect 2128 HD Frontlit Banner 510

ORDER NOW

FRONTLIT

- Imageperfect 2128 Frontlit Banner 510gsm is a inexpensive, heavy duty gloss banner material
- Offers a high print quality with remarkable text definition and a large colour gamut to ensure colourful images and area fills
- Can be used for indoor and short term outdoor applications
- Suitable for billboards at trade shows and events, construction sites, show rooms, promotional campaigns and many other applications
- By thermal welding, it can be fitted excellently with a seam
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
122520	IP 2128 HD	Gloss	510	1371	37
122525	IP 2128 HD	Gloss	510	1600	37

Imageperfect 2212 Banner Mesh Liner

ORDER NOW

FRONTLIT

- Imageperfect 2212 Mesh Banner 260gsm with Liner is a high-quality, medium-weight mesh designed for both indoor and outdoor applications
- Features a filmic liner and is compatible with large-format inkjet printers
- Flexible, fire-retardant mesh offers exceptional print quality with sharp text definition and a wide colour gamut, ensuring vibrant images and area in-fills
- Perfect for advertising at trade shows, events, showrooms, construction sites, and promotional campaigns where a see-through effect is desired
- Has a regular structure and excellent flat hanging properties, making it a reliable choice for a range of display applications
- For strong seams, use thermal welding or banner tape, and protect the surface with a water-based liquid laminate
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
122528	IP 2212	Matt	260	1371	50
122529	IP 2212	Matt	260	1600	50

Mimaki

UJ330H-160

High Performance UV-LED Hybrid Printer

NEXT STANDARD 3D

PRINT ANYTHING. EVERYTHING.

FIND OUT MORE ▶



Roban Signtuff 440

ORDER NOW

FRONTLIT

ROBAN banner media

- Gloss or satin frontlit banner with high-strength & good opacity and black back option for 100% opaque
- Denier 840D x 840D
- Thread count 9 x 9/square inch
- Suitable for a range of billboard, banner & display graphics where no show through is required
- Printable 1 side
- AS/NZS Test Reports: 1530.2 (Reference 25-005554), 1530.3 (Reference 25-005555), 3837-1998 (Reference 25-00555)
- Durability: Up to 6 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent & UV Curable Inks



Material	Material Description	Finish	Reverse	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173253	Roban Signtuff 440	Gloss White	Black Back	840 x 840 / 9 x 9	440	1371	50
173255	Roban Signtuff 440	Gloss White	Black Back	840 x 840 / 9 x 9	440	1600	50
173256	Roban Signtuff 440	Gloss White	Black Back	840 x 840 / 9 x 9	440	2500	50
173257	Roban Signtuff 440	Gloss White	Black Back	840 x 840 / 9 x 9	440	3200	50
173258	Roban Signtuff 440	Satin White	Black Back	840 x 840 / 9 x 9	440	1371	50
173259	Roban Signtuff 440	Satin White	Black Back	840 x 840 / 9 x 9	440	1600	50
173260	Roban Signtuff 440	Satin White	Black Back	840 x 840 / 9 x 9	440	3200	50
173261	Roban Signtuff 440	Satin White	White Back	840 x 840 / 9 x 9	440	1371	50
173263	Roban Signtuff 440	Satin White	White Back	840 x 840 / 9 x 9	440	1600	50
173264	Roban Signtuff 440	Satin White	White Back	840 x 840 / 9 x 9	440	2500	50
173265	Roban Signtuff 440	Satin White	White Back	840 x 840 / 9 x 9	440	3200	50
199590	Roban Signtuff 440	Gloss White	Black Back	840 x 840 / 9 x 9	440	5000	50

Roban IJET Premium Latex 510

ORDER NOW

FRONTLIT

ROBAN banner media

- Ultra smooth, high strength premium frontlit banner for Latex printing
- Suitable for applications that will be viewed up close
- Denier 1000D x 1000D
- Thread count 18 x 18/square inch
- Suitable for use in billboard skins, banners & other general graphics
- Printable 2 Sides
- AS/NZS Test Reports: 1530.2 (Reference 26-000529), 1530.3 (Reference 26-000530)
- Durability: Up to 6 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173350	Roban IJET Premium Latex 510	Satin White	1000 x 1000 / 18 x 18	510	1371	50
173351	Roban IJET Premium Latex 510	Satin White	1000 x 1000 / 18 x 18	510	1600	50
173354	Roban IJET Premium Latex 510	Satin White	1000 x 1000 / 18 x 18	510	2500	50
173355	Roban IJET Premium Latex 510	Satin White	1000 x 1000 / 18 x 18	510	3200	50


Roban Ultra i440

ORDER NOW

BLOCKOUT

ROBAN banner media

- Light weight, super smooth, matt double sided blockout banner
- Used for indoor applications where no show through is critical
- Denier 300D x 300D
- Thread count 42 x 40/square inch
- Perfect for roll up banner stands & double sided displays
- Printable 2 sides
- Flame Retardant: NFPA-701, DIN 4102-B1, NFP92-507 M2
- Durability: Up to 6 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent & UV Curable Inks



Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173252	Roban Ultra i440	Satin White	300 x 300 / 42 x 40	440	914	50
173247	Roban Ultra i440	Satin White	300 x 300 / 42 x 40	440	1371	50
173248	Roban Ultra i440	Satin White	300 x 300 / 42 x 40	440	1600	50
173250	Roban Ultra i440	Satin White	300 x 300 / 42 x 40	440	2500	50
173251	Roban Ultra i440	Satin White	300 x 300 / 42 x 40	440	3200	50

Roban Optima 580 UV

ORDER NOW

BLOCKOUT

ROBAN banner media

- Heavy duty, smooth satin double sided blockout banner exhibiting a scrimless appearance
- Ideal for indoor and outdoor banner & graphics applications where no show through is critical
- Denier 1000D x 1000D
- Thread Count 20 x 20/square inch
- Printable 2 sides
- Flame Retardant: NFPA-701, DIN 4102-B1, NFP92-507 M2
- Durability: Up to 6 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent & UV Curable Inks



Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173316	Roban Optima 580 UV	Satin White	1000 x 1000 / 20 x 20	580	1371	50
173317	Roban Optima 580 UV	Satin White	1000 x 1000 / 20 x 20	580	1600	50
173319	Roban Optima 580 UV	Satin White	1000 x 1000 / 20 x 20	580	2500	50
173320	Roban Optima 580 UV	Satin White	1000 x 1000 / 20 x 20	580	3200	50

Roban Optima 580 Latex

ORDER NOW

BLOCKOUT

ROBAN banner media

- Heavy duty, smooth stain double sided blockout banner exhibiting a scrimless appearance designed for Latex printing
- Ideal for indoor and outdoor banner & graphics applications where no show through is critical
- Denier 500D x 500D
- Thread Count 28 x 28/square inch
- Flame Retardant: NFPA-701, DIN 4102-B1, NFP92-507 M2
- Durability: Up to 6 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173356	Roban Optima 580 Latex	Satin White	500 x 500 / 28 x 28	580	1371	50
173357	Roban Optima 580 Latex	Satin White	500 x 500 / 28 x 28	580	1600	50
173359	Roban Optima 580 Latex	Satin White	500 x 500 / 28 x 28	580	2500	50
198390	Roban Optima 580 Latex	Satin White	500 x 500 / 28 x 28	580	3200	50


Roban Multi 600

ORDER NOW

BLOCKOUT

ROBAN banner media

- Heavy duty, matt double side blockout banner
- Ideal for outdoor banner & graphics applications where no show through is critical
- Denier 1000D x 1000D
- Thread Count 9 x 9/square inch
- Flame Retardant: NFPA-701, DIN 4102-B1, NFP92-507 M2
- Durability: Up to 6 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173239	Roban Multi 600	Satin White	1000 x 1000 / 9 x 9	610	1371	50
173240	Roban Multi 600	Satin White	1000 x 1000 / 9 x 9	610	1600	50
173242	Roban Multi 600	Satin White	1000 x 1000 / 9 x 9	610	2500	50
173243	Roban Multi 600	Satin White	1000 x 1000 / 9 x 9	610	3200	50
173245	Roban Multi 600	Satin White	1000 x 1000 / 9 x 9	610	5200	50


Roban Airmesh Fire Rated Liner

ORDER NOW

MESH BANNER FR

ROBAN banner media

- 270gsm High strength banner mesh (With Liner)
- Denier 1000D x 1000D
- Thread count 12 x 12/square inch
- Suitable for welding & outdoor use
- Fire and Smoke Test certificates for AS 1530.2-1993, and AS 1530.3-1999
- Traditional closed mesh structure for greater print surface area and strength
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
171390	Roban Airmesh Fire Rated Liner	Matt White	1000 x 1000 / 12 x 12	270	1371	50
169852	Roban Airmesh Fire Rated Liner	Matt White	1000 x 1000 / 12 x 12	270	1600	50
171391	Roban Airmesh Fire Rated Liner	Matt White	1000 x 1000 / 12 x 12	270	1800	50


Roban Airmesh Fire Rated (No Liner)

ORDER NOW

MESH BANNER FR

ROBAN banner media

- 300gsm High strength banner mesh (No Liner)
- Traditional closed mesh structure for greater print surface area and strength
- Denier 1000D x 1000D
- Thread count 12 x 12/square inch
- Suitable for welding & outdoor use
- Fire rated B1
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173219	Roban Airmesh Fire Rated	Matt White	1000 x 1000 / 12 x 12	300	3200	55


Imageperfect 2609 Backlit PET

ORDER NOW

BACKLIT

imageperfect ANZ

- Imageperfect 2609 ImageBlaze Backlit film is a translucent polyester coated film, designed for graphic arts application in light boxes with high contrast
- The satin coating reduces glare and provides high-quality image density with vivid colours and outstanding image resolution with or without light
- Ideal for luminous advertising, such as public transport, illuminated signage applications, trade show displays, and light box applications
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Width (mm)	Length (m)
122361	IP 2609	Satin White	205	1270	50
121793	IP 2609	Satin White	205	1524	30


Natura Solatex Backlit PET

ORDER NOW

BACKLIT

Spicers

- Natura Solatex Backlit 205ums is a Translucent satin backlit polyester film with a water proof scuff resistant print surface
- Suitable for applications such as illuminated signs
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Width (mm)	Length (m)
122151	Natura Solatex Backlit	Satin White	205	1270	50
121718	Natura Solatex Backlit	Satin White	205	1524	30


Rolight UTrans 294gsm PET

ORDER NOW

BACKLIT

ROLIGHT backlit films

- UTrans satin is a translucent, high rigidity, white polyester film with an ink receptive primer coating on one side designed for high resolution indoor & outdoor light-box graphics
- Suitable for a range of digital inkjet printing equipment
- It's high temperature resistance, dimensional stability & optimum light transmission provide flat, durable & perfect looking back-lit graphics
- Print Compatibility: Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173628	Rolight UTrans	Matt White	294	1320	50
173630	Rolight UTrans	Matt White	294	1524	50

Rolight Backlit PET

ORDER NOW

BACKLIT

ROLIGHT backlit films

- 210um translucent, matt, white polyester (PET) film
- Perfect for backlit displays, light box, cosmetic advertising, menu-boards, street furniture
- Printable surface is on the outside of the roll
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
167501	Rolight Backlit PET	Matt	210	300	1371	30
167502	Rolight Backlit PET	Matt	210	300	1520	30

Imageperfect 2912 Clear PET

ORDER NOW BLOCKOUT

imageperfect ANZ

- Imageperfect 2912 200ums is a semi-rigid, gloss PET that should be utilised where a clear film is required for indoor and short term outdoor display and/or backlit applications
- High level of transparency and/or a high level of visual impact
- Affords very good levels of water and abrasion resistance and excellent print characteristics
- Can be printed side out as usual, or the graphic can be printed in reverse and encapsulated with a laminate
- For use with either iD3 or iD5 laminates
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
121754	Gloss Clear	Gloss	200	280	1371	30

Rodure Ublock 2/S 230gsm PP

ORDER NOW BLOCKOUT

RODURE display films

- Polypropylene film + Gravure primer coating with a blockout core
- Perfect for double sided posters
- Excellent whiteness and opacity
- Laminated, tear & water resistant, 100% Blockout
- Corona & ink receptive primer
- Print Compatibility: UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173544	Rodure Ublock 2/S	Matt White	230	1371	100
173545	Rodure Ublock 2/S	Matt White	230	1600	100

Yupo FPU 250 UV

ORDER NOW

BLOCKOUT

- 250um/200gsm polypropylene film
- Market leading bulk, whiteness, opacity, ink adhesion & colour reproduction
- Applications: Large format posters, light box & street furniture
- Tear & weather resistant
- Custom sheeting available on request
- Print Compatibility: UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
184952	Yupo FPU 250 UV	Satin	250	200	1320	50
158445	Yupo FPU 250 UV	Satin	250	200	1320	100
184226	Yupo FPU 250 UV	Satin	250	200	1600	50
181146	Yupo FPU 250 UV	Satin	250	200	1600	100
184159	Yupo FPU 250 UV	Satin	250	200	1830	100

Imageperfect 2901 Plus Coverall

ORDER NOW

BLOCKOUT

- Imageperfect 2901 Plus Coverall is a 280ums white matt roll up display material
- This material has been specifically designed for digital printing on large-format inkjets
- Excellent lay flat properties for display systems
- Common applications for this product are roll up systems, exhibition panels, posters, point of sale graphics and many kinds of POS applications
- For use with IP2830-204 laminate
- Fire rating - B1
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
121752	Matt White	Matt	280	350	1371	50

Rodure XTC 283gsm PP

ORDER NOW

BLOCKOUT

RODURE display films

- Rodure XTC283 is a 250ums/283gsm white, semi-opaque, high density polypropylene synthetic paper with a smooth matt surface on two sides with a stiff, card-like formulation
- Suitable for a large range of durable printed applications requiring resistance to tearing, water, premature breakdown or yellowing due to ultra-violet light exposure
- Allows enough light transmission to be used as posters in bus shelter light boxes as well as front lit posters
- Applications: Large format posters, light box & street furniture
- Tear & weather resistant
- Custom sheeting available on request
- Print Compatibility: UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
175892	Rodure XTC 283	Matt White	250	283	1320	100
162791	Rodure XTC 283	Matt White	250	283	1600	100

Rodure XTI200 Latex PP

ORDER NOW

BLOCKOUT

RODURE display films

- Rodure XTI200 is a clean white, high opacity, low density polypropylene synthetic paper with a smooth, clay coated matt surface on two sides
- Suitable for a large range of durable printed applications requiring resistance to tearing, water, premature breakdown to UV exposure
- High temperature resistance & optimum transparency makes it suitable for outdoor light box and bus shelter posters
- Excellent whiteness and opacity, lay-flat, print adhesion and image quality
- Print Compatibility: Latex & UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
173390	Rodure XTI200 Latex	Translucent	250	200	1320	100
173391	Rodure XTI200 Latex	Translucent	250	200	1600	100

Rodure Solmaxx 200 Solvent PP

ORDER NOW

BLOCKOUT

RODURE display films

- Rodure Solmaxx 200 is a clean white, high opacity, low density polypropylene synthetic paper with a smooth, clay coated matt surface? on two sides
- High temperature resistance & optimum transparency makes it suitable for outdoor light box and bus shelter posters
- Suitable for a large range of durable printed applications requiring resistance to tearing, water, premature breakdown to UV exposure
- Excellent whiteness and opacity, lay-flat, print adhesion and image quality
- Print Compatibility: Eco-Solvent & UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
173365	Rodure Solmaxx 200	Satin White	200	200	915	50
173366	Rodure Solmaxx 200	Satin White	200	200	1270	50
173367	Rodure Solmaxx 200	Satin White	200	200	1524	50

Rodure Polypropylene 2/S 190gsm PP

ORDER NOW **BLOCKOUT**

RODURE display films

- Matt white 190gsm blockout polypropylene film
- 2/sided printable with a blockout layer that offers 98% opacity
- Fast drying and tear resistant
- Perfect for double sided posters, fixed and portable banner systems
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
194042	Rodure Polypropylene 190	Matt White	240	190	914	50
170092	Rodure Polypropylene 190	Matt White	240	190	1270	50

Rodure Polypropylene 2/S 205gsm PP

ORDER NOW **BLOCKOUT**

RODURE display films

- Matt white 205gsm blockout polypropylene film
- 2/sided printable with a blockout layer that offers 98% opacity
- Fast drying and tear resistant
- Perfect for double sided posters
- Custom sheeting available on request
- Print Compatibility: Latex & UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
196534	Rodure Polypropylene 205	Matt White	220	205	1320	100
170594	Rodure Polypropylene 205	Matt White	220	205	1600	100

Roban No Scrim 510gsm PET

ORDER NOW **SCRIMLESS**

ROBAN banner media

- Scrimless, super smooth, double side blockout banner
- Suitable for roll-up banner stands & premium graphics and applications that will be viewed up close
- Ideal for applications where no show through & super smooth surface is critical
- Not recommended for outdoor use
- 2/sided printable
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
185046	Roban No Scrim	Matt White	510	914	50
180929	Roban No Scrim	Matt White	510	1371	50

Imageperfect 2903 PP

ORDER NOW

PULL UP

imageperfect ANZ

- Imageperfect 2903 is a 190ums single-sided, matt white PP material featuring excellent lay flat properties
- With its matt finish, is the perfect product for exhibition and retail display systems
- Ideal choice for pop-up and roll up displays
- New generation of synthetic print media has excellent water and abrasion resistant characteristics
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
121753	Imageperfect 2903 Pull-Up	Matt White	190	170	914	30

Imageperfect 2929 2/S ImageShow PP

ORDER NOW

PULL UP

imageperfect ANZ

- Imageperfect 2929 ImageShow is a 250ums high-quality, double-sided white polypropylene material with high opacity for use in Roll-Up displays and POS systems
- Specifically designed for use with large-format inkjet printers
- Offers excellent lay-flat properties, high levels of opacity, and can be used as a double-sided print product
- When used as a single-sided solution, the matt white back enhances the aesthetic value of the finished product compared to other standard roll-up products with grey backs
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Width (mm)	Length (m)
122366	Imageperfect 2929 ImageShow	Matt White	250	914	50

Natura RolaJet SBF250 PP

ORDER NOW

PULL UP

Spicers

- RolaJet 250ums is a quick drying satin white finish PP film based banner media with a black light blocking PET middle layer
- Ideal for roll up and pull up banner graphics as well as hanging posters or banners requiring light blocking properties
- The reverse side is white adding to the overall aesthetics of the banner
- For applications such as promotional and POS
- Suitable for interior and exterior applications
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
121716	Natura RolaJet	Satin White	250	220	915	50
122148	Natura RolaJet	Satin White	250	220	1270	50
122149	Natura RolaJet	Satin White	250	220	1524	50

Rodure Pull up 340gsm Grey Back PET

ORDER NOW

PULL UP

- Satin white semi-rigid 340gsm PET film with a grey blockout reverse designed for use in retractable / pull-up banner stands
- Minimal edge curl, high durability & flatness, anti-static, dimensional stability, and excellent heat resistance
- Indoor / outdoor pull-up displays, general posters and point of sale graphics
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

BLOCKOUT · OUTDOOR APPLICATIONS · POINT OF SALE · POSTERS · LATEX MEDIA · POP-UPS · ROLL-UPS

Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
173362	Rodure Pull up 340 Grey Back PET	Satin	250	340	915	50
173363	Rodure Pull up 340 Grey Back PET	Satin	250	340	1270	50
173364	Rodure Pull up 340 Grey Back PET	Satin	250	340	1524	50

Rodure Pull up 290gsm Grey Back PET

ORDER NOW

PULL UP

- Matt white 290gsm PET film with a grey blockout reverse
- Quick dry, tear resistant & lay flat film
- Perfect for fixed and portable banner systems
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

BLOCKOUT · POINT OF SALE · LATEX MEDIA · POP-UPS · ROLL-UPS

Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
170094	Rodure Pull up 290 Grey Back PET	Matt	190	290	914	50
170095	Rodure Pull up 290 Grey Back PET	Matt	190	290	1270	50

Rodure Pull up 290gsm Velvet Grey Back PET

ORDER NOW

PULL UP

- Premium Velvet white 290gsm PET film with a grey blockout reverse
- Velvet finish produces vibrant colours and higher density black
- Velvet finish offers superior anti-scratch properties - laminate not required
- Quick dry, tear resistant & dimensionally stable lay flat film
- Perfect for fixed and portable banner systems
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

BLOCKOUT · POINT OF SALE · LATEX MEDIA · POP-UPS · ROLL-UPS

Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
194037	Rodure 290 Velvet Grey Back PET	Velvet	190	290	914	50

Rodure Pull up 420gsm Grey Back PVC

ORDER NOW

PULL UP

- Textured Lustre, White PET/PVC 420gsm composite film with a grey blockout reverse
- Textured Lustre finish results in an anti-scratch & high-resolution surface
- Tear resistant & dimensionally stable lay flat film
- Perfect for fixed and portable banner systems
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

BLOCKOUT · POINT OF SALE · LATEX MEDIA · POP-UPS · ROLL-UPS

Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
170123	Rodure Pull up 420gsm Grey Back PVC	Lustre	325	420	914	50
170124	Rodure Pullup 420gsm Grey Back PVC	Lustre	325	420	1270	50

OUT NOW! OUT NOW! OUT NOW! OUT NOW! OUT NOW!

OUT NOW! OUT NOW! OUT NOW! OUT NOW! OUT NOW! OUT NOW! OUT NOW!

Spicers

BAUHAUS

MEDIA FOR CREATIVES

FOR CREATIVES THAT PUSH THE BOUNDARIES, BAUHAUS IS THE AQUEOUS MEDIA RANGE THAT OFFERS HIGH END RESULTS AND QUALITY.

VIEW THE RANGE ▶

FOR ENQUIRIES PLEASE CONTACT YOUR LOCAL SPICERS REPRESENTATIVE

FINE ART
PHOTOGRAPHY
PROOFING
DYE SUBLIMATION
WALL GRAPHICS
POSTERS AND CAD

1300 132 644

SPICERS.COM.AU

Bauhaus Matt 1444 Eco Canvas

ORDER NOW

COTTON CANVAS

- 340gsm matt, 100% cotton canvas with fast curing time
- Acid Free
- Perfect for indoor decoration & photography reproductions
- Water resistant
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
171133	Bauhaus Matt 1444 Eco Canvas	Matt White	340	1371	20
171135	Bauhaus Matt 1444 Eco Canvas	Matt White	340	1524	20

Imageperfect 2320 Artist Canvas 400gsm

ORDER NOW

POLYESTER CANVAS

- Image Perfect 2320 Canvas is a fine art 520ums semi-gloss canvas print material which guarantees the real look and reproduction of an artistic painting
- The product has been specifically designed for digital printing on large-format inkjets
- It offers good printablilty, extremely vivid colours as well as a dense black
- Canvas material is especially suitable for picture presentations as full colour graphics, reproduction of art and photos where the structure of the fabric is very pronounced and decorative
- Designed for fine art paintings, textile walls, textile billboards and posters and exhibition panels
- Can be used with liquid or spray laminate
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
121746	Image Perfect 2320 Canvas	Semi Gloss White	400	1371	15
122283	Image Perfect 2320 Canvas	Semi Gloss White	400	1371	30

HP Satin Canvas

ORDER NOW

POLYESTER CANVAS

- HP Satin Canvas 463ums produces consistent, museum-quality prints
- Larger colour gamut, fine art and photographic reproductions are accurate and consistent
- Acid-free with a pH-neutral base This easy-to-handle canvas is resistant to edge cracking so that it moves quickly through post-production and framing
- HP Premium Satin Canvas is REACH Compliant 1 to help you and your customers meet high health and safety standards
- Trouble-free printing. Original HP printing materials are designed together with HP Latex printers for consistency, performance, durability and value
- Scratch and crack-resistant. Easy to handle and moves quickly through post-finishing, including stretching, coating and laminating
- Applications: Fine-art reproductions and digital art originals
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
121385	HP Satin Canvas	Satin White	381	1350	45
121170	HP Satin Canvas	Satin White	381	1540	30

Magnet & Ferro

Imageperfect 2923 Magnetic Film

ORDER NOW

MAGNET PRINTABLE

imageperfect ANZ

- Imageperfect 2923 Magnetic Film Premium Heavy is a 500ums printable magnetic film with a white matt surface offering high levels of print quality
- Especially engineered for quick-change magnetic POS/POP systems
- It can be score cut and contour cut, either manually or with a CAD/CAM plotter
- Been specially created for digital printing on large-format inkjets
- Provides photo-quality printing and unrivalled versatility
- It is versatile and quickly and easily installed and can be combined with almost any steel-based surface to meet an array of demands for changeable graphics
- Print Compatibility: Eco-Solvent & UV Curable Inks

INDOOR APPLICATIONS · POINT OF SALE · ROLLS · ECO SOLVENT MEDIA · UV MEDIA

Material	Material Description	Finish	Face Thickness (mm)	Width (mm)	Length (m)
121791	Imageperfect 2923 Magnetic Film	Matt White	500	1220	15

Romag Magnet Printable

ORDER NOW

MAGNET PRINTABLE

ROMAG magnetic materials

- 0.3, 0.6 & 0.9mm magnet with a 0.1mm matt or gloss white PVC printable face film
- Suitable for general magnetic work, fridges, POS and signage
- 0.9mm Magnet is perfect for car magnets
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · POINT OF SALE · LATEX MEDIA

Material	Material Description	Finish	Face Thickness (mm)	Width (mm)	Length (m)
173445	Romag Magnet Printable	Matt White	0.3	1371	25
192403	Romag Magnet Printable	Gloss White	0.6	620	15
195028	Romag Magnet Printable	Gloss White	0.6	1270	15
173925	Romag Magnet Printable	Matt White	0.6	610	30
165031	Romag Magnet Printable	Gloss White	0.9	620	15
192404	Romag Magnet Printable	Gloss White	0.9	1000	15
192841	Romag Magnet Printable	Gloss White	0.9	1270	15
173926	Romag Magnet Printable	Matt White	0.9	1000	10

Imageperfect Magnetic

ORDER NOW

MAGNET SELF-ADHESIVE

imageperfect ANZ

- Imageperfect Magnetic are a premium signage magnetic product with a gloss white PVC face or non-printable self-adhesive
- IP 5911 - 0.6mm, IP 5914 - 0.9mm & IP 5915 - 0.7mm self-adhesive
- IP 5915 is can be paired with IP 2924 Ferro Film for quick interchangeable signage systems
- A hardened UV coating on the magnetic backing prevents the magnetic film from staining or sticking to the substrate
- The perfect solution for vehicle/transport magnetic applications

OUTDOOR APPLICATIONS · INDOOR APPLICATIONS · ROLLS · SELF ADHESIVE · POINT OF SALE

Material	Material Description	Finish	Face Thickness (mm)	Width (mm)	Length (m)
455231	IP 5911	Gloss White	0.6	620	15
455232	IP 5914	Gloss White	0.9	620	15
454117	IP 5914	Gloss White	0.9	1000	15
454679	IP 5915	Brown Adhesive Backed	0.7	1270	15

Romag Magnet Self-Adhesive

ORDER NOW

MAGNET SELF-ADHESIVE

ROMAG magnetic materials

- Non printable magnet on 1 side and permanent adhesive on the other (non magnetized) side
- Recommended for indoor applications
- Apply the adhesive side to the wall as a "permanent" fixture and printed ferro film to the magnetic side
- Available in 0.5 and 0.8mm (0.8mm offers a higher magnetic force)



Material	Material Description	Finish	Adhesive	Face Thickness (mm)	Width (mm)	Length (m)
195450	Romag Magnet Self-Adhesive	Black	Clear Permanent	0.8	620	15
195448	Romag Magnet Self-Adhesive	Black	Clear Permanent	0.5	620	30
195451	Romag Magnet Self-Adhesive	Black	Clear Permanent	0.8	1250	15
195449	Romag Magnet Self-Adhesive	Black	Clear Permanent	0.5	1250	15

Imageperfect 2924 Ferro Film

ORDER NOW

FERRO FILM

imageperfect ANZ

- Imageperfect 2924 Ferro Film is a 300ums white, ferrous print media for use in magnetic POS/POP signage systems
- It can be score cut and contour cut, either manually or with a CAD/CAM plotter
- IP 2924 is significantly thinner, smoother, more flexible and it allows for photo-quality graphics to be printed
- This product has been developed for large-scale graphic systems and allows retailers to change in-store displays quickly and easily
- It simply requires a magnetic surface with which to interact, such as IP 5915 Self-Adhesive Flexible Magnetic Sheet
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Face Thickness (mm)	Width (mm)	Length (m)
121792	Imageperfect 2924	White	300	1371	25
122359	Imageperfect 2924	White	300	1371	50

Romag Ferro Film

ORDER NOW

FERRO FILM

ROMAG magnetic materials

- 0.18 & 0.25mm matt, white PET film with a magnet receptive reverse
- Combine with Romag Self-Adhesive magnet to create bright & colourful marketing campaigns with the ability to change designs at short notice
- Easy to apply and remove leaving no residue
- Print Compatibility for 0.18: Eco-Solvent, Latex & UV Curable Inks
- Print Compatibility for 0.25: Eco-Solvent & UV Curable Inks



Material	Material Description	Finish	Face Thickness (mm)	Width (mm)	Length (m)
169178	Romag Ferro Film	Matt White	0.25	1371	50
173921	Romag Ferro Film	Matt White	0.18	1371	50
195447	Romag Ferro Film	Matt White	0.25	1524	50
173922	Romag Ferro Film	Matt White	0.18	1626	50

Ace Matt Art 200gsm & 250gsm

ORDER NOW

POSTER

- Quality matt coating provides excellent surface for fine colour reproduction
- 1320mm & 1600mm reels available for sheeting
- Ideal for posters & point of sale applications
- High whiteness & opacity with excellent bulk
- FSC® certified paper supporting responsible and sustainable forest management (licensed code FSC® C010628). Read more on www.fsc.org
- Print Compatibility: Latex, UV Curable Inks & Offset printing

Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
147680	Ace Matt Art Paper	Matt White	200	1320	100
147682	Ace Matt Art Paper	Matt White	200	1600	100
147681	Ace Matt Art Paper	Matt White	250	1320	100
147683	Ace Matt Art Paper	Matt White	250	1600	100

Imageperfect 2408 Heavy Poster Paper

ORDER NOW

POSTER

- Imageperfect 2408 Heavy Semi-Gloss Poster Paper 230ums is ideal for use as a billboard poster paper, typically seen in urban locations and within traffic networks
- Indoor and short-term outdoor use
- Extremely scratch proof, even when wet and does not break when folded
- The heavier weight gives this poster paper greater body and improved handling, making it particularly suitable for large-scale installations
- Meets the requirements of ISO 14001 and other key environmental reference points within the paper industry and it can be validated, therefore, as being sustainable, environmentally friendly and ecologically produced
- Durability Up to 3 months (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
121750	IP 2408	Semi Gloss White	230	1371	50
122285	IP 2408	Semi Gloss White	230	1600	50

Imageperfect 2423 ImagePro

ORDER NOW POSTER

- Imageperfect 2423 ImagePro Bright White 220ums is a waterproof, highly scratch-resistant synthetic paper (PP) with added weight for enhanced lay-flat performance.
- It is tear-resistant and offers exceptional print quality with a bright white point making it ideal for both indoor and short-term outdoor applications
- Designed for large-format digital printing, it consistently delivers impressive results
- It has a smooth satin finish and vibrant colour reproduction so the bright white film ensures your advertising images stand out with exceptional clarity and depth
- Its superior lay-flat properties allow for easy handling and precise application, while its durability makes it perfect for demanding environments
- This is a cost-effective solution that does not compromise on quality, providing an immersive and lasting visual impact
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
121795	Imageperfect 2423 ImagePro	Satin White	190	1270	100
122363	Imageperfect 2423 ImagePro	Satin White	190	1270	50
122364	Imageperfect 2423 ImagePro	Satin White	190	1524	50
122365	Imageperfect 2423 ImagePro	Satin White	190	1524	100

Natura PolyPrint DUO230

ORDER NOW POSTER

- PolyPrint DUO230 220ums is a primer treated high tear and water-resistant Polypropylene film based blockout synthetic paper
- It has a middle reinforcing layer of black blockout PET film sandwiched in between two layers of smooth matt white PP printable film
- The PET reinforcing middle layer makes it more resistant to kink marks during general production and handling compared to other synthetic papers
- Suitable for most single and double sided promotional poster and banner graphics requiring good light blocking properties
- Ideal for hanging posters and banners as well as retractable banner applications
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
121715	Natura PolyPrint DUO230	Matt White	205	1270	100

Bauhaus Satin Poster 225gsm

ORDER NOW POSTER

- Satin 225gsm, 2/sided PE coated poster and photo paper
- Approximate thickness 215ums
- Ultra white surface offering supreme image definition with a large colour gamut & fast drying properties
- Suitable for indoor and outdoor applications
- Suitable for hot and cold lamination
- Applications - posters, POS, photo prints & exhibition graphics
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
167559	Bauhaus Satin Poster	Satin	225	1270	50
167560	Bauhaus Satin Poster	Satin	225	1524	50

Bauhaus Satin Poster 140gsm

ORDER NOW

POSTER

- Satin 140gsm photo and poster paper
- Approximate thickness 145ums
- Excellent image quality with brilliant colours
- Fast prints in premium quality
- Free of cutting dust
- Applications - posters, POS, photo prints & exhibition graphics
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
168678	Bauhaus Satin Poster	Satin	140	1371	50
168679	Bauhaus Satin Poster	Satin	140	1524	50

Imageperfect 2405 Poster Paper Satin

ORDER NOW

POSTER

- Imageperfect 2405 165ums Semi-Gloss Poster Paper is ideal for use as a billboard poster paper, typically seen in urban locations and within traffic networks, as well as in retail and event business locations
- Indoor and short-term outdoor use
- Extremely scratch-proof, even when wet, and does not break when folded
- Meets the requirements of ISO 14001 and other key environmental reference points with the paper industry
- High print quality with economical print consumption
- Sustainable, environmentally friendly and ecologically produced
- Durability: Up to 3 months (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
121748	Imageperfect 2405	Semi Gloss White	135	1371	50

Bauhaus Gloss Poster 225gsm

ORDER NOW

POSTER

- Gloss 225gsm, 2/sided PE coated poster and photo paper
- Approximate thickness 214ums
- Ultra white surface offering supreme image definition with a large colour gamut & fast drying properties
- Suitable for indoor and outdoor applications
- Suitable for hot and cold lamination
- Applications - posters, POS, photo prints & exhibition graphics
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
167555	Bauhaus Gloss Poster	Gloss	225	1270	50
167556	Bauhaus Gloss Poster	Gloss	225	1524	50

Bauhaus Photo Paper Satin 275gsm

ORDER NOW

PHOTOGRAPHIC

- 275gsm resin coated, alpine white photo paper that holds pin-sharp details and reproduces the most vivid colours
- High colour consistency and gamut
- High light fastness, outdoor durability and optimal handling properties make this photo paper your ideal choice
- Fast drying
- PVC Free
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
171777	Bauhaus Photo Paper	Satin	275	1524	30

Bauhaus Photo Paper Gloss 275gsm

ORDER NOW

PHOTOGRAPHIC

- 275gsm resin coated, alpine white photo paper that holds pin-sharp details and reproduces the most vivid colours
- High colour consistency and gamut
- High light fastness, outdoor durability and optimal handling properties make this photo paper your ideal choice
- Fast drying
- PVC Free
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
171776	Bauhaus Photo Paper	Gloss	275	1524	30

Imageperfect 2416 PhotoArt Satin Paper

ORDER NOW

PHOTOGRAPHIC

- Imageperfect 2416 PhotoArt Satin Paper 225ums is ideal for photo- quality printing
- Applications include high-end commercial posters, POS, counter-top displays & promotional campaigns for event, business & retail locations
- Designed for indoor use is delivers sharp images and high print definition with vibrant colours and high black value, even in the case of facial features and skin tones
- The Satin Semi-Gloss finish ensures a low level of surface reflection than would otherwise be the case with products with a glossier finish
- Meets the requirements of ISO 14001 and other key environmental reference points within the paper industry
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
121751	Imageperfect 2416 PhotoArt	Satin White	210	1371	45

Bauhaus Coated Self-Adhesive Paper AP999

ORDER NOW

SELF-ADHESIVE

- White clay coated paper produced with medium gloss levels
- Super permanent acrylic adhesive with good moisture resistance
- One side siliconised glassine liner
- Print Compatibility: Latex & UV Curable Inks



Material	Material Description	Colour	Grammage (GSM)	Width (mm)	Length (m)
173228	Bauhaus Coated Self-Adhesive Paper	White	80	750	100







Heat Transfer Films




imageperfect ANZ

Discover Spicers' heat transfer films for professional printing and customisation, quality materials delivering vibrant, reliable results across apparel, textiles and promotional products.

ORDER YOUR FAVOURITE PRODUCTS ONLINE

1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together



Smarter Hardware. Stronger Print.

The demands on print have never been higher.

To keep up, you need hardware that works smarter — not harder. Spicers is the trusted distributor of HP, Mimaki, Roland, RollsRoller and Epson, delivering world-class print and finishing solutions that streamline workflows, reduce manual processing and improve productivity.

Backed by expert support and compatible consumables, Spicers brings hardware and supply together - so everything works seamlessly.

EXPLORE THE RANGE ▶

Scan here to enquire today!

hp

Mimaki

Roland

ROLLSROLLER FLATBED APPLICATOR

EPSON

One partner. Smarter workflows. Better results.


1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together

Imageperfect 2902 TexGraphics

ORDER NOW

- Imageperfect 2902 TexGraphics is a thin, white 120ums printable Flex material
- It features a clear, permanent heat activated adhesive and a clear polyester liner
- Specifically designed for inkjet printers and which offers excellent printability and washability
- Due to the polyester backing, contour cutting of small shapes is possible
- Not suitable for application to nylon - For applications to nylon we recommend the use of IP 2914
- Suitable for applications such as cotton, polyester, cotton/polyester blends, sportswear, leisurewear, workwear and promotional articles
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121894	IP 2902	Satin White	Hot-melt	500	25
121895	IP 2902	Satin White	Hot-melt	760	25
121896	IP 2902	Satin White	Hot-melt	1524	25

Imageperfect 2914 TexGraphics Nylon

ORDER NOW

- Imageperfect 2914 TexGraphics Nylon is a thin, white 120ums printable Flex material
- It features a clear, permanent heat activated adhesive and a clear polyester liner
- Specifically designed for application to water-repellent surfaces such as nylon
- The polyester backing allows for the printing of small text and contour cutting of small shapes is possible
- Can be used for applying promotional text, corporate logos and graphic designs to polyamide, nylon, leather, silicon-treated garments
- Suitable for applications such as sportswear, sports bags, umberellas and other water-repellent substrates
- Print Compatibility: Eco-Solvent & Latex Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121649	IP 2914	Gloss White	Thermally Activated	500	25
121897	IP 2914	Gloss White	Thermally Activated	760	25
121898	IP 2914	Gloss White	Thermally Activated	1524	25







Rigid Substrates Solutions



ACE

YUPO

3A COMPOSITES

SKYBOND™

FOAMSTAR foamboard

Brett Martin

DIGISTAR

RODURE display films

ImageBond ANZ

ImageFlute

Our Rigids deliver durable, high-impact signage for outdoor, indoor and exhibition use. Built for superior printability and performance, they meet the demands of commercial and creative projects alike.

ORDER YOUR FAVOURITE PRODUCTS ONLINE

1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together

SKYBOND™
Aluminium composite sheet

Spicers

EXPLORE THE RANGE ▶

SUPERIOR UV INK ADHESION

REQUEST A SAMPLE TODAY!

Bond with your printer. Give it something its ink will stick to.

With enhanced gloss white paint for **superior UV ink** adhesion, Skybond™ will stick in your mind...

A direct print and signage grade, its high quality ensures it gets noticed. Which is what you want for signage, or any print project.

Skybond™ has a ton of other benefits too. It's easily cut, bent and folded. It has a fantastic printing surface and an easy-to-remove protective liner on both sides.

10 YEAR

With a **10-year warranty*** and coming as standard with 0.21mm and 0.3mm skin, you'll warm to this one.

Stick with Skybond™ by Spicers.
The ink will.

Printed on Pacesetter Hi Bulk 300gsm

BEST BITS

- Premium, direct print and signage grade aluminium composite sheet
- Aluminium skins are twice washed during production & have two coats of specially formulated, long-life polyester PE Paint applied to ensure the best possible printing surface & ink adhesion
- Suited to a wide range of flat and 3D interior and exterior print, signage and fabrication applications
- Easy to remove protective liner on both sides
- Easily cut, bent and folded
- Custom colours available ex-manufacture*
- Backed by a 10-year warranty†
- Skybond FR available on request.

**Colours available on indent only.*

† *Please contact your local Spicers representative to request a copy of the Skybond warranty statement for full conditions.*

Contact your local Spicers representative for a sample. **1300 132 644** **spicers.com.au**

Aluminium Composite Panel

Skybond™ Print

ORDER NOW

ALUMINIUM COMPOSITE PANEL

SKYBOND™

- Premium direct print & signage grade aluminium composite panel that is easy to cut, bend or fold
- Aluminium skins are twice washed during production and have two coats of specially formulated, long-life polyester PE Paint applied to ensure the best possible printing surface & ink adhesion
- Easy to remove protective liner on both sides
- Suited to a wide range of flat and 3D interior and exterior print and fabrication applications – not suitable for building cladding/façades
- Custom colours available ex manufacturer
- Durability: Up to 10 years (refer to specification sheet)
- Print Compatibility: Latex & UV Curable Inks



Material	Material Description	Colour (2 sides)	Width (mm)	Length (mm)	Skin Thickness (mm)	Thickness (mm)
195055	Skybond Print	Prime/Prime	1200	1800	0.21	3.0
178856	Skybond Print	Prime/Prime	1200	2440	0.21	3.0
192280	Skybond Print	White Gloss/Brush Silver	1220	2440	0.21	3.0
194547	Skybond Print	Prime/Prime	1220	2440	0.21	3.0
192845	Skybond Print	White Gloss/White Gloss	1220	2440	0.21	3.0
192286	Skybond Print	White Matt/Prime	1220	2440	0.21	3.0
192281	Skybond Print	Black Gloss/Black Matt	1220	2440	0.21	3.0
189643	Skybond Print	White Gloss/Prime	1220	2440	0.21	3.0
188480	Skybond Print	White Matt/White Gloss	1220	2440	0.21	3.0
187877	Skybond Print	White Gloss/Black Gloss	1220	2440	0.21	3.0
196554	Skybond Print	White Gloss/Black Gloss	1220	3050	0.21	3.0
194351	Skybond Print	White Gloss/Prime	1220	3600	0.21	3.0
191566	Skybond Print	White Matt/White Gloss	1500	3050	0.21	3.0
194731	Skybond Print	White Gloss/Prime	1500	3050	0.21	3.0
197014	Skybond Print	Prime/Prime	1500	3050	0.21	3.0
192650	Skybond Print	White Gloss/Prime	1500	3100	0.21	3.0
192654	Skybond Print	White Gloss/Black Gloss	1500	3100	0.21	3.0
192284	Skybond Print	White Gloss/Black Gloss	1500	3600	0.21	3.0
192480	Skybond Print	Black Gloss/Black Matt	1500	3600	0.21	3.0
194350	Skybond Print	White Gloss/Prime	1500	3600	0.21	3.0
194791	Skybond Print	Prime/Prime	1500	3600	0.21	3.0
188479	Skybond Print	White Matt/White Gloss	1220	2440	0.30	3.0
194365	Skybond Print	White Gloss/Black Gloss	1220	2440	0.30	3.0
178139	Skybond Print	White Gloss/Prime	1220	3600	0.30	3.0
178717	Skybond Print	White Gloss/Prime	1250	2500	0.30	3.0
177275	Skybond Print	White Matt/Prime	1250	2500	0.30	3.0
167122	Skybond Print	White Matt/White Gloss	1250	2500	0.30	3.0
167123	Skybond Print	White Gloss/Black Gloss	1250	2500	0.30	3.0
185054	Skybond Print	White Gloss/Brush Silver	1250	2500	0.30	3.0
195497	Skybond Print	White Matt/White Gloss	1250	3050	0.30	3.0
191516	Skybond Print	White Matt/White Gloss	1500	3050	0.30	3.0
190422	Skybond Print	White Matt/Matt	1500	3050	0.30	3.0
178718	Skybond Print	White Gloss/Prime	1500	3050	0.30	3.0
178140	Skybond Print	White Gloss/Prime	1500	3600	0.30	3.0
190421	Skybond Print	White Matt/ White Gloss	1500	3600	0.30	3.0
103524	Skybond Print	White Gloss/Black Gloss	1500	3600	0.30	3.0
188481	Skybond Print	White Matt/White Gloss	1220	2440	0.30	4.0

Aluminium Composite Panel

ImageBond

ORDER NOW

ALUMINIUM COMPOSITE PANEL

- ImageBond is a premium 3mm aluminium composite panel featuring a durable 0.30mm aluminium skin
- Suited to a wide range of flat and 3D interior and exterior print and fabrication applications – not suitable for building cladding/façades
- Offers superior rigidity, strength and surface consistency
- Custom colours available ex manufacturer (MOQ Applies)
- Durability: Up to 10 years (refer to specification sheet)
- Print Compatibility: UV Curable Inks

OUTDOOR APPLICATIONS · RIGID SHEET · UV MEDIA

Material	Material Description	Colour (2 sides)	Width (mm)	Length (mm)	Skin Thickness (mm)	Thickness (mm)
121739	ImageBond	White Matt/White Gloss	2440	1220	0.3	3.0
122236	ImageBond	White Matt/White Gloss	3050	1500	0.3	3.0
122235	ImageBond	White Matt/White Gloss	3660	1220	0.3	3.0

ImageBond Lite Latex


ORDER NOW

ALUMINIUM COMPOSITE PANEL

- ImageBond Lite LX sheets are a light weight Matt White/Prime sheet constructed of two 0.21mm aluminum surface skins with a polyethylene core
- Available in 3 different sheet sizes, these sheets are produced to exacting standards while fully compliant with REACH and RoHS legislation
- With high quality paint coatings from leading global paint manufacture it provides solid resistance to weathering while still delivering excellent print results
- It is especially developed for 2D applications and can also be used in 3D applications
- HP Certified and profiles can be downloaded directly from the HP Media Locator
- Durability: Up to 10 years (refer to specification sheet)
- Print Compatibility: Latex & UV Curable Inks

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · EXHIBITION PANELS · RIGID SHEET · POINT OF SALE · LATEX MEDIA · UV MEDIA

Material	Material Description	Colour (2 sides)	Width (mm)	Length (mm)	Skin Thickness (mm)	Thickness (mm)
121740	ImageBond Lite Latex LX	White Matt/Prime	1800	1200	0.21	3.0
122245	ImageBond Lite Latex LX	White Matt/Prime	2440	1220	0.21	3.0
122262	ImageBond Lite Latex LX	White Matt/Prime	3050	1500	0.21	3.0



1300 132 644 info.mail@spicers.com.au spicers.com.au

Aluminium Composite Panel

ImageBond Lite

ORDER NOW **ALUMINIUM COMPOSITE PANEL**

- ImageBond Lite is our 3mm lighter weight option that combines two 0.21mm or 0.15mm aluminium surface skins on a polyethylene core
- It is especially developed for 2D applications it can also be used for 3D applications
- Available in an assortment of sizes, it is produced fully compliant with REACH and RoHS legislation
- It is the perfect choice for signmaking and digital printing applications
- With a high quality paint coating from leading Global paint manufacturers it provides solid resistance to weathering and corrosion while delivering excellent printed results
- Durability: Up to 10 years (refer to specification sheet)
- Print Compatibility: UV Curable Inks

INDOOR APPLICATIONS · RIGID SHEET · UV MEDIA

Material	Material Description	Colour (2 sides)	Width (mm)	Length (m)	Skin Thickness (mm)	Thickness (mm)
122270	ImageBond Lite	Mill / Mill	2440	1220	0.15	3.0
122238	ImageBond Lite	White Gloss/Prime	1800	1200	0.21	3.0
122241	ImageBond Lite	Black Gloss/Prime	2440	1220	0.21	3.0
122240	ImageBond Lite	Black Gloss/Black Matt	2440	1220	0.21	3.0
122242	ImageBond Lite	White Gloss / Black Gloss	2440	1220	0.21	3.0
122259	ImageBond Lite	Mill / Mill	2440	1220	0.21	3.0
122258	ImageBond Lite	White Gloss/Prime	2440	1220	0.21	3.0
122246	ImageBond Lite	White Matt/White Gloss	2440	1220	0.21	3.0
122247	ImageBond Lite	White Matt/ Matt	2440	1220	0.21	3.0
122244	ImageBond Lite	White Matt/Prime	2440	1220	0.21	3.0
122239	ImageBond Lite	White Gloss/Prime	3000	1200	0.21	3.0
122260	ImageBond Lite	White Gloss/Prime	3000	1500	0.21	3.0
122266	ImageBond Lite	White Gloss/Prime	3000	1500	0.21	3.0
122261	ImageBond Lite	White Matt/Prime	3000	1500	0.21	3.0
122268	ImageBond Lite	White Gloss/Prime	3000	1500	0.21	3.0
122254	ImageBond Lite	Black Gloss / Matt DPE	2440	1220	0.21	3.0
122263	ImageBond Lite	Black Gloss DPE / Prime	3050	1500	0.21	3.0
122267	ImageBond Lite	Black Gloss DPE / White Gloss	4000	1500	0.21	3.0

ImageBond Ultra Lite

ORDER NOW **ALUMINIUM COMPOSITE PANEL**

- ImageBond Ultra Lite is a quality economy 2mm with 0.15mm aluminium surface skins on a polyethylene core
- Suitable for flat applications
- It is produced to exacting standards specified whilst fully compliant with REACH and RoHS legislation
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: UV Curable Inks

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · RIGID SHEET · UV MEDIA

Material	Material Description	Colour (2 sides)	Width (mm)	Length (mm)	Skin Thickness (mm)	Thickness (mm)
121741	ImageBond Ultra Lite	White Gloss/Prime	1800	1220	0.15	2.0
122271	ImageBond Ultra Lite	White Gloss/Prime	2440	1220	0.15	2.0
122272	ImageBond Ultra Lite	White Matt/Prime	2500	1250	0.15	2.0
122273	ImageBond Ultra Lite	White Gloss/Prime	3000	1500	0.15	2.0

Aluminium Composite Panel

ImageBond Colours

ORDER NOW

ALUMINIUM COMPOSITE PANEL

ImageBond ANZ

- Imagebond Colour is a versatile 3mm aluminium composite panel featuring a 0.21mm aluminium skin
- Has a range of pre-coloured finishes for eye catching signage and display applications
- Suitable for fabrication, routing and general sign production
- Ideal for fascia signage, retail displays, wayfinding, commercial fit outs and architectural projects
- Suitable for indoor and outdoor applications
- Custom colours available ex manufacturer (MOQ Applies)
- Durability: Up to 10 years (refer to specification sheet)
- Print Compatibility: UV Curable Inks.

OUTDOOR APPLICATIONS · RIGID SHEET · UV MEDIA

Material	Material Description	Colour (2 sides)	Width (mm)	Length (mm)	Skin Thickness (mm)	Thickness (mm)
122243	ImageBond Colours	Blue Gloss / Blue Matt	2440	1220	0.21	3.0
122248	ImageBond Colours	Green Gloss / Green Matt	2440	1220	0.21	3.0
122250	ImageBond Colours	Silver Matt / Prime	2440	1220	0.21	3.0
122252	ImageBond Colours	Yellow Gloss / Yellow Matt	2440	1220	0.21	3.0
122255	ImageBond Colours	Blue Gloss / Blue Matt	2440	1220	0.21	3.0
122257	ImageBond Colours	Red Gloss / Matt DPE	2440	1220	0.21	3.0
122253	ImageBond Colours	Yellow Gloss / Matt DPE	2440	1220	0.21	3.0
122249	ImageBond Colours	Red Gloss / Red Matt	2440	1220	0.21	3.0
122264	ImageBond Colours	Blue Gloss DPE / Prime	3050	1500	0.21	3.0
122265	ImageBond Colours	Red Gloss DPE/ Prime	3050	1500	0.21	3.0

ImageBond Indoor

ORDER NOW

ALUMINIUM COMPOSITE PANEL

ImageBond ANZ

- ImageBond Lite is a 3mm option that combines two aluminium surface skins on a polyethylene core
- It is especially developed for 2D and 3D applications
- With a high quality paint coating from leading Global paint manufacturers delivering excellent finished results
- Produced to exacting standards whilst fully compliant with REACH and RoHS legislation
- Suitable for long term internal application or short-term external installations
- Durability: Up to 10 years internal only(refer to specification sheet).

INDOOR APPLICATIONS · EXHIBITION PANELS · RIGID SHEET · POINT OF SALE

Material	Material Description	Colour (2 sides)	Width (mm)	Length (mm)	Skin Thickness (mm)	Thickness (mm)
122251	ImageBond Indoor	Silver Brush / Prime	2440	1220	0.21	3.0
122234	ImageBond Indoor	Silver Mirror/Prime	2440	1220	0.30	3.0

Aluminium Composite Panel

Skybond™ FR

ORDER NOW

ALUMINIUM COMPOSITE PANEL

SKYBOND™

- Premium direct print & signage grade aluminium composite panel that is easy to cut, bent or fold
- Aluminium skins are twice washed during production and have two coats of specially formulated, long-life polyester PE Paint applied to ensure the best possible printing surface & ink adhesion
- Easy to remove protective liner on both sides
- Suited to a wide range of flat and 3D interior and exterior print and fabrication applications - not suitable for building cladding/facades
- Custom colours available ex manufacturer
- A2 Rated to AS 5637.1-2015 Group 1
- Durability: Up to 10 years (refer to specification sheet)
- Print Compatibility: UV Curable Inks.



Material	Material Description	Colour (2 sides)	Width (mm)	Length (mm)	Skin Thickness (mm)	Thickness (mm)
173638	Skybond FR	White Matt/White Gloss	1220	2440	0.30	3.0


SignWhite Steel Sheeting

ORDER NOW


ALUMINIUM COMPOSITE PANEL

Spicers

- SignWhite Panel is a high-gloss, mar-resistant, prepainted steel panel specifically for the signwriting industry
- Its exceptional durability, smooth finish, and excellent over-paintability make it a go-to choice for professionals looking for along-lasting and visually striking signage solution
- It has a high gloss finish which delivers a bright, professional appearance ideal for eye-catching signs
- It is mar and scratch resistant and therefore able withstand handling and outdoor exposure without compromising surface quality
- It has an over-paintable surface designed for optimal adhesion of vinyls, screen printing, or hand painting
- Manufactured by BlueScope, this durable steel substrate provides structural integrity and long-term performance
- Ideal for both indoor and outdoor applications including large format displays and billboards
- Print Compatibility: UV Curable Inks.



Material	Material Description	Colour	Finish	Width (mm)	Length (mm)	Grammage (GSM)
121922	SignWhite Steel Sheeting	White	High Gloss	600	900	0.60
121918	SignWhite Steel Sheeting	White	High Gloss	1200	900	0.60
121919	SignWhite Steel Sheeting	White	High Gloss	1800	1200	0.60
121921	SignWhite Steel Sheeting	White	High Gloss	2400	1220	0.60
121920	SignWhite Steel Sheeting	White	High Gloss	3000	1220	0.60



GAME CHANGER

ACE THE GAME.

Where performance meets sustainability

With Ace, you're not just raising the stakes; you're reshuffling the game entirely. Imagine a material that combines the finesse of a royal flush with the durability of a diamond-hard hand. Crafted with precision and reinforced with the strength of a winning strategy, Ace is the wildcard you need to outplay, outlast, and outbuild the competition.

- ACE SCREENBOARD
- ACE OUTDOOR
- ACE HIGH WHITE
- ACE KRAFT
- ACE HIGH BULK
- ACE MATT ART
- ACE BLOCKOUT
- ACE GREYBACK
- ACE ICB
- ACE HCB
- ACE EB FLUTE

EXPLORE THE RANGE ▶

100% FIBRE BASED

CoC CERTIFIED

RECYCLABLE

ACE

1300 132 644 | spicers.com.au

Spicers

Fibre Display Board

Ace Screenboard Bulk & Reamed

ORDER NOW

FIBRE DISPLAY BOARD

- Coated both sides with high white surface
- Super smooth surface enhances print results (especially for digital printing)
- A very rigid & dimensional stable board with a white centre
- Ideally suited for hanging signage, POS displays, aisle fins, header cards, category signage, promotional signage, shop window promotions, exhibition stands & mounting
- Outstanding cutting results
- High bulk & stiffness
- FSC® certified product supporting responsible and sustainable forest management (licensed code FSC® C010628). Read more on www.fsc.org
- Print Compatibility: Latex & UV Curable Inks.

Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
183276	Ace Screenboard	White	1040	1560	620	1.0	25
183275	Ace Screenboard	White	1220	2440	620	1.0	500
183277	Ace Screenboard	White	1040	1560	880	1.5	25
182195	Ace Screenboard	White	1220	2440	880	1.5	335
183278	Ace Screenboard	White	1040	1560	1100	2.0	20
180284	Ace Screenboard	White	1220	2440	1100	2.0	245
159212	Ace Screenboard	White	1320	1830	1100	2.0	250
159213	Ace Screenboard	White	1550	2100	1100	2.0	240
167430	Ace Screenboard	White	1040	1560	1540	2.9	20
194614	Ace Screenboard	White	1220	2440	1540	2.9	175
171851	Ace Screenboard	White	1220	2440	2140	4.0	125



ACE THE GAME.

Where performance meets sustainability

With Ace, you're not just raising the stakes; you're reshuffling the game entirely. Imagine a material that combines the finesse of a royal flush with the durability of a diamond-hard hand. Crafted with precision and reinforced with the strength of a winning strategy, Ace is the wildcard you need to outplay, outlast, and outbuild the competition.

EXPLORE THE RANGE ▶

100% FIBRE BASED

CoC CERTIFIED

RECYCLABLE

GREEN SPOTLIGHT SUSTAINABLE PRODUCT

ACE

1300 132 644 | spicers.com.au

Spicers

Fibre Display Board

Ace High White

ORDER NOW

FIBRE DISPLAY BOARD

- Coated both sides with bright, high white surface
- Super smooth surface enhances print results (especially for digital printing)
- High bulk & stiffness
- Ideally suited for hanging signage, POS displays, aisle fins, header cards, category signage, promotional signage, shop window promotions, exhibition stands & mounting
- FSC® certified product supporting responsible and sustainable forest management (licensed code FSC® C010628). Read more on www.fsc.org
- Print Compatibility: Latex & UV Curable Inks.

Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
199206	Ace High White	White	1220	2440	680	1.00	465
199876	Ace High White	White	1040	1560	910	1.50	335
199207	Ace High White	White	1220	2440	910	1.50	330
199208	Ace High White	White	1220	2440	1170	2.00	250
199877	Ace High White	White	1040	1560	1540	2.90	175
199209	Ace High White	White	1220	2440	1540	2.90	170
199878	Ace High White	White	1550	3050	1540	2.90	175

Ace Kraft

ORDER NOW

FIBRE DISPLAY BOARD

- Natural kraft look & feel with a clean, pure centre
- Outstanding stay flat properties
- Ideally suited for hanging signage, POS displays, aisle fins, header cards, category signage, promotional signage, shop window promotions, exhibition stands & mounting
- FSC® certified product supporting responsible and sustainable forest management (licensed code FSC® C010628). Read more on www.fsc.org
- Print Compatibility: Latex & UV Curable Inks

Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
173210	Ace Kraft	Kraft	1220	2440	875	1.5	335
198224	Ace Kraft	Kraft	760	1020	1070	2.0	20
173211	Ace Kraft	Kraft	1220	2440	1070	2.0	250
173212	Ace Kraft	Kraft	1220	2440	1575	3.0	175

Fibre Display Board

3A DISPA® Paper Board

ORDER NOW

FIBRE DISPLAY BOARD

- 3A DISPA® Paper Board is a bright white paper board with a unique structure of embossed formed paper which gives it strength and rigidity
- It is the perfect solution for short term promotional campaigns
- DISPA delivers everything you would expect from a sign and display board surface, excellent printability, rigidity and stability – and a unique design made of 100% paper
- DISPA is a 100% cellulose fibre product and is fully recyclable
- Print Compatibility: UV Curable Inks

EXHIBITION PANELS · POSTERS · RIGID SHEET · RECYCLABLE · UV MEDIA

Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
121729	3A DISPA Paper Board	White	2450	1250	2.40	300
122196	3A DISPA Paper Board	White	2450	1250	3.80	250
122197	3A DISPA Paper Board	White	3048	1524	3.80	250
122198	3A DISPA Paper Board	White	1250	2450	5.00	175
122199	3A DISPA Paper Board	White	1524	3048	5.00	175

Ace Outdoor

ORDER NOW

FIBRE DISPLAY BOARD

- Ace Outdoor is a 100% fibre-based coated display board designed for short-term wet & moisture sensitive environments
- Coated both sides with white print surface
- Ideal for moisture sensitive indoor applications: chiller signage, door entrance signage, mop trays, horticultural POS
- Short-term outdoor applications: A-frames, bollard covers, election signage, petrol station pump toppers, sign on a fence
- Promotions and events: event signage, ice buckets, directional signage
- FSC® certified product supporting responsible and sustainable forest management (licensed code FSC® C010628). Read more on www.fsc.org
- Print Compatibility: UV Curable Inks.

ECF ELEMENTAL CHLORINE FREE · ISO 9001 MILL ACCREDITED · PVC FREE · RECYCLABLE · BIODEGRADABLE · FSC The mark of responsible forestry FSC® C010628 · OUTDOOR APPLICATIONS · POINT OF SALE · RIGID SHEET · UV MEDIA

Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
199200	Ace Outdoor	White	1220	2440	570	0.90	600
199686	Ace Outdoor	White	1220	2440	840	1.25	325
199204	Ace Outdoor	White	1220	2440	1000	1.50	350
199205	Ace Outdoor	White	1220	2440	1490	2.20	150





1300 132 644 info.mail@spicers.com.au spicers.com.au

3A SWEDBOARD® Fibre Premium Bulk

ORDER NOW

FIBRE DISPLAY BOARD

- 3A SWEDBOARD Fibre Premium is a paper-based rigid board that offers a fully recyclable alternative signage
- Suitable for signage applications such as signage, shop window decorations, interior design, partitions, cladding, exhibition, model making and short-term promotional campaigns
- The engineered dust free core gives the material excellent strength and stability yet with light weight
- The unique sealed surface helps keeping the material flat and prevents cracking when bending
- Print Compatibility: UV Curable Inks

Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
121779	3A SWEDBOARD Fibre Premium	White	1220	2440	10.00	105
122326	3A SWEDBOARD Fibre Premium	White	1600	3200	10.00	105
122325	3A SWEDBOARD Fibre Premium	White	1220	2400	16.00	65
122327	3A SWEDBOARD Fibre Premium	White	1600	3200	16.00	65

3A SWEDBOARD® Fibre Premium Box

ORDER NOW

FIBRE DISPLAY BOARD

- 3A SWEDBOARD Fibre Premium is a paper-based rigid board that offers a fully recyclable alternative signage
- Suitable for signage applications such as signage, shop window decorations, interior design, partitions, cladding, exhibition, model making and short-term promotional campaigns
- The engineered dust free core gives the material excellent strength and stability yet with light weight
- The unique sealed surface helps keeping the material flat and prevents cracking when bending
- Print Compatibility: UV Curable Inks

Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
122333	3A SWEDBOARD Fibre Premium Box	White	1220	2440	10.00	10
122330	3A SWEDBOARD Fibre Premium Box	White	3200	1600	10.00	10
122332	3A SWEDBOARD Fibre Premium Box	White	1220	2400	16.00	6
122331	3A SWEDBOARD Fibre Premium Box	White	3200	1600	16.00	6

3A SWEDBOARD® Fibre Brown

ORDER NOW

FIBRE DISPLAY BOARD

- 3A Fome-Cor, the original lightweight foam board consisting of an extruded polystyrene centre core
- Bonded between white clay coated printing grade paper stock on both sides
- Suitable for short term indoor graphic applications such as poster mounting, picture framing, point of sale displays, screen and direct UV inkjet printing

Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
121778	3A SWEDBOARD Fibre Brown	Nature	1600	2200	16.00	65

Fibre Display Board

Ace ICB Bulk

ORDER NOW

DISPLAY BOARD

- Ace ICB is an innovative and versatile carton board crafted using an inverted corrugated board design, providing strength and stability for a wide range of interior applications
- The smooth flat surface achieves excellent print quality
- Ideal for short to medium structural applications. POS displays, shop fitouts, exhibition stands, mounting boards, header cards and many more
- Suitable for shape cut, v-notch, curve & laminate
- FSC® certified product supporting responsible and sustainable forest management (licensed code FSC® C010628). Read more on www.fsc.org
- Print Compatibility: Latex & UV Curable Inks.

Material	Material Description	Outer Colour	Core Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pallet
163219	Ace ICB Bulk Kraft Core (KKK)	Kraft	Kraft	1220	2440	1760	10	108
163221	Ace ICB Bulk Kraft Core (WKW)	White	Kraft	1220	2440	1810	10	108
178244	Ace ICB Bulk White Core (WWW)	White	White	1220	2440	1760	10	108
163220	Ace ICB Bulk Kraft Core (WKW)	White	Kraft	1220	2440	2100	16	64
163324	Ace ICB Bulk White Core (WWW)	White	White	1220	2440	2050	16	64
163325	Ace ICB Bulk White Core (WWW)	White	White	1220	2440	2450	20	54

Ace ICB Boxed

ORDER NOW

DISPLAY BOARD

- Ace ICB is an innovative and versatile carton board crafted using an inverted corrugated board design, providing strength and stability for a wide range of interior applications
- The smooth flat surface achieves excellent print quality
- Ideal for short to medium structural applications. POS displays, shop fitouts, exhibition stands, mounting boards, header cards and many more
- Suitable for shape cut, v-notch, curve & laminate
- FSC® certified product supporting responsible and sustainable forest management (licensed code FSC® C010628). Read more on www.fsc.org
- Print Compatibility: Latex & UV Curable Inks.

Material	Material Description	Outer Colour	Core Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
163223	Ace ICB Boxed Kraft Core (KKK)	Kraft	Kraft	1220	2440	1760	10	15
163227	Ace ICB Boxed Kraft Core (WKW)	White	Kraft	1220	2440	1810	10	15
178245	Ace ICB Boxed White Core (WWW)	White	White	1220	2440	1760	10	15
163328	Ace ICB Boxed Kraft Core (WKW)	White	Kraft	1600	3050	1810	10	15
163228	Ace ICB Boxed Kraft Core (WKW)	White	Kraft	1600	3150	1810	10	15
163225	Ace ICB Boxed Black Core (BBB)	Black	Black	1220	2440	1780	10	15
163224	Ace ICB Boxed Black Core (BBB)	Black	Black	1220	2440	2050	16	10
163226	Ace ICB Boxed Kraft Core (WKW)	White	Kraft	1220	2440	2100	16	10
163326	Ace ICB Boxed White Core (WWW)	White	White	1220	2440	2050	16	10
163329	Ace ICB Boxed Kraft Core (WKW)	White	Kraft	1600	3050	2050	16	10
163327	Ace ICB Boxed White Core (WWW)	White	White	1220	2440	2450	20	8

Fibre Display Board

Ace HCB Bulk

ORDER NOW

DISPLAY BOARD

- Ace HCB is an innovative lightweight carton board, its honeycomb core is engineered for exceptional structural integrity
- Its smooth and flat surface is ideal for high-resolution printing
- Ideal for short to medium structural applications: POS displays, shop fitouts, exhibition stands, mounting boards, header cards & many more
- Suitable for shape cut, v-notch, curve & laminate
- FSC® certified product supporting responsible and sustainable forest management (licensed code FSC® C010628). Read more on www.fsc.org
- Print Compatibility: Latex & UV Curable Inks.

Material	Material Description	Outer Colour	Core Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pallet
163330	Ace HCB Bulk Kraft Core (KKK)	Kraft	Kraft	1220	2440	1180	5	195
163331	Ace HCB Bulk White Core (WWW)	White	White	1220	2440	1180	5	195
163332	Ace HCB Bulk White Core (WWW)	White	White	1600	3050	1180	5	195

Ace HCB Boxed

ORDER NOW

DISPLAY BOARD

- Ace HCB is an innovative lightweight carton board, its honeycomb core is engineered for exceptional structural integrity
- Its smooth and flat surface is ideal for high-resolution printing
- Ideal for short to medium structural applications: POS displays, shop fitouts, exhibition stands, mounting boards, header cards & many more
- Suitable for shape cut, v-notch, curve & laminate
- FSC® certified product supporting responsible and sustainable forest management (licensed code FSC® C010628). Read more on www.fsc.org
- Print Compatibility: Latex & UV Curable Inks.

Material	Material Description	Outer Colour	Core Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
179176	Ace HCB Boxed Black Core (BBB)	Black	Black	1220	2440	1180	5	30
163333	Ace HCB Boxed Kraft Core (KKK)	Kraft	Kraft	1220	2440	1180	5	30
163334	Ace HCB Boxed White Core (WWW)	White	White	1220	2440	1180	5	30



Fibre Display Board

SWEDBOARD® Accessories

ORDER NOW

STRUCTURAL ACCESSORIES

COMPOSITES

SWEDBOARD

- Swedboard Accessories are designed to support the assembly and stability of Swedboard display builds
- The components align with the Swedboard displays such as screws and connectors
- These materials are engineered for rigidity and load-bearing performance
- The range includes lightweight assembly screws in 30mm, 43mm and 55mm lengths, plus a support beam for reinforcing larger structures
- A lightweight internal beam used to reinforce Swedboard display structures and display builds in expo, retail and event environments.
- Beam dimensions: 2985 mm (L) × 70 mm (W) × 45 mm (H), 6 mm material thickness

INDOOR APPLICATIONS · EXHIBITION PANELS · MOUNTING BOARD · OUTDOOR APPLICATIONS · SALE POINT OF SALE

Material	Product Description	Colour	Size (mm)	Units per Pack
122339	Paper Beam	No Colour	70	1
122335	Plastic Screw	Black	55	100
122337	Plastic Screw	Black	30	100
122336	Plastic Screw	White	55	100
122338	Plastic Screw	White	30	100
122334	Plastic Screw w	Black	43	100
121780	Plastic Screw w	White	43	100



30 MM



43MM LOOP-HEAD



55 MM

1300 132 644 info.mail@spicers.com.au spicers.com.au


Fibre Display Board

Ace EB Flute

ORDER NOW

DISPLAY BOARD

- Ace EB Flute is three-layer 5mm fibre-based sheet consisting of 1EB corrugated cardboard sheeting, sandwiched between two solid sheets of Ace High Bulk
- Ace EB Flute is a new generation fibre based, corrugated structured, high white coated and ultra smooth 2/sided print surface
- Lightweight, rigid sheet, economical and long lasting, especially manufactured for sign and display applications
- High white coated and ultra smooth print surface
- Suitable replacement to foamed PVC, foamed polystyrene and polypropylene boards
- Suitable for indoor applications, POS, posters and header cards
- Materials used in manufacturing Ace EB Flute are CoC Certified
- Print Compatibility: Latex & UV Curable Inks.



Material	Material Description	Outer Colour	Core Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
179316	Ace EB Flute (WKW)	White	Kraft	1220	2440	5.3	200

E Flute Clay Coat 1/S Bulk

ORDER NOW

FIBRE DISPLAY BOARD

- Corrugated cardboard with an E Flute construction
- 1/sided white matt clay coat with a white lined reverse
- 2mm thick (approx.)
- 58% Recycled content
- Perfect for standees, flat POS, dump bins and header cards
- Custom sizes for indent orders available upon request in Clay/White, Double Clay and Double White Lined
- Print Compatibility: UV Curable Inks.



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Flute Direction	Sheets per Pallet
195413	E Flute Clay Coat 1/S Bulk	White	2460	1240F	575	2.0	S	350

B Flute Clay Coat 1/S Bulk

ORDER NOW

FIBRE DISPLAY BOARD

- Corrugated cardboard with a B Flute construction
- 1/sided white matt clay coat with a white lined reverse
- 3mm thick (approx.)
- 58% Recycled content
- Perfect for standees, flat POS, dump bins and header cards
- Custom sizes for indent orders available upon request in Clay/White, Double Clay and Double White Lined
- Print Compatibility: UV Curable Inks.



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Flute Direction	Sheets per Pallet
170310	B Flute Clay Coat 1/S Bulk	White	2440	1220F	575	3.0	S	350
195414	B Flute Clay Coat 1/S Bulk	White	2460	1240F	575	3.0	S	350

Synthetic Display Board

3A FOREX Classic

ORDER NOW

SYNTHETIC DISPLAY BOARD

COMPOSITES

FOREX classic

- 3A Forex Classic is a premium PVC sheet with a matt surface finish
- The best mechanical properties and a top-grade surface quality
- The fine, closed, homogenous cell structure and the smooth, silky matt surface make FOREX Classic an ideal material for high quality term interior and exterior applications
- Suitable for applications such as signage and display panels, POS/POP, screen printed panels, exhibition stands, shop fitting and wall cladding
- Durability: Up to 5 years (refer to specification sheet)

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · EXHIBITION PANELS · RIGID SHEET · POINT OF SALE

Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)
121721	3A FOREX Classic	White	2440	1220	1.00

3A FOREX Print

ORDER NOW

SYNTHETIC DISPLAY BOARD

COMPOSITES

FOREX print

- 3A FOREX Print PVC Foam sheet is specially designed to meet the requirements in the field of printing
- FOREX is extremely lightweight and outstanding due to its brilliant white, smooth, even surface which forms the basis for a perfect printing result, particularly for direct digital printing
- Suitable for digitally and screen printed panels, and short and mid-term advertising campaigns
- Print Compatibility: UV Curable Inks

RIGID SHEET · UV MEDIA

Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)
122187	3A FOREX Print	White	2440	1220	2.00
122192	3A FOREX Print	White	3050	1560	2.00
122188	3A FOREX Print	White	2440	1220	3.00
122190	3A FOREX Print	White	3050	1560	3.00
122189	3A FOREX Print	White	2440	1220	5.00
122191	3A FOREX Print	White	3050	1560	5.00
121724	3A FOREX Print	White	2440	1220	10.00

Synthetic Display Board

3A FOREX Lite

ORDER NOW

SYNTHETIC DISPLAY BOARD

- 3A FOREX Lite PVC sheet is specially designed to meet the requirements of the industry at an affordable price
- FOREXlite is a substrate sheet dedicated to modern printing technologies
- The distinguishing feature of FOREXlite sheets are the bright-white, uniform surface
- It can be utilised for interior and exterior applications
- It is difficult to ignite and is self-extinguishing in a fire
- Suitable for applications such as signage and display panels, POS/POP, screen printed panels, exhibition stands, shop fitting and wall cladding

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · EXHIBITION PANELS · RIGID SHEET · POINT OF SALE

Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)
122181	3A FOREX Lite	White	1560	3050	2.00
121722	3A FOREX Lite	White	2440	1220	2.00
122174	3A FOREX Lite	White	2440	1220	3.00
122176	3A FOREX Lite	White	3050	1560	3.00
122175	3A FOREX Lite	White	2440	1220	5.00
122177	3A FOREX Lite	White	3050	1560	5.00

3A FOAMALITE X-press

ORDER NOW

SYNTHETIC DISPLAY BOARD

- 3A FOAMALITE X-press is a light-weight and easy to use PVC foam sheet
- Its white, smooth and uniform surfaces provides outstanding printing results
- Thanks to its degree of whiteness, FOAMALITE X-press ensures a very high fidelity of colours
- The sheets feature blemish-free surfaces with a consistently regular roughness that have been specifically designed for impeccable adhesion of UV curing inks
- Print Compatibility: UV Curable Inks

RIGID SHEET · POINT OF SALE · UV MEDIA

Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)
121737	3A FOAMALITE X-press	White	2440	1220	2.00
122229	3A FOAMALITE X-press	White	3050	1560	2.00
122226	3A FOAMALITE X-press	White	2440	1220	3.00
122228	3A FOAMALITE X-press	White	3050	1560	3.00
122230	3A FOAMALITE X-press	White	1560	3050	5.00
122227	3A FOAMALITE X-press	White	2440	1220	5.00
121736	3A FOAMALITE X-press	Black	2440	1220	3.00
122225	3A FOAMALITE X-press	Black	3050	1560	3.00
122224	3A FOAMALITE X-press	Black	2440	1220	5.00

Synthetic Display Board

Brett Martin Foamalux

ORDER NOW

SYNTHETIC DISPLAY BOARD

- Flat rigid sheet with greater stiffness & excellent fabrication capability for 3D displays
- Bright white colour formulation & excellent colour reproduction
- Consistent silky smooth matt surface
- Outstanding, photographic print quality
- Indoor or short term outdoor use
- Print Compatibility: UV Curable Inks.



Material	Material Description	Colour	Liner	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pallet
163182	Brett Martin Foamalux	White	1 Sided	1220	2440	1.0	150
163183	Brett Martin Foamalux	White	2 Sided	1220	2440	2.0	150
163184	Brett Martin Foamalux	White	2 Sided	1220	2440	3.0	150
163187	Brett Martin Foamalux	White	2 Sided	1560	3050	3.0	100
163185	Brett Martin Foamalux	White	2 Sided	1220	2440	5.0	90
163186	Brett Martin Foamalux	White	1 Sided	1220	2440	10.0	45

Brett Martin Foamalux LW

ORDER NOW

SYNTHETIC DISPLAY BOARD

- Lighter weight for easy handling
- Bright white colour formulation
- Suitable for vinyl application
- Indoor use
- Optimised for direct digital and screen printing
- Flat smooth printing surface
- Suitable for fabrication, cutting and routering
- Print Compatibility: UV Curable Inks.



Material	Material Description	Colour	Liner	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pallet
163176	Brett Martin Foamalux LW	White	1 Sided	1220	2440	2.0	150
163177	Brett Martin Foamalux LW	White	1 Sided	1220	2440	3.0	150
163178	Brett Martin Foamalux LW	White	1 Sided	1220	2440	5.0	90

1300 132 644 info.mail@spicers.com.au spicers.com.au

Synthetic Display Board

3A Gatorfoam

ORDER NOW

SYNTHETIC DISPLAY BOARD

COMPOSITES

GATORFOAM®


- 3A GATORFOAM is an extremely rigid lightweight foam board with resin impregnated liners to both sides and an extruded polystyrene white foam core
- Based on its high rigidity and flatness as well as a range of thicknesses, GATORFOAM is ideally suited for all kinds of displays, imaging, lamination, decorative supplies and 3D applications
- The availability of a bright white surface ensures high quality results
- Print Compatibility: UV Curable Inks

RS RIGID SHEET · INDOOR APPLICATIONS · SALE POINT OF SALE · UV UV MEDIA

Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
122165	3A Gatorfoam	Black	2440	1220	5.00	15
122166	3A Gatorfoam	Natural	2440	1220	5.00	15
122171	3A Gatorfoam	Natural	3050	1520	5.00	10
122167	3A Gatorfoam	White	2440	1220	5.00	15
122172	3A Gatorfoam	White	3050	1520	5.00	10
121720	3A Gatorfoam	Black	2440	1220	10.00	15
122160	3A Gatorfoam	Natural	2440	1220	10.00	15
122168	3A Gatorfoam	Natural	3050	1520	10.00	10
122161	3A Gatorfoam	White	2440	1220	10.00	15
122169	3A Gatorfoam	White	3050	1520	10.00	10
122162	3A Gatorfoam	Black	2440	1220	19.00	8
122163	3A Gatorfoam	Natural	2440	1220	19.00	8
122164	3A Gatorfoam	White	2440	1220	19.00	8
122170	3A Gatorfoam	White	3050	1520	19.00	8



Logos



Displays



3D exhibits



Hanging signs



Exhibitions

Synthetic Display Board

3A KAPAplast


ORDER NOW

SYNTHETIC DISPLAY BOARD

- KAPAplast is a lightweight polyurethane foam board with plastic coated liners, providing enhanced whiteness and added surface durability
- The surface provides excellent printing results, perfect ink adhesion as well as an ideal surface tension
- Perfect image sharpness and colour intensity which is achieved due to the bright white surfaces
- The foam is resilient to solvent adhesives and paints allowing for ease of fabrication and edge colouring
- Suitable for POS, signage, exhibitions & modelling
- Complies with REACH regulations and has B3 fire rating
- Print Compatibility: Eco-Solvent & UV Curable Inks

RIGID SHEET · POINT OF SALE · EXHIBITION PANELS · ECO SOLVENT MEDIA · UV MEDIA

Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
122214	3A KAPAplast	White	1220	2440	5.00	150
122207	3A KAPAplast	White	2440	1220	5.00	18
122212	3A KAPAplast	White	3050	1530	5.00	16
122223	3A KAPAplast	White	3050	1530	5.00	150
122215	3A KAPAplast	White	1220	2440	10.00	100
122206	3A KAPAplast	White	2440	1220	10.00	12
122210	3A KAPAplast	White	3050	1530	10.00	100
122211	3A KAPAplast	White	3050	1530	10.00	8
122216	3A KAPAplast	White	1220	2440	19.00	50
121733	3A KAPAplast	White	2100	1200	19.00	6
122208	3A KAPAplast	White	2440	1200	19.00	6
122209	3A KAPAplast	White	3050	1530	19.00	50
122213	3A KAPAplast	White	3050	1530	19.00	4
122217	3A KAPAplast	White	2100	1650	20.00	6



Design & Production:
Art & Soul Creations & Leigh Russell, 3D Designer
Client: **Bacardi Global Travel Retail**
Location: **Melbourne Airport, Australia**

Synthetic Display Board

3A KAPAtex

ORDER NOW **SYNTHETIC DISPLAY BOARD**

- 3A KAPAtex is a lightweight foam board with high quality canvas look surfaces
- The board perfectly combines advantages of a sandwich material construction, light weight, dimensional stability and handling with the look and feel of a canvas structure
- The textured surface of KAPAtex includes a primer finish and is therefore an ideal substrate to achieve fine print images
- The three dimensional impression of the surface adds visual depth to any printed image
- It is ideal for applications such as advertising campaigns, shop signage and any decorative application
- It can be fabricated the same way other KAPA® foam boards
- Print Compatibility: UV Curable Inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
122082	3A KAPAtex	White	3000	1400	5.00	18
121691	3A KAPAtex	White	3000	1400	10.00	12

3A KAPAfix

ORDER NOW **SYNTHETIC DISPLAY BOARD**

- KAPAFIX is a light weight and easy-to-laminate foam board with aluminium reinforced chromo-substitute liners on both sides
- Ideal especially for fast and easy manual or mechanical mounting
- Ready-to-mount substrate for digital prints and large format photos
- For interior and short-term outdoor applications
- Suitable for applications such as POS, signage & exhibitions
- Fire rating B1




Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
122204	3A KAPAfix	White	1530	1530	5.00	16
121731	3A KAPAfix	White	3050	1530	10.00	8

3A KAPAmount

ORDER NOW **SYNTHETIC DISPLAY BOARD**

- KAPAmount is a light weight foam board with aluminium reinforced liners and chromo-board cover layers
- Ideal for screen printing and due to the aluminium reinforced liners
- Also suitable for mechanical lamination and wet lamination
- High quality mounting board for digital printing, large format photographs or fill-in panel for exhibitions and display systems
- Fire rating B2 Class 1
- Suitable for applications such as signage and exhibitions



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
121732	3A KAPAmount	White	2440	1220	5.00	18
122205	3A KAPAmount	White	3050	1530	5.00	16

Synthetic Display Board

3A Fome-Cor Box

ORDER NOW

SYNTHETIC DISPLAY BOARD

3A COMPOSITES FOME-COR

- 3A Fome-Cor is the original lightweight foam board consisting of an extruded polystyrene centre core, bonded between white clay coated printing grade paper stock on both sides
- Suitable for short term indoor graphic applications such as poster mounting, picture framing, point of sale displays, screen and direct UV inkjet printing
- Print Compatibility: UV Curable Inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
122152	3A Fome-Cor Box	White	2440	1220	3.00	25
122153	3A Fome-Cor Box	Black	2440	1220	5.00	25
121719	3A Fome-Cor Box	White	1524	1016	5.00	25
122155	3A Fome-Cor Box	White	2440	1220	5.00	25
122157	3A Fome-Cor Box	White	3050	1520	5.00	20
122154	3A Fome-Cor Box	White	2440	1220	10.00	14
122156	3A Fome-Cor Box	White	3050	1520	10.00	10


3A Fome-Cor Bulk

ORDER NOW

SYNTHETIC DISPLAY BOARD

3A COMPOSITES FOME-COR

- 3A Fome-Cor is the original lightweight foam board consisting of an extruded polystyrene centre core, bonded between white clay coated printing grade paper stock on both sides
- Suitable for short term indoor graphic applications such as poster mounting, picture framing, point of sale displays, screen and direct UV inkjet printing
- Print Compatibility: UV Curable Inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
122159	3A Fome-Cor Bulk	White	2440	1220	5.00	220
122158	3A Fome-Cor Bulk	White	2440	1220	10.00	110



Digital printing | Displays | Exhibits | Hanging signs | Exhibitions

1300 132 644 info.mail@spicers.com.au spicers.com.au

3A Foam-X Print Box

ORDER NOW

SYNTHETIC DISPLAY BOARD

- 3A Foam-X is a lightweight foam board with a polyurethane foam core and coated multi-layered paper liners, suitable for indoor applications
- The material provides an ideal weight-stability-ratio and can be processed very easily with manual tools
- The polyurethane core provides a high level of stiffness and heat- resistance, it can be easily cut and cut out (either manually or with a jig saw) without causing the foam to crumble
- Foam-X is a lightweight polyurethane foam board with enhanced bright white paper liners
- The surface provides excellent printing results, perfect ink adhesion as well as an ideal surface tension
- The foam is resilient to solvent adhesives and paints allowing for ease of fabrication and edge colouring
- Print Compatibility: UV Curable Inks

Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
122202	3A Foam-X	White	2440	1220	5.00	24
122200	3A Foam-X	White	2440	1220	10.00	12
122201	3A Foam-X	White	2440	1220	19.00	6

3A Foam-X Print Bulk

ORDER NOW

SYNTHETIC DISPLAY BOARD

- 3A Foam-X is a lightweight foam board with a polyurethane foam core and coated multi-layered paper liners, suitable for indoor applications
- The material provides an ideal weight-stability-ratio and can be processed very easily with manual tools
- The polyurethane core provides a high level of stiffness and heat- resistance, it can be easily cut and cut out (either manually or with a jig saw) without causing the foam to crumble
- Foam-X is a lightweight polyurethane foam board with enhanced bright white paper liners
- The surface provides excellent printing results, perfect ink adhesion as well as an ideal surface tension
- The foam is resilient to solvent adhesives and paints allowing for ease of fabrication and edge colouring
- Print Compatibility: UV Curable Inks

Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
122203	3A Foam-X Print Bulk	White	2100	1220	19.00	50
121730	3A Foam-X Print Bulk	White	2440	1220	19.00	50





One Printer. Endless Possibilities.

With the all-in-one HP Latex R530.

Transform your production and grow profits with the only compact rigid and flexible HP Latex Printer.

FIND OUT MORE ▶

3A SINTREX PET

ORDER NOW SYNTHETIC DISPLAY BOARD

- 3A SINTREX PET s a premium lightweight expanded rigid PET sheet engineered for versatile and demanding printing and display applications
- Designed with an innovative manufacturing technology (patent pending) it delivers a smooth natural white surface, excellent print adhesion and highly predictable processing performance
- Offers strong durability with the handling advantages of a lightweight board
- Its mono material PET structure also supports outstanding recyclability and reduced environmental impact, with recycled content already integrated into production
- Suitable for both indoor and outdoor use, providing reliable stability, moisture resistance and excellent fire classifications which makes it ideal for public spaces and retail
- Suitable for applications such as POS displays, exhibitions, event graphics, shop windows, interior promotional displays, advertising boards, short to medium term campaigns
- Print Compatibility: UV Curable Inks




Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)
122195	3A SINTREX PET	White	1220	2440	5.00
121726	3A SINTREX PET	White	1200	2440	10.00

3A Smart-X

ORDER NOW SYNTHETIC DISPLAY BOARD

- 3A Smart-X is a lightweight, all plastic sheet material with surfaces of UV and weather resistant solid polystyrene (HIPS) and a core of expanded polystyrene that is completely moisture resistant
- These characteristics make Smart-X® the worlds only lightweight foam board for external applications without any significant change in colour for a period of up to two years
- Due to its refined surface structure it is also perfectly suited for direct digital printing
- Suitable for interior and exterior applications such as POS, signage and exhibitions
- Complies with REACH regulations and has a 94HBF fire rating
- Print Compatibility: UV Curable Inks




Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)
122193	3A Smart-X	White	2440	1220	5.00
121725	3A Smart-X	White	2440	1220	10.00
122194	3A Smart-X	White	3050	1560	10.00

Foamstar XPS

ORDER NOW SYNTHETIC DISPLAY BOARD

- Light weight, high quality extruded polystyrene (XPS) core foam board
- Ideal for indoor hanging displays, exhibition panels, unsupported signs, mounting, framing & POP displays
- Can be router and knife cut
- Print Compatibility: UV Curable Inks.



Material	Material Description	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
167498	Foamstar XPS	2440	1220	5.0	25
167843	Foamstar XPS	2440	1220	10.0	15

Display Paper

Ace High Bulk 1/S

ORDER NOW

DISPLAY PAPER

- 1/sided bleach board with a premium coated print surface and light-coated reverse side
- Crafted using PEFC certified virgin fibres to hit sustainability targets and is recyclable, biodegradable and compostable
- Direct food contact safe
- Coated ultra smooth surface with reverse side 'lick' coated
- Light weight, durable and economically priced
- Ideally suited for security gate covers, multimedia products, POS displays, posters, header cards, fragrance, cosmetics, toiletries and premium packaging
- Available in 1320mm & 1600mm wide rolls for custom sheeting
- Print Compatibility: Latex & UV Curable Inks.

Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Approx. UM	Pallet Quantity
173710	Ace High Bulk 1/S	White	1320	1900	325	510	500
173709	Ace High Bulk 1/S	White	1320	2440	325	510	250
173713	Ace High Bulk 1/S	White	1600	2600	325	510	250
173711	Ace High Bulk 1/S	White	1320	2440	380	610	250

Ace High Bulk 2/S

ORDER NOW

DISPLAY PAPER

- Premium 2/sided artboard features a double-coated, bright white surface that is smooth to touch and offers exceptional bulk
- Clean ultra smooth surface & excellent rigidity
- Uniform ink absorption
- Economically priced
- Ideally suited for luxury goods packaging, cosmetics packaging, presentation folders, business cards, menus, POS displays, promotional materials, direct mail and swing tags
- Print Compatibility: Latex & UV Curable Inks.

Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Approx. UM	Pallet Quantity
195224	Ace High Bulk 2/S	Matt White	1220	2440	400	460	250
194717	Ace High Bulk 2/S	Matt White	1320	2440	400	460	250
195126	Ace High Bulk 2/S	Matt White	1600	2600	400	460	250

Ace Matt Art

ORDER NOW

DISPLAY PAPER

- Quality matt coating provides excellent surface for fine colour reproduction
- High whiteness & opacity with excellent bulk
- Ideal for posters & point of sale applications
- 1320mm & 1600mm reels available for customised sheeting (refer to print media section)
- FSC® certified product supporting responsible and sustainable forest management (licensed code FSC® C010628). Read more on www.fsc.org
- Print Compatibility: Latex & UV Curable Inks.

Material	Material Description	Colour	Width (mm)	Length (m)	Grammage (GSM)	Pallet Quantity
196729	Ace Matt Art	White	1320	2440	200	500
196704	Ace Matt Art	White	1600	2600	200	200
196602	Ace Matt Art	White	1320	2440	250	400
196728	Ace Matt Art	White	1600	2600	250	200

1300 132 644 info.mail@spicers.com.au spicers.com.au

Ace Blockout

ORDER NOW

DISPLAY PAPER

- Premium 2/sided, 100% opaque, black-centred artboard
- Perfect for jobs where no show through is required
- Specifically designed for point of purchase displays, posters, hanging window displays
- 1320mm & 1600mm wide reels available for customised sheeting
- Available FSC® Certified upon request
- Print Compatibility: Latex & UV Curable Inks.

Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Pallet Quantity
172906	Ace Blockout	White	1320	2440	260	500
172905	Ace Blockout	White	1600	2220	260	500

Yupo® FPU250 Sheets

ORDER NOW

DISPLAY FILM

- Polypropylene film that is tear & weather resistant
- Market leading bulk, whiteness, opacity, ink adhesion & colour reproduction
- Applications: Large format posters, light box & street furniture
- Custom sheeting available on request
- Print Compatibility: UV Curable Inks.

Material	Material Description	Colour	Finish	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (ums)	Sheets per Pallet
190730	Yupo FPU250	White	Satin	1320	2440	200	250	500
104919	Yupo FPU250	White	Satin	1600	2600	200	250	250

Rodure Ublock 2/S PP

ORDER NOW

DISPLAY FILM

- Polypropylene film + Gravure primer coating with a blockout core
- Perfect for double sided posters
- Excellent whiteness and opacity
- Laminated, tear & water resistant, 100% blockout
- Corona & ink receptive primer
- Print Compatibility: UV Curable Inks.

Material	Material Description	Colour	Finish	Width (mm)	Length (mm)	Grammage (GSM)	Sheets per Pack
173561	Rodure Ublock 2/S PP	White	Matt	1371	2440	230	250

Fluted Polypropylene

Digistar Flute Bulk

ORDER NOW

FLUTED POLYPROPYLENE

DIGISTAR

- Twin-wall fluted polypropylene sheets for print and mount applications
- 100% Recyclable
- Produced with a minimum 44 Dyne
- Flutes run parallel to the width measurement
- Perfect for real estate, POS, signage and packaging applications
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: UV Curable Inks.



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Pack Quantity
176144	Digistar Flute	White	600	900	3.00	330
176372	Digistar Flute	White	1830	1220	3.00	330
170817	Digistar Flute	White	2440	1220	3.00	330
175855	Digistar Flute	White	1830	1220	5.00	200
175856	Digistar Flute	White	2440	1220	5.00	200
177675	Digistar Flute	White	2440	1220	6.00	160

Digistar Flute Reamed

ORDER NOW

FLUTED POLYPROPYLENE

DIGISTAR

- Twin-wall fluted polypropylene sheets for print and mount applications
- 100% Recyclable
- Produced with a minimum 44 Dyne
- Perfect for real estate, POS, signage and packaging applications
- Flutes run parallel to the width measurement
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: UV Curable Inks.



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Pack Quantity
176371	Digistar Flute	White	600	900	3.00	20
177191	Digistar Flute	White	900	600	3.00	40
177048	Digistar Flute	White	900	1200	3.00	40
170852	Digistar Flute	White	1830	915	3.00	20
170816	Digistar Flute	White	1830	1220	3.00	20
176370	Digistar Flute	White	2440	1220	3.00	20
176408	Digistar Flute	White	600	450	5.00	40
170740	Digistar Flute	White	600	900	5.00	40
170741	Digistar Flute	White	900	600	5.00	40
175854	Digistar Flute	White	900	1200	5.00	20
177190	Digistar Flute	White	1200	900	5.00	40
170742	Digistar Flute	White	1830	1220	5.00	10
195709	Digistar Flute	White	2440	915	5.00	10
170743	Digistar Flute	White	2440	1220	5.00	10
121042	Digistar Flute	White	2440	1220	6.00	10
170884	Digistar Flute	White	2440	1220	8.00	10


1300 132 644 info.mail@spicers.com.au spicers.com.au

Image Flute Board

ORDER NOW

FLUTED POLYPROPYLENE

- Image Flute Board has a twin wall profile extrusion, connected by a series of vertical ribs, providing a semi rigid board with high impact properties and excellent strength to weight ratio
- This coupled with the properties of tough Polypropylene results in a versatile product that has worldwide applications
- For display, it is the perfect substrate - outdoors signs, point of sale, and product exhibits
- Print Compatibility: UV Curable Inks




Material	Material Description	Colour	Width (mm)	Length (m)	Gauge (mm)	Sheets per Pack
122489	Image Flute Board	White	1830	1220	3.00	20
122496	Image Flute Board	White	2440	1220	3.00	20
122499	Image Flute Board	Black	2440	1220	5.00	10
122484	Image Flute Board	White	600	900	5.00	40
122482	Image Flute Board	White	910	610	5.00	40
122486	Image Flute Board	White	1200	900	5.00	20
122492	Image Flute Board	White	1830	1220	5.00	10
122500	Image Flute Board	White	2440	1220	5.00	10
122508	Image Flute Board	White	3000	1220	5.00	10
122504	Image Flute Board	White	2440	1220	8.00	5

Digistar Imageboard


ORDER NOW

FLUTED POLYPROPYLENE


- Digistar Imageboard is three-layer, 3mm or 5mm polypropylene sheet consisting of corrugated twin wall polypropylene sheeting, sandwiched between two solid sheets Yupo FPU
- New generation polypropylene, corrugated structured, light weight, rigid especially manufactured for sign and display applications
- Double sided printable
- Suitable replacement to foamed PVC and polystyrene boards for indoor and short term outdoor applications
- Moisture resistant, rot proof and resistant to chemical agents
- Durability: Up to 1 year (refer to specification sheet)
- Print Compatibility: UV Curable Inks.



Material	Material Description	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
163254	Digistar Imageboard	2440	1220	3.3	200
163255	Digistar Imageboard	2440	1220	5.3	125




SUPERMARKET APPLICATIONS



ORDER YOUR FAVOURITE PRODUCTS ONLINE
1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together







Vehicle Wrap





Premium materials for wrappers and installers who demand durability, flawless finishes and easy application every time.

ORDER YOUR FAVOURITE PRODUCTS ONLINE


1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together

3M™ Envision™ LX480mC

ORDER NOW

- 3M™ Envision™ print Wrap film is a high performance, non-PVC, gloss white film with Comply Adhesive micro technology and non-visible air release channels for fast, easy, bubble-free installations
- Grey pressure activated adhesive for easy sliding and repositioning with non-visible air release channels for fast & easy bubble-free installations
- Flexible, highly conformable over compound curves, corrugations and rivets and requires less heat during application than vinyl films with up to 50% stretch characteristics
- Specifically engineered for vehicle wraps
- For use with Envision Overlaminates 8548G, 8549L & 8550M
- Durability: Up to 8 years (refer to specification sheet)
- Print Compatibility: Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
194907	3M LX480mC	Gloss White	Grey Airflow Removable	1371	45.7
195168	3M LX480mC	Gloss White	Grey Airflow Removable	1524	45.7

3M™ Envision™ SV480mC

ORDER NOW

- 3M™ Envision™ print Wrap film is a high performance, non-PVC, gloss white film with Comply Adhesive micro technology and non-visible air release channels for fast, easy, bubble-free installations
- Grey pressure activated adhesive for easy sliding and repositioning with non-visible air release channels for fast & easy bubble-free installations
- Flexible, highly conformable over compound curves, corrugations and rivets and requires less heat during application than vinyl films with up to 50% stretch characteristics
- Specifically engineered for vehicle wraps
- For use with Envision Overlaminates 8548G, 8549L & 8550M
- Durability: Up to 8 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
194906	3M SV480mC	Gloss White	Grey Airflow Removable	1371	45.7
195169	3M SV480mC	Gloss White	Grey Airflow Removable	1524	45.7

Avery Dennison®
SP 1504 Easy Apply RS

ORDER NOW

- Avery Dennison SP 1504 Easy Apply RS is a premium, non PVC, digitally printable film
- Environmentally friendly yet high-performance solution
- Excellent printability for stunning colours & highly conformable and easy to wrap around corrugations, curves and rivets
- Easy installation with Easy Apply RS adhesive
- It is free of chlorine, phthalates, and other halogens, reducing volatile organic compounds (VOC) making it sustainable without compromising on performance
- Durability: Up to 6 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121329	SP 1504 Easy Apply RS	Gloss White	Grey Permanent Easy Apply	1371	45.7
121298	SP 1504 Easy Apply RS	Gloss White	Grey Permanent Easy Apply	1524	45.7

Avery Dennison® SP 1504 Easy Apply RS Kit

ORDER NOW

- Film: Avery Dennison SP 1504 Easy Apply RS 60ums
- Overlaminate: Avery Dennison SL 6460
- Overlaminate: Avery Dennison DOL 1460 Max
- Overlaminate: Avery Dennison DOL 1470 Max
- Overlaminate: Avery Dennison DOL 1480 Max



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121317	SP 1504 Easy Apply RS Kit	Gloss Clear	SP 1504EARS/DOL1060	1371	45.7
121318	SP 1504 Easy Apply RS Kit	Gloss Clear	SP 1504EARS/DOL1460	1371	45.7
121319	SP 1504 Easy Apply RS Kit	Satin Clear	SP 1504EARS/DOL1470	1371	45.7
121320	SP 1504 Easy Apply RS Kit	Matt Clear	SP 1504EARS/DOL1480	1371	45.7
121316	SP 1504 Easy Apply RS Kit	High Gloss Clear	SP 1504EARS/SL6460	1371	45.7
121322	SP 1504 Easy Apply RS Kit	High Gloss Clear	SP 1504EARS/SL6460	1524	45.7
121323	SP 1504 Easy Apply RS Kit	Gloss Clear	SP 1504EARS/DOL1060	1524	45.7
121324	SP 1504 Easy Apply RS Kit	Gloss Clear	SP 1504EARS/DOL1460	1524	45.7
121325	SP 1504 Easy Apply RS Kit	Satin Clear	SP 1504EARS/DOL1470	1524	45.7
121326	SP 1504 Easy Apply RS Kit	Matt Clear	SP 1504EARS/DOL1480	1524	45.7

3M™ IJ280mC SF

ORDER NOW

- Printable white lustre wrap film with new 3M™ Comply™ v4 Air Release and proprietary adhesive for fast, easy, bubble-free installations
- Up to 20% faster to install & proven to lift 2x less
- Conforms with less heat & removes cleanly at end of life with heat
- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Excellent slideability, flexible, conforms to compound curves, corrugations and rivets
- For use with over laminates 8428G, 8518, 8519, 8520, 8548G, 8549L, 8550M & 8528
- Durability: Up to 10 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173172	3M IJ280mC SF	Lustre White	Grey Airflow Removable	1371	45.7
173173	3M IJ280mC SF	Lustre White	Grey Airflow Removable	1524	45.7

3M™ IJ180mC-10

ORDER NOW

- Printable white lustre wrap film with micro technology non-visible air release channels for fast, easy, bubble-free installations
- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Excellent hiding power, flexible, conforms to compound curves, corrugations and rivets
- Many finished graphic constructions can be stretched up to 130% (i.e., a 10 inch [25 cm] piece of film can stretch to 13 inches [33 cm]) without primer or relief cuts and maintain lift resistance
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Durability: Up to 10 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
194650	3M IJ180mC-10	Lustre White	Grey Airflow Removable	1371	45.7
194651	3M IJ180mC-10	Lustre White	Grey Airflow Removable	1524	45.7

Avery Dennison® MPI 1105 Easy Apply RS

ORDER NOW

- Avery Dennison MPI 1105 Easy Apply RS is a premium, gloss white, 50ums opaque cast vinyl
- Designed for ease of application on long term outdoor signage or fleet applications where superior conformability, durability, high opacity and outdoor performance
- Features clean and easy removal
- Outstanding colour 'pop' and an ability to cope easily with challenges such as rivets and corrugations make MPI 1105 EA RS the product of choice across many different applications
- Suitable for flat sided trucks, corrugated trucks, cars and vans, trains and light rail, buses, marine vessels and corporate signage
- For use with overlaminates SL 6460, 1460 Max, 1470 Max, 1480 Max & 1060 Max
- Durability: Up to 10 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121136	MPI 1105 Easy Apply RS	Gloss White	Grey Permanent Easy Apply RS	1371	22.8
121250	MPI 1105 Easy Apply RS	Gloss White	Grey Permanent Easy Apply RS	1371	45.7
121241	MPI 1105 Easy Apply RS	Gloss White	Grey Permanent Easy Apply RS	1524	22.8
121251	MPI 1105 Easy Apply RS	Gloss White	Grey Permanent Easy Apply RS	1524	45.7

Avery Dennison® MPI 1105 Easy Apply RS Kit

ORDER NOW

- Film: Avery Dennison MPI 1105 Easy Apply RS 50ums White Gloss
- Overlaminate: Avery Dennison DOL 1060 Max Gloss
- Overlaminate: Avery Dennison DOL 1460 Max Gloss
- Overlaminate: Avery Dennison DOL 1470 Max Satin
- Overlaminate: Avery Dennison DOL 1480 Max Matt



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121135	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1060	1371	22.8
121234	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1460	1371	22.8
121235	MPI 1105 Easy Apply RS Kit	Matt Clear	MPI 1105EARS/DOL1480	1371	22.8
121236	MPI 1105 Easy Apply RS Kit	High Gloss Clear	MPI 1105EARS/SL6460	1371	22.8
121246	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1060	1371	45.7
121247	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1460	1371	45.7
121248	MPI 1105 Easy Apply RS Kit	Matt Clear	MPI 1105EARS/DOL1480	1371	45.7
121249	MPI 1105 Easy Apply RS Kit	High Gloss Clear	MPI 1105EARS/SL6460	1371	45.7
121303	MPI 1105 Easy Apply RS Kit	Satin Clear	MPI 1105EARS/DOL1470	1371	22.8
121304	MPI 1105 Easy Apply RS Kit	Satin Clear	MPI 1105EARS/DOL1470	1371	45.7
121237	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1060	1524	22.8
121238	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1460	1524	22.8
121239	MPI 1105 Easy Apply RS Kit	Matt Clear	MPI 1105EARS/DOL1480	1524	22.8
121240	MPI 1105 Easy Apply RS Kit	High Gloss Clear	MPI 1105EARS/SL6460	1524	22.8
121299	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1060	1524	45.7
121300	MPI 1105 Easy Apply RS Kit	Gloss Clear	MPI 1105EARS/DOL1460	1524	45.7
121301	MPI 1105 Easy Apply RS Kit	Matt Clear	MPI 1105EARS/DOL1480	1524	45.7
121302	MPI 1105 Easy Apply RS Kit	High Gloss Clear	MPI 1105EARS/SL6460	1524	45.7
121305	MPI 1105 Easy Apply RS Kit	Satin Clear	MPI 1105EARS/DOL1470	1524	22.8
121306	MPI 1105 Easy Apply RS Kit	Satin Clear	MPI 1105EARS/DOL1470	1524	45.7

AUTO Wrap 3D Film

ORDER NOW

- AUTO Wrap 3D Film is a 50ums white gloss cast film with bubble releasing, tinted, clean removing, repositionable, permanent pressure- sensitive solvent based acrylic adhesive
- The adhesive system is designed to provide excellent opacity as well as easy installation
- Provides superior conformability around rivets, curves, contours and channels
- The Autoglide Technology allows for fast installs
- Use on vehicles, retail signage, POP
- For use with overlaminates AUTO Wrap 3D gloss laminate
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121879	AUTO Wrap 3D	Gloss White	Grey Permanent Airflow	1371	50
122968	AUTO Wrap 3D	Gloss White	Grey Permanent Airflow	1524	50

AUTO Wrap 3D Kit

ORDER NOW

- Film: AUTO Wrap 3D 50-micron White gloss Cast
- Overlaminate: AUTO Wrap 3D Gloss

Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121784	AUTO Wrap 3D Kit	Gloss Clear	AUTO 3D WGGAP/Gloss	1371	50
122347	AUTO Wrap 3D Kit	Gloss Clear	AUTO 3D WGGAP/Gloss	1524	50

Imageperfect iD9 Slide

ORDER NOW

- Imageperfect iD9 Slide is a premium polymeric printable 50ums film developed specifically for 2D vehicle wrap applications
- Designed for installers who need speed, precision, and reliability
- Features a super soft construction, advanced Slide technology, and air-release channels to help achieve clean, bubble-free results without effort
- High opacity face film in conjunction with Grey tinted adhesive provides a total blockout solution ensuring bold, true to colour prints with no show-through
- Offers smooth handling, excellent lay flat properties and strong visual impact every application
- Perfect for commercial vehicle graphics, fleet branding, and other medium-term applications
- For use with overlaminates iD9 Lam Gloss or Matt
- Durability: Up to 9 years (refer to specification sheet)

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
122306	iD9 Slide	Gloss White	Grey Permanent - Slide	1371	45.7
122307	iD9 Slide	Gloss White	Grey Permanent - Slide	1600	45.7

Imageperfect iD9 Slide Kit

ORDER NOW

- Film: Imageperfect iD9 Slide 50ums
- Overlaminate: Imageperfect iD9 Gloss
- Overlaminate: Imageperfect iD9 Matt

Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121761	iD9 Slide Kit	Gloss Clear	iD9 GWGAP/iD9	1371	45.7
122308	iD9 Slide Kit	Matt Clear	iD9 GWGAP/iD9	1371	45.7
122309	iD9 Slide Kit	Gloss Clear	iD9 GWGAP/iD9	1600	45.7
122310	iD9 Slide Kit	Matt Clear	iD9 GWGAP/iD9	1600	45.7

AUTO Wrap 2D Film

ORDER NOW

- AUTO Wrap 2D Film is an 80ums white gloss high-performance calendered film with a tinted, clean removing, repositionable solvent based acrylic system
- The repositionable light grey adhesive allows easy installation while ensuring enough opacity to cover existing graphics or dark substrates
- Autoglide Technology for easy install
- Suitable for fleet graphics, vehicle applications and intermediate signage
- For use with overlaminates AUTO Wrap 2D gloss or matt laminate
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121878	AUTO Wrap 2D	Gloss White	Grey Permanent Airflow	1371	50
122967	AUTO Wrap 2D	Gloss White	Grey Permanent Airflow	1524	50


AUTO Wrap 2D Kit

ORDER NOW

- Film: AUTO Wrap 2D 80ums White Gloss
- Overlaminate: AUTO Wrap 2D Cast Gloss
- Overlaminate: AUTO Wrap 2D Cast Matt



Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121782	AUTO Wrap 2D Kits	Gloss Clear	AUTO 2D WGGAP/Gloss	1371	50
122343	AUTO Wrap 2D Kits	Matt Clear	AUTO 2D WGGAP/Matt	1371	50
122344	AUTO Wrap 2D Kits	Gloss Clear	AUTO 2D WGGAP/Gloss	1524	50
122345	AUTO Wrap 2D Kits	Matt Clear	AUTO 2D WGGAP/Matt	1524	50



Omega Skinz OS-501/OS-502 Gloss Cast Film

ORDER NOW

- Omega Skinz OS-501 Pearl of Wisdom and OS-502 Silver Spirit are 100ums printable gloss cast PVC films with a repositionable permanent, grey solvent based adhesive
- OS-501 features a white pearl finish with pearlescent & metallic flakes
- Films produce vibrant colours and a sophisticated finish that goes beyond the appearance of standard printed vinyl
- OS-502 delivers a bright silver metallic appearance
- Suitable for applications such as vehicle wraps, fleet graphics, marine wraps & transit wraps
- For use with overlaminates 510 Razor Blade (satin) or 512 Clearcoat (gloss)
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
121788	OS-501	Gloss White	Grey Permanent Reposition	1524	25
122355	OS-502	Gloss Silver	Grey Permanent Reposition	1524	25

Omega Skinz OS-501/OS-502 Gloss Cast Kit

ORDER NOW

- Film: Omega Skinz OS-501 Pearl of Wisdom/OS-502 Silver Spirit 100ums
- Overlaminate: 510 Razor Blade Satin
- Overlaminate: 512 Clearcoat Gloss

Material	Material Description	Laminate Finish	Components	Width (mm)	Length (m)
121787	OS-501 Kit	Clearcoat	OS Pearl/Clearcoat	1524	25
122352	OS-501 Kit	Razer Blade	OS Pearl/Razor Blade	1524	25
122353	OS-502 Kit	Clearcoat	OS Silver/Clearcoat	1524	25
122354	OS-502 Kit	Razer Blade	OS Silver/RazorBlade	1524	25

3M™ Envision Overlaminate

ORDER NOW

- New 3M™ Envision™ high performance non-PVC high gloss & matt wrap overlaminate with a polyester liner and clear permanent adhesive
- Exceptional conformability and lifting resistance
- Less prone to scratching
- Superior UV and acid dew protection
- For use with Envision Print Wrap Film 480mC, IJ180mC, IJ680CR & IJ780mC
- Durability: Up to 8 years (refer to specification sheet)

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
400590	3M 8548G	Gloss Clear	Clear Permanent	1371	45.7
400591	3M 8548G	Gloss Clear	Clear Permanent	1524	45.7
451530	3M 8550M	Matt Clear	Clear Permanent	1371	45.7
451531	3M 8550M	Matt Clear	Clear Permanent	1524	45.7

Avery Dennison®
SL 6460 High Gloss

ORDER NOW

- Avery Dennison SL6460 PU Laminate High Gloss is a 38ums premium, ultra- conformable clear polyurethane overlaminate
- Designed to protect and enhance digitally or screen-printed graphics
- Its synthetic liner ensures a smooth, glass-like gloss finish, perfect for wraps that need to stand out and last
- Ideal for use on full vehicle wraps, trucks and vans with deep corrugations
- Delivers outstanding UV and weathering protection, abrasion resistance and exceptional conformability even in channels and concave areas
- Pair with MPI 1105 Easy Apply RS or SP 1504 Easy Apply RS Series for optimal performance
- Not recommended for use on perforated window film
- Durability: Up to 8 years (refer to specification sheet)




Material	Material Description	Finish	Width (mm)	Length (m)
454055	SL 6460	Gloss Clear	1371	45.7
454057	SL 6460	Gloss Clear	1524	45.7

3M™ 8528 Overlaminate

ORDER NOW

- High gloss, clear premium overlaminate with clear permanent pressure-sensitive adhesive
- Designed to better withstand harsh conditions, such as acid dew, intense UV rays and extreme heat to help prevent discolouration on all parts of a vehicle
- Excellent conformability and dimensional stability
- Graphic protection for IJ180mC, IJ280, 680CR, 780mC printable films
- Durability: Up to 9 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
451720	3M 8528	Gloss Clear	1371	45.7
452729	3M 8528	Gloss Clear	1524	45.7

3M™ Cast Overlaminate

ORDER NOW

- High gloss, matt & lustre clear premium over laminate with clear permanent adhesive
- High gloss finish offers a wet paint look and polyester liner
- The matt and lustre finishes have a kraft liner
- Resists fuel vapours
- Series 8518 Gloss, 8519 Lustre, 8520 Matt all highly conformable
- Graphic protection for IJ180mC, IJ280, IJ680CR printable films
- Durability: Up to 8 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
451534	3M 8518	Gloss Clear	1371	45.7
451535	3M 8518	Gloss Clear	1524	45.7
400786	3M 8519	Lustre Clear	1371	45.7
400787	3M 8519	Lustre Clear	1524	45.7
451532	3M 8520	Matt Clear	1371	45.7
451533	3M 8520	Matt Clear	1524	45.7

3M™ 8428 Overlaminate

ORDER NOW

- High gloss, clear premium overlaminate with clear permanent adhesive
- Highly conformable for compound curves and deep recesses, this 1.2 mil/ 30ums overlaminate delivers exceptional performance, productivity, and enhanced UV durability
- Versatile enough to use on vehicles, trailers, boats, and flat surfaces including interior and exterior walls
- Excellent lifting resistance & features a gloss finish for a wet paint look
- Graphic protection for IJ280mC
- Durability: Up to 4 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
451921	3M 8428G	Gloss Clear	1371	45.7
451922	3M 8428G	Gloss Clear	1524	45.7

Avery Dennison® DOL 1400 Max Series

ORDER NOW

- Avery Dennison DOL 1400 Max Series 32ums is a conformable premium quality UV stable cast overlaminate film
- Available in 1460-Gloss, 1470-Satin & 1480-Matt
- Designed for use as a protective overlaminating film for digitally printed images
- Suitable for durable outdoor images on irregular surfaces such as vehicles, where gloss finish and the excellent conformability is necessary
- Common applications include cars & vans, corrugated trucks, flat sided trucks, exterior signage, window graphics, internally illuminated signage and marine vessels
- Durability: Up to 7 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
454049	DOL 1460	Gloss Clear	1371	45.7
454052	DOL 1460	Gloss Clear	1524	45.7
454050	DOL 1470	Satin Clear	1371	45.7
454053	DOL 1470	Satin Clear	1524	45.7
454051	DOL 1480	Matt Clear	1371	45.7
454054	DOL 1480	Matt Clear	1524	45.7

Avery Dennison® DOL 1060 Max Gloss

ORDER NOW

- Avery Dennison DOL1060 Max Gloss is a 50ums premium quality UV stable clear high gloss cast PVC film designed for use as a protective overlaminate film for digitally printed images
- Features a permanent, solvent based acrylic adhesive
- Suitable for durable outdoor images on flat or simple curved surfaces
- Features a synthetic liner that creates a super smooth high gloss finish which provides an overall paint like finish of printed graphics
- Suitable applications include cars & vans, corrugated trucks, flat sided trucks, exterior signage, window graphics and marine vessels
- Durability: Up to 7 years (refer to specification sheet)



Material	Material Description	Finish	Width (mm)	Length (m)
454048	DOL 1060	Gloss Clear	1371	45.7
453112	DOL 1060	Gloss Clear	1524	45.7

Laminates

AUTO Wrap 3D Laminate

ORDER NOW

AUTOMOTIVE SERIES

AUTO

- AUTO Wrap 3D Laminate gloss film, is a 35ums premium cast film with a clear, permanent solid based acrylic pressure-sensitive adhesive
- Designed to protect printed graphics, the thinner face-stock provides excellent conformability for your vehicle wraps, intermediate signage, and graphics
- The gloss finish provides an extra pop to printed graphics
- Durability: Up to 7 years (refer to specification sheet)

OUTDOOR APPLICATIONS · SELF ADHESIVE · LAMINATES · ROLLS · FINISHING · VEHICLE WRAP

Material	Material Description	Finish	Width (mm)	Length (m)
121876	AUTO Wrap 3D	Gloss Clear	1371	50
122965	AUTO Wrap 3D	Gloss Clear	1524	50

AUTO Wrap 2D Laminate

ORDER NOW

AUTOMOTIVE SERIES

AUTO

- AUTO Wrap 2D Laminates are a 35ums premium gloss or matt cast film with clear, permanent pressure-sensitive solvent based acrylic adhesive
- Designed to protect printed graphics, the thinner face stock provides a higher conformability for your vehicle wraps, intermediate signage, and graphics
- Durability: Up to 7 years (refer to specification sheet)

OUTDOOR APPLICATIONS · SELF ADHESIVE · LAMINATES · ROLLS · VEHICLE WRAP

Material	Material Description	Finish	Width (mm)	Length (m)
121875	AUTO Wrap 2D	Gloss Clear	1371	50
122962	AUTO Wrap 2D	Matt Clear	1371	50
122963	AUTO Wrap 2D	Gloss Clear	1524	50
122964	AUTO Wrap 2D	Matt Clear	1524	50



1300 132 644 info.mail@spicers.com.au spicers.com.au

Imageperfect iD9 Laminate

ORDER NOW

AUTOMOTIVE SERIES

imageperfect ANZ

- Imageperfect iD9 is a 50ums gloss and matt clear overlaminate with a clear, permanent solvent-based acrylic adhesive
- This laminate pairs seamlessly with all Imageperfect iD9 Series polymeric films to maintain print vibrancy and long-term durability
- Engineered to protect and enhance your graphics
- For use on interior and exterior applications where protection is needed
- It features UV stabilisers that help colours stay bright and resist fading over time
- Durability: Up to 9 years (refer to specification sheet)

OUTDOOR APPLICATIONS · INDOOR APPLICATIONS · FINISHING · ROLLS · SELF ADHESIVE

Material	Material Description	Finish	Width (mm)	Length (m)
454244	Imageperfect iD9	Gloss Clear	1371	45.7
454245	Imageperfect iD9	Matt Clear	1371	45.7
454242	Imageperfect iD9	Gloss Clear	1600	50
454247	Imageperfect iD9	Matt Clear	1600	45.7

Omega Skinz OS-510 & OS-512

ORDER NOW

AUTOMOTIVE SERIES

OMEGA SKINZ

- Omega Skinz OS-512 Clearcoat (Gloss) 50ums and OS-510 Razor Blade (Satin) 40ums are premium cast PVC laminates
- They are designed to protect digital prints and used in conjunction with OS-501 Pearl of Wisdom & OS-502 Silver Spirit print films
- OS-510 & OS-512 have a permanent clear adhesive
- Especially soft and malleable
- Designed for applications that require 3D stretching and shaping, such as channels and corrugations
- Suitable for car wrap applications
- Durability: Up to 7 years (refer to specification sheet)

VEHICLE WRAP · FINISHING · ROLLS · SELF ADHESIVE

Material	Material Description	Finish	Width (mm)	Length (m)
121789	OS-510	Razer Blade	1524	25
122356	OS-512	Clearcoat	1524	25



3M | Wrap Film

3M.com/2080

Follow your own road.

High Gloss

Hot Rod Red HG13 | Burnt Orange HG14 | Bright Yellow HG15 | Green Envy HG336 | Sky Blue HG77 | Blue Raspberry HG378 | High Gloss Flip Deep Space HGP278 | Black HG12 | Black Metallic HG212 | White Aluminum HG120 | Storm Gray HG31 | White HG10

Gloss

Red Metallic *G203 | Dragon Fire Red *G363 | Flame Red G53 | Hot Rod Red G13 | Fiery Orange *G364 | Liquid Copper *G344 | Burnt Orange G14 | Deep Orange G24 | Bright Orange G54 | Sunflower G25 | Bright Yellow G15 | Lucid Yellow G55

Green Envy *G336 | Kelly Green G46 | Light Green G16 | Atomic Teal *G356 | Midnight Blue GP272 | Boat Blue G127 | Deep Blue Metallic *G217 | Blue Metallic *G227 | Blue Raspberry *G378 | Cosmic Blue *G377 | Intense Blue G47 | Blue Fire *G337

Sky Blue G77 | Fierce Fuchsia *G348 | Plum Explosion *GP258 | Ember Black *GP282 | Black Metallic *G212 | Black G12 | Anthracite *G201 | Charcoal Metallic *G211 | White Aluminum *G120 | Sterling Silver *G251 | Storm Gray G31 | White Gold Sparkle *GP240

White G10 | Light Ivory G79

Satin

Vampire Red *SP273 | Smoldering Red *S363 | Bitter Yellow *S335 | Apple Green S196 | Key West S57

Ocean Shimmer *S327 | Perfect Blue *S347 | Thundercloud *S271 | Dark Gray *S261 | Black S12

Gold Dust Black *SP242 | Battleship Gray S51 | White Aluminum *S120 | Frozen Vanilla *SP240 | White S10

Pearl White *SP10

Matte

Red Metallic *M203 | Red M13 | Pine Green Metallic *M206 | Military Green M26 | Indigo M27 | Slate Blue Metallic M217

Blue Metallic *M227 | Black M12 | Black Metallic M212 | Deep Black M22 | Dead Matte Black DM12 | Dark Gray *M261

Gray Aluminum *M230 | Silver *M21 | White M10 | Charcoal Metallic *M211 | Brown Metallic *M209

Textures

Shadow Black SB12 | Brushed Black Metallic *BR212 | Matrix Black MX12 | Carbon Fiber Black CFS12 | Brushed Steel *BR201

Brushed Titanium *BR230 | Brushed Aluminum *BR120 | Carbon Fiber Anthracite *CFS201

Color Flips

Satin Flip Volcanic Flare *SP236 | Gloss Flip Psychedelic *GP281 | Satin Flip Psychedelic *SP281 | Gloss Flip Deep Space *GP278 | Satin Flip Ghost Pearl *SP280



High Gloss Black
High Gloss Hot Rod Red

VIEW THE RANGE

Premium Wrap Colours

3M™ 2080 Series

ORDER NOW

PREMIUM WRAP SAV

- 3M 2080 series is multi-layer dual cast film developed specifically for vehicle personalisation and has a grey, transparent, solvent acrylic adhesive
- Adhesive features updated Comply™ technology with non-visible air release channels for bubble-free application
- Controltac™ technology features reduced initial tack for excellent repositionability
- Gloss and high gloss colours feature a protective film layer
- 1524mm wide rolls allows for seamless wraps
- If we don't have a colour you want in your local branch, we will get it despatched from interstate at no extra charge
- Durability: Up to 7 years (refer to specification sheet)

VEHICLE WRAP SELF ADHESIVE

Material	Series	Colour	Width (mm)	Length (m)
400845	3M 2080-DM12	Dead Matt Black	1524	22.8
400269	3M 2080-G201	Gloss Anthracite	1524	22.8
400429	3M 2080-G356	Gloss Atomic Teal	1524	22.8
400798	3M 2080-G12	Gloss Black	1524	22.8
451859	3M 2080-G212	Gloss Black Metallic	1524	22.8
451447	3M 2080-G337	Gloss Blue Fire	1524	22.8
451861	3M 2080-G227	Gloss Blue Metallic	1524	22.8
400437	3M 2080-G378	Gloss Blue Raspberry	1524	22.8
451857	3M 2080-G127	Gloss Boat Blue	1524	22.8
400805	3M 2080-G54	Gloss Bright Orange	1524	22.8
400803	3M 2080-G15	Gloss Bright Yellow	1524	22.8
400802	3M 2080-G14	Gloss Burnt Orange	1524	22.8
400440	3M 2080-G211	Gloss Charcoal Metallic	1524	22.8
400438	3M 2080-G377	Gloss Cosmic Blue	1524	22.8
451860	3M 2080-G217	Gloss Deep Blue Metallic	1524	22.8
400812	3M 2080-G24	Gloss Deep Orange	1524	22.8
400434	3M 2080-G363	Gloss Dragon Fire Red	1524	22.8
400823	3M 2080-GP282	Gloss Ember Black	1524	22.8
400436	3M 2080-G348	Gloss Fierce Fuchsia	1524	22.8
400433	3M 2080-G364	Gloss Fiery Orange	1524	22.8
400810	3M 2080-G53	Gloss Flame Red	1524	22.8
400829	3M 2080-GP278	Gloss Flip Deep Space	1524	22.8
400430	3M 2080-G336	Gloss Green Envy	1524	22.8
400801	3M 2080-G13	Gloss Hot Rod Red	1524	22.8
451853	3M 2080-G47	Gloss Intense Blue	1524	22.8
400276	3M 2080-G46	Gloss Kelly Green	1524	22.8
400813	3M 2080-G16	Gloss Light Green	1524	22.8
400806	3M 2080-G79	Gloss Light Ivory	1524	22.8
400432	3M 2080-G344	Gloss Liquid Copper	1524	22.8
400811	3M 2080-G55	Gloss Lucid Yellow	1524	22.8
400822	3M 2080-GP272	Gloss Midnight Blue	1524	22.8
451316	3M 2080-GP258	Gloss Plum Explosion	1524	22.8

Premium Wrap Colours

Material	Series	Colour	Width (mm)	Length (m)
451858	3M 2080-G203	Gloss Red Metallic	1524	22.8
451854	3M 2080-G77	Gloss Sky Blue	1524	22.8
400275	3M 2080-G251	Gloss Sterling Silver	1524	22.8
451852	3M 2080-G31	Gloss Storm Grey	1524	22.8
400804	3M 2080-G25	Gloss Sunflower Yellow	1524	22.8
400800	3M 2080-G10	Gloss White	1524	22.8
400265	3M 2080-G120	Gloss White Aluminium	1524	22.8
400821	3M 2080-GP240	Gloss White Gold Sparkle	1524	22.8
400853	3M 2080-MX12	Matrix Black	1524	22.8
400793	3M 2080-M12	Matt Black	1524	22.8
400814	3M 2080-M212	Matt Black Metallic	1524	22.8
400840	3M 2080-M227	Matt Blue Metallic	1524	22.8
400837	3M 2080-M209	Matt Brown Metallic	1524	22.8
400839	3M 2080-M211	Matt Charcoal Metallic	1524	22.8
400843	3M 2080-M261	Matt Dark Grey	1524	22.8
400795	3M 2080-M22	Matt Deep Black	1524	22.8
400842	3M 2080-M230	Matt Grey Aluminium	1524	22.8
400847	3M 2080-M27	Matt Indigo	1524	22.8
400846	3M 2080-M26	Matt Military Green	1524	22.8
400836	3M 2080-M206	Matt Pine Green Metallic	1524	22.8
400796	3M 2080-M13	Matt Red	1524	22.8
400835	3M 2080-M203	Matt Red Metallic	1524	22.8
400838	3M 2080-M21	Matt Silver	1524	22.8
400815	3M 2080-M217	Matt Slate Blue Metallic	1524	22.8
452773	3M 2080-M33	Matt Strawberry Red	1524	22.8
400794	3M 2080-M10	Matt White	1524	22.8
400817	3M 2080-S196	Satin Apple Green	1524	22.8
400849	3M 2080-S51	Satin Battleship Grey	1524	22.8
451855	3M 2080-S335	Satin Bitter Yellow	1524	22.8
400799	3M 2080-S12	Satin Black	1524	22.8
400848	3M 2080-S261	Satin Dark Grey	1524	22.8
452775	3M S2080-P213	Satin Flip Electric Coral	1524	22.8
452776	3M 2080-SP264	Satin Flip Golden Aurora	1524	22.8
452661	3M 2080-S238	Satin Frozen Berry Metallic	1524	22.8
400819	3M 2080-SP240	Satin Frozen Vanilla	1524	22.8
400816	3M 2080-SP242	Satin Gold Dust Black	1524	22.8
400820	3M 2080-S57	Satin Key West	1524	22.8
452662	3M 2080-S56	Satin Komodo Green	1524	22.8
452660	3M 2080-S87	Satin Lunar Blue	1524	22.8
451849	3M 2080-S327	Satin Ocean Shimmer	1524	22.8

1300 132 644 info.mail@spicers.com.au spicers.com.au

Premium Wrap Colours

Material	Series	Colour	Width (mm)	Length (m)
400818	3M 2080-SP10	Satin Pearl White	1524	22.8
451851	3M 2080-S347	Satin Perfect Blue	1524	22.8
452659	3M 2080-S49	Satin Sandstone	1524	22.8
451850	3M 2080-S363	Satin Smouldering Red	1524	22.8
400852	3M 2080-S271	Satin Thundercloud	1524	22.8
400825	3M 2080-SP273	Satin Vampire Red	1524	22.8
452774	3M 2080-S23	Satin Velvet Rose	1524	22.8
400809	3M 2080-S10	Satin White	1524	22.8
451848	3M 2080-S120	Satin White Aluminium	1524	22.8

3M™ 2080
Brushed/Carbon Fibre/Flip Series

ORDER NOW **PREMIUM WRAP SAV**

- 3M 2080 series is multi-layer dual cast film developed specifically for vehicle personalisation and has a grey, transparent, solvent acrylic adhesive
- Adhesive features updated 3M™ Comply™ technology with non-visible air release channels for bubble-free application
- 3M™ Controltac™ technology features reduced initial tack for excellent repositionability
- Gloss and high gloss colours feature a protective film layer
- 1524mm wide rolls allows for seamless wraps
- If we don't have a colour you want in your local branch, we will get it despatched from inter-state at no extra charge
- Durability: Up to 7 years (refer to specification sheet)

Material	Series	Colour	Width (mm)	Length (m)
400856	3M 2080-BR120	Brushed Aluminium	1524	22.8
400858	3M 2080-BR212	Brushed Black Metallic	1524	22.8
400857	3M 2080-BR201	Brushed Steel	1524	22.8
400859	3M 2080-BR230	Brushed Titanium	1524	22.8
400854	3M 2080-CFS201	Carbon Fibre Anthracite	1524	22.8
400860	3M 2080-CFS12	Carbon Fibre Black	1524	22.8
400830	3M 2080-GP281	Gloss Psychedelic	1524	22.8
400831	3M 2080-SP280	Satin Ghost Pearl	1524	22.8
400832	3M 2080-SP281	Satin Psychedelic	1524	22.8
400828	3M 2080-SP236	Satin Volcanic Flare	1524	22.8
400861	3M 2080-SB12	Shadow Black	1524	22.8

3M | Wrap Film

3M.com/2080

Level up your color.

High Gloss

- Hot Rod Red HG13
- Burnt Orange HG14
- Bright Yellow HG15
- Citric Acid HG65
- Green Envy HG336
- Mantis Green HG36
- Military Green HG26
- Sky Blue HG77
- Blue Raspberry HG378
- Flip Deep Space HGP278
- Plum Explosion 2.0 *HGP258
- Ruby Rosso HG73
- Flip Black Psychedelic *HGP221
- Black HG12
- Black Metallic HG212
- Meteor Gray HG81
- Nardo Gray HG61
- White Aluminum HG120
- Storm Gray HG31
- White HG10

Gloss

- Red Metallic *G203
- Dragon Fire Red *G363
- Flame Red G53
- Hot Rod Red G13
- Fiery Orange *G364
- Liquid Copper *G344
- Burnt Orange G14
- Deep Orange G24
- Bright Orange G54
- Sunflower G25
- Bright Yellow G15
- Lucid Yellow G55
- Green Envy *G336
- Kelly Green G46
- Light Green G16
- Atomic Teal *G356
- Midnight Blue GP272
- Boat Blue G127
- Deep Blue Metallic *G217
- Blue Metallic *G227
- Blue Raspberry *G378
- Cosmic Blue *G377
- Intense Blue G47
- Blue Fire *G337
- Sky Blue G77
- Fierce Fuchsia *G348
- Flip Deep Space *GP278
- Plum Explosion *GP258
- Ember Black *GP282
- Black Metallic *G212
- Black G12
- Anthracite *G201
- Charcoal Metallic *G211
- White Aluminum *G120
- Flip Psychedelic *GP281
- Sterling Silver *G251
- Storm Gray G31
- White Gold Sparkle *GP240
- Light Ivory G79
- White G10

Satin

- Vampire Red *SP273
- Smoldering Red *S363
- Flip Electric Coral *SP213
- Velvet Rose S23
- Frozen Berry Metallic *S238
- Flip Volcanic Flare *SP236
- Flip Golden Aurora *SP264
- Bitter Yellow *S335
- Apple Green S196
- Key West S57
- Ocean Shimmer *S327
- Perfect Blue *S347
- Lunar Blue S87
- Thundercloud *S271
- Dark Gray *S261
- Black S12
- Gold Dust Black *SP242
- Komodo Green S56
- Sandstone S49
- Battleship Gray S51
- White Aluminum *S120
- Frozen Vanilla *SP240
- White S10
- Pearl White *SP10
- Satin Flip Ghost Pearl
- Flip Psychedelic *SP281

Matte

- Red Metallic *M203
- Red M13
- Strawberry Red M33
- Pine Green Metallic *M206
- Military Green M26
- Indigo M27
- Slate Blue Metallic M217
- Blue Metallic *M227
- Black M12
- Black Metallic M212
- Deep Black M22
- Dead Matte Black DM12
- Dark Gray *M261
- Gray Aluminum *M230
- Silver *M21
- White M10
- Charcoal Metallic *M211
- Brown Metallic *M209

Textures

- Shadow Black SB12
- Brushed Black Metallic *BR212
- Matrix Black MX12
- Carbon Fiber Black CFS12
- Brushed Steel *BR201
- Brushed Titanium *BR230
- Brushed Aluminum *BR120
- Carbon Fiber Anthracite *CFS201

VIEW THE RANGE



High Gloss Citric Acid

Premium Wrap Colours

3M™ 2080 High Gloss Series

ORDER NOW


PREMIUM WRAP SAV

- 3M 2080 series is multi-layer dual cast film developed specifically for vehicle personalisation and has a grey, transparent, solvent acrylic adhesive
- Adhesive features updated Comply™ technology with non-visible air release channels for bubble-free application
- Controltac™ technology features reduced initial tack for excellent repositionability
- Gloss and high gloss colours feature a protective film layer
- 1524mm wide rolls allows for seamless wraps
- If we don't have a colour you want in your local branch, we will get it despatched from interstate at no extra charge
- Durability: Up to 7 years (refer to specification sheet)


VEHICLE WRAP SELF ADHESIVE

Material	Series	Colour	Width (mm)	Length (m)
452771	3M 2080 HGP221	Flip Black Psychedelic		22.8
452471	3M 2080-HG12	Gloss Black		22.8
452536	3M 2080-HG212	Gloss Black Metallic		22.8
452534	3M 2080-HG378	Gloss Blue Raspberry		22.8
452537	3M 2080-HG15	Gloss Bright Yellow		22.8
452538	3M 2080-HG14	Gloss Bright Yellow		22.8
452770	3M 2080-HG65	Gloss Citric Acid		22.8
452533	3M 2080-HG278	Gloss Flip Deep Space		22.8
452535	3M 2080-HG278	Gloss Green Envy		22.8
452472	3M 2080-HG13	Gloss Hot Rod Red		22.8
452657	3M 2080-HG13	Gloss Mantis Green		22.8
452658	3M 2080-HG81	Gloss Meteor Grey		22.8
452769	3M 2080-HG26	Gloss Military Green		22.8
452655	3M 2080-HG61	Gloss Nardo Grey		22.8
452772	3M 2080-HGP258	Gloss Plum Explosion		22.8
452656	3M 2080-HG73	Gloss Ruby Rosso		22.8
452470	3M 2080-HG77	Gloss Sky Blue		22.8
452469	3M 2080-HG31	Gloss Storm Grey		22.8
452540	3M 2080-HG10	Gloss White		22.8
452539	3M 2080-HG120	Gloss White Aluminium		22.8

GLOSS




GLOSS METALLIC



SATIN



SATIN METALLIC




RUGGED



COLORFLOW™




SATIN CELESTIALS



Some ColorFlow colours are available in both Gloss and Satin finishes.


MATT



MATT METALLIC




DIAMOND



PEARLESCENT



EXTREME TEXTURE



The colours displayed are representative of the vinyl colour but may vary from actual material.
Not all colours and variations may be available or shown above, as this range does change based on market demand.
Please check with your local Spicers office for availability. Colour cards/swatches are available from your Spicers sales representative or branch.

1300 132 644 info.mail@spicers.com.au spicers.com.au

Premium Wrap Colours

Avery Dennison® Supreme Wrapping Film

ORDER NOW

PREMIUM WRAP SAV

- Avery Dennison Supreme Wrapping Film is an 80ums high-performance cast car wrapping vinyl
- Features solvent-based acrylic, clear permanent with Easy Apply RS and long-term removability
- Delivering a smooth, paint-like finish in a wide range of gloss and matt finishes
- The film is repositionable and slide-able for faster installation while helping minimise bubbles and wrinkles
- Has an excellent outdoor durability and long-term removability and is suitable for full vehicle wraps,branding applications and other demanding wrapping projects
- Durability: Up to 12 years (refer to specification sheet)

OUTDOOR APPLICATIONS · ROLLS · SELF ADHESIVE · VEHICLE WRAP

Material	Series	Colour	Width (mm)	Length (m)
452944	SW-236	Ambulance Yellow	1524	22.6
453009	SW-858	Anthracite Matt Metallic	1524	22.6
452913	SW-193	Black Brushed	1524	22.6
452968	SW-617	Brilliant Blue	1524	22.6
452916	SW-812	Brushed Aluminium Metallic	1524	22.6
452918	SW-933	Brushed Bronze Metallic	1524	22.6
452917	SW-813	Brushed Steel Metallic	1524	22.6
452915	SW-802	Brushed Titanium Metallic	1524	22.6
452960	SW-514	Bubblegum Pink	1524	22.6
452959	SW-475	Burgundy	1524	22.6
452914	SW-194	Carbon Black	1524	22.6
452816	SW-115	Carbon Fibre White	1524	22.6
452955	SW-433	Cardinal Red	1524	22.6
452956	SW-436	Carmine Red	1524	22.6
452957	SW-438	Carmine Red	1524	22.6
452974	SW-645	Charcoal Metallic	1524	22.6
452984	SW-716	Cool Teal	1524	22.6
453012	SW-871	Dark Basalt	1524	22.6
452979	SW-682	Dark Blue	1524	22.6
452978	SW-681	Dark Blue	1524	22.6
452992	SW-792	Dark Green	1524	22.6
453011	SW-865	Dark Grey	1524	22.6
453006	SW-856	Dark Grey	1524	22.6
452946	SW-249	Dark Yellow	1524	22.6
452941	SW-221	Diamond Amber	1524	22.6
452932	SW-676	Diamond Blue	1524	22.6
452953	SW-426	Diamond Red	1524	22.6
453013	SW-878	Diamond Silver	1524	22.6
452936	SW-161	Diamond White	1524	22.6
452967	SW-616	Dreamliner Blue	1524	22.6
452939	SW-199	Elcipse Black	1524	22.6
452993	SW-796	Emerald Green Pearl	1524	22.6
452947	SW-261	Energetic Yellow	1524	22.6
452817	SW-252	Fresh Spring	1524	22.6

Premium Wrap Colours

Avery Dennison® Supreme Wrapping Film

Material	Series	Colour	Width (mm)	Length (m)
452973	SW-643	Frosty Blue Metallic	1524	22.6
452930	SW-788	Frozen Ocean	1524	22.6
452938	SW-192	Gloss Black Metallic	1524	22.6
452976	SW-677	Gloss Blue	1524	22.6
452964	SW-526	Gloss Cosmic Rose	1524	22.6
452994	SW-803	Gloss Silver Metallic	1524	22.6
452815	SW-101	Gloss White	1524	22.6
452940	SW-215	Gold Metallic	1524	22.6
452990	SW-758	Grass Green	1524	22.6
452989	SW-745	Green Apple Metallic	1524	22.6
453001	SW-832	Grey	1524	22.6
452996	SW-807	Grey Metallic	1524	22.6
453003	SW-840	Gunmetal Metallic	1524	22.6
452931	SW-789	Hidden Forrest	1524	22.6
452980	SW-699	Indigo Blue	1524	22.6
452975	SW-667	Intense Blue	1524	22.6
452983	SW-712	Khaki	1524	22.6
452982	SW-711	Khaki Green	1524	22.6
452972	SW-633	Light Blue	1524	22.6
452971	SW-632	Light Blue	1524	22.6
452925	SW-611	Lightning Ridge - Purple/Green	1524	22.6
452924	SW-610	Lightning Ridge - Purple/Green	1524	22.6
452986	SW-731	Lime Green	1524	22.6
452977	SW-679	Magnetic Burst Blue	1524	22.6
452908	SW-180	Matt Black	1524	22.6
452999	SW-823	Matt Metallic Rock Grey	1524	22.6
453008	SW-857	Matt Silver	1524	22.6
452906	SW-102	Matt White	1524	22.6
452965	SW-565	Metallic Purple	1524	22.6
452926	SW-634	Moonstone	1524	22.6
452981	SW-700	Mysterious Indigo	1524	22.6
452937	SW-184	Mystery Black	1524	22.6
452969	SW-623	Night Blue Metallic	1524	22.6
452911	SW-191	Obsidian Black	1524	22.6
452909	SW-186	Obsidian Black	1524	22.6
452987	SW-732	Olive Green	1524	22.6
452951	SW-374	Orange	1524	22.6
452950	SW-373	Orange	1524	22.6
452949	SW-321	Orange	1524	22.6
452958	SW-448	Passion Red	1524	25
453029	SW-728	Pastel - Light Pistachio	1524	25

Premium Wrap Colours

Avery Dennison® Supreme Wrapping Film


Material	Series	Colour	Width (mm)	Length (m)
453028	SW-648	Pastel - Sea Breeze Blue	1524	25
453027	SW-612	Pastel - Smoky Blue	1524	25
452962	SW-520	Pink Matt Metallic	1524	22.6
452961	SW-517	Pool Party Pink	1524	22.6
452963	SW-521	Popstar Concert Purple	1524	22.6
453014	SW-879	Pride Prismatic Grey	1524	22.6
452966	SW-566	Purple Metallic	1524	22.6
452997	SW-816	Quick Silver Metallic	1524	22.6
452991	SW-762	Radioactive Green	1524	22.6
452952	SW-415	Red	1524	22.6
452919	SW-446	Rising Sun - Red / Gold	1524	22.6
452920	SW-447	Rising Sun - Red / Gold	1524	22.6
452922	SW-551	Roaring Thunder	1524	22.6
452923	SW-552	Roaring Thunder	1524	22.6
452998	SW-821	Rock Grey Gloss	1524	22.6
453018	SW-824	Rugged Bedrock Grey	1524	22.6
453016	SW-718	Rugged Combat Green	1524	22.6
453017	SW-738	Rugged Marsh Green	1524	22.6
452818	SW-182	Rugged Onyx Black	1524	22.6
452927	SW-673	Rushing Riptide	1524	22.6
452928	SW-674	Rushing Riptide - Cyan/Purple	1524	22.6
453010	SW-858	Satin Anthracite Metallic	1524	22.6
452912	SW-197	Satin Black	1524	22.6
453004	SW-845	Satin Charcoal Metallic	1524	22.6
453007	SW-856	Satin Dark Grey	1524	22.6
453005	SW-854	Satin Dark Grey Metallic	1524	22.6
453002	SW-833	Satin Grey	1524	22.6
453000	SW-824	Satin Gunmetal Metallic	1524	22
452988	SW-732	Satin Olive Green	1524	22.6
452995	SW-805	Satin Silver Metallic	1524	22.6
452900	SW-316	Satin Stunning Orange	1524	22.6
452948	SW-302	Satin Sunset Ride	1524	22.6
452907	SW-116	Satin White	1524	22.6
452935	SW-118	Satin White Snow Pearl	1524	22.6
452985	SW-729	Smooth Sage	1524	22.6
452954	SW-427	Soft Red - O	1524	22.6
452921	SW-476	Solar Dawn	1524	22.6
453015	SW-901	Tropical Vacation Green	1524	22.6
452929	SW-787	Urban Jungle - Silver/Green	1524	22.6
452942	SW-224	Yellow	1524	22.6
452943	SW-235	Yellow	1524	25

FORCESHIELD

Upgrade Your Colour Game with AIRFORCE

DRY-APPLY PPF WITH AIR-TACK TECHNOLOGY

VIEW THE RANGE ▶



Spicers
Creating Solutions Together

STEK

Premium Wrap Colours

Avery Dennison® Conform Chrome

ORDER NOW **PREMIUM WRAP SAV**

- Avery Dennison Conform Chrome Series is a premium quality cast film designed for use in vehicle and graphics markets where high end chrome accents are desired
- Avery Dennison Easy Apply RS feature allows for faster positioning bubble free application, and long term removability after the intended period of use
- Conform Chrome Series is available in Silver, Gold, Blue, Red and Black
- Very high gloss and semi-conformable
- Outstanding durability & outdoor performance with good UV, temperature, humidity, and salt-spray resistance
- Durability: Up to 3 years (refer to specification sheet)

OUTDOOR APPLICATIONS · INDOOR APPLICATIONS · SELF ADHESIVE · ROLLS · VEHICLE WRAP

Material	Series	Finish	Width (mm)	Length (lm)
452814	Avery Dennison Conform Chrome	Black Chrome	1350	22.6
452901	Avery Dennison Conform Chrome	Black Chrome	1350	22.6
452902	Avery Dennison Conform Chrome	Gold Chrome	1350	22.6
452903	Avery Dennison Conform Chrome	Red Chrome	1350	22.6
452904	Avery Dennison Conform Chrome	Rose Gold	1350	22.6
452905	Avery Dennison Conform Chrome	Silver Chrome	1350	22.6



CHROME



GOLD




BLUE



RED




BLACK





ROSE GOLD

The colours displayed are representative of the vinyl colour but may slightly vary from actual material.

OMEGA SKINZ


700 PRIME WHITE


727 OBSIDIAN GREY



716 DESERT STORM


618 NARDO GREY MATT


718 NARDO GREY


628 BLACK BULLIT


729 BLADESCAPE


829 COMBAT CAMO BLACK


845 COMBAT CAMO GREEN



828 CARBON BLACK


795 DYNAMITELY AWESOME


695 NUKE EM ALL


770 MARANELLO


781 VORTEX ORANGE


775 VAMP ME


765 DARK VELVET


757 DREAMSCAPE


758 FEAR OF THE DARK



753 RISING RIPCURL


654 BRAINWAVE BLUE



642 RISING FORCE


743 ACID CANDY


745 TOXIC SWAMP


748 DRAGON TEAR


648 GOBLINS KISS


655 OPERATION WINDSTORM


659 DEMOLITION DARK


656 ATOMIC WARFARE


601 ANGEL DUST


613 SILVER GENIUS


711 PEARL WHISPER


713 HEAVENLY WONDER



719 GUNRAID


619 DARK ROBOT


723 TWILIGHT ZONE


627 NIGHTSKIN


617 GRIMREAPER


616 MAD MACHINE


626 BLACK FORCE


636 ZOMBIE SHUFFLE

1917 ELEMENTO-6

1917S ELEMENTO STEALTH

1978 DIONERO

VIEW THE RANGE ▶

UM WARP6™ ADVANCED CARWRAP ADHESIVE

Omega Skinz most advanced adhesive yet!

UM Warp6™ delivers smoother, faster, more precise car wrap installation. A milder initial tack allows easy repositioning and clean lifting with no residue, while improved slideability gives greater control during alignment. Built in micro air release channels make it simple to push out trapped air for a flawless, bubble free finish.

So effective, it even set a world record for a full body car wrap. Smooth to start. Strong to finish.

UM Warp6™. The next generation of wrap performance.

100% Satisfaction | Excellent Quality | Wrappers Choice | Made in Europe

a product of: GrafiWrap SOTT

Omega Skinz UM6 Wrap Film

ORDER NOW

PREMIUM WRAP SAV

OMEGA SKINZ

- Omega Skinz UM6 is a 100ums premium self-adhesive cast wrapping film with a grey permanent repositionable adhesive
- Engineered for exceptional 3D conformability, colour depth and durability
- Its flexible multi-layer construction makes it ideal for complex curves and contours
- UM6 Wrap delivers smoother, faster and more precise installations with ower initial tack for easy repositioning & improved slideability
- Suitable across automotive, marine and industrial applications
- Durability: Up to 8 years (refer to specification sheet



Material	Series	Colour	Width (mm)	Length (m)
454580	OS-1917	Elemento 6	1524	20
454582	OS-1917	Elemento Stealth	1524	20
454586	OS-1978	Dionero	1524	20
454588	OS-601	Angel Dust	1524	20
454590	OS-613	Silver Genius	1524	20
454592	OS-616	Mad Machine	1524	20
454594	OS-617	Grimreaper	1524	20
454597	OS-618	Nardo Grey	1524	20
454599	OS-619	Dark Robot	1524	20
454601	OS-626	Black Force	1524	20
454603	OS-627	Nightskin	1524	20
454605	OS-628	Black Bullet	1524	20
454609	OS-636	Zombie Shuffle	1524	20
454611	OS-642	Rising Force	1524	20
454612	OS-648	Goblin Kiss	1524	20
454614	OS-654	Brainwave Blue	1524	20
454617	OS-656	Atomic Warfare	1524	20
454619	OS-659	Demolition Dark	1524	20
454621	OS-695	Nuke Em All	1524	20
454622	OS-700	Prime White	1524	20
454625	OS-711	Pearl Whisper	1524	20
454627	OS-713	Heavely Wonder	1524	20
454632	OS-718	Nardo Grey	1524	20
454634	OS-719	Gunraid	1524	20
454636	OS-723	Twilight Zone	1524	20
454638	OS-727	Obsidian Grey	1524	20
454642	OS-743	Acid Candy	1524	20
454645	OS-745	Toxic Swamp	1524	20
454647	OS-748	Dragon Tear	1524	20
454649	OS-753	Rising Ripcurl	1524	20
454578	OS-757	Dreamscape	1524	20

Premium Wrap Colours


Omega Skinz Wrap Film

ORDER NOW

PREMIUM WRAP SAV

OMEGA SKINZ

- Omega-Skinz is a 100ums premium self-adhesive cast wrapping film with a grey permanent repositionable adhesive
- Engineered for exceptional 3D conformability, colour depth and durability
- Its flexible multi-layer construction makes it ideal for complex curves and contours
- UM Warp™ delivers smoother, faster and more precise installations with ower initial tack for easy repositioning & improved slideability
- Durability: Up to 8 years (refer to specification sheet)
- Suitable across automotive, marine and industrial applications



Material	Series	Colour	Width (mm)	Length (m)
454583	OS-1939	Black Metal Gloss	1524	20
454584	OS-1939S	Black Metal Matt	1524	20
454585	OS-1978	Dionero	1524	20
454587	OS-601	Angel Dust	1524	20
454589	OS-613	Silver Genius	1524	20
454591	OS-616	Mad Machine	1524	20
454593	OS-617	Grimreaper	1524	20
454595	OS-618	Goblin Kiss	1524	20
454596	OS-618	Nardo Grey MT	1524	20
454598	OS-619	Dark Robot	1524	20
454600	OS-626	Black Force	1524	20
454602	OS-627	Nightskin	1524	20
454604	OS-628	Black Bullet	1524	20
454606	OS-629	You Want It Darker	1524	20
454607	OS-631	Soul Sucker	1524	20
454608	OS-636	Zombie Shuffle	1524	20
454610	OS-642	Rising Force	1524	20
454613	OS-654	Brainwave Blue	1524	20
454615	OS-655	Operation Windstorm	1524	20
454616	OS-656	Atomic Warfare	1524	20
454618	OS-659	Demolition Dark	1524	20
454620	OS-695	Nuke Em All	1524	20
454623	OS-700	Prime White	1524	20
454624	OS-711	Pearl Whisper	1524	20
454626	OS-713	Heavely Wonder	1524	20
454628	OS-715	Avalanche Grey	1524	20
454629	OS-716	Desert Storm	1524	20
454630	OS-717	End Of Decay	1524	20
454631	OS-718	Nardo Grey	1524	20
454633	OS-719	Gunraid	1524	20
454635	OS-723	Twilight Zone	1524	20
454637	OS-727	Obsidian Grey	1524	20
454639	OS-729	Bladescape Black	1524	20

1300 132 644 info.mail@spicers.com.au spicers.com.au

Premium Wrap Colours

Material	Series	Colour	Width (mm)	Length (m)
454640	OS-736	Fusion Tech	1524	20
454641	OS-742	Mean Green Racing Machine	1524	20
454643	OS-743	Acid Candy	1524	20
454644	OS-745	Toxic Swamp	1524	20
454646	OS-748	Dragon Tear	1524	20
454648	OS-753	Rising Ripcurl	1524	20
454650	OS-755	Hail To The King	1524	20
454116	OS-757	Dreamscape	1524	20



3M™ Crystalline BLK

ORDER NOW

- 3M Automotive Crystalline BLK Series is a multilayer optical film with ceramic nano-technology that rejects more heat than many darker films without changing the car's appearance
- Available in several VLT's (15%, 20%, 30%, 35%, 40%, 50%, 60%, 70%, 78%, 80%)
- The Crystalline BLK Series is designed to enhance your view by allowing visible light into your vehicle while keeping heat out, so you can see clearly through your windows
- The Crystalline BLK Series allows you to see better and concentrate more on driving by reducing up to 81% of the glare from blinding sunlight
- The Crystalline BLK Series is a non-metallised window film that won't interfere with mobile devices, GPS or satellite radio reception
- Blocking up to 99.9% of ultraviolet (UV) light

OUTDOOR APPLICATIONS ROLLS

Material	Series	Width (mm)	Length (LM)
452746	3M Crystalline BLK 15	1524	30.4
452747	3M Crystalline BLK 30	1524	30.4
452748	3M Crystalline BLK 35	914	30.4
452749	3M Crystalline BLK 35	1524	30.4
452750	3M Crystalline BLK 40	914	30.4
452751	3M Crystalline BLK 40	1524	30.4
452752	3M Crystalline BLK 50	914	30.4
452753	3M Crystalline BLK 50	1524	30.4
452754	3M Crystalline BLK 60	914	30.4
452755	3M Crystalline BLK 60	1524	30.4
452756	3M Crystalline BLK 70	914	30.4
452757	3M Crystalline BLK 70	1524	30.4
452758	3M Crystalline BLK 80	914	30.4
452759	3M Crystalline BLK 80	1524	30.4

3M™ Ceramic IM

ORDER NOW

- 3M Automotive Ceramic IM Series provides great infrared heat rejection due to the absorptive nano-ceramic technology
- Available in several VLT's (5%, 15%, 25%, 35%, 50%, 70%)
- Rejecting up to 61% of total solar energy and up to 59% of infrared energy rejection for optimal thermal comfort and reducing the feel of sun on your skin
- Cool black-brown shade comes in multiple tint levels that can block up to 91% of visible light, protecting privacy for you, your family, and your valuables
- The Ceramic IM Series can enhance the protection from the sun's harmful rays. Rejecting up to 99% ultraviolet (UV) light
- The Ceramic IM Series is developed with a metal-free design that won't interfere with electronics, GPS, satellite radio, or mobile devices, including 5G
- Reduces up to 90% of the glare from blinding sunlight with low visible light reflectivity and no mirror-like appearance to disrupt your view out


OUTDOOR APPLICATIONS ROLLS SELF ADHESIVE

Material	Series	Width (mm)	Length (LM)
401122	3M Ceramic IM15	1524	30.4
452811	3M Ceramic IM25	1524	30.4
401123	3M Ceramic IM35	1524	30.4
401121	3M Ceramic IM5	1524	30.4
452809	3M Ceramic IM50	1524	30.4
401124	3M Ceramic IM70	1524	30.4

3M™ Ceramic IR

ORDER NOW

- The Ceramic IR Series provides great infrared heat rejection due to the absorptive nano-ceramic technology. Rejecting up to 63% of total solar energy and up to 95% of infrared rejection
- The Ceramic IR series reduces up to 93% of the glare from blinding sunlight with low visible light reflectivity and no mirror-like appearance to disrupt your view out
- The Ceramic IR Series is developed with a metal-free design that won't interfere with electronics, GPS, satellite radio or mobile devices, including 5G
- Modifying a vehicle with illegally dark windows renders that vehicle unroadworthy. Please contact your local state government regarding tinting laws



Material	Series	Width (mm)	Length (LM)
451788	3M Ceramic IR 05	1524	30.4
451785	3M Ceramic IR 15	1524	30.4
451786	3M Ceramic IR 25	1524	30.4
451898	3M Ceramic IR 30	1524	30.4
451787	3M Ceramic IR 35	1524	30.4
451789	3M Ceramic IR 50	1524	30.4
451790	3M Ceramic IR 70	1524	30.4

3M™ Ceramic XP

ORDER NOW

- The Ceramic XP Series provides essential infrared heat rejection due to the nano-ceramic technology. Rejecting up to 53% of total solar energy and up to 46% of infrared energy rejection*
- Blocking up to 99% of ultraviolet (UV) light
- Comprehensive Auto Warranty from 3M (Limited Lifetime for original owner
- The Ceramic XP Series is developed with a metal-free design that won't interfere with electronics, GPS, satellite radio or mobile devices, including 5G
- Modifying a vehicle with illegally dark windows renders that vehicle unroadworthy. Please contact your local state government regarding tinting laws



Material	Series	Width (mm)	Length (LM)
452718	3M Ceramic XP15	1524	30.4
452719	3M Ceramic XP25	1524	30.4
452720	3M Ceramic XP35	1524	30.4
452717	3M Ceramic XP5	1524	30.4
452808	3M Ceramic XP50	1524	30.4
452721	3M Ceramic XP70	1524	30.4

STEK LUNARAY NEX+ Series


ORDER NOW

STEK

- STEK LUNARAY NEX+ represents the peak of tinting technology, utilising graphene to dramatically improve heat dispersion and overall ceramic performance
- Capable of blocking up to 94.59% infrared heat and delivering TSER up to 64%
- An ideal match for Australia's harsh climate and vehicles with large glass surfaces, including EVs
- Recognised by the Skin Cancer Foundation for its 99% UV protection
- Also offers superior scratch resistance, clean shrinking, and exceptional long-term durability
- Suitable for applications such as window tinting and glazing
- Durability: Up to 10 years (refer to specification sheet)

SELF ADHESIVE ROLLS

Material	Series	VLT	Width (mm)	Length (m)
121812	STEK LUNARAY NEX+ 05	6.8%	1016	30
122459	STEK LUNARAY NEX+ 05	6.8%	1524	30
122454	STEK LUNARAY NEX+ 15	17.1%	1016	30
122460	STEK LUNARAY NEX+ 15	17.1%	1524	30
122455	STEK LUNARAY NEX+ 20	22.1%	1016	30
122461	STEK LUNARAY NEX+ 20	22.1%	1524	30
122456	STEK LUNARAY NEX+ 35	37.0%	1016	30
122462	STEK LUNARAY NEX+ 35	37.0%	1524	30
122457	STEK LUNARAY NEX+ 45	45.1%	1016	30
122463	STEK LUNARAY NEX+ 45	45.1%	1524	30
122458	STEK LUNARAY NEX+ 70	69.1%	1016	30
122464	STEK LUNARAY NEX+ 70	69.1%	1524	30



Graphene Cooling Technology

High Optical Clarity

Maximum Heat Rejection

UV Protection

STEK LUNARAY SMART+ Series


ORDER NOW

STEK

- STEK LUNARAY SMART+ is engineered using nano-ceramic technology and tungsten-enhanced layering to deliver outstanding heat control and long-lasting optical clarity
- With TSER up to 60%, infrared blocking up to 87.5%, and glare reduction up to 92%, SMART+ provides a cooler cabin and reduced strain on your vehicle's air-conditioning
- Its high-grade PET base layers ensure crystal-clear visibility that will not fade or discolour
- The films installer-friendly design makes shrinking and installation exceptionally clean
- Suitable for applications such as window tinting and glazing
- Durability: Up to 10 years (refer to specification sheet)

SELF ADHESIVE ROLLS

Material	Material Description	VLT	Width (mm)	Length (m)
122473	STEK LUNARAY SMART+ 70	69.5%	1524	30
122466	STEK LUNARAY SMART+ 05	7 %	1016	30
122474	STEK LUNARAY SMART+ 05	7.0%	1524	30
122467	STEK LUNARAY SMART+ 15	16.7%	1016	30
122475	STEK LUNARAY SMART+ 15	16.7%	1524	30
122468	STEK LUNARAY SMART+ 20	22.4%	1016	30
122476	STEK LUNARAY SMART+ 20	22.4%	1524	30
122469	STEK LUNARAY SMART+ 35	35.9%	1016	30
122477	STEK LUNARAY SMART+ 35	35.9%	1524	30
122470	STEK LUNARAY SMART+ 45	46.0%	1016	30
122478	STEK LUNARAY SMART+ 45	46.0%	1524	30
122471	STEK LUNARAY SMART+ 70	69.5%	1016	30
122479	STEK LUNARAY SMART+ 70	69.5%	1524	30



Excellent Heat Rejection

UV Protection

High Optical Clarity

Lasting Color Stability

STEK LUNARAY ACTION+ Series


ORDER NOW

STEK

- STEK LUNARAY ACTION+ is a premium nano-carbon automotive window tint film with a pressure sensitive, acrylic based adhesive
- Designed for drivers wanting reliable performance, strong UV protection and a clean, stylish finish
- With Total Solar Energy Rejection (TSER) up to 55%, reduced glare and 99% UV filtering, ACTION+ delivers comfort without compromising visibility
- Its Nano Carbon construction ensures excellent colour stability while remaining completely free from signal interference
- Offering up to 95% light blocking for increased privacy
- Suitable for applications such as window tinting and glazing
- Durability: Up to 10 years (refer to specification sheet)

OUTDOOR APPLICATIONS · SELF ADHESIVE · ROLLS

Material	Material Description	VLT	Width (mm)	Length (m)
121802	STEK LUNARAY ACTION + 05	5.7%	1016	30
122390	STEK LUNARAY ACTION + 05	5.7%	1524	30
122386	STEK LUNARAY ACTION+ 15	16.4%	1016	30
122391	STEK LUNARAY ACTION+ 15	16.4%	1524	30
122387	STEK LUNARAY ACTION+ 20	19.5%	1016	30
122392	STEK LUNARAY ACTION+ 20	19.5%	1524	30
122388	STEK LUNARAY ACTION+ 35	37.0%	1016	30
122393	STEK LUNARAY ACTION+ 35	37.0%	1524	30
122389	STEK LUNARAY ACTION+ 50	50.7%	1016	30
122394	STEK LUNARAY ACTION+ 50	50.7%	1524	30



Heat Rejection

UV Protection

No Signal Interference

Lasting Color Stability

Paint Protection Clear Films

3M™ PPF 150 Series 15m Rolls

ORDER NOW

- 150 Series - Designed to protect automotive paint and other vulnerable surfaces of the vehicle from stone chips, scratches, bug damage, road tar, stains, automotive fluid stains, and punishing outdoor
- High stain resistance for a low maintenance finish to repel against water and dirt
- Exceptional clarity with lower orange peel to help maintain the brilliance of the vehicle paint & virtually invisible protection
- Highly flexible construction easily stretches over difficult contours and conforms into deep recesses
- Optimised adhesive for repositioning, minimising lift lines and adhesive marks
- Self-healing technology allows minor scratches to disappear with heat applied to the film surface
- Durability: Up to 10 years (refer to specification sheet)

OUTDOOR APPLICATIONS · LAMINATES · SELF ADHESIVE · VEHICLE WRAP

Material	Series	Finish	Width (mm)	Length (LM)
401035	3M 150 Series	Gloss Clear	1524	15

3M™ PPF 100 & 200 Series 30m Rolls

ORDER NOW

- 200 Series - High Gloss with excellent clarity and smooth top surface with optimized adhesive for repositioning and to minimize lift lines and adhesive marks
- 100 Series - High Gloss with Optimised adhesive for easier installation allowing repositioning, minimising lift lines and adhesive marks
- Self-healing technology to remove minor scratches or marks with heat applied to the film surface
- Durability: Up to 10 years (refer to specification sheet) 200 Series
- Durability: Up to 7 years (refer to specification sheet) 100 Series

OUTDOOR APPLICATIONS · LAMINATES · SELF ADHESIVE · VEHICLE WRAP

Material	Series	Finish	Width (mm)	Length (LM)
452377	3M 100 Series	Gloss Clear	610	30
452375	3M 200 Series	Gloss Clear	610	30
452525	3M 200 Series	Matt Clear	610	30

3M™ PPF 100 & 200 Series 15m Rolls

ORDER NOW

- 200 Series - High Gloss with excellent clarity and smooth top surface with optimized adhesive for repositioning and to minimize lift lines and adhesive marks
- 100 Series - High Gloss with Optimised adhesive for easier installation allowing repositioning, minimising lift lines and adhesive marks
- Self-healing technology to remove minor scratches or marks with heat applied to the film surface
- Durability: Up to 10 years (refer to specification sheet) 200 Series
- Durability: Up to 7 years (refer to specification sheet) 100 Series

OUTDOOR APPLICATIONS · LAMINATES · SELF ADHESIVE · VEHICLE WRAP

Material	Series	Finish	Width (mm)	Length (LM)
452376	3M 100 Series	Gloss Clear	1524	15
452374	3M 200 Series	Gloss Clear	1524	15
452524	3M 200 Series	Matt Clear	1524	15
452373	3M 200 Series	Gloss Clear	1830	15
452523	3M 200 Series	Matt Clear	1830	15





Paint Protection Clear Films

STEK DYNO Clear Kit

ORDER NOW

- Film: DYNOprism Gloss
- Ceramic Coating: Final Coat
- Film: DYNOshield Ultra Gloss

Material	Series	Laminate Finish	Components	Width (mm)	Length (m)
122415	STEK DYNO Clear Kit	Gloss Clear	DYNOprism/FinalCoat	1524	15
122416	STEK DYNO Clear Kit	Gloss Clear	DYNOshield/FinalCoat	1524	15
121806	STEK DYNO Clear Kit	Gloss Clear	DYNOshield/FinalCoat	1830	10

STEK DYNO Clear Roll 1524mm

ORDER NOW

- STEK DYNO Clear Film combines premium vehicle protection with exceptional finishing
- DYNOmight - High Gloss
- Films provide excellent resistance against scratches, road hazards, water marks, insects, bird droppings, road oils and environmental contaminants
- DYNOprism - Gloss & DYNOprism - Matt
- Hydrophobic and self-healing properties help maintain a clean, flawless appearance
- UV-resistant and anti-yellowing technology provides lasting clarity and performance
- Durability: Up to 12 years (refer to specification sheet)

Material	Series	Finish	Width (mm)	Length (m)
121805	STEK DYNO Might	High Gloss Clear	1524	15
122414	STEK DYNO Prism	Fire Gloss	1524	15
123097	STEK DYNO Prism	Matt	1524	15

STEK DYNO Clear 1220mm

ORDER NOW

- STEK DYNO Clear Film combines premium vehicle protection with exceptional finishng
- DYNOshield - Ultra Gloss
- Films provide excellent resistance against scratches, road hazards, water marks, insects, bird droppings, road oils and environmental contaminants
- Hydrophobic and self-healing properties help maintain a clean, flawless appearance
- UV-resistant and anti-yellowing technology provides lasting clarity and performance
- Durability: Up to 12 years (refer to specification sheet)

Material	Series	Finish	Width (mm)	Length (m)
454729	STEK DYNO Shield	Gloss Ultra Clear	1220	30

STEK DYNO Clear 1524mm

ORDER NOW

- STEK DYNO Clear Film combines premium vehicle protection with exceptional finishng
- DYNOshield - Ultra Gloss, DYNOmatt & DYNOmatt flat - Matt & DYNOprism - two-tone metallic
- Films provide excellent resistance against scratches, road hazards, water marks, insects, bird droppings, road oils and environmental contaminants
- Hydrophobic and self-healing properties help maintain a clean, flawless appearance
- UV-resistant and anti-yellowing technology provides lasting clarity and performance
- Durability: Up to 12 years (refer to specification sheet)

Material	Series	Finish	Width (mm)	Length (m)
454726	STEK DYNO Prism	Gloss Clear	1524	15
454727	STEK DYNO Shield	Gloss Clear	1524	15
454723	STEK DYNO	Matt Clear	1524	15
454725	STEK DYNO	Matt-flat	1524	15

1300 132 644 info.mail@spicers.com.au spicers.com.au

Paint Protection Clear Films

STEK DYNO Clear 1830mm

ORDER NOW

- STEK DYNO Clear Film combines premium vehicle protection with exceptional finishing
- DYNOshield - Ultra Gloss
- Films provide excellent resistance against scratches, road hazards, water marks, insects, bird droppings, road oils and environmental contaminants
- DYNOmatt-flat - Satin
- Hydrophobic and self-healing properties help maintain a clean, flawless appearance
- UV-resistant and anti-yellowing technology provides lasting clarity and performance
- Durability: Up to 12 years (refer to specification sheet)

OUTDOOR APPLICATIONS · ROLLS · SELF ADHESIVE · VEHICLE WRAP

Material	Series	Finish	Width (mm)	Length (m)
454721	STEK DYNO Shield	Gloss Clear	1829	10
454722	STEK DYNO	Matt-flat	1830	10

STEK FORCESHIELD Clear PPF

ORDER NOW

- STEK FORCESHIELD Clear Paint Protection Film combines dependable vehicle protection with a premium finish
- Helps safeguard paintwork against scratches, swirl marks and everyday wear
- Available in Gloss and Matt finishes
- Featuring hydrophobic technology to repel water and dirt
- Self-healing technology allows minor scratches to disappear with heat exposure
- Anti-yellowing formula maintains clarity and appearance over time
- Durability: Up to 10 years (refer to specification sheet)

OUTDOOR APPLICATIONS · SELF ADHESIVE · ROLLS · VEHICLE WRAP

Material	Series	Finish	Width (mm)	Length (m)
121810	STEK FORCESHIELD Clear PPF	Gloss Clear	1524	15
122453	STEK FORCESHIELD Clear PPF	Matt Clear	1524	15


STEK DYNO Headlight PPF

ORDER NOW

- The STEK DYNO Headlight PPF range combines premium light protection with distinctive tinted finishes to enhance & protect vehicle headlights & taillights
- Made from durable thermoplastic polyurethane (TPU)
- Range provides excellent resistance against chips, scratches, water marks, insects, bird droppings, road oils, pollution and everyday wear
- Has self-healing properties that help minor scratches disappear over time
- Includes Violet Tint DYNOshade, Charcoal DYNOshadow, Gunsmoke Grey DYNOsmoke and subtle Grey DYNOstorm
- Designed for professional automotive applications
- Please check local laws to determine suitability of film application onto vehicle lights, Spicers will not be held liable for any uncertified use
- Durability: Up to 7 years (refer to specification sheet)

OUTDOOR APPLICATIONS · ROLLS · SELF ADHESIVE · VEHICLE WRAP

Material	Series	Finish	Width (mm)	Length (m)
454121	STEK DYNO Headlight PPF	Shade	610	15
454731	STEK DYNO Headlight PPF	Shadow	610	15
454732	STEK DYNO Headlight PPF	Smoke	610	15
454733	STEK DYNO Headlight PPF	Storm	610	15









Paint Protection Clear Films

STEK DYNOtop Cool

ORDER NOW

- DYNOtop Cool is a clear protection film that also contains IR rejection and hence can be used on moonroofs to aid in reducing the internal temperate of vehicles
- It is also an effective windshield protection film, designed to help prevent glass damage from stone chips, scratches and everyday road hazards
- Highly elastic TPU construction
- Hydrophobic properties and stain resistant
- Durability: Up to 1 year (refer to specification sheet)

OUTDOOR APPLICATIONS · ROLLS · SELF ADHESIVE · VEHICLE WRAP

Material	Series	Finish	Width (mm)	Length (m)
455550	STEK DYNOtop Cool	Clear	1524	15

STEK DYNOtop

ORDER NOW

- Built to withstand chips, scratches, and almost every form of road damage, STEK DYNOtop sets the standard in windshield protection
- Engineered with proprietary elastic TPU layers, it absorbs and even the toughest impacts
- Hydrophobic properties provide exceptional weatherproofing, shielding your windshield from harsh climates
- No heat guns or shrinkage required
- Fits seamlessly on curved surfaces, delivering ongoing protection
- Durability: Up to 1 year (refer to specification sheet)

OUTDOOR APPLICATIONS · ROLLS · SELF ADHESIVE · VEHICLE WRAP

Material	Series	Colour	Width (mm)	Length (m)
454734	STEK DYNOtop	Clear	1220	15



1300 132 644 info.mail@spicers.com.au spicers.com.au

3M™ Protection Wrap Film

ORDER NOW


- 3M Protection Wrap Film combines vehicle customisation with durable protection against rock chips, scratches and stains
- 70% thicker than typical vinyl films, providing long-lasting protection and mirror-like finish that looks like paint
- Dry installation with cold stretch and is highly conformable in deep recesses with minimal heat
- 3M Controltac and 3M Comply Adhesive minimises initial tack for easy sliding, tacking, snap-up, and repositioning for fast, easy bubble free installations
- Self-healing polymer technology allows minor scratches to disappear with heat applied to the film
- Use with 3M Knifeless Tape Precision Line and Design Line
- Durability: Up to 10 years (refer to specification sheet)

VEHICLE WRAP


SELF ADHESIVE


Material	Series	Colour	Width (mm)	Length (lm)
452674	3M PWF-G67	Basilisk Blue		22.8
452681	3M PWF-G11	Bone Grey		22.8
452686	3M PWF-GP276	British Racing Green		22.8
452688	3M PWF-GP288	Cosmic Dust		22.8
401112	3M PWF-M99	Coyote Brown		22.8
452685	3M PWF-GP233	Crimson Red		22.8
452678	3M PWF-G137	Frozen Blue Metallic		22.8
452679	3M PWF-G12	Gloss Black		22.8
452682	3M PWF-G10	Gloss White		22.8
452675	3M PWF-G43	Habanero Red		22.8
452684	3M PWF-GP246	Iridescent Emerald Green		22.8
452668	3M PWF-M12	Matt Black		22.8
452669	3M PWF-M10	Matt White		22.8
452677	3M PWF-G37	Miami Blue		22.8
452667	3M PWF-M87	Moon Rock Blue		22.8
452676	3M PWF-G61	Nardo Grey		22.8
452672	3M PWF-G97	Neptune Blue		22.8
452673	3M PWF-G76	Olive Green		22.8
452680	3M PWF-G117	Powder Blue		22.8
452689	3M PWF-GP281	Psychedelic		22.8






DYNOpurple


DYNOmiami-blue


DYNOred


DYNOgray


DYNOwhite


DYNOgreen


DYNOorange


DYNOtanzanite

STEK DYNO Series Colour

ORDER NOW

STEK

- STEK DYNO Series Colour Films are premium coloured TPU paint protection films that combine vehicle styling with high-performance surface protection
- Available in a wide range of colours and finishes
- Deliver rich, paint-like appearances
- Help protect against stone chips, minor scratches, stains and road debris
- Self-healing and hydrophobic properties for easier maintenance and a long-lasting finish
- Durability: Up to 12 years (refer to specification sheet)

OUTDOOR APPLICATIONS · ROLLS · SELF ADHESIVE · VEHICLE WRAP

Material	Series	Colour	Width (mm)	Length (lm)
121807	STEK DYNO	Gloss Black	1524	15
122419	STEK DYNO	Gloss Green	1524	15
122420	STEK DYNO	Gloss Grey	1524	15
122428	STEK DYNO	Gloss Orange	1524	15
122430	STEK DYNO	Gloss Red	1524	15
122421	STEK DYNO	Gloss White	1524	15
122422	STEK DYNO	Matt Black	1524	15
122423	STEK DYNO	Matt Green	1524	15
122424	STEK DYNO	Matt Orange	1524	15
122425	STEK DYNO	Matt Purple	1524	15
122426	STEK DYNO	Matt White	1524	15
122427	STEK DYNO	Miami Blue	1524	15
122429	STEK DYNO	Gloss Purple	1524	15
122432	STEK DYNO	Shift Green	1524	18
122431	STEK DYNO	Tanzanite Blue	1524	15

Paint Protection Colour Films

STEK DYNO Carbon & Pattern

ORDER NOW

- STEK DYNO Carbon & Pattern Paint Protection Films combine distinctive styling with premium vehicle protection
- Featuring forged carbon and camouflage-inspired designs in a range of striking finishes
- Films transform the appearance of vehicles while providing significantly greater protection than traditional styling vinyl
- Designed with durable, self-healing and hydrophobic surfaces
- Excellent stretch and pressure-sensitive adhesive technology & easier installation across curves and complex surfaces
- Suitable for individual panels, interior accents or complete vehicle transformations
- Available in DYNOforged Carbon Black, Redwine and Metal along with DYNOcamo Gray
- Durability: Up to 12 years (refer to specification sheet)

OUTDOOR APPLICATIONS · SELF ADHESIVE · ROLLS · VEHICLE WRAP

Material	Series	Finish	Width (mm)	Length (m)
454716	STEK DYNO Forged	Black Carbon	1524	10
454720	STEK DYNO	Camo Grey	1524	10
454718	STEK DYNO Forged	Carbon Metal	1524	10
454719	STEK DYNO Forged	Carbon Red	1524	10
454715	STEK DYNO Colour	Matt Black	1524	10
454717	STEK DYNO Forged	Matt Black	1524	10

STEK FORCESHEILD Black-Carbon

ORDER NOW

- STEK FORCESHIELD Black-Carbon delivers bold aesthetics and advanced protection in one premium film
- Featuring a high-gloss carbon fibre finish with authentic grey and blacktones
- Transforms your vehicle while safeguarding its paint
- This film offers self-healing technology, making light scratches disappear with heat from sunlight or warm water
- Highly resistant to rock chips and harsh road conditions, ensuring long-lasting durability
- Durability: Up to 10 years (refer to specification sheet)

OUTDOOR APPLICATIONS · SELF ADHESIVE · ROLLS · VEHICLE WRAP

Material	Series	Finish	Width (mm)	Length (m)
454123	STEK FORCESHIELD	Black Carbon	1524	10

STEK FORCESHIELD Black PPF

ORDER NOW

- STEK FORCESHIELD Black Paint Protection Film combines distinctive vehicle styling with advanced paint protection
- Offering a premium alternative to traditional colour-change vinyl
- Designed to protect against stone chips, scratches, road wear and everyday damage, the range delivers durable performance
- Available in Piano Gloss Black and Matt Black finishes
- Advanced topcoat and self-healing technology help light scratches disappear
- Smooth installation across complex curves and body panels
- Durability: Up to 10 years (refer to specification sheet)

OUTDOOR APPLICATIONS · SELF ADHESIVE · ROLLS · SALE · POINT OF SALE

Material	Series	Finish	Width (mm)	Length (m)
454736	STEK FORCESHIELD	Gloss Piano	1524	15
454735	STEK FORCESHIELD	Matt Black	1524	15


1300 132 644 info.mail@spicers.com.au spicers.com.au

Paint Protection Colour Films

STEK DYNOdamascus

ORDER NOW

- STEK DYNOdemascus is a black pattered Paint Protection Film combining distinctive styling with premium vehicle protection
- Films transform the appearance of vehicles while providing significantly greater protection than traditional styling vinyl
- Designed with durable, self-healing and hydrophobic surfaces
- Excellent stretch and pressure-sensitive adhesive technology & easier installation across curves and complex surfaces
- Suitable for individual panels, interior accents or complete vehicle transformations
- Durability: Up to 12 years (refer to specification sheet)




Material	Series	Colour	Adhesive	Width (mm)	Length (m)
121804	STEK DYNOdamascus	High Gloss Clear	Permanent	1524	2

STEK FORCESHIELD Air

ORDER NOW

- FORCESHIELD Air is STEK's coloured, dry apply TPU paint protection film engineered to deliver a smooth, paint like finish with fast, clean installation
- Its air channelled adhesive allows installers to achieve wrapped edges without slip solution, reducing bubbles
- The film is currently available in 30+ colours with the range growing all the time
- As a TPU based product, it lasts two to three times longer than PVC vinyl
- Maintains its shape and finish in high heat and high UV environments
- Air features an 8 mil construction with hydrophobic, stain- resistant and self healing properties
- Durability: Up to 10 years (refer to specification sheet)



Material	Series	Finish	Width (mm)	Length (m)
455553	STEK FORCESHIELD Air	Gloss Piano	1524	18
455552	STEK FORCESHIELD Air	Matt Black	1524	18

FORCESHIELD



SELF-HEALING

HYDROPHOBIC

WARRANTY GUARANTEED

RELIABLE PROTECTION

CRYSTAL CLEAR

NO ORANGE PEEL

STEK FORCESHIELD Air 1524mm

ORDER NOW

- FORCESHIELD Air is STEK's coloured, dry apply TPU paint protection film engineered to deliver a smooth, paint like finish with fast, clean installation
- Its air channelled adhesive allows installers to achieve wrapped edges without slip solution, reducing bubbles
- The film is currently available in 29 colours with the range growing all the time
- As a TPU based product, it lasts two to three times longer than PVC vinyl
- Maintains its shape and finish in high heat and high UV environments
- FORCESHIELD Air features an 8 mil construction with hydrophobic, stain-resistant and self healing properties
- Durability: Up to 10 years (refer to specification sheet)

OUTDOOR APPLICATIONS · ROLLS · SELF ADHESIVE · VEHICLE WRAP

Material	Material Description	Finish	Width (mm)	Length (lm)
123070	STEK FORCESHIELD Air	Aluminium Matt	1524	18
121809	STEK FORCESHIELD Air	Arctic White	1524	18
122436	STEK FORCESHIELD Air	Champagne	1524	18
123071	STEK FORCESHIELD Air	Champagne Matt	1524	18
123072	STEK FORCESHIELD Air	Charcoal Matt	1524	18
123073	STEK FORCESHIELD Air	Crimson	1524	18
123074	STEK FORCESHIELD Air	Deep Grey	1524	18
123075	STEK FORCESHIELD Air	Deep Red	1524	18
122438	STEK FORCESHIELD Air	Desert Sand	1524	18
122437	STEK FORCESHIELD Air	Diamond Purple	1524	18
123076	STEK FORCESHIELD Air	Frozen White Matt	1524	18
123077	STEK FORCESHIELD Air	Liquid Silver Matt	1524	18
122442	STEK FORCESHIELD Air	Majestic White	1524	18
122441	STEK FORCESHIELD Air	Midnight Purple	1524	18
123078	STEK FORCESHIELD Air	Military Matt	1524	18
123079	STEK FORCESHIELD Air	Navy	1524	18
122446	STEK FORCESHIELD Air	Neon Green	1524	18
122445	STEK FORCESHIELD Air	Neon Ice	1524	18
122440	STEK FORCESHIELD Air	Neon Ice	1524	18
123080	STEK FORCESHIELD Air	Neptune Blue	1524	18
122449	STEK FORCESHIELD Air	Shift Red Black	1524	18
123082	STEK FORCESHIELD Air	Silky Yellow Matt	1524	18
123083	STEK FORCESHIELD Air	Silver Matt	1524	18
122450	STEK FORCESHIELD Air	Titanium Grey	1524	18
122444	STEK FORCESHIELD Air	Ultramarine	1524	18
122451	STEK FORCESHIELD Air	Universal Black	1524	18
122452	STEK FORCESHIELD Air	Vampires Red	1524	18



EDGE

CUT SMARTER. INSTALL FASTER.

EDGE is STEK's official pre-cutting software, fully integrated with STEK ONE. Built for installers who demand speed, accuracy, and consistency.

VIEW THE RANGE ▶

Spicers
Creating Solutions Together

STEK

STEK FORMULA Car Care

- The STEK FORMULA Car Care range offers a comprehensive selection of professional products
- Products designed for vehicle cleaning, detailing, surface preparation, protection and PPF installation and maintenance
- From shampoos, waterless washes and specialist cleaners to quick detailers, finishing products, primers and installation solutions
- the range provides everything needed to achieve a clean, polished and professional finish
- Ideal for automotive detailers, PPF installers and vehicle enthusiasts



See how the full **STEK FORMULA Car Care** range works together to help you install, protect and maintain your PPF with confidence.

CLICK or SCAN





STEK FORMULA Foam

Foam is a high-pH alkaline snow foam engineered for deep, thorough cleaning. It breaks down thick road grime, brake dust, tyre browning, and other built-up contaminants that standard shampoos can't remove. Despite its strength, it remains safe for use on all modern vehicle finishes.

Code	Description	Volume (ml)
122398	Foam Bath	500

ORDER NOW

STEK FORMULA Shampoo

Shampoo is designed for coated and vinyl or PPF wrapped surfaces, offering a balanced blend of cleaning strength and surface care. Its pH neutral formula and ultra slick feel ensure safe washing without removing protective layers.

Code	Description	Volume (ml)
122410	Shampoo Bath	500

ORDER NOW



STEK FORMULA Bug & Tar

Bug is a high pH cleaner enhanced with natural enzymes to dissolve bug splatter, insect residue, and protein based stains. Safe for use on coatings, paint, PPF, and trim, it works at a molecular level to lift organic contaminants with ease.

Code	Description	Volume (ml)
121803	Bug and Tar	500

ORDER NOW



STEK FORMULA Iron

Iron is a fast acting remover that dissolves embedded brake dust and iron particles on contact. Safe for use on paint, PPF, ceramic coatings, vinyl, and wheels, it changes colour as it works, revealing contamination breakdown in real time.

Code	Description	Volume (ml)
122402	Iron	500

ORDER NOW




STEK FORMULA Prep

Prep (formerly OG - Oil & Grease) is a silicone free cleaner formulated to remove oils, waxes, and residues for a flawless coating or film application. Its advanced alcohol blend provides strong cleaning performance without risking damage to PPF or vinyl surfaces.

Code	Description	Volume (ml)
122405	Prep	500

ORDER NOW



STEK FORMULA X-Oil

X-Oil is a professional grade oil film remover for glass surfaces. Infused with fine micro abrasives, it polishes away bonded oil and stubborn contaminants that reduce clarity and visibility. Ideal for use before applying glass coatings, tint, or film, it restores a clean surface and enhances wiper performance.

Code	Description	Volume (ml)
122413	X-Oil	100

ORDER NOW



STEK FORMULA Interior Detailer

Interior Detailer restores a clean, factory fresh appearance to interior surfaces. It lifts dust, fingerprints, and smudges with ease, leaving behind a smooth, low sheen finish free from residue or grease.

Code	Description	Volume (ml)
122401	Interior	500

ORDER NOW



STEK FORMULA Paint Cleanse

Paint Cleanse is an ultra fine polish designed to refine and prepare delicate surfaces such as PPF and vinyl wraps. It removes haze, stains, and light residue without affecting gloss, texture, or clarity. Free from silicones, waxes, and fillers, it leaves a clean, coating ready finish.

Code	Description	Volume (ml)
122406	Paint Cleanse	500

ORDER NOW



STEK FORMULA Install Gel

Installation Gel is a high-viscosity formula designed for precision film work. Unlike water-heavy slip solutions, it clings to panels for longer working time and more accurate placement. Ideal for PPF and windshield film applications, it helps prevent stop lines and uneven drying during installation.

Code	Description	Volume (ml)
122400	Install Gel	4000

ORDER NOW



STEK FORMULA Slip-Tac

Slip-Tac is a concentrated slip solution designed to make film installation smoother, cleaner, and safer. It creates a slick surface that allows precise positioning of PPF and vinyl wraps without grabbing or stretching.

Code	Description	Volume (ml)
122412	Slip-Tac	500

ORDER NOW



STEK FORMULA DYNO Finish

DYNO Finish is an advanced ceramic spray coating infused with polysilazane for durable, high gloss protection. Its oil based formulation bonds deeply to the surface, boosting hydrophobicity and lasting performance. Suitable for paint, trim, glass, and PPF, it delivers a professional finish in an easy spray and wipe process.

Code	Description	Volume (ml)
122397	DYNO Finish	300

ORDER NOW



STEK FORMULA Quick Detailer

Quick Detailer (formerly Shine) is your go to solution for fast, safe surface maintenance between washes. Designed for use on PPF and painted finishes, it removes light contaminants, enhances gloss, and restores slickness with just a few sprays.

Code	Description	Volume (ml)
122411	Quick Detail	500

ORDER NOW



STEK FORMULA Primer

Primer is a film installation aid that enhances adhesion in hard to bond areas during PPF installation. Its fast drying formula provides secure grip on edges and curves without affecting the rest of the panel.

Code	Description	Volume (ml)
122408	PPF Primer	500

ORDER NOW



STEK FORMULA Waterless Wash

Waterless Wash delivers a clean, glossy finish in one easy step with no hose, buckets, or rinsing required. It lifts light grime, dust, and road film while leaving behind a slick, protective layer.

Code	Description	Volume (ml)
122404	NO-H2O Waterless Wash	500

ORDER NOW



STEK PPF Compound Kit

STEK Compound Kit is a complete surface restoration and protection system for paint and PPF. It includes three core products - Compound Cut to remove swirl marks and defects, Compound Polish to refine gloss and remove residue, and Restoration Coating to seal and protect the corrected surface.

Code	Description	Sales Unit
122407	PPF Compound Kit	1 Pack

ORDER NOW



STEK FORMULA Final Coat

Final Coat is a high performance ceramic coating infused with Carbon Nanotube (CNT) technology to reinforce and extend the life of paint or film. It offers superior water repellency, chemical resistance, and gloss enhancement for premium results.

Code	Description	Volume (ml)
122396	Final Coat	30

ORDER NOW



STEK FORMULA Matt Medic

Matt Medic is a dedicated care solution for matt finishes, combining cleaning, protection, and maintenance in one step. Infused with nano abrasives and matt safe lubricants, it removes contaminants without affecting the original texture, leaving a clean, hydrophobic surface.

Code	Description	Volume (ml)
122403	Matt Medic	300

ORDER NOW

Cuts like a knife. Only better.

Get a line on the lineup of tapes that lets you do more.

Knifeless Tapes were inspired by the idea of never having to worry about surface damage when cutting any graphic film. Designed by graphics installers for graphics installers, Knifeless Tape gives new installers the opportunity to start trimming sooner, gaining confidence. And it takes experienced installers to the next level — increasing their speed and unleashing their creativity. What could be better than that?

3M.com/knifelesstape

3M™ Finish Line Knifeless Tape
KTS-FL1

Our #1 product set the new industry standard for finishing vehicle graphic installations without a blade.

- Easily cuts most vinyl wrap films
- Patented design turns easily in any direction to follow contours and curves
- For single or multiple vinyl layer applications

3M™ Design Line Knifeless Tape
KTS-DL1

Flexible tape and filament are engineered to easily create highly contoured designs and leave a sharp, clean edge.

- Create striping, accents and designs that rival using a knife or plotter
- Patented design stretches slightly and turns easily in any direction for one-of-a-kind works of art
- Tape can be broken with hands for faster application
- For single layer vinyl applications

VIEW THE RANGE



Knifeless Tape

3M™ Knifeless™ Design Line Tape

ORDER NOW

- 3M™ Knifeless™ Tape Design Line has a flexible tape and filament engineered to easily create highly contoured designs and leave a sharp, clean edge without using a knife
- 3.5mm wide tape
- Allows stretching, follows contours and turns easily in any direction
- Excellent for creating designs and stripes with no extra steps required to achieve a perfect cut
- Not to be used for wrapping

Material	Material Description	Width (mm)	Length (m)
168984	3M Knifeless Design Line Tape	4	50

3M™ Knifeless™ Finish Line Tape

ORDER NOW

- 3M™ Knifeless™ Tape Finish Line set the new industry standard for finishing vehicle graphic installations without using a blade
- 3.5mm wide tape
- For single or multiple vinyl layer applications
- Use for most wrap applications
- Conformable around bumpers, door handles, mirrors, etc


Material	Material Description	Width (mm)	Length (m)
168986	3M Knifeless Finish Line Tape	4	50

3M™ Knifeless™ Precision Line Tape


ORDER NOW

- 3M™ Knifeless™ Tape Precision Line is a revolutionary tool that gives even the most challenging film installations a sharp, clean edge
- 5mm wide tape
- Get a sharper line on tougher films
- Excellent for creating designs and stripes with no extra steps required to achieve a perfect cut
- Designed to be used with Paint Protection Films

Material	Material Description	Width (mm)	Length (m)
193763	3M Knifeless Precision Line Tape	5	50




TRANSIT APPLICATIONS



ORDER YOUR FAVOURITE PRODUCTS ONLINE
1300 132 644 | spicers.com.au | @spicersaus
Spicers
Creating Solutions Together







Cut Colour Vinyl



3M

AVERY DENNISON

GENERAL FORMULATIONS

imageperfect ANZ

NEKOOSA

TransferRite

r.tape

Cut Coloured Vinyl offers vibrant, durable colour options for signs, window graphics and vehicle wraps. Easy to cut and apply, it adheres seamlessly indoors or out for standout, lasting results.

ORDER YOUR FAVOURITE PRODUCTS ONLINE

1300 132 644 | spicers.com.au | @spicersaus

Spicers

Creating Solutions Together

951 Primrose Yellow Pantone 109C
903 Tomato Red
957 Cobalt Blue
929 Green Pantone 356C
901 Black

928-01 Bright Yellow Pantone 116C
950 Carmine Red
932 Indigo Blue
908 Kelly Green
921 Black Matt Pantone 426C

927-01 Sunflower Yellow
924 Dark Red
982 Antique Blue Pantone 534C
931 Emerald Green
992 Grey Metallic

902-01 Buttercup Yellow Pantone 1235C
923 Burgundy
963 Airforce Blue Pantone 5405C
945 Golf Green Pantone 3302C
990 Silver Metallic

904 Chrome Yellow Pantone 130C
959 Rioja Red Pantone 504C
912 Gentian Blue
916 Dark Green Pantone 3435C
991 Gold Metallic Pantone 4505C

937 Morning Orange Pantone 150C
986 Pink Pantone 214C
934 Vivid Blue Pantone 2945C
907 Light Green Pantone 362C
913 Ivory Pantone 4685C

938 Sweet Orange
947 Magenta Pantone 205C
941 Cosmos Blue Pantone 294C
956 Grass Green Pantone 359C
917 Taxi Beige

910 Dark Orange Pantone 166C
978 Light Purple Pantone 675C
964 Sea Blue Pantone 301C
967 Leaf Green Pantone 5747C
914 Cream Pantone 465C

911 Light Orange
948 Purple Pantone 260C
935 Intense Blue
985 Springtime Green
973 Mocha Pantone 464C

926 Sunrise Pantone 1665C
954 Lilac Pantone 512C
942 Light Blue Pantone 2925C
972-01 Lemon Pantone 605C
930 Wine Red

980 Spanish Orange
984 Dark Purple
943 Petrol Pantone 3165C
900 White
915 Mahogany Brown Pantone 4625C

906 Medium Red
969 Passion Blue Pantone 275C
971 Turquoise
920 White Matt
940 Transparent

925 Signal Red Pantone 485C
909 Sapphire Blue
944 Aqua
961 Pearl Grey

955 Cardinal Red
933 Midnight Blue Pantone 280C
946 Caribbean Aqua
960 Dove Grey Pantone Cool Grey 7C

987 Spicy Red
939 Royal Blue Pantone 288C
965 Mint Pantone 338C
918 Grey

981 Soft Red Pantone 1805C
968 Empire Blue Pantone 2758C
970 Bottle Green
983 Gunmetal Grey


922 Geranium Red
979 Swimming Blue Pantone 661C
966 Meadow Green
962 Storm Grey Pantone 446C

1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison® 900 Super Cast

ORDER NOW

- Avery Dennison 900 Super Cast is a 50ums premium, high-gloss cast vinyl with a clear, permanent solvent based acrylic adhesive
- Offers outstanding durability, dimensional stability and is resistance to UV light, humidity and chemicals
- Exceptional conformability makes it ideal for challenging and irregular surfaces
- Its high-gloss surface delivers a premium finish
- Ideal for vehicle and emergency fleet graphics, architectural and retail signage, marine and recreational vehicles, wayfinding & window graphics
- Durability: Up to 12 years (refer to specification sheet)



Material	Series	Colour	Width (mm)	Length (m)
454005	963	Airforce Blue	615	50
453915	963	Airforce Blue	1230	50
454022	982	Antique Blue	615	50
453931	982	Antique Blue	1230	50
453990	944	Aqua	615	50
453900	944	Aqua	1230	50
453853	901	Black	615	50
453846	901	Black	1230	50
454012	970	Bottle Green	615	50
453922	970	Bottle Green	1230	50
453975	928	Bright Yellow	615	50
453886	928	Bright Yellow	1230	50
453970	923	Burgundy Red	615	50
453881	923	Burgundy Red	1230	50
452886	902	Buttercup Yellow	615	50
453857	902	Buttercup Yellow	1230	50
453998	955	Cardinal Red	615	50
453908	955	Cardinal Red	1230	50
453992	946	Caribbean Aqua	615	50
453902	946	Caribbean Aqua	1230	50
453995	950	Carmine Red	615	50
453905	950	Carmine Red	615	50
453947	904	Chrome Yellow	615	50
453859	904	Chrome Yellow	1230	50
454000	957	Cobalt Blue	1230	50
453910	957	Cobalt Blue	615	50
453987	941	Cosmos Blue	615	50
453897	941	Cosmos Blue	1230	50
453956	914	Cream	1230	50
453868	914	Cream	615	50
453966	916	Dark Green	1230	50
453877	916	Dark Green	615	50

Premium Colour Films

Avery Dennison® 900 Super Cast

Material	Series	Colour	Width (mm)	Length (m)
453952	910	Dark Orange	1230	50
453864	910	Dark Orange	615	50
454024	984	Dark Purple	1230	50
453933	984	Dark Purple	615	50
453971	924	Dark Red	615	50
453882	924	Dark Red	1230	50
454002	960	Dove Grey	615	50
453912	960	Dove Grey	1230	50
453978	931	Emerald Green	1230	50
453889	931	Emerald Green	615	50
454010	968	Empire Blue	615	50
453920	968	Empire Blue	1230	50
453954	912	Gentian Blue	1230	50
453866	912	Gentian Blue	615	50
453969	922	Geranium Red	615	50
453880	922	Geranium Red	1230	50
454029	991	Gold - Metallic	380	50
453938	991	Gold - Metallic	1230	50
453991	945	Golf Green	615	50
453901	945	Golf Green	1230	50
453999	956	Grass Green	615	50
453909	956	Grass Green	1230	50
453976	929	Green	615	50
453887	929	Green	1230	50
453968	918	Grey	615	50
453879	918	Grey	1230	50
454030	992	Grey - Metallic	615	50
453939	992	Grey - Metallic	1230	50
454023	983	Gunmetal Grey	615	50
453932	983	Gunmetal Grey	1230	50
453979	932	Indigo Blue	615	50
453890	932	Indigo Blue	1230	50
453982	935	Intense Blue	615	50
453893	935	Intense Blue	1230	50
453955	913	Ivory	615	50
453867	913	Ivory	1230	50

Avery Dennison® 900 Super Cast

Material	Series	Colour	Width (mm)	Length (m)
453950	908	Kelly Green	615	50
453862	908	Kelly Green	1230	50
454009	967	Leaf Green	615	50
453919	967	Leaf Green	1230	50
454015	972	Lemon Yellow	615	50
453924	972	Lemon Yellow	1230	50
453988	942	Light Blue	615	50
453898	942	Light Blue	1230	50
453949	907	Light Green	615	50
453861	907	Light Green	1230	50
453953	911	Light Orange	615	50
453865	911	Light Orange	1230	50
454018	978	Light Purple	615	50
453927	978	Light Purple	1230	50
453997	954	Lilac	615	50
453907	954	Lilac	1230	50
453993	947	Magenta	615	50
453903	947	Magenta	1230	50
453964	915	Mahogany Brown	615	50
453875	915	Mahogany Brown	1230	50
453855	921	Matt Black	615	50
453848	921	Matt Black	1230	50
453854	920	Matt White	615	50
453847	920	Matt White	1230	50
454008	966	Meadow Green	615	50
453918	966	Meadow Green	1230	50
453948	906	Medium Red	615	50
453860	906	Medium Red	1230	50
453980	933	Midnight Blue	615	50
453891	933	Midnight Blue	1230	50
454007	965	Mint	615	50
453917	965	Mint	1230	50
454016	973	Mocha	615	50
453925	973	Mocha	1230	50
453983	937	Morning Orange	615	50
453894	937	Morning Orange	1230	50

Premium Colour Films

Avery Dennison® 900 Super Cast

Material	Series	Colour	Width (mm)	Length (m)
454011	969	Passion Blue	615	50
453921	969	Passion Blue	1230	50
454003	961	Pearl Grey	615	50
453913	961	Pearl Grey	1230	50
453989	943	Petrol	615	50
453899	943	Petrol	1230	50
454026	986	Pink	615	50
453935	986	Pink	1230	50
453996	951	Primrose Yellow	615	50
453906	951	Primrose Yellow	1230	50
453994	948	Purple	615	50
453904	948	Purple	1230	50
454001	959	Rioja Red	615	50
453911	959	Rioja Red	1230	50
453986	939	Royal Blue	615	50
453896	939	Royal Blue	1230	50
453951	909	Sapphire Blue	615	50
453863	909	Sapphire Blue	1230	50
454006	964	Sea Blue	615	50
453916	964	Sea Blue	1230	50
453972	925	Signal Red	615	50
453883	925	Signal Red	1230	50
454028	990	Silver - Metallic	615	50
453937	990	Silver - Metallic	1230	50
454021	981	Soft Red	615	50
453930	981	Soft Red	1230	50
454020	980	Spanish Orange	615	50
453929	980	Spanish Orange	1230	50
454027	987	Spicy Red	615	50
453936	987	Spicy Red	1230	50
454025	985	Springtime Green	615	50
453934	985	Springtime Green	1230	50
454004	962	Storm Grey	615	50
453914	962	Storm Grey	1230	50
453974	927	Sunflower Yellow	615	50
453885	927	Sunflower Yellow	1230	50
453973	926	Sunrise	615	50
453884	926	Sunrise	1230	50

Avery Dennison® 900 Super Cast

Material	Series	Colour	Width (mm)	Length (m)
453985	938	Sweet Orange	615	50
453895	938	Sweet Orange	1230	50
454019	979	Swimming Blue	615	50
453928	979	Swimming Blue	1230	50
453967	917	Taxi Beige	615	50
453878	917	Taxi Beige	1230	50
453946	903	Tomato Red	615	50
453858	903	Tomato Red	1230	50
453856	940	Transparent	615	50
453849	940	Transparent	1230	50
454013	971	Turquoise	615	50
453923	971	Turquoise	1230	50
453981	934	Vivid Blue	615	50
453892	934	Vivid Blue	1230	50
453957	91576	Warm Red	615	50
452883	900	White	615	50
452881	900	White	1230	50
453977	900	Wine Red	615	50
453888	900	Wine Red	1230	50



3M Science. Applied to Life.™

3M™ Opaque Graphic Films

3M™ Scotchcal™ ElectroCut™ Graphic Film Series 7125 and 7725
3M™ Controltac™ Graphic Film with Comply™ Adhesive Series 180mC

Unless noted, all colors shown are available in the above films.

VIEW THE RANGE

Transparent 114	Dove Gray 91	Beige 49	Burgundy 58	Lime Green 136	Dark Aqua 307	Dark Blue 397	Dark Blue Metallic 217
White 180mC-10 only	Dark Gray 41	Fawn 99	Terra Cotta 24	Apple Green 196	Robin Egg Blue 86	Wedgewood Blue 187	Bright Blue Metallic 227
White 7125-10 and 7725-10 only	Nimbus Gray 101	Magenta 103 PANTONE® 205 C	Red Orange 74	Kelly Green 46	Peacock Blue 77 PANTONE® 298 C	Shadow Blue 177	Petroleum Blue Metallic 247
Matte White 20	Duranodic 69	Process Magenta 273 PANTONE® 214 C	Bright Orange 14 PANTONE® Orange 021 C	Bright Green 186 PANTONE® 348 C	Soft Blue 97	Light Navy 197 PANTONE® 289 C	Satin Aluminum 120 PANTONE® 877 C
Antique White 90	Black 12 PANTONE® Process Black C	Perfect Match Red 263 PANTONE® 186 C	Apricot 64	Dark Green 56 PANTONE® 3425 C	Light Blue 107	Indigo 27 PANTONE® 2767 C	Slate Metallic 201
Pearl Gray 11 PANTONE® Cool Gray 2 C	Matte Black 22 PANTONE® Black C	Tomato Red 13 PANTONE® 1795 C	Light Orange 54	Bottle Green 276	Olympic Blue 57 PANTONE® 7461 C	Boat Blue 127	Charcoal Metallic 211
Light Gray 121	Deep Mahogany Brown 19 PANTONE® 4625 C	Atomic Red 293	Harvest Gold 105 PANTONE® 7510 C	Khaki Green 16	Persian Blue 117	Royal Purple 38	Chocolate Brown Metallic 239
Stone Gray 81	Russet Brown 29 PANTONE® 175 C	Geranium 63	Sunflower 25 PANTONE® 1235 C	Forest Green 66 PANTONE® 3302 C	Intense Blue 47 PANTONE® 301 C	Purple 48	Champagne Metallic 249
Medium Gray 31 PANTONE® Cool Gray 7 C	Tan 39	Cardinal Red 53	Bright Yellow 15 PANTONE® 109 C	Bermuda Blue 357 PANTONE® 323 C	Vivid Blue 17	Plum 78 PANTONE® 525 C	Satin Gold 131 PANTONE® 872 C
Mid Gray 61 PANTONE® Cool Gray 8 C	Putty 59	Imperial Red 93	Light Lemon Yellow 65	Teal 96 PANTONE® 322 C	Sapphire Blue 37 PANTONE® 2747 C	Dark Violet 98	Gold Metallic 241
Traffic Gray 151	Sandstone 89	Deep Red 23					Copper Metallic 229
							Steampunk Red Metallic 243

3M.com/opaquefilms

Colors shown on monitor and when printed are approximate representation of actual colors available.

Release A. APR. 2016
© 3M 2016. All rights reserved. 3M, Comply, Controltac, ElectroCut and Scotchcal are trademarks of 3M.
PANTONE is a registered trademark of PANTONE Inc. Please recycle. Printed in USA.
75-5100-3897-1

PANTONE®
Authorized PANTONE Partner

3M™ 180mC Series

ORDER NOW

- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Features non-visible air release channels for fast and easy, bubble-freegraphic installations
- Conforms to flat surfaces, with and without rivets, simple curves, compound curves and corrugations
- Indoor and outdoor graphics and signs, including point-of-purchase and displays
- Commercial vehicles, straight trucks, buses, rails cars, semi-trucks and semi-trailers, emblems or striping
- Transparent film colour 114 can be used for two-way emblems for windows, except on buses or other vehicles
- If we don't have a colour you want in your local branch, we will get it despatched from interstate at NO extra delivery charge
- Durability: Up to 8 years (refer to specification sheet)



Material	Series	Colour	Width (mm)	Length (m)
451179	180mC-446	Antique White	610	45.7
451098	180mC-90	Antique White	1220	45.7
451201	180mC-196	Apple Green	610	45.7
451119	180mC-196	Apple Green	1220	45.7
451169	180mC-64	Apricot	610	45.7
451087	180mC-64	Apricot	1220	45.7
451215	180mC-293	Atomic Red	610	45.7
451134	180mC-293	Atomic Red	1220	45.7
451160	180mC-49	Beige	610	45.7
451077	180mC-49	Beige	1220	45.7
451217	180mC-357	Bermuda Blue	610	45.7
451136	180mC-357	Bermuda Blue	1220	45.7
451139	180mC-12	Black	610	45.7
451056	180mC-12	Black	1220	45.7
451194	180mC-127	Boat Blue	610	45.7
451112	180mC-127	Boat Blue	1220	45.7
451133	180mC-276	Bottle Green	610	45.7
451214	180mC-276	Bottle Green	1220	45.7
451124	180mC-227	Bright Blue Metallic	610	45.7
451206	180mC-227	Bright Blue Metallic	1220	45.7
451199	180mC-186	Bright Green	610	45.7
451117	180mC-186	Bright Green	1220	45.7
451141	180mC-14	Bright Orange	610	45.7
451058	180mC-14	Bright Orange	1220	45.7
451142	180mC-15	Bright Yellow	610	45.7
451059	180mC-15	Bright Yellow	1220	45.7
451083	180mC-58	Burgundy	610	45.7
451165	180mC-58	Burgundy	1220	45.7
451078	180mC-53	Cardinal Red	610	45.7
451161	180mC-53	Cardinal Red	1220	45.7

Premium Colour Films

3M™ 180mC Series

Material	Series	Colour	Width (mm)	Length (m)
451129	180mC-249	Champagne Metallic	1220	45.7
451211	180mC-249	Champagne Metallic	610	45.7
451204	180mC-211	Charcoal Metallic	610	45.7
451122	180mC-211	Charcoal Metallic	1220	45.7
451207	180mC-239	Chocolate Brown Metallic	610	45.7
451125	180mC-239	Chocolate Brown Metallic	1220	45.7
450736	180mC-229	Copper Metallic	1220	45.7
450735	180mC-229	Copper Metallic	610	45.7
451216	180mC-307	Dark Aqua	610	45.7
451135	180mC-307	Dark Aqua	1220	45.7
451218	180mC-397	Dark Blue	610	45.7
451137	180mC-397	Dark Blue	1220	45.7
451205	180mC-217	Dark Blue Metallic	610	45.7
451123	180mC-217	Dark Blue Metallic	1220	45.7
451163	180mC-56	Dark Green	610	45.7
451080	180mC-56	Dark Green	1220	45.7
451156	180mC-41	Dark Grey	610	45.7
451073	180mC-41	Dark Grey	1220	45.7
451184	180mC-98	Dark Violet	610	45.7
451103	180mC-98	Dark Violet	1220	45.7
451062	180mC-19	Deep Mahogany Brown	1220	45.7
451145	180mC-19	Deep Mahogany Brown	610	45.7
451065	180mC-23	Deep Red	1220	45.7
451148	180mC-23	Deep Red	610	45.7
451180	180mC-91	Dove Grey	610	45.7
451099	180mC-91	Dove Grey	1220	45.7
451172	180mC-69	Duranodic	610	45.7
451090	180mC-69	Duranodic	1220	45.7
451185	180mC-99	Fawn	610	45.7
451104	180mC-99	Fawn	1220	45.7
451089	180mC-66	Forest Green	1220	45.7
451171	180mC-66	Forest Green	610	45.7
451086	180mC-63	Geranium	1220	45.7
451168	180mC-63	Geranium	610	45.7
451208	180mC-241	Gold Metallic	610	45.7
451126	180mC-241	Gold Metallic	1220	45.7
451188	180mC-105	Harvest Gold	610	45.7
451107	180mC-105	Harvest Gold	1220	45.7

3M™ 180mC Series

Material	Series	Colour	Width (mm)	Length (m)
451100	180mC-93	Imperial Red	1220	45.7
451181	180mC-93	Imperial Red	610	45.7
451151	180mC-27	Indigo	610	45.7
451068	180mC-27	Indigo	1220	45.7
451158	180mC-47	Intense Blue	610	45.7
451075	180mC-47	Intense Blue	1220	45.7
451157	180mC-46	Kelly Green	610	45.7
451074	180mC-46	Kelly Green	1220	45.7
451060	180mC-16	Khaki Green	1220	45.7
451143	180mC-16	Khaki Green	610	45.7
451189	180mC-107	Light Blue	610	45.7
451108	180mC-107	Light Blue	1220	45.7
451193	180mC-121	Light Grey	610	45.7
451111	180mC-121	Light Grey	1220	45.7
451088	180mC-65	Light Lemon Yellow	1220	45.7
451170	180mC-65	Light Lemon Yellow	610	45.7
451120	180mC-197	Light Navy	1220	45.7
451202	180mC-197	Light Navy	610	45.7
451162	180mC-54	Light Orange	610	45.7
451079	180mC-54	Light Orange	1220	45.7
451196	180mC-136	Lime Green	610	45.7
451114	180mC-136	Lime Green	1220	45.7
451187	180mC-103	Magenta	610	45.7
451106	180mC-103	Magenta	1220	45.7
451064	180mC-22	Matt Black	1220	45.7
451147	180mC-22	Matt Black	610	45.7
451146	180mC-20	Matt White	610	45.7
451063	180mC-20	Matt White	1220	45.7
450635	180mC-31	Medium Grey	1220	45.7
450636	180mC-31	Medium Grey	610	45.7
451085	180mC-61	Mid Grey	1220	45.7
451167	180mC-61	Mid Grey	610	45.7
451186	180mC-101	Nimbus Grey	610	45.7
451105	180mC-101	Nimbus Grey	1220	45.7
451164	180mC-57	Olympic Blue	610	45.7
451081	180mC-57	Olympic Blue	1220	45.7
451174	180mC-77	Peacock Blue	610	45.7
451092	180mC-77	Peacock Blue	1220	45.7

Premium Colour Films

3M™ 180mC Series

Material	Series	Colour	Width (mm)	Length (m)
451138	180mC-11	Pearl Grey	610	45.7
451055	180mC-11	Pearl Grey	1220	45.7
451131	180mC-263	Perfect Match Red	1220	45.7
451212	180mC-263	Perfect Match Red	610	45.7
451109	180mC-117	Persian Blue	1220	45.7
451191	180mC-117	Persian Blue	610	45.7
451128	180mC-247	Petroleum Blue Metallic	1220	45.7
451210	180mC-247	Petroleum Blue Metallic	610	45.7
451175	180mC-78	Plum	610	45.7
451093	180mC-78	Plum	1220	45.7
451132	180mC-273	Process Magenta	1220	45.7
451213	180mC-273	Process Magenta	610	45.7
451159	180mC-48	Purple	610	45.7
451076	180mC-48	Purple	1220	45.7
451166	180mC-59	Putty	610	45.7
451084	180mC-59	Putty	1220	45.7
451173	180mC-74	Red Orange	610	45.7
451091	180mC-74	Red Orange	1220	45.7
451177	180mC-86	Robin Egg Blue	610	45.7
451095	180mC-86	Robin Egg Blue	1220	45.7
451154	180mC-38	Royal Purple	610	45.7
451071	180mC-38	Royal Purple	1220	45.7
451152	180mC-29	Russet Brown	610	45.7
451069	180mC-29	Russet Brown	1220	45.7
451178	180mC-89	Sandstone	610	45.7
451097	180mC-89	Sandstone	1220	45.7
451153	180mC-37	Sapphire Blue	610	45.7
451070	180mC-37	Sapphire Blue	1220	45.7
451192	180mC-120	Satin Aluminium	610	45.7
451110	180mC-120	Satin Aluminium	1220	45.7
451195	180mC-131	Satin Gold	610	45.7
451113	180mC-131	Satin Gold	1220	45.7
451198	180mC-177	Shadow Blue	610	45.7
451116	180mC-177	Shadow Blue	1220	45.7
451121	180mC-201	Slate Metallic	1220	45.7
451203	180mC-201	Slate Metallic	610	45.7
451102	180mC-97	Soft Blue	1220	45.7
451183	180mC-97	Soft Blue	610	45.7

1300 132 644 info.mail@spicers.com.au spicers.com.au

3M™ 180mC Series

Material	Series	Colour	Width (mm)	Length (m)
451127	180mC-243	Steampunk Red Metallic	1220	45.7
451209	180mC-243	Steampunk Red Metallic	610	45.7
451094	180mC-81	Stone Grey	1220	45.7
451176	180mC-81	Stone Grey	610	45.7
451150	180mC-25	Sunflower	610	45.7
451067	180mC-25	Sunflower	1220	45.7
451072	180mC-39	Tan	1220	45.7
451101	180mC-96	Teal	1220	45.7
451182	180mC-96	Teal	610	45.7
451066	180mC-24	Terra Cotta	1220	45.7
451149	180mC-24	Terra Cotta	610	45.7
451140	180mC-13	Tomato Red	610	45.7
451057	180mC-13	Tomato Red	1220	45.7
451197	180mC-151	Traffic Grey	610	45.7
451115	180mC-151	Traffic Grey	1220	45.7
451190	180mC-114	Transparent	610	45.7
451061	180mC-17	Vivid Blue	1220	45.7
451144	180mC-17	Vivid Blue	610	45.7
451200	180mC-187	Wedgewood Blue	610	45.7
451118	180mC-187	Wedgewood Blue	1220	45.7
451053	180mC-10	White	1220	45.7
451054	180mC-10	White	610	45.7



807 Primrose Yellow
867 Deep Purple
869 Intense Blue
830 White Matt
886 Cool Grey

839 Bright Yellow
873 Magenta
809 Ocean Blue
857 Ivory
886-01 Mouse Grey

855-01 Yellow
815 Cyclamen
877 Bright Blue
861 Cream
845 Mist

806-01 Sunflower Yellow
868 Purple
832 Light Blue
819 Beige
859 Light Grey

856-01 Dark Yellow
817 Violet
831 Turquoise
883 Hazelnut Brown
840 Transparent

862-01 Signal Yellow
824 Cobalt Blue
842 Teal
863 Dark Burgundy
836 Gold Metallic

860-01 Corn Yellow
824-01 Deep Blue
811 Forest Green
818 Chocolate Brown
898 Bright Gold Metallic

866-01 Light Orange
823 Dark Blue
878 Leaf Green
880-01 Brown
897 Bronze Metallic

848-02 Bright Orange
853 Royal Blue
834 Kelly Green
818-01 Safari Brown Matt
835 Silver Metallic

837-01 Bright Red
876 Navy Blue
854 Green
821 Black Matt
835-01 Silver Metallic Matt

826-01 Medium Red
847 Marine Blue
812 Cactus Green
801 Black
891 Silver Grey Metallic

850 Tomato Red
851 Vivid Blue
879 Bright Green
881 Dark Grey
892 Light Grey Metallic

849 Geranium Red
852 Sapphire Blue
813 Grass Green
881-01 Dark Grey Matt
893 Charcoal Metallic

803 Cherry Red
875 Standard Blue
814 Lime
820 Grey
894 Dark Grey Metallic

864 Red
874 Brilliant Blue
814-01 Wasabi Green
885 Cloud Grey
846 Grey Metallic

858 Dark Red
808 Cosmos Blue
800 White
825 Medium Grey
895 Dark Argent Metallic

802 Burgundy Red
841 Scuba Blue
800-01 Off White
844 Dove Grey
896 Black Metallic

* The colours displayed are representative of the vinyl colour but may slightly vary from actual material. Vinyl Colour Cards are available from your Spicers sales representative or branch.

● Also available in Easy Apply™ technology

1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison®
800 Premium Cast Easy Apply

ORDER NOW

- Avery Dennison 800 Easy Apply is a premium cast vinyl film engineered for high performance signage, lettering and vehicle graphics
- Combining excellent cutting and weeding characteristics, outstanding dimensional stability and long term outdoor durability
- It delivers reliable results for applications where appearance and performance matter
- Designed for use on flat, curved and corrugated surfaces, the cast construction ensures a smooth finish and exceptional conformity
- Durability: Up to 10 years (refer to specification sheet)


OUTDOOR APPLICATIONS · INDOOR APPLICATIONS · SELF ADHESIVE · SALE POINT OF SALE · ROLLS

Material	Series	Colour	Width (mm)	Length (m)
455520	801	Black	615	50
455517	801	Black	1230	50
455535	896	Black Metallic	1230	50
455542	839	Bright Yellow	615	50
455528	839	Bright Yellow	1230	50
455533	877	Brilliant Blue	1230	50
455536	803	Cherry Red	615	50
455522	803	Cherry Red	1230	50
455537	808	Cosmos Blue	615	50
455523	808	Cosmos Blue	1230	50
455534	881	Dark Grey	1230	50
455541	836	Gold - Metallic	615	50
455527	836	Gold - Metallic	1230	50
455538	813	Grass Green	615	50
455524	813	Grass Green	1230	50
455539	820	Grey	615	50
455525	820	Grey	1230	50
455543	846	Grey - Metallic	615	50
455529	846	Grey - Metallic	1230	50
455521	821	Matt Black	615	50
455518	821	Matt Black	1230	50
455532	876	Navy Blue	1230	50
455545	852	Sapphire Blue	615	50
455531	852	Sapphire Blue	1230	50
455540	835	Silver - Metallic	615	50
455526	835	Silver - Metallic	1230	50
455544	850	Tomato Red	615	50
455530	850	Tomato Red	1230	50
455519	800	White	615	50
455516	800	White	1230	50

Avery Dennison® 800 Premium Cast

ORDER NOW

- Avery Dennison 800 Premium Cast is a 50ms high-performance cast vinyl with a clear, permanent solvent based acrylic adhesive
- Offering excellent dimensional stability, conformability and outdoor durability
- Excellent conformability on curved and corrugated surfaces
- Excellent lay flatness and stability during cutting and weeding
- High gloss for superior appearance
- Suitable for applications such as vehicle and marine craft graphics (above the static water line), advertising, promotional window displays and retail signage
- Durability: Up to 10 years (refer to specification sheet)



Material	Series	Colour	Width (mm)	Length (m)
453782	819	Beige	615	50
453694	819	Beige	1230	50
453676	801	Black	615	50
453677	821	Black	615	50
453670	801	Black	1230	50
453671	821	Black	1230	50
453843	896	Black - Metallic	615	50
453755	896	Black - Metallic	1230	50
453828	877	Bright Blue	615	50
453740	877	Bright Blue	1230	50
453845	898	Bright Gold - Metallic	615	50
453757	898	Bright Gold - Metallic	1230	50
453830	879	Bright Green	615	50
453742	879	Bright Green	1230	50
453802	848	Bright Orange	615	50
453715	848	Bright Orange	1230	50
453794	837	Bright Red	615	50
453707	837	Bright Red	1230	50
453795	839	Bright Yellow	615	50
453708	839	Bright Yellow	1230	50
453825	874	Brilliant Blue	615	50
453737	874	Brilliant Blue	1230	50
453844	897	Bronze - Metallic	615	50
453756	897	Bronze - Metallic	1230	50
453767	802	Burgundy Red	615	50
452878	802	Burgundy Red	1230	50
453774	812	Cactus Green	615	50
453686	812	Cactus Green	1230	50
453840	893	Charcoal - Metallic	615	50
453752	893	Charcoal - Metallic	1230	50
453768	803	Cherry Red	615	50
453680	803	Cherry Red	1230	50

Premium Colour Films

Material	Series	Colour	Width (mm)	Length (m)
453781	818	Chocolate Brown	615	50
453693	818	Chocolate Brown	1230	50
453835	885	Cloud Grey	615	50
453747	885	Cloud Grey	1230	50
453786	824	Cobalt Blue	615	50
453698	824	Cobalt Blue	1230	50
453837	886	Cool Grey	615	50
453749	886	Cool Grey	1230	50
453814	860	Corn Yellow	615	50
453727	860	Corn Yellow	1230	50
453771	808	Cosmos Blue	615	50
453683	808	Cosmos Blue	1230	50
453815	861	Cream	615	50
453728	861	Cream	1230	50
453778	815	Cyclamen	615	50
453690	815	Cyclamen	1230	50
453842	895	Dark Argent - Metallic	615	50
453754	895	Dark Argent - Metallic	1230	50
453784	823	Dark Blue	615	50
453696	823	Dark Blue	1230	50
453817	863	Dark Burgundy	615	50
453730	863	Dark Burgundy	1230	50
453833	881	Dark Grey	615	50
453832	88101	Dark Grey	615	50
453744	88101	Dark Grey	1230	50
453745	881	Dark Grey	1230	50
453841	894	Dark Grey - Metallic	615	50
453753	894	Dark Grey - Metallic	1230	50
453812	858	Dark Red	615	50
453725	858	Dark Red	1230	50
453810	85601	Dark Yellow	615	50
453723	85601	Dark Yellow	1230	50
453785	82401	Deep Blue	615	50
453697	82401	Deep Blue	1230	50
453821	867	Deep Purple	615	50
453733	867	Deep Purple	1230	50
453798	844	Dove Grey	615	50
453711	844	Dove Grey	1230	50
453773	811	Forest Green	615	50
453685	811	Forest Green	1230	50

Premium Colour Films

Avery Dennison® 800 Premium Cast

Material	Series	Colour	Width (mm)	Length (m)
453803	849	Geranium Red	615	50
453716	849	Geranium Red	1230	50
453793	836	Gold - Metallic	615	50
453706	836	Gold - Metallic	1230	50
453775	813	Grass Green	615	50
453687	813	Grass Green	1230	50
453808	854	Green	615	50
453721	854	Green	1230	50
453783	820	Grey	615	50
453695	820	Grey	1230	50
453800	846	Grey - Metallic	615	50
453713	846	Grey - Metallic	1230	50
453834	883	Hazelnut Brown	615	50
453746	883	Hazelnut Brown	1230	50
453823	869	Intense Blue	615	50
453735	869	Intense Blue	1230	50
453811	857	Ivory	615	50
453724	857	Ivory	1230	50
453791	834	Kelly Green	615	50
453703	834	Kelly Green	1230	50
453829	878	Leaf Green	615	50
453741	878	Leaf Green	1230	50
453790	832	Light Blue	615	50
453702	832	Light Blue	1230	50
453813	859	Light Grey	615	50
453813	859	Light Grey	1230	50
453839	892	Light Grey - Metallic	615	50
453751	892	Light Grey - Metallic	1230	50
453751	86601	Light Orange	615	50
453732	86601	Light Orange	1230	50
453777	814	Lime	615	50
453777	814	Lime	1230	50
453824	873	Magenta	615	50
453736	873	Magenta	1230	50
453801	847	Marine Blue	615	50
453714	847	Marine Blue	1230	50
453678	830	Matt White	615	50
453672	830	Matt White	1230	50
453787	825	Medium Grey	615	50
453699	825	Medium Grey	1230	50

Avery Dennison® 800 Premium Cast

Material	Series	Colour	Width (mm)	Length (m)
453788	826	Medium Red	615	50
453700	826	Medium Red	1230	50
453799	845	Mist Grey	615	50
453712	845	Mist Grey	1230	50
453836	88601	Mouse Grey	615	50
453748	88601	Mouse Grey	1230	50
453827	876	Navy Blue	615	50
453739	876	Navy Blue	1230	50
453772	809	Ocean Blue	615	50
453684	809	Ocean Blue	1230	50
452877	80001	Off White	615	50
452875	80001	Off White	1230	50
453770	807	Primrose Yellow	615	50
453682	807	Primrose Yellow	1230	50
453822	868	Purple	615	50
453734	868	Purple	1230	50
453818	864	Red	615	50
453731	864	Red	1230	50
453807	853	Royal Blue	615	50
453720	853	Royal Blue	1230	50
453780	81801	Safari Brown	615	50
453692	81801	Safari Brown	1230	50
453806	852	Sapphire Blue	615	50
453719	852	Sapphire Blue	1230	50
453796	841	Scuba Blue	615	50
453709	841	Scuba Blue	1230	50
453816	862	Signal Yellow	615	50
453729	862	Signal Yellow	1230	50
453766	83501	Silver - Metallic	615	50
453792	835	Silver - Metallic	615	50
453705	835	Silver - Metallic	1230	50
453704	83501	Silver - Metallic	1230	50
453838	891	Silver Grey - Metallic	615	50
453750	891	Silver Grey - Metallic	1230	50
453826	875	Standard Blue	615	50
453738	875	Standard Blue	1230	50
453769	806	Sunflower Yellow	615	50
453681	806	Sunflower Yellow	1230	50
453797	842	Teal	615	50
453710	842	Teal	1230	50

Premium Colour Films

Avery Dennison® 800 Premium Cast

Material	Series	Colour	Width (mm)	Length (m)
453804	850	Tomato Red	615	50
453717	850	Tomato Red	1230	50
453679	840	Transparent	615	50
453673	840	Transparent	1230	50
453789	831	Turquoise	615	50
453701	831	Turquoise	1230	50
453779	817	Violet	615	50
453691	817	Violet	1230	50
453805	851	Vivid Blue	615	50
453718	851	Vivid Blue	1230	50
453819	865	Warm Red	615	50
453776	81401	Wasabi Green	615	50
453688	81401	Wasabi Green	1230	50
453675	800	White	615	50
453669	800	White	1230	50
453809	85501	Yellow	615	50
453722	85501	Yellow	1230	50
453831	88001	Dark brown	615	50



1300 132 644 info.mail@spicers.com.au spicers.com.au

3M™ 7725 Series

ORDER NOW

- High gloss, premium cast vinyl with clear pressure sensitive, permanent and transparent synthetic liner
- Lays flat for easier assembly of multi-colour graphics
- Superior cutting as small as 0.25 inch (0.64 cm) and weeding
- Same colour on both sides, allowing application to both sides of transparent surfaces
- For flat rigid or simple curved surfaces
- For electronic cutting, thermal transfer printing and screen printing
- If we don't have a colour you want in your local branch, we will get it despatched from interstate at NO extra delivery charge
- Durability: Up to 8 years (refer to specification sheet)

OUTDOOR APPLICATIONS · VEHICLE WRAP · SELF ADHESIVE

Material	Series	Colour	Width (mm)	Length (m)
450364	7725-90	Antique White	610	45.7
450626	7725-90	Antique White	1220	45.7
400032	7725-196	Apple Green	1220	45.7
450766	7725-64	Apricot	1220	45.7
450765	7725-64	Apricot	610	45.7
450779	7725-176	Aqua	610	45.7
400881	7725-293	Atomic Red	1220	45.7
400905	7725-293	Atomic Red	610	45.7
450756	7725-49	Beige	1220	45.7
450755	7725-49	Beige	610	45.7
450775	7725-357	Bermuda Blue	610	45.7
450776	7725-357	Bermuda Blue	1220	45.7
400050	7725-12	Black	1220	45.7
400010	7725-12	Black	610	45.7
400893	7725-127	Boat Blue	610	45.7
400871	7725-127	Boat Blue	1220	45.7
450772	7725-276	Bottle Green	1220	45.7
450771	7725-276	Bottle Green	610	45.7
400899	7725-227	Bright Blue Metallic	610	45.7
400875	7725-227	Bright Blue Metallic	1220	45.7
400031	7725-186	Bright Green	1220	45.7
400030	7725-186	Bright Green	610	45.7
400045	7725-14	Bright Orange	1220	45.7
400016	7725-14	Bright Orange	610	45.7
450346	7725-15	Bright Yellow	610	45.7
450345	7725-15	Bright Yellow	1220	45.7
400027	7725-58	Burgundy	610	45.7
400034	7725-58	Burgundy	1220	45.7
400038	7725-53	Cardinal Red	1220	45.7
400023	7725-53	Cardinal Red	610	45.7
400903	7725-249	Champagne Metallic	610	45.7
400879	7725-249	Champagne Metallic	1220	45.7

Premium Colour Films

3M™ 7725 Series

Material	Series	Colour	Width (mm)	Length (m)
451742	7725-211	Charcoal Metallic	1220	45.7
400897	7725-211	Charcoal Metallic	610	45.7
400900	7725-239	Chocolate Brown Metallic	610	45.7
400876	7725-239	Chocolate Brown Metallic	1220	45.7
450778	7725-307	Dark Aqua	1220	45.7
450777	7725-307	Dark Aqua	610	45.7
451564	7725-397	Dark Blue	1220	45.7
451565	7725-397	Dark Blue	610	45.7
400898	7725-217	Dark Blue Metallic	610	45.7
400874	7725-217	Dark Blue Metallic	1220	45.7
400036	7725-56	Dark Green	1220	45.7
400025	7725-56	Dark Green	610	45.7
400041	7725-41	Dark Grey	1220	45.7
400020	7725-41	Dark Grey	610	45.7
450791	7725-98	Dark Violet	610	45.7
450792	7725-98	Dark Violet	1220	45.7
450742	7725-19	Deep Mahogany Brown	1220	45.7
450741	7725-19	Deep Mahogany Brown	610	45.7
400309	7725-23	Deep Red	1220	45.7
450365	7725-23	Deep Red	610	45.7
400910	7725-91	Dove Grey	610	45.7
400886	7725-91	Dove Grey	1220	45.7
450739	7725-130	Eggshell	610	45.7
450754	7725-99	Fawn	1220	45.7
450753	7725-99	Fawn	610	45.7
450773	7725-66	Forest Green	610	45.7
450774	7725-66	Forest Green	1220	45.7
400033	7725-63	Geranium	1220	45.7
400028	7725-63	Geranium	610	45.7
400877	7725-241	Gold Metallic	1220	45.7
400901	7725-241	Gold Metallic	610	45.7
450768	7725-105	Harvest Gold	1220	45.7
450767	7725-105	Harvest Gold	610	45.7
400887	7725-93	Imperial Red	1220	45.7
400911	7725-93	Imperial Red	610	45.7
400880	7725-27	Indigo	1220	45.7
450537	7725-27	Indigo	610	45.7

1300 132 644 info.mail@spicers.com.au spicers.com.au

3M™ 7725 Series

Material	Series	Colour	Width (mm)	Length (m)
400022	7725-47	Intense Blue	610	45.7
400039	7725-47	Intense Blue	1220	45.7
400021	7725-46	Kelly Green	610	45.7
400040	7725-46	Kelly Green	1220	45.7
400895	7725-16	Khaki Green	610	45.7
400872	7725-16	Khaki Green	1220	45.7
400868	7725-107	Light Blue	1220	45.7
400890	7725-107	Light Blue	610	45.7
400892	7725-121	Light Grey	610	45.7
400870	7725-121	Light Grey	1220	45.7
400883	7725-65	Light Lemon Yellow	1220	45.7
400907	7725-65	Light Lemon Yellow	610	45.7
450308	7725-197	Light Navy	1220	45.7
450324	7725-197	Light Navy	610	45.7
400024	7725-54	Light Orange	610	45.7
400037	7725-54	Light Orange	1220	45.7
451560	7725-136	Lime Green	610	45.7
451559	7725-136	Lime Green	1220	45.7
450759	7725-103	Magenta	610	45.7
450760	7725-103	Magenta	1220	45.7
450349	7725-22	Matt Black	1220	45.7
450350	7725-22	Matt Black	610	45.7
400012	7725-20	Matt White	610	45.7
400049	7725-20	Matt White	1220	45.7
450757	7725-193	Mauve	610	45.7
400018	7725-31	Medium Grey	610	45.7
400043	7725-31	Medium Grey	1220	45.7
400882	7725-61	Mid Grey	1220	45.7
400906	7725-61	Mid Grey	610	45.7
400867	7725-101	Nimbus Grey	1220	45.7
400889	7725-101	Nimbus Grey	610	45.7
400035	7725-57	Olympic Blue	1220	45.7
400026	7725-57	Olympic Blue	610	45.7
450781	7725-77	Peacock Blue	610	45.7
450782	7725-77	Peacock Blue	1220	45.7
450343	7725-11	Pearl Grey	1220	45.7
450344	7725-11	Pearl Grey	610	45.7

Premium Colour Films

3M™ 7725 Series

Material	Series	Colour	Width (mm)	Length (m)
450762	7725-263	Perfect Match Red	610	45.7
450651	7725-263	Perfect Match Red	1220	45.7
400891	7725-117	Persian Blue	610	45.7
400869	7725-117	Persian Blue	1220	45.7
400908	7725-78	Plum	610	45.7
400884	7725-78	Plum	1220	45.7
450761	7725-273	Process Magenta	610	45.7
450652	7725-273	Process Magenta	1220	45.7
450789	7725-48	Purple	610	45.7
450790	7725-48	Purple	1220	45.7
450749	7725-59	Putty	610	45.7
450750	7725-59	Putty	1220	45.7
451280	7725-74	Red Orange	1220	45.7
400913	7725-74	Red Orange	610	45.7
450783	7725-86	Robin Egg Blue	610	45.7
450784	7725-86	Robin Egg Blue	1220	45.7
450629	7725-38	Royal Purple	610	45.7
450625	7725-38	Royal Purple	1220	45.7
450743	7725-29	Russet Brown	610	45.7
450744	7725-29	Russet Brown	1220	45.7
450747	7725-139	Saddle Brown	610	45.7
450751	7725-89	Sandstone	610	45.7
450752	7725-89	Sandstone	1220	45.7
400042	7725-37	Sapphire Blue	1220	45.7
400019	7725-37	Sapphire Blue	610	45.7
400048	7725-120	Satin Aluminium	1220	45.7
400013	7725-120	Satin Aluminium	610	45.7
400029	7725-196	Satin Apple Green	610	45.7
400046	7725-131	Satin Gold	1220	45.7
400015	7725-131	Satin Gold	610	45.7
450787	7725-177	Shadow Blue	610	45.7
450788	7725-177	Shadow Blue	1220	45.7
400896	7725-201	Slate Metallic	610	45.7
451743	7725-201	Slate Metallic	1220	45.7
400912	7725-97	Soft Blue	610	45.7
400902	7725-243	Steampunk Red Metallic	610	45.7
400878	7725-243	Steampunk Red Metallic	1220	45.7
400909	7725-81	Stone Grey	610	45.7
400885	7725-81	Stone Grey	1220	45.7

3M™ 7725 Series

Material	Series	Colour	Width (mm)	Length (m)
400044	7725-25	Sunflower Yellow	1220	45.7
400017	7725-25	Sunflower Yellow	610	45.7
450745	7725-39	Tan	610	45.7
450746	7725-39	Tan	1220	45.7
450326	7725-96	Teal	610	45.7
450325	7725-96	Teal	1220	45.7
450764	7725-24	Terra Cotta	1220	45.7
450763	7725-24	Terra Cotta	610	45.7
400014	7725-13	Tomato Red	610	45.7
400047	7725-13	Tomato Red	1220	45.7
451666	7725-151	Traffic Grey	1220	45.7
400894	7725-151	Traffic Grey	610	45.7
450367	7725-114	Transparent	610	45.7
450793	7725-88	Violet	610	45.7
450769	7725-85	Vista Yellow	610	45.7
450347	7725-17	Vivid Blue	1220	45.7
450348	7725-17	Vivid Blue	610	45.7
450786	7725-187	Wedgewood Blue	1220	45.7
450785	7725-187	Wedgewood Blue	610	45.7
400011	7725-10	White	610	45.7
400003	7725-10	White	1220	45.7







Avery Dennison®
XL Metallic Film

ORDER NOW

- Avery Dennison XL Metallic Films are 50ums premium cast vinyls with a permanent, solvent-based acrylic adhesive
- Brilliant metallic effects
- Outstanding durability and outdoor performance
- Superior conformability to irregular substrates
- Gloss finish and excellent colour uniformity
- Excellent conversion properties on computerised cutters, Easy cutting & weeding
- Excellent UV, temperature, humidity and salt-spray resistance
- Durability: Up to 7 years (refer to specification sheet)

OUTDOOR APPLICATIONS · INDOOR APPLICATIONS · EXHIBITION PANELS · ROLLS · SELF ADHESIVE · ECO SOLVENT MEDIA · UV MEDIA · LATEX MEDIA

Material	Series	Colour	Width (mm)	Length (m)
453106	3713	Bright Gold	610	45.7
453100	3713	Bright Gold	1220	45.7
453108	7708	Dark Charcoal	610	45.7
453103	7708	Dark Charcoal	1220	45.7
453107	3717	Light Gold	610	45.7
453101	3717	Light Gold	1220	45.7
454046	5701	Silver	610	45.7
453102	5701	Silver	1220	45.7
453110	7746	Bright Blue	610	45.7
453105	7746	Bright Blue	1220	45.7
452853	20503	Royal Blue	610	45.7
453099	20503	Royal Blue	1220	45.7
453111	7770	Hunter Green	610	45.7
452851	7770	Hunter Green	1220	45.7
453109	7740	Autumn Maple	610	45.7
453104	7740	Autumn Maple	1220	45.7


Bright Gold


Dark Charcoal


Light Gold


Silver


Hunter Green


Bright Blue


Royal Blue


Autumn Maple

* The colours displayed are representative of the vinyl colour but may slightly vary from actual material.

Avery Dennison®
Cast Ultra Metallic Film

ORDER NOW


- Avery Dennison Ultimate Cast Ultra Metallic are 50ums brilliant metallic, flexible, opaque vinyl films with a grey, permanent acrylic based adhesive
- Excellent conformability on flat and simply curved surfaces
- Ideal for both interior and exterior applications
- Suitable for applications such as decorations, vehicle marking, promotional, striping, lettering and numbering
- High gloss for superior appearance
- Excellent layflatness and stability during cutting and weeding
- Durability: Up to 7 years (refer to specification sheet)

OUTDOOR APPLICATIONS · INDOOR APPLICATIONS · ROLLS · SELF ADHESIVE

Material	Series	Colour	Width (mm)	Length (m)
453088	5788	Blue	610	45.7
453085	5788	Blue	1220	45.7
453086	5779	Gold	610	45.7
453083	5779	Gold	1220	45.7
453087	5781	Red	610	45.7
453084	5781	Red	1220	45.7
452848	5777	Silver	610	45.7
452846	5777	Silver	1220	45.7



Gold



Red



Blue



Silver

* The colours displayed are representative of the vinyl colour but may slightly vary from actual material.

707 PF Primrose Yellow

739 PF Bright Yellow

706 PF Sunflower Yellow

706-03 PF Sun Yellow

704 PF Signal Yellow

760-02 PF Orange Yellow

704-05 PF New Signal Yellow

710 PF Gold Yellow

764 PF Saffron

722-01 PF Dutch Orange
RAL: 2008

738-05 PF Signal Orange

705 PF Orange

738-02 PF Fire Orange
RAL: 2009

743 PF Deep Red

748-02 PF Tomato Red

737 PF Bright Red
RAL: 3028

726 PF Medium Red
RAL: 3028

765 PF Blood Red

749 PF Cardinal Red
RAL: 3028

765-02 PF Spicy Red

763-02 PF Regal Red

749-01 PF Crimson Red

703 PF Cherry Red

771-02 PF Lipstick Red

750 PF Apple Red

770 PF Red

770-05 PF Signal Red

767 PF Dark Red

778 PF Wine Red
RAL: 3003

702 PF Burgundy Red

716-05 PF Pink Cora

715-01 PF Cyclamen

773-02 PF Telemagenta
RAL: 4010

717 PF Violet

732 PF Light Blue

784 PF Sky Blue

782-02 PF Pastel Blue

709-03 PF Euro Blue

709 PF Ocean Blue

751 PF Azure Blue

741 PF Scuba Blue

708 PF Cosmos Blue

752 PF Ultramarine Blue

733-02 PF Blue

795 PF Delft Blue

794-05 PF Signal Blue

793 PF Classic Blue

794 PF Middle Blue
RAL: 5002

785 PF King Blue

754 PF Royal Blue
RAL: 5002

792 PF Midnight Blue

747 PF Marine Blue

789-02 PF Ink Blue

791-02 PF Deep Blue

723 PF Dark Blue

783 PF Scandinavia Blue

724 PF Cobalt Blue

724-02 PF Alfa Blue

788-02 PF Black Blue
RAL: 5004

742-02 PF Teal

731-02 PF Turquoise

798-02 PF Petrol

711 PF Forest Green

757-02 PF Olive Green

781-02 PF Emerald

734 PF Kelly Green

756-02 PF Green

756-05 PF Signal Green

755-02 PF Light Green

713 PF Grass Green

714-06 PF Lime Tree Green

714-08 PF Lime

714-07 PF Green Yellow

745 PF Mist

745-03 PF Pale Grey

744-03 PF Dove Grey

725 PF Medium Grey

744-01 PF Tele Grey

720 PF Grey

759 PF Dark Grey

759-03 PF Traffic Grey

759-04 PF Komatsu Grey
RAL: 7021

746 PF Grey Metallic

735 PF Silver Metallic

735-01 PF Silver

736 PF Gold Metallic

736-01 PF Copper Metallic

758-05 PF Ivory

758-04 PF Light Ivory
RAL: 1015

718 PF Chocolate Brown

762-02 PF Dark Brown

740 PF Transparent

700 PF White

701 PF Black

721 PF Black Matt

730 PF White Matt

707-05 PF Pastel Yellow Matt

705-05 PF Pastel Orange Matt

706-05 PF Sun Yellow Matt

703-05 PF Cherry Red Matt

716-07 PF Pastel Pink Matt

773-05 PF Telemagenta Matt

798-05 PF Petrol Joyce Matt

724-05 PF Colbalt Blue Matt

729-05 PF Pastel Blue Matt

782-05 PF Pastel Mint Matt

742-05 PF Pastel Tiffany Matt

755-05 PF Pastel Green Matt

759-07 PF Traffic Grey Matt

721-05 PF Anthracite Matt

• Also available in Easy Apply™ technology

AVERY DENNISON

* The colours displayed are representative of the vinyl colour but may slightly vary from actual material.
Vinyl Colour Cards are available from your Spicers sales representative or branch.

1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison®
700 Premium Film Easy Apply

ORDER NOW

- Avery Dennison 700 Premium Film Easy Apply is a 64ums high performing, medium life polymeric vinyl
- The embossed backing of the Easy Apply version is providing enhanced ease-of-use during application
- It gives perfect results on cutting plotters and offers excellent weeding properties even with small letters
- Extensive ranges of colours available and high gloss appearance
- Ideal for both interior and exterior applications
- Suitable for applications such as vehicle and window graphics, indoor and outdoor fascias, directional signage, billboards and promotional displays
- Screen printable and suitable for flat and curved surfaces
- Durability: Up to 8 years (refer to specification sheet)

OUTDOOR APPLICATIONS · INDOOR APPLICATIONS · SELF ADHESIVE · POINT OF SALE · ROLLS

Material	Series	Colour	Width (mm)	Length (m)
453383	701	Black	615	50
453380	701	Black	1230	50
453660	737	Bright Red	615	50
453641	737	Bright Red	1230	50
453661	739	Bright Yellow	615	50
453642	739	Bright Yellow	1230	50
453637	724	Cobalt Blue	1230	50
453656	724	Cobalt Blue	615	50
453651	708	Cosmos Blue	615	50
453632	708	Cosmos Blue	1230	50
453645	74901	Crimson	1230	50
453663	74901	Crimson Red	615	50
453654	71501	Cyclamen	615	50
453665	759	Dark Grey	615	50
453647	759	Dark Grey	1230	50
453652	711	Forest Green	615	50
453633	711	Forest Green	1230	50
453659	736	Gold	615	50
453640	736	Gold	1230	50
453653	713	Grass Green	615	50
453634	713	Grass Green	1230	50
453655	720	Grey	615	50
453636	720	Grey	1230	50
453662	746	Grey - Metallic	615	50
453643	746	Grey - Metallic	1230	50
453668	747	Marine Blue	1230	50
453644	747	Marine Blue	1230	50
453384	721	Matt Black	615	50
453381	721	Matt Black	1230	50
453385	730	Matt White	615	50
453382	730	Matt White	1230	50

Intermediate Colour Films

Avery Dennison® 700 Premium Film Easy Apply

Material	Series	Colour	Width (mm)	Length (m)
453657	726	Medium Red	615	50
452872	705	Orange	615	50
452871	705	Orange	1230	50
453666	783	Scandinia	615	50
453648	783	Scandinia	1230	50
453658	735	Silver Metallic	615	50
453639	735	Silver Metallic	1230	50
453667	784	Sky Blue	615	50
453649	784	Sky Blue	1230	50
453650	706	Sunflower Yellow	615	50
453631	706	Sunflower Yellow	1230	50
452867	700	White	615	50
452866	700	White	1230	50



Avery Dennison® 700 Premium Film

ORDER NOW

- Avery Dennison 700 Premium Film is a 64ums high performing, medium life polymeric vinyl
- It gives perfect results on cutting plotters and offers excellent weeding properties even with small letters
- Attractive film range with 120 colours and high gloss appearance
- Ideal for both interior and exterior applications
- Suitable for applications such as vehicle and window graphics, indoor and outdoor fascias, directional signage, billboards and promotional displays
- Screen printable and suitable for flat and curved surfaces
- Durability: Up to 8 years (refer to specification sheet)

OUTDOOR APPLICATIONS · INDOOR APPLICATIONS · SELF ADHESIVE · SALE POINT OF SALE · ROLLS

Material	Series	Colour	Width (mm)	Length (m)
453543	72401	Alfa Blue	615	50
453417	72401	Alfa Blue	1230	50
453539	72105	Anthracite	615	50
453414	72105	Anthracite	1230	50
453579	750	Apple Red	615	50
453450	750	Apple Red	1230	50
453580	751	Azure Blue	615	50
453451	751	Azure Blue	1230	50
453377	701	Black	615	50
453370	701	Black	1230	50
453621	788	Black Blue	615	50
453488	788	Black Blue	1230	50
453600	765	Blood Red	615	50
453471	765	Blood Red	1230	50
453552	733	Blue	615	50
453425	733	Blue	1230	50
453558	737	Bright Red	615	50
453431	737	Bright Red	1230	50
453563	739	Bright Yellow	615	50
453435	739	Bright Yellow	1230	50
452870	702	Burgundy Red	615	50
452868	702	Burgundy Red	1230	50
453578	749	Cardinal Red	615	50
453449	749	Cardinal Red	1230	50
453510	70305	Cherry Red	615	50
453511	703	Cherry Red	615	50
453387	703	Cherry Red	1230	50
453386	70305	Cherry Red	1230	50
453535	718	Chocolate Brown	615	50
453411	718	Chocolate Brown	1230	50
453625	793	Classic Blue	615	50
453493	793	Classic Blue	1230	50
453545	724	Cobalt Blue	615	50
453419	724	Cobalt Blue	1230	50
453418	72405	Cobalt Blue Matt	1230	50

Intermediate Colour Films

Avery Dennison® 700 Premium Film

Material	Series	Colour	Width (mm)	Length (m)
453556	73601	Copper Metallic	615	50
453429	73601	Copper Metallic	1230	50
453521	708	Cosmos Blue	615	50
453397	708	Cosmos Blue	1230	50
453576	74901	Crimson Red	615	50
453447	74901	Crimson Red	1230	50
453530	715	Cyclamen	615	50
453406	715	Cyclamen	1230	50
453542	723	Dark Blue	615	50
453416	723	Dark Blue	1230	50
453596	762	Dark Brown	615	50
453467	762	Dark Brown	1230	50
453594	759	Dark Grey	615	50
453465	759	Dark Grey	1230	50
453602	768	Dark Pink	615	50
453601	767	Dark Red	615	50
453472	767	Dark Red	1230	50
453623	791	Deep Blue	615	50
453490	791	Deep Blue	1230	50
453568	743	Deep Red	615	50
453439	743	Deep Red	1230	50
453628	795	Delft Blue	615	50
453496	7951	Delft Blue	1230	50
453570	744	Dove Grey	615	50
453441	744	Dove Grey	1230	50
453540	72201	Dutch Orange	615	50
453415	72201	Dutch Orange	1230	50
453615	781	Emerald Green	615	50
453482	781	Emerald Green	1230	50
453522	70901	Euro Blue	615	50
453398	70901	Euro Blue	1230	50
453560	73801	Fire Orange	615	50
453432	73801	Fire Orange	1230	50
453525	711	Forest Green	615	50
453401	711	Forest Green	1230	50
453557	736	Gold - Metallic	615	50
453430	736	Gold - Metallic	1230	50
453557	736	Gold - Metallic	615	50
453430	736	Gold - Metallic	1230	50

Intermediate Colour Films

Avery Dennison® 700 Premium Film

Material	Series	Colour	Width (mm)	Length (m)
453524	710	Gold Yellow	615	50
453400	710	Gold Yellow	1230	50
453526	713	Grass Green	615	50
453402	713	Grass Green	1230	50
453587	756	Green	615	50
453458	756	Green	1230	50
453404	71402	Green Yellow	1230	50
453573	746	Grey - Metallic	615	50
453444	746	Grey - Metallic	1230	50
453622	789	Ink Blue	615	50
453489	789	Ink Blue	1230	50
453590	758	Ivory	615	50
453461	758	Ivory	1230	50
453553	734	Kelly Green	615	50
453426	734	Kelly Green	1230	50
453620	785	King Blue	615	50
453487	785	King Blue	1230	50
453591	75901	Komatsu Grey	615	50
453462	75901	Komatsu Grey	1230	50
453551	732	Light Blue	615	50
453424	732	Light Blue	1230	50
453585	755	Light Green	615	50
453456	755	Light Green	1230	50
453589	75801	Light Ivory	615	50
453460	75801	Light Ivory	1230	50
453611	776	Lilac	615	50
453529	714	Lime	615	50
453405	714	Lime	1230	50
453527	71401	Lime Tree Green	615	50
453403	71401	Lime Tree Green	1230	50
453606	771	Lipstick Red	615	50
453475	771	Lipstick Red	1230	50
453609	774	Magenta	615	50
453574	747	Marine Blue	615	50
453445	747	Marine Blue	1230	50
453548	721	Matt Black	615	50
453546	721	Matt Black	1230	50
453379	730	Matt White	615	50
453372	730	Matt White	1230	50

Intermediate Colour Films

Avery Dennison® 700 Premium Film

Material	Series	Colour	Width (mm)	Length (m)
453548	72801	Medium Brown	615	50
453546	725	Medium Grey	615	50
453420	725	Medium Grey	1230	50
453547	726	Medium Red	615	50
453421	726	Medium Red	1230	50
453627	794	Middle Blue	615	50
453495	794	Middle Blue	1230	50
453624	792	Midnight Blue	615	50
453492	792	Midnight Blue	1230	50
453572	745	Mist	615	50
453443	745	Mist	1230	50
453538	720	Mist Grey	615	50
453413	720	Mist Grey	1230	50
453512	70405	New Signal Yellow	615	50
453388	70405	New Signal Yellow	1230	50
453523	709	Ocean Blue	615	50
453399	709	Ocean Blue	1230	50
453588	757	Olive Green	615	50
453459	757	Olive Green	1230	50
453515	705	Orange	615	50
453391	705	Orange	1230	50
453603#	769	Orange Red	615	50
453595	760	Orange Yellow	615	50
453466	760	Orange Yellow	1230	50
453571	74501	Pale Grey	615	50
453442	74501	Pale Grey	1230	50
453616	782	Pastel Blue	615	50
453617	78205	Pastel Blue	615	50
453484	78205	Pastel Blue	1230	50
453483	782	Pastel Blue	1230	50
453584	75505	Pastel Green	615	50
453455	75505	Pastel Green	1230	50
453549	72905	Pastel Mint	615	50
453422	72905	Pastel Mint	1230	50
453514	70505	Pastel Orange	615	50
453390	70505	Pastel Orange	1230	50
453532	71607	Pastel Pink	615	50
453408	71607	Pastel Pink	1230	50

1300 132 644 info.mail@spicers.com.au spicers.com.au

Intermediate Colour Films

Avery Dennison® 700 Premium Film

Material	Series	Colour	Width (mm)	Length (m)
453566	74205	Pastel Tiffany	615	50
453437	74205	Pastel Tiffany	1230	50
453520	70705	Pastel Yellow	615	50
453395	70705	Pastel Yellow	1230	50
453630	798	Petrol	615	50
453498	798	Petrol	1230	50
453497	79805	Petrol Joyce	1230	50
453629	79805	Petrol Jyce	615	50
453531	71505	Pink Coral	615	50
453407	71605	Pink Coral	1230	50
453577	74902	Plum Red	615	50
453448	74902	Plum Red	1230	50
453518	707	Primrose Yellow	615	50
453396	707	Primrose Yellow	1230	50
453605	770	Red	615	50
453474	770	Red	1230	50
453597	763	Regal Red	615	50
453468	763	Regal Red	1230	50
453583	754	Royal Blue	615	50
453454	754	Royal Blue	1230	50
453598	764	Saffron Yellow	615	50
453469	764	Saffron Yellow	1230	50
453618	783	Scandinavia Blue	615	50
453485	783	Scandinavia Blue	1230	50
453565	741	Scuba Blue	615	50
453436	741	Scuba Blue	1230	50
453626	79401	Signal Blue	615	50
453494	794051	Signal Blue	1230	50
453586	75605	Signal Green	615	50
453457	75601	Signal Green	1230	50
453561	73805	Signal Orange	615	50
453433	73805	Signal Orange	1230	50
453604	77005	Signal Red	615	50
453473	77005	Signal Red	1230	50
453513	704	Signal Yellow	615	50
453389	704	Signal Yellow	1230	50

Intermediate Colour Films

Avery Dennison® 700 Premium Film

Material	Series	Colour	Width (mm)	Length (m)
453554	73501	Silver - Metallic	615	50
453427	735	Silver - Metallic	615	50
453555	73501	Silver - Metallic	1230	50
453428	735	Silver - Metallic	1230	50
453619	784	Sky Blue	615	50
453486	784	Sky Blue	1230	50
453599	76501	Spicy Red	615	50
453470	76501	Spicy Red	1230	50
453537	72001	Stone Grey	615	50
453393	70601	Sun Yellow	1230	50
453519	706	Sunflower Yellow	615	50
453394	706	Sunflower Yellow	1230	50
453567	742	Teal	615	50
453438	742	Teal	1230	50
453569	74401	Telegrey	615	50
453440	74401	Telegrey	1230	50
453607	773	Telemagenta	615	50
453608	77305	Telemagenta	615	50
453477	77305	Telemagenta	1230	50
453476	773	Telemagenta	1230	50



Intermediate Colour Films

Avery Dennison® 700 Premium Film

Material	Series	Colour	Width (mm)	Length (m)
453575	748	Tomato Red	615	50
453446	748	Tomato Red	1230	50
453593	75907	Traffic Grey	615	50
453592	75907	Traffic Grey	615	50
453464	75902	Traffic Grey	1230	50
453463	75901	Traffic Grey	1230	50
453564	740	Transparent	615	50
453373	740	Transparent	1230	50
453550	731	Turquoise	615	50
453423	731	Turquoise	1230	50
453581	752	Ultramarine Blue	615	50
453452	752	Ultramarine Blue	1230	50
453534	717	Violet	615	50
453410	717	Violet	1230	50
452865	700	White	615	50
452863	700	White	1230	50
453613	778	Wine Red	615	50
453480	778	Wine Red	1230	50
453528	71402	Yellow Green	615	50



3M Science. Applied to Life.™

3M™ Opaque Graphic Films

3M™ Scotchcal™ Graphic Film Series 50

Unless noted, all colors shown are available in the above films.

Transparent 11	Matte Black 120	Burgundy 49 PANTONE® 209 C	Dark Green 78 PANTONE® 7484 C
White 10	Brown 92	Bright Orange 34 PANTONE® 1655 C	Teal 79 PANTONE® 321 C
Matte White 100	Gold 54 PANTONE® 872 C	Sunflower 27 PANTONE® 7549 C	Light Blue 82
Light Gray 94	Beige 914	Lemon Yellow 24 PANTONE® 106 C	Azure Blue 84 PANTONE® 2935 C
Nimbus Gray 97 PANTONE® 7540 C	Pink 64 PANTONE® 214 C	Grass Green 73	Sapphire Blue 88 PANTONE® 287 C
Silver 58 PANTONE® 877 C	Light Red 44 PANTONE® 485 C	Bright Green 745 PANTONE® 355 C	Deep Navy Blue 90 PANTONE® 655 C
Black 12 PANTONE® Black C	Dark Red 483	Medium Green 76 PANTONE® 3415 C	Purple 66

VIEW THE RANGE ▶



3M.com/opaquefilms

Colors shown on monitor and when printed are approximate representation of actual colors available.

Release A. APR. 2016
© 3M 2016. All rights reserved. 3M, Comply, Controltac, ElectroCut and Scotchcal are trademarks of 3M.
PANTONE is a registered trademark of PANTONE Inc. Please recycle. Printed in USA.
75-5100-3897-1

PANTONE®
Authorized PANTONE Partner

Intermediate Colour Films

3M™ SC50 Series

ORDER NOW

- High gloss, intermediate polymeric vinyl with clear removable adhesive (up to 3 years) and a kraft liner
- For general signage, logos emblems and lettering for vehicles and windows
- Very good lay flat performance on roller and flatbed plotters
- Clean, crisp cutting and weeding down to 9.5mm
- For flat rigid or simple curved surfaces
- Suitable for electro-cut and Screen printing
- If we don't have a colour you want in your local branch, we will get it despatched from interstate at NO extra delivery charge
- Durability: Up to 5 years (refer to specification sheet)



Material	Series	Colour	Width (mm)	Length (m)
400201	SC50-58	Aluminium	1220	50
400197	SC50-58	Aluminium	610	50
450354	SC50-585	Anthracite	610	50
450073	SC50-585	Anthracite	1220	50
450087	SC50-28	Apricot	610	50
450086	SC50-28	Apricot	1220	50
450417	SC50-792	Aqua	610	50
400198	SC50-84	Azure Blue	610	50
400204	SC50-84	Azure Blue	1220	50
450419	SC50-914	Beige	610	50
400194	SC50-12	Black	610	50
400211	SC50-12	Black	1220	50
450403	SC50-745	Bright Green	610	50
450382	SC50-745	Bright Green	1220	50
400203	SC50-34	Bright Orange	1220	50
400195	SC50-34	Bright Orange	610	50
450404	SC50-42	Bright Red	610	50
450302	SC50-25	Bright Yellow	610	50
450301	SC50-25	Bright Yellow	1220	50
450416	SC50-87	Brilliant Blue	610	50
450412	SC50-92	Brown	610	50
450381	SC50-49	Burgundy	610	50
450097	SC50-473	Cardinal Red	610	50
450421	SC50-795	Dark Aqua	610	50
450378	SC50-78	Dark Green	1220	50
450379	SC50-78	Dark Green	610	50
450377	SC50-485	Light Red	610	50
450376	SC50-483	Dark Red	1220	50
450420	SC50-917	Dark Sahara	610	50
450309	SC50-90	Deep Navy Blue	1220	50
450310	SC50-90	Deep Navy Blue	610	50
450406	SC50-486	Deep Red	610	50

Intermediate Colour Films

3M™ SC50 Series

Material	Series	Colour	Width (mm)	Length (m)
450418	SC50-912	Fawn	610	50
400202	SC50-54	Gold	1220	50
400196	SC50-54	Gold	610	50
450266	SC50-73	Grass Green	610	50
450265	SC50-73	Grass Green	1220	50
400191	SC50-74	Green	610	50
400205	SC50-74	Green	1220	50
450278	SC50-96	Grey	610	50
450277	SC50-96	Grey	1220	50
450352	SC50-93	Grey White	610	50
450351	SC50-93	Grey White	1220	50
450410	SC50-905	Insignia blue	610	50
450389	SC50-905	Insignia blue	1220	50
450411	SC50-91	Ivory	610	50
450422	SC50-65	Lavender	610	50
450414	SC50-77	Leaf Green	610	50
450289	SC50-24	Lemon Yellow	1220	50
450290	SC50-24	Lemon Yellow ZG34	610	50
450264	SC50-82	Light Blue	610	50
450263	SC50-82	Light Blue	1220	50
450374	SC50-72	Light Green	1220	50
450375	SC50-72	Light Green	610	50
450305	SC50-94	Light Grey	1220	50
450306	SC50-94	Light Grey	610	50
450415	SC50-62	Light Magenta	610	50
450383	SC50-42	Light Red	1220	50
450304	SC50-42	Light Red	610	50
400190	SC50-63	Magenta	610	50
450311	SC50-884	Marine Blue	1220	50
450312	SC50-884	Marine Blue	610	50
450274	SC50-120	Matt Black	1220	50
450275	SC50-120	Matt Black	610	50
400188	SC50-100	Matt White	610	50
400212	SC50-100	Matt White	1220	50
450423	SC50-918	Medium Brown	610	50
400280	SC50-76	Medium Green	610	50
400281	SC50-76	Medium Green	1220	50

3M™ SC50 Series

Material	Series	Colour	Width (mm)	Length (m)
400283	SC50-475	Medium Red	1220	50
400282	SC50-475	Medium Red	610	50
400286	SC50-97	Nimbus Grey	610	50
400287	SC50-97	Nimbus Grey	1220	50
400192	SC50-32	Orange	610	50
400207	SC50-32	Orange	1220	50
450413	SC50-83	Pastel Blue	610	50
450392	SC50-83	Pastel Blue	1220	50
450408	SC50-64	Pink	610	50
450407	SC50-66	Purple	610	50
450532	SC50-48	Red	610	50
450372	SC50-48	Red	1220	50
400284	SC50-88	Sapphire Blue	610	50
400285	SC50-88	Sapphire Blue	1220	50
450355	SC50-834	Sky Blue	610	50
450079	SC50-834	Sky Blue	1220	50
450409	SC50-81	Soft blue	610	50
400209	SC50-275	Sunflower	1220	50
400193	SC50-275	Sunflower Yellow	610	50
450405	SC50-79	Teal	610	50
400199	SC50-465	Tomato Red	610	50
400206	SC50-465	Tomato Red	1220	50
450371	SC50-11	Transparent	610	50
400189	SC50-862	Vivid Blue	610	50
400210	SC50-862	Vivid Blue	1220	50
400200	SC50-10	White	610	50
400213	SC50-10	White	1220	50
450074	SC50-265	Yellow	1220	50
450356	SC50-265	Yellow	610	50

Intermediate Colour Films

Imageperfect 5700 PerfectApply

ORDER NOW

imageperfect ANZ

- Imageperfect 5700 PerfectApply is a 70ums high-performance self-adhesive film with a permanent solvent based acrylic adhesive
- Designed for indoor and long-term outdoor signage applications
- PerfectApply technology allows for greater levels of repositionability and air egress during application
- Ideal for flat and slightly curved surfaces
- It is suitable for vehicle and window graphics, directional signage and promotional displays
- Available in 15 colours including black and white in matt and gloss
- Excellent cutting, weeding and processing performance
- Durability: Up to 8 years (refer to specification sheet)



Material	Series	Colour	Width (mm)	Length (m)
454274	IP 5708	Black	610	50
454269	IP 5708	Black	1220	50
454271	IP 5708	Black	1600	50
454506	IP 5732	Carmind Red	610	50
454486	IP 5732	Carmind Red	1220	50
454514	IP 5789	Charcoal	610	50
454495	IP 5789	Charcoal	1220	50
454485	IP 5730	Cherry	1220	50
454505	IP 5730	Cherry Red	610	50
454491	IP 5750	Cobalt	1220	50
454511	IP 5750	Cobalt Blue	610	50
454509	IP 5748	Cosmos Blue	610	50
454489	IP 5748	Cosmos Blue	1220	50
454519	IP 5798	Dark Grey	610	50
454500	IP 5798	Dark Grey	1220	50
454507	IP 5739	Dynamic Blue	610	50
454487	IP 5739	Dynamic Blue	1220	50
454487	IP 5765	Forest Green	610	50
454493	IP 5765	Forest Green	1220	50
454518	IP 5797	Gold	610	50
454499	IP 5797	Gold	1220	50
454516	IP 5795	Granite	610	50
454497	IP 5795	Granite	1220	50
454100	IP 5707	Graphite	610	50
454099	IP 5707	Graphite	1220	50
454512	IP 5758	Grass Green	610	50
454492	IP 5758	Grass Green	1220	50
454520	IP 5799	Gunmetal Metallic	610	50
454501	IP 5799	Gunmetal Metallic	1220	50
454275	IP 5708	Matt Black	610	50
454270	IP 5708	Matt Black	1220	50
454272	IP 5708	Matt Black	1600	50

1300 132 644 info.mail@spicers.com.au spicers.com.au

Intermediate Colour Films

Material	Series	Colour	Width (mm)	Length (m)
454094	IP 5701	Matt White	610	50
454508	IP 5740	Olympic Blue	610	50
454488	IP 5740	Olympic Blue	1220	50
454483	IP 5722	Orange	1220	50
454503	IP 5722	Orange	610	50
454498	IP 5796	Silver	1220	50
454517	IP 5796	Silver	610	50
454515	IP 5793	Silver Shadow	610	50
454496	IP 5793	Silver Shadow	1220	50
454494	IP 5786	Sparkling Silver	1220	50
454482	IP 5716	Sunflower	1220	50
454502	IP 5716	Sunflower Yellow	610	50
454484	IP 5729	Tomato	1220	50
454504	IP 5729	Tomato Red	610	50
454490	IP 5749	Ultramarine	1220	50
454510	IP 5749	Ultramarine Blue	610	50
454273	IP 5701	White	610	50
454268	IP 5701	White	1220	50
454093	IP 5701	White	1600	50
454481	IP 5715	Yellow	1220	50
454521	IP 5715	Yellow	1220	50



Intermediate Colour Films

Cut Colour Vinyl

- IP 5701 White Gloss (PA, HT)
- IP M5701 White Matt (PA, HT)
- IP 5703 Transparent Gloss
- IP M5703 Transparent Matt
- IP 5782 Cream Gloss
- IP 5781 Beige Gloss
- IP 5780 Sand Gloss
- IP 5712 Primrose Gloss
- IP 5714 Bright Yellow Gloss
- IP 5715 Yellow Gloss (PA, HT)
- IP 5717 Explosive Yellow Gloss
- IP 5716 Sunflower Gloss (PA, HT)
- IP 5720 Apricot Gloss
- IP 5721 Marigold Gloss
- IP 5722 Orange Gloss (PA, HT)
- IP 5723 Tangerine Gloss
- IP 5719 Imitation Gold Gloss
- IP 5772 Intense Orange Gloss
- IP 5725 Warm Red Gloss
- IP 5726 Poppy Gloss
- IP 5724 Bright Red Gloss
- IP 5774 Crimson Gloss
- IP 5728 Flame Red Gloss
- IP 5727 Medium Red Gloss
- IP 5729 Tomato Gloss (PA, HT)
- IP 5738 Red Gloss
- IP 5732 Carmine Red Gloss (PA, HT)
- IP 5730 Cherry Gloss (PA, HT)
- IP 5733 Scarlet Gloss
- IP 5735 Ruby Gloss
- IP 5734 Burgundy Gloss
- IP 5771 Pink Gloss
- IP 5776 Cyclamen Gloss
- IP 5773 Lavender Gloss
- IP 5779 Violet Gloss
- IP 5744 Skanska Blue Gloss
- IP 5751 Midnight Gloss
- IP 5775 Indigo Blue Gloss
- IP 5752 Navy Gloss
- IP 5761 Scandinavia Blue Gloss
- IP 5750 Cobalt Gloss (PA, HT)
- IP 5745 Stratos Blue Gloss
- IP 5759 Mid Blue Gloss
- IP 5757 King Blue Gloss
- IP 5756 Royal Blue Gloss
- IP 5760 Deep Blue Gloss
- IP 5764 Denim Blue Gloss
- IP 5749 Ultramarine Gloss (PA, HT)
- IP 5755 Atlantic Blue Gloss
- IP 5747 Reflex Blue Gloss
- IP 5746 Vivid Blue Gloss
- IP 5748 Cosmos Gloss (PA, HT)
- IP 5743 Marina Gloss
- IP 5739 Dynamic Blue Gloss (PA, HT)
- IP 5741 Ocean Gloss
- IP 5740 Olympic Blue Gloss (PA, HT)
- IP 5742 Pacific Gloss
- IP 5736 Light Blue Gloss
- IP 5737 Sky Gloss
- IP 5767 Turquoise Gloss
- IP 5769 Aegean Gloss
- IP 5768 Light Aqua Gloss
- IP 5753 Peppermint Gloss
- IP 5754 Lime Gloss
- IP 5758 Grass Gloss (PA, HT)
- IP 5770 Tropical Green Gloss
- IP 5762 Cactus Gloss
- IP 5763 Kelly Green Gloss
- IP 5765 Forest Green Gloss (PA, HT)
- IP 5766 Dark Green Gloss
- IP 5794 Chocolate Gloss
- IP 5710 Pearl Grey Gloss
- IP 5711 Light Grey Gloss
- IP 5705 Dove Grey Gloss
- IP 5704 Tele Grey Gloss
- IP 5706 Real Grey Gloss
- IP 5707 Graphite Gloss (PA, HT)
- IP 5798 Dark Grey Gloss (PA, HT)
- IP 5709 Carbon Grey Gloss
- IP 5796 Silver Gloss (PA, HT)
- IP 5786 Sparkling Silver Gloss
- IP 5797 Gold Gloss (PA, HT)
- IP 5787 Sparkling Gold Gloss
- IP 5793 Silver Shadow Gloss (PA, HT)
- IP 5799 Gun Metal Gloss (PA, HT)
- IP 5792 Light Granite Gloss
- IP 5795 Granite Gloss (PA, HT)
- IP 5789 Charcoal Gloss (PA, HT)
- IP 5708 Black Gloss (PA, HT)
- IP M5708 Black Matt (PA, HT)

PA Indicates colours available with PerfectApply technology

HT Indicates colours available with HighTack adhesive

The colours displayed are representative of the vinyl colour but may slightly vary from actual material.
Vinyl Colour Cards are available from your Spicers sales representative or branch.

1300 132 644 info.mail@spicers.com.au spicers.com.au

Imageperfect 5700 High Performance

ORDER NOW

imageperfect ANZ

- Imageperfect 5700 is a 70ums high-performance self-adhesive film with a permanent solvent based acrylic adhesive
- Designed for indoor and long-term outdoor signage applications
- Ideal for flat and slightly curved surfaces and can be wet applied
- It is suitable for vehicle and window graphics, directional signage and promotional displays
- Available in 90 colours, including black, white in matt and gloss finishes
- Excellent cutting, weeding and processing performance
- Durability: Up to 8 years (refer to specification sheet)



Material	Series	Colour	Width (mm)	Length (m)
454419	IP 5769	Aegean	610	50
454336	IP 5769	Aegean	1220	50
454371	IP 5720	Apricot	610	50
454288	IP 5720	Apricot	1220	50
454405	IP 5755	Atlantic Blue	610	50
454322	IP 5755	Atlantic Blue	1220	50
454429	IP 5781	Beige	610	50
454346	IP 5781	Beige	1220	50
454260	IP 5708	Black	610	50
454256	IP 5708	Black	1220	50
454375	IP 5724	Bright Red	610	50
454292	IP 5724	Bright Red	1220	50
454366	IP 5714	Bright Yellow	610	50
454283	IP 5714	Bright Yellow	1220	50
454384	IP 5734	Burgundy Red	610	50
454301	IP 5734	Burgundy Red	1220	50
454412	IP 5762	Cactus Green	610	50
454329	IP 5762	Cactus Green	1220	50
454362	IP 5709	Carbon Grey	610	50
454279	IP 5709	Carbon Grey	1220	50
454382	IP 5732	Carmine Red	610	50
454299	IP 5732	Carmine Red	1220	50
454433	IP 5789	Charcoal	610	50
454350	IP 5789	Charcoal	1220	50
454381	IP 5730	Cherry Red	610	50
454298	IP 5730	Cherry Red	1220	50
454436	IP 5794	Chocolate Brown	610	50
454353	IP 5794	Chocolate Brown	1220	50
454400	IP 5750	Cobalt Blue	610	50
454317	IP 5750	Cobalt Blue	1220	50
454398	IP 5748	Cosmos Blue	610	50
454315	IP 5748	Cosmos Blue	1220	50
454430	IP 5782	Cream	610	50
454347	IP 5782	Cream	1220	50

Intermediate Colour Films

Imageperfect 5700 High Performance

Material	Series	Colour	Width (mm)	Length (m)
454424	IP 5774	Crimson	610	50
454341	IP 5774	Crimson	1220	50
454426	IP 5776	Cyclamen	610	50
454343	IP 5776	Cyclamen	1220	50
454416	IP 5766	Dark Green	610	50
454333	IP 5766	Dark Green	1220	50
454440	IP 5798	Dark Grey	610	50
454357	IP 5798	Dark Grey	1220	50
454410	IP 5760	Deep Blue	610	50
454327	IP 5760	Deep Blue	1220	50
454414	IP 5764	Denim Blue	610	50
454331	IP 5764	Denim Blue	1220	50
454359	IP 5705	Dove Grey	610	50
454276	IP 5705	Dove Grey	1220	50
454389	IP 5739	Dynamic Blue	610	50
454306	IP 5739	Dynamic Blue	1220	50
454369	IP 5717	Explosive Yellow	610	50
454286	IP 5717	Explosive Yellow	1220	50
454379	IP 5728	Flame Red	610	50
454296	IP 5728	Flame Red	1220	50
454415	IP 5765	Forest Green	610	50
454332	IP 5765	Forest Green	1220	50
454439	IP 5797	Gold - Metallic	610	50
454356	IP 5797	Gold - Metallic	1220	50
454437	IP 5795	Granite	610	50
454354	IP 5795	Granite	1220	50
454361	IP 5707	Graphite	610	50
454278	IP 5707	Graphite	1220	50
454408	IP 5758	Grass Green	610	50
454325	IP 5758	Grass Green	1220	50
454441	IP 5799	Gunmetal Grey	610	50
454358	IP 5799	Gunmetal Grey	1220	50
454370	IP 5719	Imitation Gold	610	50
454287	IP 5719	Imitation Gold	1220	50
454425	IP 5775	Indigo Blue	610	50
454342	IP 5775	Indigo Blue	1220	50
454422	IP 5772	Intense Orange	610	50
454339	IP 5772	Intense Orange	1220	50

1300 132 644 info.mail@spicers.com.au spicers.com.au

Imageperfect 5700 High Performance

Material	Series	Colour	Width (mm)	Length (m)
454413	IP 5763	Kelly Green	610	50
454330	IP 5763	Kelly Green	1220	50
454407	IP 5757	King Blue	610	50
454324	IP 5757	King Blue	1220	50
454423	IP 5773	Lavender	610	50
454340	IP 5773	Lavender	1220	50
454418	IP 5768	Light Aqua	610	50
454335	IP 5768	Light Aqua	1220	50
454386	IP 5736	Light Blue	610	50
454303	IP 5736	Light Blue	1220	50
454434	IP 5792	Light Granite - Metallic	610	50
454351	IP 5792	Light Granite - Metallic	1220	50
454364	IP 5711	Light Grey	610	50
454281	IP 5711	Light Grey	1220	50
454404	IP 5754	Lime	610	50
454321	IP 5754	Lime	1220	50
454372	IP 5721	Marigold	610	50
454291	IP 5721	Marigold	1220	50
454393	IP 5743	Marina	610	50
454310	IP 5743	Marina	1220	50
454261	IP 5708	Matt Black	610	50
454257	IP 5708	Matt Black	1220	50
454378	IP 5727	Medium Red	610	50
454295	IP 5727	Medium Red	1220	50
454409	IP 5759	Mid Blue	610	50
454326	IP 5759	Mid Blue	1220	50
454401	IP 5751	Midnight Blue	610	50
454318	IP 5751	Midnight Blue	1220	50
454402	IP 5752	Navy Blue	610	50
454319	IP 5752	Navy Blue	1220	50
454391	IP 5741	Ocean	610	50
454308	IP 5741	Ocean	1220	50
454390	IP 5740	Olympic Blue	610	50
454307	IP 5740	Olympic Blue	1220	50
454373	IP 5722	Orange	610	50
454289	IP 5722	Orange	1220	50
454392	IP 5742	Pacific	610	50
454309	IP 5742	Pacific	1220	50

Intermediate Colour Films

Imageperfect 5700 High Performance

Material	Series	Colour	Width (mm)	Length (m)
454363	IP 5710	Pearl Grey	610	50
454280	IP 5710	Pearl Grey	1220	50
454403	IP 5753	Peppermint	610	50
454320	IP 5753	Peppermint	1220	50
454421	IP 5771	Pink	610	50
454338	IP 5771	Pink	1220	50
454377	IP 5726	Poppy Red	610	50
454294	IP 5726	Poppy Red	1220	50
454365	IP 5712	Primrose Yellow	610	50
454282	IP 5712	Primrose Yellow	1220	50
454360	IP 5706	Real Grey	610	50
454277	IP 5706	Real Grey	1220	50
454388	IP 5738	Red	610	50
454305	IP 5738	Red	1220	50
454397	IP 5747	Reflex Blue	610	50
454314	IP 5747	Reflex Blue	1220	50
454406	IP 5756	Royal Blue	610	50
454323	IP 5756	Royal Blue	1220	50
454385	IP 5735	Ruby Red	610	50
454302	IP 5735	Ruby Red	1220	50
454428	IP 5780	Sand	610	50
454345	IP 5780	Sand	1220	50
454411	IP 5761	Scandinavia Blue	610	50
454328	IP 5761	Scandinavia Blue	1220	50
454383	IP 5733	Scarlet Red	610	50
454300	IP 5733	Scarlet Red	1220	50
454438	IP 5796	Silver - Metallic	610	50
454355	IP 5796	Silver - Metallic	1220	50
454435	IP 5793	Silver Shadow	610	50
454352	IP 5793	Silver Shadow	1220	50
454394	IP 5744	Skanska Blue	610	50
454311	IP 5744	Skanska Blue	1220	50
454387	IP 5737	Sky Blue	610	50
454304	IP 5737	Sky Blue	1220	50
454089	IP 5701	Snow	610	50
454088	IP 5701	Snow	1220	50

Imageperfect 5700 High Performance

Material	Series	Colour	Width (mm)	Length (m)
454432	IP 5787	Sparkling Gold	610	50
454349	IP 5787	Sparkling Gold	1220	50
454431	IP 5786	Sparkling Silver	610	50
454348	IP 5786	Sparkling Silver	1220	50
454395	IP 5745	Statos Blue	610	50
454312	IP 5745	Statos Blue	1220	50
454368	IP 5716	Sunflower Yellow	610	50
454285	IP 5716	Sunflower Yellow	1220	50
454374	IP 5723	Tangerine Orange	610	50
454290	IP 5720	Tangerine Orange	1220	50
454096	IP 5704	Tele Grey	610	50
454095	IP 5704	Tele Grey	1220	50
454380	IP 5729	Tomato Red	610	50
454297	IP 5729	Tomato Red	1220	50
454259	IP 5703	Transparent	610	50
454255	IP 5703	Transparent	1220	50
454337	IP 5770	Tropical Green	610	50
454420	IP 5770	Tropical Green	1220	50
454417	IP 5767	Turquoise	610	50
454334	IP 5767	Turquoise	1220	50
454316	IP 5749	Ultramarine Blue	610	50
454399	IP 5749	Ultramarine Blue	1220	50
454427	IP 5779	Violet	610	50
454344	5779	Violet	1220	50
454396	IP 5746	Vivid Blue	610	50
454313	IP 5746	Vivid Blue	1220	50
454293	IP 5725	Warm Red	610	50
454376	IP 5725	Warm Red	1220	50
454258	IP 5701	White	610	50
454254	IP 5701	White	1220	50
454367	IP 5715	Yellow	610	50
454284	IP 5715	Yellow	1220	50

Imageperfect 5700 High-Tack

ORDER NOW

imageperfect ANZ

- Imageperfect 5700 PerfectApply is a 70ums high-performance self-adhesive film with a permanent solvent based acrylic adhesive
- Designed for indoor and long-term outdoor signage applications
- PerfectApply technology allows for greater levels of repositionability and air egress during application
- Ideal for flat and slightly curved surfaces
- It is suitable for vehicle and window graphics, directional signage and promotional displays
- Available in 15 colours including black and white in matt and gloss
- Excellent cutting, weeding and processing performance
- Durability: Up to 8 years (refer to specification sheet)



Material	Series	Colour	Width (mm)	Length (m)
454266	5708	Black	610	50
454264	5708	Black	1220	50
454466	5732	Carmine Red	610	50
454474	5789	Charcoal	610	50
454454	5789	Charcoal	1220	50
454446	5730	Cherry	1220	50
454465	5730	Cherry Red	610	50
454451	5750	Cobalt	1220	50
454471	5750	Coboalt Blue	610	50
454468	5740	Cosmos Blue	610	50
454448	5740	Cosmos Blue	1220	50
454479	5798	Dark Grey	610	50
454459	5798	Dark Grey	1220	50
454467	5739	Dynamic Blue	610	50
454447	5739	Dynamic Blue	1220	50
454473	5765	Forest Green	610	50
454453	5765	Forest Green	1220	50
454477	5796	Gold	610	50
454457	5796	Gold	1220	50
454476	5795	Granite	610	50
454456	5795	Granite	1220	50
454098	5707	Graphite	610	50
454097	5707	Graphite	1220	50
454452	5758	Grass	1220	50
454472	5758	Grass Green	610	50
454460	5798	Gun Metal	1220	50
454480	5798	Gunmetal Grey - Metallic	610	50
454267	5708	Matt Black	610	50
454263	5708	Matt Black	1220	50
454091	5701	Matt White	610	50
454090	5701	Matt White	1220	50

Intermediate Colour Films

Material	Series	Colour	Width (mm)	Length (m)
454469	5740	Olympic Blue	610	50
454449	5740	Olympic Blue	1220	50
454463	5722	Orange	610	50
454444	5722	Orange	1220	50
454478	5796	Silver	610	50
454458	5796	Silver	1220	50
454475	5793	Silver Shadow	610	50
454455	5793	Silver Shadow	1220	50
454443	5716	Sunflower	1220	50
454462	5716	Sunflower Yellow	610	50
454445	5729	Tomato	1220	50
454464	5729	Tomato Red	610	50
454450	5740	Ultramarine	1220	50
454470	5740	Ultramarine Blue	610	50
454265	5701	White	610	50
454262	5701	White	1220	50
454461	5715	Yellow	610	50
454442	5715	Yellow	1220	50





526 Stone Yellow **NO GLOSS**	**503** Geranium Red Gloss **NO GLOSS**	**512** Dark Blue	**537** Light Blue	**517** Light Green	**544** Mist Grey **NO GLOSS**
527 Butter Yellow	**519** Red	**528** Vivid Blue	**534** Turquoise **NO MATT**	**531** Lime	**529** Light Grey **NO GLOSS**
504 Primrose Yellow	**515** Dark Red	**520** Ultramarine Blue	**535** Teal	**542** Ivory	**508** Grey
516 Light Orange	**513** Burgundy	**539** Reflex Blue	**536** Mint	**543** Beige **NO GLOSS**	**545** Dove Grey
509 Orange	**524** Magenta	**505** Blue	**533** Forest Green	**507** Brown **NO GLOSS**	**530** Dark Grey
514 Poppy Red	**541** Pink	**521** Intense Blue **NO MATT**	**532** Kelly Green	**502** Black	**546** Silver
523 Medium Red	**522** Violet	**510** Bright Blue	**506** Cactus Green	**501** White	**547** Gold
511 Cherry Red	**540** Cobalt Blue	**538** Gentian Blue	**518** Grass Green		

* The colours displayed are representative of the vinyl colour but may slightly vary from actual material.
Vinyl Colour Cards are available from your Spicers sales representative or branch.

1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison® 500 Event Film

ORDER NOW

- Avery Dennison 500 Event Film 70ums is a high quality monomeric film with acrylic based, clear gloss finish permanent & matt finish semi- permanent adhesives
- Offers excellent cutting and weeding performance
- Ideal for promotional displays, exhibition graphics, POS, short-life directional signage & floor and window graphics
- Available in gloss and matt finishes
- Excellent conversion properties for computerised signmaking
- Durability: Up to 3 years (refer to specification sheet)



Material	Series	Colour	Width (mm)	Length (m)
453124	502	Black	615	50
453121	502	Black	1230	50
453189	505	Blue	615	50
453128	505	Blue	1230	50
453194	510	Bright Blue	615	50
453133	510	Bright Blue	1230	50
453198	513	Burgundy Red	615	50
453137	513	Burgundy Red	1230	50
453196	512	Dark Blue	615	50
453135	512	Dark Blue	1230	50
453216	530	Dark Grey	615	50
453157	530	Dark Grey	1230	50
453201	515	Dark Red	615	50
453140	515	Dark Red	1230	50
453180	545	Dove Grey	1230	50
453221	533	Forest Green	615	50
453163	533	Forest Green	1230	50
453238	547	Gold	615	50
453183	547	Gold	1230	50
453191	508	Grey	615	50
453130	508	Grey	1230	50
453206	521	Intense Blue	615	50
453146	521	Intense Blue	1230	50
453233	542	Ivory	615	50
453177	542	Ivory	1230	50
453219	532	Kelly Green	615	50
453161	532	Kelly Green	1230	50
453227	537	Light Blue	615	50
453169	537	Light Blue	1230	50
453203	516	Light Orange	615	50
453202	516	Light Orange	615	50
453141	516	Light Orange	1230	50
453142	516	Light Orange	1230	50
453217	531	Lime	615	50
453159	531	Lime	1230	50
453211	524	Magenta	615	50
453151	524	Magenta	1230	50

Material	Series	Colour	Width (mm)	Length (m)
453125	502	Matt Black	615	50
453122	502	Matt Black	1230	50
453190	505	Matt Blue	615	50
453195	510	Matt Bright Blue	615	50
453134	510	Matt Bright Blue	1230	50
453212	525	Matt Bright Yellow	615	50
453129	507	Matt Brown	1230	50
453199	513	Matt Burgundy Red	615	50
453230	540	Matt Cobalt Blue	615	50
453174	540	Matt Cobalt Blue	1230	50
453197	512	Matt Dark Blue	615	50
453136	512	Matt Dark Blue	1230	50
452861	524	Matt Dark Grey	615	50
453158	530	Matt Dark Grey	1230	50
453222	533	Matt Forest Green	615	50
453164	533	Matt Forest Green	1230	50
453171	538	Matt Gentian Blue	1230	50
453186	503	Matt Geranium Red	615	50
452860	503	Matt Geranium Red	1230	50
453239	547	Matt Gold	615	50
453184	547	Matt Gold	1230	50
453143	518	Matt Grass Green	1230	50
453234	542	Matt Ivory	615	50
453178	542	Matt Ivory	1230	50
453220	532	Matt Kelly Green	615	50
453162	532	Matt Kelly Green	1230	50
453170	537	Matt Light Blue	1230	50
453215	529	Matt Light Grey	615	50
453156	529	Matt Light Grey	1230	50
453218	531	Matt Lime	615	50
453160	531	Matt Lime	1230	50
453185	524	Matt Magenta	615	50
453152	524	Matt Magenta	1230	50
453210	523	Matt Medium Red	615	50
453150	523	Matt Medium Red	1230	50
453226	536	Matt Mint	615	50
453168	536	Matt Mint	1230	50
453235	544	Matt Mist Grey	615	50
453179	544	Matt Mist Grey	1230	50
453193	509	Matt Orange	615	50
453132	509	Matt Orange	1230	50
453232	541	Matt Pink	615	50
453176	541	Matt Pink	1230	50

Material	Series	Colour	Width (mm)	Length (m)
453188	504	Matt Primrose Yellow	615	50
453127	504	Matt Primrose Yellow	1230	50
453205	519	Matt Red	615	50
453145	519	Matt Red	1230	50
453229	539	Matt Reflex Blue	615	50
453173	539	Matt Reflex Blue	1230	50
453237	546	Matt Silver	615	50
453182	546	Matt Silver	1230	50
453153	526	Matt Stone Yellow	1230	50
453166	535	Matt Teal	1230	50
453224	534	Matt Turquoise	615	50
453208	522	Matt Violet	615	50
453148	522	Matt Violet	1230	50
453214	528	Matt Vivid Blue	615	50
453155	528	Matt Vivid Blue	1230	50
453123	501	Matt White	615	50
453120	501	Matt White	1230	50
453209	523	Medium Red	615	50
453149	523	Medium Red	1230	50
453167	536	Mint	1230	50
453192	509	Orange	615	50
453131	509	Orange	1230	50
453231	541	Pink	615	50
453175	541	Pink	1230	50
453200	514	Poppy Red	615	50
453138	514	Poppy Red	1230	50
453187	504	Primrose Yellow	615	50
453126	504	Primrose Yellow	1230	50
453204	519	Red	615	50
453144	519	Red	1230	50
453228	539	Reflex Blue	615	50
453172	539	Reflex Blue	1230	50
453236	546	Silver	615	50
453181	546	Silver	1230	50
453223	534	Turquoise	615	50
453165	534	Turquoise	1230	50
453207	522	Violet	615	50
453147	522	Violet	1230	50
453213	528	Vivid Blue	615	50
453154	528	Vivid Blue	1230	50
452859	501	White	615	50
452858	501	White	1230	50

THE BEST APP FOR YOUR BUSINESS



Spicers

EXPLORE THE RANGE ▶

Need an app that puts you on the right tack? RTape from Spicers has got you covered.

With RLA® (Release Liner Adhesion), RTape's Conform® series is guaranteed not to stick together. RTape tears off clean and clear, so graphics lay flawlessly flat, with no sticky build-up. Available in a variety of tack levels, these products are ideal for all standard sign applications, and are also widely used for surface protection on printed graphics during transportation.

So for the perfect peel-off, pick up a pack of RTape today.







BEST BITS

Conform® Series with RLA

- Graphics stay neater and cleaner, even when rolled
- RLA adhesive protects against wrinkling, tunneling and edge curling
- Heavyweight standard paper
- Available in a variety of tack levels
- Removes easily following application
- No adhesion build on stored graphics
- Works in either wet or dry applications
- 4075RLA & 4076RLA

ApliTape™

- Excellent premask for fleet graphic installations
- Ideal for large fleet graphics and applying graphics to vinyl banners
- Suitable for transferring small to medium sized graphics and large plotter cut letters
- Heavyweight standard paper
- Removes easily following application
- Available in a variety of tack levels
- Works in either wet or dry applications
- 4075 & 4076

Avery Dennison® SF-100 Fluorescent

ORDER NOW

- Avery Dennison SF-100 Fluorescent is a 56ums high-visibility fluorescent film with a solvent-based permanent acrylic adhesive
- Designed for short-term promotional and functional signage applications
- It is ideal for creating attention-grabbing graphics for both indoor and outdoor use
- A great choice for short-term applications where maximum visibility and impact are required
- Available in six fluorescent colours
- Suitable for trailers, banners, architectural and directional signage
- Durability: Up to 6 months (refer to specification sheet)



Material	Series	Colour	Width (mm)	Length (m)
453048	833	Blue	610	45.7
453043	833	Blue	1220	45.7
453049	834	Green	610	45.7
453044	834	Green	1220	45.7
452825	825	Magenta	610	45.7
452824	825	Magenta	1220	45.7
453046	830	Orange	610	45.7
453041	830	Orange	1220	45.7
453047	831	Red	610	45.7
453042	831	Red	1220	45.7
453045	829	Yellow	610	45.7
453040	829	Yellow	1220	45.7



* This colour chart should only used as a guide as these are only a representation of the true vinyl colour.

Avery Dennison® 1200 Banner Films

ORDER NOW

- Avery Dennison 1200 Banner is a 70ums high-performance self-adhesive film range for application on to flexible banners
- Features a clear acrylic based, permanent with removable characteristics adhesive
- It has been especially developed for conversion on sign making systems and offers excellent cutting and weeding properties
- The face film is receptive to application tape adhesion to ease the decal to substrate application procedure
- Ideal for interior and exterior applications
- Suitable for short-term applications such as promotional events, exhibitions, seminars, fairs, festivals & shows
- Durability: Up to 3 years (refer to specification sheet)



Material	Series	Colour	Width (mm)	Length (m)
453116	1202	Black	615	50
453113	1202	Black	1230	50
452856	1201	White	615	50
452855	1201	White	1230	50

Avery Dennison® Metallised PET Film

ORDER NOW

- Avery Dennison Polyester Films are premium metallised and clear 50ums films
- Designed to create a sleek, luxurious finish across a wide range of interior and exterior applications
- Featuring high tensile strength, permanent adhesive and excellent resistance to solvents and chemicals
- Available in Bright Silver, brushed metal and high-transparency finishes
- Ideal for window graphics, nameplates, decorative trims, product labels, serial numbers, emblems and printed or unprinted graphics
- Durability: Up to 2 years (refer to specification sheet)

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · ROLLS · POINT OF SALE · SELF ADHESIVE

Material	Series	Colour	Width (mm)	Length (m)
454044	Metallised PET Film	Brushed Silver	610	45
453065	Metallised PET Film	Brushed Silver	1371	45
453067	Metallised PET Film	Chrome	610	45
453066	Metallised PET Film	Chrome	1371	45
452839	Metallised PET Film	Gold	610	45
452837	Metallised PET Film	Gold	1220	45

Avery Dennison® Economy PET Film

ORDER NOW

- Avery Dennison Polyester Films are Economy metallised and clear 25ums films
- Designed to create a sleek, luxurious finish across a wide range of interior and exterior applications
- Featuring high tensile strength, permanent adhesive and excellent resistance to solvents and chemicals
- Available in Bright Silver, brushed metal and high-transparency finishes
- Ideal for window graphics, nameplates, decorative trims, product labels, serial numbers, emblems and printed or unprinted graphics
- Durability: Up to 1 year (refer to specification sheet) Gold
- Durability: Up to 2 years (refer to specification sheet) Silver

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · ROLLS · POINT OF SALE · SELF ADHESIVE

Material	Series	Colour	Width (mm)	Length (m)
454043	Economy PET Film	Gloss Silver	610	50
454042	Economy PET Film	Gloss Silver	1220	50
452891	Economy PET Film	Gloss Gold	610	50
452890	Economy PET Film	Gloss Gold	1220	50

Imageperfect 6500 Series Metallised Film

ORDER NOW

- Imageperfect 6500 Series are a range of 65ums metallised PVC films with a permanent, waterproof, solvent-based acrylic adhesive
- Designed for eye-catching indoor and outdoor graphics
- The range combines excellent durability with specially formulated vinyl for easier cutting, faster weeding and efficient applications
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

OUTDOOR APPLICATIONS · INDOOR APPLICATIONS · POINT OF SALE · ROLLS · SELF ADHESIVE · ECO SOLVENT MEDIA · UV MEDIA · LATEX MEDIA

Material	Series	Colour	Width (mm)	Length (m)
454237	6505	Gold	610	45.7
454231	6505	Gold	1220	45.7
454238	6507	Gold Brushed	610	45.7
454233	6507	Gold Brushed	1220	45.7
454236	6504	Silver	610	45.7
454081	6504	Silver	1220	45.7
454082	6506	Silver Brushed	610	45.7
454232	6506	Silver Brushed	1220	45.7

Nekoosa VinylEfx Metallised Film


ORDER NOW

NEKOOSA


- Nekoosa VinylEfx Metallised are 80ums metallised flexible PET films with a permanent high peel, high-tack, P102 adhesive
- Suitable for eye-catching metallic, reflective and glittering vinyls for cut lettering applications and printed graphics
- Ideal for indoor use and short-term outdoor applications where visual impact matters
- Reliable choice for sign makers and print professionals looking to create standout graphics with minimal effort
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks + thermal transfer


OUTDOOR APPLICATIONS · INDOOR APPLICATIONS · POINT OF SALE · ROLLS · SELF ADHESIVE · HIGH TAC ADHESIVE · ECO SOLVENT MEDIA · LATEX MEDIA · UV MEDIA

Material	Series	Colour	Width (mm)	Length (m)
455221	VinylEFX	Diamond Plate Silver	610	45.7
454163	VinylEFX	Diamond Plate Silver	1220	45.7
455215	VinylEFX	Fine Brush Silver	1220	45.7
455224	VinylEFX	Florentine Leaf Gold	610	45.7
454164	VinylEFX	Holosheen	610	45.7
455225	VinylEFX	Metallic Flake Gold	610	45.7
455226	VinylEFX	Metallic Flake Silver	610	45.7
455216	VinylEFX	Metallic Flake Silver	1220	45.7
455227	VinylEFX	Rainbow Brite	610	45.7
455222	VinylEFX	Rose Gold	610	45.7
455214	VinylEFX	Rose Gold	1220	45.7
455223	VinylEFX	Silver Chrome	610	45.7
455228	VinylEFX	Smooth Gold	610	45.7
455217	VinylEFX	Smooth Gold	1220	45.7
455229	VinylEFX	Smooth Rose Gold	610	45.7
455218	VinylEFX	Smooth Rose Gold	1220	45.7
455230	VinylEFX	Smooth Silver	610	45.7
455219	VinylEFX	Smooth Silver	1220	45.7
455220	VinylEFX	Sparkles	610	45.7



SMOOTH SILVER



FINE BRUSH SILVER


RAINBOW BRITE OVERALL*



METAL FLAKE SILVER



DIAMOND PLATE SILVER


SMOOTH GOLD


METAL FLAKE GOLD


FLORENTINE LEAF GOLD


SMOOTH ROSE GOLD


FINE BRUSH ROSE GOLD

* Finishes are available in 610mm width only.

These images displayed should only used as a guide, as these are only a representation of the true pattern/vinyl colour.



5503 Sun Yellow Pantone 115C	5518 Coral Red Pantone 2028C	5528 Sharp Red	5547 Azure Blue Pantone 7686C	5560 Autumn Green	5571 Ash Grey
5551 Primrose Yellow Pantone 116C	5506 Medium Red Pantone 485C	5531 Tulip Pink Pantone 218C	5512 Gentian Blue	5561 Summer Green Pantone 361C	5501 Black Pantone Black 3C
5504-01 Yellow Pantone 012C	5519 Apple Red Pantone 2035C	5533 Lavender Pantone 241C	5548 Electric Blue	5562 Yellow Green	5590 Silver Metallic Pantone 877C
5505 Citrus Yellow Pantone 7548C	5520 Ruby Red	5534 Rosewine	5549 Sailing Blue	5563 Pine Green	5591 Gold Metallic Pantone 872C
5507-01 Curry Yellow Pantone 7549C	5521 Red Pantone 186C	5536 Grape Purple Pantone 261C	5550 Island Blue	5565 Lime Green Pantone 611C	5572-01 Pearl
5510-01 Golden Yellow Pantone 7409C	5522 Oriental Red	5541 Delft Blue Pantone 662C	5581 Sky Blue	5500 White	5573 Beige
5513-01 Yellow Orange	5523 Cherry Red	5543 Night Blue	5552 Shocking Blue Pantone 7461C	5567 Ice	5574 Copper Brown
5514 Fire Orange Pantone 715C	5524 Scarlet Red Pantone 200C	5544 Rain Blue Pantone 288C	5553 Mediterranean Blue	5568 Beige Grey Pantone Warm Grey 7C	5530 Wine Red Pantone 202C
5515-01 Tangerine Orange Pantone 151C	5525 Fire Red Pantone 7621C	5545 Steel Blue Pantone 294C	5555 Ocean Green Pantone 321C	5569 Mouse Grey	5578 Bark Brown
5516-01 Deep Orange Pantone 1575C	5526 Garnet Red Pantone 7427C	5546 Shadow Blue Pantone 2758C	5558 Forest Green Pantone 7726C	5589 Dark Grey	5579 Chocolate Brown
5517-01 Sunset Orange	5527 Strawberry Red Pantone 193C	5509 Sapphire Blue Pantone 2147C	5508 Kelly Green Pantone 7727C	5570 Smoke Grey	

*The colours displayed are representative of the vinyl colour but may slightly vary from actual material.
Vinyl Colour Cards are available from your Spicers sales representative or branch.

1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison® 5500 QM Translucent Film

ORDER NOW

- Avery Dennison 5500 QM is a 50ums high-quality cast translucent vinyl with a clear, acrylic based permanent adhesive
- Designed for internally illuminated signage, window graphics and decorative applications
- Offering excellent colour uniformity in both reflected and transmitted light
- Delivers vibrant, consistent results across a wide range of substrates
- Durable performance and easy conversion for computerised sign cutting, hand cutting and die cutting applications
- Excellent adhesion, colour fastness and dimensional stability
- Durability: Up to 10 years (refer to specification sheet)



Material	Series	Colour	Width (mm)	Length (m)
453325	5519	Apple Red	615	50
453259	5519	Apple Red	1230	50
453361	5571	Ash Grey	615	50
453297	5571	Ash Grey	1230	50
453354	5560	Autumn Green	615	50
453288	5560	Autumn Green	1230	50
453345	5547	Azure Blue	615	50
453279	5547	Azure Blue	1230	50
453364	5578	Bark Brown	615	50
453301	5578	Bark Brown	1230	50
453362	5573	Beige	615	50
453299	5573	Beige	1230	50
453308	5568	Beige Grey	615	50
453294	5568	Beige Grey	1230	50
453310	5501	Black	615	50
453243	5501	Black	1230	50
453329	5523	Cherry Red	615	50
453263	5523	Cherry Red	1230	50
453365	5579	Chocolate Brown	615	50
453302	5579	Chocolate Brown	1230	50
453313	5505	Citrus Yellow	615	50
453246	5505	Citrus Yellow	1230	50
453363	5574	Copper	615	50
453300	5574	Copper Brown	1230	50
453324	5518	Coral Red	615	50
453258	5518	Coral Red	1230	50
453315	5507	Curry Yellow	615	50
453248	5507	Curry Yellow	1230	50
453367	5589	Dark Grey	615	50
453304	5589	Dark Grey	1230	50
453322	5516	Deep Orange	615	50
453256	5516	Deep Orange	1230	50

Light Management Films

Avery Dennison® 5500 QM Translucent Film

Material	Series	Colour	Width (mm)	Length (m)
453340	5541	Delft Blue	615	50
453274	5541	Delft Blue	1230	50
453346	5548	Electric Blue	615	50
453280	5548	Electric Blue	1230	50
453320	5514	Fire Orange	615	50
453254	5514	Fire Orange	1230	50
453331	5525	Fire Red	615	50
453265	5525	Fire Red	1230	50
453353	5558	Forest Green	615	50
453287	5558	Forest Green	1230	50
453332	5526	Garnet Red	615	50
453266	5526	Garnet Red	1230	50
453318	5512	Gentian Blue	615	50
453252	5512	Gentian Blue	1230	50
453369	5591	Gold - Metallic	615	50
453306	5591	Gold - Metallic	1230	50
453317	5510	Golden Yellow	615	50
453251	5510	Golden Yellow	1230	50
453339	5536	Grape Purple	615	50
453273	5536	Grape Purple	1230	50
453024	5537	Grey Blue	615	25
453359	5567	Ice	615	50
453293	5567	Ice	1230	50
453348	5550	Island Blue	615	50
453282	5550	Island Blue	1230	50
452820	5508	Kelly Green	615	50
453249	5508	Kelly Green	1230	50
453337	5533	Lavender	615	25
453271	5533	Lavender	1230	50
453358	5565	Lime Green	615	50
453292	5565	Lime Green	1230	50
453351	5553	Mediterranean Blue	615	50
453285	5553	Mediterranean Blue	1230	50
453314	5506	Medium Red	615	50
453247	5506	Medium Red	1230	50
453307	5569	Mouse Grey	615	50
453295	5569	Mouse Grey	1230	50

Avery Dennison® 5500 QM Translucent Film

Material	Series	Colour	Width (mm)	Length (m)
453025	5539	New Blue	615	25
453341	5543	Night Blue	615	50
453275	5543	Night Blue	1230	50
453352	5555	Ocean Green	615	50
453286	5555	Ocean Green	1230	50
453328	5522	Oriental Red	615	50
453262	5522	Oriental Red	1230	50
453357	5563	Pine Green	615	50
453291	5563	Pine Green	1230	50
453026	5557	Pistachio	615	50
453349	5551	Primrose Yellow	615	50
453283	5551	Primrose Yellow	1230	50
453342	5544	Rain Blue	615	50
453276	5544	Rain Blue	1230	50
453327	5521	Red	615	50
453261	5521	Red	1230	50
453338	5534	Rosewine	615	50
453272	5534	Rosewine	1230	50
453326	5520	Ruby Red	615	50
453260	5520	Ruby Red	1230	50
453347	5549	Sailing Blue	615	50
453281	5549	Sailing Blue	1230	50
453316	5509	Sapphire Blue	615	50
453250	5509	Sapphire Blue	1230	50
453330	5524	Scarlet Red	615	50
453264	5524	Scarlet Red	1230	50
453344	5546	Shadow Blue	615	25
453278	5546	Shadow Blue	1230	50
453334	5528	Sharp Red	615	50
453268	5528	Sharp Red	1230	50
453350	5552	Shocking Blue	615	50
453284	5552	Shocking Blue	1230	50
453368	5590	Silver - Metallic	615	50
453305	5590	Silver - Metallic	1230	25
453366	5581	Sky Blue	615	50
453303	5581	Sky Blue	1230	50

Light Management Films

Avery Dennison® 5500 QM Translucent Film

Material	Series	Colour	Width (mm)	Length (m)
453360	5570	Smoke Grey	615	50
453296	5570	Smoke Grey	1230	50
453343	5545	Steel Blue	615	50
453277	5545	Steel Blue	1230	50
453333	5527	Strawberry Red	615	50
453267	5527	Strawberry Red	1230	50
453355	5561	Summer Green	615	50
453289	5561	Summer Green	1230	50
453311	5503	Sun Yellow	615	25
453244	5503	Sun Yellow	1230	50
453323	5517	Sunset Orange	615	50
453257	5517	Sunset Orange	1230	50
453321	5515	Tangerine Orange	615	50
453255	5515	Tangerine Orange	1230	50
453336	5531	Tulip Pink	615	50
453270	5531	Tulip Pink	1230	50
453309	5500	White	615	50
453242	5500	White	1230	50
453335	5530	Wine Red	615	50
453269	5530	Wine Red	1230	50
453312	5504	Yellow	615	50
453245	5504	Yellow	1230	50
453356	5562	Yellow Green	615	50
453290	5562	Yellow Green	1230	50
453319	5513	Yellow Orange	615	50
453253	5513	Yellow Orange	1230	50






1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison® 900 Super Cast Blockout

ORDER NOW

- Avery Dennison 900 Super Cast Blockout is a 100ums premium cast blockout film with a clear, permanent acrylic adhesive
- With less than 0.001% light transmission, they provide exceptional light control and a consistent lustre finish
- Available in white with a black adhesive side or black with a white adhesive side
- Excellent adhesion to a wide variety of substrates & superior dimensional stability
- Suitable for graphics involving internally illuminated light box applications
- Durability: Up to 7 years (refer to specification sheet




Material	Series	Colour	Width (mm)	Length (m)
452826	900 Supercast Blockout	Black	1230	45.7
453050	900 Supercast Blockout	White	1230	45.7

Avery Dennison® UC900 Diffuser Film

ORDER NOW

- Avery Dennison UC900 Diffuser is a 50ums premium 60% cast diffuser film
- Designed for illuminated light box and backlit signage applications
- Provides partial light blocking to help minimise hot spots and create a more consistent, evenly illuminated appearance
- Suitable for graphics involving internally illuminated light box applications
- Durability: Up to 5 years (refer to specification sheet)



Material	Series	Colour	Width (mm)	Length (m)
452836	UC900	White	610	45.7
452835	UC900	White	1220	45.7

3M™ 3630 Translucent

ORDER NOW

- Translucent, matt premium cast vinyl, with a clear permanent adhesive and a translucent, synthetic lay-flat liner
- Matt surface finish eliminates glare and provides uniform colour in reflected and transmitted light
- Available in over 50 crisp, clear colours (many with simulated PANTONE colour references)
- Perfect for long life window and backlit applications on flat surfaces
- Suitable for use with fluorescent bulbs
- Suitable for cut graphics and thermoforming
- Durability: Up to 9 years (refer to specification sheet)

BACKLIT · LIGHT BOXES · OUTDOOR APPLICATIONS · POINT OF SALE · SELF ADHESIVE

Material	Series	Colour	Width (mm)	Length (m)
400089	3M 3630-22	Black	1220	45.7
400114	3M 3630-106	Brilliant Green	1220	45.7
400113	3M 3630-97	Bristol Blue	1220	45.7
400100	3M 3630-53	Cardinal Red	1220	45.7
400106	3M 3630-73	Dark Red	1220	45.7
400126	3M 3630-137	European Blue	1220	45.7
400127	3M 3630-141	Gold Nugget	1220	45.7
400118	3M 3630-125	Golden Yellow	1220	45.7
400093	3M 3630-26	Green	1220	45.7
400107	3M 3630-74	Kumquat Orange	1220	45.7
400097	3M 3630-44	Orange	1220	45.7
400121	3M 3630-128	Plum Purple	1220	45.7
400128	3M 3630-143	Poppy Red	1220	45.7
400094	3M 3630-33	Red	1220	45.7
400117	3M 3630-121	Silver	1220	45.7
400133	3M 3630-157	Sultan Blue	1220	45.7
400096	3M 3630-43	Tomato Red	1220	45.7
400135	3M 3630-236	Turquoise	1220	45.7
400132	3M 3630-156	Vivid Green	1220	45.7
400088	3M 3630-20	White	1220	45.7
400091	3M 3630-015	Yellow	1220	45.7





Light Management Films

3M™ 3635-20B/22B Blockout Film

ORDER NOW

- Cast, matt, 100% opaque, white and black blockout self adhesive films
- 3635-20B (400480)is a white blockout film with black backing and a clear permanent adhesive
- Used to control light flow in internally illuminated signs
- 3635-22B (400481)is a black blockout film with white backing and a clear permanent adhesive
- May be printed with 3M Screen Printing Ink Series 1900
- Durability: Up to 5 years (refer to specification sheet

BLOCKOUT · LIGHT BOXES · OUTDOOR APPLICATIONS · SELF ADHESIVE

Material	Series	Colour	Width (mm)	Length (m)
400481	3M 3635-22B	Matt Black	1220	45.7
400480	3M 3635-20B	Matt White	1220	45.7

3M™ 3635-91 Day/Night Film

ORDER NOW

- A matt, translucent, grey, cast film with a clear permanent adhesive
- Appears grey by day, and white by night when illuminated from behind
- Used in internally-illuminated signs to produce special effects
- Not suitable for printing
- Durability: Up to 4 years (refer to specification sheet)

LIGHT BOXES · SELF ADHESIVE

Material	Series	Colour	Width (mm)	Length (m)
400482	3M 3635-91	Smoke Grey	1220	45.7

3M™ 3635 Diffuser Film

ORDER NOW

- A cast, matt, white translucent film with clear permanent adhesive
- 2 transmission levels - 3635-30 (400485) allows for 30% light transmission & 3635-70 (400483) allows for 60% light transmission
- Suitable for Internally-illuminated signs with fluorescent lights
- Control brightness and light distribution within light boxes without hotspots
- Create custom lighting effects for backlit applications
- Control brightness and light distribution within light boxes without hotspots
- Durability: Up to 9 years (refer to specification sheet)
- Not suitable for printing

LIGHT BOXES · OUTDOOR APPLICATIONS · SELF ADHESIVE

Material	Series	Colour	Width (mm)	Length (m)
400485	3M 3635-30	White	1220	45.7
400483	3M 3635-70	White	1220	45.7

3M™ 3635 Dual Colour Films

ORDER NOW

- Perforated cast film that is perfect for backlit vertical displays, lettering and signage
- Create the special effect of a colour/image by day (non lighted) and a different colour by night (backlit) - use with 3M Translucent films
- 3635-210 (400486)white matt perforated cast film with a white permanent adhesive
- Dual-colour perforation pattern lets background colour/image display when backlit
- 3635-222 (400487)black matt perforated cast film with a clear permanent adhesive
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent & UV Curable Inks

BACKLIT · LIGHT BOXES · OUTDOOR APPLICATIONS · SELF ADHESIVE · ECO SOLVENT MEDIA · UV MEDIA

Material	Series	Colour	Width (mm)	Length (m)
400487	3M 3635-222	Matt Black	1220	45.7
400486	3M 3635-210	Matt White	1220	45.7

3M™ 7725 Dusted/Frosted

ORDER NOW

- Special effects, matt premium cast vinyl with clear permanent solvent adhesive and transparent synthetic liner
- Available in dusted (etched glass appearance) and frosted (sandblast glass appearance) finishes in a range of colours
- Perfect for indoor and outdoor window decoration
- Suitable for electronic cutting
- Durability: Up to 15 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent & UV Curable Inks

BACKLIT · OUTDOOR APPLICATIONS · SELF ADHESIVE · ECO SOLVENT MEDIA · UV MEDIA

Material	Series	Colour	Width (mm)	Length (m)
400247	3M 7725	Dusted Crystal	1220	45.7
400240	3M 7725	Dusted Crystal	1524	45.7
450919	3M 7725	Frosted Crystal	1220	45.7
450949	3M 7725	Frosted Crystal	1524	45.7

Avery Dennison® Frosted/Etched Window Film

ORDER NOW

- Avery Dennison Frosted/Etched Glass Window Films are 53ums premium cast films with a permanent, solvent-based acrylic adhesive
- Designed to create stylish decorative and privacy effects on glass without the need for traditional glass etching
- Provide a professional frosted or etched appearance for a wide range of interior and exterior applications
- Designed for applications to flat transparent surfaces
- They have superior cutting, weeding and conversion properties
- Durability: Up to 5 years (refer to specification sheet) external
- Durability: Up to 9 years (refer to specification sheet) internal

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · ROLLS · SELF ADHESIVE

Material	Material Description	Colour	Width (mm)	Length (m)
452834	Avery Dennison Window Film	Etched	610	45.7
452832	Avery Dennison Window Film	Etched	1220	45.7
452833	Avery Dennison Window Film	Etched	1524	45.7
453064	Avery Dennison Window Film	Frosted	615	45.7
453063	Avery Dennison Window Film	Frosted	1230	45.7



3M™ 5525 Haze/Sandblast

ORDER NOW

- Special effects, matt intermediate polymeric vinyl with clear permanent solvent adhesive and kraft liner
- Available in dusted (etched glass appearance) and frosted (sandblast glass appearance) finishes
- Perfect for indoor & outdoor window decoration medium term applications
- Suitable for electronic cutting
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

BACKLIT · LATEX MEDIA · OUTDOOR APPLICATIONS · SELF ADHESIVE · ECO SOLVENT MEDIA · LATEX MEDIA · UV MEDIA

Material	Series	Colour	Width (mm)	Length (m)
400278	3M 5525	Haze	1220	50
450296	3M 5525	Haze	1524	50
400279	3M 5525	Sandblast	1220	50
450562	3M 5525	Sandblast	1524	50

Avery Dennison® Dusted/Crystal Window Films

ORDER NOW

- Avery Dennison Dusted/ Crystal Glass Window Films are 80ums polymeric, calendered PVC films with a permanent, solvent-based acrylic adhesive
- Designed to create stylish decorative and privacy effects on windows, doors, mirrors and other transparent surfaces
- Featuring a milky translucent appearance and homogeneous matt finish
- Designed for flat, smooth surfaces including glass, acrylic and polycarbonate
- Featuring a milky translucent appearance and homogeneous matt finish
- Offers excellent indoor and outdoor durability
- Dusted Glass Film is suitable for wet application, while Crystal Glass Film provides excellent cutting & weeding performance
- Durability: Up to 7 years (refer to specification sheet) internal
- Durability: Up to 5 years (refer to specification sheet) external

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · ROLLS · SELF ADHESIVE

Material	Material Description	Colour	Width (mm)	Length (m)
452827	Avery Dennison Window Film	Crystal Glass	610	50
452887	Avery Dennison Window Film	Crystal Glass	1230	50
454032	Avery Dennison Window Film	Dusted Glass	615	50
454031	Avery Dennison Window Film	Dusted Glass	1230	50




Imageperfect 3 Year 7800 Series

ORDER NOW

imageperfect ANZ


- Imageperfect 7800 Opal Frost is a 3yr PVC decorative glass film available with either a permanent or removable adhesive
- Suitable for retail, hospitality, commercial, educational and other high-traffic environments
- Suitable for use on a wide variety of clean, dry surfaces
- Durability: Up to 3 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Series	Colour	Adhesive	Width (mm)	Length (m)
454104	IP 7801	Opal Frost	Permanent	610	50
454103	IP 7801	Opal Frost	Permanent	1220	50
454534	IP 7801	Opal Frost	Permanent	1600	50
454540	IP 7801	Opal Frost	Removable	610	50
454528	IP 7801	Opal Frost	Removable	1220	50
454535	IP 7801	Opal Frost	Removable	1600	50







Imageperfect 8 Year 7800 Series

ORDER NOW

- The Imageperfect 7800 Series is a versatile range of decorative glass films
- Manufactured from flexible matt calendered PVC with a permanent solvent-based adhesive
- Available in Satin Crystal, denser Satin Crystal HD, Light Silver Frost and Silver Frost finishes
- Suitable for retail, hospitality, commercial, educational and other high-traffic environments
- The permanent solvent-based adhesive creates a strong final bond to ensure a secure and durable finish
- Suitable for use on a wide variety of clean, dry surfaces
- Durability: Up to 8 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Series	Colour	Width (mm)	Length (m)
454543	IP 7804	Light Silver Frost	610	50
454532	IP 7804	Light Silver Frost	1220	50
454538	IP 7804	Light Silver Frost	1600	50
454541	IP 7802	Satin Crystal	610	50
454530	IP 7802	Satin Crystal	1220	50
454536	IP 7802	Satin Crystal	1600	50
454542	IP 7803	Satin Crystal HD	610	50
454531	IP 7803	Satin Crystal HD	1220	50
454537	IP 7803	Satin Crystal HD	1600	50
454544	IP 7805	Silver Frost	610	50
454533	IP 7805	Silver Frost	1220	50
454539	IP 7805	Silver Frost	1600	50
454107	IP 7805 PA	Silver Frost	610	50
454546	IP 7805 PA	Silver Frost	1220	50
454547	IP 7805 PA	Silver Frost	1600	50

General Formulations GF 790AE Etch

ORDER NOW

- GF 790AE Print-N-Privacy is a decorative polymeric glass etch vinyl
- Can either be applied printed or unprinted for etched glass visual effect for use as a privacy film
- Solvent based permanent acrylic pressure sensitive adhesive
- Bubble Free Liner
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Series	Colour	Adhesive	Width (mm)	Length (m)
452232	GF 790AE	Window Etch	Clear Permanent	1371	45.7

Application Tape

AB TransferRite 6582

ORDER NOW

- TransferRite 6582 is an 110ums medium tack application tape featuring high grade saturated paper backing with specially formulated latex pressure sensitive adhesive
- TransferRite 6582 is removable
- Ideal for general purpose use as pre-space and decal transfer
- Recommended for striping and die cut logos and is best used for pre- spaced lettering from 5cm up to 31cm
- Suitable for applications such as tape & signmaking

SELF ADHESIVE

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
121850	AB 6582	Translucent	Medium-Tack	305	91.4
122917	AB 6582	Translucent	Medium-Tack	610	91.4
122918	AB 6582	Translucent	Medium-Tack	1220	91.4

AB TransferRite 6592

ORDER NOW

- AB TransferRite 6592 is a 110 ums high-tack standard grade, saturated paper application tape
- It is specially formulated with a latex pressure sensitive adhesive
- For general purpose use and is ideally suited to vinyls with medium to high adhesive grab
- Recommended for lettering <50mm in height, fine line striping and thermal die cut decals
- Suitable for applications for where tape is needed and signmaking

SELF ADHESIVE · HIGH TAC ADHESIVE · ROLLS

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
121851	TR 6592	Translucent	High-Tack Pressure Sensitive	305	91.4
122919	TR 6592	Translucent	High-Tack Pressure Sensitive	610	91.4
122920	TR 6592	Translucent	High-Tack Pressure Sensitive	1220	91.4

AB TransferRite 1310

ORDER NOW

- TransferRite 1310 is a 100ums clear medium tack application tape that is see-through and enables multi-colour alignments
- It has a latex pressure sensitive adhesive
- This low-static film is easy to tear and removes effortlessly from corrugated plastic and banner material
- Recommended for use with intermediate or calendered films including matt finish interior wall films
- Suitable for applications such as tape & signmaking

SELF ADHESIVE · ROLLS

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
121848	AB 1310	Clear	Medium-Tack	610	91.4
122916	AB 1310	Clear	Medium-Tack	1220	91.4

AB TransferRite 6560

ORDER NOW

- 6560 is a 110ums low tack application tape featuring a highgrade saturated paper backing with specially formulated latex, pressure sensitive adhesive
- Suitable for general sign shop use
- It is used for pre-spaced computer cut lettering or logos > 12" high and an economical choice for large vinyl installation
- Its low tack adhesion is gentle on digital prints and large format graphics
- Recommended for die cut logos and is best used for one-piece lettering bigger than 31cm

SELF ADHESIVE · LOW TAC ADHESIVE

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
121849	AB 6560	Translucent	Low-Tack	1220	91.4

1300 132 644 info.mail@spicers.com.au spicers.com.au

Imageperfect Tape AT-505 Medium-Tack

ORDER NOW

- Imageperfect AT-505 is a highly-engineered, paper-based, application tape with a medium-tack adhesive
- Adhesive features a new latex-based glue system with strong adhesion
- Specially developed for all graphic applications Suitable for
- applications where tape is needed and signmaking

SELF ADHESIVE ROLLS

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
122614	AT-505	Translucent	Medium-Tack	305	91.4
121839	AT-505	Translucent	Medium-Tack	610	91.4
122613	AT-505	Translucent	Medium-Tack	1220	91.4

Imageperfect Tape AT-500 High-Tack

ORDER NOW

- Imageperfect AT-500 is a highly-engineered, paper-based, application tape
- Adhesive features a new latex-based glue system with strong adhesion
- Specially developed for all graphic applications Suitable for applications where tape is needed and signmaking

SELF ADHESIVE HIGH TAC ADHESIVE ROLLS

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
121838	AT-500	Translucent	High-Tack	305	91.4
122610	AT-500	Translucent	High-Tack	610	91.4
122611	AT-500	Translucent	High-Tack	1220	91.4
122612	AT-500	Translucent	High-Tack	1524	91.4

Imageperfect Tape AT-500ST Extra High-Tack

ORDER NOW

- Imageperfect AT-500ST is a highly-engineered, paper-based, application tape with an extra high-tack adhesive
- Adhesive features a new latex-based glue system with strong adhesion
- Specially developed for all graphic applications
- Suitable for applications where tape is needed and signmaking

SELF ADHESIVE HIGH TAC ADHESIVE ROLLS

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
121837	AT-500ST	Translucent	Extra High-Tack	305	91.4
122608	AT-500ST	Translucent	Extra High-Tack	610	91.4
122609	AT-500ST	Translucent	Extra High-Tack	1220	91.4

Application Tape

R.Tape 4075 (Medium-High)

ORDER NOW

- 4075 Medium-High-Tack repositionable latex adhesive
- Popular choice for every day sign shop applications & removes easily following application
- Standard Paper (101 micron)
- Suitable for most applications particularly transferring small to medium sized graphics & large plotter cut letters

SELF ADHESIVE

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
165131	R.Tape 4075 (Med-High)	White	Medium-High	610	91
165128	R.Tape 4075 (Med-High)	White	Medium-High	1220	91

R.Tape 4075RLA (Medium-High)

ORDER NOW

- 4075RLA Medium-High-Tack repositionable RLA latex adhesive
- Graphics stay neater and cleaner, even when they are rolled
- Popular choice for every day sign shop applications and & removes easily following application
- RLA adhesive sticks and lays flat to the exposed release liner around cut vinyl graphics to protect against wrinkling, tunnelling and edge curling
- Standard Paper (101 micron)
- Suitable for most applications particularly transferring small to medium sized graphics & large plotter cut letters

SELF ADHESIVE

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
169193	R.Tape 4075RLA (Med-High)	White	Medium-High	610	91
169192	R.Tape 4075RLA (Med-High)	White	Medium-High	1220	91
199704	R.Tape 4075RLA (Med-High)	White	Medium-High	1524	91

R.Tape 4076 (Extra High)

ORDER NOW

- 4076 Extra High, repositionable latex adhesive
- Offers clean pick up and transfer of very small hard-to lift lettering
- & graphics & removes easily following application
- Standard Paper (101 micron)

SELF ADHESIVE

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
189389	R.Tape 4076 (Extra High)	White	Extra High	610	91
189388	R.Tape 4076 (Extra High)	White	Extra High	1220	91

R.Tape 4076RLA (Extra High)

ORDER NOW

- 4076 Extra High, repositionable RLA latex adhesive
- Graphics stay neater and cleaner, even when they are rolled
- Offers clean pick up and transfer of very small hard-to lift lettering & graphics & removes easily following application
- RLA adhesive sticks and lays flat to the exposed release liner around cut vinyl graphics to protect against wrinkling, tunnelling and edge curling
- Standard Paper (101 micron)

SELF ADHESIVE

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
192253	R.Tape 4076RLA (Extra High)	White	Extra High	610	91
192030	R.Tape 4076RLA (Extra High)	White	Extra High	1220	91
198762	R.Tape 4076RLA (Extra High)	White	Extra High	1524	91

1300 132 644 info.mail@spicers.com.au spicers.com.au

R.Tape AT65

ORDER NOW

- R.Tape AT65 is an ultra-clear, high tack film application tape that provides exceptional performance and versatility
- Multiple colour overlays, while the rigid polypropylene film minimizes stretching for precise alignment of graphics
- AT65 is a transparent 112.5 micron film, no backing paper

BACKLIT · LIGHT BOXES · OUTDOOR APPLICATIONS · SELF ADHESIVE

Material	Material Description	Width (mm)	Length (m)
192227	R.Tape AT65	1220	91

Avery Dennison® Signmask Light Blue

ORDER NOW

- Avery Dennison Signmask Light Blue is an 80ums premium stencil film with an ultra removable acrylic adhesive
- Designed for temporary masking on flat, curved and irregular surfaces
- It offers excellent cutting and weeding performance
- It has a clean temporary bond, and reliable removability across a wide range of substrates
- Perfect for use on smooth panels, corrugated or flexible truck and van sides, sign boards, banners, plywood, plastics and glass-reinforced surfaces.

SELF ADHESIVE · INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · ROLLS

Material	Material Description	Colour	Width (mm)	Length (m)
452893	Signmask	Light Blue	615	50
454045	Signmask	Light Blue	1230	50

Imageperfect Signmask Blue Pro

ORDER NOW

- Imageperfect Signmask Blue Pro is a 100ums calendered paint masking film with a removable acrylic adhesive
- Used as a stencil film during spray painting/paint masking applications high levels of transparency during installation to allow for easy accurate positioning
- Easy removability from most substrates without leaving adhesive residue
- The grid pattern on the reverse of the liner will allow for easy alignment during cutting
- Suitable for applications such as banners, tarpaulins, vehicle sides and sign boards.

SELF ADHESIVE · BANNERS · INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · ROLLS

Material	Material Description	Colour	Width (mm)	Length (m)
454115	Signmask PRO	Blue	610	50
454113	Signmask PRO	Blue	1220	50

General Formulations Sign Mask

ORDER NOW

- Yellow Paint Mask vinyl is an 86 micron matt yellow vinyl with removable acrylic pressure-sensitive adhesive
- The vinyl is formulated for ease of cutting while retaining resistance to common solvents encountered in typical spray paints and automotive finishes
- Bleached kraft liner provides an excellent base for plotter cut graphics and home craft applications
- Can be used as a stencil for applications like creating floor graphics in gymnasiums, decorative painting or etching with craft projects, or branding mesh fencing for tennis courts and construction.

SELF ADHESIVE

Material	Material Description	Colour	Width (mm)	Length (m)
173586	GF 851	Yellow	1220	45.7
173587	GF 851	Yellow	1524	45.7

High-Performance Films

Avery Dennison® 900 Super Cast

ORDER NOW

- Avery Dennison 900 Super Cast is a 50ums premium, high-gloss cast vinyl with a clear, permanent solvent based acrylic adhesive
- Offers outstanding durability, dimensional stability and is resistance to UV light, humidity and chemicals
- Exceptional conformability makes it ideal for challenging and irregular surfaces
- Its high-gloss surface delivers a premium finish
- Ideal for vehicle and emergency fleet graphics, architectural and retail signage, marine and recreational vehicles, wayfinding & window graphics
- Durability: Up to 12 years (refer to specification sheet)

OUTDOOR APPLICATIONS · INDOOR APPLICATIONS · ROLLS · POINT OF SALE · SELF ADHESIVE

Material	Series	Colour	Width (mm)	Length (m)
453850	901	Black	380	50
453944	991	Gold - Metallic	380	50
453945	992	Grey - Metallic	380	50
453943	990	Silver - Metallic	380	50
453852	940	Transparent	380	50
452882	900	White	380	50

Avery Dennison® 800 Premium Cast

ORDER NOW

- Avery Dennison 800 Premium Cast is a 50ms high-performance cast vinyl with a clear, permanent solvent based acrylic adhesive
- Offering excellent dimensional stability, conformability and outdoor durability
- Excellent conformability on curved and corrugated surfaces
- Excellent lay flatness and stability during cutting and weeding
- High gloss for superior appearance
- Suitable for applications such as vehicle and marine craft graphics (above the static water line), advertising, promotional window displays and retail signage
- Durability: Up to 10 years (refer to specification sheet)

OUTDOOR APPLICATIONS · INDOOR APPLICATIONS · ROLLS · POINT OF SALE · SELF ADHESIVE

Material	Series	Colour	Width (mm)	Length (m)
453674	801	Black	380	50
453763	848	Bright Orange	380	50
452876	800	White	380	50

Avery Dennison® 700 Premium Film

ORDER NOW

- Avery Dennison 700 Premium Film is a 64ums high performing, medium life polymeric vinyl
- It gives perfect results on cutting plotters and offers excellent weeding properties even with small letters
- Attractive film range with 120 colours and high gloss appearance
- Ideal for both interior and exterior applications
- Suitable for applications such as vehicle and window graphics, indoor and outdoor fascias, directional signage, billboards and promotional displays
- Screen printable and suitable for flat and curved surfaces
- Durability: Up to 8 years (refer to specification sheet)

OUTDOOR APPLICATIONS · INDOOR APPLICATIONS · ROLLS · POINT OF SALE · SELF ADHESIVE


Material	Series	Colour	Width (mm)	Length (m)
453374	701	Black	380	50
453507	737	Bright Red	380	50
453508	739	Bright Yellow	380	50
453376	740	Transparent	380	50
452864	700	White	380	50

Gerber Edge Label Film

ORDER NOW

GERBER TECHNOLOGY

- Gerber Edge Label Film is a durable 50ums polyester film with a clear permanent acrylic adhesive
- Designed for demanding commercial and industrial labelling applications
- Excellent heat resistance and dimensional stability
- Ideal for pipe markings, electronic and industrial product labels, decals, identification nameplates and architectural graphics
- Offers excellent resistance to tearing, punctures, mild acids, motor oil and cleaning agents
Durability: Up to 2 years (refer to specification sheet)



Material	Series	Finish	Adhesive	Width (mm)	Length (m)
122801	Gerber Edge Label	Brushed Silver	Permanent	381	9.14
122802	Gerber Edge Label	Clear	Permanent	381	9.14
122803	Gerber Edge Label	Matt Silver	Permanent	381	9.14
122814	Gerber Edge Label	White	Permanent	381	9.14
122805	Gerber Edge Label	White	Permanent	381	45.7
121844	Gerber Edge PVC10	White	None	381	9.14
122813	Gerber Edge Security	Chrome Silver	Permanent	381	45.7
122804	Gerber Edge Security	Chrome Silver	Permanent	381	9.14

Gerber Edge LexEdge Film

ORDER NOW

GERBER TECHNOLOGY

- Gerber Edge LexEdge Films are 250ums durable, polycarbonate-based films with a permanent, pressure-sensitive acrylic adhesive
- Designed for high-quality commercial, industrial and signage applications
- Outdoor LexEdge features a matt finish with excellent resistance to tearing, abrasion, heat and yellowing, making it ideal for ATM displays
- LexEdge II is a satin, semi-rigid film developed for second-surface reverse printing and is ideal for keyboard overlays
- Both films include a protective film or mask on the print surface that must be removed as directed before use
- Durability: Up to 10 years (refer to specification sheet) - LexEdge Outdoor Only



Material	Series	Finish	Adhesive	Width (mm)	Length (m)
122811	LexEdge FR65	Clear	Permanent	381	9.14
122812	LexEdge FR65	Clear	Permanent	1220	22.8
122806	LexEdge II	Satin Clear	Permanent	381	9.14
122815	LexEdge II	Satin Clear	Permanent	381	45.7
122807	LexEdge Outdoor	Satin Clear	Permanent	381	9.14

Gerber Edge Specialty Film

ORDER NOW

GERBER TECHNOLOGY

- The Gerber Edge Specialty Film range offers versatile solutions for a variety of specialist printing, signage and display applications
- AutoMag II - a flexible magnetic film designed for vehicle graphics and metal surfaces
- GerberMag II - a durable magnetic film for stationary metal applications
- Gerber Luminous Film - a glow-in-the-dark vinyl ideal for interior safety and identification signage
- Gerber EDGE Positive - a crystal-clear polyester film for producing screen-ready positives
- Films provide reliable performance across magnetic graphics, safety signage, screen printing and window applications
- Durability: Up to 7 years (refer to specification sheet)



Material	Series	Finish	Adhesive	Width (mm)	Length (m)
122799	AutoMag II	Matt White	None	381	7.62
122808	Gerber Luminous	Satin	Permanent	381	9.14
122800	GerberMag II	Matt White	None	381	7.62
122809	Gerber EDGE Positive	Clear	None	381	9.14

Gerber Edge GC Process Foil

ORDER NOW

GERBER TECHNOLOGY

- Gerber Edge GC Process Foil were developed with Gerber software to achieve accurate four-colour reproduction
- Can be used in conjunction with both spot and transparent cartridges
- CMYK Foils produce printed graphics capable of withstanding severe weather and handling conditions in both commercial and industrial applications
- Suitable for decals, signage, and labels, these foils provide outdoor durability without lamination
- Produce a vast number of unique, eye-catching colours
- Durability: Up to 3 years (refer to specification sheet)

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · ROLLS

Material	Series	Colour	Vendor Part Number	Edge Classic I&II(M)
122759	GC Colorset	Process Black	P67112A	45
122761	GC Colorset	Process Cyan	P67124A	45
122776	GC Colorset	Process Magenta	P67116A	45
122760	GC Colorset	Process Yellow	P67120A	45
122718	GC Pro	Process Black	P76283A	45
122717	GC Pro	Process Cyan	P76282A	45
122719	GC Pro	Process Magenta	P76281A	45
122716	GC Pro	Process Yellow	P76280A	45

Gerber Edge GC Spot Colour Foil

ORDER NOW

GERBER TECHNOLOGY

- Gerber Edge GC Spot Colour Foils deliver smooth, consistent colours designed to complement popular vinyls, films, inks and paints
- Suitable for a wide range of indoor and outdoor commercial and industrial graphics
- They can be used individually or overprinted in various combinations to create custom colours, patterns, fades and shading effects
- Ideal for one, two and three-colour jobs
- Time-saving alternative to four-colour printing while achieving spot colour
- Durability: Up to 5 years (refer to specification sheet)

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · ROLLS

Material	Series	Colour	Vendor Part Number	Edge Classic I&II(M)
122762	GC Colorset	Black	P69593A	45
122764	GC Colorset	Cobalt Blue	P67691A	45
122763	GC Colorset	Warm Red	P67699A	45
122740	GC Metallic	Champagne Gold	P66284A	45
122747	GC Metallic	Copper - Metallic	P66280A	45
122748	GC Metallic	Gold - Metallic	P60392A	45
122720	GC Metallic	Imitation Gold	P66272A	45
122743	GC Metallic	Silver	P60387A	45
122728	GC Spot Colour	Apple Green	P66276A	45
122725	GC Spot Colour	Aqua	P53542A	45
122796	GC Spot Colour	Arctic White	GCS710	45
122730	GC Spot Colour	Atomic Red	P76550A	45
122736	GC Spot Colour	Beige	P53512A	45
122789	GC Spot Colour	Black	P49085A	45
122741	GC Spot Colour	Brick Red	P60367A	45
122727	GC Spot Colour	Brown	P49087A	45

Material	Series	Colour		Vendor Part Number	Edge Classic I&II(M)
122794	GC Spot Colour		Burgundy Red	P53487A	45
122731	GC Spot Colour		Cobalt Blue	P49093A	45
122738	GC Spot Colour		Dark Green	P66260A	45
122749	GC Spot Colour		Dark Grey	P66256A	45
122783	GC Spot Colour		Deep Sea Blue	P84874A	45
122784	GC Spot Colour		Fern Green	P84876A	45
122775	GC Spot Colour		Fluoro Red/Orange	P69940A	45
122751	GC Spot Colour		Forest Green	P53492A	45
122726	GC Spot Colour		Green	P49095A	45
122791	GC Spot Colour		Grey	P49086A	45
122735	GC Spot Colour		Intense Blue	P53497A	45
122752	GC Spot Colour		Intense Red	P66268A	45
122734	GC Spot Colour		Kelly Green	P60362A	45
122756	GC Spot Colour		Kumquat Orange	P53532A	45
122724	GC Spot Colour		Lemon Yellow	P53537A	45
122754	GC Spot Colour		Light Grey	P66252A	45
122755	GC Spot Colour		Light Navy	P76588A	45
122753	GC Spot Colour		Light Purple	P53517A	45
122742	GC Spot Colour		Lime Green	P69936A	45
122745	GC Spot Colour		Navy Blue	P60382A	45
122739	GC Spot Colour		Olympic Blue	P49094A	45
122723	GC Spot Colour		Orange	P49089A	45
122757	GC Spot Colour		Peacock Blue	P53527A	45
122750	GC Spot Colour		Pink	P53522A	45
122732	GC Spot Colour		Purple	P49092A	45
122721	GC Spot Colour		Raspberry	P60377A	45
122795	GC Spot Colour		Royal Reflex	GCS687	45
122737	GC Spot Colour		Ruby Red	P49091A	45
122785	GC Spot Colour		Seafoam	P84878A	45
122744	GC Spot Colour		Sunflower Yellow	P53502A	45
122733	GC Spot Colour		Tan	P60372A	45
122758	GC Spot Colour		Teal	P53507A	45
122729	GC Spot Colour		Terra Cotta	P66264A	45
122722	GC Spot Colour		Tomato Red	P49090A	45
122778	GC Spot Colour		Traffic Grey	P78908A	45
122746	GC Spot Colour		Violet Purple	P69932A	45
122787	GC Spot Colour		White	P49084A	45
122788	GC Spot Colour		White	P79101A	45
122790	GC Spot Colour		Yellow	P49088A	45

Gerber Edge GC Transparent Foil

ORDER NOW

GERBER TECHNOLOGY

- Gerber Edge GC Transparent Foils are designed to add vibrant colour and visual impact to reflective, backlit and decorative graphics
- Ideal for enhancing reflective, metallic and holographic vinyl
- Suitable for indoor and outdoor applications
- They can be used individually or overprinted in various combinations to create custom colours, patterns, fades and shading effects
- Durability: Up to 3 years (refer to specification sheet)

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · ROLLS

Material	Series	Colour	Vendor Part Number	Edge Classic I&II(M)
122771	GC Transparent	Blue	P60397A	45
122773	GC Transparent	Brown	P60447A	45
122769	GC Transparent	Burgundy Red	P60437A	45
122765	GC Transparent	Gold	P60442A	45
122766	GC Transparent	Green	P60452A	45
122770	GC Transparent	Orange	P60402A	45
122767	GC Transparent	Plum Purple	P60432A	45
122774	GC Transparent	Red	P60407A	45
122768	GC Transparent	Sapphire Blue	P60427A	45
122772	GC Transparent	Yellow	P60417A	45

Gerber Edge GC Metal Foil

ORDER NOW

GERBER TECHNOLOGY

- Gerber Edge GC Metal Foils will produce a dynamic, metallised, chrome finish
- Ideal for signs, labels, decals, and many other applications
- They are for interior use or short-term exterior (2-week) stationary, non-vehicle vertical sign applications

INDOOR APPLICATIONS · ROLLS

Material	Series	Colour	Vendor Part Number	Edge Classic I&II(M)
122714	GC Medal	Gold Medal	P49096A	45
122782	GC Medal	Red Medal	GCM783	45
122781	GC Medal	Silver Medal	GCM721	45

Gerber Edge FX Foil Caddy

ORDER NOW

GERBER TECHNOLOGY

- Gerber Edge FX Foil Caddy is designed for quick and convenient foil changes
- Compatible with Gerber Edge FX printers
- Holds 15, 45 and 91 metre foil rolls
- Fast foil loading and unloading
- Improves workflow efficiency
- Helps minimise production costs



Material	Series	Unit
122622	FX Foil Caddy	1 piece

Gerber Edge FX Process Foil

ORDER NOW

GERBER TECHNOLOGY

- Gerber Edge FX Process Foil refills were developed with Gerber software to achieve accurate four-colour reproduction
- Can be used in conjunction with both spot and transparent cartridges
- CMYK Foil refills produce printed graphics capable of withstanding severe weather and handling conditions in both commercial and industrial applications
- GerberColor FX foils are refillable, for use with the Edge FX Caddy for cost-effective output
- Suitable for decals, signage, and labels, these foils provide outdoor durability without lamination
- Durability: Up to 3 years (refer to specification sheet)

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · ROLLS

Material	Series	Colour		Vendor Part Number	Edge FX Refills (M)
122624	FX Process		Process Black	P77740A	45
122625	FX Process		Process Black	P77741A	91
122626	FX Process		Process Cyan	P77742A	45
122627	FX Process		Process Cyan	P77743A	91
122628	FX Process		Process Magenta	P77744A	45
122629	FX Process		Process Magenta	P77745A	91
122630	FX Process		Process Yellow	P77746A	45
122631	FX Process		Process Yellow	P77747A	91

Gerber Edge FX Spot Colour Foil

ORDER NOW

GERBER TECHNOLOGY

- Gerber Edge FX Spot Colour Foils deliver smooth, consistent colours designed to complement popular vinyls, films, inks and paints
- Suitable for a wide range of indoor and outdoor commercial and industrial graphics
- They can be used individually or overprinted in various combinations to create custom colours, patterns, fades and shading effects
- Ideal for one, two and three-colour jobs
- Time-saving alternative to four-colour printing while achieving spot colour
- Refillable foils designed to be used with the Edge FX Caddy
- Durability: Up to 5 years (refer to specification sheet)

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · ROLLS

Material	Series	Colour	Vendor Part Number	Edge FX Refills (M)
122621	FX Metallic	Abrasion Guard	P81878A	91
122642	FX Metallic	Champagne Gold	P77691A	15
122645	FX Metallic	Copper - Metallic	P77694A	15
122655	FX Metallic	Gold	P77700A	45
122659	FX Metallic	Imitation Gold	P77705A	15
121843	FX Spot Colour	Abrasion Guard	P81988A	75
122632	FX Spot Colour	Apple Green	P77679A	45
122633	FX Spot Colour	Aqua	P77680A	15
121744	FX Spot Colour	Arctic White	P81285A	45
122634	FX Spot Colour	Atomic Red	P77682A	45
122636	FX Spot Colour	Beige	P77683A	45
122637	FX Spot Colour	Black	P77683A	45
122639	FX Spot Colour	Brick Red	P77687A	15
122640	FX Spot Colour	Brown	P77689A	45
122641	FX Spot Colour	Burgundy	P77690A	45
122643	FX Spot Colour	Cobalt Blue	P77801A	91
122653	FX Spot Colour	Flood Coat White	P77698A	45
122644	FX Spot Colour	Cobalt Blue	P77693A	45
122646	FX Spot Colour	Dark Cardinal Red	P84731A	45
122647	FX Spot Colour	Dark Green	P77696A	45
122648	FX Spot Colour	Dark Grey	P77697A	45
122649	FX Spot Colour	Deep Sea Blue	P84875A	45
122650	FX Spot Colour	Electric Green	P77518A	45
122651	FX Spot Colour	Fern Green	P84877A	45
122652	FX Spot Colour	Fireball Red	P77519A	45
122654	FX Spot Colour	Forest Green	P77699A	45
122656	FX Spot Colour	Green	P77702A	45
122657	FX Spot Colour	Green	P77703A	91
122658	FX Spot Colour	Grey	P77704A	45
122660	FX Spot Colour	Intense Blue	P77707A	45
122661	FX Spot Colour	Intense Blue	P77708A	91
122662	FX Spot Colour	Intense Red	P77709A	45

Gerber Edge FX Transparent Foil

ORDER NOW

GERBER TECHNOLOGY

- Gerber Edge FX Transparent Foils are designed to add vibrant colour and visual impact to reflective, backlit and decorative graphics
- Ideal for enhancing reflective, metallic and holographic vinyl
- Suitable for indoor and outdoor applications
- They can be used individually or overprinted in various combinations to create custom colours, patterns, fades and shading effects
- Ideal for one, two and three-colour jobs
- Time-saving alternative to four-colour printing while achieving spot colour
- Refillable foils designed to be used with the Edge FX Caddy
- Durability: Up to 3 years (refer to specification sheet)

INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · ROLLS

Material	Series	Colour		Vendor Part Number	Edge FX Refills (M)
122702	FX Transparent		Blue	P77765A	45
122703	FX Transparent		Brown	P77767A	45
122704	FX Transparent		Burgundy	P77769A	45
122705	FX Transparent		Gold	P77771A	45
122706	FX Transparent		Green	P77773A	45
122707	FX Transparent		Orange	P77775A	45
122708	FX Transparent		Plum Purple	P77777A	45
122709	FX Transparent		Red	P77779A	45
122710	FX Transparent		Sapphire Blue	P77781A	45
122711	FX Transparent		Tomato Red	P77783A	45
122712	FX Transparent		Yellow	P77785A	45

Gerber Edge FX Metal Foil

ORDER NOW

GERBER TECHNOLOGY

- Gerber Edge GC Metal Foils will produce a dynamic, metallised, chrome finish
- Ideal for signs, labels, decals, and many other applications
- They are for interior use or short-term exterior (2-week) stationary, non-vehicle vertical sign applications

INDOOR APPLICATIONS · ROLLS

Material	Series	Colour		Vendor Part Number	Edge FX Refills (M)
122623	GC Medal		Gold Medal	P77701A	15









Reflectives



3M Science. Applied to Life.™

AVERY DENNISON

KIWALITE

imageperfect ANZ

Spicers' Reflective range delivers high-visibility, weather-resistant films engineered for maximum reflectivity, ideal for safety signs, vehicle graphics and outdoor advertising that stay clear and impactful day or night.

ORDER YOUR FAVOURITE PRODUCTS ONLINE

1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together

Reflective

Reflective Films Product Reference Chart

	DURABILITY UP TO YEARS	GLOSS FACE	PERMANENT ADHESIVE	ADHESIVE COLOUR	CLASS (HISTORICAL)	CLASS (NEW)	REFLECTIVE TYPE
Avery Dennison V-4000 Premium	7	✓	✓	Clear	N/A	N/A	Glass Bead
Avery Dennison V-4000 Easy Apply RS		✓	✓	Grey	N/A	N/A	Glass Bead
Avery Dennison V-8000 Easy Apply		✓	✓	Clear	N/A	N/A	Omni-Directional
Avery Dennison OmniCube	12	✓	✓	Clear	1X	1100	Microprismatic Retroreflective - full cube
Avery Dennison OmniCube Edge Sealed Tape		✓	✓				
Avery Dennison T-6500	10	✓	✓		1W	400T	High Intensity Microprismatic Retroreflective
Avery Dennison W-6500	5	✓	✓		1W	400T	High Intensity Microprismatic Retroreflective
ImagePerfect 2574	7	✓	✓		2	100	Engineering grade - digital print ready
Kiwalite 2600 Series Printable	7	✓	✓		2	100	Engineering grade - digital print ready
3M 680CR (white)	9	✓		Clear			Engineering grade - digital print ready
3M 610 Series	3	✓	✓				Utility Grade
3M Diamond Grade DG³ Series 4000	12	✓	✓	White	1X	1100	Prismatic Retroreflective - Full Cube
3M Diamond Grade Series 983 / 4083	10	✓	✓	Clear/ White	1A/1X	1A/1100	Microprismatic Conspicuity Marking
3M Series 3800	7	✓	✓	Clear	1	400T	High Intensity Prismatic Reflective Sheeting
3M 7610	7	✓	✓	White	2	100	Microprismatic retroreflective sheeting with Engineer Grade performance

Product information has been obtained from supplier product datasheets, product guides or websites and may change at any time.
N/P - Information Not Provided by the manufacturer. The Product Reference Chart highlights some of the most commonly used products in this category, including items from other suppliers. Please note, not all products available through Spicers in this category are listed.



1300 132 644 info.mail@spicers.com.au spicers.com.au

3M™ 680CR Series Reflective

ORDER NOW SIGNAGE REFLECTIVE

- Printable, enclosed lens reflective vinyl with a clear, removable adhesive and PE coated kraft liner
- 3M™ Comply™ Adhesive for easy and fast bubble-free installations
- For vertical, flat, curved or corrugated surfaces, with or without rivets
- Similar daytime and night-time appearance that retains most of its reflectivity when wet
- For use with overlaminate 8518, 8519, 8520 & 8993
- Durability: Up to 8 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks.

OUTDOOR APPLICATIONS · VEHICLE WRAP · LATEX MEDIA · SELF ADHESIVE

Material	Series	Colour	Class	Width (mm)	Length (m)
400415	3M 680CR-14	Orange	Retro-reflective	1220	45.7
400288	3M 680CR-71	Yellow	Retro-reflective	1220	45.7
451795	3M 680CR-71	Yellow	Retro-reflective	50	45.7
400238	3M 680CR-72	Red	Retro-reflective	1220	45.7
452638	3M 680CR-72	Red	Retro-reflective	50	45.7
400417	3M 680CR-75	Blue	Retro-reflective	1220	45.7
400420	3M 680CR-81	Lemon Yellow	Retro-reflective	1220	45.7
400236	3M 680CR-85	Black	Retro-reflective	1220	45.7
400234	3M IJ680CR-10	White	Retro-reflective	1220	45.7

3M™ 780mC Series Reflective

ORDER NOW SIGNAGE REFLECTIVE

- 6.6 mil, flexible, enclosed lens, retro-reflective available in white only
- Flexible, conforms to compound curves, corrugations, and rivets
- Excellent retroreflectivity at wider viewing angles
- 3M™ Comply™ Adhesive for easy and fast bubble-free installations
- Pressure-activated adhesive for easy sliding and tacking, snap-up and repositioning
- For use with 3M overlaminates 8548G, 8550M & 8549L
- Durability: Up to 9 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks.

OUTDOOR APPLICATIONS · VEHICLE WRAP · LATEX MEDIA · SELF ADHESIVE

Material	Series	Colour	Class	Width (mm)	Length (m)
451265	3M 780mC-10R	White	Retro-reflective	1220	45.7



Avery Dennison®
V-4000 Reflective Easy Apply

ORDER NOW

SIGNAGE REFLECTIVE

- Avery Dennison V4000 Easy Apply Reflective is a 200ums, grey permanent adhesive film with long term removability (LTR)
- Ideal for a wide range of fleet, emergency service vehicles and general signage
- Conformability with a high gloss finish
- Meets ASTM D4956-13 Standard Specification for Retro reflective Sheeting for traffic control
- Colours available are White, Black, Yellow, Blue, Red and Orange
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Series	Colour	Adhesive	Width (mm)	Length (m)
121133	V-4000 Easy Apply	White Reflective	Grey Permanent EA RS	1220	15
121330	V-4000 Easy Apply	White Reflective	Grey Permanent EA RS	1220	45.7

Avery Dennison®
V-4000 Easy Apply RS Kit

ORDER NOW

SIGNAGE REFLECTIVE

- Film: Avery Dennison V-4000 White Easy Apply RS
- Overlaminate: Avery Dennison SL 6460 Gloss
- Overlaminate: Avery Dennison DOL 1060 Max Gloss
- Overlaminate: Avery Dennison 1480 Max Matt



Material	Series	Laminate Finish	Components	Width (mm)	Length (m)
121158	V-4000 Easy Apply RS Kit	Gloss Clear	V4000EZ/DOL1060	1220	45.7
121159	V-4000 Easy Apply Kit	Gloss Clear	V-4000EZ/DOL1460	1220	45.7
121295	V-4000 Easy Apply RS Kit	Matt Clear	V4000EZ/DOL1480	1220	45.7
121296	V-4000 Easy Apply RS Kit	High Gloss Clear	V4000EZ/SL6460	1220	45.7

Avery Dennison®
V-4000 Premium Reflective

ORDER NOW

SIGNAGE REFLECTIVE

- Avery Dennison V-4000 Reflective 143ums is a premium quality beaded retro-reflective flexible cast vinyl film
- Perfect for long-term commercial and emergency fleet applications
- High level of reflectivity ensures versatility offering great value for vehicle, architectural and general signage applications that require conformability and long durability
- Excellent cutting and weeding
- Outstanding printablility across all platforms (V4000 only)
- High dimensional stability & colour matching option
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Series	Colour	Class	Width (mm)	Length (m)
452850	V-4000-190	Black	Retro-reflective	610	45.7
452849	V-4000-190	Black	Retro-reflective	1220	45.7
453094	V-4000-677	Blue	Retro-reflective	610	45.7
453089	V-4000-677	Blue	Retro-reflective	1220	45.7
453095	V-4000-373	Orange	Retro-reflective	610	45.7
453090	V-4000-373	Orange	Retro-reflective	1220	45.7
453096	V-4000-440	Red	Retro-reflective	610	45.7
453091	V-4000-440	Red	Retro-reflective	1220	45.7
453097	V-4000-101	White	Retro-reflective	610	45.7
453092	V-4000-101	White	Retro-reflective	1220	45.7
453098	V-4000-235	Yellow	Retro-reflective	610	45.7
453093	V-4000-235	Yellow	Retro-reflective	1220	45.7

Avery Dennison® VisiFlex V-8000

ORDER NOW

SIGNAGE REFLECTIVE

- Avery Dennison VisiFlex V-8000 is a high visibility reflective film
- It is engineered to improve the day and night-time visibility of emergency response, utility, and construction fleets
- Offers durable, vibrant daytime colours and at night its bold high- quality microprismatic retroreflective elements efficiently return light at a wide range of angles
- Solid metallic layer construction simplifies application, and eliminates the requirement for edge sealing
- Easy to handle and apply, conforms to simple curves
- Available in the following colours blue, yellow/green, green, red and white. Digitally printable (V-8000 White only)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Series	Colour	Width (mm)	Length (m)
453019	V-8000	Blue	1220	22.86
453023	V-8000	Fluoro Orange	1220	22.86
453022	V-8000	Fluoro Yellow/Green	1220	22.86
453020	V-8000	Green	1220	22.86
453021	V-8000	Reflective Red	1220	22.86
452819	V-8000	Reflective White	1220	22.86

3M™ 4000 Series Reflective

ORDER NOW

SIGNAGE REFLECTIVE

- 3M™ Diamond Grade™ DG3 Reflective offers exceptional performance in short, medium and long viewing distances with 3M Innovative full cube technology
- Specifically designed for reflective road work zone traffic signs & delineators
- Ideal for high truck traffic, multi-lane roads or for disadvantaged signs or where there is high sign clutter/interference
- Meets the highest overall retroreflectivity requirements in AS/NZ 1906.1 Class 1100
- Can be used with the 1170 Transparent films
- Available in a range of standard and fluoro colours
- Durability: Up to 12 years (refer to specification sheet)

OUTDOOR APPLICATIONS · SELF ADHESIVE

Material	Series	Colour	Class	Width (mm)	Length (m)
400006	3M 4081	Fluoro Yellow	Class 1100	1220	45.7
450272	3M 4081	Fluoro Yellow	Class 1100	610	45.7
400005	3M 4083	Fluoro Yellow/Green	Class 1100	1220	45.7
400401	3M 4083	Fluoro Yellow/Green	Class 1100	610	45.7
400007	3M 4084	Fluoro Orange	Class 1100	1220	45.7
452785	3M 4084	Fluoro Orange	Class 1100	610	45.7
400004	3M 4090	White	Class 1100	1220	45.7
400404	3M 4090	White	Class 1100	610	45.7
400405	3M 4091	Yellow	Class 1100	1220	45.7
400406	3M 4091	Yellow	Class 1100	610	45.7
451260	3M 4092	Red	Class 1100	1220	45.7
450965	3M 4095	Blue	Class 1100	1220	45.7

Avery Dennison® T-11500 OmniCube

ORDER NOW

SIGNAGE REFLECTIVE

- Avery Dennison T-11500 OmniCube Diamond Grade Series is a 406ums High Intensity Microprismatic Retro-reflective Film
- Takes full-cube sheeting to a new level
- 100% efficient, returning approximately 60% of the available light
- Suitable applications include trucks, vehicles and motorbikes
- Class 1X / 1100 Diamond Grade Reflective Sheeting
- Durability: Up to 12 years (refer to specification sheet)

OUTDOOR APPLICATIONS · ROLLS · SELF ADHESIVE

Material	Series	Colour	Class	Width (mm)	Length (m)
453038	T-11513	Fluoro Yellow/Green	Class 1100	610	45.7
453034	T-11513	Fluoro Yellow/Green	Class 1100	1220	45.7
452823	T-11500	White	Class 1100	610	45.7
452822	T-11500	White	Class 1100	1220	45.7
453036	T-11501	Yellow	Class 1100	610	45.7
453031	T-11501	Yellow	Class 1100	1220	45.7

3M™ 3930 Series Reflective

ORDER NOW

SIGNAGE REFLECTIVE

- 3M™ High Intensity Prismatic Reflective with pressure sensitive adhesive with unique construction providing high levels of retroreflectivity for regulated traffic signs & delineators
- Durable - tougher topcoat aids against scuffs and scratches
- Excellent for general traffic control signs in non-disadvantage positions
- Vivid daytime colours provide 24-hour performance with increased daytime visibility
- Meets retroreflectivity requirements for AS/NZ 1906.1 Class 400
- Durability: Up to 10 years (refer to specification sheet)
- Print Compatibility: Latex

OUTDOOR APPLICATIONS

SELF ADHESIVE

Material	Series	Colour	Class	Width (mm)	Length (m)
452732	3M 3923	Fluoro Yellow/Green	Class 400	1220	45.7
400008	3M 3930	White	Class 400	1220	45.7
400009	3M 3931	Yellow	Class 400	1220	45.7
451281	3M 3932	Red	Class 400	1220	45.7
451282	3M 3935	Blue	Class 400	1220	45.7
452739	3M 3937	Green	Class 400	1220	45.7

3M™ 3800 Series Reflective

ORDER NOW

SIGNAGE REFLECTIVE

- 3M™ Prismatic Reflective Sheeting 3830 high intensity prismatic reflective with a clear permanent adhesive
- Excellent for construction road work signage
- Medium to high performance and visibility to alert drivers of upcoming road work zones
- 3800 series contains 3M easy identification markings to provide peace of mind it is a genuine 3M product
- Withstands tough weather conditions
- Meets retroreflectivity AS/NZ 1906.1 Class 400T

OUTDOOR APPLICATIONS

SELF ADHESIVE

Material	Series	Colour	Class	Width (mm)	Length (m)
451130	3M 3824	Fluoro Orange	Class 400T	1220	45.7
450945	3M 3830	White	Class 400T	1220	45.7
450946	3M 3831	Yellow	Class 400T	1220	45.7

3M™ 3300 Series Reflective

ORDER NOW

SIGNAGE REFLECTIVE

- 3M™ Flexible Prismatic Retroreflective Sheeting 3310i and 3340i series optimised for application on low-energy surfaces
- Highly reflective, wide angle, encapsulated lens sheeting for use on reboundable, plastic-substrate traffic control devices, such as drums
- 3310i Impact resistant, reboundable sheeting designed for traffic barrels, drums, and similar channelisers
- 3340i Impact resistant, reboundable sheeting designed for PVC traffic cones and similar traffic control devices
- Repositionable for accuracy of application
- Meets retroreflectivity AS/NZS 1906.1 Class 400T

OUTDOOR APPLICATIONS

SELF ADHESIVE

Material	Series	Colour	Class	Width (mm)	Length (m)
452778	3M 3310i	White	Class 400T	1220	45.7
451817	3M 3311	Yellow	Class 400T	1220	45.7
452760	3M 3340i	White	Class 400T	1220	45.7

Avery Dennison®
T-6500/W-6500 Series

ORDER NOW

SIGNAGE REFLECTIVE

- Avery Dennison T-6500 & W-6500 Series high intensity grade reflective sheeting that is a high quality, durable micro-prismatic, retroreflective material
- Unique construction provides an extra high level of reflectivity for demanding traffic control systems
- Specifically designed for permanent traffic signage on flat surfaces
- Suitable for applications such as traffic, work zone & safety signage
- Class 1W/400T High Intensity Prismatic Reflective Sheeting
- Durability: Up to 5 years (refer to specification sheet) W-6500
- Durability: Up to 10 years (refer to specification sheet) T-6500




Material	Series	Colour	Class	Width (mm)	Length (m)
453081	W-6514	Fluoro Orange	Class 400T	1220	45.7
453079	T-6507	Green	Class 400T	1220	45.7
453080	T-6508	Red	Class 400T	1220	45.7
452845	T-6500	White	Class 400T	610	45.7
452844	T-6500	White	Class 400T	1220	45.7
453082	T-6501	Yellow	Class 400T	610	45.7
453077	T-6501	Yellow	Class 400T	1220	45.7

Avery Dennison® W-6500D Series

ORDER NOW

SIGNAGE REFLECTIVE

- Avery Dennison W-6500D is a printable Work Zone high intensity grade reflective sheeting
- High quality, durable micro-prismatic retroreflective material
- Its unique construction provides an extra high level of reflectivity for demanding traffic control systems
- Designed specifically for permanent traffic signage on flat surfaces
- Durability: Up to 5 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent & UV Inks




Material	Series	Colour	Adhesive	Width (mm)	Length (m)
121160	W-6500D	White Reflective	Permanent	1220	45.7
121331	W-6501D	Yellow	Permanent	1220	45.7

3M™ 610 Series Beaded Reflective

ORDER NOW

SIGNAGE REFLECTIVE

- 3M™ Reflective Sheeting Series 610 is an enclosed lens sheeting with a clear pressure sensitive adhesive and easy release liner
- Meets retroreflectivity AS/NZS 1906.1 Class 100
- Pressure sensitive sheeting which should be applied at room temperature (15 oC or higher) using a mechanical squeeze roll applicator at moderate
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Series	Colour	Class	Width (mm)	Length (m)
401038	3M 610-10	White	Class 100	1220	45.7
401039	3M 610-11	Yellow	Class 100	1220	45.7
401040	3M 610-12	Red	Class 100	1220	45.7
401041	3M 610-15	Blue	Class 100	1220	45.7

3M™ 7600 Series Reflective

ORDER NOW

SIGNAGE REFLECTIVE

- 3M™ Flexible Engineer Grade Reflective is a non-metallised (corrosion resistant), non-conductive, microprismatic retroreflective sheeting
- Incorporates a microseal technology giving a uniform appearance compared to its prismatic sheeting offering a whiter base colour compared to beaded sheetings
- Designed for use in the production of retroreflective commercial signs, regulated and non-regulated traffic control signs that are exposed vertically in service
- Made with Microseal technology
- Meets retroreflectivity AS/NZS 1906.1 Class 100
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: UV Curable Inks




Material	Series	Colour	Class	Width(mm)	Length (m)
451876	3M 7610	White	Class 100	1220	45.7

3M™ 7300 Series Reflective

ORDER NOW

SIGNAGE REFLECTIVE

- 3M™ Advanced Flexible Engineer Grade Reflective Series 7300 for non-critical signs (white only) and temporary traffic control devices
- Features a pre-coated pressure-sensitive adhesive for easy application on a variety of low energy surfaces like plastic, moderately rough or porous wood and metal
- Highly conformable and can be applied to devices using automated application equipment or by hand
- Excellent choice for digital or screen printing with graphics that will shine against its crisp white surface and provide day and night reflectivity
- Impact-resistant and made for less-than-optimal environments like work zones and other areas where high durability and minimal maintenance is required
- Meets the retroreflective performance of AS/NZS 1906.1 Class 100
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Series	Colour	Class	Width (mm)	Length (m)
451875	3M 7310	White	Class 100	1220	45.7
452527	3M 7311	Yellow	Class 100	1220	45.7

Avery Dennison® T-1500 Reflective

ORDER NOW

SIGNAGE REFLECTIVE

- Avery Dennison T-1500 Reflective 140ums is a high quality, durable, enclosed lens retroreflective material
- Specifically designed for permanent traffic signs on flat surfaces
- Other common applications include architectural signage, promotional signage and flat sided fleet
- Class 2/100 Engineer Grade Reflective Sheeting
- Meets requirement for Type I retroreflective sheeting as per ASTM D 4956
- Dry application method recommended
- Available in blue, green, orange, red, white and yellow
- Durability: Up to 7 years (refer to specification sheet)



Material	Series	Colour	Class	Width (mm)	Length (m)
454058	T-1505	Blue	Class 100	1220	45.7
454059	T-1507	Green	Class 100	1220	45.7
452894	T-1504	Orange	Class 100	1220	45.7
454060	T-1508	Red	Class 100	1220	45.7
454061	T-1500	White	Class 100	1220	45.7
454062	T-1501	Yellow	Class 100	1220	45.7

Reflective


Imageperfect 2574 ImageBrite

ORDER NOW

SIGNAGE REFLECTIVE

imageperfect ANZ

- Imageperfect 2574 ImageBrite Reflective 135ums is a printable class 2 engineering grade film with a high level of retroreflection for use in high-visibility signage installations
- It has been specially created for digital printing on large-format inkjet printers
- Suitable for use in vehicle marking, industrial safety signs, identification markings, warning labels, information signs, advertising installations and architectural applications
- This product can be used for indoor and outdoor applications on flat and slightly curved surfaces
- Can be kiss cut and die cut on almost any plotter. A 60° tangential blade should be used. A 60° swivel blade can be substituted for simple shapes
- This product meets or exceeds requirements of ASTM D4659 Type 1 specifications
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Latex & UV Curable Inks



Material	Series	Colour	Adhesive	Width (mm)	Length (m)
121801	IP 2574	White Reflective	Clear Permanent	1240	45.7


KIWALITE 2600 Class100 Reflective Sheeting

ORDER NOW

SIGNAGE REFLECTIVE

KIWALITE

- KIWALITE 2600 Class 100 is a leading-edge reflective sheeting with glass bead technology
- The sheeting meets or exceeds requirements of ASTM D4956 Type1 Specification, ISO 3864-1 Type 1 Specification and EN12899-1 Class RA1 Specification
- Excellent visability with a wider reflectivity angle than that of conventional engineer grade sheeting and is print ready
- These prominent properties offer users wider applications, such as, traffic signs, commercial signing along with functional safety signage
- Durability: Up to 7 years (refer to specification sheet)
- Durability: Up to 3 years (refer to specification sheet) Orange only
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Series	Colour	Class	Width (mm)	Length (m)
454068	KIWALITE 2600	Blue	Class 100	620	45
454067	KIWALITE 2600	Blue	Class 100	1240	45
454190	KIWALITE 2600	Green	Class 100	620	45
454185	KIWALITE 2600	Green	Class 100	1240	45
454191	KIWALITE 2600	Orange	Class 100	620	45
454186	KIWALITE 2600	Orange	Class 100	1240	45
454192	KIWALITE 2600	Red	Class 100	620	45
454187	KIWALITE 2600	Red	Class 100	1240	45
454193	KIWALITE 2600	White	Class 100	620	45
454188	KIWALITE 2600	White	Class 100	1240	45
454194	KIWALITE 2600	Yellow	Class 100	620	45
454189	KIWALITE 2600	Yellow	Class 100	1240	45

Kiwacal Photoluminescent Film

ORDER NOW

SIGNAGE REFLECTIVE

KIWALITE

- Kiwacal Photoluminescent Film is a 165ums film with a permanent acrylic adhesive
- Recommended for use on warning signs, exit signs, emergency signs or marking public escape routes
- This high performance photo luminescent sheeting becomes luminous in a dark place after absorbing and accumulating the light energy from electrical lamps
- Durability: Up to 5 years (refer to specification sheet)



Material	Series	Colour	Adhesive	Width (mm)	Length (m)
454069	Kiwacal SF-100	Green/Yellow	Permanent	1000	50

1300 132 644 info.mail@spicers.com.au spicers.com.au

3M™ 1170 Transparent

ORDER NOW

SIGNAGE REFLECTIVE

- Transparent, acrylic, coloured film with permanent acrylic adhesive and transparent film release liner
- Used for applications over 3M Reflective Sheeting to produce durable sign backgrounds, copy, and logos
- Protects surface form environmental contaminants and UV degradation
- Developed to provide optimal cutting, weeding, lifting, and transfer features when used with electronic cutting machines
- Warranted to match sheeting performance
- Available in a range of colours

OUTDOOR APPLICATIONS · SELF ADHESIVE

Material	Series	Colour	Adhesive	Width (mm)	Length (m)
450513	3M 1170	Clear	Permanent	1220	45.7
400077	3M 1171	Yellow	Permanent	1220	45.7
400078	3M 1172	Red	Permanent	1220	45.7
400079	3M 1175	Blue	Permanent	1220	45.7
400081	3M 1178	Black	Permanent	1220	45.7
450816	3M 1179C	Brown	Permanent	1220	45.7

3M™ 1160 Anti-Graffiti

ORDER NOW

SIGNAGE REFLECTIVE

- 3M 1160 is a durable, UV and graffiti resistant protective overlay film, with a clear pressure-sensitive adhesive
- It is applied as a protective overlay to signs made from 3M Reflective Sheetings
- Keep your digitally printed signs looking new and protect them from costly graffiti damage
- Protects against paints, lipstick, permanent marker ink, eggs, stickers etc
- Resists excessive fading, discolouring, cracking, peeling, and blistering

OUTDOOR APPLICATIONS · SELF ADHESIVE

Material	Series	Colour	Adhesive	Width (mm)	Length (m)
197183	3M 1160	Clear	Clear Permanent	1220	45.7

Avery Dennison®
OL 2000 Transparent Overlay

ORDER NOW

SIGNAGE REFLECTIVE

- Avery Dennison OL 2000 is a 100ums protective transparent Overlay film with a permanent acrylic adhesive
- Is ideal for use in manufacturing traffic control devices and guidance signage
- OL-2000 Series is a quality, durable, electronic computer cuttable film that is designed to be laminated over Avery retroreflective films
- Durability: matches the film to which it's applied (refer to specification sheet)

LAMINATES · POLYESTER LINER · ROLLS · SELF ADHESIVE

Material	Series	Colour	Adhesive	Width (mm)	Length (m)
453075	OL 2005	Blue	Permanent	610	45.7
453071	OL 2005	Blue	Permanent	1220	45.7
452842	OL 2008	Red	Permanent	610	45.7
453068	OL 2008	Red	Permanent	1220	45.7
453074	OL 2001	Yellow	Permanent	610	45.7
453073	OL 2001	Yellow	Permanent	1220	45.7

Reflectives Reference Chart

3M™ Scotchlite™ Removable Reflective Graphic Film with Comply™ Adhesive Series 680CR

White
680CR-10
PANTONE® 420 C

Yellow
680CR-71

White
780mC

Orange
680CR-14
PANTONE® 021 C

Red
680CR-72

Black
680CR-85,
PANTONE® 426 C

Blue
680CR-75

Lemon Yellow
680CR-81

Can't find your colour?


Allow us to custom match your colour. Contact your local Spicers sales representative and find out how easy it is to get the finest quality film in a colour you want.

Other product series

Many colours are available in other product series. Please reference your price pages or contact Spicers for availability. Minimum order quantities may apply. Some of these products are a simulation of the closest PANTONE® - identified colour standard. Consult current PANTONE® publications for accurate colour. PANTONE® and other PANTONE® trademarks are the property of PANTONE® LLC. © All rights reserved.

3M™ Diamond Grade™ DG³ Reflective Sheeting Series 4000

4090 - White
4091 - Yellow
4092 - Red
4095 - Blue
4081 - Fluoro Yellow
4083 - Fluoro Yellow/Green
4084 - Fluoro Orange



3M™ 3930 Reflective Series

3930 - White
3931 - Yellow
3932 - Red
3935 - Blue
3937 - Green
3923 - Fluoro Yellow/Green

3M™ 3800 Reflective Series

3830 - White
3831 - Yellow
3824 - Fluoro Orange

3M™ 7300 & 7600 Reflective Series

7310 - White
7311 - Yellow
7610 - White

3M™ 3300 Reflective Series

3310i - White
3M 3311 - Yellow
3340i - White

3M™ 610 Beaded Reflective Series

610-10 - White
610-11 - Yellow
610-12 - Red
610-15 - Blue

3M™ ElectroCut 1170 Series

1170 - Clear
1171 - Yellow
1172 - Red
1175 - Blue
1178 - Black
1179 - Brown

1300 132 644 info.mail@spicers.com.au spicers.com.au

Reflectives Reference Chart

Avery Dennison® V-4000 Premium Reflective Series

V4000-101	V4000-677	V4000-190	V4000-440	V4000-235	V4000-373
White	Blue	Black	Red	Yellow	Orange

Avery Dennison® VisiFlex V-8000 Series

V-8000	V-8000	V-8000	V-8000	V-8000	V-8000
White	Blue	Green	Red	Fluorescent Yellow/Green	Fluorescent Orange

Avery Dennison® T-11500 OmniCube

V-11500	V-11501	T-11513
White	Yellow	Fluorescent Yellow/Green

Avery Dennison® T-6500 / W-6500 Series

T-6500	T-65001	T-6507	T-6508	W-6514
White	Yellow	Green	Red	Fluoro Orange

Avery Dennison® T-1500 Series

T-1500	T-1501	T-1504	T-1505	T-1507	T-1508
White	Yellow	Orange	Blue	Green	Red

KIWALITE 2600 Class100 Reflective Sheeting

2600	2600	2600	2600	2600	2600
White	Yellow	Orange	Blue	Green	Red

3M™ 983 Series Conspicuity Tapes

983-10	983-72	983-71	983-23
White	Red	Yellow	Fluorescent Yellow/Green



Avery Dennison® T-6700-B Conspicuity Tapes

V-6700-B	V-6700-B	V-6700-B
White	Red	Yellow

* Please note: This colour chart should only used as a guide as these are only a representation of the true vinyl colour.

Reflective Tapes

3M™ 4000 Series Tapes Non Edge Seal

ORDER NOW

REFLECTIVE TAPES

- 3M™ Diamond Grade™ DG3 Reflective offers exceptional performance in short, medium and long viewing distances with 3M Innovative full cube technology
- Specifically designed for relfective road work zone traffic signs & delineators
- Ideal for high truck traffic, multi-lane roads or for disadvantaged signs or where there is high sign clutter/interference
- Meets the highest overall retroreflectivity requirements in AS/NZ 1906.1 Class 1100
- Can be used with the 1170 Transparent films
- Available in a range of standard and fluoro colours
- This is not the edge sealed product, and therefore does not come with the warranties associated with the ES product
- Durability: Up to 12 years (refer to specification sheet)

OUTDOOR APPLICATIONS SELF ADHESIVE

Material	Series	Colour	Width (mm)	Length (m)
452786	3M 4084	Fluoro Orange	50	45.7
400403	3M 4083	Fluoro Yellow/Green	75	45.7
450865	3M 4083	Fluoro Yellow/Green	50	45.7
450977	3M 4083	Fluoro Yellow/Green	100	45.7
451754	3M 4083	Fluoro Yellow/Green	304	45.7
451261	3M 4092	Red	50	45.7
452363	3M 4090	White	75	45.7

3M™ 4000 Series Tapes Edge Seal

ORDER NOW

REFLECTIVE TAPES

- 3M™ Diamond Grade™ DG3 Reflective Sheeting Series 4000 uses full-cube technology to reflect more light than truncated cubes
- Designed with higher retroreflectivity, the enhanced visibility accommodates different vehicles sizes and all motorists
- Surpasses the ASTM Type XI requirement, helping to make roads safer and easier to navigate
- Highly efficient reflective optics return light to drivers at varying angles for maximum legibility
- Drivers in semi-trucks or low-to-the-ground sports cars, signs remain clearly visible regardless of sign placement or time of day
- Meets the highest overall retroreflectivity requirements in AS/NZ 1906.1
- Durability: Up to 12 years (refer to specification sheet)

OUTDOOR APPLICATIONS SELF ADHESIVE

Material	Series	Colour	Width (mm)	Length (m)
452742	3M 4083	Fluoro Yellow/Green	100	45.7
452635	3M 4083	Fluoro Yellow/Green	51	45.7
452727	3M 4083	Fluoro Yellow/Green	76	45.7

1300 132 644 info.mail@spicers.com.au spicers.com.au

Avery Dennison®
T-11500 Reflective Tapes

ORDER NOW

REFLECTIVE TAPES

- Avery Dennison T-11500 OmniCube Diamond Grade (1X) Series High Intensity Microprismatic Retroreflective Film takes full-cube reflective sheeting to a new level
- It has a solvent-based acrylic, pressure-sensitive permanent adhesive
- OmniCube full-cube prisms are 100% efficient – returning approximately 60% of the available light back to the driver compared to only 40% with other prismatic reflective sheetings
- Suitable for applications such as public transport, safety and vehicles
- Durability: Up to 12 years (refer to specification sheet)

OUTDOOR APPLICATIONS · INDOOR APPLICATIONS · ROLLS · SELF ADHESIVE

Material	Series	Colour	Type	Width (mm)	Length (m)
121209	T-11500	Reflective White	Non Edge Sealed	50	22.5
121218	T-11500	Reflective White	Non Edge Sealed	50	45.7
121210	T-11500	Reflective White	Non Edge Sealed	75	22.5
121224	T-11500	Reflective White	Non Edge Sealed	75	45.7
121124	T-11513	Fluoro Yellow/Green	Non Edge Sealed	50	22.5
121219	T-11513	Fluoro Yellow/Green	Non Edge Sealed	50	45.7
121216	T-11513	Fluoro Yellow/Green	Edge Sealed	50	45.7
121211	T-11513	Fluoro Yellow/Green	Non Edge Sealed	75	22.5
121220	T-11513	Fluoro Yellow/Green	Non Edge Sealed	75	45.7
121217	T-11513	Fluoro Yellow/Green	Edge Sealed	75	45.7
121225	T-11513	Fluoro Yellow/Green	Edge Sealed	100	45.7

Avery Dennison®
VisiFlex V-8000 Easy Apply

ORDER NOW

REFLECTIVE TAPES

- Avery Dennison V-8000 Series High Visibility Reflective Film is engineered to improve the day and night-time visibility of emergency response, utility, and construction fleets
- Features a permanent clear, pressure activated acrylic adhesive
- Easy to handle and apply, conforms to simple curves
- The solid metallic layer construction simplifies application and eliminates the requirement for edge sealing
- Withstands normal vehicle maintenance
- Durability: Up to 7 years (refer to specification sheet)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

OUTDOOR APPLICATIONS · ROLLS · SELF ADHESIVE

Material	Series	Colour	Width (mm)	Length (m)
121127	V-8000	Fluoro Yellow/Green	50	22.8
121226	V-8000	Fluoro Yellow/Green	75	22.8



Reflective Tapes

3M™ 983 Series ES DG Vehicle Tapes

ORDER NOW REFLECTIVE TAPES

- 3M™ Diamond Grade™ Conspicuity Markings Series 983 is a highly reflective microprismatic lens edge sealed tape
- For application to sides and rear of large trucks, trailers and other vehicles to increase their visibility, especially when the vehicle is turning or crossing roadways
- Adhesive is a High-Tack, pressure-sensitive and solvent free
- Non-corroding and excellent weather resistance
- Compliant to AS/NZS 1906.2 Class 1A
- Durability: Up to 10 years (refer to specification sheet)

OUTDOOR APPLICATIONS SELF ADHESIVE

Material	Series	Colour	Class	Width (mm)	Length (m)
192361	3M 983-21 ES	Fluoro Yellow	Class 1A	55	45.7
192358	3M 983-72 ES	Red	Class 1A	51	45.7
192357	3M 983-10 ES	White	Class 1A	51	45.7
169188	3M 983-71 ES	Yellow	Class 1A	51	45.7

3M™ 983-23 ES DG Fluoro Yellow/Green

ORDER NOW REFLECTIVE TAPES

- 3M™ Diamond Grade™ Conspicuity Markings Series 983 is a highly reflective microprismatic lens edge sealed tape
- For application to sides and rear of large trucks, trailers and other vehicles to increase their visibility, especially when the vehicle is turning or crossing roadways
- Suitable for mining and site construction vehicles or in high risk pedestrian safety zones
- Adhesive is a High-Tack, pressure-sensitive and solvent free
- Non-corroding and excellent weather resistance
- 983-23 compliant to AS/NZS 1906.2 Class 1A
- Durability: Up to 10 years (refer to specification sheet)

OUTDOOR APPLICATIONS SELF ADHESIVE

Material	Series	Colour	Class	Width (mm)	Length (m)
169033	3M 983-23 ES	Fluoro Yellow/Green	Class 1A	50	45.7
192131	3M 983-23 ES	Fluoro Yellow/Green	Class 1A	76	45.7
169265	3M 983-23 ES	Fluoro Yellow/Green	Class 1A	101	45.7

3M™ 983-32 ES Red/White

ORDER NOW REFLECTIVE TAPES

- 3M™ Diamond Grade™ Conspicuity Markings 983-32 Red/White is a highly reflective, microprismatic edge sealed tape
- Pressure sensitive adhesive for easy application to trucks, trailers and large vehicles to enhance visibility and detection distance
- 3M™ 983-32 Red/White meets requirements of Australian Design Rule 13/00, 2005 (Appendix A - UNECE R48/03)
- Compliant to AS/NZS 1906.2 Class 1A
- Adhesive is a High-Tack, pressure-sensitive and solvent free
- Durability: Up to 10 years (refer to specification sheet)

OUTDOOR APPLICATIONS SELF ADHESIVE

Material	Series	Colour	Class	Width (mm)	Length (m)
169264	3M 983-32 ES	Red/White	Class 1A	100	45.7
169263	3M 983-32 ES	Red/White	Class 1A	75	45.7

1300 132 644 info.mail@spicers.com.au spicers.com.au

3M™ 983 UN/ECE 104 Series

ORDER NOW REFLECTIVE TAPES

- 3M™ Diamond Grade™ Conspicuity Markings Series 983 is a highly reflective microprismatic lens edge sealed tape
- For application to sides and rear of large trucks, trailers and other vehicles to increase their visibility, especially when the vehicle is turning or crossing roadways
- Aggressive, pressure-sensitive adhesive with easy-to-remove liner
- High brightness, superior angularity making it highly reflective at wide angles
- Compliant to AS/NZS 1906.2 Class 1A
- Durability: Up to 10 years (refer to specification sheet)

OUTDOOR APPLICATIONS SELF ADHESIVE

Material	Series	Colour	Class	Width (mm)	Length (m)
121050	3M 983-71 ES	Fluoro Yellow	Class 1A	54	50
121051	3M 983-72 ES	Red	Class 1A	54	50
121049	3M 983-10 ES	White	Class 1A	54	50
121048	3M 983-71 ES	Yellow	Class 1A	54	50

3M™ 983S Series

ORDER NOW REFLECTIVE TAPES

- 3M™ Diamond Grade™ Conspicuity Markings Series 983 is a highly reflective microprismatic lens edge sealed tape
- For application to sides and rear of large trucks, trailers and other vehicles to increase their visibility, especially when the vehicle is turning or crossing roadways
- Adhesive is a High-Tack, pressure-sensitive and solvent free
- Non-corroding and excellent weather resistance
- Compliant to AS/NZS 1906.2 Class 1A
- Durability: Up to 10 years (refer to specification sheet)

OUTDOOR APPLICATIONS SELF ADHESIVE

Material	Series	Colour	Class	Width (mm)	Length (m)
169260	3M 983-72S ES Tank	Red	Class 1A	52	45.7
169261	3M 983-71S ES Tank	Yellow	Class 1A	52	45.7

Avery Dennison® V-6700-B Conspicuity Tape

ORDER NOW REFLECTIVE TAPES

- Avery Dennison V-6700-B Conspicuity Tape is a high-quality, durable, self-adhesive, metallised, micro-prismatic retroreflective film for use in the automotive sector
- Features a clear water-based acrylic, permanent adhesive
- Increases the visibility of trucks and trailers during night time driving
- V-6700 Conspicuity Tape is durable, easy to apply and is available in 3 colours – white, yellow and red
- This vinyl complies with ECE 104, Class C, requirements including the retro-reflection specifications
- Durability: Up to 8 years (refer to specification sheet

SELF ADHESIVE OUTDOOR APPLICATIONS ROLLS TRANSIT GRAPHICS

Material	Series	Colour	Class	Width (mm)	Length (m)
121126	V-6700-B	White	Class C	51	50
121222	V-6700-B	Yellow	Class C	51	50
121223	V-6700-B	Red	Class C	51	50



Ink & Consumables

Mimaki™ Roland EPSON® EXCEED YOUR VISION

ROLLSROLLER® FLATBED APPLICATOR hp Canon

NAZDAR Ink Technologies neolt factory

Spicers offers a wide portfolio of trusted wide format printing and finishing equipment from respected industry brands.

ORDER YOUR FAVOURITE PRODUCTS ONLINE

1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together

Roland Eco-UV5 Ink

ORDER NOW UV CURABLE

- GREENGUARD Gold Certification
- Optimised for printing and curing with Roland DG VersaUV printers and printer/cutters
- Flexible ECO-UVS inks enable customisation of curved objects
- Superior scratch and alcohol resistant formulations
- Compatible with coated and uncoated substrates
- Gloss inks to create special, dimensional effects and texture
- High-opacity white inks for printing rich, dense colours on clear or dark media

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
177513	Roland Eco-UV5 Ink	Black	VS/XC/VP/SP Series	EUV5-2BK	220
121038	Roland Eco-UV5 Ink	Clear Gloss	VS/XC/VP/SP Series	EUV5-2GL	220
177510	Roland Eco-UV5 Ink	Cyan	VS/XC/VP/SP Series	EUV5-2CY	220
177511	Roland Eco-UV5 Ink	Magenta	VS/XC/VP/SP Series	EUV5-2MG	220
177514	Roland Eco-UV5 Ink	Primer	VS/XC/VP/SP Series	EUV5-2PR	220
198659	Roland Eco-UV5 Ink	White	VS/XC/VP/SP Series	EUV5-5WH	220
177512	Roland Eco-UV5 Ink	Yellow	VS/XC/VP/SP Series	EUV5-2YE	220
198657	Roland Eco-UV5 Ink	Black	MG/CO-Series	EUV5-5BK	500
198655	Roland Eco-UV5 Ink	Cyan	MG/CO-Series	EUV5-5CY	500
198665	Roland Eco-UV5 Ink	Gloss	MG/CO-Series	EUV5-5GL	500
198656	Roland Eco-UV5 Ink	Magenta	MG/CO-Series	EUV5-5MG	500
198660	Roland Eco-UV5 Ink	Orange	MG/CO-Series	EUV5-5OR	500
198666	Roland Eco-UV5 Ink	Primer	MG/CO-Series	EUV5-5PR	500
198661	Roland Eco-UV5 Ink	Red	MG/CO-Series	EUV5-5RE	500
198658	Roland Eco-UV5 Ink	Yellow	MG/CO-Series	EUV5-5YE	500

Roland Eco-UV5-7 Ink

ORDER NOW UV CURABLE

- GREENGUARD Gold Certification
- Optimised for printing and curing with Roland DG VersaUV printers and printer/cutters
- Flexible ECO-UVS inks enable customisation of curved objects
- Superior scratch and alcohol resistant formulations
- Compatible with coated and uncoated substrates
- Gloss inks to create special, dimensional effects and texture
- High-opacity white inks for printing rich, dense colours on clear or dark media

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
175415	Roland Eco-UV5-7 Ink	Black	LG-Series	EUV5P-7BK	750
175416	Roland Eco-UV5-7 Ink	Clear Gloss	LG-Series	EUV5P-7GL	750
175412	Roland Eco-UV5-7 Ink	Cyan	LG-Series	EUV5P-7CY	750
175413	Roland Eco-UV5-7 Ink	Magenta	LG-Series	EUV5P-7MG	750
175419	Roland Eco-UV5-7 Ink	Orange	LG-Series	EUV5P-7OR	750
175417	Roland Eco-UV5-7 Ink	Primer	LG-Series	EUV5P-7PR	750
175420	Roland Eco-UV5-7 Ink	Red	LG-Series	EUV5P-7RE	750
175418	Roland Eco-UV5-7 Ink	White	LG-Series	EUV5P-7WH	750
175414	Roland Eco-UV5-7 Ink	Yellow	LG-Series	EUV5P-7YE	750

Roland E-US Ink

ORDER NOW

UV CURABLE

- GREENGUARD Gold Certified
- 1000ml pouches 6 Colours: CMYK plus White and Gloss
- Designed for use with the Roland DG EU-1000MF

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
179577	Roland E-US Ink	Black	EU-1000MF	E-US-BK10	1000
179574	Roland E-US Ink	Cyan	EU-1000MF	E-US-CY10	1000
179579	Roland E-US Ink	Gloss	EU-1000MF	E-US-GL10	1000
179576	Roland E-US Ink	Magenta	EU-1000MF	E-US-MG10	1000
179578	Roland E-US Ink	White	EU-1000MF	E-US-WH10	1000
179575	Roland E-US Ink	Yellow	EU-1000MF	E-US-YE10	1000

Roland DTF S-PG2-5 Ink

ORDER NOW

DTF

- Designed for use with the Roland DG TY-300 DTF Printer
- Optimise printer performance and experience vibrant colours and sharp details that bring designs to life on various textiles
- Consistent performance that keeps your production running smoothly and efficiently
- Eco-friendly – free from harmful substances, ensuring peace of mind for both you and your customers

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
163447	Roland DTF S-PG2-5 Ink	Black	TY-Series	S-PPG2-5BK	500
163448	Roland DTF S-PG2-5 Ink	Cyan	TY-Series	S-PPG2-5CY	500
163449	Roland DTF S-PG2-5 Ink	Magenta	TY-Series	S-PPG2-5MG	500
163451	Roland DTF S-PG2-5 Ink	White	TY-Series	S-PPG2-5WH	500
163450	Roland DTF S-PG2-5 Ink	Yellow	TY-Series	S-PPG2-5YE	500

Roland BN2 Series Eco Sol Max Ink

ORDER NOW

ECO-SOLVENT

- Faster drying times to increase productivity and profit
- Water, scratch and UV resistance
- Aggressively adheres to a wide range of uncoated materials
- Virtually odourless and requiring no special ventilation or environmental equipment
- Durability: Up to 3 years (refer to specification sheet)

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
173621	Roland BN2 Series Eco Sol Max Ink	Black	BN2-Series	ESL4BK	220
173622	Roland BN2 Series Eco Sol Max Ink	Cyan	BN2-Series	ESL4CY	220
173623	Roland BN2 Series Eco Sol Max Ink	Magenta	BN2-Series	ESL4MG	220
173624	Roland BN2 Series Eco Sol Max Ink	Yellow	BN2-Series	ESL4YE	220

Roland Eco Sol Max Ink

ORDER NOW ECO-SOLVENT

- Faster drying times to increase productivity
- Water, scratch and UV resistance
- Low running cost
- Aggressively adheres to a wide range of uncoated materials
- Virtually odourless and requires no special ventilation or environmental equipment
- Durability: Up to 3 years (refer to specification sheet)

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
194992	Roland Eco Sol Max Ink	Black	VS/XC/VP/SP Series	ESL3BK	220
194993	Roland Eco Sol Max Ink	Cyan	VS/XC/VP/SP Series	ESL3CY	220
196474	Roland Eco Sol Max Ink	Light Cyan	VS/XC/VP/SP Series	ESL3LC	220
196473	Roland Eco Sol Max Ink	Light Magenta	VS/XC/VP/SP Series	ESL3LM	220
194994	Roland Eco Sol Max Ink	Magenta	VS/XC/VP/SP Series	ESL3MG	220
195337	Roland Eco Sol Max Ink	Metallic Silver 291	VS/XC/VP/SP Series	ESL3MT	220
194995	Roland Eco Sol Max Ink	Yellow	VS/XC/VP/SP Series	ESL3YE	220
170481	Roland Eco Sol Max Ink	Black	VS/XC/VP/SP Series	ESL34BK	440
170482	Roland Eco Sol Max Ink	Cyan	VS/XC/VP/SP Series	ESL34CY	440
170483	Roland Eco Sol Max Ink	Light Cyan	VS/XC/VP/SP Series	ESL34LC	440
170484	Roland Eco Sol Max Ink	Light Magenta	VS/XC/VP/SP Series	ESL34LM	440
170485	Roland Eco Sol Max Ink	Magenta	VS/XC/VP/SP Series	ESL34MG	440
170486	Roland Eco Sol Max Ink	Yellow	VS/XC/VP/SP Series	ESL34YE	440

Roland Eco Sol Max V2

ORDER NOW ECO-SOLVENT

- Faster drying times to increase productivity and profit
- Water, scratch and UV resistance
- Low running cost
- Aggressively adheres to a wide range of uncoated materials
- Virtually odourless and requires no special ventilation or environmental equipment
- Durability: Up to 3 years (refer to specification sheet)

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
170494	Roland Eco Sol Max V2 Ink	Metallic	XR-640/XF-640	ESL4MT	220
170495	Roland Eco Sol Max V2 Ink	White	XR-640/XF-640	ESL4WH	220
170487	Roland Eco Sol Max V2 Ink	Black	XR-640/XF-640	ESL44BK	440
170488	Roland Eco Sol Max V2 Ink	Cyan	XR-640/XF-640	ESL44CY	440
170493	Roland Eco Sol Max V2 Ink	Light Black	XR-640/XF-640	ESL44LK	440
170489	Roland Eco Sol Max V2 Ink	Light Cyan	XR-640/XF-640	ESL44LC	440
170490	Roland Eco Sol Max V2 Ink	Light Magenta	XR-640/XF-640	ESL44LM	440
170491	Roland Eco Sol Max V2 Ink	Magenta	XR-640/XF-640	ESL44MG	440
170492	Roland Eco Sol Max V2 Ink	Yellow	XR-640/XF-640	ESL44YE	440

Roland TrueVIS TH

ORDER NOW

ECO-SOLVENT

- GREENGUARD Gold Certified Ink UL 2818
- Eco-solvent ink
- True Rich Colour preset for incredible print realism and vivid colour
- Dual CMYK plus Light Cyan, Light Magenta, Light Black, White, Green and Orange ink options
- Durability: Up to 3 years (refer to specification sheet)

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
163455	Roland TrueVIS TH Ink	Black	XP-640	TH-BK	500
163454	Roland TrueVIS TH Ink	Cyan	XP-640	TH-CY	500
163461	Roland TrueVIS TH Ink	Green	XP-640	TH-GR	500
163457	Roland TrueVIS TH Ink	Light Black	XP-640	TH-LK	500
163456	Roland TrueVIS TH Ink	Magenta	XP-640	TH-MG	500
163459	Roland TrueVIS TH Ink	Orange	XP-640	TH-OR	500
163460	Roland TrueVIS TH Ink	Red	XP-640	TH-RE	500
163458	Roland TrueVIS TH Ink	Yellow	XP-640	TH-YE	500

Roland TrueVIS TR3 Ink

ORDER NOW

ECO-SOLVENT

- GREENGUARD Gold Certified Ink UL 2818
- Super fast dry times
- No sacrificing colour or image quality at production speeds
- Convenient 500ml pouches
- Wide colour gamut printing at a lower cost
- Durability: Up to 3 years (refer to specification sheet)

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
179306	Roland TrueVIS TR3 Ink	White	VG4 / XG-Series	TR3-WH	220
179310	Roland TrueVIS TR3 Ink	Black	VG4 / XG-Series	TR3-BK	500
179307	Roland TrueVIS TR3 Ink	Cyan	VG4 / XG-Series	TR3-CY	500
179315	Roland TrueVIS TR3 Ink	Green	VG4 / XG-Series	TR3-GR	500
179313	Roland TrueVIS TR3 Ink	Light Black	VG4 / XG-Series	TR3-LK	500
179311	Roland TrueVIS TR3 Ink	Light Cyan	VG4 / XG-Series	TR3-LC	500
179312	Roland TrueVIS TR3 Ink	Light Magenta	VG4 / XG-Series	TR3-LM	500
179308	Roland TrueVIS TR3 Ink	Magenta	VG4 / XG-Series	TR3-MG	500
179314	Roland TrueVIS TR3 Ink	Orange	VG4 / XG-Series	TR3-OR	500
121004	Roland TrueVIS TR3 Ink	Red	VG4 / XG-Series	TR3-RE	500
179309	Roland TrueVIS TR3 Ink	Yellow	VG4 / XG-Series	TR3-YE	500

Roland TrueVis TR2 Ink

ORDER NOW ECO-SOLVENT

- GREENGUARD Gold Certified Ink UL 2818
- True Rich Colour preset for incredible print realism and vivid colour
- Dual CMYK plus Light Cyan, Light Magenta, Light Black, White, Green and Orange ink options
- Durability: Up to 3 years (refer to specification sheet)

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
196664	Roland TrueVis TR2 Ink	White	VG1-3 / SG Series	TR2WH	250
196666	Roland TrueVis TR2 Ink	Black	VG1-3 / SG Series	TR2BK	500
196672	Roland TrueVis TR2 Ink	Cyan	VG1-3 / SG Series	TR2CY	500
197548	Roland TrueVis TR2 Ink	Green	VG1-3 / SG Series	TR2-GR	500
196673	Roland TrueVis TR2 Ink	Light Black	VG1-3 / SG Series	TR2LK	500
196674	Roland TrueVis TR2 Ink	Light Cyan	VG1-3 / SG Series	TR2LC	500
196675	Roland TrueVis TR2 Ink	Light Magenta	VG1-3 / SG Series	TR2LM	500
196671	Roland TrueVis TR2 Ink	Magenta	VG1-3 / SG Series	TR2MG	500
196764	Roland TrueVis TR2 Ink	Orange	VG1-3 / SG Series	TR2OR	500
196665	Roland TrueVis TR2 Ink	Yellow	VG1-3 / SG Series	TR2YE	500

Roland EJ Ink

ORDER NOW ECO-SOLVENT

- Available in 1-litre cartridges that save up to 35% over other printers
- Bulk ink system includes 220ml sub tank for ink cartridge swap-out without stopping printing
- Combines with EJ-640 tri-heater system for fast drying times and enhanced image saturation
- Scratch and chemical resistant
- 7 colour CMYK Lc Lm Lk mode
- 4 colour dual CMYK (x2) mode

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
170515	Roland EJ Ink	Black	EJ-640	EJBK	1000
170516	Roland EJ Ink	Cyan	EJ-640	EJCY	1000
170518	Roland EJ Ink	Light Black	EJ-640	EJLK	1000
170517	Roland EJ Ink	Light Cyan	EJ-640	EJLC	1000
170519	Roland EJ Ink	Light Magenta	EJ-640	EJLM	1000
170520	Roland EJ Ink	Magenta	EJ-640	EJMG	1000
170521	Roland EJ Ink	Yellow	EJ-640	EJYE	1000

Roland Resin Ink

ORDER NOW

RESIN

- GREENGUARD Gold Certified water-based inks contain no hazardous substances and meet the most rigorous standards for low VOC emissions
- Combines all the quick-drying, high-productivity, and environmentally friendly advantages of resin with unsurpassed TrueVIS image quality and colour
- Cost effective allowing for more output with less ink
- Perfect for a wide range of applications including wall décor, retail displays, indoor signs, stickers/decals, banners/posters and vehicle wraps

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
174160	Roland Resin Ink	Black	AP-640	TA-BK	700
174157	Roland Resin Ink	Cyan	AP-640	TA-CY	700
174158	Roland Resin Ink	Magenta	AP-640	TA-MG	700
174161	Roland Resin Ink	Optimiser	AP-640	TA-OP	700
174159	Roland Resin Ink	Yellow	AP-640	TA-YE	700
123036	Roland Resin Ink	Black	AP-640	TA2-BK	750
123037	Roland Resin Ink	Cyan	AP-640	TA2-CY	750
123038	Roland Resin Ink	Magenta	AP-640	TA2-MG	750
123039	Roland Resin Ink	Optimiser	AP-640	TA2-OP	750
123040	Roland Resin Ink	Orange	AP-640	TA2-OR	750
123041	Roland Resin Ink	Red	AP-640	TA2-RE	750
123042	Roland Resin Ink	White	AP-640	TA2-WH	750
123043	Roland Resin Ink	Yellow	AP-640	TA2-YE	750

Cleaning & Accessories

ORDER NOW

Material	Material Description	Type	Vendor Code	Pack QTY
170506	Roland Cleaning Cartridge	ESL4	ESL4-CL2	1
170505	Roland Cleaning Cartridge	Soljet	SLCL	1
197329	Roland Cleaning Cartridge	TR2-CL2	TR2-CL2	1
179491	Roland Cleaning Cartridge	TR3-CL	TR3-CL	1
170508	Roland Cleaning Sticks	TX712A	ST-037	50
194986	Roland Cleaning Solution	ESL5	6000007197	1

Blades

ORDER NOW

Material	Material Description	Type	Vendor Code	Pack QTY
194968	Roland Minimum Offset	.175 Offset / 45deg	ZECU-3017	3
170476	Roland Reflective	.25 Offset / 50deg	ZECU-5025	5
195079	Roland Standard Offset	.25 Offset / 50deg	ZECU-1002	2
170475	Roland Standard Offset	.25 Offset / 50deg	ZECU1005	5

Spare Parts

ORDER NOW

Material	Material Description	Vendor Code	Pack QTY
194985	Roland Blade Holder Metal	XDCH2	1
195068	Roland Cutting Strip VS-640	1000006713	1

Mimaki AS5 Inks

ORDER NOW

ECO-SOLVENT

- Fast drying inks that help reduce graininess and allows for fine details
- Solvent ink providing excellent weatherability and rub-fastness
- Cost-effective, easy to use and long-lasting
- High productivity with a wide colour gamut
- Suitable for the Mimaki JV100-160

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
173297	Mimaki AS5 Inks	Black	JV100-160	AS5-K 60	600
173298	Mimaki AS5 Inks	Cyan	JV100-160	AS5-C 60	600
173304	Mimaki AS5 Inks	Light Black	JV100-160	AS5-LK 60	600
173301	Mimaki AS5 Inks	Light Cyan	JV100-160	AS5-LC 60	600
173302	Mimaki AS5 Inks	Light Magenta	JV100-160	AS5-LM 60	600
173300	Mimaki AS5 Inks	Magenta	JV100-160	AS5-M 60	600
173303	Mimaki AS5 Inks	Orange	JV100-160	AS5-OR 60	600
173299	Mimaki AS5 Inks	Yellow	JV100-160	AS5-Y 60	600
173305	Mimaki AS5 Inks	Black	JV100-160	AS5-K 2L	2000
173306	Mimaki AS5 Inks	Cyan	JV100-160	AS5-C 2L	2000
173312	Mimaki AS5 Inks	Light Black	JV100-160	AS5-LK 2L	2000
173309	Mimaki AS5 Inks	Light Cyan	JV100-160	AS5-LC 2L	2000
173310	Mimaki AS5 Inks	Light Magenta	JV100-160	AS5-LM 2L	2000
173308	Mimaki AS5 Inks	Magenta	JV100-160	AS5-M 2L	2000
173311	Mimaki AS5 Inks	Orange	JV100-160	AS5-OR 2L	2000
173307	Mimaki AS5 Inks	Yellow	JV100-160	AS5-Y 2L	2000

Mimaki SS22 Ink

ORDER NOW

ECO-SOLVENT

- GREENGUARD Gold Certified
- Quick drying, offering excellent weatherability and rub-fastness
- Fine and high-quality image production
- Easy to maintain
- Perfect for use in both indoor and outdoor signage and displays Designed for use with Mimaki Solvent Printers (C/JV200 Series, C/JV300 Series)

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
179206	Mimaki SS22 Ink	Black	CJV200	SS22-K-44	440
179203	Mimaki SS22 Ink	Cyan	CJV200	SS22-C-44	440
179209	Mimaki SS22 Ink	Light Black	CJV200	SS22-LK-44	440
179207	Mimaki SS22 Ink	Light Cyan	CJV200	SS22-LC-44	440
179208	Mimaki SS22 Ink	Light Magenta	CJV200	SS22-LM-44	440
179204	Mimaki SS22 Ink	Magenta	CJV200	SS22-M-44	440
179210	Mimaki SS22 Ink	Orange	CJV200	SS22-OR-44	440
179205	Mimaki SS22 Ink	Yellow	CJV200	SS22-Y-44	440
179467	Mimaki SS22 Ink	Black	JV330/CJV330	SS22-K-1L	1000
179464	Mimaki SS22 Ink	Cyan	JV330/CJV330	SS22-C-1L	1000
179470	Mimaki SS22 Ink	Light Black	JV330/CJV330	SS22-LK-1L	1000
179468	Mimaki SS22 Ink	Light Cyan	JV330/CJV330	SS22-LC-1L	1000
179469	Mimaki SS22 Ink	Light Magenta	JV330/CJV330	SS22-LM-1L	1000
179465	Mimaki SS22 Ink	Magenta	JV330/CJV330	SS22-M-1L	1000
179471	Mimaki SS22 Ink	Orange	JV330/CJV330	SS22-OR-1L	1000
179466	Mimaki SS22 Ink	Yellow	JV330/CJV330	SS22-Y-1L	1000

Mimaki SS21 Ink

ORDER NOW

ECO-SOLVENT

- GREENGUARD Gold Certified
- Mimaki mild solvent ink for Mimaki JV33, CJV33 & JV300 printers
- Offers excellent weatherability and rub fastness
- Fine and high-quality image reproducibility
- Easy to maintain
- Cost-effective with a wide colour gamut
- Used on a range of applications including sign & display, window graphics, banner, labels & decals, vehicle wrapping and posters

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
194244	Mimaki SS21 Ink	Silver	JV33/CJV33/JV300	SPC-0504SI	220
167918	Mimaki SS21 Ink	White	JV33/CJV33/JV300	SPC 0504W	220
167922	Mimaki SS21 Ink	Black	JV33/CJV33/JV300	SPC 0501K	440
167919	Mimaki SS21 Ink	Cyan	JV33/CJV33/JV300	SPC 0501C	440
167926	Mimaki SS21 Ink	Light Black	JV33/CJV33/JV300	SPC 0501LK	440
167923	Mimaki SS21 Ink	Light Cyan	JV33/CJV33/JV300	SPC 0501LC	440
167924	Mimaki SS21 Ink	Light Magenta	JV33/CJV33/JV300	SPC 0501LM	440
167920	Mimaki SS21 Ink	Magenta	JV33/CJV33/JV300	SPC 0501M	440
167925	Mimaki SS21 Ink	Orange	JV33/CJV33/JV300	SPC 0501O	440
167921	Mimaki SS21 Ink	Yellow	JV33/CJV33/JV300	SPC 0501Y	440
171810	Mimaki SS21 Ink	Black	JV33/CJV33/JV300	1-SS21-K-60	600
171811	Mimaki SS21 Ink	Cyan	JV33/CJV33/JV300	1-SS21-C-60	600
171817	Mimaki SS21 Ink	Light Black	JV33/CJV33/JV300	1-SS21-LK-60	600
171812	Mimaki SS21 Ink	Light Cyan	JV33/CJV33/JV300	1-SS21-LC-60	600
171813	Mimaki SS21 Ink	Light Magenta	JV33/CJV33/JV300	1-SS21-LM-60	600
171816	Mimaki SS21 Ink	Magenta	JV33/CJV33/JV300	1-SS21-M-60	600
171814	Mimaki SS21 Ink	Orange	JV33/CJV33/JV300	1-SS21-OR-60	600
171815	Mimaki SS21 Ink	Yellow	JV33/CJV33/JV300	1-SS21-Y-60	600
167930	Mimaki SS21 Ink	Black	JV33/CJV33/JV300	SPC 0588K	2000
167927	Mimaki SS21 Ink	Cyan	JV33/CJV33/JV300	SPC 0588C	2000
167934	Mimaki SS21 Ink	Light Black	JV33/CJV33/JV300	SPC 0588LK	2000
167931	Mimaki SS21 Ink	Light Cyan	JV33/CJV33/JV300	SPC 0588LC	2000
167932	Mimaki SS21 Ink	Light Magenta	JV33/CJV33/JV300	SPC 0588LM	2000
167928	Mimaki SS21 Ink	Magenta	JV33/CJV33/JV300	SPC 0588M	2000
167933	Mimaki SS21 Ink	Orange	JV33/CJV33/JV300	SPC 0588O	2000
167929	Mimaki SS21 Ink	Yellow	JV33/CJV33/JV300	SPC 0588Y	2000

Mimaki LX100 Ink

ORDER NOW

LATEX

- GREENGUARD Gold Certified
- Mimaki latex ink for Mimaki JV400-160LX printers
- Eco-conscious and versatile ink
- High image representation expands possibilities for signage printing Low-VOC emissions
- Pigments are dissolved by resins in water instead of solvent
- Odour is remarkably reduced

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
168506	Mimaki LX100 Ink	White	JV400-160LX	I-LX100-W-22-2	220
168501	Mimaki LX100 Ink	Black	JV400-160LX	I-LX101-K-60-2	600
168498	Mimaki LX100 Ink	Cyan	JV400-160LX	I-LX101-C-60-2	600
168505	Mimaki LX100 Ink	Green	JV400-160LX	I-LX101-G-60-2	600
168499	Mimaki LX100 Ink	Magenta	JV400-160LX	I-LX101-M-60-2	600
168504	Mimaki LX100 Ink	Orange	JV400-160LX	I-LX101-O-60-2	600
168500	Mimaki LX100 Ink	Yellow	JV400-160LX	I-LX101-Y-60-2	600

Mimaki ELH Ink

ORDER NOW

UV CURABLE

- Completely free from SVHC and CMR substances
- 30% reduction in odour reduces health risks without compromising on print quality
- Offers high scratch resistance for durable applications
- Ideal for customised products providing personalised printing solutions that enable unique designs
- Early adaptation to the future EU Reach regulation

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
121003	Mimaki ELH Ink	Clear	UJV300DTF	ELH100 -CL-BA	1000
121002	Mimaki ELH Ink	White	UJV300DTF	ELH100 -W-BA	1000

Mimaki ELS Ink

ORDER NOW

UV CURABLE

- Completely free from SVHC and CMR substances
- 30% reduction in odour reduces health risks without compromising on print quality
- Offers high scratch resistance for durable applications
- Ideal for customised products providing personalised printing solutions that enable unique designs
- Early adaptation to the future EU Reach regulation

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
120999	Mimaki ELS Ink	Black	UJ330H/UJV300DTF	ELS170-K-BA	1000
121106	Mimaki ELS Ink	Clear	UJ330H/UJV300DTF	ELS170-CL-BA	1000
120998	Mimaki ELS Ink	Cyan	UJ330H/UJV300DTF	ELS170-C-BA	1000
121000	Mimaki ELS Ink	Magenta	UJ330H/UJV300DTF	ELS170-M-BA	1000
121105	Mimaki ELS Ink	White	UJ330H/UJV300DTF	ELS170-W-BA	1000
121001	Mimaki ELS Ink	Yellow	UJ330H/UJV300DTF	ELS170-Y-BA	1000

Mimaki LUS-120 Ink

ORDER NOW UV CURABLE

- Faster drying times to increase productivity and profit
- Water, scratch and UV resistance
- Aggressively adheres to a wide range of uncoated materials
- Virtually odourless and requiring no special ventilation or environmental equipment
- Durability: Up to 3 years (refer to specification sheet)

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
193779	Mimaki LUS-120 Ink	Black	UJF/JFX/UJV55	LUS120-K-BA	1000
194964	Mimaki LUS-120 Ink	Clear	UJF/JFX/UJV55	LUS120-CL-BA	1000
193776	Mimaki LUS-120 Ink	Cyan	UJF/JFX/UJV55	LUS120-C-BA	1000
193780	Mimaki LUS-120 Ink	Light Cyan	UJF/JFX/UJV55	LUS120-LC-BA	1000
193781	Mimaki LUS-120 Ink	Light Magenta	UJF/JFX/UJV55	LUS120-LM-BA	1000
193777	Mimaki LUS-120 Ink	Magenta	UJF/JFX/UJV55	LUS120-M-BA	1000
193782	Mimaki LUS-120 Ink	White	UJF/JFX/UJV55	LUS120-W-BA	1000
193778	Mimaki LUS-120 Ink	Yellow	UJF/JFX/UJV55	LUS120-Y-BA	1000

Mimaki LUS-150 Ink

ORDER NOW UV CURABLE

- Specifically designed for use with the desktop UV-UJF and UV-JFX Mimaki printers
- Provides all the expected capabilities of UV Printer ink but is optimised to meet demands for soft/flexible media and substrates
- 1.5x the flexibility of conventional UV inks
- Virtually instant curing and drying post-print
- Available in 1L bottles and 7 different colours

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
168514	Mimaki LUS-150 Ink	Black	JFX Series	LUS15-K-BA	1000
168511	Mimaki LUS-150 Ink	Cyan	JFX Series	LUS15-C-BA	1000
195783	Mimaki LUS-150 Ink	Light Cyan	JFX Series	LUS15-LC-BA	1000
195782	Mimaki LUS-150 Ink	Light Magenta	JFX Series	LUS15-LM-BA	1000
168512	Mimaki LUS-150 Ink	Magenta	JFX Series	LUS15-M-BA	1000
168515	Mimaki LUS-150 Ink	White	JFX Series	LUS15-W-BA	1000
168513	Mimaki LUS-150 Ink	Yellow	JFX Series	LUS15-Y-BA	1000

Mimaki LUS-170 Ink

ORDER NOW

UV CURABLE

- GREENGUARD Gold Certified
- Added flexibility of printing on plastic, glass and metal as well as vinyl and acrylic, it meets demands from various industries
- Fine and high-quality image reproducibility
- Excellent weatherability and rub-fastness
- Easy to maintain
- Applications include sign & display, window graphics, banner, labels & decals

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
170754	Mimaki LUS-170 Ink	Black	UCJV150/300	LUS17-K-BA	1000
196459	Mimaki LUS-170 Ink	Clear	UCJV150/300	LUS17-CL-BA	1000
170755	Mimaki LUS-170 Ink	Cyan	UCJV150/300	LUS17-C-BA	1000
195478	Mimaki LUS-170 Ink	Light Cyan	UCJV150/300	LUS17-LC-BA	1000
195477	Mimaki LUS-170 Ink	Light Magenta	UCJV150/300	LUS17-LM-BA	1000
170757	Mimaki LUS-170 Ink	Magenta	UCJV150/300	LUS17-M-BA	1000
195476	Mimaki LUS-170 Ink	White	UCJV150/300	LUS17-W-BA	1000
170756	Mimaki LUS-170 Ink	Yellow	UCJV150/300	LUS17-Y-BA	1000

Mimaki LUS-200 Ink

ORDER NOW

UV CURABLE

- GREENGUARD Gold Certified
- Immediate curing and adhesion by UV radiation making it an ecological and energy-saving ink
- High media compatibility with low heat generation
- White and clear inks enable a wide variety of print expressions
- Energy saving and long life

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
169112	Mimaki LUS-200 Ink	Black	UCJV/JFX-Series	LUS20-K-BA	1000
169113	Mimaki LUS-200 Ink	Cyan	UCJV/JFX-Series	LUS20-C-BA	1000
169114	Mimaki LUS-200 Ink	Magenta	UCJV/JFX-Series	LUS20-M-BA	1000
169115	Mimaki LUS-200 Ink	White	UCJV/JFX-Series	LUS20-W-BA	1000
169116	Mimaki LUS-200 Ink	Yellow	UCJV/JFX-Series	LUS20-Y-BA	1000

Mimaki LH-100 Ink

ORDER NOW

UV CURABLE

- Mimaki LH-100 Ink is specifically designed for use with the JFX200 and JFX500 Mimaki printers
- Provides the expected capabilities of UV printer ink but is optimised to meet demands for rigid media and substrates
- Highly resistant to scratching and chemicals
- Perfect for applications that don't require secondary processing such as bending and twisting
- Available in 600ml and 1L bottles

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
191313	Mimaki LH-100 Ink	Black	UJF3042FX/HG, UJF6042	SPC-0597 K	600
191315	Mimaki LH-100 Ink	Clear	UJF3042FX/HG, UJF6042	SPC-0597CL	600
191310	Mimaki LH-100 Ink	Cyan	UJF3042FX/HG, UJF6042	SPC-0597C	600
191311	Mimaki LH-100 Ink	Magenta	UJF3042FX/HG, UJF6042	SPC-0597M	600
191314	Mimaki LH-100 Ink	White	UJF3042FX/HG, UJF6042	SPC-0597W	600
191312	Mimaki LH-100 Ink	Yellow	UJF3042FX/HG, UJF6042	SPC-0597Y	600
192978	Mimaki LH-100 Ink	Black	UJF/JFX-Series	LH100-K-BA	1000
192981	Mimaki LH-100 Ink	Clear	UJF/JFX-Series	LH100-CL-BA	1000
192980	Mimaki LH-100 Ink	Cyan	UJF/JFX-Series	LH100-C-BA	1000
192979	Mimaki LH-100 Ink	Magenta	UJF/JFX-Series	LH100-M-BA	1000
192977	Mimaki LH-100 Ink	White	UJF/JFX-Series	LH100-W-BA	1000
192976	Mimaki LH-100 Ink	Yellow	UJF/JFX-Series	LH100-Y-BA	1000

Mimaki SB411

ORDER NOW

DYE SUBLIMATION

- High-density sublimation ink for vibrant colour and exceptional image quality
- Low-sedimentation formulation for consistent colour and stable print performance
- Excellent jetting stability with reduced nozzle clogging and less maintenance
- Lower ink consumption and reduced running costs without compromising quality
- OEKO-TEX® ECO PASSPORT certified for safer textile printing

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
195861	Mimaki SB411	Black	TS300P-1800 RL6	SB411-KT-2L	2000
195862	Mimaki SB411	Blue	TS300P-1800 RL6	SB411-BLT-2L	2000
195863	Mimaki SB411	Fluoro Pink	TS300P-1800 RL6	SB411-FPT-2L	2000
195864	Mimaki SB411	Fluoro Yellow	TS300P-1800 RL6	SB411-RYT-2L	2000
195858	Mimaki SB411	Light Black	TS300P-1800 RL6	SB411-LKT-2L	2000
195857	Mimaki SB411	Light Blue	TS300P-1800 RL6	SB411-LBT-2L	2000
195856	Mimaki SB411	Light Magenta	TS300P-1800 RL6	SB411-LM-2L	2000
195860	Mimaki SB411	Magenta	TS300P-1800 RL6	SB411-MT-2L	2000
195859	Mimaki SB411	Yellow	TS300P-1800 RL6	SB411-YT-2L	2000

Mimaki

UJ330H-160

High Performance UV-LED Hybrid Printer

NEXT STANDARD 330

PRINT ANYTHING. EVERYTHING.

FIND OUT MORE ▶



Cleaning & Accessories

ORDER NOW

Mimaki

Material	Material Description	Type	Vendor Code	Pack QTY
191721	Mimaki Cleaning Cartridge	Mild Solvent	ML014-Z-22	1
192078	Mimaki Cleaning Swabs	UV Curable Ink	SPC-0527	50
192726	Mimaki Cleaning Kit	Mild Solvent	ML014-Z-K1	1
191342	Mimaki Wiper Kit	UV Curable Ink	SPA-0193	10
194053	Mimaki Wiper Kit	UV Curable Ink	SPA-0271	10
199220	Mimaki Cloth Wiper G Kit	UV Curable Ink	SPC-0919	1
191343	Mimaki Cleaning Solution	UV Curable Ink	ML015-Z-B1	1
193791	Mimaki Cleaning Sticks	UV Curable Ink	SPC-0421	100
193627	Mimaki Flush Liquid	220ml Cartridge	FL003-Z-22-1-KA	1

Blades

ORDER NOW

Mimaki

Material	Material Description	Type	Vendor Code	Pack QTY
167625	Mimaki Minimum Offset	Swivel 0.15mm Offset	SPB-0003	3
167627	Mimaki Reflective	Swivel 0.75mm Offset	SPB-0006	2
167630	Mimaki Reflective	Swivel 0.75mm Offset	SPB-0076	2
167626	Mimaki Sandblast	Swivel 0.75mm Offset	SPB-0005	3
191241	Mimaki Standard Offset	Horizontal Cutter	SPA-0119	1
167629	Mimaki Standard Offset	Swivel 0.30 Offset	SPB-0030	3
167624	Mimaki Standard Offset	Swivel 0.3mm Offset	SPB-0001	3
167628	Mimaki Standard Offset	Swivel 0.5mm Offset	SPB-0007	3

Spare Parts

ORDER NOW

Mimaki

Material	Material Description	Vendor Code	Pack QTY
196260	Mimaki Cap Absorber	SPA-0296	1
195267	Mimaki Mist Filter Set	SPC-0819	1
193007	Mimaki Mist filter	SPC-0656	1
198285	Mimaki Pincher Rollers	SPA-0247	1
195266	Mimaki Wiper Absorber Set	SPC-0830	1

HP 821 Latex Ink

ORDER NOW

LATEX

- HP Latex 821 Inks water-based design produce amazing, quality results across an unlimited range of applications, and help build a healthier workplace
- For HP 100 series latex printers
- Achieve sharp, consistent results across a wide range of media and offer outdoor display permanence up to 5 years in laminates, and 3 years unlaminated
- 440ml cartridges are available in Black, Cyan, Light Cyan, Light Magenta, Magenta and Yellow
- Durability: Up to 5 years (refer to specification sheet)

SPECIAL INKS

OUTDOOR APPLICATIONS

Material	Material Description	Colour	Vendor Part Number	Volume (ml)
121183	HP 821 Latex Ink	Black	G0Y89A	400
121427	HP 821 Latex Ink	Cyan	G0Y86A	400
121428	HP 821 Latex Ink	Light Cyan	G0Y90A	400
121429	HP 821 Latex Ink	Light Magenta	G0Y91A	400
121430	HP 821 Latex Ink	Magenta	G0Y87A	400
121431	HP 821 Latex Ink	Optimiser	G0Y92A	400
121432	HP 821 Latex Ink	Yellow	G0Y88A	400

HP 831 Latex Ink

ORDER NOW

LATEX

- HP Latex 831 Inks deliver a high image quality and consistency on a wide substrate range, and are suitable for use in HP 300 & 500 Series Latex printers
- Water-based HP Latex inks help you differentiate your offering and build a healthier environment, delivering high image quality across a wide range of outdoor and indoor jobs
- Consider unlaminated use for short-term graphics, with scratch- resistance comparable to hard-solvent inks on SAV and PVC banners
- Cut idle time – and reduce time to delivery
- Formulated to optimise printhead performance and achieve consistent results at high speed. Prints come out completely dry and ready to use
- HP Latex Inks are odourless and have no hazard warning labels or HAPs, so no special ventilation is required
- 775ml inks are available in Black, Cyan, Light Cyan, Light Magenta, Magenta & Yellow

SPECIAL INKS

Material	Material Description	Colour	Volume (ml)
121184	HP 831 Latex Ink	Black	775
121433	HP 831 Latex Ink	Cyan	775
121434	HP 831 Latex Ink	Light Cyan	775
121435	HP 831 Latex Ink	Light Magenta	775
121436	HP 831 Latex Ink	Magenta	775
121437	HP 831 Latex Ink	Optimiser	775
121438	HP 831 Latex Ink	Yellow	775

HP 832 Latex Ink

ORDER NOW

LATEX

- HP Latex 832 Ink is a genuine HP ink designed for HP Latex 600 and 700 series printers
- Its advanced 4th Generation formulation delivers vibrant colours, sharp detail and consistent, reliable print quality across a wide range of applications
- Supplied in convenient 1-litre recyclable cartons for more sustainable professional printing
- Features include environmentally friendly, wide colour gamut, instant dry and easy to use

SPECIAL INKS

Material	Material Description	Colour	Vendor Part Number	Volume (ml)
121186	HP 832 Latex Ink	Black	4UV75A	1000
121442	HP 832 Latex Ink	Cyan	4UV76A	1000
121443	HP 832 Latex Ink	Light Cyan	4UV79A	1000
121444	HP 832 Latex Ink	Light Magenta	4UV80A	1000
121445	HP 832 Latex Ink	Magenta	4UV77A	1000
121446	HP 832 Latex Ink	Optimiser	4UV81A	1000
121447	HP 832 Latex Ink	Overcoat	4UV82A	1000
121448	HP 832 Latex Ink	White	4UV29A	1000
121449	HP 832 Latex Ink	Yellow	4UV78A	1000

HP Latex 837 Printheads

ORDER NOW

LATEX

- HP 837 Printhead is a genuine HP replacement printhead
- Designed to deliver consistent ink flow, accurate colour placement and reliable print quality across compatible HP Latex printers
- Its universal design simplifies printhead management for HP Latex R530 and select HP Latex 730/830 Series printers
- Designed for professional signage, graphics, décor and display production, the user-replaceable design helps minimise downtime and keep production running smoothly

SPECIAL INKS

Material	Material Description	Colour	Vendor Part Number	Pack QTY
123056	HP Latex 837 Printheads	Optimiser	9D7Q4A	1
123057	HP Latex 837 Printheads	Universal	9D7Q5A	1
123058	HP Latex 837 Printheads	White	9D7Q3A	1

HP 871 Latex Ink

ORDER NOW

LATEX

- HP 871 Latex Inks are 3-litre ink cartridges designed for use with HP Latex 560 & 570 Printers
- Featuring water-based HP Latex Technology, these inks deliver reliable, high-quality printing
- Reduce the need for special ventilation, storage and transportation requirements associated with high-solvent inks
- Features include environmentally friendly, wide colour gamut, instant dry and easy to use

SPECIAL INKS

Material	Material Description	Colour	Volume (ml)
121188	HP 871 Latex Ink	Black	3000
121456	HP 871 Latex Ink	Cyan	3000
121457	HP 871 Latex Ink	Light Cyan	3000
121458	HP 871 Latex Ink	Light Magenta	3000
121459	HP 871 Latex Ink	Magenta	3000
121460	HP 871 Latex Ink	Optimiser	3000
121461	HP 871 Latex Ink	Yellow	3000

HP 872 Latex Ink

ORDER NOW

LATEX

- HP Latex 872 Ink is a genuine 4th Generation HP ink developed for HP Latex R1000 printers
- Delivering consistent performance, vibrant colour and reliable print quality
- Supplied in convenient 3-litre recyclable cartons for a more sustainableprinting solution
- Features include environmentally friendly, wide colour gamut, instant dry and easy to use

SPECIAL INKS

Material	Material Description	Colour	Volume (ml)
121189	HP 872 Latex Ink	Black	3000
121462	HP 872 Latex Ink	Cyan	3000
121463	HP 872 Latex Ink	Light Cyan	3000
121464	HP 872 Latex Ink	Light Magenta	3000
121465	HP 872 Latex Ink	Magenta	3000
121466	HP 872 Latex Ink	Optimiser	3000
121467	HP 872 Latex Ink	Overcoat	3000
121468	HP 872 Latex Ink	Yellow	3000

HP 873 Latex Ink

ORDER NOW

LATEX

- HP Latex 873 Ink is a genuine 4th Generation HP ink designed for HP Latex 800 series printers
- Ideal for high-volume printing
- Delivers vibrant colour, consistent quality and reliable performance across a wide range of applications
- Supplied in convenient 3-litre recyclable cartons for a more sustainable printing solution
- Features include environmentally friendly, wide colour gamut, instant dry and easy to use

SPECIAL INKS

Material	Material Description	Colour	Volume (ml)
121190	HP 873 Latex Ink	Black	3000
121473	HP 873 Latex Ink	Cyan	3000
121474	HP 873 Latex Ink	Light Cyan	3000
121469	HP 873 Latex Ink	Light Magenta	3000
121470	HP 873 Latex Ink	Magneta	3000
121471	HP 873 Latex Ink	Optimiser	3000
121472	HP 873 Latex Ink	Overcoat	3000
121475	HP 873 Latex Ink	White	3000
121476	HP 873 Latex Ink	Yellow	3000

HP Latex 881 Ink

ORDER NOW LATEX

- HP Latex 881 Inks are designed for HP 1500 / 3000 & 3100 printers
- With water-based HP Latex Inks, differentiate your offering, improve the work environment, and meet environmental objectives
- Keep interruptions to a minimum with 5-litre ink cartridges
- Formulated to optimise printhead performance and achieve consistent results at high speed
- Prints come out completely dry and ready to use
- Consider unlaminated use for short-term graphics, with scratch- resistance comparable to hard-solvents inks on SAV and PVC banners
- Available in Black, Cyan, Light Cyan, Light Magenta, Magenta and Yellow and our Latex Optimiser Cartridge

SPECIAL INKS

Material	Material Description	Colour	Volume (ml)
121191	HP Latex 881 Ink	Black	5000
121477	HP Latex 881 Ink	Cyan	5000
121478	HP Latex 881 Ink	Light Cyan	5000
121479	HP Latex 881 Ink	Light Magenta	5000
121480	HP Latex 881 Ink	Magenta	5000
121481	HP Latex 881 Ink	Optimiser	5000
121482	HP Latex 881 Ink	Yellow	5000

HP Latex 882 Ink

ORDER NOW LATEX

- HP Latex 882 Inks are designed for For HP R2000 Series latex printers
- Delivering vibrant colours, crisp details and consistent print quality
- Reliable performance for demanding professional print applications
- 5 litre cartridges available Black, Cyan, Light Cyan, Light Magenta, Magenta and Yellow, along Optimiser cartridge & Overcoat cartridge
- 3 litre cartridge available in White

SPECIAL INKS

Material	Material Description	Colour	Volume (ml)
121193	HP Latex 882 Ink	Black	5000
121486	HP Latex 882 Ink	Cyan	5000
121487	HP Latex 882 Ink	Light Cyan	5000
121488	HP Latex 882 Ink	Light Magenta	5000
121489	HP Latex 882 Ink	Magenta	5000
121490	HP Latex 882 Ink	Optimiser	5000
121491	HP Latex 882 Ink	Overcoat	5000
121493	HP Latex 882 Ink	White	5000
121492	HP Latex 882 Ink	Yellow	5000

HP Latex 831 Printheads

ORDER NOW

- HP 831 Latex Printheads help your business grow further
- Achieve high image quality on a wide substrate range and expand your outdoor and indoor application offering
- Maintain efficient operation with easy, productive printing
- Get sharp, vivid image quality across a wide range of applications
- You can recycle all your HP 831 printing supplies including HP 831 Latex Printheads and the HP 831 Latex Maintenance Cartridge

SPECIAL INKS

Material	Material Description	Colour
121185	HP Latex 831 Printhead	Cyan/Black
121439	HP Latex 831 Printhead	Light Cyan Light
121440	HP Latex 831 Printhead	Optimiser
121441	HP Latex 831 Printhead	Yellow/Magenta

HP 836 Printheads

ORDER NOW

- HP Latex 836 Printheads deliver vibrant colour, sharp detail and consistent image quality across a wide range of media
- They feature 10-picoliter ink drops and advanced nozzle
- Designed for HP Latex 700, 700W, 800 and 800W printers
- They feature 10-picoliter ink drops and advanced nozzle technology for precise ink placement and crisp text
- Built-in micro recirculation supports fast drying and helps reduce the risk of nozzle clogging
- Ideal for signage, posters, banners and other professional graphics

BANNERS POSTERS SPECIAL INKS

Material	Material Description	Colour	Vendor Part Number	Pack QTY
121187	HP 836 Printhead	Black & Cyan	4UV95A	1
121450	HP 836 Printhead	Light Cyan & Light	4UV97A	1
121451	HP 836 Printhead	Magenta & Yellow	4UV96A	1
121452	HP 836 Printhead	Optimiser	4UU94A	1
121453	HP 836 Printhead	Overcoat	4UV98A	1
121454	HP 836 Printhead	Universal	4UU95A	1
121455	HP 836 Printhead	White	4UU93A	1

HP 881 & 886 Printheads

ORDER NOW

- Genuine HP Latex 881 and 886 Printheads are designed to deliver consistent, vibrant print quality and reliable performance across compatible HP Latex printers
- HP Latex 881 Printheads are compatible with HP Latex 1500 & 3000 Series printers including Latex 3200 & 3600
- HP Latex 886 Printheads are designed for HP Latex R1000 and R2000 Engineered for easy user replacement and help to minimise downtime
- Maintain fast print speeds and support efficient, high-productivity workflows

SPECIAL INKS

Material	Material Description	Colour/Type	Pack QTY
121192	HP 881 Printhead	Cyan/Black	1
121483	HP 881 Printhead	Light Cyan & Light	1
121485	HP 881 Printhead	Magenta/Yellow	1
121484	HP 881 Printhead	Optimiser	1
121194	HP 886 Printhead	Cleaning Kit	1
121494	HP 886 Printhead	Optimiser	1
121495	HP 886 Printhead	Universal	1
121496	HP 886 Printhead	White	1

Cleaning & Accessories

ORDER NOW

- HP Printer Maintenance Consumables are genuine HP supplies designed to help keep compatible HP Latex printers operating reliably and efficiently
- These essential consumables support routine printer care, consistent print quality and productive workflows
- The range includes HP 3100 Cleaning Roll Kits, HP 831 and 833 Latex Maintenance Cartridges, HP 832 Latex Ink Mixing Containers and HP 871 Latex Cleaning Kits

Material	Material Description	Type	Pack QTY
121195	HP 3100	Cleaning Kit	1
121497	HP 831	Maintenance	1
121498	HP 832	Ink Mix Container	1
121499	HP 833	Maintenance	1
121500	HP 833	Ink Collection Tray	1
121501	HP 836	Latex Maintenance Cartridge	1
121503	HP 871	Cleaning Kit	1

Nazdar 130 Series Inkjet Inks

ORDER NOW SOLVENT

- Nazdar 130 Series Inkjet Inks provide excellent exterior performance with proven resistance to the effects of UV degradation and colour fastness
- Eco-solvent for Mimaki Printers (SS21)
- Hot swapable cartridge for easy transition from OEM inks sets
- Chemically compatable with OEM offering
- No flushing required, this is a high impact, high intensity colour equivalent to the original OEM ink set
- 440ml cartridges available in Black, Cyan, Light Cyan, Light Magenta, Magenta and Yellow plus a 220ml Clean cartridge
- Cost savings in excess of 30% off OEM offerings

SPECIAL INKS OUTDOOR APPLICATIONS

Material	Material Description	Colour	Vendor Part Number	Volume (ml)
122546	Nazdar 130 Series Inkjet Ink	Black	INA130440M	440
122547	Nazdar 130 Series Inkjet Ink	Cleaning Cartridge	INA130440Y	220
121688	Nazdar 130 Series Inkjet Ink	Cyan	INA130440C	440
122072	Nazdar 130 Series Inkjet Ink	Light Cyan	INA130440LM	440
122548	Nazdar 130 Series Inkjet Ink	Light Magenta	INA153220FL	440
122549	Nazdar 130 Series Inkjet Ink	Magenta	INA153440C	440
122550	Nazdar 130 Series Inkjet Ink	Yellow	INA153440LC	440

Nazdar 153 Series Inkjet Ink

ORDER NOW SOLVENT

- Nazdar 153 Series Ink is an Eco-Solvent ink for Mimaki printers (ES3)
- Provides excellent exterior performance with proven resistance to the effects of UV degradation and colour fastness
- Chemically compatible with OEM offering
- No Flushing required - High impact, high intensity colour equivalent to the original OEM ink set
- Low odour compared to other brands
- Cost savings in excess of 30% off OEM offerings
- 440ml cartridges available in Black, Light Magenta, Magenta and Yellow plus a 220ml clean cartridge

SPECIAL INKS OUTDOOR APPLICATIONS

Material	Material Description	Colour	Vendor Part Number	Volume (ml)
121820	Nazdar 153 Series Inkjet Ink	Black	INA153440K	440
122551	Nazdar 153 Series Inkjet Ink	Cleaning Cartridge	INA153440LM	220
122552	Nazdar 153 Series Inkjet Ink	Cyan	INA153440M	440
122553	Nazdar 153 Series Inkjet Ink	Light Cyan	INA153440Y	440
122554	Nazdar 153 Series Inkjet Ink	Light Magenta	INA2000220FL	440
122555	Nazdar 153 Series Inkjet Ink	Magenta	INA2000440C	440
122556	Nazdar 153 Series Inkjet Ink	Yellow	INA2000440LM	440

Nazdar 290 Series Ink

ORDER NOW UV CURABLE

- Nazdar 290 Series Ink UV inkjet inks offering plug-and-play compatibility and a close OEM colour match
- Direct replacement for Océ IJC256 inks used in compatible Océ Arizona printers
- Suitable for acrylics, vinyl, styrene, fluted polypropylene, foamboard and polycarbonate

SPECIAL INKS

Material	Material Description	Colour	Volume (ml)
121824	Nazdar 290 Series Ink	Clear	1000
122581	Nazdar 290 Series Ink	White	1000
122578	Nazdar 290 Series Ink	Black	2000
122579	Nazdar 290 Series Ink	Cyan	2000
122580	Nazdar 290 Series Ink	Magenta	2000
122582	Nazdar 290 Series Ink	Yellow	2000

Nazdar 202 Series Inkjet Ink

ORDER NOW

SOLVENT

- Nazdar 202 Series Ink is an Eco-solvent ink for Roland Printers (EcoSol Max 2)
- Provides excellent exterior performance with proven resistance to the effects of UV degradation and colour fastness
- Hot Swappable Cartridge for easy transition from OEM ink sets
- Chemically compatible with OEM offering
- No Flushing required
- High impact, high-intensity colour equivalent to the original OEM ink set
- Low odour compared to other brands
- Cost savings in excess of 30% off OEM offerings

SPECIAL INKS

OUTDOOR APPLICATIONS

Material	Material Description	Colour	Vendor Part Number	Volume (ml)
121823	Nazdar 202 Series Inkjet Ink	Black	INA130440LC	1000
122566	Nazdar 202 Series Inkjet Ink	Black	INA202440LK	440
122567	Nazdar 202 Series Inkjet Ink	Cleaning Cartridge	INA202440LC	220
122568	Nazdar 202 Series Inkjet Ink	Cyan	INA202440LM	1000
122569	Nazdar 202 Series Inkjet Ink	Cyan	INA202440M	440
122570	Nazdar 202 Series Inkjet Ink	Flush Liquid	INA202440Y	1000
122571	Nazdar 202 Series Inkjet Ink	Light Black	INA202440LK	440
122572	Nazdar 202 Series Inkjet Ink	Light Cyan	INA202440LC	440
122573	Nazdar 202 Series Inkjet Ink	Light Magenta	INA202440LM	440
122575	Nazdar 202 Series Inkjet Ink	Magenta	INA202440Y	440
122574	Nazdar 202 Series Inkjet Ink	Magenta	INA202440M	1000
122576	Nazdar 202 Series Inkjet Ink	Yellow	LWS202YE1L	1000
122577	Nazdar 202 Series Inkjet Ink	Yellow	INA202440Y	440

Nazdar 2000 Series Inkjet Ink

ORDER NOW

SOLVENT

- Nazdar 2000 Series Ink is an Eco-Solvent for Roland Printers (EcoSol Max)
- Excellent exterior performance with proven resistance to the effects of UV degradation and colour fastness
- Hot Swappable Cartridge for easy transition from OEM ink sets
- Chemically compatible with OEM offering
- No Flushing required
- High impact, high-intensity colour equivalent to the original OEM ink set
- Cost savings in excess of 30% off OEM offerings
- 440ml cartridges available in Black, Cyan, Light Cyan, Light Magenta, Magenta and Yellow

SPECIAL INKS

OUTDOOR APPLICATIONS

Material	Material Description	Colour	Vendor Part Number	Volume (ml)
121822	Nazdar 2000 Series Inkjet Ink	Black	INA2000440K	440
122560	Nazdar 2000 Series Inkjet Ink	Cleaning Cartridge	INA2000440LC	220
122561	Nazdar 2000 Series Inkjet Ink	Cyan	INA2000440M	440
122563	Nazdar 2000 Series Inkjet Ink	Light Cyan	INA202440K	440
122562	Nazdar 2000 Series Inkjet Ink	Light Magenta	INA2000440Y	440
122564	Nazdar 2000 Series Inkjet Ink	Magenta	INA202220FL	440
122565	Nazdar 2000 Series Inkjet Ink	Yellow	INA202440C	440

Epson UltraChrome PRO

ORDER NOW

ULTRA CHROME

EPSON EXCEED YOUR VISION

- UltraChrome K3 builds on the original pigment technology developed by Epson for professional photography and proofing work
- Cost-effective and delivers prints with exceptional colour accuracy and high durability
- Produces outstanding black and white output with superb grey balance and smooth tonal gradations on a wide variety of media types

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
171654	Epson UltraChrome PRO	Cyan	P10070/P20070	C13T809200	700
171652	Epson UltraChrome PRO	Dark Grey	P10070/P20070	C13T809700	700
171655	Epson UltraChrome PRO	Grey	P10070/P20070	C13T809900	700
171651	Epson UltraChrome PRO	Light Cyan	P10070/P20070	C13T809500	700
171650	Epson UltraChrome PRO	Light Grey	P10070/P20070	C13T809000	700
171649	Epson UltraChrome PRO	Matt Black	P10070/P20070	C13T809800	700
171648	Epson UltraChrome PRO	Photo Black	P10070/P20070	C13T809100	700
171647	Epson UltraChrome PRO	Vivid Light Magenta	P10070/P20070	C13T809600	700
171646	Epson UltraChrome PRO	Vivid Magenta	P10070/P20070	C13T809300	700
171653	Epson UltraChrome PRO	Yellow	P10070/P20070	C13T809400	700

Epson UltraChrome Pro 6

ORDER NOW

ULTRA CHROME

EPSON EXCEED YOUR VISION

- UltraChrome K3 builds on the original pigment technology developed by Epson for professional photography and proofing work
- Cost-effective and delivers prints with exceptional colour accuracy and high durability
- Produces outstanding black and white output with superb grey balance and smooth tonal gradations on a wide variety of media types

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
121061	Epson UltraChrome Pro 6	Cyan	P6560/8560	C13T48U200	350
121065	Epson UltraChrome Pro 6	Grey	P6560/8560	C13T48UE00	350
121064	Epson UltraChrome Pro 6	Matt Black	P6560/8560	C13T48U800	350
121064	Epson UltraChrome Pro 6	Photo Black	P6560/8560	C13T48U100	350
121062	Epson UltraChrome Pro 6	Vivid Magenta	P6560/8560	C13T48U300	350
121063	Epson UltraChrome Pro 6	Yellow	P6560/8560	C13T48U400	350

Epson UltraChrome Pro 10

ORDER NOW

ULTRA CHROME

EPSON EXCEED YOUR VISION

- UltraChrome K3 builds on the original pigment technology developed by Epson for professional photography and proofing work
- Cost-effective and delivers prints with exceptional colour accuracy and high durability
- Produces outstanding black and white output with superb grey balance and smooth tonal gradations on a wide variety of media types

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
198581	Epson UltraChrome Pro 10	Cyan	P906	C13T47A200	50
198586	Epson UltraChrome Pro 10	Grey	P906	C13T47A700	50
198584	Epson UltraChrome Pro 10	Light Cyan	P906	C13T47A500	50
198588	Epson UltraChrome Pro 10	Light Grey	P906	C13T47A900	50
198587	Epson UltraChrome Pro 10	Matt Black	P906	C13T47A80N	50
198580	Epson UltraChrome Pro 10	Photo Black	P906	C13T47A100	50
198589	Epson UltraChrome Pro 10	Violet	P906	C13T47AD00	50
198585	Epson UltraChrome Pro 10	Vivid Light Magenta	P906	C13T47A60N	50
198582	Epson UltraChrome Pro 10	Vivid Magenta	P906	C13T47A30N	50
198583	Epson UltraChrome Pro 10	Yellow	P906	C13T47A400	50
121067	Epson UltraChrome Pro 10	Cyan	P5360	C13T55W200	200
121072	Epson UltraChrome Pro 10	Gray	P5360	C13T55W700	200
121070	Epson UltraChrome Pro 10	Light Cyan	P5360	C13T55W500	200
121074	Epson UltraChrome Pro 10	Light Gray	P5360	C13T55W900	200
121073	Epson UltraChrome Pro 10	Matt Black	P5360	C13T55W800	200
121066	Epson UltraChrome Pro 10	Photo Black	P5360	C13T55W100	200
121075	Epson UltraChrome Pro 10	Violet	P5360	C13T55WD00	200
121071	Epson UltraChrome Pro 10	Vivid Light Magenta	P5360	C13T55W600	200
121068	Epson UltraChrome Pro 10	Vivid Magenta	P5360	C13T55W300	200
121069	Epson UltraChrome Pro 10	Yellow	P5360	C13T55W400	200
121087	Epson UltraChrome Pro 10	Cyan	P7360/9360	C13T56U200	350
121092	Epson UltraChrome Pro 10	Grey	P7360/9360	C13T56U700	350
121090	Epson UltraChrome Pro 10	Light Cyan	P7360/9360	C13T56U500	350
121094	Epson UltraChrome Pro 10	Light Grey	P7360/9360	C13T56U900	350
121093	Epson UltraChrome Pro 10	Matt Black	P7360/9360	C13T56U800	350
121086	Epson UltraChrome Pro 10	Photo Black	P7360/9360	C13T56U100	350
121095	Epson UltraChrome Pro 10	Violet	P7360/9360	C13T56UD00	350
121091	Epson UltraChrome Pro 10	Vivid Light Magenta	P7360/9360	C13T56U600	350
121088	Epson UltraChrome Pro 10	Vivid Magenta	P7360/9360	C13T56U300	350
121089	Epson UltraChrome Pro 10	Yellow	P7360/9360	C13T56U400	350
121077	Epson UltraChrome Pro 10	Cyan	P7360/9360	C13T56P200	700
121082	Epson UltraChrome Pro 10	Grey	P7360/9360	C13T56P700	700
121080	Epson UltraChrome Pro 10	Light Cyan	P7360/9360	C13T56P500	700
121084	Epson UltraChrome Pro 10	Light Grey	P7360/9360	C13T56P900	700
121083	Epson UltraChrome Pro 10	Matt Black	P7360/9360	C13T56P800	700
121076	Epson UltraChrome Pro 10	Photo Black	P7360/9360	C13T56P100	700
121085	Epson UltraChrome Pro 10	Violet	P7360/9360	C13T56PD00	700
121081	Epson UltraChrome Pro 10	Vivid Light Magenta	P7360/9360	C13T56P600	700
121078	Epson UltraChrome Pro 10	Vivid Magenta	P7360/9360	C13T56P300	700
121079	Epson UltraChrome Pro 10	Yellow	P7360/9360	C13T56P400	700

Epson UltraChrome Pro12

ORDER NOW

ULTRA CHROME

EPSON EXCEED YOUR VISION

- UltraChrome K3 builds on the original pigment technology developed by Epson for professional photography and proofing work
- Cost-effective and delivers prints with exceptional colour accuracy and high durability
- Produces outstanding black and white output with superb grey balance and smooth tonal gradations on a wide variety of media types

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
171702	Epson UltraChrome PRO12	Cyan	P7560/P9560	C13T44Q240	350
171698	Epson UltraChrome PRO12	Green	P7560/P9560	C13T44QB40	350
171684	Epson UltraChrome PRO12	Light Black	P7560/P9560	C13T44Q740	350
171688	Epson UltraChrome PRO12	Light Cyan	P7560/P9560	C13T44Q540	350
171690	Epson UltraChrome PRO12	Light Light Black	P7560/P9560	C13T44Q540	350
171681	Epson UltraChrome PRO12	Matt Black	P7560/P9560	C13T44Q840	350
171693	Epson UltraChrome PRO12	Orange	P7560/P9560	C13T44QA40	350
171680	Epson UltraChrome PRO12	Photo Black	P7560/P9560	C13T44Q140	350
171694	Epson UltraChrome PRO12	Violet	P7560/P9560	C13T44QD40	350
171686	Epson UltraChrome PRO12	Vivid Light Magenta	P7560/P9560	C13T44Q640	350
171700	Epson UltraChrome PRO12	Vivid Magenta	P7560/P9560	C13T44Q340	350
171692	Epson UltraChrome PRO12	Yellow	P7560/P9560	C13T44Q440	350
171703	Epson UltraChrome PRO12	Cyan	P7560/P9560	C13T44J240	700
171699	Epson UltraChrome PRO12	Green	P7560/P9560	C13T44JB40	700
171685	Epson UltraChrome PRO12	Light Black	P7560/P9560	C13T44J740	700
171689	Epson UltraChrome PRO12	Light Cyan	P7560/P9560	C13T44J540	700
171691	Epson UltraChrome PRO12	Light Light Black	P7560/P9560	C13T44J940	700
171687	Epson UltraChrome PRO12	Light Magenta	P7560/P9560	C13T44J640	700
171683	Epson UltraChrome PRO12	Matt Black	P7560/P9560	C13T44J840	700
171696	Epson UltraChrome PRO12	Orange	P7560/P9560	C13T44JA40	700
171682	Epson UltraChrome PRO12	Photo Black	P7560/P9560	C13T44J140	700
171697	Epson UltraChrome PRO12	Violet	P7560/P9560	C13T44JD40	700
171701	Epson UltraChrome PRO12	Vivid Magenta	P7560/P9560	C13T44J340	700
171695	Epson UltraChrome PRO12	Yellow	P7560/P9560	C13T44J440	700
163435	Epson UltraChrome PRO12	Cyan	P20560	C13T56F200	1600
163444	Epson UltraChrome PRO12	Green	P20560	C13T56FB00	1600
163440	Epson UltraChrome PRO12	Grey	P20560	C13T56F700	1600
163438	Epson UltraChrome PRO12	Light Cyan	P20560	C13T56F500	1600
163442	Epson UltraChrome PRO12	Light Grey	P20560	C13T56F900	1600
163441	Epson UltraChrome PRO12	Matt Black	P20560	C13T56F800	1600
163443	Epson UltraChrome PRO12	Orange	P20560	C13T56FA00	1600
163434	Epson UltraChrome PRO12	Photo Black	P20560	C13T56F100	1600
163445	Epson UltraChrome PRO12	Violet	P20560	C13T56FD00	1600
163439	Epson UltraChrome PRO12	Vivid Light Magenta	P20560	C13T56F600	1600
163436	Epson UltraChrome PRO12	Vivid Magenta	P20560	C13T56F300	1600
163437	Epson UltraChrome PRO12	Yellow	P20560	C13T56F400	1600

Epson UltraChrome HDX

ORDER NOW

ULTRA CHROME

EPSON EXCEED YOUR VISION

- UltraChrome K3 builds on the original pigment technology developed by Epson for professional photography and proofing work
- Cost-effective and delivers prints with exceptional colour accuracy and high durability
- Produces outstanding black and white output with superb grey balance and smooth tonal gradations on a wide variety of media types

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
171663	Epson UltraChrome HDX	Cyan	P5070	C13T913200	200
171661	Epson UltraChrome HDX	Green	P5070	C13T913B00	200
171665	Epson UltraChrome HDX	Light Black	P5070	C13T913700	200
171667	Epson UltraChrome HDX	Light Cyan	P5070	C13T913500	200
171657	Epson UltraChrome HDX	Light Light Black	P5070	C13T913900	200
171666	Epson UltraChrome HDX	Matt Black	P5070	C13T913800	200
171659	Epson UltraChrome HDX	Orange	P5070	C13T913A00	200
171664	Epson UltraChrome HDX	Photo Black	P5070	C13T913100	200
171660	Epson UltraChrome HDX	Violet	P5070	C13T913D00	200
171656	Epson UltraChrome HDX	Vivid Light Magenta	P5070	C13T913600	200
171662	Epson UltraChrome HDX	Vivid Magenta	P5070	C13T913300	200
171658	Epson UltraChrome HDX	Yellow	P5070	C13T913400	200

Epson UltraChrome XD2

ORDER NOW

ULTRA CHROME

EPSON EXCEED YOUR VISION

- UltraChrome XD Ink was specifically developed for technical and presentation applications
- Features all-pigment water-based construction, a super deep black and an enhanced 4-colour gamut range
- Support high quality printing on a wide range of media with deep absorption, minimum bleeding and fast drying
- Enables smooth crisp lines as fine as 0.2mm wide and dense fills with consistent colour with a high D-max
- Plain paper printed images have enhanced resistance to damage through scratching and moisture exposure

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
171715	Epson UltraChrome XD2	Cyan	T3160/T5160	C13T40S200	26
171716	Epson UltraChrome XD2	Magenta	T3160/T5160	C13T40S300	26
171717	Epson UltraChrome XD2	Yellow	T3160/T5160	C13T40S400	26
171714	Epson UltraChrome XD2	Black	T3160/T5160	C13T40S100	50
171719	Epson UltraChrome XD2	Cyan	T3160/T5160	C13T40U200	50
171720	Epson UltraChrome XD2	Magenta	T3160/T5160	C13T40U300	50
171721	Epson UltraChrome XD2	Yellow	T3160/T5160	C13T40U400	50
171718	Epson UltraChrome XD2	Black	T3160/T5160	C13T40U100	80
171727	Epson UltraChrome XD2	Black	T3460/T5460/T5460M	C13T41V500	110
171726	Epson UltraChrome XD2	Cyan	T3460/T5460/T5460M	C13T41V200	110
171722	Epson UltraChrome XD2	Magenta	T3460/T5460/T5460M	C13T41V300	110
171723	Epson UltraChrome XD2	Yellow	T3460/T5460/T5460M	C13T41V400	110
171728	Epson UltraChrome XD2	Black	T3460/T5460/T5460M	C13T41M500	350
171729	Epson UltraChrome XD2	Cyan	T3460/T5460/T5460M	C13T41M200	350
171724	Epson UltraChrome XD2	Magenta	T3460/T5460/T5460M	C13T41M300	350
171725	Epson UltraChrome XD2	Yellow	T3460/T5460/T5460M	C13T41M400	350

Epson UltraChrome XD

ORDER NOW

ULTRA CHROME

EPSON
EXCEED YOUR VISION

- UltraChrome XD Ink was specifically developed for technical and presentation applications
- Features all-pigment water-based construction, a super deep black and an enhanced 4-colour gamut range
- Support high quality printing on a wide range of media with deep absorption, minimum bleeding and fast drying
- Enables smooth crisp lines as fine as 0.2mm wide and dense fills with consistent colour with a high D-max
- Plain paper printed images have enhanced resistance to damage through scratching and moisture exposure

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
171710	Epson UltraChrome XD	Cyan	T3000/T5000/T7000/T3200/	C13T692200	110
171706	Epson UltraChrome XD	Magenta	T3000/T5000/T7000/T3200/	C13T692300	110
171712	Epson UltraChrome XD	Matt Black	T3000/T5000/T7000/T3200/	C13T692500	110
171711	Epson UltraChrome XD	Photo Black	T3000/T5000/T7000/T3200/	C13T692100	110
171707	Epson UltraChrome XD	Yellow	T3000/T5000/T7000/T3200/	C13T692400	110
171713	Epson UltraChrome XD	Cyan	T3000/T5000/T7000/T3200/	C13T693200	350
171708	Epson UltraChrome XD	Magenta	T3000/T5000/T7000/T3200/	C13T693300	350
171705	Epson UltraChrome XD	Matt Black	T3000/T5000/T7000/T3200/	C13T693500	350
171704	Epson UltraChrome XD	Photo Black	T3000/T5000/T7000/T3200/	C13T693100	350
171709	Epson UltraChrome XD	Yellow	T3000/T5000/T7000/T3200/	C13T693400	350
171410	Epson UltraChrome XD	Cyan	T3000/T5000/T7000/T3200/	C13T694200	700
171411	Epson UltraChrome XD	Magenta	T3000/T5000/T7000/T3200/	C13T694300	700
171413	Epson UltraChrome XD	Matt Black	T3000/T5000/T7000/T3200/	C13T694500	700
171409	Epson UltraChrome XD	Photo Black	T3000/T5000/T7000/T3200/	C13T694100	700
171412	Epson UltraChrome XD	Yellow	T3000/T5000/T7000/T3200/	C13T694400	700

Epson UltraChrome HD

ORDER NOW

ULTRA CHROME

EPSON
EXCEED YOUR VISION

- UltraChrome K3 builds on the original pigment technology developed by Epson for professional photography and proofing work
- Cost-effective and delivers prints with exceptional colour accuracy and high durability
- Produces outstanding black and white output with superb grey balance and smooth tonal gradations on a wide variety of media types

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
197005	Epson UltraChrome HD	Cyan	P800	C13T850200	80
197010	Epson UltraChrome HD	Light Black	P800	C13T850700	80
197008	Epson UltraChrome HD	Light Cyan	P800	C13T850500	80
197012	Epson UltraChrome HD	Light Light Black	P800	C13T850900	80
197011	Epson UltraChrome HD	Matt Black	P800	C13T85080N	80
197004	Epson UltraChrome HD	Photo Black	P800	C13T850100	80
197009	Epson UltraChrome HD	Vivid Light Magenta	P800	C13T85060N	80
197006	Epson UltraChrome HD	Vivid Magenta	P800	C13T85030N	80
197007	Epson UltraChrome HD	Yellow	P800	C13T850400	80
176209	Epson UltraChrome HD	Black	P6070/P7070/P8070/P9070	C13T54W192	350
176215	Epson UltraChrome HD	Light Black	P6070/P7070/P8070/P9070	C13T54W792	350
179565	Epson UltraChrome HD	Light Light Black	P6070/P7070/P8070/P9070	C13T54W992	350
176216	Epson UltraChrome HD	Matt Black	P6070/P7070/P8070/P9070	C13T54W892	350
176218	Epson UltraChrome HD	Orange	P6070/P7070/P8070/P9070	C13T54WA92	350
176214	Epson UltraChrome HD	Vivid Light Magenta	P6070/P7070/P8070/P9070	C13T54W692	350
176054	Epson UltraChrome HD	Cyan	P6070/P7070/P8070/P9070	C13T55J292	700
176064	Epson UltraChrome HD	Green	P6070/P7070/P8070/P9070	C13T55JB92	700
176060	Epson UltraChrome HD	Light Black	P6070/P7070/P8070/P9070	C13T55J792	700
176057	Epson UltraChrome HD	Light Cyan	P6070/P7070/P8070/P9070	C13T55J592	700
176062	Epson UltraChrome HD	Light Light Black	P6070/P7070/P8070/P9070	C13T55J992	700
176061	Epson UltraChrome HD	Matt Black	P6070/P7070/P8070/P9070	C13T55J892	700
176063	Epson UltraChrome HD	Orange	P6070/P7070/P8070/P9070	C13T55JA92	700
176053	Epson UltraChrome HD	Photo Black	P6070/P7070/P8070/P9070	C13T55J192	700
176065	Epson UltraChrome HD	Violet	P6070/P7070/P8070/P9070	C13T55JD92	700
176059	Epson UltraChrome HD	Vivid Light Magenta	P6070/P7070/P8070/P9070	C13T55J692	700
176055	Epson UltraChrome HD	Vivid Magenta	P6070/P7070/P8070/P9070	C13T55J392	700
176056	Epson UltraChrome HD	Yellow	P6070/P7070/P8070/P9070	C13T55J492	700

Epson UltraChrome HDR

ORDER NOW

ULTRA CHROME

EPSON EXCEED YOUR VISION

- UltraChrome K3 builds on the original pigment technology developed by Epson for professional photography and proofing work
- Cost-effective and delivers prints with exceptional colour accuracy and high durability
- Produces outstanding black and white output with superb grey balance and smooth tonal gradations on a wide variety of media types

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
171730	Epson UltraChrome HDR	Cleaning Cartridge	WT7900	C13T642000	150
171598	Epson UltraChrome HDR	Cyan	4900	C13T653200	200
171596	Epson UltraChrome HDR	Green	4900	C13T653B00	200
171601	Epson UltraChrome HDR	Light Black	4900	C13T653700	200
171602	Epson UltraChrome HDR	Light Cyan	4900	C13T653500	200
171593	Epson UltraChrome HDR	Light Light Black	4900	C13T653900	200
171600	Epson UltraChrome HDR	Matt Black	4900	C13T653800	200
171595	Epson UltraChrome HDR	Orange	4900	C13T653A00	200
171599	Epson UltraChrome HDR	Photo Black	4900	C13T653100	200
171592	Epson UltraChrome HDR	Vivid Light Magenta	4900	C13T653600	200
171597	Epson UltraChrome HDR	Vivid Magenta	4900	C13T653300	200
171594	Epson UltraChrome HDR	Yellow	4900	C13T653400	200
171634	Epson UltraChrome HDR	Cyan	7700/9700/7890/9890/7900/	C13T596200	350
171645	Epson UltraChrome HDR	Green	7900/9900/7900CTP/WT7900	C13T596B00	350
171639	Epson UltraChrome HDR	Light Black	7890/9890/7900/9900/7900CTP	C13T596700	350
158521	Epson UltraChrome HDR	Light Cyan	7900/9900	C13T596500	350
158525	Epson UltraChrome HDR	Light Light Black	7900/9900	C13T596900	350
171632	Epson UltraChrome HDR	Matt Black	7700/9700/7890/9890/7900/9900	C13T596800	350
171644	Epson UltraChrome HDR	Orange	7900/9900/7900CTP/WT7900	C13T596A00	350
171633	Epson UltraChrome HDR	Photo Black	7700/9700/7890/9890/7900/	C13T596100	350
171641	Epson UltraChrome HDR	Vivid Light Magenta	7890/9890/7900/9900/7900CTP/	C13T596600	350
158519	Epson UltraChrome HDR	Vivid Magenta	7700/7900/9700/9900	C13T596300	350
171731	Epson UltraChrome HDR	White	WT7900	C13T596C00	350
171635	Epson UltraChrome HDR	Yellow	7700/9700/7890/9890/7900/	C13T596400	350
159899	Epson UltraChrome HDR	Cyan	7700/7900/9700/9900	C13T636200	700
159894	Epson UltraChrome HDR	Green	7900/9900	C13T636B00	700
159897	Epson UltraChrome HDR	Light Black	7900/9900	C13T636700	700
159898	Epson UltraChrome HDR	Light Cyan	7900/9900	C13T636500	700
159900	Epson UltraChrome HDR	Light Light Black	7900/9900	C13T636900	700
159901	Epson UltraChrome HDR	Matt Black	7700/7900/9700/9900	C13T636800	700
159896	Epson UltraChrome HDR	Orange	7900/9900	C13T636A00	700
159902	Epson UltraChrome HDR	Photo Black	7700/7900/9700/9900	C13T636100	700
159903	Epson UltraChrome HDR	Vivid Light Magenta	7900/9900	C13T636600	700
159904	Epson UltraChrome HDR	Vivid Magenta	7700/7900/9700/9900	C13T636300	700
159895	Epson UltraChrome HDR	Yellow	7700/7900/9700/9900	C13T636400	700

Epson UltraChrome K3

ORDER NOW

ULTRA CHROME

EPSON
EXCEED YOUR VISION

- UltraChrome K3 builds on the original pigment technology developed by Epson for professional photography and proofing work
- Cost-effective and delivers prints with exceptional colour accuracy and high durability
- Produces outstanding black and white output with superb grey balance and smooth tonal gradations on a wide variety of media types

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
165539	Epson UltraChrome K3	Cyan	3800/3880	C13T580200	80
171604	Epson UltraChrome K3	Light Black	3800/3880	C13T580900	80
171609	Epson UltraChrome K3	Light Black	3800/3880	C13T580700	80
171611	Epson UltraChrome K3	Light Cyan	3800/3880	C13T580500	80
171627	Epson UltraChrome K3	Light Magenta	3800/3880	C13T580600	80
171605	Epson UltraChrome K3	Magenta	3800/3880	C13T580300	80
171610	Epson UltraChrome K3	Matt Black	3800/3880	C13T58080N	80
171608	Epson UltraChrome K3	Photo Black	3800/3880	C13T580100	80
171608	Epson UltraChrome K3	Vivid Light Magenta	3800/3880	C13T580B00	80
171607	Epson UltraChrome K3	Vivid Magenta	3800/3880	C13T580A00	80
171606	Epson UltraChrome K3	Yellow	3800/3880	C13T580400	80
165559	Epson UltraChrome K3	Cyan	7800/7880/9800/9880	C13T603200	220
171621	Epson UltraChrome K3	Cyan	4800/4880	C13T606200	220
165561	Epson UltraChrome K3	Light Black	7800/7880/9800/9880	C13T603700	220
171624	Epson UltraChrome K3	Light Black	4800/4880	C13T606700	220
165560	Epson UltraChrome K3	Light Cyan	7800/7880/9800/9880	C13T603500	220
171625	Epson UltraChrome K3	Light Cyan	4800/4880	C13T606500	220
171619	Epson UltraChrome K3	Light Light Black	4800/4880	C13T606900	220
165562	Epson UltraChrome K3	Light Light Black	7800/7880/9800/9880	C13T603900	220
171589	Epson UltraChrome K3	Light Magenta	4800	C13T606C00	220
165563	Epson UltraChrome K3	Light Magenta	7800/9800	C13T603C00	220
165564	Epson UltraChrome K3	Magenta	7800/9800	C13T603B00	220
171588	Epson UltraChrome K3	Magenta	4800	C13T606B00	220
165565	Epson UltraChrome K3	Matt Black	7400/7450/7800/7880/9400/9450	C13T612800	220
171623	Epson UltraChrome K3	Photo Black	4800/4880	C13T606100	220
165566	Epson UltraChrome K3	Photo Black	7800/7880/9800/9880	C13T603100	220
171590	Epson UltraChrome K3	Vivid Light Magenta	4880	C13T606600	220
165567	Epson UltraChrome K3	Vivid Light Magenta	7880/9880	C13T603600	220
171591	Epson UltraChrome K3	Vivid Magenta	4880	C13T606300	220
165568	Epson UltraChrome K3	Vivid Magenta	7880/9880	C13T603300	220
165569	Epson UltraChrome K3	Yellow	7800/7880/9800/9880	C13T603400	220
171620	Epson UltraChrome K3	Yellow	4800/4880	C13T606400	220

Epson Blades

ORDER NOW

EPSON EXCEED YOUR VISION

- Check vendor part number to ensure compatibility with your machine

Material	Material Description	Model	Vendor Part Number	Pack QTY
165460	Epson Cutter Blade	C12C815291	C12C851291	1
171740	Epson Cutter Blade	P5070/4900	C12C815351	1
171741	Epson Cutter Blade	P9560	C12C815331	1
171742	Epson Cutter Blade	P10070/P20070	C13S210040	1
171748	Epson Cutter Blade	T3000/T5000/T7000	C13S902006	1
171749	Epson Cutter Blade	T34**/T32**/T52**/T72**	C13S902007	1
171750	Epson Cutter Blade	T3160/T5160	C13S210055	1

Epson Maintenance Tanks

ORDER NOW

EPSON EXCEED YOUR VISION

- Check vendor part number to ensure compatibility with your machine

Material	Material Description	Model	Vendor Part Number	Pack QTY
184844	Epson Maintenance Tank	7700/7900	C12C890501	1
165459	Epson Maintenance Tank	3800/3880	C13T582000	1
171752	Epson Maintenance Tank	T3160/T5160	C13S210057	1
176771	Epson Maintenance Tank	P6560-8560D+DL/ T3760-760D	C13S210115	1
171744	Epson Maintenance Tank	P5070/4900	C13T619100	1
171743	Epson Maintenance Tank	P10070/P20070	C13T619300	1
165458	Epson Maintenance Tank	4xx0/7xx0/9xx0 /11880	C12C890191	1
188068	Epson Maintenance Tank	4900	C13T619000	1
197042	Epson Maintenance Tank	T3000/T5000/T7000/T3200/	C13T619300	1
195568	Epson Maintenance Tank	P9070	C13T699700	1

Epson Consumables

ORDER NOW

EPSON EXCEED YOUR VISION

- Check vendor part number to ensure compatibility with your machine

Material	Material Description	Model	Vendor Part Number	Pack QTY
171753	Epson A0 Doc Carrier Sheet	T34**/T32**/T52**/T72**	C12C935381	1
171751	Epson Borderless Pad Kit	T3460/T5460/T5460M	C13S400064	1
171746	Epson Cleaning Sheets	P5070/P100070/P20070	C13S400045	5
171747	Epson Cleaning Sheets	P5070/P100070/P20070	C13S090013	50
199872	Epson Replacement M Tank	P906	C12C935711	1
171745	Epson Roll Storage Belt	Epson	C12C890121	1

Canon Pro/GP Ink

ORDER NOW

- Built to achieve the best quality for the graphic arts market
- High scratch resistance with new formulated ink
- Excellent image permanence
- Higher black density
- Chroma Optimiser reduces gloss differential and bronzing
- Available in 330ml and 700ml cartridges

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
120939	Canon Pro/GP Ink	Blue	Pro/GP 2600/4600/6600	CPFI-3300B	330
120943	Canon Pro/GP Ink	Chroma Optimiser	Pro/GP 2600/4600/6600	CPFI-3300CO	330
120934	Canon Pro/GP Ink	Cyan	Pro/GP 2600/4600/6600	CPFI-3300C	330
120937	Canon Pro/GP Ink	Grey	Pro/GP 2600/4600/6600	CPFI-3300GY	330
120935	Canon Pro/GP Ink	Magenta	Pro/GP 2600/4600/6600	CPFI-3300M	330
120932	Canon Pro/GP Ink	Matt Black	Pro/GP 2600/4600/6600	CPFI-2300MBK	330
120933	Canon Pro/GP Ink	Photo Black	Pro/GP 2600/4600/6600	CPFI-3300PBK	330
120940	Canon Pro/GP Ink	Photo Cyan	Pro/GP 2600/4600/6600	CPFI-3300PC	330
120942	Canon Pro/GP Ink	Photo Grey	Pro/GP 2600/4600/6600	CPFI-3300PGY	330
120941	Canon Pro/GP Ink	Photo Magenta	Pro/GP 2600/4600/6600	CPFI-3300PM	330
120938	Canon Pro/GP Ink	Red	Pro/GP 2600/4600/6600	CPFI-3300R	330
120936	Canon Pro/GP Ink	Yellow	Pro/GP 2600/4600/6600	CPFI-3300Y	330
120951	Canon Pro/GP Ink	Blue	Pro/GP 2600/4600/6600	CPFI-3700B	700
120955	Canon Pro/GP Ink	Chroma Optimiser	Pro/GP 2600/4600/6600	CPFI-3700CO	700
120946	Canon Pro/GP Ink	Cyan	Pro/GP 2600/4600/6600	CPFI-3700C	700
120949	Canon Pro/GP Ink	Grey	Pro/GP 2600/4600/6600	CPFI-3700GY	700
120947	Canon Pro/GP Ink	Magenta	Pro/GP 2600/4600/6600	CPFI-3700M	700
120944	Canon Pro/GP Ink	Matt Black	Pro/GP 2600/4600/6600	CPFI-2700MBK	700
120945	Canon Pro/GP Ink	Photo Black	Pro/GP 2600/4600/6600	CPFI-3700PBK	700
120952	Canon Pro/GP Ink	Photo Cyan	Pro/GP 2600/4600/6600	CPFI-3700PC	700
120954	Canon Pro/GP Ink	Photo Grey	Pro/GP 2600/4600/6600	CPFI-3700PGY	700
120953	Canon Pro/GP Ink	Photo Magenta	Pro/GP 2600/4600/6600	CPFI-3700PM	700
120950	Canon Pro/GP Ink	Red	Pro/GP 2600/4600/6600	CPFI-3700R	700
120948	Canon Pro/GP Ink	Yellow	Pro/GP 2600/4600/6600	CPFI-3700Y	700

Canon Pro/S Ink

ORDER NOW

- Built to achieve the best quality for the graphic arts market
- High scratch resistance with new formulated ink
- Excellent image permanence
- Higher black density
- Chroma Optimiser reduces gloss differential and bronzing
- Available in 330ml and 700ml cartridges

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
120963	Canon Pro/S Ink	Blue	Pro/S 2000/4000/6000/2100/4100	CPFI-1300B	330
120967	Canon Pro/S Ink	Chroma Optimiser	Pro/S 2000/4000/6000/2100/4100	CPFI-1300CO	330
120958	Canon Pro/S Ink	Cyan	Pro/S 2000/4000/6000/2100/4100	CPFI-1300C	330
120961	Canon Pro/S Ink	Grey	Pro/S 2000/4000/6000/2100/4100	CPFI-1300GY	330
120959	Canon Pro/S Ink	Magenta	Pro/S 2000/4000/6000/2100/4100	CPFI-1300M	330
120956	Canon Pro/S Ink	Matt Black	Pro/S 2000/4000/6000/2100/4100	CPFI-1300MBK	330
120957	Canon Pro/S Ink	Photo Black	Pro/S 2000/4000/6000/2100/4100	CPFI-1300PBK	330
120964	Canon Pro/S Ink	Photo Cyan	Pro/S 2000/4000/6000/2100/4100	CPFI-1300PC	330
120966	Canon Pro/S Ink	Photo Grey	Pro/S 2000/4000/6000/2100/4100	CPFI-1300PGY	330
120965	Canon Pro/S Ink	Photo Magenta	Pro/S 2000/4000/6000/2100/4100	CPFI-1300PM	330
120962	Canon Pro/S Ink	Red	Pro/S 2000/4000/6000/2100/4100	CPFI-1300R	330
120960	Canon Pro/S Ink	Yellow	Pro/S 2000/4000/6000/2100/4100	CPFI-1300Y	330
120975	Canon Pro/S Ink	Blue	Pro/S 2000/4000/6000/2100/4100	CPFI-1700B	700
120979	Canon Pro/S Ink	Chroma Optimiser	Pro/S 2000/4000/6000/2100/4100	CPFI-1700CO	700
120970	Canon Pro/S Ink	Cyan	Pro/S 2000/4000/6000/2100/4100	CPFI-1700C	700
120973	Canon Pro/S Ink	Grey	Pro/S 2000/4000/6000/2100/4100	CPFI-1700GY	700
120971	Canon Pro/S Ink	Magenta	Pro/S 2000/4000/6000/2100/4100	CPFI-1700M	700
120968	Canon Pro/S Ink	Matt Black	Pro/S 2000/4000/6000/2100/4100	CPFI-1700MBK	700
120969	Canon Pro/S Ink	Photo Black	Pro/S 2000/4000/6000/2100/4100	CPFI-1700PBK	700
120976	Canon Pro/S Ink	Photo Cyan	Pro/S 2000/4000/6000/2100/4100	CPFI-1700PC	700
120978	Canon Pro/S Ink	Photo Grey	Pro/S 2000/4000/6000/2100/4100	CPFI-1700PGY	700
120977	Canon Pro/S Ink	Photo Magenta	Pro/S 2000/4000/6000/2100/4100	CPFI-1700PM	700
120974	Canon Pro/S Ink	Red	Pro/S 2000/4000/6000/2100/4100	CPFI-1700R	700
120972	Canon Pro/S Ink	Yellow	Pro/S 2000/4000/6000/2100/4100	CPFI-1700Y	700

Canon Spare Parts

ORDER NOW

Material	Material Description	Model	Vendor Part Number	Pack QTY
120994	Canon CT-07 Cutter Blade	Pro/GP 2600/4600/6600	CCT-07	1
120993	Canon MC30 Cartridge	Pro/GP 2600/4600/6600	CMC-30	1
120992	Canon PF-10 Printhead	Pro/GP 2600/4600/6600	CPF-10	1

Summa Stationary

ORDER NOW

- Summa Fibre Tip Pens are designed for precise, reliable plotting
- Suitable for use on paper and a wide range of compatible materials
- Featuring high-quality black water-based ink with quick-drying performance
- They provide smooth and consistent results for professional plotting applications
- Compatible with all Summa drag cutters & Summa F Series flatbed cutters
- Supplied in a convenient pack of four

Material	Material Description	Colour	Pack QTY
121943	Summa Fibre Tip Pens	Black	4

Summa Knives, Blades & Holders

ORDER NOW

- The Summa Knives, Blades & Holders range offers genuine replacement and everyday essentials
- Designed to keep compatible Summa cutting and finishing equipment operating at its best
- Summa consumables deliver the precision, reliability and consistent performance
- Ideal for professional sign making, graphics and finishing applications

Material	Material Description	Type	Pack QTY
121954	Summa Cutting Strip	140 &160	1
121673	Summa Drag	36DEG	1
121952	Summa Drag 0.5mm	60DEG	1
121942	Summa Drag Knife	D SERIES	1
121959	Summa Heavy Blade	60DEG	1
121970	Summa Knife Installation	P2C TOOL	1
121953	Summa Standard Blade	HOLDER	1
121941	Summa Tangential	36DEG	1
121950	Summa Tangential Knife	HOLDER	1
121956	Summa Tangential	60DEG	1
121944	Summa Tangential Reflect	36DEG	1







Finishing and Accessories





From mounting tapes and adhesives to display stands and banner systems, Spicers' Sign & Display accessories bring your visual ideas to life with quality, precision and ease.

ORDER YOUR FAVOURITE PRODUCTS ONLINE
1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together



A-Board Solid
450 x 600

- This compact landscape board offers a neat, adhered white face that lays perfectly flat for sharp vinyl work. Its low profile suits quick-read promotions and makes it an easy piece to shift between doorways, counters or footpath edges.

Code	Width (mm)	Height (m)
123069	450	600

ORDER NOW



A-Board Open
600 x 450

- A sturdy galvanised, frame-only design with evenly spaced support bars that hold panels securely in place. With no faces fitted, it suits installers who prefer fitting their own substrate, while keeping the same proportions and geometry as the full panel models.

Code	Width (mm)	Height (m)
121798	600	450

ORDER NOW



Flute A-Frame
600 x 900

- Designed to provide versatility with being able to quickly change messaging with interchangeable flute panels.
- The frame keeps the flute inserts sitting flat and the cap locking system on the top also aids in keeping the flute secure once inserted.

Code	Width (mm)	Height (m)
122375	600	900

ORDER NOW



A-Board Solid
600 x 900

- The taller portrait design features a flush, adhered white face that eliminates rivet bumps and keeps vinyl looking sharp from top to bottom.
- Its extended height enhances visibility for longer messages without taking up extra pavement width.

Code	Width (mm)	Height (m)
122376	600	900

ORDER NOW



A-Board Solid
600 x 450

- This compact landscape board offers a neat, adhered white face that lays perfectly flat for sharp vinyl work. Its low, wide profile suits quick-read promotions and makes it an easy piece to shift between doorways, counters or footpath edges.

Code	Width (mm)	Height (m)
122372	600	450

ORDER NOW



A-Board
600 x 600

- With its clean, adhered square panel, this model delivers a smooth surface that vinyl installers appreciate.
- The even proportions give artwork a natural balance, making it a reliable choice for menus, directional graphics or simple brand statements.

Code	Width (mm)	Height (m)
122373	600	600

ORDER NOW



A-Board Open
600 x 900

- A sturdy frame-only design with evenly spaced support bars that hold panels securely in place. With no faces fitted, it suits installers who prefer fitting their own substrate.

Code	Width (mm)	Height (m)
122378	600	900

ORDER NOW



A-Board
900 x 600

- Built with a wide, uninterrupted adhered panel, this landscape format is ideal for layouts that rely on bold imagery or stretched headline designs.
- The low orientation helps catch attention at eye level while maintaining a clean, modern look.

Code	Width (mm)	Height (m)
122374	900	600

ORDER NOW



On Point. On Time. On Track.

HP Latex 630/730/830 Printer Series

VIEW THE RANGE ▶



HP Latex 630/630 W



HP Latex 730/730 W



HP Latex 830/830 W



A-Board Solid
900 x 1200

- This compact landscape board offers a neat, adhered white face that lays perfectly flat for sharp vinyl work.
- Its low, wide profile suits quick-read promotions and makes it an easy piece to shift between doorways, counters or footpath edges.

Code	Width (mm)	Height (m)
122379	900	1200

ORDER NOW




A-Board Open
900 x 1200

- A tall, rigid frame built with a consistent bar layout for strength and stability. Supplied without faces fitted, it suits installers who prefer fitting their own substrate. The larger size provides strong street presence, ensuring key messaging isn't missed by passers by.

Code	Width (mm)	Height (m)
122380	900	1200

ORDER NOW



dtec
Solid A-Frame

- Heavy duty black or white powder coated steel frame with a chrome handle (900x1200 does not come with a handle)
- Included in the box are 2 sheets of signwhite (detached from the frame)
- Signwhite can be 4 corner riveted or affixed with 3M VHB tape

Code	Colour	Width (mm)	Height (mm)
193838	Black	600	900
193840	White	600	900
193837	Black	600	600
193839	Black	900	1200

ORDER NOW



dtec
Open A-Frame

- Open faced A-Frame
- Designed for use with a 3mm - 5mm Corflute insert
- Heavy duty, black powder coated steel frame

Code	Width (mm)	Height (mm)
193841	600	900

ORDER NOW



dtec
RBS Premium Tape

- Premium, single graphic silver and black aluminium construction roll-up banner stand
- Free-standing with wide, stable base and built in spring tensioning mechanism
- Top rail with clip and grip system
- 15mm diameter, 3-part pole
- Comes in padded carry bag
- Media is secured to the base leader roll using tape
- Total weight is 6kg

Code	Colour	Width (mm)	Height (mm)
194556	Silver	850	2000
194557	Black	850	2000

ORDER NOW



dtec
RBS Premium Clip

- Premium, single graphic silver and black aluminium construction roll-up banner stand
- Free-standing with wide, stable base and built in spring tensioning mechanism
- Top rail with clip and grip system
- 15mm diameter, 3-part pole
- Comes in padded carry bag
- Media is secured to t he base using a clip system
- Total weight is 6kg

Code	Colour	Width (mm)	Height (mm)
194554	Silver	850	2000
194555	Black	850	2000

ORDER NOW



Roll-up 332
Economy Roll Up

- 332 Economy Roll Up Banner has a strengthened case to add more stability and durability
- Double twist out feet
- Snap top rail
- Fixed height bungee pole
- Silver anodised
- 2 metre length and Carry bag included

Code	Colour	Width (mm)	Height (mm)
121734	Silver	850	2000

ORDER NOW



Roll-up 340
Mid Term Roll Up

- 340 Mid Term Roll Up features stylish removable chrome end caps and adjustable feet for uneven surfaces
- Snap top rail
- Fixed height bungee pole
- Silver anodised
- 2 metre height
- Premium padded carry bag included

Code	Colour	Width (mm)	Height (mm)
121735	Silver	850	2000

ORDER NOW



dtec
RBS Economy

- Light weight aluminium construction roll-up banner stand
- Available in silver and black
- Dual feet
- 15mm diameter, 3-part pole
- Top rail with clip and grip system
- Comes in a padded carry bag
- Total weight is 3kg

Code	Colour	Width (mm)	Height (mm)
194559	Silver	850	2000
194558	Black	850	2000

ORDER NOW



dtec
Super Economy

- Light weight aluminium construction roll-up banner stand
- Available in silver and black
- Dual feet
- 15mm diameter, 3-part pole
- Top rail with clip and grip system
- Comes in a padded carry bag
- Total weight is 3kg

Code	Colour	Width (mm)	Height (mm)
197174	Silver	850	2000

ORDER NOW



3M™
Transfer Tapes

- 3M Adhesive Transfer Tape 467MP designed with a 2.3 mil thick adhesive & polycoated kraft paper liner
- For applications such as splicing and laminating procedures using metalsand HSE plastics
- This high-performance adhesive delivers excellent shear strength to resist slippage and edge lifting
- 200MP acrylic adhesive is considered the industry standard for graphic attachment and general industrial joining applications
- Temporarily repositionable adhesive improves placement accuracy, reducing rework

Code	Colour	Width (mm)	Height (mm)
450884	Clear	300	5500
451283	Clear	1220	5500

ORDER NOW

Application Tape

AB TransferRite 6582

ORDER NOW

- AB TransferRite 6582 is an 110ums medium tack application tape featuring high grade saturated paper backing with specially formulated latex pressure sensitive adhesive
- TransferRite 6582 is removable
- Ideal for general purpose use as pre-space and decal transfer
- Recommended for striping and die cut logos and is best used for pre- spaced lettering from 5cm up to 31cm
- Suitable for applications such as tape & signmaking

SELF ADHESIVE

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
121850	AB 6582	Translucent	Medium-Tack	305	91.4
122917	AB 6582	Translucent	Medium-Tack	610	91.4
122918	AB 6582	Translucent	Medium-Tack	1220	91.4

AB TransferRite 6592

ORDER NOW

- AB TransferRite 6592 is a 110 ums high-tack standard grade, saturated paper application tape
- It is specially formulated with a latex pressure sensitive adhesive
- For general purpose use and is ideally suited to vinyls with medium to high adhesive grab
- Recommended for lettering <50mm in height, fine line striping and thermal die cut decals
- Suitable for applications for where tape is needed and signmaking

SELF ADHESIVE · HIGH TAC ADHESIVE · ROLLS

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
121851	AB 6592	Translucent	High-Tack Pressure Sensitive	305	91.4
122919	AB 6592	Translucent	High-Tack Pressure Sensitive	610	91.4
122920	AB 6592	Translucent	High-Tack Pressure Sensitive	1220	91.4

AB TransferRite 1310

ORDER NOW

- AB TransferRite 1310 is a 100ums clear medium tack application tape that is see-through and enables multi-colour alignments
- It has a latex pressure sensitive adhesive
- This low-static film is easy to tear and removes effortlessly from corrugated plastic and banner material
- Recommended for use with intermediate or calendered films including matt finish interior wall films
- Suitable for applications such as tape & signmaking

SELF ADHESIVE · ROLLS

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
121848	AB 1310	Clear	Medium-Tack	610	91.4
122916	AB 1310	Clear	Medium-Tack	1220	91.4

AB TransferRite 6560

ORDER NOW

- AB TransferRite 6560 is a 110ums low tack application tape featuring a highgrade saturated paper backing with specially formulated latex, pressure sensitive adhesive
- Suitable for general sign shop use
- It is used for prespaced computer cut lettering or logos > 12" high and an economical choice for large vinyl installation
- Its low tack adhesion is gentle on digital prints and large format graphics
- Recommended for die cut logos and is best used for one-piece lettering bigger than 31cm

SELF ADHESIVE · LOW TAC ADHESIVE

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
121849	AB 6560	Translucent	Low-Tack	1220	91.4

1300 132 644 info.mail@spicers.com.au spicers.com.au

Imageperfect AT-505 Medium-Tack

ORDER NOW

- Imageperfect AT-505 is a highly-engineered, paper-based, application tape with a medium-tack adhesive
- Adhesive features a new latex-based glue system with strong adhesion
- Specially developed for all graphic applications Suitable for
- Applications where tape is needed and signmaking

SELF ADHESIVE ROLLS

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
122614	AT-505	Translucent	Medium-Tack	305	91.4
121839	AT-505	Translucent	Medium-Tack	610	91.4
122613	AT-505	Translucent	Medium-Tack	1220	91.4

Imageperfect AT-500 High-Tack

ORDER NOW

- Imageperfect AT-500 is a highly-engineered, paper-based, application tape
- Adhesive features a new latex-based glue system with strong adhesion
- Specially developed for all graphic applications Suitable for applications where tape is needed and signmaking

SELF ADHESIVE HIGH TAC ADHESIVE ROLLS

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
121838	AT-500	Translucent	High-Tack	305	91.4
122610	AT-500	Translucent	High-Tack	610	91.4
122611	AT-500	Translucent	High-Tack	1220	91.4
122612	AT-500	Translucent	High-Tack	1524	91.4

Imageperfect AT-500ST Extra High-Tack

ORDER NOW

- Imageperfect AT-500ST is a highly-engineered, paper-based, application tape with an extra high-tack adhesive
- Adhesive features a new latex-based glue system with strong adhesion
- Specially developed for all graphic applications
- Suitable for applications where tape is needed and signmaking

SELF ADHESIVE HIGH TAC ADHESIVE ROLLS

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
121837	AT-500ST	Translucent	Extra High-Tack	305	91.4
122608	AT-500ST	Translucent	Extra High-Tack	610	91.4
122609	AT-500ST	Translucent	Extra High-Tack	1220	91.4

R.Tape 4075 (Medium-High)

ORDER NOW

- R.Tape 4075 Medium-High-Tack repositionable latex adhesive
- Popular choice for every day sign shop applications & removes easily following application
- Standard Paper (101 micron)
- Suitable for most applications particularly transferring small to medium sized graphics & large plotter cut letters

SELF ADHESIVE

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
165131	R.Tape 4075 (Med-High)	White	Medium-High	610	91
165128	R.Tape 4075 (Med-High)	White	Medium-High	1220	91

R.Tape 4075RLA (Medium-High)

ORDER NOW

- R.Tape 4075RLA Medium-High-Tack repositionable RLA latex adhesive
- Graphics stay neater and cleaner, even when they are rolled
- Popular choice for every day sign shop applications and & removes easily following application
- RLA adhesive sticks and lays flat to the exposed release liner around cut vinyl graphics to protect against wrinkling, tunnelling and edge curling
- Standard Paper (101 micron)
- Suitable for most applications particularly transferring small to medium sized graphics & large plotter cut letters

SELF ADHESIVE

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
169193	R.Tape 4075RLA (Med-High)	White	Medium-High	610	91
169192	R.Tape 4075RLA (Med-High)	White	Medium-High	1220	91
199704	R.Tape 4075RLA (Med-High)	White	Medium-High	1524	91

R.Tape 4076 (Extra High)

ORDER NOW

- R.Tape 4076 Extra High, repositionable latex adhesive
- Offers clean pick up and transfer of very small hard-to lift lettering & graphics & removes easily following application
- Standard Paper (101 micron)

SELF ADHESIVE

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
189389	R.Tape 4076 (Extra High)	White	Extra High	610	91
189388	R.Tape 4076 (Extra High)	White	Extra High	1220	91

R.Tape 4076RLA (Extra High)

ORDER NOW

- R.Tape 4076 Extra High, repositionable RLA latex adhesive
- Graphics stay neater and cleaner, even when they are rolled
- Offers clean pick up and transfer of very small hard-to lift lettering & graphics & removes easily following application
- RLA adhesive sticks and lays flat to the exposed release liner around cut vinyl graphics to protect against wrinkling, tunnelling and edge curling
- Standard Paper (101 micron)

SELF ADHESIVE

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
192253	R.Tape 4076RLA (Extra High)	White	Extra High	610	91
192030	R.Tape 4076RLA (Extra High)	White	Extra High	1220	91
198762	R.Tape 4076RLA (Extra High)	White	Extra High	1524	91

R.Tape AT65

ORDER NOW

- R.Tape AT65 is an ultra-clear, high tack film application tape that provides exceptional performance and versatility
- Multiple colour overlays, while the rigid polypropylene film minimises stretching for precise alignment of graphics
- AT65 is a transparent 112.5 micron film, no backing paper

BACKLIT · LIGHT BOXES · OUTDOOR APPLICATIONS · SELF ADHESIVE

Material	Material Description	Colour	Width (mm)	Length (m)
192227	R.Tape AT65		1220	91

Avery Dennison® Signmask Light Blue

ORDER NOW

- Avery Dennison Signmask Light Blue is an 80ums premium stencil film with an ultra removable acrylic adhesive
- Designed for temporary masking on flat, curved and irregular surfaces
- It offers excellent cutting and weeding performance
- It has a clean temporary bond, and reliable removability across a wide range of substrates
- Perfect for use on smooth panels, corrugated or flexible truck and van sides, sign boards, banners, plywood, plastics and glass-reinforced surfaces

SELF ADHESIVE · INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · ROLLS

Material	Material Description	Colour	Width (mm)	Length (m)
452893	Signmask	Light Blue	615	50
454045	Signmask	Light Blue	1230	50

Imageperfect Signmask Blue Pro

ORDER NOW

- Imageperfect Signmask Blue Pro is a 100ums calendered paint masking film with a removable acrylic adhesive
- Used as a stencil film during spray painting/paint masking applications high levels of transparency during installation to allow for easy and accurate positioning
- Easy removability from most substrates without leaving adhesive residue
- The grid pattern on the reverse of the liner will allow for easy alignment during cutting
- Suitable for applications such as banners, tarpaulins, vehicle sides and sign boards

SELF ADHESIVE · BANNERS · INDOOR APPLICATIONS · OUTDOOR APPLICATIONS · ROLLS

Material	Material Description	Colour	Width (mm)	Length (m)
454115	SignMask Blue Pro	Blue	610	50
454113	SignMask Blue Pro	Blue	1220	50

General Formulations Sign Mask

ORDER NOW

- Yellow Paint Mask vinyl is an 86 micron matt yellow vinyl with removable acrylic pressure-sensitive adhesive
- The vinyl is formulated for ease of cutting while retaining resistance to common solvents encountered in typical spray paints and automotive finishes
- Bleached kraft liner provides an excellent base for plotter cut graphics and home craft applications
- Can be used as a stencil for applications like creating floor graphics in gymnasiums, decorative painting or etching with craft projects, or branding mesh fencing for tennis courts and construction

Material	Material Description	Colour	Width (mm)	Length (m)
173586	GF 851	Yellow	1220	45.7
173587	GF 851	Yellow	1524	45.7


3M | Knifeless™ Tape

Changing the installation experience.



Make the installation experience easier with 3M™ Knifeless Tape. Easily cut through any graphic film with sharp and clean lines - no matter the design!

Cuts like a knife. Only better.



Get a line on the lineup of tapes that lets you do more.

Knifeless Tapes were inspired by the idea of never having to worry about surface damage when cutting any graphic film. Designed by graphics installers for graphics installers, Knifeless Tape gives new installers the opportunity to start trimming sooner, gaining confidence. And it takes experienced installers to the next level — increasing their speed and unleashing their creativity. What could be better than that?

3M.com/knifelesstape

3M™ Finish Line Knifeless Tape

Our #1 product set the new industry standard for finishing vehicle graphic installations without a blade.

- Easily cuts most vinyl wrap films
- Patented design turns easily in any direction to follow contours and curves
- For single or multiple vinyl layer applications

3M™ Design Line Knifeless Tape

Flexible tape and filament are engineered to easily create highly contoured designs and leave a sharp, clean edge.

- Create striping, accents and designs that rival using a knife or plotter
- Patented design stretches slightly and turns easily in any direction for one-of-a-kind works of art
- Tape can be broken with hands for faster application
- For single layer vinyl applications

EXPLORE THE RANGE ▶



Follow contours and curves on any part of the vehicle.



Create unique accents and designs.

Spicers
Creating Solutions Together

Tape & Applicators



3M™ Knifeless Design Line Tape

- 3M™ Knifeless™ Tape Design Line has a flexible tape and filament engineered to easily create highly contoured designs and leave a sharp, clean edge without using a knife
- 3.5mm wide tape
- Allows stretching, follows contours and turns easily in any direction
- Excellent for creating designs and stripes with no extra steps required to achieve a perfect cut
- Not to be used for wrapping

Code	Width (mm)	Length (m)
168984	4	50

ORDER NOW




3M™ Knifeless Finish Line Tape

- 3M™ Knifeless™ Tape Finish Line set the new industry standard for finishing vehicle graphic installations without using a blade
- 3.5mm wide tape
- For single or multiple vinyl layer applications
- Use for most wrap applications
- Conformable around bumpers, door handles, mirrors, etc

Code	Width (mm)	Length (m)
168986	4	50

ORDER NOW



3M™ Knifeless Precision Line Tape

- 3M™ Knifeless™ Tape Precision Line is a revolutionary tool that gives even the most challenging film installations a sharp, clean edge
- 5mm wide tape
- Get a sharper line on tougher films
- Excellent for creating designs and stripes with no extra steps required to achieve a perfect cut
- Designed to be used with Paint Protection Films

Code	Width (mm)	Length (m)
193763	5	50

ORDER NOW



3M™ Application Tools

- 3M Applicators to assist in application of self-adhesive vinyl

Code	Colour	Pack Qty
169184	Blue	1
169183	Gold	1

ORDER NOW

Applicators



Imageperfect **Graphite Squeegee**

- Graphite Squeegee is a flexible, premium squeegee equipped with a unique, double-layer microfibre edge to prevent scratching. It is ideal for wrapping.
- This squeegee can be used wet and dry, and is PVC-free and Phthalate-free, and can be recycled.

PVC FREE

Code	Type	Size (mm)	Qty
122287	Felt-edged	70 x 100	1 piece

ORDER NOW



Imageperfect **Teflon Squeegee**

- Teflon Squeegee is a hard, premium squeegee equipped with a unique, double-layer microfibre edge to avoid scratching. It is ideal for wrapping.
- This squeegee can be used wet and dry, and is PVC-free and phthalate-free, and can be recycled.

PVC FREE

Code	Type	Size (mm)	Qty
122289	Teflon	70 x 100	1 piece

ORDER NOW



Imageperfect **Green Squeegees**

- Green Squeegee & Green Squeegee Felt are commodity model squeegees for daily use.
- High stability base material for easy handling and pressure control and has a strong memory.
- PVC-free and phthalate-free, and can be recycled.

PVC FREE

Code	Type	Size (mm)	Qty
122876	No felt	70 x 100	1 piece
122877	Felt-edged	70 x 100	1 piece

ORDER NOW



Imageperfect **Squeegees**

- White Squeegees enable efficient handling and application of self-adhesive films in various applications.

Code	Type	Size (mm)	Qty
122290	No felt	70 x 100	1 piece
122291	Felt-edged	70 x 150	1 piece

ORDER NOW

1300 132 644 info.mail@spicers.com.au spicers.com.au

Applicators



Avery Dennison®
Squeegee PRO XL

- Squeegee Pro XL is a bigger version of the Squeegee Pro.
- Larger and more rigid, it is great for faster and higher quality application onto large and flat surfaces such as truck sides, buildings and buses
- highly effective tool for flat or slightly curved surfaces

Code	Type	Size (mm)	Qty
121199	Felt-edged	70 x 150	1 piece

ORDER NOW



Avery Dennison®
Squeegee PRO Flexible

- Squeegee Pro Flexible is a softer and more flexible version of the Squeegee Pro with one felt side; an excellent choice for curved applications such as wheel arches and car bonnets/bumpers.

Code	Type	Size (mm)	Qty
121208	Felt-edged	70 x 100	1 piece

ORDER NOW



Avery Dennison®
Squeegee PRO

- A blue coloured nylon reinforced squeegee with a black felt edge that will not scratch or mark the surface of specialty vinyl or digital printed graphics.
- highly effective tool for flat or slightly curved surfaces.
- An excellent choice for vehicle wraps and day-to-day applications such as flat wall panels.

Code	Type	Size (mm)	Qty
121207	Felt-edged	70 x 100	1 piece

ORDER NOW

Applicators



My Wrap Game
PPF Squeegees

- Made from an advanced silicone rubber, these squeegees come in soft and hard variations for maximum versatility, whilst having a signature tapered edge for detailed work.

Code	Type	Pack Qty
122840	PPF	1 pack of 2

ORDER NOW



My Wrap Game
Wrap Squeegees

- Designed with protruding edges for precise, detailed finishing. Comes in both soft and hard variations. Ergonomically designed, offering the flexibility needed to tackle even the most intricate applications with ease.
- Each pack includes a pair of squeegees & buffers.

Code	Type	Pack Qty
122847	Wrap	1 pack of 2

ORDER NOW



My Wrap Game
Wrap Gloves

- Crafted from silky, cut-resistant yarn, these gloves mould to your hands like a second skin, enhancing tactile feedback for the most intricate work.
- Designed to outperform traditional cotton gloves, they offer superior strength, slideability, and comfort.

Code	Type	Pack Qty
121678	Black	1 pair
122838	White	1 pair

ORDER NOW




My Wrap Game
Wrap Buffers

- The My Wrap Game Tools range is designed for professional vehicle wrappers
- For demanding precision, comfort and reliable performance
- Wrap Buffer Pro and Wrap Buffer Max are premium blue felt-suede squeegee buffers designed for smooth, scratch-free application.
- Pro offers a thin, foam-freedesign for versatility and control, while Max features an EVA foam layer for added thickness and comfort.

Code	Type	Pack Qty
122843	Buffer Max	10
122844	Buffer Pro	10

ORDER NOW

Knives & Blades



My Wrap Game **Knifes**

- Crafted from rugged steel alloy, this knife delivers precision and control with a secure step lock and dual blade compatibility (30° & 45°).
- The quick-release cap makes blade changes effortless, while the solid housing keeps every cut steady. Includes blue carbon steel blades and the "Wrap Tickler" for tucking, cleaning, and finishing finesse.

Code	Type	Pack Qty
122846	Knife	10

ORDER NOW



My Wrap Game **Blades**

- Wrap Blades: 10 ultra-sharp carbon steel snap-off blades designed for precise vinyl wrap and PPF finishing.
- Surgical Blades: 10 sterile 10A stainless steel blades crafted for high-precision wrap and PPF work.

Code	Type	Pack Qty
122841	Wrap Blades	10
122842	Surgical	10

ORDER NOW



My Wrap Game **Finishers**

- This 3-piece tool set offers varying hardness for everything from delicate tucks to firm presses. Ergonomic and durable, each tool combines function with a professional finish.

Code	Type	Pack Qty
122845	Finishers	1 pack of 3
122847	Finishers	1 pack of 2

ORDER NOW



My Wrap Game **Wrap Tool Pack**

- All your favourite wrap tools, bundled in one pro-ready pack. Perfect for rookies and seasoned installers who want speed, precision and no-fuss results. Built by the experts at My Wrap Game, this kit is made to handle every stage of the job, from first cut to final finish.

Code	Type	Pack Qty
122839	Tool Wrap	Kit

ORDER NOW

Spicers

Hardware solutions for any application.

- POS, POP and retail
- External displays
- Vehicle graphics and traffic management
- Corporate signage
- Interior fit-out
- Industrial applications

For enquiries contact your local Spicers representative.

1300 132 644
spicers.com.au

Spicers hold a vast portfolio of wide format printing & finishing equipment.

EXPLORE THE RANGE



hp



EPSON
EXCEED YOUR VISION



Roland



MIMAKI



ROLLSROLLER
FLATBED APPLICATOR



neolt factory



MasterHeat



ALC Australian Laminating Company



Lamination system

Want to talk hardware?
Scan the QR code and a Spicers representative will be in touch.

Knives & Blades



Avery Dennison®
Cutter

- The Cutter has a strong, durable metal casing that holds a 30° angled blade securely for accurate cutting. It offers robust durability and better control, with a casing that does not flex.

Code	Type	Pack Qty
121122	Snap Off	1

ORDER NOW



Avery Dennison®
Blades Box

- The Blades Box combines the functions of a dispenser and a disposable container. Supplied complete with 45 spare blades (30° angle). Expended snap-off blades can be safely stored in the tool's special used blade compartment.

Code	Type	Pack Qty
121198	Spare Blades	45

ORDER NOW



Avery Dennison®
Snitty

- The Snitty is a mini-slitting tool, used for cutting self adhesive material. With the blade not exposed, cutting material from a roll is easy and safe done.
- The Snitty comes with a one blade refill.

Code	Type	Pack Qty
121197	Snitty Knife	1 piece

ORDER NOW



Imageperfect
Premium Cutter

- An auto-lock blade knife with professional quality metallic pearl-black aluminium die-cast grip and a 30 degree premium extra sharp black blade.
- This snap off utility knife features an extra high quality black stainless steel sliding track, allowing the blade to glide smoothly in and out.
- 100% post-consumer recycled grip is coated with electrical-acrylic metals.

Code	Description	Pack Qty
122288	Black Cutter	1 piece

ORDER NOW

Knives & Blades



OLFA
Steel Graphics Knife

- You can elevate your cutting with the 9mm Stainless Steel Graphic Knife with 30-Degree Precision Blade.
- Its stainless-steel body resists rust and corrosion, making it ideal for use with paint, films, or other materials.

ORDER NOW

Code	Description	Pack Qty
122023	Small Stainless Blade - 9mm - 30°	1



121681



122850



121682



122022

OLFA
Blades

- Sheffield Knives & Blades range offers professional cutting solutions
- Ideal for sign making, vinyl application and general workshop use
- Designed for sharp, precise and reliable cutting
- The range includes versatile knives and replacement blades
- Suitable for cutting vinyl, films, packaging, foam board and other commonly used materials

ORDER NOW

Code	Description	Pack Qty
122850	Heavy Duty Snap Blade -18mm - 45°	1
121682	Large Snap Blade -18mm - 45°	50
122022	Small Snap Blade - 9mm - 45°	50
121681	Large Cutter 18mm	1



Alcantara **Stripes**

- Alcantara Stripes is a brand name for a certain type of plastic
- Has the look and touch of suede, but its composition (usually 68% PET and 32% PU) provides increased durability and dirt repellency
- The strip will reduce the resistance during installation and protect the film from scratches, except for wrapping films
- Extremely effective for glass decoration films
- Adhesive strips can be easily applied to any standard squeegee (10 cm) and will work even better when they are moistened
- Suitable for signmaking and vehicle wrap
- Sold in packs of 5

ORDER NOW

Code	Finish	Width (mm)	Length (m)	Pack Qty
121742	White Felt	100	50	5

1300 132 644 info.mail@spicers.com.au spicers.com.au

Knives & Blades



Sterling
Safety Knives & Cutters

- Built for control and precision, Sterling knives are trusted by professionals for clean, accurate cutting across vinyl, film, and signage materials.
- Designed for reliability and easy handling, they deliver consistent results for everyday use.

ORDER NOW

Code	Description	Pack Qty
122028	Large Snap - 18mm	1
122027	Large Snap 18mm - 45°	10
122029	Large Snap Yellow 18mm - 45°	1
122035	Small Snap Cream	1
122034	Small Snap 9mm - 45°	10
122037	Small Snap Yellow 18mm - 45°	1



Sterling
Scrapers & Razor Blades

- This collection of Scrapers and Razor Blades assists in removing decals, stickers, and vinyl from flat surfaces.

ORDER NOW

Code	Description	Pack Qty
122031	Scraper Blades 15 x 100mm	10
122032	Scraper Blades 20 x 40mm	100



Sterling
Cutter Blades

- Sterling replacement blades are crafted from high quality steel for lasting sharpness and smooth performance.
- These blades deliver clean, accurate cuts and fit most Sterling and compatible knife models.

ORDER NOW

Code	Description	Pack Qty
122025	Large Blades - 18mm - 45°	100
122026	Large Blades - 18mm - 45°	50
122033	Small Snap - 9mm - 30°	10
122024	Large Snap - 18mm - 45°	50



NT Cutters
Knives & Blades

- NT Cutters, Knives & Blades range delivers precise, reliable cutting for sign making, graphics, window film & general finishing applications
- The NT Height Adjustable Cutter features six adjustable blade-depth positions
- NT Cutter A551P features a cartridge-style snap-off blade system that holds up to five refill blades
- Also available is a 10 pack of replacement blades
- Ideal for professional installers requiring accuracy, control and dependable everyday performance

ORDER NOW

Code	Type	Pack Qty
122299	Replacement blades	10
122069	Cutter A551P	1
122070	Height Adjustable Cutter	1

Knives & Blades



Blaster
Little Miracle Blade

- Blaster Plastic Blades are practical tool for removing vinyl lettering, pin-striping and graphics
- Its plastic construction prevents surface scratching, making it suitable for painted finishes
- The double-edged, angled blade slips under vinyl on most surfaces, allowing materials to lift and peel easily without damaging paint

Code	Description	Pack Qty
122017	Blades	100
122016	Plastic Blade	1

ORDER NOW



Cobra **Cutters, Knives & Blades**

- Cobra Cutters, Knives & Blades range provides practical, reliable cutting solutions for vinyl graphics, wrap films and corrugated plastic
- Twin and Long Paperback Cutters designed to cut release liners without damaging the vinyl or printed graphics
- The Fluteboard Cutter is for smooth and efficient cutting of 5mm corrugated plastic sheets
- There are blades available to maintain consistent clean & precise results
- Ideal for sign makers, installers and vehicle wrappers, Cobra cutting tools help make everyday preparation and installation faster, safer and easier

ORDER NOW

Code	Type	Description	Pack Qty
122055	5mm Flute	Cobra CUTTER 5mm	1
122063	Long Handle	Cobra CUTTER Long	1
122066	Paper Liner	Cobra BLADES	50
122068	Twin Paper	Cobra Twin CUTTER	50



Avery Dennison®
Heat Gun Pro

- Avery Dennison Heat Gun Pro is a professional-grade tool developed for vehicle wrappers
- Designed to deliver greater precision, control and comfort during vinyl and wrap installations
- Features adjustable temperature settings, dual fan speeds and fast heat- up
- Also has heat-shielded nozzle, rear air intakes, overheat sensor and stable rubber feet

Code	Description
121121	5m Cable

ORDER NOW



Cobra
Heat Gun

- Cobra Heat Gun is built for vehicle wrappers, featuring an adjustable temperature dial, dual fan speeds, and quick ramp-up
- Its 5-meter cable offers easy access, while a heat-shielded nozzle prevents burns, and rear rubber feet provide stability
- An overheating sensor protects the tool during extended use

Code	Description
122058	5m Cable

ORDER NOW

1300 132 644 info.mail@spicers.com.au spicers.com.au

Accessories



Imageperfect Vinyl Steam Remover V3

- Vinyl Steam Remover V3 allows you to quickly and easily remove the vinyl from flat surfaces without the need for specialist chemicals or cleaners
- It works in a very similar way to a wallpaper remover, in that steam is used to penetrate the face film and break down the adhesive bond allowing for quick and easy removal

Code	Description
122276	Cover
122277	Unit

ORDER NOW



Imageperfect Accessories

- Imageperfect Accessories range offers practical tools and solutions for everyday production and installation
- Ideal for professional signage, vinyl application, vehicle wrapping, media storage and display installation
- Self-adhesive felt strips for scratch-free squeegee application
- Vehicle magnets for securely positioning graphics
- Roll clips for keeping media rolls neat and protected during storage or transport
- 100mm rubber pressure roller for achieving strong, consistent film adhesion
- Self-adhesive magnetic strip, providing a flexible mounting solution

Code	Description	Pack Qty
122873	Fastening	1 pair
121755	Felt Strips	10
122879	Hard Roller	1
122874	Roll Clips	20
122875	Roll Clips	20

ORDER NOW



Imageperfect Trim & Scraper Tool Kit

- Trim & Scraper Tool Kit have some of the best tools required for disassembly of several vehicle parts
- Interior trim, moldings, door handles and more can be dismantled easily with the 27-part Tool Kit
- The tools are made of plastic

Code	Description
122275	27 Piece Kit

ORDER NOW



Microfibre Cloths

- Microfibre Cloths are highly absorbent, making them very effective at picking up and removing dirt from any surface
- It also has a long lifespan when properly used and maintained and are also lint-free
- Size: 30 cm x 40 cm

Code	Description	Pack Qty
122360	Cloths	20

ORDER NOW



Lil'Chizler
Scraper

- The Lil'Chizler, the worlds best little plastic scraper! The Lil'Chizler is ideal for removing vinyl letters off metal and acrylic signage.
- The Lil'Chizler's sharp edge lifts the resistant vinyl without scratching the underlying substrate.

Code	Description
122018	Chizz All

ORDER NOW



Omega Skinz
Magnet

OMEGA SKINZ

- Omega Skinz Vehicle Magnet consists of 6 neodymium magnets in a round frame that together provide 4.5kg pulling power
- The long handle ensures that the magnet can be easily and quickly picked up from the surface

Code	Description	Pack Qty
121790	Long Arm	1 pair

ORDER NOW



Cobra
CornerPro Applicator

- The Cobra CornerPro Channel Applicator is a reliable, efficient, and versatile tool that simplifies the process of applying adhesive vinyl in channels, corners and recesses.
- Durable and easy to use, Cobra Applicators are an essential addition to any professional sign maker or vehicle wrapper's tool kit

Code	Description	Pack Qty
122057	CornerPro	1

ORDER NOW



Cobra
RivetPro Applicator

- The hand roller is an ideal tool for wrappings over uneven surfaces such as breeze blocks or corrugations on vehicles, even though they are best suited for smoothing rivets.
- Durable and easy to use, Cobra Applicators are an essential addition to any professional sign maker or vehicle wrapper's toolkit

Code	Description	Pack Qty
122067	RivitPro	1

ORDER NOW

Accessories



MBX Zapper
Replacement Wheel

- MBX Vinyl Zapper replacement wheels aid in the removal of decals, pinstripes, reflective tapes and adhesives quickly and easily in a single operation
- Performing on metal, glass, wood and fibreglass, it strips vinyl without damaging paint or harming the underlying surface
- Notched "fingers" grab the edge of the vinyl and peel it from the surface
- Removes multiple layers of vinyl, old or new, in hot or cold weather
- Adhesive also removed while stripping vinyl
- The removal rate is 35-50 square feet per hour, reducing labour significantly
- The eraser is a 25mm long-life rubber compound disc

Code	Description	Pack Qty
122021	Replacement	25

ORDER NOW



Staedtler
Omnichrom 108

- Omnichrome Pencil are a wood-cased water-soluble hexagonal pencil
- Ideal for opaque marking on almost all surfaces, even on dark or transparent ones such as paper, plastic, metal, glass, wood, leather and vinyl
- Can be easily wiped off many smooth surfaces
- Available in Black, Blue, Green, Red, White & Yellow

Code	Description
121658	Black
121905	Blue
121906	Green
121907	Red
121908	White
121909	Yellow

ORDER NOW



Cobra
Installation Keg Kit

- Cobra is synonymous with reliability and durability, and their Install Keg Kits are no exception. Each component is crafted from premium materials, ensuring longevity and consistent performance.
- The Kits comes with all components as shown above.

Code	Description	Pack Qty
122054	Kit	1 piece

ORDER NOW



Cobra
Cast Edge Seal

- Cobra Cast Edge Seal Tape protects and reinforces vinyl edges to prevent lifting and extend the life of wraps and graphics
- Clear finish blends smoothly with the surface while sealing out moisture and dirt
- Ideal for wraps, window tints, architectural films and one way vision, this 50 micron cast film delivers durable, discreet edge protection

Code	Width (mm)	Length (m)	Pack Qty
123055	13	50	1 roll

ORDER NOW

Learn to wrap from an **award-winning installer** with real world experience.

We will teach you the essentials of **car wrapping** in an intensive, hands-on program that targets your individual needs.


You'll learn about surface preparation, pre-stretch methods, advanced finishing techniques, managing complex curves, and avoiding common failures. Whether you're starting fresh or looking to sharpen your speed and quality, this course gives you skills you can put to work immediately.

Learn more...



* Nationwide training opportunities throughout the year.





For more information, visit **www.mywrapgame.com**

Proudly supported by

MY WRAP GAME





Coloured Striping

ORDER NOW

- Coloured Striping provides a simple and professional solution for striping applications
- Creating clean, consistent striping across a variety of vehicle signage and graphic applications
- Flexibility to create everything from fine detailing to bold accent lines
- Designed for easy application and consistent results

Code	Colour	Width (mm)	Length (m)
121980	Black	6	45
121981	Silver	6	45
121982	Tomato Red	6	45
121983	White	6	45
121984	Black	9	45
121979	White	12	45
121986	Black	19	45
121989	Black	25	45
121992	Silver	25	45
121993	Tomato Red	25	45
121994	White	25	45
121995	Black	50	45
121998	Silver	50	45
121999	Tomato Red	50	45
122000	White	50	45
122001	Black	125	45
122003	Silver	125	45
122004	Tomato Red	125	45
122005	Black	150	45

Banner Eyelets

ORDER NOW

- Eyelet Tools for the EP-100
- These high-quality metal eyelets are ideal for banner hanging, display finishing, and a wide range of general signage applications.
- Available in three size options to suit different materials, each pack includes 1,000 pieces (500 tops and 500 backs) for efficient, high-volume production.

Code	Colour	Size (mm)	Pack Qty
122280	Chrome	8.0	1000
122281	Chrome	9.5	1000
122282	Chrome	12.7	1000




Husky Velcro Hook & Loop

- Husky Velcro Hook & Loop is a Self adhesive, fastening system
- Strong and durable fastener
- Self adhesive ready to apply
- Easy to apply and remove
- Ideal for hobbies, clothing, furnishings
- Can't rust, rot or break
- Most common sizes available

Code	Colour	Width (mm)	Length (m)
121672	Black	25	25
121940	White	25	25
122051	Black	25	25
122052	White	25	25

ORDER NOW






pizazz

Pizazz
Bright Silver Multimounts

- The bright silver multimount standoffs are easy to use, providing fast and simple installation. The unique patented components secure the panels individually, allowing single panels to be changed quickly and easily.

ORDER NOW

Material	Description	Colour	Size	Pack Qty
122895	Aluminium	Bright Silver	XL	2
122896	Aluminium	Bright Silver	L	4
122897	Aluminium	Bright Silver	M	4
122898	Aluminium	Bright Silver	S	4



pizazz

Pizazz
EdgeMounts

- Pizazz EdgeMounts are a simple, stylish way to present signage with a with a clean, floating finish
- Designed for fast installations and a premium look, they secure panels through the edges and create a neat stand-off effect without the need for visible fixings
- Perfect for retail, interior branding, directional signage or any space that needs a modern, minimal presentation

Code	Description	Pack Qty
121845	Satin Silver	4

ORDER NOW

pizazz

Pizazz
Designer Multimounts

- Designer multimount standoffs are made from solid aluminium rods and come in two finishes, offering a clean and durable option for display mounting.

ORDER NOW

Material	Description	Colour	Size	Pack Qty
122900	Designer	Satin Black	M	4
122901	Designer	Satin Black	S	4
122902	Designer	Satin Chrome	M	2
122903	Designer	Satin Chrome	S	4
122904	Designer	Satin Chrome	L	4
122905	Designer	Satin Black	L	2
122906	Designer	Satin Black	M	4
122907	Designer	Satin Black	S	4
122908	Designer	Satin Black	L	4
122909	Designer	Satin Chrome	L	4
122910	Designer	Satin Chrome	L	50
122911	Designer	Satin Chrome	M	4
122912	Designer	Satin Chrome	M	4
122913	Designer	Satin Chrome	S	4
122914	Designer	Satin Chrome	S	50



Satin Chrome SC | Satin Black SB | Satin Gold SG



Bright Silver AN | Bright Gold BG | Satin Black SB


pizazz

Pizazz
Designer Monomounts

- The Designer range offers satin finishes for a refined, high-end appearance. These monomounts are built for durability and corrosion resistance, making them perfect for premium signage and display projects where aesthetics matter.

ORDER NOW

Material	Description	Colour	Size	Pack Qty
122831	Designer	Satin Black	L	4
122832	Designer	Satin Black	M	4
122833	Designer	Satin Black	S	4
122834	Designer	Satin Black	XL	2
122835	Designer	Satin Chrome	L	4
122836	Designer	Satin Chrome	M	4
122887	Designer	Satin Chrome	S	4
122888	Designer	Satin Chrome	XL	2
122889	Designer	Satin Gold	L	4
122890	Designer	Satin Gold	M	4
122891	Designer	Satin Gold	S	4
122892	Designer	Satin Gold	XL	2



pizazz

Pizazz
Hybrid Monomounts

- Hybrids combine aluminium with resin to deliver the look of full-metal standoffs at a lower cost. They provide a premium aesthetic with reduced weight and are suitable for outdoor installations, making them a smart choice for creative, budget-conscious projects.

ORDER NOW

Material	Description	Colour	Size	Pack Qty
122819	Hybrid	Bright Silver	L	4
122820	Hybrid	Bright Silver	M	4
122821	Hybrid	Bright Silver	XL	2
122822	Hybrid	Bright Silver	S	4
122825	Hybrid	Bright Gold	L	4
122826	Hybrid	Bright Gold	M	4
122827	Hybrid	Bright Gold	XL	2
122828	Hybrid	Satin Black	L	4
122829	Hybrid	Satin Black	M	4
122830	Hybrid	Satin Black	XL	2

pizazz

Pizazz
Bright Silver Monomounts

- The bright silver range are precision-machined from solid aluminium rods with a bright, polished finish for a professional look.
- Strong, durable, and corrosion-resistant, making them ideal for indoor and outdoor signage and display installations.

ORDER NOW

Material	Description	Colour	Size	Pack Qty
121846	Aluminium	Bright Silver	S	4
122816	Aluminium	Bright Silver	XL	2
122817	Aluminium	Bright Silver	L	4
122818	Aluminium	Bright Silver	M	4

Edge Sealers



3M™ Edge Sealer 3950

- Includes felt dauber for application
- Edge sealing minimizes the adverse effects of rigorous use or prolonged or severe exposure conditions by providing water and contaminant-tight seal between a graphic film and substrate
- Do not apply directly to painted surfaces without testing first
- Clear liquid
- Designed for use with PVC films
- Application temperature 10° to 38°C

Code	Volume (ml)	Pack Qty
168821	237	1

ORDER NOW



3M™ Dual Lock SJ3560 Fastener

- Clear, polyproplyene reclosable fastener with a clear VHB style plasticizer resistant adhesive
- Translucent fastener for general bonding to most medium and high energy surfaces
- Interior/exterior
- Type 250

Code	Colour	Width (mm)	Length (m)
451264	Clear	25	45.7

ORDER NOW



3M™ VHB Tape 4941

- VHB Tape 4941 is a conformable, double-sided, pressure-sensitive, closed-cell acrylic foam tape with a film liner
- 1.1mm thickness
- Bonds high and medium surface energy substrates

ORDER NOW

Code	Type	Colour	Width (mm)	Height (m)
450491	4941	Grey	12	33
450486	4941	Grey	25	33



3M™ VHB Tape 4910


- Ideal for sign and display fabrication
- Bonds high surface energy substrates
- Clear construction for joining clear materials such as skylights, lightboxes and translucent signs
- Clear adhesive
- 1mm thickness

ORDER NOW

Code	Type	Colour	Width (mm)	Height (m)
450038	4910	Clear	6	33
450039	4910	Clear	12	33
450040	4910	Clear	24	33

1300 132 644 info.mail@spicers.com.au spicers.com.au

Double Sided Tapes



Avery Dennison®
Black Foam Bond D/S Tape

- Built for reliable bonding in signage and industrial applications, this black double-sided acrylic foam tape delivers strong adhesion while staying discreet on darker surfaces. It performs consistently in demanding indoor and outdoor conditions, supported by a moisture-stable polyethylene liner for smoother handling.

Code	Colour	Width (mm)	Height (mm)
121125	Black	12	33
121214	Black	24	33

ORDER NOW



Avery Dennison®
Clear Foam Bond D/S Tape

- Offering a clean, low-visibility finish, this clear double-sided acrylic foam tape provides dependable bonding on lighter or transparent materials. It maintains stable performance in tough environments and features an easy-handling polyethylene liner for efficient application.

Code	Colour	Width (mm)	Height (mm)
121213	Clear	12	33
121215	Clear	24	33

ORDER NOW



3M™ RP45 Tape

- Conformable double-sided, pressure sensitive, closed-cell acrylic foam
- 1.1mm thick
- Grey Adhesive
- Suitable for bonding most metal, plastic and painted materials

ORDER NOW

Code	Colour	Width (mm)	Length (m)
450560	Grey	12	32.9



Imageperfect
Adhesive Remover Pro

- Adhesive Remover PRO is a professional, ready to use and very effective product for removing adhesive remains off various substrates, including car bodies, sign boxes, windows, glass surfaces, plastic substrates, whiteboards, anodised aluminium, PVC banners.
- It does not contain hazardous materials and is environmentally friendly.

Code	Description	Volume (ml)
121757	Adhesive Remover	1000

ORDER NOW



Imageperfect
Magic Apply Pro

- Magic Apply PRO facilitates vinyl application onto complex surfaces such as glass, mirrors, trucks and trailer tarpaulins.
- It is ideal for easy application of vinyl letters and digital graphics with no breakdown of adhesive strength.

Code	Description	Volume (ml)
122292	Magic Apply	1000
122293	Magic Apply	5000

ORDER NOW



Imageperfect
Surface Cleaner Pro

- Surface Cleaner PRO is a fast acting and powerful cleaning solution allows for the professional preparation of surfaces before vinyl application.
- It is suitable for use on even the most sensitive materials such as foam boards, acrylics, car bodies, sign boxes, glass substrates, dry wipe substrates, anodised aluminium, PVC banners and more.

Code	Description	Volume (ml)
122295	Surface Cleaner	1000
122296	Surface Cleaner	5000

ORDER NOW



Imageperfect
Vinyl Remover Pro

- Vinyl Remover PRO is a powerful, ready-to-use, highly effective and time-saving product will remove self-adhesive vinyl and the adhesive.
- It can be used on various surfaces such as acrylic sheets, windows, glass, many plastic substrates, whiteboards, anodised aluminium and car bodies for removing vehicle wraps.

Code	Description	Volume (ml)
122297	Vinyl Remover	1000
122298	Vinyl Remover	5000

ORDER NOW

Surface Cleaners




Avery Dennison®
SWC Sealant

- Supreme Wrap Care (SWC) Sealant provides a protective layer on wrapped surfaces. This makes it easier to clean off everyday challenges like dirt, bird droppings and tree sap, protecting the film and keeping it in good condition.

Code	Description	Volume (ml)
121202	SWC Sealant	946

ORDER NOW



Avery Dennison®
Edge Sealer

- Edge Sealer is a colourless durable product, recommended to seal off the edges of a wrap in demanding environment like marine (above the waterline) or area with a high risk of chemical contamination. Edge-sealed wraps resist water and chemical penetration.

Code	Description	Volume (ml)
121205	Edge Sealer	500

ORDER NOW



Avery Dennison®
SWC Cleaner

- Supreme Wrap Care (SWC) Cleaner is a general cleaning product to be used on wrapped surfaces. The Cleaner eliminates dust, light dirt, fingerprints and other marks.

Code	Description	Volume (ml)
121200	SWC Cleaner	946
121204	SWC Cleaner Pack X3	118

ORDER NOW



Avery Dennison®
SWC Power Cleaner

- Supreme Wrap Care (SWC) Power Cleaner provides extra power to deal with difficult localised stains such as bird droppings, road grime, tree sap and much more on wrapped surfaces. After use of the Power Cleaner we advise to reapply the SWC Sealant to the same area.

Code	Description	Volume (ml)
121201	SWC Power Clean	946

ORDER NOW

Surface Cleaners



Avery Dennison®
Surface Cleaner

- A high-performance Surface Cleaner enables you to remove all kinds of residue using one single product, including dirt, wax, tectyl, light silicone, cock-pit sprays, and more.
- A highly user-friendly cleaner, especially designed for the degreasing phase prior to application.

Code	Description	Volume (ml)
121203	Surface Cleaner	1000

ORDER NOW



Avery Dennison®
Adhesive Remover

- This high performance cleaner is designed to remove adhesive left on the substrate after removal of graphics.
- It is supplied in a pistol-grip spray can for easy and accurate targeting of adhesive residue.

Code	Description	Volume (ml)
121123	Adhesive Remover	500

ORDER NOW



Avery Dennison®
Surface Prep Pro

- Avery Dennison Surface Prep Pro is a 5 litre high performance surface cleaner that enables you to remove all kinds of residue in one single action, including dirt, wax, tectyl, light silicone, cock-pit sprays, and more, prior to vinyl application

Code	Description	Volume (ml)
121206	Surface Prep	5000

ORDER NOW



3M™
Citrus Cleaner

- Liquid cleaner/degreaser used to help dissolve and remove dirt, grease, tar, and many non-curing type adhesives
- Can also be used in some cases to degrease substrates for adhesive bonding in place of many chlorinated or petroleum based solvents

Code	Grams	Pack Qty
450329	525	1
231573	672	12

ORDER NOW

1300 132 644 info.mail@spicers.com.au spicers.com.au

Adhesion Promoters



ClearJet
Spray Laminate

- ClearJet Liquid laminate Protective spray is compatible with virtually all print or decorative substrates, including canvas, vinyl (enamel receptive and non-enamel receptive), banners, fibreglass, wood, metal, plastic, and paper. ClearJet is optimised for standard inks (water-based), as well as all other ink types such as Solvent, UV, Latex, and even Dye Sublimation prints.

Code	Description	Volume (ml)
121657	ClearJet Gls Aerosol	436

ORDER NOW



SPLASH
Application Fluid

- It eliminates bubbles and wrinkles and allows time for repositioning, while removing transfer tape in two minutes.
- When diluted, Splash makes over 3 litres from a 263 ml concentrate.

Code	Description	Volume (ml)
122015	Splash Fluid	236

ORDER NOW



Viponds
Prep Vinyl

VIPONDS

- Fast-evaporating surface preparation and cleaning solution containing isopropyl alcohol
- Designed to clean and dry surfaces prior to the application of self-adhesive vinyl
- Used to prepare vinyl surfaces before painting
- Quick-drying formula helps remove surface contaminants and provides a clean surface for professional application results

Code	Volume (ml)	Pack Qty
169745	1	1
169744	4	1
169743	20	1

ORDER NOW

Primer Tips for Vinyl Application

Choose the right primer

When there is a requirement to use a "Primer" prior to application of films, it is imperative that you make the right selection.

- Solvent Based Primer – these are primarily used on hard non-porous surfaces to assist in making sure that the applied films maintain the required adhesion.
- Water-based Primer – these are primarily used on porous surfaces to assist in making sure that the applied films achieve the required adhesion, a good example of where these primers should be used are on internal painted or unpainted plaster walls or raw timbers.

Make sure you follow the details provided when using any primers as applications instruction can vary from product to product.

Prepare the surface

Aim for a smooth, clean and properly finished wall. Roughness or matte textures can weaken adhesion and may need extra prep.

Test before applying

Always make sure that the primer has cured as per instructions before preforming the final installation.

Adhesion Promoters



3M™ Primer 94 Promoter

- Increases adhesion of VHB tapes to low energy materials such as polyethylene, polypropylene, ABS, PET/PBT blends, concrete, wood, glass, metal and painted metal surfaces
- Available in 236.5ml can or .66ml ampoule

Code	Volume (ml)	Pack Qty
450328	.66	10
450041	236.5	1
452044	3700	1

ORDER NOW



3M™ Spray Adhesives

- 3M Adhesive Sprays includes 90, 80, 74, 76 and 77 for a variety of bonding needs
- Fast-tacking formulas with reliable strength build-up
- Options available for high-strength contact bonding, foam bonding and plasticiser-resistant bonding
- Bonds a wide range of substrates including laminates, particleboard, rubber, vinyls, foam, plastics, wood, metal, fabric, felt, cardboard and glass
- Convenient aerosol spray format with precise spray patterns on selected products
- Available in translucent, yellow, pale orange and clear adhesive formulations depending on product type

Code	Grams	Pack Qty
450045	467	12
450042	489	12
450047	500	12
450044	515	12
450046	539	6

ORDER NOW



Cobra Primer

- Cobra Solvent based Primer is a versatile liquid adhesive promoter which aids in improving the bonded strength of adhesive films to surfaces
- Ideal for complex vehicle contours, concave areas and surfaces where vinyl requires stretching or heating
- Provide a stronger, more reliable bond where extra adhesion is needed
- Ideal solution for professional signage, vehicle wrapping and bonding applications
- Please determine suitability before using and follow application guidelines as listed on the tin

Code	Description	Volume (ml)
122056	Adhesive Primer	500

ORDER NOW



EZI FIX UHB Adhesive Primer

- Ezi-Fix UHB Aerosol is an adhesive primer in a handy aerosol can.
- It can be used to increase the adhesion between the surface and the material being applied.

Code	Grams	Pack Qty
121679	150	1

ORDER NOW

1300 132 644 info.mail@spicers.com.au spicers.com.au

Adhesion Promoters



Grip & Grab

- Grip and Grab Adhesive is suited for bonding of most building substrates
- Ideal adhesive for bonding Skybond ACM panels for signage applications
- Grip & Grab Adhesive will fix and adhere to glass, wood, enamel, painted surfaces, plaster board, coated metals, perspex, concrete, plastics, polycarbonates, PVCu, zinc, stainless steel, copper, lead
- Adhesion testing recommended to determine application suitability

Code	Volume (ml)	Pack Qty
167952	290	1

ORDER NOW



Tec 7 Adhesive

- Tec 7 Adhesives provides strong structural bonding that resists vibration, impact and shock.
- It forms a waterproof, paintable seal and is odourless and solvent-free for use in confined spaces.
- Available in transparent, white and grey.

ORDER NOW

Code	Description	Volume (ml)
450677	Tec 7 Adhesive - White	310
121665	Tec 7 Trans Adhesive - Clear	310
450676	Tec 7 X-Tack Extreme Adhesive - Grey	290
450675	Tec 7 X-Tack Extreme Adhesive - White	290



Viponds Prep Coat

- Viponds Wall Prep Coat is primer and top coat in one
- This self-adhesive prep coat has been especially formulated to enhance the adhesion of self adhesive digital prints onto internal and external surfaces
- Low VOC water based paint that dries quickly with minimal odour
- Has superior adhesion to a variety of substrates, whilst drying to a hard finish that is resistant to scratching and marring
- Provides an ideal surface for applying permanent and removable self- adhesive digital prints made from vinyl, polyester or canvas
- Suitable for interior and exterior use
- Classified as non hazardous it is low in odour and is ideal to be used in "on site" applications

Code	Finish	Litres	Pack Qty
122078	Matt Clear	1	1
122080	Semi Gloss	1	1
122079	Matt Clear	1	1
122081	Semi Gloss	4	1
121690	Matt Clear	10	1

ORDER NOW




Tec 7 Tec Gun


- The Tec Gun is a powerful, ergonomic applicator for most tube products, including high-viscosity and two-part materials.
- It features an 18:1 pump ratio, pre-tensioning for clean results, a stainless steel pressure rod with hook, strengthened transmission, and a balanced, rotating design for precise handling.

Code	Description	Pack Qty
450682	Tec 7 Applicator Gun	1 piece

ORDER NOW

Mounting Films & Underlay





Neschen
Gudy®

- Gudy® is a range of double-sided mounting adhesives for cold lamination
- Gudy 802 is a clear PET film with a permanent, clear adhesive on both sides and is self-wound with a siliconised paper liner on one side
- Gudy 808 is a white PP film with a permanent, clear adhesive on both sides and is self-wound with a siliconised paper liner on one sideGudy window is a clear PET film with permanent, clear, adhesive on one side, an air-flow, removable, clear adhesive on the other and has liners on both sides
- Gudy 802 and 808 are P.A.T certified according to ISO 18916

ORDER NOW

Code	Series	Adhesive	Width (mm)	Height (mm)
163165	802	Perm/Perm	1040	50
163166	802	Perm/Perm	1300	50
177395	802	Perm/Perm	1600	50
177396	808	Perm/Perm White	1040	50
163167	808	Perm/Perm White	1300	50
177397	808	Perm/Perm White	1600	50
163168	WINDOW	Perm/Removable Clear	1300	50

General Formulations
Mounting Film

- GF106 is an optically clear mounting film with double sided solvent acrylic permanent adhesive and clear polyester liner
- Designed to mount backlit transparencies to glass, Plexiglass or other clear substrates in light box applications 106 also provides distortion-free face mounting of prints to these same clear substrate
- GF116 is a double-coated pressure sensitive 1.0 mil clear polyester film with a high-tack permanent adhesive on one side and a high-tack removable adhesive on the other side
- GF116 is designed for laminating thin flexible plastic films and papers commonly found in graphics for temporary application to glass
- In all cases the substrate must be clean and free of dust, dirt and oil. This product is not recommended for tinted or laminated windows

ORDER NOW

Code	Series	Finish	Width (mm)	Height (mm)
173584	GF 106	Clear	1371	45.7
173585	GF 116	Clear	1371	45.7

ALC
Mounting Film

- ALC double sided mounting film is a PET Acid Free film that can be used for creative designs and advertising projects
- 25 - 27 ± microns Pressure sensitive solvent based acrylic adhesive (Clear Permanent/Permanent)
- PET liners leave no marks in the adhesive

Code	Colour	Width (mm)	Length (m)
187287	Silver	1371	50

ORDER NOW

Sacrificial Underlay
Polypropylene

- 76mm core
- Polypropelene won't have static issues experienced with polyester
- If liner creased it will not transfer to the surface of the image as it can with paper

Code	Width (mm)	Height (mm)
187322	1400	400
187323	1430	400
187324	1540	400
187781	1630	400

ORDER NOW

1300 132 644 info.mail@spicers.com.au spicers.com.au

Banner & Fabric Edge Fix



Husky Tapes
Double-Sided 165P

- Husky 165P Tape is a double-sided adhesive that features excellent plasticiser migration resistance
- Offers a secure bond under high temperatures
- Good resistance to solvents, chemicals, UV and heat
- Exceptional bonding performance to low surface energy products
- Used to mount ABS plastics in Automotive industry
- Laminating and mounting of EPDM and rubber materials
- Also used to fix decorative trim in Furniture industry

Code	Colour	Width (mm)	Length (m)
122040	Clear	12	33
121669	Clear	24	33
122041	Clear	310	33
122042	Clear	1240	33

ORDER NOW



ATP
BannerBond Tape

- ATP BannerBond Tape is a highly cohesive, high-tech transfer tape for splicing banners and PVC media
- It can be used for a variety of indoor and short-term outdoor applications
- Alternative to welding or sewing hems
- Adhesive force is surprisingly strong however successful application can only be guaranteed with clean surfaces and high application pressure

Code	Colour	Width (mm)	Length (m)
121817	Clear	25	25

ORDER NOW



Spicers
Banner Tape

- Polyester carrier with a solvent adhesive
- Plasticiser resistant, so perfect for banner applications
- UV and weather resistent
- Features a silicone coated kraft paper liner

Code	Colour	Width (mm)	Length (m)
450911	Clear	25	50
450912	Clear	38	50

ORDER NOW



Silicone Edge Tape

- Print substrate designed for dependable performance across professional production environments
- Suitable for commercial print, publishing, packaging and promotional print applications
- Designed for consistent print quality, handling and finishing performance

Code	Colour	Width (mm)	Length (m)
199432	Clear	14	200

ORDER NOW

Protective Packaging



Bubblewrap

Spicers

- Various sizes available
- Cost effective protective cushioning
- Transparent for easy identification of contents
- Customised product options also available

ORDER NOW

Code	Bubble Size	Grade	Width (mm)	Length (m)
450168	10.00	102R	1500	100
450169	10.00	102R	1500	100
450173	10.00	102R	1500	100
450170	10.00	103R	1500	100
450167	20.00	202	1500	100



Foam-Wrap

Spicers

- Soft texture
- Suits fragile items
- Variety of sizes available

ORDER NOW

Code	Colour	Width (mm)	Length (m)
167151	White	1200	100
167152	White	1200	100
190824	White	1200	100



1300 132 644 info.mail@spicers.com.au spicers.com.au

Packaging Tapes



Husky Tapes
1230 Masking Tape

- Husky 1230 Masking Tape is a solvent based, natural rubber resin adhesive
- Creped paper is easily conformable
- Excellent resistance to paint and thinners
- Easy removal without adhesive residue
- Compatible with most common paints and lacquers
- Ideal for Automotive applications
- Suitable for use in baking ovens
- Commercial and domestic masking applications

Code	Colour	Width (mm)	Length (m)
121683	Cream	25	50
122039	Cream	50	50

ORDER NOW



Cross Weave Filament Tape

Spicers

- CW Filament Tape is a Cross weave filament tape that is ideal for heavy duty packaging
- Its fibreglass reinforcement provides high tensile strength while staying easy to apply
- The tape resists splitting, grips well on most surfaces
- Ideal for strapping cartons, stabilising pallets and fastening components

Code	Description	Width (mm)	Length (m)
121799	Cross Weave	48	50
122382	Cross Weave	96	50

ORDER NOW




Packaging Tape

Spicers

- Available in natural rubber and acrylic adhesives
- Available in full cartons only

Code	Colour	Width (mm)	Length (m)
450061	Clear	48	75
450109	Brown	48	75
450108	Clear	48	75

ORDER NOW



Filament Tape

Spicers

- Filaments provide extra strength for heavy duty packaging requirements
- Available in full cartons only

Code	Colour	Width (mm)	Length (m)
450604	Clear	48	45

ORDER NOW


Spicers
3M DI-NOC™ Architectural Finishes
Australian Collection 2025
We now bring to you the beauty of 120 finishes stocked in Australia by Spicers. A carefully selected collection that embodies the essence of the full range, to inspire your masterpiece.
EXPLORE THE RANGE
SCAN HERE TO VIEW THE RANGE

Glossary of Terminology

Banding

Lines of different colours across the print surface.

Banner

Media that is either coated or laminated, generally with polyester "scrim" middle layer. Banner material comes in many different strengths, weights, and quality levels.

Bleeding

The spreading of ink on the media surface, causing shapes to look undefined without proper edges.

Calendared Vinyl

Calendared vinyl is mixed in a large mixer and is stretched and pulled in a semi-solid form, like pizza dough. It is then made thinner by going through a set of rollers that progressively make the vinyl thinner. Because they are stretched and pulled into different forms other than their natural state, calendared vinyls tend to shrink more than cast vinyls and don't last as long. Calendared vinyls tend to be thicker than cast vinyls.

Cast Vinyl

Cast vinyl is vinyl that is mixed in a liquid state and poured onto a casting sheet. It is then heated through a series of dryers to form a solid product. Because they are not pulled and stretched during production, cast vinyls tend to have more durability and less shrinkage than other vinyls. They also tend to be more elastic, more conformable, and last longer than calendared vinyls. Most cast vinyls are approximately 50 microns (about 2-mils) thick.

Coated

Coated banner material is where liquid layers are coated on both sides of a scrim, then heated until dried. Coated banner is more expensive than laminated banner, lasts longer, and resists cold-cracking better.

Curl

Bending of the substrate at the edges when laid flat or installed vertically. This may be caused by excessive humidity, excessive ink saturation, solvent-retention (out-gassing), or incompatible media for a specific job. Otherwise known as "edge curl".

DSPE

Double sided PE coated liner

Eco-Solvent Inks

Inks containing a weaker solvent than pure solvent. These inks don't "bite" into the media surface as much, so they tend to last for shorter durations before fading. They are also less toxic than pure solvent inks, and generally more expensive.

Fading

Reduction of colour of a print or vinyl. All materials begin to fade the day they are put outdoors, due to UV exposure. Although there are scientific protocols for degrees of fading, the degree of acceptable fading is up to the customer. Fading is generally considered excessive when the signage no longer suits its' intended purpose or looks bad.

Flatbed Printer

A printer that can run flat substrates through, as opposed to a roll-to-roll printer, which runs materials wound on rolls. Flatbed printers enable a printer to print directly onto a substrate and can eliminate the need for printing on a vinyl, then applying the vinyl to the substrate. Most flatbed printers can also print roll-to-roll.

Gamut

The range of colours that can be reproduced by a printer. Also called "color gamut".

Head Strike

When the print head hits or strikes the media surface. This can cause the print to be fuzzy or blurry and can damage the print head. Sometimes also called a "head crash".

ICC Profile

An industry standard color format designed by the International Color Consortium (ICC). Essentially, a profile represents a "recipe" of how to print on specific media.

Inkjet

Printing process where inks are placed onto media in a dot pattern to form an image. The most common type of inkjet printing is thermal, where ink is heated to a certain temperature in the print head before being projected onto the media.

Laminate

These are generally clear pressure-sensitive vinyls that are used to go on top of prints, to give them more life and protect the surface from scratches and UV rays. Hot laminates are less popular, less expensive, and have no adhesive. They are much more difficult to work with and can only be used on certain medias, such as paper.

CoverStyl

Spicers
Creating Solutions Together

Design without Compromise

A huge range of architectural film finishes for walls, furniture, doors, counters and more.

Wood • Stone • Concrete • Steel • Colour • Textile • Glitter

Also available in Exterior, High Resistant, XL and PVC Free collections.

EXPLORE THE RANGE ▶

SCAN HERE TO VIEW THE RANGE

coverstyl.com



Glossary of Terminology

Liquid Laminate

A clear liquid that is applied to the substrate for protection against UV rays. Liquid laminates do not provide scratch resistance.

Low Energy Substrate

Some substrates do not accept adhesive vinyl as readily. These are generally porous surfaces such as plastics, drywall, or wood, rather than more solid surfaces such as aluminium. Most surfaces should be cleaned with an alcohol before application, generally isopropyl or denatured (stronger).

Media

The print material or substrate to be printed on.

Micron µ

A measurement of the thickness of material, generally used in Europe and where metric systems are used. Most cast vinyls are approximate 50 micron, while most calendared materials range between 70 and 100 micron. A micron is equal to one-thousandth of a millimetre.

Mil

Thickness measurement generally used in the USA. One mil equals 25.4 micron.

Metre

Basic unit of measurement used in metric countries. One metre equals 3.28 feet.

Mottle

Hazy surface on a substrate, generally caused by incorrect storage in temperature or humidity. Most mottle can be easily removed by applying even heat with a heat gun to the media surface.

Nozzle

Miniscule hole in the print head where ink is expelled.

Opaque

When you cannot see through a material it is considered fully opaque. Sometimes referred to in percentages, as in "this media is 90% opaque".

Pass

One travel of a print head over a media. On most printers, you can adjust the number of passes depending on the quality level and print speed desired.

Permanent Adhesive

Adhesive that creates a permanent bond and is generally difficult to remove cleanly after installation.

PVC

Polyvinyl Chloride. This is the main ingredient in most vinyl media. Manufacturers purchase it in minute pellet form, then mix it with other ingredients to form vinyl.

Removable Adhesive

Generally lower tack adhesives that are clean-removable for a period of time. Most adhesives become more permanent after applied and build to a certain level of ultimate adhesion. This means that most adhesives become more permanent over time after application.

Repellence

When ink does not adhere will to the media surface. Generally this is a problem when media is improperly stored or when an incorrect ICC profile is used (improper media surface temperature). In general, matte surfaces accept ink better than gloss surfaces.

RGB

Red, Green, Blue. These are the primary colours that most monitors display in. Most printers print in CMYK (Cyan, Magenta, Yellow, and Black). This difference in format can create color inconsistencies between the color on the monitor and the color of the print.

Roll-to-Roll Printer


Printers that only accept substrates in roll form.

SSPE


Single sided PE coated liner

VLT & VLA

Visual Light Tranmission & Abosorbtion



INDOOR APPLICATIONS



ORDER YOUR FAVOURITE PRODUCTS ONLINE
1300 132 644 | spicers.com.au | @spicersaus

Spicers
Creating Solutions Together



3M

Window Films

Solar Control, Safety and Security Films

3M sets itself apart by producing quality window films that improve the energy performance, privacy and visual appearance of residential and commercial spaces.

VIEW CATALOGUE ▶

SCAN HERE TO VIEW THE RANGE

3M
Authorised Distributor

Spicers


Spicers
3M | Glass Finishes
3M™ FASARA™ Glass Finishes
3M™ DI-NOC™ Glass Finishes
3M™ Dichroic Glass Finishes
3M™ Crystal Dusted and Frosted Glass Finishes
With over 100+ unique designs, patterns and textures, 3M™ Glass Finishes give you an easy way to add that extra element of design to your space.
VIEW CATALOGUE
SCAN HERE TO VIEW THE RANGE

Creating solutions together.



For product queries please contact your Spicers representative directly, or your local branch from the list below.

VIC | Dandenong
155 Logis Boulevard
Dandenong South VIC 3175
info.vic@spicers.com.au
T (03) 9768 8400
F (03) 9768 8401

VIC | Truganina
19-21 Efficient Drive
Truganina Victoria 3029
info.vic@spicers.com.au
T 1300 132 644

SA | Beverley
113 Ledger Road
Beverley SA 5009
info.sa@spicers.com.au
T (08) 8243 9393
F (08) 8243 9397

SA | Green Fields
2/5 Nucera Court
Green Fields SA 5107
info.sa@spicers.com.au
T 1300 132 644

QLD | Eagle Farm
75 Tradecoast Drive
Eagle Farm QLD 4009
info.qld@spicers.com.au
T (07) 3084 5200
F (07) 3084 5297

QLD | Yatala
29-33 Gassman Drive
Yatala QLD 4207
salesnsw@spicers.com.au
T 1300 132 644

QLD | Aitkenvale
28A Casey Street
Aitkenvale QLD 4818
info.qld@spicers.com.au
T (07) 3084 5200
F (07) 3084 5297

NT | Winnellie
57 Winnellie Road
Winnellie NT 0820
info.nt@spicers.com.au
T (08) 8947 0188
F (08) 8947 1366

WA | Malaga
19 Milly Court
Malaga WA 6090
info.wa@spicers.com.au
T (08) 6310 4300
F (08) 9248 6515

WA | Malaga
6A Mulgul Road
Malaga WA 6090
epaperwaspicers@spicers.com.au
T 1300 132 644

NSW | Erskine Park
Unit 2/100 Lockwood Road
Erskine Park NSW 2759
salesnsw@spicers.com.au
T (02) 9735 2666
F (02) 9735 2600

TAS | Derwent Park
4-8 Sunmont Street
Derwent Park TAS 7009
info.tas@spicers.com.au
T (03) 6272 5333
F (03) 6272 8103

Online Version 101026

Spicers
Creating Solutions Together

1300 132 644 | spicers.com.au | @spicersaus