


HOSPITALITY CATALOGUE

# ***PREMIUM GUEST EXPERIENCE***

PROFESSIONAL EQUIPMENT FOR HOTELS AND RESTAURANTS

**↗ DOMETIC** **PROFESSIONAL**






# ***THE NUMBER ONE CHOICE***

## **Welcome to Dometic!**


Whether it's a family-run Bed & Breakfast or the world's first 7-star hotel, the hospitality industry trusts us to deliver high-quality solutions for enhanced guest satisfaction. Today you can find millions of Dometic minibars, room safes and wine coolers in hotels of all star categories across the world – something we are very proud of. Our latest products are now here for you to explore. Welcome to our new catalogue – enjoy browsing and let us know what we can do for you.





## MINIBARS

Choose from our comprehensive range of minibars. Find the solution to suit the requirements of your guests the style of your interior.



## SAFES

Enhance the well-being of your guests by giving them the peace of mind that their valuables are safely stored.



## DRAWBAR

Tailored to your taste.

### MINIBARS

|                        |         |
|------------------------|---------|
| Dometic minibars intro | 6 – 13  |
| HiPro minibars         | 14 – 23 |
| Drawer minibars        | 24 – 25 |
| Classic minibars       | 26 – 27 |
| Ventilation guidelines | 28 – 29 |
| HiPro exchange guide   | 30 – 31 |

### SAFES

|                        |         |
|------------------------|---------|
| Dometic safes intro    | 32 – 35 |
| Dometic Premium Class  | 36 – 39 |
| Dometic Standard Class | 40 – 43 |

### DRAWBAR

|         |         |
|---------|---------|
| DrawBar | 44 – 49 |
|---------|---------|

### DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogues.

[DOMETIC.COM/PROFESSIONAL](https://www.dometic.com/professional)





# PIONEERING INDUSTRY.

## GIVE YOUR GUESTS AN UNFORGETTABLE STAY

You will find more Dometic minibars and safes than any other make in first-class hotels across the world. Why? Know-how accumulated more than over 50 years, a track record of innovation as well as leading design solutions are the three main reasons.

The top of the line Dometic HiPro Evolution and Alpha range minibars are developed with your business experience in mind. A sustainable minibar is a smart minibar. The HiPro Evolution range is just that. Boasting precise temperature control, world-class efficiency and the best minibar cooling capacity, the premium Dometic HiPro range ensures chromate-free absorption technology checks in for a clean, sustainable future in your hotel.

Our modern and energy-efficient range of noiseless drawer minibars (Dometic DM 20 drawer minibar).





### **Dometic HiPro minibars**

#### **The next generation of minibars**

The state-of-the-art design of Dometic HiPro will help you create a premium in-room feeling. With sleek design, elegant illumination and crystal clear doors, invite your guests to treat themselves to something special.

### **Sustainability checking in**

Sustainability means doing more with less. It's a philosophy we put into action with outstanding energy efficiency and the first chromate free minibar range on the market. A sustainable minibar is a smart minibar. The HiPro range delivers more powerful cooling with up to 40% less energy consumption, making a visible difference in OPEX for hotel owners.

**Read more on this on p. 12**



### **Dometic drawer minibars**

#### **Unique design, outstanding construction**

Our drawer minibars are a class of their own in terms of design, size and functionality. Noiseless cooling, convenient slide-out access.

**Read more on this on p. 24**

# **SUSTAINABILITY AND EFFICIENCY: RECOGNIZED EXCELLENCE**

At Dometic, we are proud to lead the way in sustainability, efficiency, and innovation in the hospitality industry. Our efforts have been widely recognized with several prestigious awards and certifications.

## **MOST EFFICIENT 2025 – ENERGY STAR®**

Our minibars have been awarded the “Most Efficient 2025” label by ENERGY STAR® in the USA. This accolade reflects our commitment to creating products that deliver exceptional energy performance, helping hoteliers reduce operating costs and environmental impact.



## **LEADER LEVEL – MINDCLICK SUSTAINABILITY ASSESSMENT PROGRAM (MSAP)**

The MindClick MSAP evaluates suppliers based on their environmental and social performance. Our minibars achieved the highest “Leader Level” rating, acknowledging our excellence in hotel impact, end-of-use considerations, packaging, and sustainable production practices.




## DOUBLE STAR AWARD

Our Dometic HiPro minibar generation was voted gold in the Food & Beverage category of the Star Awards, a recognition chosen by readers and decision-makers in the hospitality sector. The Dometic MoBar also earned gold in the Technology category, reinforcing our reputation for combining innovation and functionality.



## PLUS X AWARD


The Dometic HiPro Absorption minibars have been honored with the prestigious Plus X Award, celebrating excellence in High Quality, Design, Ease of Use, Functionality, and Ecology. As the first chromate-free absorption minibar, this innovation is a milestone in sustainable design and performance.



## WHY IT MATTERS


Each recognition we receive drives us further in our mission to provide high-quality, energy-efficient, and sustainable solutions that exceed guest expectations. These achievements inspire us to continue setting new standards for sustainability and operational excellence in hospitality.





# WE DEVELOPED HIPRO WITH HOTEL GUESTS IN MIND

A well-stocked minibar is an expected and appreciated hotel room feature for well-traveled hotel guests. Let's have a deeper look at some outstanding features we offer to the market with the HiPro minibar generation:



1

## Lower energy consumption

The HiPro range can reduce energy consumption by up to 50% compared to standard units.

2

## Premium guest experience

HiPro is an attractive and sales-promoting feature in the guest room.

3

## Improved cooling power

Improved cooling capabilities with updated and optimized functionality.

4

## A strong partner

With more than 50 years of experience and more than 6 million installed units; we are a proven partner.



Many business travellers are constantly on the move living a suitcase life. Most days represent hard work with long hours – arriving late to the room preparing for the next day’s meeting while burning the midnight oil. That’s why the minibar is a much-appreciated feature offering cold beverages and energizing snacks. For the leisure tourist, the hotel minibar is an opportunity to enjoy a cold beverage at the late arrival check-in, after a long city excursion and while getting ready for a fun night out – or perhaps waking up with a need to quench the thirst.



C40S



**Shelves**  
Plastic without decorative trim



**Celebrating menu illumination**  
Top LED light



**Door-racks and balconies**  
Door-rack 1,5 L bottles



| MODEL                                     | ALPHA N30S                                                                                                                                                              | ALPHA A30S                                                                                                                                                               | ALPHA N40S                                                                                                                                                              | ALPHA A40S                                                                                                                                                               | ALPHA C40S                                                                                                                                                                                                        |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cooling technology</b>                 | Thermoelectric                                                                                                                                                          | Absorption                                                                                                                                                               | Thermoelectric                                                                                                                                                          | Absorption                                                                                                                                                               | Compressor                                                                                                                                                                                                        |
| <b>Model class (litre)</b>                | 30                                                                                                                                                                      | 30                                                                                                                                                                       | 40                                                                                                                                                                      | 40                                                                                                                                                                       | 40                                                                                                                                                                                                                |
| <b>Total volume (litre)</b>               | 26                                                                                                                                                                      | 26                                                                                                                                                                       | 33                                                                                                                                                                      | 33                                                                                                                                                                       | 33                                                                                                                                                                                                                |
| <b>Door type</b>                          | Metal sheet door                                                                                                                                                        | Metal sheet door                                                                                                                                                         | Metal sheet door                                                                                                                                                        | Metal sheet door                                                                                                                                                         | Metal sheet door                                                                                                                                                                                                  |
| <b>Product dimensions (H x W x D, mm)</b> | 520 x 384 x 415                                                                                                                                                         | 520 x 384 x 446                                                                                                                                                          | 550 x 405 x 435                                                                                                                                                         | 550 x 405 x 466                                                                                                                                                          | 550 x 405 x 481                                                                                                                                                                                                   |
| <b>Can be built-in/integrated</b>         | With ventilation                                                                                                                                                        | With ventilation                                                                                                                                                         | With ventilation                                                                                                                                                        | With ventilation                                                                                                                                                         | With ventilation                                                                                                                                                                                                  |
| <b>Sliding hinge kit</b>                  | Yes                                                                                                                                                                     | Yes                                                                                                                                                                      | Yes                                                                                                                                                                     | Yes                                                                                                                                                                      | Yes                                                                                                                                                                                                               |
| <b>Variable door hinge</b>                | Yes                                                                                                                                                                     | Yes                                                                                                                                                                      | Yes                                                                                                                                                                     | Yes                                                                                                                                                                      | Yes                                                                                                                                                                                                               |
| <b>LED interior light</b>                 | LED top light                                                                                                                                                           | LED top light                                                                                                                                                            | LED top light                                                                                                                                                           | LED top light                                                                                                                                                            | LED top light                                                                                                                                                                                                     |
| <b>Input rating (W)</b>                   | 55                                                                                                                                                                      | 45                                                                                                                                                                       | 55                                                                                                                                                                      | 45                                                                                                                                                                       | 45                                                                                                                                                                                                                |
| <b>Energy consumption (kWh/24 h)</b>      | 0.259                                                                                                                                                                   | 0.529                                                                                                                                                                    | 0.262                                                                                                                                                                   | 0.537                                                                                                                                                                    | 0.130                                                                                                                                                                                                             |
| <b>Noise level (dB[A])</b>                | 0                                                                                                                                                                       | 0                                                                                                                                                                        | 0                                                                                                                                                                       | 0                                                                                                                                                                        | 33                                                                                                                                                                                                                |
| <b>Energy class</b>                       | F                                                                                                                                                                       | G                                                                                                                                                                        | F                                                                                                                                                                       | G                                                                                                                                                                        | C                                                                                                                                                                                                                 |
| <b>Features</b>                           | <ul style="list-style-type: none"> <li>Noiseless</li> <li>Low energy consumption</li> <li>1 x door rack</li> <li>1 x plastic shelf</li> <li>Adjustable shelf</li> </ul> | <ul style="list-style-type: none"> <li>Noiseless</li> <li>1 x door rack</li> <li>1 x plastic shelf</li> <li>Adjustable shelf</li> <li>Long lasting technology</li> </ul> | <ul style="list-style-type: none"> <li>Noiseless</li> <li>Low energy consumption</li> <li>2 x door rack</li> <li>1 x plastic shelf</li> <li>Adjustable shelf</li> </ul> | <ul style="list-style-type: none"> <li>Noiseless</li> <li>2 x door rack</li> <li>1 x plastic shelf</li> <li>Adjustable shelf</li> <li>Long lasting technology</li> </ul> | <ul style="list-style-type: none"> <li>High performance</li> <li>Lowest energy consumption</li> <li>Integrated silent mode</li> <li>2 x door rack</li> <li>1 x plastic shelf</li> <li>Adjustable shelf</li> </ul> |
| <b>Options</b>                            | Key lock                                                                                                                                                                | Key lock                                                                                                                                                                 | Key lock                                                                                                                                                                | Key lock                                                                                                                                                                 | Key lock                                                                                                                                                                                                          |



ALPHA N30S



ALPHA A30S



ALPHA N40S




ALPHA A40S



ALPHA C40S

See the replacement guide on p. 30 and 31 which HiPro can replace your existing minibar.



# PREMIUM EXPERIENCE HIPRO EVOLUTION

A sustainable minibar is a smart minibar. The new Dometic HiPro range is just that. It's also more efficient with improved cooling and up to 40% less energy consumption. Add to that the first chromate-free absorption inhibitor on the market and sustainability is an easy choice. After more than 50 years in the hotel business and 6 million installed units, we're proud to say that we're pioneering the hotel industry. Again.



A40G



## Shelves

Tempered glass with decorative trim



## Celebrating menu illumination

Ambient LED lights top + bottom



## Door-racks and balconies

Door-rack 1,5 L bottles with tempered glass and decorative trim



HIPro LINE  
TECHNICAL DATA

| MODEL                                     | EVOLUTION N30S                                                                                                                                                                                                                                                                                      | EVOLUTION A30S                                                                                                                                                                                                                                                                                                                       | EVOLUTION N40S                                                                                                                                                                                                                                                                                      | EVOLUTION A40S                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cooling technology</b>                 | Thermoelectric                                                                                                                                                                                                                                                                                      | Absorption                                                                                                                                                                                                                                                                                                                           | Thermoelectric                                                                                                                                                                                                                                                                                      | Absorption                                                                                                                                                                                                                                                                                                                           |
| <b>Model class (litre)</b>                | 30                                                                                                                                                                                                                                                                                                  | 30                                                                                                                                                                                                                                                                                                                                   | 40                                                                                                                                                                                                                                                                                                  | 40                                                                                                                                                                                                                                                                                                                                   |
| <b>Total volume (litre)</b>               | 26                                                                                                                                                                                                                                                                                                  | 26                                                                                                                                                                                                                                                                                                                                   | 33                                                                                                                                                                                                                                                                                                  | 33                                                                                                                                                                                                                                                                                                                                   |
| <b>Door type</b>                          | Stainless steel door                                                                                                                                                                                                                                                                                | Stainless steel door                                                                                                                                                                                                                                                                                                                 | Stainless steel door                                                                                                                                                                                                                                                                                | Stainless steel door                                                                                                                                                                                                                                                                                                                 |
| <b>Product dimensions (H x W x D, mm)</b> | 520 x 384 x 415                                                                                                                                                                                                                                                                                     | 520 x 384 x 446                                                                                                                                                                                                                                                                                                                      | 550 x 405 x 435                                                                                                                                                                                                                                                                                     | 550 x 405 x 466                                                                                                                                                                                                                                                                                                                      |
| <b>Can be built-in/integrated</b>         | With ventilation                                                                                                                                                                                                                                                                                    | With ventilation                                                                                                                                                                                                                                                                                                                     | With ventilation                                                                                                                                                                                                                                                                                    | With ventilation                                                                                                                                                                                                                                                                                                                     |
| <b>Sliding hinge kit</b>                  | Yes                                                                                                                                                                                                                                                                                                 | Yes                                                                                                                                                                                                                                                                                                                                  | Yes                                                                                                                                                                                                                                                                                                 | Yes                                                                                                                                                                                                                                                                                                                                  |
| <b>Variable door hinge</b>                | Yes                                                                                                                                                                                                                                                                                                 | Yes                                                                                                                                                                                                                                                                                                                                  | Yes                                                                                                                                                                                                                                                                                                 | Yes                                                                                                                                                                                                                                                                                                                                  |
| <b>LED interior light</b>                 | Ambient top + bottom                                                                                                                                                                                                                                                                                | Ambient top + bottom                                                                                                                                                                                                                                                                                                                 | Ambient top + bottom                                                                                                                                                                                                                                                                                | Ambient top + bottom                                                                                                                                                                                                                                                                                                                 |
| <b>Input rating (W)</b>                   | 55                                                                                                                                                                                                                                                                                                  | 45                                                                                                                                                                                                                                                                                                                                   | 55                                                                                                                                                                                                                                                                                                  | 45                                                                                                                                                                                                                                                                                                                                   |
| <b>Energy consumption (kWh/24 h)</b>      | 0.259                                                                                                                                                                                                                                                                                               | 0.529                                                                                                                                                                                                                                                                                                                                | 0.262                                                                                                                                                                                                                                                                                               | 0.537                                                                                                                                                                                                                                                                                                                                |
| <b>Noise level (dB[A])</b>                | 0                                                                                                                                                                                                                                                                                                   | 0                                                                                                                                                                                                                                                                                                                                    | 0                                                                                                                                                                                                                                                                                                   | 0                                                                                                                                                                                                                                                                                                                                    |
| <b>Energy class</b>                       | F                                                                                                                                                                                                                                                                                                   | G                                                                                                                                                                                                                                                                                                                                    | F                                                                                                                                                                                                                                                                                                   | G                                                                                                                                                                                                                                                                                                                                    |
| <b>Features</b>                           | <ul style="list-style-type: none"> <li>Noiseless</li> <li>Low energy consumption</li> <li>Ambient illumination</li> <li>1 x door rack with decorative trim</li> <li>1 x tempered glass shelf</li> <li>Adjustable shelf</li> <li>Aluminium handle</li> <li>Decorative panel on evaporator</li> </ul> | <ul style="list-style-type: none"> <li>Noiseless</li> <li>Low energy consumption</li> <li>Ambient illumination</li> <li>1 x door rack with decorative trim</li> <li>1 x tempered glass shelf</li> <li>Aluminium handle</li> <li>Adjustable shelf</li> <li>Decorative panel on evaporator</li> <li>Long lasting technology</li> </ul> | <ul style="list-style-type: none"> <li>Noiseless</li> <li>Low energy consumption</li> <li>Ambient illumination</li> <li>2 x door rack with decorative trim</li> <li>2 x tempered glass shelf</li> <li>Adjustable shelf</li> <li>Aluminium handle</li> <li>Decorative panel on evaporator</li> </ul> | <ul style="list-style-type: none"> <li>Noiseless</li> <li>Low energy consumption</li> <li>Ambient illumination</li> <li>2 x door rack with decorative trim</li> <li>2 x tempered glass shelf</li> <li>Aluminium handle</li> <li>Adjustable shelf</li> <li>Decorative panel on evaporator</li> <li>Long lasting technology</li> </ul> |
| <b>Options</b>                            | Key lock                                                                                                                                                                                                                                                                                            | Key lock                                                                                                                                                                                                                                                                                                                             | Key lock                                                                                                                                                                                                                                                                                            | Key lock                                                                                                                                                                                                                                                                                                                             |



EVOLUTION N30S



EVOLUTION A30S



EVOLUTION N40S



EVOLUTION A40S

See the replacement guide on p. 30 and 31 which HiPro can replace your existing minibar.

**FOOD & BEVERAGE**  
**MINIBARS**



| MODEL                                        | EVOLUTION N30G                                                                                                                                                                                                                                                                                                      | EVOLUTION A30G                                                                                                                                                                                                                                                                                                       |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cooling technology</b>                    | Thermoelectric                                                                                                                                                                                                                                                                                                      | Absorption                                                                                                                                                                                                                                                                                                           |
| <b>Model class</b> (litre)                   | 30                                                                                                                                                                                                                                                                                                                  | 30                                                                                                                                                                                                                                                                                                                   |
| <b>Total volume</b> (litre)                  | 26                                                                                                                                                                                                                                                                                                                  | 26                                                                                                                                                                                                                                                                                                                   |
| <b>Door type</b>                             | Transparent glass door                                                                                                                                                                                                                                                                                              | 3 layer transparent glass door                                                                                                                                                                                                                                                                                       |
| <b>Product dimensions</b><br>(H × W × D, mm) | 520 × 384 × 415                                                                                                                                                                                                                                                                                                     | 520 × 384 × 446                                                                                                                                                                                                                                                                                                      |
| <b>Can be built-in/integrated</b>            | With ventilation                                                                                                                                                                                                                                                                                                    | With ventilation                                                                                                                                                                                                                                                                                                     |
| <b>Sliding hinge kit</b>                     | No                                                                                                                                                                                                                                                                                                                  | No                                                                                                                                                                                                                                                                                                                   |
| <b>Variable door hinge</b>                   | Yes                                                                                                                                                                                                                                                                                                                 | Yes                                                                                                                                                                                                                                                                                                                  |
| <b>LED interior light</b>                    | Ambient top + bottom                                                                                                                                                                                                                                                                                                | Ambient top + bottom                                                                                                                                                                                                                                                                                                 |
| <b>Input rating</b> (W)                      | 55                                                                                                                                                                                                                                                                                                                  | 45                                                                                                                                                                                                                                                                                                                   |
| <b>Energy consumption</b><br>(kWh/24 h)      | 0.426                                                                                                                                                                                                                                                                                                               | 0.641                                                                                                                                                                                                                                                                                                                |
| <b>Noise level</b> (dB[A])                   | 0                                                                                                                                                                                                                                                                                                                   | 0                                                                                                                                                                                                                                                                                                                    |
| <b>Energy class</b>                          | G                                                                                                                                                                                                                                                                                                                   | G                                                                                                                                                                                                                                                                                                                    |
| <b>Features</b>                              | <ul style="list-style-type: none"> <li>• Noiseless</li> <li>• Low energy consumption</li> <li>• Ambient illumination</li> <li>• 1 x door rack with decorative trim</li> <li>• 1 x tempered glass shelf</li> <li>• Adjustable shelf</li> <li>• Aluminium handle</li> <li>• Decorative panel on evaporator</li> </ul> | <ul style="list-style-type: none"> <li>• Noiseless</li> <li>• Ambient illumination</li> <li>• 1 x door rack with decorative trim</li> <li>• 1 x tempered glass shelf</li> <li>• Aluminium handle</li> <li>• Adjustable shelf</li> <li>• Decorative panel on evaporator</li> <li>• Long lasting technology</li> </ul> |
| <b>Options</b>                               | Key lock                                                                                                                                                                                                                                                                                                            | Key lock                                                                                                                                                                                                                                                                                                             |



EVOLUTION N30G



EVOLUTION A30G 3G

|                                            |                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                            |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>HIPRO LINE</b><br><b>TECHNICAL DATA</b> |                                                                                                                                   |                                                                                                                                 |                                                                                                                      |
| <b>MODEL</b>                               | <b>EVOLUTION N40G</b>                                                                                                                                                                                                                                                                               | <b>EVOLUTION A40G</b>                                                                                                                                                                                                                                                                                | <b>EVOLUTION C40G</b>                                                                                                                                                                                                                                                                      |
| <b>Cooling technology</b>                  | Thermoelectric                                                                                                                                                                                                                                                                                      | Absorption                                                                                                                                                                                                                                                                                           | Compressor                                                                                                                                                                                                                                                                                 |
| <b>Model class (litre)</b>                 | 40                                                                                                                                                                                                                                                                                                  | 40                                                                                                                                                                                                                                                                                                   | 40                                                                                                                                                                                                                                                                                         |
| <b>Storage volume (litre)</b>              | 33                                                                                                                                                                                                                                                                                                  | 33                                                                                                                                                                                                                                                                                                   | 33                                                                                                                                                                                                                                                                                         |
| <b>Door type</b>                           | Transparent glass door                                                                                                                                                                                                                                                                              | 3 layer transparent glass door                                                                                                                                                                                                                                                                       | Transparent glass door                                                                                                                                                                                                                                                                     |
| <b>Product dimensions (H x W x D, mm)</b>  | 550 x 405 x 435                                                                                                                                                                                                                                                                                     | 550 x 405 x 466                                                                                                                                                                                                                                                                                      | 550 x 405 x 481                                                                                                                                                                                                                                                                            |
| <b>Can be built-in/integrated</b>          | With ventilation                                                                                                                                                                                                                                                                                    | With ventilation                                                                                                                                                                                                                                                                                     | With ventilation                                                                                                                                                                                                                                                                           |
| <b>Sliding hinge kit</b>                   | No                                                                                                                                                                                                                                                                                                  | No                                                                                                                                                                                                                                                                                                   | No                                                                                                                                                                                                                                                                                         |
| <b>Variable door hinge</b>                 | Yes                                                                                                                                                                                                                                                                                                 | Yes                                                                                                                                                                                                                                                                                                  | Yes                                                                                                                                                                                                                                                                                        |
| <b>LED interior light</b>                  | Ambient top + bottom                                                                                                                                                                                                                                                                                | Ambient top + bottom                                                                                                                                                                                                                                                                                 | Ambient top + bottom                                                                                                                                                                                                                                                                       |
| <b>Input rating (W)</b>                    | 55                                                                                                                                                                                                                                                                                                  | 45                                                                                                                                                                                                                                                                                                   | 45                                                                                                                                                                                                                                                                                         |
| <b>Energy consumption (kWh/24 h)</b>       | 0.435                                                                                                                                                                                                                                                                                               | 0.646                                                                                                                                                                                                                                                                                                | 0.153                                                                                                                                                                                                                                                                                      |
| <b>Noise level (dB[A])</b>                 | 0                                                                                                                                                                                                                                                                                                   | 0                                                                                                                                                                                                                                                                                                    | 33                                                                                                                                                                                                                                                                                         |
| <b>Energy class</b>                        | G                                                                                                                                                                                                                                                                                                   | G                                                                                                                                                                                                                                                                                                    | C                                                                                                                                                                                                                                                                                          |
| <b>Features</b>                            | <ul style="list-style-type: none"> <li>Noiseless</li> <li>Low energy consumption</li> <li>Ambient illumination</li> <li>2 x door rack with decorative trim</li> <li>2 x tempered glass shelf</li> <li>Adjustable shelf</li> <li>Aluminium handle</li> <li>Decorative panel on evaporator</li> </ul> | <ul style="list-style-type: none"> <li>Noiseless</li> <li>Ambient illumination</li> <li>2 x door rack with decorative trim</li> <li>2 x tempered glass shelf</li> <li>Aluminium handle</li> <li>Adjustable shelf</li> <li>Decorative panel on evaporator</li> <li>Long lasting technology</li> </ul> | <ul style="list-style-type: none"> <li>High performance</li> <li>Lowest energy consumption</li> <li>Integrated silent mode</li> <li>2 x door rack</li> <li>2 x tempered glass shelf</li> <li>Aluminium handle</li> <li>Adjustable shelf</li> <li>Decorative panel on evaporator</li> </ul> |
| <b>Options</b>                             | Key lock                                                                                                                                                                                                                                                                                            | Key lock                                                                                                                                                                                                                                                                                             | Key lock                                                                                                                                                                                                                                                                                   |



EVOLUTION N40G




EVOLUTION A40G 3G



EVOLUTION C40G

See the replacement guide on p. 30 and 31 which HiPro can replace your existing minibar.



SIMPLY TAKES MORE  
**HIPRO 60 LTR.**

The Dometic HiPro 60 litre class minibar generation is available within the Alpha and Evolution range with different, stylish door designs left or right hinged.

Both ranges use the proven Dometic compressor cooling technology to generate efficient, quiet and powerful comfort for hotel guests.

The state-of-the-art design of Dometic HiPro will help you create a premium in-room feeling. With sleek design, elegant illumination and crystal clear doors, invite your guests to treat themselves to something special.



C60G

# THE HIPRO 60 LTR. MINIBAR GENERATION



- Available as Solid Door or Glass Door
- Door handle plastic
- 2 pcs. plastic shelves
- 7 variable slots for shelves
- Transparent balcony
- Top LED light
- Slider kit included for Solid Doors
- Silent mode for compressor
- Dimension (H x W x D): 565 x 490 x 510 mm



- Available as Solid Door or Glass Door
- Door handle Stainless Steel Hot Foil
- 2 pcs. frosted glass shelves with trim
- 7 variable slots for shelves
- Transparent balcony with trim
- Top and bottom LED light
- Slider kit included for Solid Doors
- Silent mode for compressor
- Optional Lock
- Dimension (H x W x D): 565 x 490 x 510 mm



Transparent door racks to fit 1,5L bottles



Decorative back cover and shelves



Seven positions to suit different size of bottles



Alluring illumination to promote sales

To learn more, visit us under [dometic.com/hipro](https://dometic.com/hipro)





## TECHNICAL DATA

## MODEL

**ALPHA C60S**

|                                       |                                                                                                                                                                                                                                        |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cooling technology                    | Compressor                                                                                                                                                                                                                             |
| Model class (litre)                   | 60                                                                                                                                                                                                                                     |
| Total volume (litre)                  | 49                                                                                                                                                                                                                                     |
| Door Type                             | solid door                                                                                                                                                                                                                             |
| Product Dimensions<br>(H x W x D, mm) | 565 × 490 × 510                                                                                                                                                                                                                        |
| Can be built-in/integrated            | With ventilation                                                                                                                                                                                                                       |
| Sliding hinge kit                     | Yes                                                                                                                                                                                                                                    |
| Variable door hinge                   | Yes                                                                                                                                                                                                                                    |
| LED Interior light                    | Top light                                                                                                                                                                                                                              |
| Input rating (W)                      | 45                                                                                                                                                                                                                                     |
| Engery consumption<br>(kWh/24 h)      | 0,146                                                                                                                                                                                                                                  |
| Noise level (dB[A])                   | 36                                                                                                                                                                                                                                     |
| Energy Class                          | D                                                                                                                                                                                                                                      |
| Features                              | <ul style="list-style-type: none"><li>• High performance</li><li>• Lowest energy consumption</li><li>• Integrated silent mode</li><li>• 2 x plastic shelf</li><li>• 7 position shelf slots</li><li>• 2 x transparent balcony</li></ul> |



ALPHA C60S

# HIPRO LINE TECHNICAL DATA



## MODEL

## EVOLUTION C60S

## EVOLUTION C60G


|                                              |                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                         |
|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cooling technology</b>                    | Compressor                                                                                                                                                                                                                                                              | Compressor                                                                                                                                                                                                                                                              |
| <b>Model class (litre)</b>                   | 60                                                                                                                                                                                                                                                                      | 60                                                                                                                                                                                                                                                                      |
| <b>Total volume (litre)</b>                  | 49                                                                                                                                                                                                                                                                      | 49                                                                                                                                                                                                                                                                      |
| <b>Door Type</b>                             | Stainless steel door                                                                                                                                                                                                                                                    | Transparent glass door                                                                                                                                                                                                                                                  |
| <b>Product Dimensions</b><br>(H x W x D, mm) | 565 × 490 × 510                                                                                                                                                                                                                                                         | 565 × 490 × 510                                                                                                                                                                                                                                                         |
| <b>Can be built-in/integrated</b>            | With ventilation                                                                                                                                                                                                                                                        | With ventilation                                                                                                                                                                                                                                                        |
| <b>Sliding hinge kit</b>                     | Yes                                                                                                                                                                                                                                                                     | No                                                                                                                                                                                                                                                                      |
| <b>Variable door hinge</b>                   | Yes                                                                                                                                                                                                                                                                     | Yes                                                                                                                                                                                                                                                                     |
| <b>LED Interior light</b>                    | Ambient top + bottom                                                                                                                                                                                                                                                    | Ambient top + bottom                                                                                                                                                                                                                                                    |
| <b>Input rating (W)</b>                      | 45                                                                                                                                                                                                                                                                      | 45                                                                                                                                                                                                                                                                      |
| <b>Engery consumption</b><br>(kWh/24 h)      | 0,146                                                                                                                                                                                                                                                                   | 0,22                                                                                                                                                                                                                                                                    |
| <b>Noise level (dB[A])</b>                   | 36                                                                                                                                                                                                                                                                      | 36                                                                                                                                                                                                                                                                      |
| <b>Energy Class</b>                          | D                                                                                                                                                                                                                                                                       | E                                                                                                                                                                                                                                                                       |
| <b>Features</b>                              | <ul style="list-style-type: none"> <li>• High performance</li> <li>• Lowest energy consumption</li> <li>• Integrated silent mode</li> <li>• 2 x frosted glass shelf with trim</li> <li>• 7 position shelf slots</li> <li>• 2 x transparent balcony with trim</li> </ul> | <ul style="list-style-type: none"> <li>• High performance</li> <li>• Lowest energy consumption</li> <li>• Integrated silent mode</li> <li>• 2 x frosted glass shelf with trim</li> <li>• 7 position shelf slots</li> <li>• 2 x transparent balcony with trim</li> </ul> |
| <b>Options</b>                               | Key lock                                                                                                                                                                                                                                                                | Key lock                                                                                                                                                                                                                                                                |



EVOLUTION C60S



EVOLUTION C60G



Convenient slide-out access, noiseless operation, low energy consumption: Dometic drawer minibars set new standards in design and efficiency. Dometic DM 20 is the world's first noiseless 20-litre class drawer minibar. Having the same width as conventional 30-litre absorption minibars, it will easily replace them. Dometic DM 50 provides 50 litres capacity in an award-winning design featuring an automatic slide-out tray for snacks and mini bottles and an adjustable drawer for bottles and cans.

- Unique design for convenient slide-out access
- Thermoelectric cooling unit for low energy consumption
- Noiseless cooling comfort
- Patented and design awarded technology



DM 20 D



## TECHNICAL DATA



| MODEL                                                 | DM 20 NTE D/F                                                                                                                                                                                                                                                  | DM 50 NTE D/F                                                                                                                                                                                                                                                  |
|-------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cooling technology</b>                             | Thermoelectric                                                                                                                                                                                                                                                 | Thermoelectric                                                                                                                                                                                                                                                 |
| <b>Model class (litre)</b>                            | 20                                                                                                                                                                                                                                                             | 50                                                                                                                                                                                                                                                             |
| <b>Total volume (litre)</b>                           | 20                                                                                                                                                                                                                                                             | 50                                                                                                                                                                                                                                                             |
| <b>Cabinet colors</b>                                 | Anthracite                                                                                                                                                                                                                                                     | Anthracite                                                                                                                                                                                                                                                     |
| <b>Dimensions built-in version (H x W x D, in mm)</b> | DM 20 D: 365 x 384 x 419<br>DM 20 F: 365 x 384 x 391                                                                                                                                                                                                           | DM 50 NTE D: 418 x 550 x 524<br>DM 50 NTE F: 418 x 550 x 496                                                                                                                                                                                                   |
| <b>Can be built-in/integrated</b>                     | with ventilation                                                                                                                                                                                                                                               | with ventilation                                                                                                                                                                                                                                               |
| <b>LED interior light</b>                             | ●                                                                                                                                                                                                                                                              | ●                                                                                                                                                                                                                                                              |
| <b>Input rating (W)</b>                               | 52                                                                                                                                                                                                                                                             | 75                                                                                                                                                                                                                                                             |
| <b>Energy consumption (kWh/24 h)</b>                  | 0.3                                                                                                                                                                                                                                                            | 0.33                                                                                                                                                                                                                                                           |
| <b>Noise level (dB[A])</b>                            | 0                                                                                                                                                                                                                                                              | 0                                                                                                                                                                                                                                                              |
| <b>Features</b>                                       | <ul style="list-style-type: none"> <li>Highly flexible system of dividers and bottle fingers</li> <li>DM 20 D: with a decorative anthracite panel and handle</li> <li>DM 20 F: prepared for a decor panel to match the furniture design of the room</li> </ul> | <ul style="list-style-type: none"> <li>Highly flexible system of dividers and bottle fingers</li> <li>DM 50 D: with a decorative anthracite panel and handle</li> <li>DM 50 F: prepared for a decor panel to match the furniture design of the room</li> </ul> |
| <b>Options</b>                                        | <ul style="list-style-type: none"> <li>Lock</li> </ul>                                                                                                                                                                                                         | <ul style="list-style-type: none"> <li>Lock</li> </ul>                                                                                                                                                                                                         |

**Pull-out cool**

Removeable and smooth running sliding rails for convenient use.

**Light the way**

LED interior light – nicely features the snacks and beverages inside.

**Organized storage**

Simply slides out and self closing drawer provides easy access to the contents.



D Version



F Version

**D models with Dometic front panel – F models with a front panel of your choice**

**D Version:** Door with anthracite grey Dometic front panel and handle

**F Version:** Door with plain front allowing the designer and furniture manufacturer to complete the door finish with a custom front panel based on our specifications (dimensions/ thickness/weight)



Energy-saving made easy. Our Classic Line models bring cooling comfort to hotels and residences. Equipped with innovative and energy-efficient absorption cooling technology, Classic Line minibars combine silent service and maintenance-free convenience with added value. All models feature energy-efficient Fuzzy Logic temperature regulation, automatic defrost and well proven Dometic design, inside and out.



RH 429 LDAG



**Flexible storage**

Highly flexible shelving system.



**Optional handle**

The minibar can optionally be equipped with a handle. (RH 429 LDAG and RH 418 NTEG.)



**Variable door hinge**

Easy to change from right to left hand hinge.

## TECHNICAL DATA



| MODEL                                             | RH 429 LDAG                                                                                                                                                                                                            | RH 429 LD                                                                                                                                                                                         | RH 418 NTEG                                                                                                                                                  | RH 418 NTE                                                                                                                                                     |
|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Model class</b> (litre)                        | Absorption                                                                                                                                                                                                             | Absorption                                                                                                                                                                                        | Thermoelectric                                                                                                                                               | Thermoelectric                                                                                                                                                 |
| <b>Model class</b> (litre)                        | 20                                                                                                                                                                                                                     | 20                                                                                                                                                                                                | 20                                                                                                                                                           | 20                                                                                                                                                             |
| <b>Total volume</b> (litre)                       | 18                                                                                                                                                                                                                     | 18                                                                                                                                                                                                | 20                                                                                                                                                           | 20                                                                                                                                                             |
| <b>Cabinet color</b>                              | Anthracite                                                                                                                                                                                                             | Anthracite                                                                                                                                                                                        | Anthracite                                                                                                                                                   | Anthracite                                                                                                                                                     |
| <b>Dimensions built-in version</b><br>(H×W×D, mm) | 463×422×384                                                                                                                                                                                                            | 463×422×384                                                                                                                                                                                       | 435×422×350                                                                                                                                                  | 435×422×350                                                                                                                                                    |
| <b>Glass door</b>                                 | Yes                                                                                                                                                                                                                    | No                                                                                                                                                                                                | Yes                                                                                                                                                          | No                                                                                                                                                             |
| <b>Can be built-in/integrated</b>                 | ●                                                                                                                                                                                                                      | ●                                                                                                                                                                                                 | ●                                                                                                                                                            | ●                                                                                                                                                              |
| <b>Sliding hinge</b>                              | –                                                                                                                                                                                                                      | O                                                                                                                                                                                                 | –                                                                                                                                                            | O                                                                                                                                                              |
| <b>Variable door hinge</b>                        | ●                                                                                                                                                                                                                      | ●                                                                                                                                                                                                 | ●                                                                                                                                                            | ●                                                                                                                                                              |
| <b>LED interior light</b>                         | ●                                                                                                                                                                                                                      | ●                                                                                                                                                                                                 | ●                                                                                                                                                            | ●                                                                                                                                                              |
| <b>Input rating</b> (W)                           | 75                                                                                                                                                                                                                     | 65                                                                                                                                                                                                | 65                                                                                                                                                           | 65                                                                                                                                                             |
| <b>Energy consumption</b><br>(kWh/24 h)           | 0.74                                                                                                                                                                                                                   | 0.63                                                                                                                                                                                              | 0.222                                                                                                                                                        | 0.222                                                                                                                                                          |
| <b>Noise level</b> (dB[A])                        | 0                                                                                                                                                                                                                      | 0                                                                                                                                                                                                 | 0                                                                                                                                                            | 0                                                                                                                                                              |
| <b>Features</b>                                   | <ul style="list-style-type: none"> <li>1 adjustable metal shelf with recess for tall bottles</li> <li>Glass door with aluminium frame</li> </ul>                                                                       | <ul style="list-style-type: none"> <li>1 door rack for smaller bottles</li> <li>1 adjustable metal shelf with recess for tall bottles</li> </ul>                                                  | <ul style="list-style-type: none"> <li>1 adjustable metal shelf with recess for tall bottles</li> <li>Glass door with aluminium frame</li> </ul>             | <ul style="list-style-type: none"> <li>1 door rack for smaller bottles</li> <li>1 adjustable metal shelf with recess for tall bottles</li> </ul>               |
| <b>Options</b>                                    | <ul style="list-style-type: none"> <li>LED door opening control</li> <li>Temperature setting by remote control</li> <li>Also available as stand-alone model (FS version)</li> <li>Door handle</li> <li>Lock</li> </ul> | <ul style="list-style-type: none"> <li>LED door opening control</li> <li>Temperature setting by remote control</li> <li>Also available as stand-alone model (FS version)</li> <li>Lock</li> </ul> | <ul style="list-style-type: none"> <li>LED door opening control</li> <li>Temperature setting by remote control</li> <li>Door handle</li> <li>Lock</li> </ul> | <ul style="list-style-type: none"> <li>LED door opening control</li> <li>Temperature setting by remote control</li> <li>Sliding hinge</li> <li>Lock</li> </ul> |



RH 429 LDAG



RH 429 LD



RH 418 NTEG




RH 418 NTE

# VENTILATION GUIDELINES

## HIPRO MINIBARS AND HIPRO CARE MINIFRIDGES

Dometic absorption fridges are equipped with an electrically heated cooling unit which is virtually silent in operation. The heat which the cooling unit extracts from the refrigerator interior is emitted at the back of the fridge. If you have a free-standing model, sufficient ventilation is provided in most cases. If you want to integrate the fridge into a piece of furniture, however, the following instructions need to met.





|     | A      | B      | C      | D      |
|-----|--------|--------|--------|--------|
| A30 | 384 mm | 446 mm | 520 mm | 356 mm |
| N30 | 384 mm | 415 mm | 520 mm | 356 mm |
| A40 | 405 mm | 466 mm | 550 mm | 376 mm |
| N40 | 405 mm | 435 mm | 550 mm | 376 mm |
| C40 | 405 mm | 481 mm | 550 mm | 376 mm |



Please note that there must be sufficient room for ventilation behind the refrigerator to prevent heat build-up. During installation, make sure that the refrigerator is standing on a stable, level surface, and not directly near a heat source.


You can find all our documents, manuals and guidelines at [documents.dometic.com](https://documents.dometic.com).

|        | A      | B      | C      | D      |
|--------|--------|--------|--------|--------|
| A30SBI | 384 mm | -      | 520 mm | 446 mm |
| A40SBI | 405 mm | -      | 550 mm | 466 mm |
| C60SBI | 490 mm | -      | 565 mm | 510 mm |
| A30SFS | 384 mm | 463 mm | 550 mm | 356 mm |
| A40SFS | 405 mm | 483 mm | 580 mm | 376 mm |
| C60SFS | 490 mm | 519 mm | 595 mm | 410 mm |




|               | Air inlet | Air outlet |
|---------------|-----------|------------|
| N30, N40      | ≥ 200 cm² | 200 cm²    |
| A30, A40, C40 | ≥ 150 cm² | 200 cm²    |

# DM50 NTE DRAWER MINIBARS



## RH & DM20 MINIBARS



| # | DM50 Minibars | # | DM20 Minibars  | # | RH Minibars  |
|---|---------------|---|----------------|---|--------------|
| 2 | Min. 15 mm*   | 2 | Approx. 10 mm* | 2 | Min. 20 mm*  |
|   |               | 3 | Min. 10.5 mm   | 3 | Min. 10.5 mm |

\*Between the minibar's back (incl. the cooling unit) and the surrounding structure

## Important note

Please read these instructions carefully and follow all instructions, guidelines, and warnings included in all our product manuals in order to ensure that you install, use, and maintain our products properly at all times.

By using our products, you hereby confirm that you have read all instructions, guidelines, and warnings carefully and that you understand and agree to abide by the terms and conditions as set forth herein. You agree to use our products only for the intended purpose and application and in accordance with the instructions, guidelines, and warnings as set forth in the product manuals as well as in accordance with all applicable laws and regulations. A failure to read and follow the instructions and warnings set forth herein may result in an injury to yourself and others, damage to your product or damage to other property in the vicinity. Our product manuals, including the instructions, guidelines, and warnings, and related documentation, may be subject to changes and updates. For up-to-date product information, please visit [dometic.com](https://dometic.com).

# HIPRO REPLACEMENT GUIDE

Which new domestic hipro minibar can replace your old minibar

| OLD MODEL                    | TOTAL VOLUME | OUTER PRODUCT DIMENSIONS<br>(H X W X D IN MM) | COOLING TECHNOLOGY | NEW MODEL            | TOTAL VOLUME | OUTER PRODUCT DIMENSIONS<br>(H X W X D IN MM) | INNER PRODUCT DIMENSIONS<br>(H x W x D w/ DR* / D w/o DR* IN MM) | COOLING TECHNOLOGY |
|------------------------------|--------------|-----------------------------------------------|--------------------|----------------------|--------------|-----------------------------------------------|------------------------------------------------------------------|--------------------|
| HiPro 3000                   | 26L          | 527 x 388 x 418                               | Absorption         | HiPro Evolution A30S | 27L          | 520 x 384 x 446                               | 406 x 278 x 114/ 222                                             | Absorption         |
|                              |              |                                               |                    | Alternative:         |              |                                               |                                                                  |                    |
|                              |              |                                               |                    | HiPro Evolution N30S | 27L          | 520 x 384 x 415                               | 406 x 278 x 114/ 222                                             | Thermoelectric     |
| HiPro 4000                   | 34L          | 559 x 405 x 452                               | Absorption         | HiPro Evolution A40S | 33L          | 550 x 405 x 466                               | 436 x 299 x 135/ 242                                             | Absorption         |
|                              |              |                                               |                    | Alternative:         |              |                                               |                                                                  |                    |
|                              |              |                                               |                    | HiPro Evolution N40S | 33L          | 550 x 405 x 435                               | 436 x 299 x 135/ 242                                             | Thermoelectric     |
| HiPro 6000                   | 48L          | 568 x 490 x 475                               | Absorption         | HiPro Evolution C60S | 49L          | 565 x 490 x 510                               | 451 x 356 x 167/ 237                                             | Compressor         |
|                              |              |                                               |                    | Alternative:         |              |                                               |                                                                  |                    |
|                              |              |                                               |                    | HiPro Evolution A40S | 33L          | 550 x 405 x 466                               | 436 x 299 x 135/ 242                                             | Absorption         |
| HiPro Vision<br>(Glass Door) | 34L          | 559 x 405 x 465                               | Absorption         | HiPro Evolution A40G | 33L          | 550 x 405 x 466                               | 436 x 299 x 135/ 242                                             | Absorption         |
|                              |              |                                               |                    | Alternative:         |              |                                               |                                                                  |                    |
|                              |              |                                               |                    | HiPro Evolution N40G | 33L          | 550 x 405 x 435                               | 436 x 299 x 135/ 242                                             | Thermoelectric     |
| RH 131                       | 31L          | 524 x 380 x 445                               | Absorption         | HiPro Alpha A30S     | 27L          | 520 x 384 x 446                               | 406 x 278 x 114/ 222                                             | Absorption         |
|                              |              |                                               |                    | HiPro Evolution A30S | 27L          | 520 x 384 x 446                               | 406 x 278 x 114/ 222                                             | Absorption         |
|                              |              |                                               |                    | Alternative:         |              |                                               |                                                                  |                    |
|                              |              |                                               |                    | HiPro Alpha N30S     | 27L          | 520 x 384 x 415                               | 406 x 278 x 114/ 222                                             | Thermoelectric     |
|                              |              |                                               |                    | HiPro Evolution N30S | 27L          | 520 x 384 x 415                               | 406 x 278 x 114/ 222                                             | Thermoelectric     |
| RH 141                       | 41L          | 554 x 422 x 451                               | Absorption         | HiPro Alpha A40S     | 33L          | 550 x 405 x 466                               | 436 x 299 x 135/ 242                                             | Absorption         |
|                              |              |                                               |                    | HiPro Evolution A40S | 33L          | 550 x 405 x 466                               | 436 x 299 x 135/ 242                                             | Absorption         |
|                              |              |                                               |                    | Alternative:         |              |                                               |                                                                  |                    |
|                              |              |                                               |                    | HiPro Alpha N40S     | 33L          | 550 x 405 x 435                               | 436 x 299 x 135/ 242                                             | Thermoelectric     |
|                              |              |                                               |                    | HiPro Evolution N40S | 33L          | 550 x 405 x 435                               | 436 x 299 x 135/ 242                                             | Thermoelectric     |
| RH 430 LD                    | 26L          | 522 x 384 x 410                               | Absorption         | HiPro Alpha A30S     | 27L          | 520 x 384 x 446                               | 406 x 278 x 114/ 222                                             | Absorption         |
|                              |              |                                               |                    | HiPro Evolution A30S | 27L          | 520 x 384 x 446                               | 406 x 278 x 114/ 222                                             | Absorption         |
|                              |              |                                               |                    | Alternative:         |              |                                               |                                                                  |                    |
|                              |              |                                               |                    | HiPro Alpha N30S     | 27L          | 520 x 384 x 415                               | 406 x 278 x 114/ 222                                             | Thermoelectric     |
|                              |              |                                               |                    | HiPro Evolution N30S | 27L          | 520 x 384 x 415                               | 406 x 278 x 114/ 222                                             | Thermoelectric     |
| RH 430 LG<br>(Glass Door)    | 27L          | 522 x 384 x 420                               | Absorption         | HiPro Evolution A30G | 27L          | 520 x 384 x 446                               | 406 x 278 x 114/ 222                                             | Absorption         |
|                              |              |                                               |                    | Alternative:         |              |                                               |                                                                  |                    |
|                              |              |                                               |                    | HiPro Evolution N30G | 27L          | 520 x 384 x 415                               | 406 x 278 x 114/ 222                                             | Thermoelectric     |
| RH 430 NTE                   | 24L          | 522 x 384 x 395                               | Thermoelectric     | HiPro Alpha N30S     | 27L          | 520 x 384 x 415                               | 406 x 278 x 114/ 222                                             | Thermoelectric     |
|                              |              |                                               |                    | HiPro Evolution N30S | 27L          | 520 x 384 x 415                               | 406 x 278 x 114/ 222                                             | Thermoelectric     |
|                              |              |                                               |                    | Alternative:         |              |                                               |                                                                  |                    |
|                              |              |                                               |                    | HiPro Alpha A30S     | 27L          | 520 x 384 x 446                               | 406 x 278 x 114/ 222                                             | Absorption         |
|                              |              |                                               |                    | HiPro Evolution A30S | 27L          | 520 x 384 x 446                               | 406 x 278 x 114/ 222                                             | Absorption         |

| OLD MODEL                | TOTAL VOLUME | OUTER PRODUCT DIMENSIONS (H X W X D IN MM) | COOLING TECHNOLOGY | NEW MODEL            | TOTAL VOLUME | OUTER PRODUCT DIMENSIONS (H X W X D IN MM) | INNER PRODUCT DIMENSIONS (H x W x D w/ DR* / D w/o DR* IN MM) | COOLING TECHNOLOGY |
|--------------------------|--------------|--------------------------------------------|--------------------|----------------------|--------------|--------------------------------------------|---------------------------------------------------------------|--------------------|
| RH 439                   | 25L          | 522 x 380 x 434                            | Absorption         | HiPro Evolution A30S | 27L          | 520 x 384 x 446                            | 406 x 278 x 114/ 222                                          | Absorption         |
|                          |              |                                            |                    | Alternative:         |              |                                            |                                                               |                    |
|                          |              |                                            |                    | HiPro Evolution N30S | 27L          | 520 x 384 x 415                            | 406 x 278 x 114/ 222                                          | Thermoelectric     |
| RH 439 LDAG (Glass Door) | 26L          | 522 x 380 x 434                            | Absorption         | HiPro Evolution A30G | 27L          | 520 x 384 x 446                            | 406 x 278 x 114/ 222                                          | Absorption         |
|                          |              |                                            |                    | Alternative:         |              |                                            |                                                               |                    |
|                          |              |                                            |                    | HiPro Evolution N30G | 27L          | 520 x 384 x 415                            | 406 x 278 x 114/ 222                                          | Thermoelectric     |
| RH 440 LD                | 36L          | 554 x 401 x 446                            | Absorption         | HiPro Alpha A40S     | 33L          | 550 x 405 x 466                            | 436 x 299 x 135/ 242                                          | Absorption         |
|                          |              |                                            |                    | HiPro Evolution A40S | 33L          | 550 x 405 x 466                            | 436 x 299 x 135/ 242                                          | Absorption         |
|                          |              |                                            |                    | Alternative:         |              |                                            |                                                               |                    |
|                          |              |                                            |                    | HiPro Alpha N40S     | 33L          | 550 x 405 x 435                            | 436 x 299 x 135/ 242                                          | Thermoelectric     |
|                          |              |                                            |                    | HiPro Evolution N40S | 33L          | 550 x 405 x 435                            | 436 x 299 x 135/ 242                                          | Thermoelectric     |
| RH 440 LG (Glass Door)   | 37L          | 554 x 401 x 456                            | Absorption         | HiPro Evolution A40G | 33L          | 550 x 405 x 466                            | 436 x 299 x 135/ 242                                          | Absorption         |
|                          |              |                                            |                    | Alternative:         |              |                                            |                                                               |                    |
|                          |              |                                            |                    | HiPro Evolution N40G | 33L          | 550 x 405 x 435                            | 436 x 299 x 135/ 242                                          | Thermoelectric     |
|                          |              |                                            |                    | HiPro Evolution C40G | 33L          | 550 x 405 x 481                            | 436 x 299 x 135/ 242                                          | Compressor         |
| RH 440 NTE               | 32L          | 554 x 401 x 425                            | Thermoelectric     | HiPro Alpha N40S     | 33L          | 550 x 405 x 435                            | 436 x 299 x 135/ 242                                          | Thermoelectric     |
|                          |              |                                            |                    | HiPro Evolution N40S | 33L          | 550 x 405 x 435                            | 436 x 299 x 135/ 242                                          | Thermoelectric     |
|                          |              |                                            |                    | Alternative:         |              |                                            |                                                               |                    |
|                          |              |                                            |                    | HiPro Alpha A40S     | 33L          | 550 x 405 x 466                            | 436 x 299 x 135/ 242                                          | Absorption         |
|                          |              |                                            |                    | HiPro Evolution A40S | 33L          | 550 x 405 x 466                            | 436 x 299 x 135/ 242                                          | Absorption         |
| RH 449                   | 32L          | 580 x 422 x 440                            | Absorption         | HiPro Evolution A40S | 33L          | 550 x 405 x 466                            | 436 x 299 x 135/ 242                                          | Absorption         |
|                          |              |                                            |                    | Alternative:         |              |                                            |                                                               |                    |
|                          |              |                                            |                    | HiPro Evolution N40S | 33L          | 550 x 405 x 435                            | 436 x 299 x 135/ 242                                          | Thermoelectric     |
| RH 449 LDAG (Glass Door) | 33L          | 552 x 422 x 439                            | Absorption         | HiPro Evolution A40G | 33L          | 550 x 405 x 466                            | 436 x 299 x 135/ 242                                          | Absorption         |
|                          |              |                                            |                    | Alternative:         |              |                                            |                                                               |                    |
|                          |              |                                            |                    | HiPro Evolution N40G | 33L          | 550 x 405 x 435                            | 436 x 299 x 135/ 242                                          | Thermoelectric     |
| RH 460 LD                | 55L          | 563 x 486 x 474                            | Absorption         | HiPro Alpha C60S     | 49L          | 565 x 490 x 510                            | 451 x 356 x 167/ 237                                          | Compressor         |
|                          |              |                                            |                    | Alternative:         |              |                                            |                                                               |                    |
|                          |              |                                            |                    | HiPro Alpha A40S     | 33L          | 550 x 405 x 466                            | 436 x 299 x 135/ 242                                          | Absorption         |
| RH 460 LG (Glass Door)   | 55L          | 563 x 486 x 484                            | Absorption         | HiPro Evolution C60G | 49L          | 565 x 490 x 510                            | 451 x 356 x 237/ 167                                          | Compressor         |
|                          |              |                                            |                    | Alternative:         |              |                                            |                                                               |                    |
|                          |              |                                            |                    | HiPro Evolution A40G | 33L          | 550 x 405 x 466                            | 436 x 299 x 135/ 242                                          | Absorption         |
| RH 548                   | 40L          | 554 x 401 x 446                            | Absorption         | HiPro Evolution A40S | 33L          | 550 x 405 x 466                            | 436 x 299 x 135/ 242                                          | Absorption         |
|                          |              |                                            |                    | Alternative:         |              |                                            |                                                               |                    |
|                          |              |                                            |                    | HiPro Evolution N40S | 33L          | 550 x 405 x 435                            | 436 x 299 x 135/ 242                                          | Thermoelectric     |
| CL 440 LDC               | 34L          | 554 x 401 x 440                            | Compressor         | HiPro Alpha C40S     | 33L          | 550 x 405 x 481                            | 436 x 299 x 135/ 242                                          | Compressor         |
|                          |              |                                            |                    | HiPro Evolution C40S | 33L          | 550 x 405 x 481                            | 436 x 299 x 135/ 242                                          | Compressor         |
| CL 440 LGC (Glass Door)  | 34L          | 554 x 401 x 450                            | Compressor         | HiPro Evolution C40G | 33L          | 550 x 405 x 481                            | 436 x 299 x 135/ 242                                          | Compressor         |
| CL 460 LDC               | 49L          | 562 x 485 x 475                            | Compressor         | HiPro Alpha C60S     | 49L          | 565 x 490 x 510                            | 451 x 356 x 167/ 237                                          | Compressor         |
| CL 460 LGC (Glass Door)  | 49L          | 562 x 485 x 485                            | Compressor         | HiPro Evolution C60G | 49L          | 565 x 490 x 510                            | 451 x 356 x 237/ 167                                          | Compressor         |

\*w/ DR + w/o DR: Referring to the depth with (including) Door Rack and without Door Rack.





**ES**

CLIMATE

FOOD & BEVERAGE

HYGNE & SANITATION

POWER & CONTROL



# FROM STANDARD TO PREMIUM

## The range of Dometic ProSafe models

Security is an essential requirement for hotel guests, and one of the main reasons for choosing or discarding a destination and a hotel. The Dometic Group aware of this, is always developing and improving all of its products in order to meet the needs of customers.

The Dometic ProSafe range goes one step further in terms of design, functionality, technology and security. All Standard and Premium safes have a very modern design with a LED display with white digits, an ADA-compliant keypad, confirmation buzzer, screw fastened battery slot, smooth automatic opening\*, optional EU socket with an USB-A and USB-C charging slot\*\*, solid locking 19mm steel bolts,

LED interior light, and a soft carpet. Forgotten PIN? No problem. A master code is standard, with optional master key for all models. The ProSafe Premium line includes an anti-tampering system, a tracking system that logs the 1st 1000 operations and an online tool which offers the possibility to operate the safe with the strictest security. The elegant cabinets of the ProSafe Premium line have laser cut doors and frames with rounded corners and edges and include a soft beige colored carpet.



**Batteries included**  
Ready to use with lids secured by screws



**Automatic opening \***  
Safe door opens automatically



**EU socket with USB-A and USB-C slots\*\***  
Optional EU socket for charging mobile devices



**Low battery indicator**  
Standard models displays "LO-BAT," while the Premium model shows "BAT-LO" on its screen

\*not available on MD400T and MD400D  
\*\*not available on MD280, MD310 and MD400D



### Premium Class

Excellence in form and function: Dometic safes offer features like iAudit tracking and the REOS Remote Emergency Opening System ensure security on all levels.



### Standard Class

High security level combined with easy operation for perfect comfort and convenience.

## PRODUCT FINDER - THE QUICK WAY TO FIND THE RIGHT PRODUCT

### Laser-cut door

Our doors are precisely cut and crafted by a laser beam. This allows us to achieve 100% accuracy in dimensions and an extremely small clearance between the door and casing, making the door impossible to pry open.

### SAM

The unique Dometic safe management system (SAM) allows for iAudit Trail and one time emergency code generation (REOS) from a user friendly but PIN secured online tool.

### Anti-Tamper system

The anti-tamper system protects the unit from unauthorized interference. If an attempt is made to manipulate the electronics—such as prying open the control board or tampering with internal components—the system automatically blocks the user interface. Once activated, the safe cannot be opened or closed until it is reset through the Safe Management system.

### REOS code

REOS stands for Dometic's Remote Emergency Opening System. The emergency-opening system from Dometic is based on an innovative encoding system. The unique solution

combines advanced electronics with state-of-the-art online technology to allow simple yet highly secure emergency opening by authorised hotel staff.

### iAudit tracking

All operations effected on a safe must be documented – for your own security and for your insurance provider. This is where Dometic's Premium iAudit system offers a truly convenient solution: the integrated microchip provides storage capacity for the last 1,000 events.

● Yes / – No / ○ Optional


| WHAT'S IMPORTANT TO YOU?           | PREMIUM CLASS | STANDARD CLASS |
|------------------------------------|---------------|----------------|
| Soft carpet                        | ● (Beige)     | ● (Grey)       |
| Automatic opening*                 | ●             | ●              |
| LED interior light                 | ●             | ●              |
| LED display                        | ●             | ●              |
| Emergency opening with master key  | ●             | ●              |
| Emergency opening with master code | ●             | ●              |
| Emergency opening with REOS Code   | ○             | –              |
| Anti-Tamper System                 | ○             | –              |
| iAudit tracking                    | ●             | –              |
| SAM                                | ○             | –              |
| Laser-cut door                     | ●             | –              |
| USB charging slot (EU)**           | ○             | ○              |

\*not available on MD400T and MD400D

\*\*not available on MD280, MD310 and MD400D

SAFE TO SAY IT'S MORE CONVENIENT

# **PREMIUM CLASS IN-ROOM SAFES**



# DOMETIC PREMIUM CLASS SAFES

Protection for more privacy – comfortably and with absolute reliability. With a Dometic Premium class safe, a hotel room becomes a perfectly private haven for the guest. A safe place for storage, conceived and implemented according to the newest standards. Its innovative design suits every hotel in a stylish way, available in both left- and right-hinged or top opening and drawer versions. Smooth surfaces and rounded edges make it easy to look after and give it long-lasting character. An easy to read LED display and the integrated soft-touch

keypad make operation effortless. The Premium ProSafe line also breaks new ground when it comes to protective properties: technology like the iAudit and the anti-tampering system ensure security on all levels. The demand for contemporary security systems with added convenience is supported by special features such as REOS software with its emergency code-opening system (optional).

- LED interior light and Automatic opening
- Enough room to fit laptop and tablet computers
- Beige soft carpet
- Laser-cut door and frame
- iAudit for convenient documentation
- Emergency opening with key and master code
- Anti-tamper system (optional)
- Remote Emergency Opening System (optional)



## WIDE CHOICE OF MODELS AND SIZES

Dometic ProSafe Premium class safes are available in various sizes to suit different capacity demands, interior designs and installation conditions. Sizes range from 8 to 28.7 litres.



### Beige carpet

Soft beige carpet for clear visibility and gentle placement



### Laser-cut door and frame

Elegant design with precise and robust construction



### iAudit for convenient documentation

Special microchip with storage capacity for the last 1000 event



### Safe Management System (optional)

Secure one-time emergency code generation and Anti-Tamper system

|                                     |                                                                                                                                                                                                |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                 |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                     |                                                                                                               |                                                                                                                                               |                                                                                                                                              |
|                                     |                                                                                                                                                                                                |                                                                                                                                              |                                                                                                                                              |
| TECHNICAL DATA                      |                                                                                                                                                                                                |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                 |
| MODEL                               | MD 280                                                                                                                                                                                         | MD 360                                                                                                                                                                                                                          | MD 380                                                                                                                                                                                                                          |
| Type of product                     | Electronic safe                                                                                                                                                                                |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                 |
| Capacity (litres)                   | 8                                                                                                                                                                                              | 23.7                                                                                                                                                                                                                            | 27.8                                                                                                                                                                                                                            |
| Exterior dimensions (H × W × D, mm) | 165 × 280 × 235                                                                                                                                                                                | 190 × 360 × 410                                                                                                                                                                                                                 | 190 × 380 × 450                                                                                                                                                                                                                 |
| Interior dimensions (H × W × D, mm) | 160 × 277 × 184                                                                                                                                                                                | 185 × 357 × 359                                                                                                                                                                                                                 | 185 × 377 × 399                                                                                                                                                                                                                 |
| Steel thickness (mm)                | Door: 5.0 / Body 1.5                                                                                                                                                                           | Door: 5.0 / Body 1.5                                                                                                                                                                                                            | Door: 5.0 / Body 1.5                                                                                                                                                                                                            |
| Net weight (kg)                     | 6.15                                                                                                                                                                                           | 10.18                                                                                                                                                                                                                           | 11.08                                                                                                                                                                                                                           |
| Keypad                              | ADA-compliant rubber keypad                                                                                                                                                                    |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                 |
| Display                             | White LED color display, 4-digit guest code, English language                                                                                                                                  |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                 |
| Locking mechanism                   | Two 19 mm solid steel bolts                                                                                                                                                                    |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                 |
| Locking system                      | Motorised with automatic opening                                                                                                                                                               |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                 |
| Power                               | 4 LR6/AA 1.5 V batteries (incl.)                                                                                                                                                               |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                 |
| Carpet color                        | Beige                                                                                                                                                                                          |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                 |
| FEATURES                            |                                                                                                                                                                                                |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                 |
| Confirmation buzzer                 | ●                                                                                                                                                                                              | ●                                                                                                                                                                                                                               | ●                                                                                                                                                                                                                               |
| LED interior light                  | ●                                                                                                                                                                                              | ●                                                                                                                                                                                                                               | ●                                                                                                                                                                                                                               |
| Laser cut technology                | ●                                                                                                                                                                                              | ●                                                                                                                                                                                                                               | ●                                                                                                                                                                                                                               |
| Battery level check                 | ●                                                                                                                                                                                              | ●                                                                                                                                                                                                                               | ●                                                                                                                                                                                                                               |
| Mastercode opening                  | ●                                                                                                                                                                                              | ●                                                                                                                                                                                                                               | ●                                                                                                                                                                                                                               |
| Anti-tampering System               | ○                                                                                                                                                                                              | ○                                                                                                                                                                                                                               | ○                                                                                                                                                                                                                               |
| REOS                                | ○                                                                                                                                                                                              | ○                                                                                                                                                                                                                               | ○                                                                                                                                                                                                                               |
| iAudit                              | ●                                                                                                                                                                                              | ●                                                                                                                                                                                                                               | ●                                                                                                                                                                                                                               |
| Laptop size                         | –                                                                                                                                                                                              | 15"                                                                                                                                                                                                                             | 17"                                                                                                                                                                                                                             |
| OPTIONS                             |                                                                                                                                                                                                |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                 |
|                                     | <ul style="list-style-type: none"><li>• Left-hand hinge</li><li>• Anti-tampering System</li><li>• Two steps emergency code opening (REOS)</li><li>• Fixing Kit</li><li>• Master key*</li></ul> | <ul style="list-style-type: none"><li>• Left-hand hinge</li><li>• Anti-tampering System</li><li>• Two steps emergency code opening (REOS)</li><li>• Integrated socket (EU)</li><li>• Fixing Kit</li><li>• Master key*</li></ul> | <ul style="list-style-type: none"><li>• Left-hand hinge</li><li>• Anti-tampering System</li><li>• Two steps emergency code opening (REOS)</li><li>• Integrated socket (EU)</li><li>• Fixing Kit</li><li>• Master key*</li></ul> |

\*Master keys are optional, must be ordered separately, and are model-specific.

|                                     |                                                                                    |                                                                                                                                                                                                                                 |                                                                                     |                                                                                                                                                                                                                                 |  |
|-------------------------------------|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| TECHNICAL DATA                      |  |                                                                                                                                                                                                                                 |  |                                                                                                                                                                                                                                 |  |
|                                     | MODEL                                                                              |                                                                                                                                                                                                                                 | MODEL                                                                               |                                                                                                                                                                                                                                 |  |
| MODEL                               |                                                                                    | MD 405                                                                                                                                                                                                                          |                                                                                     | MD 490                                                                                                                                                                                                                          |  |
| Type of product                     |                                                                                    | Electronic safe                                                                                                                                                                                                                 |                                                                                     |                                                                                                                                                                                                                                 |  |
| Capacity (litres)                   |                                                                                    | 22.2                                                                                                                                                                                                                            |                                                                                     | 28.7                                                                                                                                                                                                                            |  |
| Exterior dimensions (H × W × D, mm) |                                                                                    | 190 × 405 × 350                                                                                                                                                                                                                 |                                                                                     | 190 × 490 × 370                                                                                                                                                                                                                 |  |
| Interior dimensions (H × W × D, mm) |                                                                                    | 185 × 402 × 299                                                                                                                                                                                                                 |                                                                                     | 185 × 487 × 319                                                                                                                                                                                                                 |  |
| Steel thickness (mm)                |                                                                                    | Door: 5.0 / Body 1.5                                                                                                                                                                                                            |                                                                                     | Door: 5.0 / Body 1.5                                                                                                                                                                                                            |  |
| Net weight (kg)                     |                                                                                    | 10.19                                                                                                                                                                                                                           |                                                                                     | 12.17                                                                                                                                                                                                                           |  |
| Keypad                              |                                                                                    | ADA-compliant rubber keypad                                                                                                                                                                                                     |                                                                                     |                                                                                                                                                                                                                                 |  |
| Display                             |                                                                                    | White LED color display, 4-digit guest code, English language                                                                                                                                                                   |                                                                                     |                                                                                                                                                                                                                                 |  |
| Locking mechanism                   |                                                                                    | Two 19 mm solid steel bolts                                                                                                                                                                                                     |                                                                                     |                                                                                                                                                                                                                                 |  |
| Locking system                      |                                                                                    | Motorised with automatic opening                                                                                                                                                                                                |                                                                                     |                                                                                                                                                                                                                                 |  |
| Power                               |                                                                                    | 4 LR6/AA 1.5 V batteries (incl.)                                                                                                                                                                                                |                                                                                     |                                                                                                                                                                                                                                 |  |
| Cabinet color                       |                                                                                    | Beige                                                                                                                                                                                                                           |                                                                                     |                                                                                                                                                                                                                                 |  |
| FEATURES                            |                                                                                    |                                                                                                                                                                                                                                 |                                                                                     |                                                                                                                                                                                                                                 |  |
| Confirmation buzzer                 |                                                                                    | ●                                                                                                                                                                                                                               |                                                                                     | ●                                                                                                                                                                                                                               |  |
| LED interior light                  |                                                                                    | ●                                                                                                                                                                                                                               |                                                                                     | ●                                                                                                                                                                                                                               |  |
| Laser cut technology                |                                                                                    | ●                                                                                                                                                                                                                               |                                                                                     | ●                                                                                                                                                                                                                               |  |
| Battery level check                 |                                                                                    | ●                                                                                                                                                                                                                               |                                                                                     | ●                                                                                                                                                                                                                               |  |
| Mastercode opening                  |                                                                                    | ●                                                                                                                                                                                                                               |                                                                                     | ●                                                                                                                                                                                                                               |  |
| Anti-tampering System               |                                                                                    | ○                                                                                                                                                                                                                               |                                                                                     | ○                                                                                                                                                                                                                               |  |
| REOS                                |                                                                                    | ○                                                                                                                                                                                                                               |                                                                                     | ○                                                                                                                                                                                                                               |  |
| iAudit                              |                                                                                    | ●                                                                                                                                                                                                                               |                                                                                     | ●                                                                                                                                                                                                                               |  |
| Laptop size                         |                                                                                    | 15"                                                                                                                                                                                                                             |                                                                                     | 17"                                                                                                                                                                                                                             |  |
| OPTIONS                             |                                                                                    |                                                                                                                                                                                                                                 |                                                                                     |                                                                                                                                                                                                                                 |  |
|                                     |                                                                                    | <ul style="list-style-type: none"><li>• Left-hand hinge</li><li>• Anti-tampering System</li><li>• Two steps emergency code opening (REOS)</li><li>• Integrated socket (EU)</li><li>• Fixing Kit</li><li>• Master key*</li></ul> |                                                                                     | <ul style="list-style-type: none"><li>• Left-hand hinge</li><li>• Anti-tampering System</li><li>• Two steps emergency code opening (REOS)</li><li>• Integrated socket (EU)</li><li>• Fixing Kit</li><li>• Master key*</li></ul> |  |

\*Master keys are optional, must be ordered separately, and are model-specific.

● Yes / – No / ○ Optional

# DOMETIC STANDARD CLASS SAFES

**Robustly made with user-friendly features and functions**

It puts hotel guests' mind at rest to have a safe place for their valuables while travelling. Providing a secure space for important or valuable objects yet it is a distinctive feature when choosing a hotel room or suite. With a Standard class ProSafe, you can create a reliable spot in a guest room that is worth every penny. Security and functionality are paramount with all Dometic safe models. The Standard class safe models offer your guests a high level of security thanks to their robust construction. Their simple and intuitive usability provides perfect comfort and convenience.

- LED interior light and Automatic opening
- Enough room to fit laptop and tablet computers
- Grey soft carpet
- Master key and master code emergency opening
- Wide choice: horizontal, top-opening, drawer

## DOMETIC PROSAFE MD 310 / 390 / 450 SAFE INVESTMENT



With quality and security at their core, these value-for-money in-room safes significantly enhance the security of existing hotel rooms.

The doors on all the Standard Class safe models are precisely cut and crafted. Their robust construction and a locking system with extra-strong steel bolts leave no point of attack for burglars. The LED interior light minimises the risk of forgotten valuables. Fast and secure emergency opening is possible with a master key or master code.

- Value-for-money solution for upgrading hotel rooms
- Left- and right-hinged models – from 7.5 to 28.2 litres capacity



# DOMETIC PROSAFE DRAWER-OPENING SAFE

The doors on all the Standard Class safe models are precisely cut and crafted. Their robust construction and a locking system with extra-strong steel bolts leave no point of attack for burglars. Fast and secure emergency opening is possible with a master key or master code (depending on the model).

- Robust, reliable construction for optimal safety
- Sturdy rails for smooth opening and closing



## Simply slide

Sturdy rails for smooth opening and closing



## Pull-out Handle

Integrated handle for easy opening and closing.



# DOMETIC PROSAFE TOP-OPENING SAFE

Part of the Dometic Standard class range, the Dometic ProSafe MD 400 T top-opening safe provides a simple, yet ingenious solution that is easy to operate and safe to use. The top-opening safe can be integrated in an existing furniture drawer and provides easy access to guests' valuables. At the same time it meets the highest demands on ergonomic design, comfort and security with an LED inside light for standard, master key and master code opening possibility in case of emergency, digital keypad, four-digit code and top-opening stabilizer arm. An audio signal confirms that the safe is securely locked.

- Convenient access from above
- Ideal for installation into existing hotel room drawer
- Stabilizer arm for smooth opening and closing of the lid



## Easy operation

ADA-compliant keypad and an elegant LED display with white digits



## Handle

Integrated handle for easy opening and closing.



## Hydraulic arm

Stabilizer arm for smooth opening and closing



## Soft close

Muted door closing.

SAFETY & SECURITY

SAFETY SOLUTIONS / PROSAFE STANDARD CLASS

|                                        |                                                                                                              |                                                                                                                                               |                                                                                                                                               |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
|                                        |                             |                                                             |                                                            |
| TECHNICAL DATA                         |                                                                                                              |                                                                                                                                               |                                                                                                                                               |
| MODEL                                  | MD 310                                                                                                       | MD 390                                                                                                                                        | MD 450                                                                                                                                        |
| Type of product                        | Electronic safe                                                                                              |                                                                                                                                               |                                                                                                                                               |
| Capacity (litres)                      | 7.5                                                                                                          | 29.5                                                                                                                                          | 28.2                                                                                                                                          |
| Exterior dimensions<br>(H × W × D, mm) | 165 × 310 × 235                                                                                              | 200 × 390 × 470                                                                                                                               | 200 × 450 × 400                                                                                                                               |
| Interior dimensions<br>(H × W × D, mm) | 153 × 306 × 161                                                                                              | 188 × 386 × 406                                                                                                                               | 188 × 446 × 336                                                                                                                               |
| Steel thickness (mm)                   | Door: 5.0 / Body 2                                                                                           |                                                                                                                                               |                                                                                                                                               |
| Net weight (kg)                        | 7.07                                                                                                         | 13.26                                                                                                                                         | 13.47                                                                                                                                         |
| Keypad                                 | ADA-compliant keypad                                                                                         |                                                                                                                                               |                                                                                                                                               |
| Display                                | White LED 4-digit guest code, English language                                                               |                                                                                                                                               |                                                                                                                                               |
| Locking mechanism                      | Two 19 mm steel bolts                                                                                        |                                                                                                                                               |                                                                                                                                               |
| Locking system                         | Motorised with automatic opening                                                                             |                                                                                                                                               |                                                                                                                                               |
| Power                                  | 4 LR6/AA 1.5 V batteries (incl.)                                                                             |                                                                                                                                               |                                                                                                                                               |
| Carpet color                           | Grey                                                                                                         |                                                                                                                                               |                                                                                                                                               |
| FEATURES                               |                                                                                                              |                                                                                                                                               |                                                                                                                                               |
| Confirmation buzzer                    | ●                                                                                                            | ●                                                                                                                                             | ●                                                                                                                                             |
| LED interior light                     | ●                                                                                                            | ●                                                                                                                                             | ●                                                                                                                                             |
| Laser cut technology                   | –                                                                                                            | –                                                                                                                                             | –                                                                                                                                             |
| Battery level check                    | –                                                                                                            | –                                                                                                                                             | –                                                                                                                                             |
| Mastercode opening                     | ●                                                                                                            | ●                                                                                                                                             | ●                                                                                                                                             |
| Anti-tampering System                  | –                                                                                                            | –                                                                                                                                             | –                                                                                                                                             |
| REOS                                   | –                                                                                                            | –                                                                                                                                             | –                                                                                                                                             |
| iAudit                                 | –                                                                                                            | –                                                                                                                                             | –                                                                                                                                             |
| Laptop size                            | –                                                                                                            | 17"                                                                                                                                           | 15"                                                                                                                                           |
| OPTIONS                                |                                                                                                              |                                                                                                                                               |                                                                                                                                               |
|                                        | <ul style="list-style-type: none"><li>• Left-hand hinge</li><li>• Fixing kit</li><li>• Master key*</li></ul> | <ul style="list-style-type: none"><li>• Integrated socket (EU)</li><li>• Left-hand hinge</li><li>• Fixing kit</li><li>• Master key*</li></ul> | <ul style="list-style-type: none"><li>• Integrated socket (EU)</li><li>• Left-hand hinge</li><li>• Fixing kit</li><li>• Master key*</li></ul> |

\*Master keys are optional, must be ordered separately, and are model-specific.

| TECHNICAL DATA                             |                                       |    |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| MODEL                                      | MD 400T                                                                                                                 | MD 400D                                                                               |
| <b>Type of product</b>                     | Electronic safe                                                                                                         |                                                                                       |
| <b>Capacity</b> (litres)                   | 10.7                                                                                                                    | 15                                                                                    |
| <b>Exterior dimensions</b> (H × W × D, mm) | 130 × 400 × 350                                                                                                         | 200 × 400 × 440                                                                       |
| <b>Interior dimensions</b> (H × W × D, mm) | 79 × 394 × 344                                                                                                          | 131 × 312 × 368                                                                       |
| <b>Steel thickness</b> (mm)                | Door: 3.0 / Body 1.5                                                                                                    | Door: 5.0 / Body 1.5                                                                  |
| <b>Net weight</b> (kg)                     | 9.12                                                                                                                    | 16.49                                                                                 |
| <b>Keypad</b>                              | ADA-compliant keypad                                                                                                    |                                                                                       |
| <b>Display</b>                             | White LED 4-digit guest code, English language                                                                          |                                                                                       |
| <b>Locking mechanism</b>                   | Two 19 mm steel bolts                                                                                                   |                                                                                       |
| <b>Locking system</b>                      | Hydraulic arm                                                                                                           | Sliding rails                                                                         |
| <b>Power</b>                               | 4 LR6/AA 1.5 V batteries (incl.)                                                                                        |                                                                                       |
| <b>Carpet color</b>                        | Grey                                                                                                                    |                                                                                       |
| <b>FEATURES</b>                            |                                                                                                                         |                                                                                       |
| <b>Confirmation buzzer</b>                 | ●                                                                                                                       | ●                                                                                     |
| <b>LED interior light</b>                  | ●                                                                                                                       | –                                                                                     |
| <b>Laser cut technology</b>                | –                                                                                                                       | –                                                                                     |
| <b>Battery level check</b>                 | –                                                                                                                       | –                                                                                     |
| <b>Mastercode opening</b>                  | ●                                                                                                                       | ●                                                                                     |
| <b>Anti-tampering System</b>               | –                                                                                                                       | –                                                                                     |
| <b>REOS</b>                                | –                                                                                                                       | –                                                                                     |
| <b>iAudit</b>                              | –                                                                                                                       | –                                                                                     |
| <b>Laptop size</b>                         | 15"                                                                                                                     | 15"                                                                                   |
| <b>OPTIONS</b>                             |                                                                                                                         |                                                                                       |
|                                            | <ul style="list-style-type: none"> <li>• Integrated socket (EU)</li> <li>• Fixing kit</li> <li>• Master key*</li> </ul> | <ul style="list-style-type: none"> <li>• Fixing kit</li> <li>• Master key*</li> </ul> |

● Yes / – No / O Optional



**DRAW**





# THE DOMETIC DRAWBAR


Tailored to your taste

Re-creating the feeling of a perfect evening out in the comfort of your own kitchen means getting the details right. Like un-corking a good wine and serving it at the optimal temperature, at just the right moment. The Dometic DrawBar blends elegantly into your kitchen and adds a unique finishing touch to your home. It's an enticing detail that elevates every glass and turns it into a memorable experience.



red*dot* award  
product design 2022





## KEY FEATURES

### A PERFECT WINE EXPERIENCE

For optimal serving temperature, select one of five pre-set options, professionally tailored for different types of wine: 5, 8, 11, 14 or 17 °C.

### COMPACT WINE STORAGE

The Dometic DrawBar is always close at hand and fits up to five bottles, from long Riesling to large Champagne.

### CONTROLLED STORING ENVIRONMENT

Powerful and efficient compressor cooling technology with electronic controls. Humidity-control tray further improves the storing environment.

### DESIGNED TO STAND OUT

Soft illumination elegantly showcases your wine bottles and adds a touch of luxury to your kitchen.

### PERFECT FIT

The Dometic DrawBar fits standard 60 cm wide cabinets. Glass or custom front panels ensure a refined and coordinated finish to your kitchen design.


# THE DOMETIC DRAWBAR RANGE



**Dometic DrawBar 5B**  
Black glass front



**Dometic DrawBar 5C**  
Transparent glass front



**Dometic DrawBar 5S**  
Custom cabinet front

| DRAWBAR<br>TECHNICAL DATA             |  |  |  |
|---------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                       |                                                                                   |                                                                                     |                                                                                     |
| MODEL                                 | DRAWBAR 5B                                                                        | DRAWBAR 5C                                                                          | DRAWBAR 5S                                                                          |
| Total volume (litre)                  | 15                                                                                | 15                                                                                  | 15                                                                                  |
| Product dimensions<br>(H × W × D, mm) | 140 × 556 × 541.5                                                                 | 140 × 556 × 541.5                                                                   | 140 × 556 × 541.5                                                                   |
| Shelves                               | 1 metal rack                                                                      | 1 metal rack                                                                        | 1 metal rack                                                                        |
| Door lock                             | No                                                                                | No                                                                                  | No                                                                                  |
| Climate class                         | 16–32 °C (N)                                                                      | 16–32 °C (N)                                                                        | 16–32 °C (N)                                                                        |
| Temperature setting (°C)              | 5–17                                                                              | 5–17                                                                                | 5–17                                                                                |
| Defrost                               | Auto                                                                              | Auto                                                                                | Auto                                                                                |
| Energy class                          | G                                                                                 | G                                                                                   | G                                                                                   |
| Noise level (dB)                      | 45                                                                                | 45                                                                                  | 45                                                                                  |
| Refrigerant                           | R600a                                                                             | R600a                                                                               | R600a                                                                               |
| Power cord length (m)                 | 1.9                                                                               | 1.9                                                                                 | 1.9                                                                                 |
| Electrical specifications             | 45W, 220V~240V 50Hz                                                               | 45W, 220V~240V 50Hz                                                                 | 45W, 220V~240V 50Hz                                                                 |

**BELGIUM, NETHERLANDS****& LUXEMBOURG****Dometic BeNeLuX**

In der Steinwiese 16

D-57074 Siegen

Tel +49 (0) 271 692 134 / 142

+49 (0) 271 692 127

Mail [hospitality\\_nl@dometic.com](mailto:hospitality_nl@dometic.com)

**DENMARK****Dometic Denmark A/S**

Nordensvej 15, Taulov

DK-7000 Fredericia

Tel +45 75585966

Mail [hospitality\\_ne@dometic.com](mailto:hospitality_ne@dometic.com)

**FINLAND****Dometic Finland Oy**

Valimotie 15

FIN-00380 Helsinki

Tel +358 20 7413220

Mail [hospitality\\_ne@dometic.com](mailto:hospitality_ne@dometic.com)

**FRANCE****Dometic SAS**

6 Avenue du Poteau

Batiment B1

60300 Chamant

Tel +33 3 44633521/33

Mail [hospitality\\_fr@dometic.com](mailto:hospitality_fr@dometic.com)

**GERMANY, AUSTRIA****& SWITZERLAND****Dometic GmbH**

In der Steinwiese 16

D-57074 Siegen

Tel +49 (0) 271 692 134 / 142

+49 (0) 271 692 127

Mail [hospitality\\_de@dometic.com](mailto:hospitality_de@dometic.com)

**ITALY****Dometic Italy S.r.l.**

Via Virgilio, 3

I-47122 Forlì (FC)

Tel +39 0543 754901

Mail [hospitality\\_it@dometic.com](mailto:hospitality_it@dometic.com)

**MIDDLE EAST & AFRICA****Dometic Middle East FZCO**

P.O. Box 17860

S-D 6, Jebel Ali Freezone

Dubai

Tel +971 4 883 3858

Mail [hospitality\\_ae@dometic.com](mailto:hospitality_ae@dometic.com)

**NORWAY****Dometic Norway AS**

Elveveien 30B

3262 Larvik

Tel +47 33428450

Mail [hospitality\\_ne@dometic.com](mailto:hospitality_ne@dometic.com)

**SWEDEN****Dometic Scandinavia AB**

Gustaf Melins gata 7

S-421 31 Västra Frölunda

Tel +46 31 7341100

Mail [hospitality\\_ne@dometic.com](mailto:hospitality_ne@dometic.com)

**SPAIN****Dometic Spain, S.L.**

Avda. Sierra del Guadarrama, 16

E-28691 Villanueva de la Cañada

Madrid

Tel +34 91 833 6089

Mail [hospitality\\_es@dometic.com](mailto:hospitality_es@dometic.com)

**PORTUGAL****Dometic Spain, S.L.**

Branch Office em Portugal

Rot. de São Gonçalo nº 1– Esc. 12

2775-399 Carcavelos

Tel +351 219 244 173

Mail [hospitality\\_pt@dometic.com](mailto:hospitality_pt@dometic.com)

**UNITED KINGDOM & IRELAND****Dometic UK Ltd.**

Dometic House, The Brewery,

Blandford St. Mary's

Dorset DT11 9LS

Tel +44 125 841 4581

Mail [hospitality\\_uk@dometic.com](mailto:hospitality_uk@dometic.com)

**FOR SALES IN POLAND, EASTERN  
EUROPE, TURKEY & ISRAEL, PLEASE  
CONTACT**

**HOSPITALITY\_EE@DOMETIC.COM**

**FOR SALES IN GREECE, PLEASE  
CONTACT**

**HOSPITALITY\_GR@DOMETIC.COM**

We distribute our products in around 100 markets. Please mail us at: [hospitality@dometic.com](mailto:hospitality@dometic.com), or check our website [dometic.com/hospitality](http://dometic.com/hospitality)

**USA & CANADA****Dometic Corporation**

Columbia Centre 1

5600 N. River Rd

Suite 250

Rosemont, IL 60018

Tel +1 574 326 7635

Tel +1 574 294 2511

Mail [hospitality\\_us@dometic.com](mailto:hospitality_us@dometic.com)

**MEXICO****Dometic MX**

Circuito Médicos No. 6 Local 1

Colonia Ciudad Satélite

CP 53100 Naucalpan de Juárez

Estado de México

Tel +52 55 5374 4108

Mail [hospitality\\_mx@dometic.com](mailto:hospitality_mx@dometic.com)

**EXPORT****Dometic Competence Center**

Circuito Médicos No. 6 Local 1

Colonia Ciudad Satélite

CP 53100 Naucalpan de Juárez

Estado de México

Tel +52 55 5374 4108

Mail [hospitality\\_mx@dometic.com](mailto:hospitality_mx@dometic.com)

**AUSTRALIA****Dometic Austria**

7 Nursery ave

Clayton South

Victoria 3169

Tel +61 1800 212 121

Mail [hospitality\\_au@dometic.com](mailto:hospitality_au@dometic.com)

**CHINA****Dometic Asia Co., Ltd**

Room 803-805A, Waterfront Place Block E,

No.31, Lane 168, Daduhe Road, Putuo

District, Shanghai, China

Tel +86-21-60325088

Mail [hospitality\\_cn@dometic.com](mailto:hospitality_cn@dometic.com)

**JAPAN****Dometic KK**

Maekawa-Shibaura, Bldg. 2

2-13-9 Shibaura Minato-ku

Tokyo 108-0023

Tel +81 3 5445 3333

Mail [hospitality\\_jp@dometic.com](mailto:hospitality_jp@dometic.com)