

Metric Full Height Lockers
Reduced Height Lockers
Postal Lockers
Large Capacity Lockers
Garment Dispenser Lockers
PowerBox Lockers
ShockBoc Lockers
Workwear Lockers
ZenBox Lockers
Seating & Benching
Standard Cupboards
Specialist Cupboards
Hazardous Cupboards
METRIC ONLY



Metric Datasheets 2026
Probe


Metric Full Height Lockers

Secure personal storage for everyone



Probe

Metric steel lockers



Our steel lockers are a great way to provide durable personal storage in schools, factories and offices and dry areas in sport centres and gyms. Our metal lockers are designed to withstand regular use and resist daily wear and tear making them ideal for use in busy environments.

An array of lock options (see page 7), colours (see page 8), door styles, compartment configurations and accessories, including support frames, sloping tops and integrated bench seating, are also available for all lockers, offering a unique, customisable installation for your premises.

Manufactured in the UK, our factory operates quality systems in accordance with the latest ISO standards and NEBOSH regulations.

Lockers have been tested and conform to the requirements of the British Standard for Clothes Lockers BS 4680: 1996 'Standard Duty'.



MEETS BS 4680: 1996
excluding size specification



All painted components are protected with a powder coating which incorporates ActiveCoat anti-bacterial technology.


ActiveCoat has been tested by an Internationally recognised microbiological testing laboratory for antibacterial performance, against the most widely encountered and problematic organisms including the MRSA Super bug and E-coli. These micro-organisms suffered a 99.9% reduction in population.



Important note regarding locker installations

Wherever possible lockers should be secured to ensure stability. Single lockers should ideally be fixed back to a wall. Runs of lockers should be fixed together side-to-side and either fixed back to a wall or fixed back-to-back to another run of lockers.

Door types



Solid door

Solid door lockers are our most popular range. Doors feature a welded internal door strengthener for added rigidity.



Perforated door

The perforations in the doors allow for airflow, helping reduce build-up of unpleasant odours from work clothes




Vision panel door

Vision lockers allow employees to store personal belongings securely, offering a clear view of the interior of each compartment.




Solid door locker configurations



1 compartment

Fixed top shelf with hanging rail and 2 coat hooks.




2 compartment

Fixed top shelf with hanging rail and 2 coat hooks per compartment.



3 compartment



4 compartment

Height - 1800mm*	
Width mm	Depth mm
300	300
300	380
300	450
380	380
380	450
450	450

* Height rises with sloping top - see page 9



5 compartment



6 compartment



8 compartment



10 compartment

Perforated door locker configurations



1 compartment
Fixed top shelf with hanging rail and 2 coat hooks.



2 compartment
Fixed top shelf with hanging rail and 2 coat hooks per compartment.




3 compartment



4 compartment



5 compartment




6 compartment

Height - 1800mm*	
Width mm	Depth mm
300	300
300	380
300	450
380	380
380	450
450	450

* Height rises with sloping top - see page 9

Positioning of perforations across different door widths




300mm wide

380mm wide

450mm wide

Vision panel door locker configurations



1 compartment
Fixed top shelf with hanging rail and 2 coat hooks.



2 compartment
Fixed top shelf with hanging rail and 2 coat hooks per compartment.



3 compartment

Height - 1800mm*	
Width mm	Depth mm
300	300
300	380
300	450
380	380
450	450

* Height rises with sloping top - see page 9



4 compartment



6 compartment

Lock Options

*Included in locker price. Request lock type at time of ordering.



Type A – Probe cam lock*

Even the standard lock has a micro sprung 10 disc lock featuring a massive 2000 serial combinations- all exclusive to Whittan. Two keys are included with each standard lock.



Type B – Hasp & staple*

Attractive design allowing easy use of padlock. Transfers responsibility for locking to the user. The user requires a padlock (not supplied) with a shackle diameter of 7mm.



Type P – Re-programmable combination lock

User Re-programmable


An effective 4 digit code combination lock with 10,000 possible combinations, making losing keys a thing of the past.

Suitable for multi user applications.
Master override key sold separately.




Type H (£1) – Dual coin/token return/retain

These locks are available with coin denominations £/€ or tokens, for either return or retain.



Type L – Digital combination lock 40,000 combinations

Simple to program battery operated lock which can last up to 50,000 operations before needing changing. Emergency access using service key. Single user supplied as standard but multi-user option is available (specify when ordering)



Type 73 – Nimbus RFID lock

The Nimbus RFID digital lock provides contactless locking and is compatible with RFID standards and incorporates a membrane touchpad for ease of programming. The keypad can also be used to override the lock when required.



Type SPU - Public

Type SPR - Private

Public multi-user auto scramble combination lock

Automatically scrambles to 0000 when opened. Has 999 highly secure combinations available - no batteries needed. It has a metal matte black shell and has a master key override (supplied separately) for code finding and lock resetting.

	Type A Included in price	Type B Included in price	Type P Extra cost	Type H Extra cost	Type L Extra cost	Type N Extra cost	Type S Extra cost
Plain Door							
1 Door	●	●	●	●	●	●	●
2 Door	●	●	●	●	●	●	●
3 Door	●	●	●	●	●	●	●
4 Door	●	●	●	●	●	●	●
5 Door	●	●	●	●	●	●	●
6 Door	●	●	●	●	●	●	●
8 Door	●	●	●	●	●	●	●
10 Door	●	●			●*	●*	
Perforated Door							
1 Door	●	●	●	●	●**	●**	●
2 Door	●	●	●	●	●**	●**	●
3 Door	●	●	●	●	●**	●**	●
4 Door	●	●	●	●	●**	●**	●
5 Door	●	●	●	●	●**	●**	●
6 Door	●	●	●	●	●**	●**	●
Vision Panel Door							
1 Door	●	●	●		●**	●**	●
2 Door	●	●	●		●**	●**	●
3 Door	●	●	●		●**	●**	●
4 Door	●	●	●		●**	●**	●
6 Door	●	●	●		●**	●**	●

* Type L & Type N Lock, Horizontal only

** Type L & Type N Lock, Vertical only

Colours, Accessories and Nesting



ActiveCoat antimicrobial technology is incorporated into all our lockers at the time of manufacture, offering constant protection against a wide range of bacteria.



Body colour range

Choice of 3 body colours.



Standard door colour range

Choice of 7 door colours.



Autumn door colour range

Choice of 5 door colours.



Please note that due to printing restrictions colours represented may differ from original product. We recommend you request a colour swatch before ordering.

Accessories



Sloping top height	
Locker depth	Additional height
300	125
380	158
450	187

Sloping tops are essential in hygiene sensitive locations (such as hospitals and the food industry). The slope prevents items and litter being left on locker tops and makes cleaning easier. Sloping Tops have a 22° upward slope from front to back which will add height to your locker. This varies according to the locker depth.



Lockers are often used in areas where floors need frequent cleaning. Locker stands provide maximum floor access raising lockers 150mm off the floor.



Two hardwood slats and metal framework form a bench seat in front of the locker, allowing full access to the locker.


Units are 400mm high and come complete with adjustable feet.

Also available;

- Double coat hook
- Hanging rail
- Captive coat hanger



Nesting



Nesting

Lockers can be supplied as nested units with lockers of the same overall dimensions, sharing common side panels, manufactured and supplied fitted together. Locker nesting makes efficiencies in manufacture, delivery, installation and space utilisation.

1800mm high		Nesting		
Width mm	Depth mm	Nest 1	Nest 2	Nest 3
300	300	●	●	●
300	380	●	●	●
300	450	●	●	●
380	380	●	●	
450	450	●	●	

Metric locker code structures

Solid door lockers

Prefix	Width mm 2 = 300 3 = 380 5 = 450			Locker Nesting 1, 2, 3	Carcass colour Refer to table		Lock Type Refer to table			
W	1	2	2	1	1	--	--	--	ST	
	Height mm 1 = 1800	Depth mm 2 = 300 3 = 380 5 = 450			Doors 1, 2, 3, 4, 5, 6, 8, 10 (insert T)	Door colour Refer to table		Sloping top ST - optional		

Example locker codes

W12211XDOB00 –1800(H),300(W),300(D), silver grey carcass, blue doors, nest 1, 1 door, cam lock

W12211XDOB00ST –1800(H),300(W),300(D), silver grey carcass, blue doors, cam lock, nest 1, 1 door, sloping top

Perforated door lockers

Prefix	Width mm 2 = 300 3 = 380 5 = 450			Locker Nesting 1, 2, 3	Carcass colour Refer to table		Lock Type Refer to table		Sloping top ST - optional	
W	1	2	2	1	1	--	--	--	A	ST
	Height mm 1 = 1800	Depth mm 2 = 300 3 = 380 5 = 450			Doors 1, 2, 3, 4, 5, 6	Door colour Refer to table		Door Type A = Perforated		

Example locker codes

W12211XDOB00A –1800(H),300(W),300(D), silver grey carcass, blue doors, nest 1, 1 door, cam lock

W12211XDOB00AST –1800(H),300(W),300(D), silver grey carcass, blue doors, cam lock, nest 1, 1 door, sloping top

Vision panel door lockers

Prefix	Width mm 2 = 300 3 = 380 5 = 450			Locker Nesting 1, 2, 3	Carcass colour Refer to table		Lock Type Refer to table		Sloping top ST - optional	
W	1	2	2	1	1	--	--	--	IP	ST
	Height mm 1 = 1800	Depth mm 2 = 300 3 = 380 5 = 450			Doors 1, 2, 3, 4, 5, 6	Door colour Refer to table		Door Type IP = Vision Door		

Example locker codes

W12211XDOB00IP –1800(H),300(W),300(D), silver grey carcass, blue doors, nest 1, 1 door, cam lock

W12211XDOB00IPST –1800(H),300(W),300(D), silver grey carcass, blue doors, cam lock, nest 1, 1 door, sloping top

Lock Codes

Code	Type	Description
00	Type A	Cam lock / deadlock
11	Type B	Hasp & Staple
81	Type H	Coin return
68V	Type L	Digital combination - vertical orientation
68H	Type L	Digital combination - horizontal orientation
72	Type N	Nimbus RFID - vertical orientation
73	Type N	Nimbus RFID - horizontal orientation
6P	Type P	Reprogrammable combination
7Q	Type SPR	Multi user scramble - Private
8Q	Type SPU	Multi user scramble - Public

Carcass colour

Code	Colour
XD	Silver / Grey
SK	Black
NG	White

Door colour

Code	Colour
AQ	Red
LW	Yellow
NG	White
OB	Blue
SK	Black
WB	Green
XD	Silver / Grey
VT	Ocean
LJ	Jade
UH	Orange
AC	Lilac
SY	Lemon

Probe
A Trusted **Whittan** Brand



STORAGE DESIGN LIMITED

Tel: 01446 772614

email: info@storage-design.ltd.uk

web: www.storage-design.ltd.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.

Reduced Height Lockers

Range of lockers that can be nested or stacked to create multi-compartment storage



Probe

Part height lockers

Education lockers have been specifically designed with users in mind, ensuring lockers and compartments are within the height range of the user age group for easy access and reach.

Cube and half height lockers are ideal for key stage 1 with three quarter lockers for key stage 2 ensuring pupils do not stretch or overreach to use them.

Half height lockers

Low lockers are ideal for nursery, infant and junior schools. Single door locker has a fixed garment hanging rail (except 300mm deep) with two coat hooks.



1 compartment



2 compartment



3 compartment

Height - 896mm*	
Width mm	Depth mm
300	300
300	390
300	450
380	380
380	450
450	450

* Height rises with sloping top - see page 9

Three quarter lockers

The three quarter locker fills the gap between standard half height and full height lockers.

Height - 1382mm*	
Width mm	Depth mm
300	300
300	380
300	450
380	380
380	450
450	450

* Height rises with sloping top - see page 9



1 compartment



2 compartment



3 compartment

PROBE FIRE ZERO
Probe Steel Products are fire tested and approved in line with European Standard - EN 13501-1: 2007 +A1: 2009

MEETS BS 4680: 1996
excluding size specification

MADE IN BRITAIN

ACTIVE COAT


All painted components are protected with a powder coating which incorporates ActiveCoat anti-bacterial technology.

ActiveCoat has been tested by an internationally recognised microbiological testing laboratory for antibacterial performance, against the most widely encountered and problematic organisms including the MRSA Super bug and E-coli. These micro-organisms suffered a 99.9% reduction in population.

Compact lockers, colours and accessories

For compact storage solutions (for smaller personal items, such as phones or bags); our range of small compartment lockers offer a safe and secure solution and efficiently uses space in workplace environments.

Personal effects locker




This slim locker offers convenient safe storage of small items like keys, wallets and phones.

Height - 915mm *	
Width mm	Depth mm
250	180

* Height rises 90mm with sloping top

Cube stackable lockers

Use these handy lockers as multi-purpose storage units, offered in a range of sizes so you can stack and bolt together to make the perfect small compartment solution.



Each Cube has the same side length.

Height - 300mm	
Width mm	Depth mm
300	300

Height - 380mm	
Width mm	Depth mm
380	380

Height - 450mm	
Width mm	Depth mm
450	450

Colour Options



ActiveCoat antimicrobial technology is incorporated into all our cupboards at the time of manufacture, offering constant protection against a wide range of bacteria.

Body colour range

Choice of 3 body colours.



Standard door colour range

Choice of 7 door colours.



Autumn door colour range

Choice of 5 door colours.



Please note that due to printing restrictions colours represented may differ from original product. We recommend you request a colour swatch before ordering.



Accessories



Sloping top height	
Locker depth	Additional height
300	125
380	158
450	187

Sloping tops are essential in hygiene sensitive locations (such as hospitals and the food industry). The slope prevents items and litter being left on locker tops and makes cleaning easier. Sloping Tops have a 22° upward slope from front to back which will add height to your locker. This varies according to the locker depth.



Lockers are often used in areas where floors need frequent cleaning. Locker stands provide maximum floor access raising lockers 150mm off the floor.

Lock options

*Included in locker price. Request lock type at time of ordering.



Type A – Probe cam lock*

Even the standard lock has a micro sprung 10 disc lock featuring a massive 2000 serial combinations - all exclusive to Whittan. Two keys are included with each standard lock.



Type B – Hasp & staple*

Attractive design allowing easy use of padlock. Transfers responsibility for locking to the user. The user requires a padlock (not supplied) with a shackle diameter of 7mm.



Type P – Re-programmable combination lock

User Re-programmable

An effective 4 digit code combination lock with 10,000 possible combinations, making losing keys a thing of the past.

Suitable for multi user applications.

Master override key sold separately.



Type SPU - Public

Type SPR - Private


Public multi-user auto scramble combination lock

Automatically scrambles to 0000 when opened. Has 999 highly secure combinations available - no batteries needed. It has a metal matte black shell and has a master key override (supplied separately) for code finding and lock resetting.



Type L – Digital combination lock 40,000 combinations

Simple to program battery operated lock which can last up to 50,000 operations before needing changing. Emergency access using service key. Single user supplied as standard but multi-user option is available (specify when ordering)



Type N – Nimbus RFID lock

The Nimbus RFID digital lock provides contactless locking and is compatible with RFID standards and incorporates a membrane touchpad for ease of programming. The keypad can also be used to override the lock when required.



Type H (£1) – Dual coin/token return/retain

These locks are available with coin denominations £/€ or tokens, for either return or retain.

Code structures

Half height lockers

Prefix	Width mm 2 = 300 3 = 380 5 = 450	Locker Nesting 1, 2, 3	Carcass colour Refer to table	Lock Type Refer to table 1
W	H	2	2	1
	Height mm H = 896	Depth mm 2 = 300 3 = 380 5 = 450	Doors 1, 2, 3	Door colour Refer to table
				Sloping top ST - optional

Example locker codes

WH2211XDOB00 –1800(H),300(W),300(D), silver grey carcass, blue doors, nest 1, 1 door, cam lock

WH2211XDOB00ST –1800(H),300(W),300(D), silver grey carcass, blue doors, cam lock, nest 1, 1 door, sloping top

Three quarter height lockers

Prefix	Width mm 2 = 300 3 = 380 5 = 450	Locker Nesting 1, 2, 3	Carcass colour Refer to table	Lock Type Refer to table 1
W	C	2	2	1
	Height mm C = 1346	Depth mm 2 = 300 3 = 380 5 = 450	Doors 1, 2, 3	Door colour Refer to table
				Sloping top ST - optional

Example locker codes

WC2211XDOB00 –1800(H),300(W),300(D), silver grey carcass, blue doors, nest 1, 1 door, cam lock

WC2211XDOB00ST –1800(H),300(W),300(D), silver grey carcass, blue doors, cam lock, nest 1, 1 door, sloping top

Personal effects lockers

Prefix	Depth mm 06 = 180	Locker Nesting 1 = 1	Carcass colour Refer to table
A	10	06	8
	Width mm 10 - 250	Doors 4, 8	Lock type & top Refer to lock table 2
			Door colour Refer to table

Example locker codes

A100641A01XDOB –250(W)180(D), 4 door, nest 1, Silver Grey carcass, blue doors, cam lock

A100641A22XDOB –250(W)180(D), 4 door, nest 1, Silver Grey carcass, blue doors, hasp & staple lock, sloping top

Cube lockers

Prefix	Width mm 12 = 300 15 = 380 18 = 450	Lock type & top Refer to lock table 2	Door colour Refer to table
P	QU	--	--
	Height mm QU = Cube	Depth mm 12 = 300 15 = 380 18 = 450	Carcass colour Refer to table

Example locker code

PQU1212A01XDOB –300(W)300(D) nest 1, 1 door, cam lock, silver grey carcass, blue door

Lock codes 1

Code	Type	Description
00	Type A	Cam lock / deadlock
11	Type B	Hasp & Staple
81	Type H	Coin return
68V	Type L	Digital combination - vertical orientation
68H	Type L	Digital combination - horizontal orientation
72	Type N	Nimbus RFID - vertical orientation
73	Type N	Nimbus RFID - horizontal orientation
6P	Type P	Reprogrammable combination
7Q	Type SPR	Multi user scramble - Private
8Q	Type SPU	Multi user scramble – Public

Lock codes 2

Code	Type	Description	Top
A01	Type A	Cam lock / deadlock	Flat
A02	Type B	Hasp & Staple	Flat
A04	Type A	Cam lock / deadlock	Sloping
A22	Type B	Hasp & Staple	Sloping

Carcass colour

Code	Colour
XD	Silver / Grey
SK	Black
NG	White

Door colour

Code	Colour
AQ	Red
LW	Yellow
NG	White
OB	Blue
SK	Black
WB	Green
XD	Silver / Grey
VT	Ocean
LJ	Jade
UH	Orange
AC	Lilac
SY	Lemon

Probe
A Trusted **Whittan** Brand



STORAGE DESIGN LIMITED

Tel: 01446 772614

email: info@storage-design.ltd.uk

web: www.storage-design.ltd.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.

Postal Lockers

Secure, organised solution for
internal mail distribution




Probe

Large capacity lockers

Postal Lockers provide a secure, organised solution for internal mail distribution across workplaces, education, healthcare, residential, and public sector environments.

Each compartment features an individual posting slot and lock mechanism, ensuring mail is protected from loss, theft, or damage. Ideal for centralised post systems, serviced offices, and hybrid work settings, Postal Lockers allow employees or residents to collect mail at their convenience, even when unavailable at delivery. This makes them a practical, space-efficient way to manage incoming mail securely and reliably.



MEETS BS 4680: 1996
excluding size specification



All painted components are protected with a powder coating which incorporates ActiveCoat anti-bacterial technology. ActiveCoat has been tested by an Internationally recognised microbiological testing laboratory for antibacterial performance, against the most widely encountered and problematic organisms including the MRSA Super bug and E-coli. These micro-organisms suffered a 99.9% reduction in population.

Important note regarding locker installations

Wherever possible lockers should be secured to ensure stability. Single lockers should ideally be fixed back to a wall. Runs of lockers should be fixed together side-to-side and either fixed back to a wall or fixed back-to-back to another run of lockers.

Lock options & accessories

*Included in locker price. Request lock type at time of ordering.



Type A – Probe cam lock*

Even the standard lock has a micro sprung 10 disc lock featuring a massive 2000 serial combinations-all exclusive to Whittan. Two keys are included with each standard lock.



Type B – Hasp & staple*

Attractive design allowing easy use of padlock. Transfers responsibility for locking to the user. The user requires a padlock (not supplied) with a shackle diameter of 7mm.



Type P – Re-programmable combination lock

User Re-programmable

An effective 4 digit code combination lock with 10,000 possible combinations, making losing keys a thing of the past.

Suitable for multi user applications.

Master override key sold separately.




Type SPU - Public

Type SPR - Private


Public multi-user auto scramble combination lock

Automatically scrambles to 0000 when opened. Has 999 highly secure combinations available - no batteries needed. It has a metal matte black shell and has a master key override (supplied separately) for code finding and lock resetting.



Type L – Digital combination lock 40,000 combinations

Simple to program battery operated lock which can last up to 50,000 operations before needing changing. Emergency access using service key. Single user supplied as standard but multi-user option is available (specify when ordering)



Type N – Nimbus RFID lock

The Nimbus RFID digital lock provides contactless locking and is compatible with RFID standards and incorporates a membrane touchpad for ease of programming. The keypad can also be used to override the lock when required.



Type H (£1) – Dual coin/token return

These locks are available with coin denominations £/€ or tokens, for either return or retain.

Accessories



Sloping top height	
Locker depth	Additional height
450	187

Sloping tops are essential in hygiene sensitive locations (such as hospitals and the food industry). The slope prevents items and litter being left on locker tops and makes cleaning easier. Sloping Tops have a 22° upward slope from front to back which will add height to your locker.



Lockers are often used in areas where floors need frequent cleaning. Locker stands provide maximum floor access raising lockers 150mm off the floor.



Two hardwood slats and metal framework form a bench seat in front of the locker, allowing full access to the locker. Units are 400mm high and come complete with adjustable feet.

Colours and code structures

Colour Options



ActiveCoat antimicrobial technology is incorporated into all our cupboards at the time of manufacture, offering constant protection against a wide range of bacteria.

Body colour range

Choice of 3 body colours.



Standard door colour range

Choice of 7 door colours.



Autumn door colour range


Choice of 5 door colours.



Please note that due to printing restrictions colours represented may differ from original product. We recommend you request a colour swatch before ordering.

Code structures

Postal lockers



Example locker codes

W12514XDOB006 – Postal locker, 1800(H),300(W),450(D), silver grey carcass, blue doors, nest 1, 4 door, cam lock

W12514XDOB006ST – Postal locker, 1800(H),300(W),450(D), silver grey carcass, blue doors, nest 1, 4 door, cam lock, sloping top

Lock codes

Code	Type	Description
00	Type A	Cam lock / deadlock
11	Type B	Hasp & Staple
81	Type H	Coin return
68V	Type L	Digital combination - vertical orientation
68H	Type L	Digital combination - horizontal orientation
72	Type N	Nimbus RFID - vertical orientation
73	Type N	Nimbus RFID - horizontal orientation
6P	Type P	Reprogrammable combination
7Q	Type SPR	Multi user scramble - Private
8Q	Type SPU	Multi user scramble - Public

Carcass colour

Code	Colour
XD	Silver / Grey
SK	Black
NG	White

Door colour

Code	Colour
AQ	Red
LW	Yellow
NG	White
OB	Blue
SK	Black
WB	Green
XD	Silver / Grey
VT	Ocean
LJ	Jade
UH	Orange
AC	Lilac
SY	Lemon

Probe
A Trusted **Whittan** Brand



STORAGE DESIGN LIMITED

Tel: 01446 772614

email: info@storage-design.ltd.uk

web: www.storage-design.ltd.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.

Large Capacity Lockers

Secure storage solution for bulky uniforms
and heavy workwear



Probe

Large capacity lockers

Our range of large capacity lockers provide ample space for bulky uniforms, workwear, safety wear, and equipment, preserving their integrity.

They enhance organisational efficiency by reducing clutter and ensuring easy access, boosting punctuality and productivity. These lockers also offer robust security, protecting valuable items from theft.

Ventilated designs help keep workwear dry and odour-free. Overall, large capacity lockers are essential for organised, secure, and hygienic storage in workplaces requiring bulky workwear.



MEETS BS 4680: 1996
excluding size specification

PROBE FIRE ZERO
Probe Steel Products are fire tested and approved in line with
European Standard - EN 13501-1: 2007 +A1: 2009

AC+IVE COAT

All painted components are protected with a powder coating which incorporates ActiveCoat anti-bacterial technology. ActiveCoat has been tested by an Internationally recognised microbiological testing laboratory for antibacterial performance, against the most widely encountered and problematic organisms including the MRSA Super bug and E-coli. These micro-organisms suffered a 99.9% reduction in population.

Important note regarding locker installations

Wherever possible lockers should be secured to ensure stability. Single lockers should ideally be fixed back to a wall. Runs of lockers should be fixed together side-to-side and either fixed back to a wall or fixed back-to-back to another run of lockers.

The range



Police locker

Designed specifically to accommodate personal body armour and features a top shelf with a heavy duty hanging rail.

Height - 1800mm	
Width mm	Depth mm
450	600
600	600



Hi-capacity locker

Extra wide locker for storing bulky clothing and work wear. Fixed shelves ensure separation of item stored.

Height - 1800mm	
Width mm	Depth mm
600	450



Crew locker - 2 compartment

Large volume locker designed to accommodate workwear. Heavy duty hanging rail easily accommodates bulky wet weather clothing.

Height - 1800mm	
Width mm	Depth mm
600	600



Crew locker - 4 compartment

Large capacity locker designed to accommodate uniforms and plain clothes in one secure locker. Divided into four compartments to ensure separation of clothing.

Height - 1800mm	
Width mm	Depth mm
600	600

Lock options & accessories

*Included in locker price. Request lock type at time of ordering.



Type A – Probe cam lock*

Even the standard lock has a micro sprung 10 disc lock featuring a massive 2000 serial combinations - all exclusive to Whittan. Two keys are included with each standard lock.



Type B – Hasp & staple*

Attractive design allowing easy use of padlock. Transfers responsibility for locking to the user. The user requires a padlock (not supplied) with a shackle diameter of 7mm.



Type P – Re-programmable combination lock

User Re-programmable

An effective 4 digit code combination lock with 10,000 possible combinations, making losing keys a thing of the past.

Suitable for multi user applications.

Master override key sold separately.




Type SPU - Public

Type SPR - Private


Public multi-user auto scramble combination lock

Automatically scrambles to 0000 when opened. Has 999 highly secure combinations available - no batteries needed. It has a metal matte black shell and has a master key override (supplied separately) for code finding and lock resetting.



Type L – Digital combination lock 40,000 combinations

Simple to program battery operated lock which can last up to 50,000 operations before needing changing. Emergency access using service key. Single user supplied as standard but multi-user option is available (specify when ordering)



Type N – Nimbus RFID lock

The Nimbus RFID digital lock provides contactless locking and is compatible with RFID standards and incorporates a membrane touchpad for ease of programming. The keypad can also be used to override the lock when required.



Type H (£1) – Dual coin/token return/retain

These locks are available with coin denominations £/€ or tokens, for either return or retain.

Accessories



Sloping tops are essential in hygiene sensitive locations (such as hospitals and the food industry). The slope prevents items and litter being left on locker tops and makes cleaning easier. Sloping Tops have a 22° upward slope from front to back which will add height to your locker. This varies according to the locker depth.

Sloping top height	
Locker depth	Additional height
450	187
600	240



Lockers are often used in areas where floors need frequent cleaning. Locker stands provide maximum floor access raising lockers 150mm off the floor.



Two hardwood slats and metal framework form a bench seat in front of the locker, allowing full access to the locker.

Units are 400mm high and come complete with adjustable feet.

Colours and code structures



ActiveCoat antimicrobial technology is incorporated into all our cupboards at the time of manufacture, offering constant protection against a wide range of bacteria.

Body colour range

Choice of 3 body colours.



Standard door colour range

Choice of 7 door colours.



Autumn door colour range


Choice of 5 door colours.



Please note that due to printing restrictions colours represented may differ from original product. We recommend you request a colour swatch before ordering.

Code structures


Police & crew lockers



Example locker codes

W1581PXDOB00P0 – Police locker, 1800(H),450(W),600(D), silver grey carcass, blue doors, nest 1, 1 door, cam lock
W1881PNXDOB00P0 – Crew 2 cmp. locker, 1800(H),600(W),600(D), silver grey carcass, blue doors, nest 1, 1 door, cam lock-
W1881PNXDOB00C0ST – Crew 4 cmp. Locker, 1800(H),600(W),600(D), silver grey carcass, blue doors, cam lock, nest 1, 1 door, sloping top

Hi-capacity locker



Example locker codes

W1851PNXDOB00P0 – Hi Capacity locker, 1800(H),600(W),450(D), silver grey carcass, blue doors, nest 1, 1 door, cam lock
W1851PNXDOB00P0ST – Hi Capacity locker, 1800(H),600(W),450(D), silver grey carcass, blue doors, cam lock, nest 1, 1 door, sloping top

Lock codes

Code	Type	Description
00	Type A	Cam lock / deadlock
11	Type B	Hasp & Staple
81	Type H	Coin return
68V	Type L	Digital combination - vertical orientation
68H	Type L	Digital combination - horizontal orientation
72	Type N	Nimbus RFID - vertical orientation
73	Type N	Nimbus RFID - horizontal orientation
6P	Type P	Reprogrammable combination
7Q	Type SPR	Multi user scramble - Private
8Q	Type SPU	Multi user scramble - Public

Carcass colour

Code	Colour
XD	Silver / Grey
SK	Black
NG	White

Door colour

Code	Colour
AQ	Red
LW	Yellow
NG	White
OB	Blue
SK	Black
WB	Green
XD	Silver / Grey
VT	Ocean
LJ	Jade
UH	Orange
AC	Lilac
SY	Lemon

Probe
A Trusted **Whittan** Brand



STORAGE DESIGN LIMITED

Tel: 01446 772614

email: info@storage-design.ltd.uk

web: www.storage-design.ltd.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.

Garment Dispensers/Collector

For distribution and collection of workwear



Probe

Workwear lockers


The managed issue of workplace clothing - often via third party laundries - is an essential part of hygiene procedure in many sectors.

Designed initially for work wear, these lockers are equally suitable for the controlled issue of safety equipment, consumables or specific materials required for a working day or shift.

Individual Access Garment issue lockers provide each worker with key access to their secure compartment to collect a freshly laundered issue of clothing. Compartment doors are inset within the main full-height door, which remains locked.

Convenient Resupply The full-height main door allows access to all of the individual compartments for restocking with laundered clothing.

Laundry Collection Workers 'post' their used garments into an adjacent Collection locker. These are collected in a laundry bag (not supplied with lockers). This separation of clean and used items can make a major contribution to maintaining a hygienic working environment.



MEETS BS 4680: 1996
excluding size specification

PROBE FIRE ZERO
Probe Steel Products are fire tested and approved in line with
European Standard - EN 13501-1: 2007 + A1: 2009

AC+IVE COAT


All painted components are protected with a powder coating which incorporates ActiveCoat anti-bacterial technology.

ActiveCoat has been tested by an Internationally recognised microbiological testing laboratory for antibacterial performance, against the most widely encountered and problematic organisms including the MRSA Super bug and E-coli. These micro-organisms suffered a 99.9% reduction in population.

Important note regarding locker installations

Wherever possible lockers should be secured to ensure stability. Single lockers should ideally be fixed back to a wall. Runs of lockers should be fixed together side-to-side and either fixed back to a wall or fixed back-to-back to another run of lockers.

The range



Collector locker

Full-height door with galvanised anti-theft shelf, angled inside 'post slot'. Fitted with hooks for laundry collection sack (sack not included).

Height - 1800mm	
Width mm	Depth mm
380	450



5 door dispenser locker

Full-height main door allows access to all of the individual compartments

Height - 1800mm	
Width mm	Depth mm
380	450



10 door dispenser locker

Full-height main door allows access to all of the individual compartments

Height - 1800mm	
Width mm	Depth mm
380	450



15 door dispenser locker

Full-height main door allows access to all of the individual compartments

Height - 1800mm	
Width mm	Depth mm
380	450

PowerBox Charging Lockers

Secure charging of phone, laptops, tablets,
batteries and power tools



Probe

PowerBox Charging Lockers


The Probe PowerBox Charging Locker range delivers a reliable solution to the growing need for safe, secure charging of valuable equipment in busy workplaces.

Designed for laptops, tablets, phones, radios, body cams, and other portable devices, these lockers combine robust security with versatile charging options to keep essential tech protected and ready to use.

PowerBox Charging Lockers eliminate the hazards of trailing cables and the risk of theft at open power points. Simply position* the fully portable unit in a convenient spot, plug it into a standard power outlet, and it's ready to go—no complex installation required.

Ideal for universities, schools, warehouses, offices, hospitals, and other high-traffic environments, they offer peace of mind wherever devices need to be stored and charged.

Manufactured to the highest standards with a UKCA / CE certified spine, Probe PowerBox Charging Lockers meet all relevant UK and European safety and performance regulations—so you can charge with complete confidence.




ACTIVECOAT

All painted components are protected with a powder coating which incorporates ActiveCoat anti-bacterial technology.

Important note regarding PowerBox Charging Locker installations

*Single lockers should be fixed back to a wall mounted on battens. Lockers are supplied with mounting brackets to keep lockers a fixed distance off the wall.

Charging for Personal Electronic Devices



1800mm high

164mm door height

101mm door height

101mm door height

960mm high

10 compartment

16 compartment

8 compartment

Height - 1800mm*	
Width mm	Depth mm
300	300
300	450
380	450
450	450

* Height rises with sloping top - see page 5

Height - 960mm	
Width mm	Depth mm
300	300
300	450
380	450
450	450

Compact yet robust, PowerBox Charging Lockers are purpose-built to keep smaller devices safe, fully charged, and ready to use. Perfect for busy environments where security, accessibility, and ease of use are essential.

- Ideal for charging and securing laptops, tablets, phones, body cams, radios, and other mobile devices
- Power spine helps eliminate trailing cables
- Fully portable – simply place, plug in, and power up
- Each compartment fitted with its own socket
- Durable steel construction with secure locking options
- Available in multiple sizes, door numbers, lock types, and colour finishes
- UKCA / CE certified spine meets UK safety requirements
- Backed by a 7-year warranty for lasting performance. See T&C's for full information



With the spine being centrally location, plugs with different orientations can be used




USB A & C sockets ensure you have the right connection


All lockers available as non-charging storage lockers without rear vents

Sizes for all your devices

Choosing the right size for your charging and storage needs.



Charging for **Larger Items, Tools & Batteries**



4 compartment

Height - 1800mm*	
Width mm	Depth mm
300	300
300	450
380	450
450	450

* Height rises with sloping top - see page 5



8 compartment

Designed for heavy-duty workplace needs, these PowerBox Charging Lockers provide safe, secure storage and charging for bulkier tools and specialist equipment. Ideal for environments where performance, durability, and safety are essential.

Suitable for secure charging of batteries, power tools, body cams, bar scanners, and emergency services equipment

- UKCA / CE certified spine meets UK safety requirements
- 2 off sockets per compartment in 4-door locker, 1 off per compartment in 8 door locker
- Strengthened solid doors with ventilation and rubber buffers for noise reduction
- Pre-drilled for easy nesting with additional lockers. Nesting bolts available separately



Four door lockers are supplied with 2 sockets per compartment

All lockers available as non-charging storage lockers without rear vents



Highly durable textured paint finish in a wide range of door and body colours- see page 5



Door air vents help create air flow through the locker helping to minimise heat build-up during charging



A choice of 3 lock types and the option to add disc numbering- see page 5

Lock options, accessories and colours

Lock options



Type A – Probe cam lock

The standard cam lock lock has a micro sprung 10 disc lock featuring a massive 2000 serial combinations- all exclusive to Whittan. Two keys are included with each standard lock.



Type B – Hasp & staple

Attractive design allowing easy use of padlock. Transfers responsibility for locking to the user. The user requires a padlock (not supplied) with a shackle diameter of 7mm.



Type P – User re-programmable combination lock

An effective 4 digit code combination lock with 10,000 possible combinations, making losing keys a thing of the past. Suitable for multi user applications. Master override key sold separately. Not available on 16 door locker.

Accessories



Sloping top height	
Locker depth	Additional height
300	125
380	158
450	187

Sloping tops prevent items and litter being left on locker tops and makes cleaning easier. Sloping Tops have a 22° upward slope from front to back which will add height to your locker. This varies according to the locker depth.



Locker stands provide maximum floor access raising lockers 150mm off the floor.



Units are 400mm high and come complete with adjustable feet.



Plastic number plates with white backgrounds and black lettering with up to 4 digits. Fits into plastic holder plate on locker door.



Nesting bolts can be purchased to create a sleek run of lockers. Supplied in packs of 25.

Colour Options



ActiveCoat antimicrobial technology is incorporated into all our lockers at the time of manufacture, offering constant protection against a wide range of bacteria.

Body colour range

Choice of 3 body colours.



Standard door colour range

Choice of 7 door colours.



Autumn door colour range

Choice of 5 door colours.



Please note that due to printing restrictions colours represented may differ from original product. We recommend you request a colour swatch before ordering.



Probe
A Trusted **Whittan** Brand



STORAGE DESIGN LIMITED
Tel: 01446 772614
email: info@storage-design.ltd.uk
web: www.storage-design.ltd.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.


ShockBox Lockers

Dry area laminate door lockers



Probe

ShockBox lockers



With durable laminate doors that are less likely to scratch, dent or be damaged, **SHOCKBOX** is suited to dry areas that receive high volumes of traffic and use.

■ Available in a range of colours.



Inset doors

Provide a visual contrast between the door finish and the locker frame.



Overlay doors

Cover the front face of the locker body, creating a wall of colour.



Probe Steel Products are fire tested and approved in line with European Standard - EN 13501-1: 2007 +A1: 2009



All painted components are protected with a powder coating which incorporates ActiveCoat anti-bacterial technology.

ActiveCoat has been tested by an Internationally recognised microbiological testing laboratory for antibacterial performance, against the most widely encountered and problematic organisms including the MRSA Super bug and E-coli. These micro-organisms suffered a 99.9% reduction in population.




Laminate doors are available in a vast range of contemporary colours from leading manufacturer Fundermax. Choose from our Standard Range or specify a laminate to match your architectural design.



Important note regarding locker installations

Wherever possible lockers should be secured to ensure stability. Single lockers should ideally be fixed back to a wall. Runs of lockers should be fixed together side-to-side and either fixed back to a wall or fixed back-to-back to another run of lockers.

The range



Inset doors

Height - 1800mm*	
Width mm	Depth mm
300	380
300	450
380	380
380	450

* Height rises with sloping top

Overlay doors

Height - 1800mm*	
Width mm	Depth mm
300	392
300	462
380	392
380	462

End panels to match the doors

End panels can be manufactured to add on to the end of locker runs or to the side of each individual locker if required.



Dry Area lock options

*Included in locker price. Request lock type at time of ordering.



Type A – Probe cam lock*

Even the standard lock has a micro sprung 10 disc lock featuring a massive 2000 serial combinations - all exclusive to Whittan. Two keys are included with each standard lock.



Type B – Hasp & staple*

Attractive design allowing easy use of padlock. Transfers responsibility for locking to the user. The user requires a padlock (not supplied) with a shackle diameter of 7mm.



Type P – Re-programmable combination lock

User Re-programmable

An effective 4 digit code combination lock with 10,000 possible combinations, making losing keys a thing of the past.

Suitable for multi user applications. Master override key sold separately.




Type SPU - Public

Type SPR - Private


Public multi-user auto scramble combination lock

Automatically scrambles to 0000 when opened. Has 999 highly secure combinations available - no batteries needed. It has a metal matte black shell and has a master key override (supplied separately) for code finding and lock resetting.



Type L – Digital combination lock 40,000 combinations

Simple to program battery operated lock which can last up to 50,000 operations before needing changing. Emergency access using service key. Single user supplied as standard but multi-user option is available (specify when ordering)



Type N – Nimbus RFID lock

The Nimbus RFID digital lock provides contactless locking and is compatible with RFID standards and incorporates a membrane touchpad for ease of programming. The keypad can also be used to override the lock when required.



Type H (£1) – Dual coin/token return/retain

These locks are available with coin denominations £/€ or tokens, for either return or retain.

Laminate door colour options

Create a storage solution that closely matches your branding or blends subtly into the background with a range of coloured door options to choose from.

Choose from our Standard range or specify a laminate to match your architectural design.


Solid grade laminate with fire classification available at additional cost.

Please ask us for further information on fire classifications and applications.




Fundermax
For you to create

SHOCKBOX stock 12mm SGL SOLID COLOUR finishes - Choice of Silver Grey, White or Black painted bodies




SHOCKBOX additional door colour 12mm SGL SOLID COLOUR finishes, available on an extended lead time.



SHOCKBOX stock 12mm SGL TEXTURED finishes - Choice of Silver Grey, White or Black painted bodies



SHOCKBOX additional 12mm SGL TEXTURED finishes, available on an extended lead time.



Please note that due to printing restrictions colours represented may differ from original product. We recommend you request a colour swatch before ordering.

Accessories and nesting

Accessories



Sloping top height	
Locker depth	Additional height
380	158
450	187

Sloping tops are essential in hygiene sensitive locations (such as hospitals and the food industry). The slope prevents items and litter being left on locker tops and makes cleaning easier. Sloping Tops have a 22° upward slope from front to back which will add height to your locker. This varies according to the locker depth.



Lockers are often used in areas where floors need frequent cleaning. Locker stands provide maximum floor access raising lockers 150mm off the floor.



Two hardwood slats and metal framework form a bench seat in front of the locker, allowing full access to the locker.

Units are 400mm high and come complete with adjustable feet.

Also available;

- Double coat hook
- Hanging rail
- Captive coat hanger



Probe
A Trusted **Whittan** Brand



STORAGE DESIGN LIMITED
Tel: 01446 772614
email: info@storage-design.ltd.uk
web: www.storage-design.ltd.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.

Workwear Lockers

Securely store clothes and work equipment



Probe

Workwear lockers

Practical range of lockers with a variety of internal configurations to keep workwear tidy and organised.


Clean & Dirty lockers keep clothes separated preventing clean clothing from becoming contamination. Locker offers two separated hanging compartments along with a top storage section.

Our **Uniform lockers** provide a full length compartment for hanging uniform overnight, as well as compartments for the storage of personal possessions and extra workwear items.

Twin lockers also maximise the available space accommodating two people in the same amount of space as single door locker.

Manufactured in the UK, our factory operates quality systems in accordance with the latest ISO standards and NEBOSH regulations.

Lockers have been tested and conform to the requirements of the British Standard for Clothes Lockers BS 4680: 1996 'Standard Duty'.



MEETS BS 4680: 1996

excluding size specification



Probe Steel Products are fire tested and approved in line with European Standard - EN 13501-1: 2007 +A1: 2009



All painted components are protected with a powder coating which incorporates ActiveCoat anti-bacterial technology.

ActiveCoat has been tested by an Internationally recognised microbiological testing laboratory for antibacterial performance, against the most widely encountered and problematic organisms including the MRSA Super bug and E-coli. These micro-organisms suffered a 99.9% reduction in population.

Important note regarding locker installations

Wherever possible lockers should be secured to ensure stability. Single lockers should ideally be fixed back to a wall. Runs of lockers should be fixed together side-to-side and either fixed back to a wall or fixed back-to-back to another run of lockers.


The range



Clean & Dirty locker

Comes complete with full width internal top shelf 305mm high, vertical centre partition, hanging rail and two coat hooks.

Height - 1800mm	
Width mm	Depth mm
450	450



Uniform locker

Features full width internal top shelf 305mm high, vertical centre partition, hanging rail coat hooks and a further three half width shelves.

Height - 1800mm	
Width mm	Depth mm
450	450



Twin locker

Each compartment comes with 305mm high internal top shelf and a coat hook.

Height - 1800mm	
Width mm	Depth mm
450	450



Slim locker

Can be added to runs of Twin lockers if odd numbered lockers are required to utilise available space.

Height - 1800mm	
Width mm	Depth mm
225	450

Lock options & accessories

*Included in locker price. Request lock type at time of ordering.



Type A – Probe cam lock*

Even the standard lock has a micro sprung 10 disc lock featuring a massive 2000 serial combinations- all exclusive to Whittan. Two keys are included with each standard lock.



Type B – Hasp & staple*

Attractive design allowing easy use of padlock. Transfers responsibility for locking to the user. The user requires a padlock (not supplied) with a shackle diameter of 7mm.



Type P – Re-programmable combination lock

User Re-programmable

An effective 4 digit code combination lock with 10,000 possible combinations, making losing keys a thing of the past.

Suitable for multi user applications.

Master override key sold separately.




Type SPU - Public

Type SPR - Private


Public multi-user auto scramble combination lock

Automatically scrambles to 0000 when opened. Has 999 highly secure combinations available - no batteries needed. It has a metal matte black shell and has a master key override (supplied separately) for code finding and lock resetting.



Type L – Digital combination lock 40,000 combinations

Simple to program battery operated lock which can last up to 50,000 operations before needing changing. Emergency access using service key. Single user supplied as standard but multi-user option is available (specify when ordering)



Type N – Nimbus RFID lock

The Nimbus RFID digital lock provides contactless locking and is compatible with RFID standards and incorporates a membrane touchpad for ease of programming. The keypad can also be used to override the lock when required.



Type H (£1) – Dual coin/token return/retain

These locks are available with coin denominations £/€ or tokens, for either return or retain.

Accessories



Sloping top height	
Locker depth	Additional height
450	187

Sloping tops are essential in hygiene sensitive locations (such as hospitals and the food industry). The slope prevents items and litter being left on locker tops and makes cleaning easier. Sloping Tops have a 22° upward slope from front to back which will add height to your locker. This varies according to the locker depth.



Lockers are often used in areas where floors need frequent cleaning. Locker stands provide maximum floor access raising lockers 150mm off the floor.



Two hardwood slats and metal framework form a bench seat in front of the locker, allowing full access to the locker.

Units are 400mm high and come complete with adjustable feet.

Colours & code structures



ActiveCoat antimicrobial technology is incorporated into all our cupboards at the time of manufacture, offering constant protection against a wide range of bacteria.

Body colour range

Choice of 3 body colours.



Standard door colour range

Choice of 7 door colours.



Autumn door colour range


Choice of 5 door colours.



Please note that due to printing restrictions colours represented may differ from original product. We recommend you request a colour swatch before ordering.

Code structures

Workwear lockers




Example locker codes

W1551DXDOB00 – Clean & Dirty locker, 1800(H),450(W),450(D), silver grey carcass, blue doors, nest 1, 1 door, cam lock

W1551NXDOB00ST – Uniform locker, 1800(H),450(W),450(D), silver grey carcass, blue doors, cam lock, nest 1, 1 door, sloping top

Twin & slim lockers



Example locker codes

W11521XDOB11 – Twin locker, 1800(H),225(W),450(D), nest 2, 1 door, silver grey carcass, blue doors, hasp & staple

W11511XDOB00ST – Slim locker, 1800(H),225(W),450(D), nest 1, 1 door, silver grey carcass, blue doors, cam lock, sloping top

Lock codes

Code	Type	Description
00	Type A	Cam lock / deadlock
11	Type B	Hasp & Staple
81	Type H	Coin return
68V	Type L	Digital combination - vertical orientation
68H	Type L	Digital combination - horizontal orientation
72	Type N	Nimbus RFID - vertical orientation
73	Type N	Nimbus RFID - horizontal orientation
6P	Type P	Reprogrammable combination
7Q	Type SPR	Multi user scramble - Private
8Q	Type SPU	Multi user scramble – Public

Carcass colour

Code	Colour
XD	Silver / Grey
SK	Black
NG	White

Door colour

Code	Colour
AQ	Red
LW	Yellow
NG	White
OB	Blue
SK	Black
WB	Green
XD	Silver / Grey
VT	Ocean
LJ	Jade
UH	Orange
AC	Lilac
SY	Lemon

Probe

A Trusted **Whittan** Brand



STORAGE DESIGN LIMITED

Tel: 01446 772614

email: info@storage-design.ltd.uk

web: www.storage-design.ltd.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.


ZenBox Lockers

Aluminium and SGL lockers for wet area environments



Probe

ZenBox lockers



Designed and engineered ZENBOX lockers are the perfect choice for demanding environments.

ZENBOX lockers are designed and engineered to withstand the rigours of high use wet area environments where the requirements of design with durability and image are paramount.

- Leisure Centres
- Swimming Pools
- Schools
- Gyms
- Spas



Probe Steel Products are fire tested and approved in line with European Standard - EN 13501-1: 2007 +A1: 2009



Important note regarding locker installations

Wherever possible lockers should be secured to ensure stability. Single lockers should ideally be fixed back to a wall. Runs of lockers should be fixed together side-to-side and either fixed back to a wall or fixed back-to-back to another run of lockers.


ZenBox locker range



Heavy duty self-closing hinges engineered to prevent the doors opening across adjacent compartment.



Concealed hinge within extruded aluminium frames engineered for added strength and stability.



Flush frame for zero gap when lockers are nested.

ZenBox Ultra outdoor lockers



Sloping top

ZenBox Ultra lockers feature sloping tops to aid water dispersion.

Height - 1800mm*	
Width mm	Depth mm
300	450
300	500
400	450

Available in 1, 2, 3, 4 and 6 compartments

Incorporating all the benefits of the standard ZENBOX locker, ZENBOXULTRA features solid grade laminate doors and added door seals, making them the perfect choice for outdoor areas.

The additional integral door seal ensures there is no water ingress into the locker compartment.

End panels can be manufactured to add on to the end of locker runs or to the side of each individual locker if required.



Integral door seal

This seal ensures there is no water ingress into the locker compartment.



Important note regarding locker installations

Wherever possible lockers should be secured to ensure stability. Single lockers should ideally be fixed back to a wall. Runs of lockers should be fixed together side-to-side and either fixed back to a wall or fixed back-to-back to another run of lockers.

Wet area lock options



Type 3 Probe cam lock*

Even the standard lock has a micro sprung 10 disc lock featuring a massive 3000 serial combinations- all exclusive to Probe. Two keys are included with each standard lock.



Type 2 Hasp and staple*

Attractive design allowing easy use of padlock fitting. Shank diameter maximum 7mm and minimum 5mm

Padlock sold separately.

Replacement hasp & staple

This Hasp & Staple is available to purchase separately if you need to change your existing lock.




Type 11 Re-programmable combination lock

User re-programmable.

An effective 4 digit code combination lock with 10,000 possible combinations, making losing keys a thing of the past.


Suitable for multi user applications.

Master override key sold separately.



Type 6 Digital combination lock 40,000 combinations

Simple to program battery operated lock which can last up to 50,000 operations before needing changing. Emergency access using service key. Single user supplied as standard but multi-user option is available (specify when ordering)**Can be used vertically**



Type 10 The RFID keyless digital combination lock

This lock provides contact less RFID locking and can be used independently or paired with existing wireless systems. Simple to upgrade existing installations and compatible with most wireless standards including RFID and NFC, the lock comes with a wide range of accessories and options.



Type 8 Waterproof coin/token Return/Retain

These Waterproof and Chlorine resistant locks are available with coin denominations £/€ or tokens, for either return or retain..



Laminate door colour options

Create a storage solution that closely matches your branding or blends subtly into the background with a range of coloured door options to choose from.

Choose from our Standard range or specify a laminate to match your architectural design.




Solid grade laminate with fire classification available at additional cost.


Please ask us for further information on fire classifications and applications.



ZENBOX and ZENBOXULTRA stock 12mm SGL SOLID COLOUR finishes - aluminium body



ZENBOX and ZENBOXULTRA additional 12mm SGL SOLID COLOUR finishes, available on an extended lead time.



ZENBOX and ZENBOXULTRA stock 12mm SGL



ZENBOX and ZENBOXULTRA additional 12mm SGL



Please note that due to printing restrictions colours represented may differ from original product. We recommend you request a colour swatch before ordering.


Accessories

Aluminium Locker Support Stands


Locker support stands raise lockers off the floor, reducing impact damage and making cleaning easier. Manufactured from 25mm square aluminium section they are ideal for wet environments.

All units come complete with adjustable feet to aid levelling on uneven floors.

Optional 10mm solid grade laminate (SGL) plinth available to match or contrast with the locker doors.



Locker Stand



Locker stand with plinth

Locker stand plinths are manufactured using 10mm Solid grade laminate (SGL) to match or contrast with the locker doors.




Aluminium Seats and Stands

10mm solid grade laminate seat (SGL) and 45mm aluminium framework form a bench seat in front of the locker, allowing full access to the locker.

Seat can match or contrast with the locker door or with an optional SGL plinth.

All units come complete with adjustable feet to aid levelling on uneven floors.



Locker seat



Locker seat plinths

Locker seat plinths are manufactured using 10mm solid grade laminate (SGL) to match or contrast with the locker doors.



Sloping Top

Sloping tops are a good way of preventing litter, bags and other items being left on top of the lockers. The sloping top also makes cleaning easier. Sloping tops are essential in hygiene – sensitive applications such as the NHS or food preparation. Sloping tops add 150mm height to the locker.



Numbering System

Optional inset number plates are available. Discs are recessed into the door. Request when placing order.



Probe
A Trusted **Whittan** Brand



STORAGE DESIGN LIMITED
Tel: 01446 772614
email: info@storage-design.ltd.uk
web: www.storage-design.ltd.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.

Seating & Benching

Premium & budget cloakroom seating solutions



Probe

Benches


Comprehensive range of easy-to-install cloakroom units, with a wide choice of options and accessories, ensuring you will find exactly what you are looking for. All units are available in a choice of five exciting colours to match your interior.

- Hook Bench and Benches are available with three seat heights, Infant, Junior and Senior, making them the perfect solution for schools; whatever age group they teach.
- Frames are constructed from robust 50mm round, thick wall tubing with welded joints for strength and durability.
- Adjustable feet fitted to all floor standing units.
- Cloakroom furniture is suitable for dry environments.



Beech Solid Timber Slats

All timber comes from suppliers with positive reforestation policies and is supplied from sustainable forests.



Black Polymer Slats

Manufactured with Active-Coat additive, these food grade slats are also ideal for educational or leisure wet area changing areas.

All frames are constructed from robust 50mm round, thick wall tubing with welded joints for strength and durability

Polymer coat hooks

Choice of frame colours all with ActiveCoat anti-bacterial protection - see **page 4**.

Choice of slats.

Available with optional under seat storage.



All floor standing cloakroom units come with adjustable feet for ease of installation.

A floor bracket is available to allow benches to be securely fixed to the floor.

MADE IN BRITAIN



Benches

Single and double sided modern cloakroom benches.

- Three overall heights; Infant- 350mm, Junior- 400mm and Senior- 475mm.
- Perfect solution for schools, whatever age group they teach.
- Choice of beech or black polymer slats.

Height - 350, 400 or 475mm	
Width mm	Depth mm
1000mm	310mm
1500mm	710mm
2000mm	



Double sided Black Polymer
1500mm bench



Single sided Beech
1200mm bench

Seat Height
350mm

Seat Height
400mm


Seat Height
475mm

Hook benches & frame colours

Hook benches

A single and double sided hook bench with 5, 8, 10, 16 or 20 hooks.

- Three overall height sizes; Infant- 1150mm, Junior- 1350mm and Senior- 1840mm with three seat heights 350mm, 400mm and 475mm respectively.
- Choice of beech or black polymer slats.
- Polymer coat hooks, have been ergonomically designed and feature ActiveCoat technology.



Height - 1150, 1350 or 1840mm	
Width mm	Depth mm
1000mm	375mm
1500mm	710mm
2000mm	

Width mm	No of coat hooks	
	Single sided	Double sided
1000mm	5	10
1500mm	8	16
2000mm	10	20



Silver & green frames have silver hooks while WHITE frames feature black hooks.



Red, blue, black & yellow frames are available with matching coloured hooks.

Frame colour options



ActiveCoat antimicrobial technology is incorporated into all our cupboards at the time of manufacture, offering constant protection against a wide range of bacteria.

Standard frame colour range

Choice of 7 door colours.



Blue (similar to RAL 5019)



Green (RAL 6018)



Red (similar to BS04E53)



Yellow (similar to RAL 1004)



Silver (RAL 9006)



White (RAL 9016)



Black (RAL 9004)

Please note that due to printing restrictions colours represented may differ from original product. We recommend you request a colour swatch before ordering.

Overhead hanging benches & wall hook strips

Overhead hanging benches

Single and double sided overhead hanging bench with anti-theft hangers.

- Choice of beech or black polymer slats.
- Captive coat hangers not included. Order separately at time of order.




Captive coat hangers slide along a rail underneath the top shelf



Single sided Beech 1500mm wide overhead hanging bench

Overall Height
1840mm



Seat Height
475mm

Double sided Black Polymer
1500mm wide overhead
hanging bench

Height - 1840mm	
Width mm	Depth mm
1000mm	375mm
1500mm	710mm
2000mm	



Wall hook strip

Beech or black polymer wall mounted coat rail to complement your locker room.

- Available in 3 lengths- 1000mm, 1500mm and 2000mm
- Fitted with 5, 10 or 15 polymer coat hooks.



Low seats & seat baskets

Low seats

Single or double sided benches with a low rail ideal for schools, hospitals or leisure centres

- Seat height 475mm.
- 50mm round, tubing with welded joints for strength and durability.



Single sided Beech
1500mm low seat



Double sided Black Polymer
2000mm low seat

Height - 1000mm	
Width mm	Depth mm
1000mm	375mm
1500mm	710mm
2000mm	



Shoe baskets

Strong under bench baskets which can be fitted to most cloakroom benches providing additional storage for shoes or other small items.

- Single or twin compartment baskets
- Factory fitted.

Height - 325mm	
Width mm	Depth mm
409mm	296mm



Wall mounted shelf and rail

Utilise changing room walls with this mounted shelf with an integral hanging rail. Manufactured from 50mm diameter steel tube with beech or black polymer slats.

- Available in 3 lengths- 1000mm, 1500mm and 2000mm
- Unit is 345mm deep.
- Captive coat hangers can be purchased to complement this range.



Budget self-assembly cloakroom range

A range of easy-to-assemble cloakroom units offering exceptional value for money.

Designed to be strong and robust our budget changing room benches are built to withstand the toughest environments.

- Supplied flat pack with easy to follow assembly instructions.
- Frames are constructed from robust 38mm square tubing with welded joints for strength and durability.
- Beech slats with Silver Grey powder coated frames.
- Fitted with height adjustable feet as standard.
- Suitable for dry environments.



**Self
Assembly
Required**



Height - 475mm	
Width mm	Depth mm
1000mm	305mm
1500mm	720mm
2000mm	



Single sided Beech 1500mm
budget bench

Double sided Beech 1500mm
budget bench

Benches


Single and double sided cloakroom benches.

- Seat height- 475mm.
- Beech slats.

Hook benches

Hook rails to keep personal items off the floor and allow users to hang bags for ease of use

- Seat height- 475mm.
- Beech slats.
- Ergonomically designed polymer coat hooks.



Double sided Beech 1500mm
budget hook bench

Height - 1840mm	
Width mm	Depth mm
1000mm	350mm
1500mm	720mm
2000mm	

Width mm	No of coat hooks	
	Single sided	Double sided
1000mm	5	10
1500mm	8	16
2000mm	10	20



Single sided Beech 1500mm
budget hook bench

Probe
A Trusted **Whittan** Brand



STORAGE DESIGN LIMITED
Tel: 01446 772614
email: info@storage-design.ltd.uk
web: www.storage-design.ltd.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.

Steel Cupboards

Secure storage for industrial and commercial workspaces



Probe

Lockable storage cupboards for busy working environments

Valuable goods and equipment used in any work environment can be safely locked away in our secure industrial storage cupboards. A versatile and robust range of steel cupboards providing secure storage in the workplace; meeting the stringent requirements of BS EN 14073:2004 (Parts 1, 2 & 3) and BS EN 14074:2004.



Cupboards are all available with a range of internal configurations (see page 5), dependant on whether you require a small amount of larger compartments or several smaller compartments; we have the storage cabinet to meet your needs.

- Vertical door stiffener for added strength.
- 3-point locking as standard.
- Adjustable shelves on a 25mm vertical pitch.
- Shelves carry a maximum of 90kg UDL.
- Semi-concealed hinges.

ACTIVECOAT

All painted components are protected with a powder coating which incorporates ActiveCoat anti-bacterial technology.



Handle is designed for easier operation; allowing the door to close without the key.



Three point locking for secure storage.



Dished top available on half height cupboard.



Standard Cupboards

These strong, robust steel cupboards provide excellent durability and capacity for storage of items within a workplace environment.

Whether for use as an office or a factory cupboard; the product is designed to meet your requirements.

Height - 984 or 1820mm	
Width mm	Depth mm
915	505



Security Cupboards

Where valuable and potentially vulnerable materials or equipment are used in the workplace; the need for storage equipment with enhanced security becomes a necessity. Security cupboards benefit from an additional hasp and staple fitting, for use with a padlock (not supplied), as well as the standard 3 point locking.



Height - 984 or 1820mm	
Width mm	Depth mm
915	505



Cupboards for busy working environments



Height - 1820mm	
Width mm	Depth mm
615	505

Vision Cupboards

Vision cupboards show visible items, but do not compromise on security.

Based on the standard all-steel cupboards; with the addition of toughened polycarbonate view panels, set within a steel door (which has an all-round strengthened edge).

Height - 984 or 1820mm	
Width mm	Depth mm
915	505



Slimline Cupboards

The practical solution where storage space is limited. Slimline cupboards provide secure storage in a compact 'footprint' of only 615 x 505mm.



Large Volume Cupboards

As the name suggests, these are the largest of our cupboard range; offering spacious storage for awkward and bulky items.



High quality metal lock operates the 3 point locking system.



Height - 1830mm	
Width mm	Depth mm
1219	457



Storage cupboards

A useful range of smaller, practically sized low cupboards designed for general storage uses.



- 2 point locking
- 1 adjustable shelf

Height - 684mm	
Width mm	Depth mm
450	300



- 3 point locking
- 2 adjustable shelf

Height - 985mm	
Width mm	Depth mm
480	505




- 3 point locking
- 2 adjustable shelf

Height - 985mm	
Width mm	Depth mm
915	505

Internal configurations

Cupboard Internals

Standard cupboards are all available in the internal configurations illustrated. These offer a range of solutions to meet workplace requirements.



Cupboard colour options and code structures

Colour Options



ActiveCoat antimicrobial technology is incorporated into all our cupboards at the time of manufacture, offering constant protection against a wide range of bacteria.

Body colour range

Choice of 3 body colours.



Standard door colour range


Choice of 7 door colours.



Please note that due to printing restrictions colours represented may differ from original product. We recommend you request a colour swatch before ordering.

Code structures

Standard, Security, Slimline and Vision Panel cupboards



Carcass colour

Code	Colour
XD	Silver / Grey
SK	Black
NG	White


Door colour

Code	Colour
AQ	Red
LW	Yellow
NG	White
OB	Blue
SK	Black
WB	Green
XD	Silver / Grey

Example cupboard code

C1961CXDOB29S13 –1820(H),915(W),505(D), standard cupboard, silver grey carcass, blue doors, 3-point lock, 3 shelves


Large Volume cupboards



Example cupboard code

C7248A1S12XDOB –1830(H),1219(W),457(D), silver grey carcass, blue doors, 3-point lock, 3 shelves

Storage cupboards



Example cupboard code

CH961EXDOBS12 –984(H),915(W),505(D), silver grey carcass, blue doors, 2 shelves

Probe

A Trusted **Whittan** Brand



STORAGE DESIGN LIMITED

Tel: 01446 772614

email: info@storage-design.ltd.uk

web: www.storage-design.ltd.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.

Specialist Cupboards

Secure storage for specific equipment
and applications



Probe

Specialist cupboards

A range of robust cupboards for specific storage needs.



Tall cupboard
C1961CXDOB29S13E / C1961CXDOB29S14E

■ 3 or 4 shelves

Height - 1820mm	
Width mm	Depth mm
915	505



Slim cupboard
C1661TXDOB29S13E

■ 3 shelves

Height - 1820mm	
Width mm	Depth mm
477	505

PPE cupboards

Blue doors with silver grey body with high visibility 270 degree labelling, complying to BS5499-1.



Low cupboard
CH961EXDOB29S11E

■ 1 shelf

Height - 984mm	
Width mm	Depth mm
915	505



Low cabinet
CH661EXDOB29S12E

■ 2 shelves

Height - 984mm	
Width mm	Depth mm
477	505

Medical cupboards

White body and doors with high visibility, 270 degree labelling, complying to BS5499-1.



Slim cupboard
C1661TNGNG29S13M

■ 3 shelves

Height - 1820mm	
Width mm	Depth mm
477	505



Cube
WU1818A01NGNGM

■ No shelf

Height - 450mm	
Width mm	Depth mm
450	450



Low cabinet
CH661ENGNG29S12M

■ 2 shelves

Height - 984mm	
Width mm	Depth mm
477	505



Low cupboard
CH961ENGNG29S11M_

■ 1 shelf

Height - 984mm	
Width mm	Depth mm
915	505



Tall cupboard
C1961CNGNG29S13M

■ 3 shelves

Height - 1820mm	
Width mm	Depth mm
915	505

Specialist cupboards

COSHH cupboards

Doors and body in silver grey with high visibility self write labels for you to personalise the contents.

- Fully welded integral sump to limit leakage and contain spillages.
- Cupboards feature adjustable shelves on a 25mm vertical pitch capable of carrying a maximum of 90kg UDL.
- Doors feature vertical stiffening for added strength.



Tall cupboard
H1961HXDXD29S13
■ 3 shelves

Height - 1905mm	
Width mm	Depth mm
915	505



Low cupboard
HH961HXDXD29S11
■ 1 shelf

Height - 1070mm	
Width mm	Depth mm
915	505



Low cabinet
HH661HXDXD29S12
■ 2 shelves

Height - 1070mm	
Width mm	Depth mm
477	505

Probe
A Trusted **Whittan** Brand



STORAGE DESIGN LIMITED
Tel: 01446 772614
email: info@storage-design.ltd.uk
web: www.storage-design.ltd.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.

Hazardous Substance Storage Cupboards

Reduce the risk of accidents and
mitigate environmental damage



Probe

Secure storage for Hazardous Substances

It is essential that employers and employees comply with their legal obligations under the 'Control of Substances Hazardous to Health' (COSHH) and 'Dangerous Substances and Explosive Atmospheres Regulations 2002' (DSEAR) workplace safety regulations.

Supplied with three high visibility labels. Simply choose the right label for the type of substance being stored:




- Corrosive materials.
 - Highly flammable.
 - Harmful materials.
 - All Hazardous Substance storage units are of steel construction for long life with low maintenance with reinforced doors for added security.
 - Matt textured paint finish in high-visibility yellow (similar to RAL1004) with ActiveCoat antibacterial protection.
- All hazardous substance storage cupboards have the following features;
- Fully welded integral sump to eliminate leakage and contain spillages up to 35ltrs (approx).
 - All units 790mm and above feature 3-point locking for additional security of contents and allow door to be closed without the key being inserted.
 - Flush fitting handle for smaller cupboards under 770mm with Camlock as standard.
 - All locks are supplied with two keys.

ACTIVECOAT

All painted components are protected with a powder coating which incorporates ActiveCoat anti-bacterial technology.

In the event of spillage within the cupboard, it is recommended the sump is initially emptied by means of an appropriate pump and the contents disposed of correctly in accordance with the relevant waste management regulations.



Optional hasp and staple fitting, for use with a padlock (not supplied), on 915mm cupboards is available



Vertical door stiffener

Shelves carry 90kg UDL

Three point locking

Hard wearing matt textured paint finish similar to RAL1004.

Adjustable shelves, on 25mm pitch, to maximise space for stored material

Integrated welded spillage sump




Handle is designed for easier operation; allowing the door to close without the key.



Three points locking for secure storage.



Dished top available on half height cupboard.



Shelves are easily adjusted on clips.

Our range



H1661HLWLW29S13

- Three adjustable shelves
- Three-point locking

Height - 1905mm	
Width mm	Depth mm
477	505



HH661HLWLW29S11

- One adjustable shelf
- Three-point locking

Height - 1070mm	
Width mm	Depth mm
477	505



H1961HLWLW29S13

- Three adjustable shelves
- Three-point locking

Height - 1905mm	
Width mm	Depth mm
915	505



HH961HLWLW29S12DT

- Two adjustable shelf
- Dished top
- Three-point locking

Height - 1070mm	
Width mm	Depth mm
915	505



HH961HLWLW29S11

- One adjustable shelf
- Three-point locking

Height - 1070mm	
Width mm	Depth mm
915	505



HH961HLWLW29S12

- Two adjustable shelves
- Three-point locking

Height - 1070mm	
Width mm	Depth mm
915	505



HA961HLWLW29S11

- One adjustable shelf
- Three-point locking

Height - 790mm	
Width mm	Depth mm
915	505



HA931HLWLW29S11

- One adjustable shelf
- Three-point locking

Height - 790mm	
Width mm	Depth mm
915	355



HA221HLWLW00S11

- One adjustable shelf
- Single-point Camlock

Height - 770mm	
Width mm	Depth mm
300	300



HA521HLWLW00S11

- One adjustable shelf
- Single-point Camlock

Height - 770mm	
Width mm	Depth mm
450	300



HA551HLWLW00S11

- One adjustable shelf
- Single-point Camlock

Height - 770mm	
Width mm	Depth mm
450	450



HQ521HLWLW00S00

- No shelf
- Single-point Camlock

Height - 595mm	
Width mm	Depth mm
450	300

Probe

A Trusted **Whittan** Brand



STORAGE DESIGN LIMITED

Tel: 01446 772614

email: info@storage-design.ltd.uk

web: www.storage-design.ltd.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.