

BT METALS



sales@bendtechgroup.com.au



bendtechgroup.com.au



2-10 Kewdale Road, Welshpool WA 6106



PERTH (08) 9459 8600



 BT METALS

- Save up to 50% on fabrication times with precision cut parts
- End-to-end solution including drafting, supply, cutting, pressing, welding, powder coating and galvanising
- Etching and marking of locations, part numbers and tab and slot connections
- Unmatched accuracy with our 5 Axis Tube Laser and Flat Bed Laser
- Small and large batch runs
- High raw material stock holdings
- Overnight cutting upon request

CONTENTS

<i>TUBE LASER</i>	4
<i>FLAT BED LASER</i>	6
<i>PRESSING</i>	8





5 AXIS TUBE LASER

KEY FEATURES

- 12.5m max load length
- 8.5m maximum part outfeed
- 3D cutting
- 40kg/m maximum bar weight
- 12mm maximum profile thickness
- 2D drawing the 3D file programming

Profile	Wall/Flange Thickness		Max Length (m)w	Max Bar Weight kg/m
	Stainless Steel /Steel (mm)	Aluminium		
Round Tube (CHS)	12	10	12.5	40
Square Tube (SHS)	12	10	12.5	40
Rectangular Tube (RHS)	12	10	12.5	40
Channel (PFC)	10	10	12.5	40
Universal Beam (UB)	10	10	12.5	40
Universal Column (UC)	11.5	10	12.5	40
Angle (EA/UA)	10	10	12.5	40








6m x 2.5m ***FLAT BED LASER***

KEY FEATURES

- Fiber resonator
- Maximum cutting size of sheet material: 6096mm x 2559mm
- Shuttle table system
- Steel, aluminium, stainless steel and wear plate

Output power	12.0kW
Mild steel	32mm
Stainless steel	32mm
Aluminium	32mm
Copper	10mm
Brass	15mm







PRESSING


KEY FEATURES

- 170/30 Press Brake
- Up to 170T
- Up to 3000mm

BT
METALS



TAKE NOTE



TAKE NOTE





sales@bendtechgroup.com.au



bendtechgroup.com.au

