2026
TRADE CATALOGUE

Jaybro

CONSIDER IT DONE.

- LOCAL SUPPORT
- HUGE PRODUCT RANGE
- FAST DELIVERY





jaybro.com.au

1300 885 364

Making your life easier

4 hour
metro delivery

We can have your order delivered to site in 4 business hours!

Orders placed between 7am – 1pm

Express 4 hour service to Sydney, Melbourne, Brisbane, Adelaide and Perth Metro areas.



5%
price beat guarantee*

If you find a lower price for an equivalent to any product in our catalogue or website, Jaybro will beat that price by 5%.

*Refer to jaybro.com.au/jaybro-policies for terms and conditions



Nationwide delivery

Our locations

New South Wales

Sydney
Address: 29 Penelope Crescent, Arndell Park NSW 2148
Email: salesNSW@jaybro.com.au

Newcastle
Address: 100 Glenwood Drive, Thornton NSW 2322
Email: salesNSW@jaybro.com.au

Victoria

Altona
Address: 26–34 Aylesbury Drive, Altona VIC 3018
Email: salesVIC@jaybro.com.au

Geelong
Address: 16–24 Gregory Avenue, Newtown VIC 3220
Email: salesVIC@jaybro.com.au

Australian Capital Territory

Canberra
Address: 28 & 29, 105 Newcastle Street, Fyshwick ACT 2609
Email: salesNSW@jaybro.com.au

Queensland

Carole Park
Address: 55–59 Boundary Road, Carole Park QLD 4300
Email: salesQLD@jaybro.com.au

Townsville
Address: 27–31 Taryn Street, Mount St John QLD 4818
Email: salesQLD@jaybro.com.au

South Australia

Adelaide
Address: Unit 1/17 Ceafield Road, Parra Hills SA 5096
Email: salesSA@jaybro.com.au

Western Australia

Perth
Address: 5–7 Hopewell Street, Canning Vale WA 6155
Email: salesWA@jaybro.com.au

Metro areas

Delivery Options

4 Hour*
4 hour delivery (See page 2)

Next Day
Order before 4pm for delivery next day

Regional centres

Delivery Options (Mon–Fri)

VIP
Same day delivery

Next Day
Non-bulky only

Country regions

Delivery Options (Mon–Fri)

Australia Wide
1–3 days

Bulky deliveries

Items marked with "Truck" attract additional freight costs due to their bulky nature. Call for prices.

Crane trucks

Crane Truck delivery service is available. Call for prices.



DEDICATED

JAYBRO FLEET

Our professional fleet of expert drivers operate across all state capital metro areas, and are equipped to meet strict timeframes and site controls, handle bulky freight, and deliver to tough-to-reach worksites.

Effortlessly track your deliveries with proactive ETA notifications, live enroute map tracking and seamless communication technology, ensuring smooth, efficient service from our warehouse to your site.



CONTENTS

Index 432



CONSUMABLES 6-43




SAFETY SUPERIOR WORKWEAR 44-131



ROAD SIGNS & TRAFFIC 132-199



PRINTED FENCE FABRIC & SAFETY SIGNS FENCE BANNER MESH 200-223



TEMPORARY FENCING & BARRIERS FORTRESS FENCING 224-255



CRASH BARRIERS 256-287



TOOLS, HARDWARE & CHEMICALS 288-391



UNDERGROUND UTILITIES 392-413



GEOSYNTHETICS Polyfabrics Reliability you can build on 414-431


CONTENTS

Barrier Mesh, Flagging & Bunting 8-9
Fence Post Caps & Tie Wire 10
Star Posts & Post Drivers 11
Silt Fence 12
Hardwood Stakes, Pegs & Accessories 13
Erosion & Sediment Control 14
Silt Bags, Silt Socks & Sand Bags 15
Water Clarification, Timber Blocks & Wedges 16
Petrolatum Tape 17
Jaybro Spot Paint and Site Marker Paint 18-19
Markers, Crayons, Chalk & Batteries 20
Fibreglass Rodders 21
Barrier Tapes, Duct Tape & Chains 22
Underground Marker Tapes & Labels 23
Pit Guards, Cable Hauling Rope & Cable Lube 24
Ground Protection Mats 25
Coldlay Asphalt 26
Concrete & Cement Mix 26-27
Grease & Accessories 27
Lifting Tools, Slings & Load Binding 28
Vehicle Safety 29
Toilet Paper & Hand Towel 30
Towel Dispensers & Toilet Supplies 31
Cleaning Solutions & Equipment 32-34
Hand Cleaners & Sanitisers 35-36
Wet/Dry Vacuum Cleaners & Garbage Bins 37
Lunchroom Supplies 38
Hydration Products & Coolers 39
Indoor/Outdoor Site Essentials 40-43



PROFESSIONAL JAYBRO SPOT PAINT. See page 18





STEEL FENCE POSTS (DROPPERS). See page 11



PREFILLED HESSIAN SAND BAGS. See page 15

1300 885 364
Login online for your **Trade Account Pricing**



SECTION

01 CONSUMABLES

5% PRICE BEAT GUARANTEE


If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

BARRIER MESH - #8

PLASTIC TYPE

- Heavy Duty Plastic Mesh
- Ideal for long term applications
- U.V. resistant, made for harsh conditions
- Size: 50m x 900mm
- Colour: Orange



CODE
18-BMPL

60 ROLLS

BARRIER MESH

FABRIC TYPE

- Cost effective woven type material
- U.V. resistant
- With top and bottom strap for fast attachment to support posts
- Size: 50m x 900mm
- Colour: Red with two yellow bands

HEAVY DUTY ROPES ALONG TOP AND BOTTOM EDGES




CODE
18-BMFA

70 ROLLS

PREMIUM HEAVYWEIGHT BARRIER MESH - #14

EXTRUDED PLASTIC TYPE

- Rigid type plastic stays up with less support posts than other barrier meshes
- Extra heavy duty, ideal for long term jobs or repetitive use
- 3 Year Warranty
- Size: 30m x 900mm



WARRANTY 3 YEAR OUTDOOR
Conditions Apply

CODE
18-BMXHD

20 ROLLS

ORANGE BARRIER GUARD MESH

- Open weave pattern allows for greater airflow to reduce possibility of collapse
- UV resistant, made for harsh conditions
- Bright orange in colour for hi-visibility
- Tight stitch won't fray or tear if cut
- 50m x 900mm roll




CODE
18-BMG

35 ROLLS

PREMIUM HEAVYWEIGHT BARBER POLE MESH®

- Heavy Duty Plastic Mesh
- UV resistant, made for harsh conditions
- Ideal for long term applications
- 3 Year Warranty
- Colour: Red & White
- Size: 50m x 900mm




WARRANTY 3 YEAR OUTDOOR Conditions Apply

48 ROLLS

CODE
18-BMDLHD

PREMIUM HEAVYWEIGHT RAIL MESH

- Heavy Duty Plastic Mesh
- Ideal for long term applications
- Preferred product on NSW Railcorp Projects
- UV resistant, made for harsh conditions
- 3 Year Warranty
- Colour: Blue & White
- Size: 50m x 1000mm



WARRANTY 3 YEAR OUTDOOR Conditions Apply

48 ROLLS

CODE
18-BMDLHDBW

SAFETY FLAGGING / BUNTING

Triangular PVC flags on heavy duty rope.



30M BUNDLES

- Size: 30m roll
- Colour: Orange, Blue, Yellow, Green

40 960

CODE	COLOUR
27-SFLA	Orange
27-SFLAG	Green
27-SFLAB	Blue
27-SFLAY	Yellow




EXTRA LONG 100M BUNDLES

CODE	COLOUR
27-SFLA100	Orange
27-SFLA100R	Orange
27-SFLAB100R	Blue
27-SFLAG100R	Green

REFLECTOR LINE

- Rectangular reflective tags on a rope
- Provides an ideal hazard warning tape for both day and night
- Colour: Red/White
- Size: 25m long



50

CODE	TYPE
27-RLI1	Premium - Class 1

- Full reflective tags on a reel
- Provides an ideal hazard warning tape for both day and night
- Colour: Red/Yellow
- Size: 500m long



CODE	TYPE
27-RFRL500	Premium Full Reflective

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

FENCE POST CAPS & TIE WIRE

TIE WIRE REEL

Aluminium reel for use by steel fixers. Allows for quick & easy tie wire dispensing.



CODE
26-TW-REEL

FENCE POST/ REO BAR CAPS

Round type - visual warning and protects from sharp edges for starter bars or steel fence posts.

AUSTRALIAN MADE AND OWNED

100



CODE
26-SPCY

TIE WIRE

Black annealed belt pack.
Size: 1.57mm x 95m

10

720 ROLLS

Min purchase 10 rolls



CODE
26-95W

FENCE POST CAPS

Safety yellow, with holes for easy attachment, fits perfectly on steel fence posts.

Qty: 40/pack

40 BAG



CODE
26-SPCTR

STRAND WIRE

Fence Wire - handy roll
Size: 2.5mm x 300m



CODE
26-25SW

GALVANISED TIE WIRE

1.57mm x 180m - galvanised tie wire

5



CODE
26-180GTW

REO BAR GUARD CAPS

Protect your workers from extruding hazardous reo bars and steel posts. Reo Bar Guard Caps provide the best high visual warning and protection from extruding or exposed reo bars and steel posts. They are manufactured from heavy duty polypropylene which makes them durable and reusable.


- Provides high visibility to reo bars and posts
- Manufactured from heavy duty polypropylene
- Protects and prevents scratches and impalement
- Reusable and durable
- Quick & easy to install
- Available in boxes of 100



CODE	SIZE
26-RECAPS	16 - 20mm
26-RECAPL	24 - 36mm

100

Protect your workers from extruding hazardous reo bars & steel posts.



STEEL FENCE POSTS (DROPPERS)

Sold only in packs of 10



CODE	LENGTH
26-60SP	600mm
26-240SP	2400mm

CODE	LENGTH
26-90SP	900mm
26-135SP	1300mm
26-165SP	1500mm
26-180SP	1700mm



FENCE POST REMOVER/LIFTER


Constructor safe post remover/lifter



CODE
26-SPLT

STEEL POST DRIVER

Heavyweight. Length 800mm



CODE	LENGTH
26-SPD	800mm

GALVANISED STEEL FENCE POSTS / DROPPERS

Sold only in packs of 10



CODE	LENGTH
26-135GSP	1350mm
26-165GSP	1500mm

STAKE/POST RAMMER

- Used for driving steel fence, star posts and stakes into the ground
- Manufactured from galvanised steel
- Size: 900mm



CODE
26-STKRMR

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SILTMASTA™ *SediFence*

SILTmasta™ SediFence is designed for protection of natural surrounding areas during the course of earthworks & construction activities for a variety of civil engineering & domestic projects. Sensitive aquatic margins require protection from sediment run-off which can contaminate water-bodies due to nutrient overload.

SILTmasta™ SediFence is utilised to prevent such contamination by flanking exposed soils or bordering entire construction sites.

Soil erosion, sediment and litter from construction sites can be major sources of storm water pollution and can cause significant harm to the environment.

Anyone on a building site who does not comply with sediment control regulations can be prosecuted or issued with on-the-spot fines. Companies, builders, subcontractors and individuals can all be fined.

SILT FENCE

GENUINE SILTMASTA SF5000 - PREMIUM SILT FENCE

Premium SF5000 Silt Fence is a special, high quality, permeable, technical filter fabric that can be installed as an entrenched vertical barrier fence, and is designed to intercept and detain runoff, trapping harmful silt through settlement and filtration before it leaves the site.

Roll Height: 750mm
Roll Length: 100m

Ideal for long term applications.



CODE	
30-SF5000JAY	62

GENUINE SILTMASTA SF3000 - STANDARD SILT FENCE

Premium Woven Silt Stop with a high flow rate and very long lasting. With woven edges to resist fraying. U.V. resistant.

Roll Height: 850mm
Roll Length: 100m

Ideal for long term applications.



CODE	
30-SF3000JAY	40

SILTMASTA SF2000 - ECONOMY SILT FENCE

Woven Silt Stop. Green - U.V. resistant.
Roll Height: 770mm
Roll Length: 100m

Ideal for short term applications.



CODE	
30-SF2000JAY	23

HARDWOOD STAKES & PEGS


HARDWOOD STAKES



CODE	DESCRIPTION
30-25251200JAY	25 x 25 x 1200mm (Tomato Stakes)
30-25251800JAY	25 x 25 x 1800mm (Tomato Stakes)
30-3838900JAY	38 x 38 x 900mm (Silt Fence Stakes)
30-38381200JAY	38 x 38 x 1200mm (Silt Fence Stakes)
30-5025600JAY	50 x 25 x 600mm (Unpainted)
30-5025900JAY	50 x 25 x 900mm (Unpainted)
30-50251200JAY	50 x 25 x 1200mm (Unpainted)

DUMPY PEGS

- Size: 50 x 50mm



CODE	FINISH
26-505045JAY	Unpainted
26-505060JAY	Unpainted
26-505090JAY	Unpainted

SURVEYORS PEGS - PAINTED

- Hardwood
- Size: 50 x 25mm
- Sold in packs of 24



CODE	FINISH	LENGTH
30-5050230PJAY	Painted	230mm
30-5025450PJAY	Painted	450mm
30-5025600PJAY	Painted	600mm
30-5025900PJAY	Painted	900mm
30-50251200PJAY	Painted	1200mm

RAPID STAPLE GUN

- Heavy duty, trade quality aluminium die-cast body
- Power adjustment control system
- Ergonomic bi-material handle
- Safety handle lock
- Takes flat wire staples between 6 - 14mm



CODE	DESCRIPTION
26-RSGUN	Staple Gun
26-RSGST	10mm Staples - 5000pk

TURBO RING FASTENER SYSTEM

- Ideal for installing silt fence and barrier mesh/shadecloth etc.
- Saves Time
- Easy to use and load





TURBO RING FASTENING GUN

CODE
26-FSG

TURBO RINGS - 1000PK

CODE
26-FSJ

SILT FENCE STAPLER

Hammer Type Stapler system saves time installing silt fence - Up to 6 times faster!
Staples: 1000pk





CODE	DESCRIPTION
26-PHT150C	Staple Gun
26-SFS8	8mm (5/16") Staples

CABLE TIES

540 x 7.6mm - Black. Qty: 100pk.

CODE
26-CTIE2

50 PACKS

300mm x 5mm - Black. 500pk

CODE
26-CTIE3

25 PACKS

540mm x 7.6mm - Black, 100pk


CODE
26-CTIE5

1000 PACKS



END CUTTING NIPS

250mm long end cutting nips with soft grip handle.



CODE
26-ECNIP

5% PRICE BEAT GUARANTEE


If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SILT CURTAIN

The **Siltmasta™ SiltCurtain** controls silt run off in streams by acting as a floating barrier. The curtain is made from geotextile material with closed cell foam flotation and a ballast pocket at the bottom for chain.

Silt Curtains, also known as Sediment Curtains or Flotation Curtains are designed and used to control sediment, algae or debris movement in waterways. Silt Curtains consist of a high visibility reinforced plastic flotation pocket, a non woven needle punched geotextile skirt to act as the filter and ballast pocket.



Standard Size
Size: 15m x 1.5m (Deep) including chain

Custom Length (Per Metre)
2 weeks lead time required

Call to speak to a consultant to discuss your requirements

CODE
30-SICR15JAY



DEWATERING BAGS

Dewatering and Sediment Filter bags are perfect for pumping and filtering sediment laden water. The dewatering bags provide a simple yet effective method of removing heavy particles (>90 microns) from excavation water allowing silt free water to be released from the bag.

- 270gsm geotextile fabric
- Double thickness neck for strength
- 90 micron pore size
- Double stitching
- Male camlock connector



CODE	SIZE
30-DB15JAY	1.5m (L) x 0.5m (W)
30-DB25JAY	2.5m (L) x 1.5m (W)
30-DB60JAY	6.0m (L) x 4.0m (W)

WEEDMAT

- The tight weave prevents light reaching the soil
- Allows air and water to pass through the weave
- Prevents weed growth
- Size: 50m x 1.8m



CODE
43-WMAT

HESSIAN ROLLS

- Heavyweight - 170gsm
- Size: 50m x 1.8m



CODE
43-HESRLJAY

21

COIR LOGS

COIRmasta™ CoirLogs are an environmentally friendly alternative to hay bales and expensive rip-raps or cement stabilisation techniques.




CODE	SIZE
30-COIRL2JAY	Ø200mm x 3m
30-COIRL3JAY	Ø300mm x 3m

JUTE MESH

EROmasta™ Jute Mesh is a fully biodegradable organic product made from Jute, which is a derivative of Hessian. Specifically designed to act as an erosion control mat, jute mesh creates an environment which promotes rapid natural plant growth.

- 1.2m x 549m (Bale), 1.2m x 68m (Biscuit)
- 485gsm



CODE	SIZE
JM12-BALEJAY	1.2x549m
JM12-68M	1.2x68m

JUTE MAT

Made from Jute, this matting is ideal for weed and erosion control. 100% biodegradeable.

- 1.83m x 25m (45.75m²)



CODE	DESCRIPTION
30-JM450	EROmasta Jute Mat 1.83 x 25m 450gsm
30-JM750S	Jute Mat Pre-Slitted 1.83m x 25m 750gsm

SAND BAGS READY TO FILL

HESSIAN 830MM X 340MM

Qty: 100 / pack



1000

3000

CODE
30-SABGPFJAY

POLY 830MM X 340MM

Qty: 100 / pack



1000

9000

CODE
30-SABPLPFJAY

PREFILLED HESSIAN SAND BAGS

- Prefiiled with sand
- Size: 830 x 340mm



CODE
30-SABGPF




SILT BAGS

PREMIUM SILT BAG - 1M

Heavyweight UV Resistant with tie strap. Ideal for preventing sediment entering drains. Made from heavy duty polypropylene mesh to last up to 6 years outdoors.

- Prefilled with blue-metal
- Prefilled with sand not available
- Size: 300mm x 800-1000mm
- 0.5m x 0.7m when filled
- Flow rate: 23L/m²/min



50
VIC Pallet

100
NSW Pallet

CODE	CONTENTS
30-SIBGJAY	Empty
30-SIBGPFJAY	Prefilled

ECONOMY SILT BAG

- Economy Silt Bags with tie strap.
- Qty: 50pk.
- Size: 230 x 860mm
- Flow rate: 15Lt/m²/min



CODE
30-ECSBJAY



SILT SOCKS

PREFILLED SILT SAUSAGE

Prefilled with blue-metal.
Prefilled with sand not available.

Size: 200mm x 1300mm

Made from high strength U.V. resistant filter fabric, designed to go around drains and trap any sediment but allow water to flow through.

Size: Ø150mm (filled)

CODE
15-100031JAY



50M ROLLS

CODE	SIZE
30-50MSSJAY	50m Roll

4M LENGTHS

CODE
30-4MSSJAY

High Strength Design allows traffic to go over the silt sock and not burst it open.

BULKA BAGS

Commonly used in industries such as cement, chemicals, fertilizers, mining, waste management, aggregates, food, polymers and stock feeds.

- Size: 900x 900x900mm
- Non laminated, 140GSM
- Circular woven
- Open Top, Flat Bottom
- 1000kg capacity (SWL)
- 4 x 30cm cross corner lifting loops



CODE
42-BUBAG

SAND BAG FILLER

Make light work of filling sand bags, requires only one person & saves WHS claims. Can be used for sand bags and Siltmasta™ Silt Bags.



CODE
30-SBGF

5% PRICE BEAT GUARANTEE


If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

GEOMASTA FLOCCULANT BLOCKS & COAGULANTS

Flocculant Blocks are a simple, convenient method for applying flocculant to water requiring clarification.





CODE	PRODUCT	TYPE	PHYSICAL STATUS	PACKAGING	COMMENTS	TYPICAL WATER CLARIFICATION APPLICATIONS						
						Sediment Retention Basins	SRB's Saline or Acidic	SRB's Enviro Sensitive	Irrigation Dams	Phosphate Removal	Algae Control	Sewage & Biological Waste
46-FAN1	**GEOmasta Flocculant Block pH-N 3kg**	Anionic Flocculant (PAM)	3kg Block	3kg Blocks	Rapid solids setting, no effect on pH, low aquatic toxicity	✔		✔	✔			
46-CACL20	**GEOmasta Particular Coagulant**	Inorganic Coagulant	Liquid	Liquid grade 20L, IBC	Minimal effect on water pH, low aquatic toxicity	✔	✔	✔	✔	✔	✔	✔

Typical Applications

- **Construction Sites** - Clarification of storm water on building sites, housing developments and construction sites.
- **Mines & Quarries** - Clarification of storm water run-off from mining operations and stock piles of rock, sand and gravel quarries. Clarification of water from drilling operations.
- **Road Construction** - Clarification of storm water run-off at road, rail and tunnel construction sites.
- **Trade Wastewater** - Clarification of trade and industrial wastewater to remove solids and to thicken sludge.

Application & Benefits

- Flocculant Blocks are supplied as either rectangular bricks (210x170x80mm) or cylindrical blocks (170mmØ x 150mm). Each type weighs 3kg and will treat approx 300,000 litres of water.
- The most common methods for applying Flocculant Blocks are to place blocks at the entry point to the dam, at a point of turbulence that will ensure contact with most of the water flow. A point of turbulence may have to be created if one does not exist. Blocks should be secured in a wire mesh cage. Alternatively, water in a dam may be recirculated using a pump. The return water is pumped into a tank (~1,000L) in which the blocks are secured in a cage. Treated water continuously overflows from the tank back into the dam.

TIMBER WEDGE

- Size: 400(L) x 150(W) x 75(H)mm
- Ideal for supporting and blocking pipes



CODE	
26-TW400	252


TIMBER BLOCK

- Size: 400(L) x 150(W) x 75(H)mm
- Ideal for supporting and blocking pipes



CODE	
26-TB400	168






PETROLATUM TAPE

RAM PETROLATUM TAPES are extremely surface tolerant and unyielding to moisture, acids, alkalis and salt solutions. RAM PETROLATUM TAPE systems utilise microcrystalline waxes which achieves excellent characteristics including high conformability, superior adhesion / amalgamation to itself and substrates whilst being user friendly to semi skilled applicators.

Surface Preparation
Wire brush dirt, loose rust and foreign matter from surface to be protected. Surfaces should be reasonably dry. On wet surfaces use RAM Marine Primer.

Priming
Apply a thin even film of RAM Primer over the metal surface by gloved hand.

Filling
RAM Moulding Mastic should be used where necessary to improve contours at fittings to achieve a streamline contour. The wrapped fitting with the specified overlap must have no voids, air bubbles and wrinkles.

Taping
Start applying the RAM Petrolatum Tape with a full circumferential turn around the fitting and utilise a nominal 50% overlap to achieve a double thickness of tape. Apply tape ensuring firm tension and then smooth down by hand to exclude any moisture and/ or water.

On each new roll of tape, underlap the new roll on previous by a minimum 100mm.

Overwrapping
RAM High Temperature Outer Wrap should be spirally wrapped (similar to previous procedure) under tension to guarantee contact to achieve a nominal 50% overlap.

Step 1
PETROLATUM MULTI-PURPOSE PRIMER

- 1st step in the petrolatum pipe protection process
- Fills surface imperfections and ensures intimate contact between mastic tapes
- Used to prepare, seal and waterproof metal surfaces
- Protects pipelines from corrosion above and below ground
- Ideal for use as a rust preventative on exposed metal work
- 4kg tin



CODE
06-PP4

4

Step 2
PETROLATUM TAPE

- 3rd step in the petrolatum process
- Synthetic, non-stitched, fabric based tape
- Impregnated and coated with petrolatum based compound
- Ideal for protecting pipelines, joints, fittings, etc.
- Often used to waterproof seal most surfaces above and below the ground (2 types, above ground and below ground)
- Prevents corrosion even under water



CODE	TYPE
06-PTBG50	Below Ground - 50mm x 10m
06-PTBG75	Below Ground - 75mm x 10m
06-PTBG100	Below Ground - 100mm x 10m
06-PTBG150	Below Ground - 150mm x 10m
06-PTAG50	Above Ground - 50mm x 10m
06-PTAG75	Above Ground - 75mm x 10m
06-PTAG100	Above Ground - 100mm x 10m
06-PTAG150	Above Ground - 150mm x 10m

Step 3
PETROLATUM MASTIC

- 2nd step in the petrolatum pipe protection process
- Suited for use as a filler for voids
- Used to profile irregular shapes in preparation for application of petrolatum tape
- Great for use around flanges, bolts, pipe joints and valves
- 3 Litre block



CODE
06-PM3

8

Step 4
PETROLATUM OUTER WRAP

- 4th step in the petrolatum process
- Stabilised, plasticised, black over wrap
- Rubber based, pressure sensitive adhesive
- Resistant to sunlight, salt water, alkalis, acids, oils and bacteria
- Provides mechanical protection of electrical resistance for inner wraps
- Waterproof



CODE	SIZE
06-POW50	50mm x 30m
06-POW100	100mm x 30m
06-POW150	150mm x 30m

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

JAYBRO SPOT PAINT AND SITE MARKER PAINT





PROFESSIONAL JAYBRO SPOT PAINT

Jaybro Spot Marking Paint is a versatile, professional-grade marking paint ideal for construction, landscaping, civil works, and surveying. Its unique spray pattern is perfect for precise spot marking and writing, ensuring high visibility and accuracy on every job. Available in a variety of vibrant, high-visibility colours to suit your marking needs.

- Toluene free and CFC free
- Produces clean, sharp lines for precision marking
- Designed for inverted applications
- Size: 65mm x 200mm
- Net Weight: 350g

4 FLUORESCENT AND 5 NON-FLUORESCENT COLOURS AVAILABLE!





CODE	COLOUR
28-P350SPBL	Professional Jaybro Spot Paint - Blue
28-P350SPG	Professional Jaybro Spot Paint - Fluro Green
28-P350SPP	Professional Jaybro Spot Paint - Fluro Pink
28-P350SPO	Professional Jaybro Spot Paint - Fluro Orange
28-P350SPPU	Professional Jaybro Spot Paint - Purple
28-P350SPBK	Professional Jaybro Spot Paint - Black
28-P350SPY	Professional Jaybro Spot Paint - Fluro Yellow
28-P350SPW	Professional Jaybro Spot Paint - White
28-P350SPR	Professional Jaybro Spot Paint - Red

JAYBRO SITE MARKER PAINT

- For use on: Bitumen, Concrete, Dirt, Timber, Ground Cover Steel & much more
- Colours: White, Yellow, Black, Red, Fluoro Pink, Fluoro Orange, Fluoro Green, Blue
- Size: 350g Cans

JAYBRO AEROSOLS MUST BE STORED BELOW 50˚C & MUST NOT BE STORED IN DIRECT SUNLIGHT.






CODE	COLOUR
28-350SPBL	Blue
28-350SPG	Fluoro Green
28-350SPP	Fluoro Pink
28-350SPO	Orange

CODE	COLOUR
28-350SPBK	Black
28-350SPY	Yellow
28-350SPW	White
28-350SPR	Red

BACKSAVER SPOTTING HANDLE

- Gives you that extra reach when you need it
- Assists in preventing back strain
- Improves efficiency and makes application less fatiguing
- Lightweight aluminium construction



CODE
28-BSSH

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

MARKERS, CRAYONS, CHALK & BATTERIES

PAINT MARKERS

- Writes on almost any surface
- Fast drying permanent ink
- Bold opaque and weather resistant




CODE	COLOUR
45-PMPBK	Black
45-PMPWT	White
45-PMPR	Red
45-PMPY	Yellow

CRAYONS

- Size: No. 3.
- Colours: Yellow, Red, Blue
- Box of 12





CODE	COLOUR
45-CRAYONB	Blue
45-CRAYONR	Red
45-CRAYONY	Yellow

PERMANENT MARKERS

- Bullet point, waterproof and fade resistant permanent markers
- Qty: 12/box



CODE
45-PMBP

FLAGGING TAPE

- 75m rolls
- Colours: Red, Yellow, Pink, White, Blue, Orange, Green
- Min. 1 box (10 rolls of one colour)



CODE
45-FLAGTAPB

CHALK LINES

CHALK LINE REEL

- Plastic Body
- 30m line



CODE
20026

LINE MARKING CHALK BLUE - 226G

- Refill to suit chalk line



CODE
20029

BATTERIES

ENERGIZER INDUSTRIAL ALKALINE BATTERIES

- 10-year shelf life
- No leak guarantee
- Available sizes in AA, AAA, C & D
- 9V size carries a 5-year shelf life



CODE	QUANTITY	SIZE
17-AAAB	24 Pack	AAA
17-AAB	24 Pack	AA
17-CB	12 Pack	C
17-DBE	12 Pack	D
17-9VB	12 Pack	9V

6 VOLT BATTERY

- Heavy duty
- Suits Megabrite Flashing Hazard Lamps, along with other applications



CODE
17-6VBAT

24



FIBREGLASS DRAINER / COMMUNICATIONS RODS

Large Fibreglass Snake

- Available in both detectable and non-detectable
- 150m long
- ø8mm designed for medium to large conduits
- Also suitable for sewer & water pipe testing
- Complete with hauling eyes
- Heavy Duty Galvanised dispenser with wheels

Medium Fibreglass Snake

- 125m long
- ø6mm designed for medium to large conduits
- HDPE Coating
- Complete with hauling eyes
- Frame designed to unfold to various angles allowing a single operator to use on most surface levels
- Folds up for easy storage

Small Fibreglass Snake

- 80m long
- ø4.5mm designed for small to medium conduits
- HDPE Coating
- Complete with hauling eyes
- Compact easy to use dispenser

CODE	SIZE
45-FRSM	Small
45-FRMD	Medium
45-FRLR	Large
45-TFRLR	Large Detachable

Asbestos Removal Products
See page 103



5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

BARRIER TAPES, DUCT TAPE & CHAINS



BARRIER TAPES - REFLECTIVE

HI-INTENSITY REFLECTIVE TAPE - CLASS 1

Adhesive Hi-intensity Class 1 Reflective for marking trucks, signs and much more. Heavy Duty material for outdoor applications.

Size: 50mm x 45.7m Roll

Colours: White, Yellow, Red, Orange, Red/White, Black/Yellow.

44% Brighter at night than Economy Class 2



CODE
09-50RTCL1

REFLECTIVE TAPE - CLASS 2

Adhesive Class 2 reflective for marking trucks, trailers, signs & much more.

- Size: 48mm x 45.7m Roll
- Colours: Red/White, Black/Yellow



CODE
09-48RTRW
09-48RTBY

HI-VIS FLUORO TAPE

- 50mm x 45.7m
- Adhesive-backed roll. High reflectivity ideal for industrial sites



CODE
09-50RTDGY

REFLECTIVE TAPE - 100MM EXTRA WIDE

- Size: 100mm x 45.7m Roll
- Colours: Red/Yellow



CODE
09-100RT

PLASTIC CHAIN


Yellow plastic chain
Size: 6mm x 40m roll



CODE
67-6PCH

STANDARD DUCT TAPE

- Grey PVC joining & duct tape rolls
- Heavy Duty 130µm
- Size: 48mm x 30m
- Colour: Silver



Min. purchase 10 rolls.




CODE	TYPE
80-204S	Premium

BARRIER TAPES - NON REFLECTIVE

100m EXTRA LONG ROLLS

HAZARD TAPES - STANDARD





CODE	SIZE	TYPE
22-100RW	100m x 150mm	Red/White
22-100BW	100m x 75mm	Blue/White
22-100BY	100m x 75mm	Yellow/Black
22-100GW	100m x 75mm	Green/White

HAZARD TAPES - EXTRA HEAVY DUTY

100m EXTRA LONG ROLLS

- Double thickness
- Blue/White - approved for Railcorp work



CODE	SIZE	TYPE
22-100BWHD	100m x 75mm	Blue/White Hazard
22-100RWD	100m x 75mm	Red/White - Danger
22-RWDKO	100m x 75mm	Red/White - Danger Keep Out

MAINS MARKER TAPES - DETECTABLE

Plastic tape with stainless steel tracer wire.
22-100MMDW-B - For use in QLD
Size: 100mm x 250m

See table below for full range.

CUSTOM TAPES AVAILABLE



CODE	DESCRIPTION
22-100MMDC	COMMUNICATION MAIN BELOW
22-100MMDE	ELECTRICITY MAIN BELOW
22-100MMDF	FIRE FIGHTING MAIN BELOW
22-100MMDG	GAS MAIN BELOW
22-100MMDPW	POTABLE WATER MAIN BELOW
22-100MMDRW	RECYCLED WATER MAIN BELOW
22-100MMDS	SEWER MAIN BELOW
22-100MMDST	STORMWATER MAIN BELOW
22-100MMDW	BURIED WATER MAIN BELOW
22-100MMDW-B	BURIED WATER MAIN BELOW

3 WAY MAINS MARKER TAPES

Tape for shared trenches 'Comms, Gas, Electricity'.
Size: 200mm x 500m



CODE
22-3WMM

GAS MAINS MARKER TAPE

"Warning Natural Gas Ph 131909"
Size: 100mm x 500m
150mm x 500m rolls also available



CODE
22-100AGL


CABLE COVER

- Complies to AS/NZS4702-2000
- Single sided
- Colour: Orange



CODE	SIZE
22-CC150	150mm x 25m
22-CC300	300mm x 20m

PIPE MARKER LABELS



See page 223

MAINS MARKER TAPES

- Non-detectable
- Underground Mains Marker Tape.
- Size: 150mm x 500m roll

See table below for full range.



CODE SUFFIX	TEXT OPTIONS FOR BOTH DETECTABLE & STD MAINS MARKER TAPES	COLOUR
W	DANGER - BURIED WATER MAIN BELOW	GREEN
W-B	DANGER - BURIED WATER MAIN BELOW	BLUE
RW	DANGER - BURIED RECYCLED WATER MAIN BELOW	LILAC
S	DANGER - BURIED SEWER MAIN BELOW	BEIGE
S*	SEWER CONNECTION	WHITE
G	DANGER - BURIED GAS MAIN BELOW	YELLOW
E	DANGER - BURIED ELECTRICITY MAIN BELOW	ORANGE
ST	DANGER - BURIED STORMWATER MAIN BELOW	BLUE
C	DANGER - BURIED COMMUNICATION MAIN BELOW	WHITE
PW	DANGER - BURIED POTABLE WATER MAIN BELOW	GREEN
F	DANGER - FIRE FIGHTING MAIN BELOW	RED

CODE	DESCRIPTION
22-150MMC	COMMUNICATION MAIN BELOW
22-150MME	ELECTRICITY MAIN BELOW
22-150MMG	GAS MAIN BELOW
22-150MMRW	RECYCLED WATER MAIN BELOW
22-150MMS	SEWER MAIN BELOW
22-150MMW	BURIED WATER MAIN BELOW
22-150MMF	FIRE FIGHTING MAIN BELOW
22-150MMPW	POTABLE WATER MAIN BELOW
22-150MMST	STORMWATER MAIN BELOW

MAINS MARKER TAPE - SEWER CONNECTION

- Sewer Connection with Water Corporation Logo
- Size: 125mm x 330m Roll
- For use in WA only



CODE	DESCRIPTION
22-125MMS	SEWER CONNECTION


WA ONLY

FULL RANGE OF GUIDE POSTS



See pages 134-137

MARKER PLATES & STICKERS




See page 138

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

CABLE HAULING ROPE

BLUE (PARRAMATTA ROPE)

- 5.7kn (minimum) breaking force
- Tangle free uncoiling to coil end - 'No Waste"
- Application break force: 602kg
- Supplied in min pallet lots, 45 coils
- Easy dispensing
- Size: 6mm x 400m roll
- Determined to be greater than the manufacturers specified minimum breaking strength of 595kg (=5837N)



TECHNICAL DATA	
Nominal Diameter	6mm
Rope Construction	3 strands Twisted
Colour	Blue & Yellow
Material	Polypropylene mixed with Polythylene
Mix Ratio	3:1



EXCEEDED MANUFACTURERS minimum breaking strength OF 595kg (=5837n)

CODE
41-6PR

ORANGE CABLE HAULING ROPE

- Natural polypropylene
- Highly abrasion resistant
- Size: 3mm x 1000m roll



64

Pallets only

CODE
38-100079

CABLE LUBE


- Recommended for lubricating electrical wires to pull through conduit
- Super friction reduction
- Suitable on all electrical piping
- Non-toxic and non-flammable
- Code C Lube
- Sizes: 1L, 20L



CODE	SIZE
41-CLUBE1	1L
41-CLUBE20	20L

STANDARD MESH PIT GUARD – 4 SIDED

- Extensively used in common communication
- Applications including the National Broadband Network
- Folds into a flat and compact 2 pieces which suits vans, utes and trucks
- Size: 1400mm x 1380mm Square (when opened)
- 3 year warranty



4 Sided Aluminium Pit Guard with Tent Frame



4 Sided Aluminium Pit Guard




Tent for Mesh Pit Guard Tent Frame

WARRANTY 3 YEAR
Conditions Apply

CODE	DESCRIPTION
15-ALPG4	4-Sided Aluminium Pit Guard

CODE	DESCRIPTION
31-100014	4-Sided Aluminium Pit Guard with Tent Frame
15-TENT	PVC Tent for Mesh Pit Guard Tent Frame



GROUND PROTECTION MATS

- Creates an instant roadway over virtually any type of terrain - mud, sand, marshy, uneven or soft terrain
- Protects valuable turf during landscaping projects
- Superior alternative to plywood and fibreglass - will not warp, rot, crack or delaminate
- Save time & labour getting vehicles and equipment traversed over difficult terrain
- Avoid potential injuries to workers incurred while dislodging vehicles & equipment from mud
- Protects vehicles & equipment from excessive wear and damage due to operating on unstable ground conditions
- Easily handled and laid by two men -no need for expensive crane wagons
- Lay as two parallel tracks or a single roadway, linked together with metal connections
- Easily cleaned due to less aggressive lug pattern
- Extremely durable to withstand vehicle weights up to 80 tonnes
- Tested in extremes of hot and cold climates / can be used hundreds of times - Guaranteed for 7 years
- Manufactured using super-strong high density polyethylene plastic (HDPE) and are chemical, weather and UV resistant
- Each mat has a unique integrated tread pattern moulded onto both sides providing traction and stability for nearly any type of heavy equipment
- 3 year warranty
- Simple to install
- Maintenance free & easy to clean
- Size: 2000 x 500 x 10mm
- Weight: 48kg
- Colour: Black

WARRANTY 3 YEAR
Conditions Apply

CODE	RATED
49-PROMAT10	10 Tonne
49-PROMAT30	20 Tonne
49-PROMAT80	80 Tonne



*As with all temporary roadway systems, our mats are not suitable for use with steel tracked excavators and their use will result in damage to mats.

*Area should be relatively level, large rocks or obstacles must be moved before placing the mats;

*This mat is not bridge material, it should never be used to cross or span large gaps

*We suggest in-door storage, if stored outdoor, protection cover should be used in order to avoid strong sunshine / UV rays which will be harmful to the plastic.

GROUND PROTECTION MAT HOLDING PINS

Keep your ground protection mats from swivelling or moving while being driven over or walked on. Simple pin system. Available for joining 2 mats or 4 mats at once.



CODE	TYPE
49-MATSP	Single Pin (Join 2 mats)
49-MATDP	Double Pin (Join up to 4 mats)

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

JAYBRO COLDLAY ASPHALT

OPEN TO TRAFFIC INSTANTLY!

Jaybro Coldlay Asphalt is a new and innovative permanent road repair product designed to make your job easier, quicker and safer. This product eliminates backup maintenance and suits all applications.

- 20kg bag or 1 tonne bulk bag
- Can be used in all weather conditions
- Can be opened to traffic immediately
- Lasts up to 3 years
- 12 month shelf life from DOM
- Coverage: 1.1m2 at 10mm depth

CODE	
14-CLA1T-BB	60

CODE	
14-CLA20	60



CONCRETE & CEMENT MIX

GENERAL PURPOSE CEMENT

- Complies to AS3972
- Weight: 20kg

Call for specifications & technical data sheet.





GP Cement Bulka Bags are also available

60 NSW Pallet Size


48 VIC/QLD Pallet Size

CODE	DESCRIPTION
41-GPC	GP Cement 20kg Bag

HYDRATED LIME

- Enhances bond strength when used in cement/ sand mortar/render
- Weight: 20kg

Call for specifications & technical data sheet.





Hydrated Lime Bulka Bags are also available

54 VIC Pallet Size

60 NSW/QLD Pallet Size

CODE
41-HL20

EXTRA STRENGTH CONCRETE MIX

- Twice the strength of a standard concrete mix
- Weight: 20kg

Call for specifications & technical data sheet.



CODE	
41-ESC	48

RAPID SET CONCRETE

- Hardens in 15 minutes
- Weight: 20kg

Call for specifications & technical data sheet.

60 NSW Pallet Size
84 VIC/QLD Pallet Size

CODE
41-RSC



CONCRETE MIX

- Just add water
- Weight: 20kg

Call for specifications & technical data sheet.

60 NSW Pallet Size
84 VIC/QLD Pallet Size

CODE
41-CMGP



SAND & CEMENT MIX

- Weight: 20kg

Call for specifications & technical data sheet.

CODE
41-SCM




BUILDERS CEMENT

- Weight: 20kg

Call for specifications & technical data sheet.

60 NSW Pallet Size
48 VIC/QLD Pallet Size

CODE
41-BCG20



GREASE & ACCESSORIES

LUBEX GREASE EP2

BLACK EP2

Molybdenum fortified extreme pressure grease for shock, vibration and high load. Also used in CV joints.

- NL GI Grade - 2
- Thickener type - Lithium Complex
- Very good water resistance
- 450g

CODE	SIZE
41-LUBK450	450gsm

20



LUBEX GREASE EP2

BLUE EP2

High performance extreme pressure, multi-purpose and high temperature wheel bearings/chassis.

- NL GI Grade - 2
- Thickener type - Lithium Complex
- Very good water resistance
- 450g

CODE	SIZE
41-LUBL450	450gsm

20



PISTOL GRIP GREASE GUN

- Type: 100mm steel extension, 300mm flexible hose & 4 jaw coupler
- Cartridge capacity: 450g
- Bulk capacity: 650cm3
- Thread: 1/8" BSPT
- Output: 0.5g per stroke (1oz per 57 strokes)
- Pressure: 34,500 kPa (5,000 PSI, 345 Bar)

CODE	DESCRIPTION
41-GGUN	450g Pistol Grip Grease Gun



205L ROTARY DRUM PUMP

- Suits 50–205 litre drums
- Suitable for transfer of diesel, kerosene, heating oils, motor oils, lubricating oils (up to SAE 90) and non-corrosive fluids of light to medium viscosity
- Sturdy cast iron pump housing with two heavy duty cast iron vanes for better draw and smoother delivery
- Hi nitrile rubber seals
- Comes with telescopic suction tube
- Output: 5 litres per 20 turns

CODE	DESCRIPTION
41-205RDP	205L Rotary Drum Pump

2m Drum Pump Hose

CODE	DESCRIPTION
41-RDPH2	2m Rotary Drum Pump Hose



5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

LIFTING TOOLS, SLINGS & LOAD BINDING

LIFTING SLINGS

- Round and flat slings
- 2 tonne and 4 tonne slings
- Large range of other slings available on request
- All lifting slings come with an Australian Standard Test Certificate
- Manufactured & proof tested to AS1353.1:1997, proof test certificate with every sling



2 TONNE SLINGS

CODE	SIZE	TYPE
23-2TRS1	1m	Round
23-2TRS2	2m	Round
23-2TRS3	3m	Round
23-2TRS4	4m	Round
23-2TRS6	6m	Round

CODE	SIZE	TYPE
23-2TFS2	2m	Flat
23-2TFS3	3m	Flat
23-2TFS4	4m	Flat
23-2TFS6	6m	Flat

4 TONNE SLINGS

CODE	SIZE	TYPE
23-4TFS4	4m	Flat
23-4TRS4	4m	Round

RATCHET TIE DOWN

TRUCK TYPE


Heavy duty tie down with protective sleeves.
Size: 48mm x 9m x 2T (LC)
Tested to AS/NZS 4380:2001



CODE
23-48RTD

UTE TYPE

Heavy duty, easy-to-use option, ideal for utes and small trucks.
Size: 35mm x 6m x 1T (LC)
Tested to AS/NZS 4380:2001



CODE
23-35RTD

5

D SHACKLE GALVANISED 19MM/4.7T

- Proof tested to 2 x working load limit, with a minimum break force of 6 x working load limit
- Manufactured from Grade S material
- Marked with working load limit in tonnes, quality grade, batch numbered, nominal size in millimeter and supplier identification
- Test certificates are available upon request
- Suitable for lifting applications
- Working Load Limit: 4.7 Tonne
- Conforms to AS2741
- Width: 32mm
- Weight: 1.02kg



CODE
23-47DS

20

LIFTING CLUTCHES

Lifting Clutches used for precast concrete products, particularly in civil engineering applications.
These clutches are typically used for lifting panels, pipes, pits, manholes, box culverts, road barriers, bridge beams, planks, sound walls, culverts etc.

- Individually Serialised
- Includes testing certificate
- Available in 3 sizes



CODE	DESCRIPTION
40-13SWL	1.3 tn
40-25SWL	2.5 tn
40-50SWL	5.0 tn

LIFTING CHAIN SLINGS

DOUBLE LEG SLINGS

- Grade 80 pre-assembled Chain Sling sets
- Pre-tested Tensile Strength and Safety Tag
- Supplied with Certificate of Tensile Testing
- Complete with shortening hooks to make leg lengths easily adjustable and clevis type Slinghook with safety latch
- Re-useable bucket w/lid

AUSTRALIAN APPROVED LATCH SYSTEM



CODE	CHAIN SIZE	LEG LENGTH	WLL @ 60º
23-D83	8mm	3m	3.5T
23-D103	10mm	3m	5.5T
23-D106	10mm	6m	5.5T

HEAVY DUTY INSPECTION MIRROR

The 230mm Heavy Duty Inspection Mirror has an extra strong adjustable handle with Spring Loaded Locking Pin to hold the extended arm firmly in place. The telescopic handle extends from 120cm up to 240cm and can cope with tough environments. The mirror back is made from ACM (Aluminium Composite Material) which is lightweight, durable and will not rust and also includes a nylon protection bag for storage. Ideal for heavy machinery checks, vehicle inspection, bomb inspection, container checks, military, police and other security applications.

- Includes the LED light and bag
- Mirror size: 30cm




CODE
49-300INSP

SAFETY FLAGS WITH POLE

Hi-visibility reflective flag on flexible fibreglass pole. With Quick Release fitting for easy attachment and removal. Available with orange flag only.

- 3m Long




CODE
24-SFOPLO

PREMIUM CARGO NET - LARGE

The most popular design suitable for tray back utes, small trucks and large trailers. Cargo Nets are used to secure a wide variety of loads, big and small.

- Eliminate the risk of hefty fines
- Reduce your chances of losing cargo
- Easy to use, incredibly strong and durable
- Suitable for most types of utes
- Includes 6 Tie down straps and 114 Eyelets
- Complies to AS/NZS4380
- Weight: 8.6kg
- Mesh Coverage: 2.60 x 2.22m
- Size: 2.61m x 3.00m



CODE
23-GORN

BREAKDOWN TRIANGLES



CODE
24-BDTR

TRAILER MINI EDGE PROTECTION SYSTEM

Designed to fit and lock between a wide range of truck trailers combs and tie down rails. The design allows for quick and easy fitting to allow the operator safety when accessing the back of the trucks. Lightweight frame easily allows one operator to lift and position into place.



- Size: 2.4m long x 1.3m high
- Weight: approx. 9kg each

CODE
33-TMEPS

HI-VIS FLUORO TAPE & DOOR NUMBERS

HI-VIS FLUORO TAPE

- 50mm x 45.7m
- Adhesive-backed roll
- High reflectivity ideal for industrial sites



CODE
09-50RTDGY

HI-VIS FLUORO DOOR NUMBERS

- High reflectivity lime yellow
- Custom-cut, sized to suit your vehicle

Call us for pricing



VEHICLE SAFETY FLAGS

Orange with reflective tape.
Can be attached with cable ties



CODE
24-SFOO

RUBBER WHEEL CHOCK

160(W) x 260(D) x 190(H)mm. Heavy duty, for large plant, trucks, small aircraft, etc. With hole for rope grab to be attached.



CODE
24-RWC

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

TOILET PAPER & HAND TOWEL

JAYBRO TOILET PAPER ROLLS

Standard
- Standard soft 2 ply toilet rolls
- Individually wrapped
- 400 sheets per roll, 48 rolls per carton



CODE	TYPE
76-2400S	Standard
76-2400P	Premium

Premium
- Premium 2 ply toilet rolls
- Individually wrapped
- 400 sheets per roll, 48 rolls per carton



Deluxe
- Deluxe ultra soft 2 ply embossed toilet rolls
- Individually wrapped
- 48 rolls per carton



CODE	TYPE
76-DPTR	Deluxe

40

JAYBRO ROLL TOWEL

Standard

Standard grade absorbent towel.
16 rolls per box, 80m

Premium

High quality absorbent towel.
16 rolls per box,
19cm x 80m



CODE	TYPE
76-80RTS	Standard
76-80RTP	Premium

JUMBO ROLL TOILET TISSUE

- 2 ply, 9cm x 300m
- 8 rolls per carton



CODE
76-2300JMB

FACIAL TISSUES

- 2 ply facial tissues
- Sheet size: 205mm x 195mm
- 100 tissues per box



CODE
10-100105

JAYBRO SLIMLINE FOLDED TOWEL

- 230 x 230mm towels
- Compact to save space
- 200 towels per pack
- 20 packs per carton (4000 towels)
- Folds to 23cm x 6.5cm



CODE
76-SLFT

TOILET ROLL DISPENSER

- Holds 3 rolls
- Made from ABS plastic
- Lockable



CODE
70-3TRD

ROLL TOWEL DISPENSER

- Powder coated metal
- Lockable
- Easy to install, reload & maintain
- Dispenser Width: 200mm
- Roll Space Width: 180mm



CODE
70-RTDM

FOLDED TOWEL DISPENSER

- Durable ABS Plastic
- Lockable



CODE
76-FTD

TOILET PLUNGER

- Lightweight and easy to handle
- Delivers more than 5X the displacement of a large cup plunger
- Designed to suit Australian shape toilet bowls
- The most popular toilet plunger with plumbing contractors



CODE
56-100038

SURFACE SPRAY DISINFECTANT

- Hard Surface Disinfectant, Soft Surface Deodoriser, Air Sanitiser and Odour Eliminator
- Kills 99% of germs and viruses
- Size: 300g aerosol



6
Minimum purchase of 6 aerosols

CODE
79-AF175

FLYSPRAY

- Knocks down and kills with just One Shot
- Suitable for use on both flying and crawling insects
- It will also provide an effective kill on crawling insects such as cockroaches, ants, silverfish and spiders
- Size: 320g aerosol



6
Minimum purchase of 6 aerosols

CODE
69-MORSP

TOILET BOWL CLEANER

- Acid based cleaner-disinfectant, cleans and deodorises urinals and toilet bowls.
- Removes uric acid, scale and other stains from stainless steel and porcelain surfaces.



CODE	SIZE
74-TBC5	5L

URINAL BLOCKS

Large, long lasting tablets for use in toilets and urinals.

- 25gm blocks
- Sizes: 4kg & 10kg



CODE	SIZE
74-4KUB	4kg

CODE	SIZE
74-9KUB	10kg

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

WINDOW CLEANER DOUBLE STRENGTH



A concentrated Window and smooth surface cleaner with ammonia for quick drying.
Can be diluted for general purpose cleaning.

CODE	SIZE
74-WIN5	5L

PREMIUM WINDOW CLEANER



- RTU, Premium quality, non ammoniated, streak free, anti fogging, dust repellant, quick dry and cleaning formula
- Ideal for all glass and metal surfaces

CODE	SIZE
74-WIN75	750ml

DISHWASHING TABLETS



- Pleasant Lemon Sparkle fragrance
- Soaks and softens tough food stains
- Washes away all traces
- Tea stain removal
- Pack of 110 tablets

CODE
JAAFINISHT

DISHWASHING LIQUID



- RTU, Heavy duty, lemon perfume
- Grease cutting agent
- Phosphate free
- Mild PH
- Biodegradable

CODE	SIZE
74-DETG1	1L

SCOURING SPONGES

For general scouring use. This scourer is especially effective for cleaning vats, tanks and cheese making equipment.



- Combines sponge (yellow side) and scourer (green side) for dual cleaning
- Long-life pads
- Flexible and comfortable

CODE	SIZE
JA3M630	150mm x 115mm

CLEANING SOLUTIONS

DISINFECTANT



- Commercial grades
- Disinfects, cleans & deodorises
- Lemon fragrance
- Sizes: 5L & 20L

4

CODE	SIZE
74-DIS020	20L
74-DIS05	5L

SPRAY 'N' WIPE



- Removes tough grease, cleans without rinsing
- Ideal for bench tops, stove tops, microwaves, fridges, chrome appliances sinks, vinyl, walls, tiles and shower screens
- Sizes: 5L, 500ml Spray Bottle

4 74-SNW5 8 74-NIFTI

CODE	SIZE
74-SNW5	5L
74-NIFTI	500ml

DISHWASHING LIQUID



- General purpose for dish washing liquid
- Size: 5L

4

CODE
74-DETG5

GRAFFITI REMOVER SAFEWIPES

Wipe away graffiti without fear of damage & liability.



- 30 Wipes per tub

CODE
10-100091

HANDLES ONLY

Timber handles



CODE	TYPE
68-2215H	Timber 1.5m x 25mm
68-2518H	Timber 1.8m x 25mm

SQUEEGEE

- Promotes quick drying of floors
- Suitable for smooth to semi smooth surfaces
- Black neoprene
- Takes ø25mm handle



CODE	SIZE
40-250691	900mm
68-2518H	Timber 1.8m x 25mm

MOPS & BUCKETS

- No. 24 Cotton Mop with 1.5m Timber Handle
- 16L Plastic Wringer Bucket



CODE	TYPE
72-CMOPH	Mop
72-CMOPHHEAD	Mop Head
72-16LWB	Bucket

BROOMS & BRUSHWARE

SOFT HAIR BROOM

- 90cm timber head
- Soft hair/fibre filling
- 1.8m timber handle
- Ideal for fine dust etc.

CODE
68-90TSB

ROAD BROOMS

- 1.8m timber handle.
- Polypropylene filling bristles
- Available in Timber and Metal heads

CODE	ITEM
68-35RB	35cm Timber
68-RBMH	45cm Metal

INDUSTRIAL BROOM

- 60cm plastic head
- Polypropylene filling bristles
- 1.5m timber handle

CODE
68-65INB

PLASTIC BROOM

- Site shed tidy broom plastic head
- 1.5m handle
- Soft fill 30cm

CODE
68-BSTB



DUSTPAN/BRUSH SET

CODE
68-BDBS



TOILET TIDY SET


CODE
68-TTSET



FLOOR SCRAPER

- Fibreglass handle with blade
- Extra blades available separately
- Other sizes available

CODE	DESCRIPTION
40-200FS	Floor Scraper 200mm with handle
40-200FSB	Floor Scraper Blade 200mm



5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

CLEANING SOLUTIONS & EQUIPMENT

ULTRAGRIME INDUSTRIAL WIPES

- Removes grease, paint, silicone, foam and adhesives
- Super-soft, strong and absorbent
- Very low foaming
- Unique grease-busting ability
- Eats through oil, grease and grime
- Super-size wipes 38cm x 25cm for speedy cleaning
- Safe to use on all surfaces
- Dispenses one wipe at a time
- Dermatologically tested



CODE
72-IWIPE

ISOPROPYL WIPES

- 70% Isopropyl Alcohol
- Tough yet soft non-woven material
- 75 Wipes per cannister
- Wipe Size: 420mm x 140mm



CODE
MDPCW75

ANTI-BAC WIPES

- 100 pack size
- Tested to kill COVID19 in 30 seconds
- Proven 99.99% bacteria kill rate, effective within 60 seconds



CODE
72-CWIPE

MEDIQ ANTIBACTERIAL WIPES

- 70% Isopropyl Alcohol
- Tough yet soft non-woven material
- 75 Wipes per cannister
- Wipe Size: 420mm x 140mm



CODE
MDABW80

SPRAY BOTTLES

500ml plastic bottle & sprayhead



CODE
74-SBTL

ABSORBENT WIPES

- Tear off wipes
- Re-usable
- Easy absorbent
- 30cm x 45m roll



CODE
72-CWR

SUPERWIPES

- Size: 450 x 600mm
- 20 wipes per pack



CODE
72-4560SW

PREMIUM INDUSTRIAL SOAP

SUPER CLEANING WITH GRIT


Green

Industrial wall mount soap with GRIT, 4 Litre. Powerful hand cleanser. Contains natural citrus, moisturisers and grits. Removes grease, oil, paint and industrial soil to leave hands soft and fresh. It can be installed onto walls using the wall bracket and dispense soap using the pump.



PREMIUM INDUSTRIAL SOAP - 4L

CODE	TYPE
73-AIS4L	4L Soap With Pump
73-AIS4L-NP	4L Soap Only



WALL BRACKET

- Wall Bracket to suit 4L soap
- Includes screws and fixings
- Soap sold separately

CODE
73-DISAIS



PUMP

- Pump to suit 4L soap.

CODE
73-4LHP

HYGENIFOAM LUXURY FOAMING SOAP SYSTEM

1L luxury foaming soap. Ideal for offices, lunch rooms and toilet blocks.



CODE	DESCRIPTION
73-2127	Hygenifoam Wall Mount Dispenser
73-6000	1L Hygenifoam Refill Cartridge - 6 Pack

SUPREGA INDUSTRIAL HAND CLEANER

4L industrial hand soap with polybeads. Ideal for construction and heavy industrial applications.



CODE	DESCRIPTION
73-2115	Suprega Wall Mount Dispenser
73-5000	1L Hygenifoam Refill Cartridge - 4 Pack

GRITTY HAND CLEANER

Green

- Natural citrus hand cleaner with Pumice grit
- Ideal for removing grease, oil, paint, and industry soil
- Tough on grease, soft on hands



73-1LG 73-5LG



CODE	DESCRIPTION
73-1LG	1L Dispenser Bottle with pump
73-5LG	5L Dispenser Bottle with pump
73-20LG	20L Drum excludes pump

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

AUTOMATIC HAND SANITISER

Mounted on a stand for easy positioning, it uses a battery operated automatic touch free dispenser to dispense the right amount of hand sanitising gel to the user. A built in drip tray reduces spills. The stand includes a robust low profile non-trip base for maximum stability with a wide profile vertical upright, with the dispenser pre-mounted for convenience.
Assembly is easy using 2 stainless steel phillips head fasteners to screw the 5mm high base plate to the upright. The automatic dispenser features a 1.2 litre refillable tank which allows approximately 1500 doses per refill.

- Robust Design
- Easily Relocatable
- 2 Minute assembly time
- White Powdercoat finish
- 1275mm high unit + additional 210mm sign holder at the top
- Refillable Dispenser Tank for Gel Sanitisers
- 1.2 litre refillable tank allows approximately 1500 doses per refill
- Includes a clear perspex sign holder
- Automatic Touch Free Dispenser
- Unit weight: approximately 14kg
- Base plate meets Australian Standards for trip hazards being 5mm height
- Battery operated dispenser uses 4 x C Batteries (Sold separately)
- Refill with any hand sanitiser gel
- *not liquid/soap (Sold separately)



73-ADISP



HC3600

*Compatible with gel santisers only. Do not use soap, foam or liquid spray type sanitisers.

CODE	DESCRIPTION
HC3600	Automatic Hand Sanitiser Dispenser Stand Only
73-ADISP	Touch Free Auto Dispenser (Wall Mountable) Only

5L INSTANT HAND SANITISER GEL

Ideal for refilling dispensers and bottles

CODE
73-5IHS



BOOT CLEANER AND HAND SANITISER STATION

Keep your site and workers sanitised with this boot cleaner and hand sanitiser station. Easy to install at entrances and site offices. Features screw holes that allow it to be permanently bolted to the ground if needed.

- Temporary Fence Foot (sold separately) or other weights such as sandbags can be installed at the rear to weigh down the station
- Colour: Yellow

Kit Includes:
- 2x Hand Sanisiter Wall Bracket
- 2x 500ml Instant Hand Sanitsier
- 1x Deluxe Boot Cleaner with Stand (68-PSCSHR)



CODE
68-HSBSS

32MM CONCRETE FENCE FOOT - 25KG



CODE	DESCRIPTION
02-C32B	32mm Concrete Filled Block - 25kg (90mm Centres)

LIQUID SOAP DISPENSER

- 1L liquid soap dispenser
- Refillable
- Wall mount

CODE
73-1LSD



ANTI-BACTERIAL LIQUID SOAP

Green

5L Liquid soap with anti-bacterial agent - with pump

CODE
73-5LABSP

4



INSTANT HAND SANITISER

- Kills 99.9% bacteria within 30 seconds
- With Aloe vera and Vitamin E
- Contains Ethanol 70%
- Size: 500ml

CODE
73-1HS

12



KARCHER NT 65/2 TACT² WET & DRY VACUUM CLEANER

- The Kärcher Tact² systems are ever popular as specialist systems and as all-rounders thanks to their high level of mobility and excellent performance, their solid construction and their wide range of practical design features.
- The NT 65/2 Tact² is supplied with the entire antistatic package as standard. The system tackles even large amounts of fine dust.



CODE **40-1.667-286.0**

KARCHER NT 30/1 ME CLASSIC WET & DRY VACUUM CLEANER

- The NT 30/1 Me Classic is a practical and robust wet and dry vacuum cleaner. The 1,500 Watt machine features a 30-litre container and removes all kinds of dirt.
- Includes: Suction hose, 2.5 m (NT 70 4m hose), Suction tube, 2 x 0.5m, Wet and dry floor tool, Crevice nozzle and Cartridge filter



CODE **40-1.428-564.0**

GARBAGE BINS

240L YELLOW WHEELIE BINS



CODE **71-240LTGB**

240L GREEN WHEELIE BIN



CODE **10-100096**

60L GARBAGE BIN WITH LID



CODE **71-72LTGB**

25L SWING TOP TIDY BIN



CODE **71-STTB**

GARBAGE BAGS

36L KITCHEN TIDY BAGS



Qty: 50 per box

CODE **71-KTTB**

72L HEAVY DUTY BAGS



Qty: 50 pack

CODE **71-72GBAG** 5

240L HEAVY DUTY BAGS



Qty: 25 pack

CODE **71-240GBAG** 8

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

COFFEE, TEA, SUGAR, CUPS

NESCAFÉ BLEND 43 COFFEE
Size: 500g can



CODE
80-B43500

SINGLE SERVE PORTIONS
Qty: 250 per carton



CODE
80-B43SS

MILO
Sizes: 700g & 1.9kg



CODE
80-MILO
06-100013

TEA BAGS
Qty: 1000 per carton



CODE
80-TB1000

SUGAR PORTIONS
White sugar in single serve sachets.
Qty: 2000 per carton



CODE
80-SSWS

1KG SUGAR - WHITE



CODE
80-SW1K

SINGLE SERVE MILK PORTIONS
Qty: 240 per pack



CODE
80-SSM

WOODEN STIRRERS
Qty: 1000 per pack



CODE
80-STIR

WHITE PAPER PLATE 9-INCH/225MM
Qty: 1000 plates per carton



CODE
80-PPLATE

PAPER CUPS
8oz paper cup
Qty: 1000 per carton
Single wall with colour print



CODE
80-PAPCUP

WOODEN KNIVES
Qty: Pack of 100



CODE
80-WKNIFE

WOODEN FORKS
Qty: Pack of 100



CODE
80-WFORK

WOODEN TEASPOON
Qty: Pack of 100



CODE
80-WSPOON

1L LONG LIFE MILK
Qty: 10 per carton

110 CTNS



CODE
80-MLL1

600ML BOTTLED WATER
Qty: 12 bottles per carton

144 CTNS



CODE
80-W600

THORZT 600ML CONCENTRATE

- Low in sugar
- Caffeine and gluten free
- Size: 600ml
- Flavour: Lemon Lime
- Other flavours available



10

Minimum purchase of 10 bottles

CODE
62-042

THORZT SOLO SHOTS

Pour into a 600ml bottle of water.

- 99% sugar free
- Caffeine and gluten free
- Flavour: Blue Lemonade, Lemon Lime, Orange, Tropical, Wild Berry



CODE
62-100

THORZT ICE SHOTS

Flavours: Blue Lemonade, Wild Berry, Tropical, Lemon Lime, Orange

- Low in sugar
- Caffeine and gluten free



CODE
62-000

THORZT HYDRATION BACKPACK

Cut down time wasted refilling drink bottles at the water cooler and increase workplace productivity with the Hydration Backpack.

- Holds 2.5L
- Colour: High Vis Yellow
- Hi-Vis Orange also available



CODE
62-HVBK

INDUSTRIAL STRENGTH DRINK COOLERS



18L DRINK COOLER

Tap at bottom. Ideal for Squincher

CODE
62-001



5.68L JUG

With drink spout

CODE
62-DC5L



2.5L JUG

With drink spout

CODE
62-DC2.5L

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

1.7L ELECTRIC KETTLE

NEW

- Water window
- Low energy consumption
- Concealed element
- Removable mesh filter
- 360 degree cordless base
- Auto shut-off, boil dry protection
- Nero 2 Year Warranty
- AUS/NZ Electrical Safety Standards Approved
- Power: 2200 W
- Cable length: 710mm usable length
- Height: 230 mm



CODE
110118

4 SLICE TOASTER

NEW

- Sleek, modern 4 slice toaster with 7 setting browning dial. Wide toasting slots are ready to receive your favourite breads while hi lift lever allows for easy retrieval of your toasty treat.
- 265mm (L) x 255mm (W) x 172mm (H)



CODE
110114

20L MICROWAVE

NEW

Compact white conventional 20L microwave with cooking time and power setting dials, simple to use with pull door handle. Nero microwaves are available in a choice of capacities and finishes.

- 5 power setting dial
- Countdown timer dial
- Power - 700 W
- Turntable diameter - 255 mm
- Dimensions - 440mm (L) x 356mm (W) x 259mm (H)
- Type - Conventional



CODE
110113

POD COFFEE MACHINE

NEW

- Uses all Nespresso compatible coffee pods
- Removable water tank (0.7 litre)
- Pressure: 19 bars
- Power: 1400W
- Automatic shut off
- Nero 2 Year Warranty
- 25cm (H) x 15cm (W) x 32.5cm (D)



CODE
110112

SANDWICH PRESS

NEW

- Non-stick hot plates
- Cool to touch handle
- Side lock for easy storage
- AUS/NZ Electrical Safety Standards Approved
- 2000 W Power
- Open Lid Height - 390 mm
- Nero 2 Year Warranty
- 360mm (L) x 340mm (W) x 95mm (H)



CODE
110115

48L BAR FRIDGE & FREEZER

NEW

- Compressor style with a 40L fridge and 8L freezer
- Temperature range 0 C to +10 C
- Slide-out wire shelf
- One half width door rack and one full width door rack
- Factory setting is 3 (1 is warmest, 5 is coldest)
- 108 kWh/year usage
- 2 Year Warranty



CODE
110117

125L BAR FRIDGE & FREEZER

- Improved freezer cover for better cooling air flow circulation
- Compressor style with a 115L fridge and 10L freezer
- Temperature range 0C to +10C
- 132 kWh/year usage
- 4 Star energy rating
- Nero 2 Year Warranty
- AUS/NZ Electrical Safety Standards Approved



CODE
110116

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

INDOOR/OUTDOOR SITE ESSENTIALS

PIE WARMER

- Thermometer and temperature display
- Removable sliding doors and fixed back
- 10 Amps Sturdy stainless steel
- Fixed rack levels
- European thermostat
- Size: 585mm x 350mm x 500mm
- Racks: 4
- Capacity : 50 Pies
- Max Temperature: 190˚C
- Power: 1250W
- Voltage: 220-240V 10 Amps
- Weight: 21.7kg



CODE
110126

CHILLED WATER BUBBLER WITH BOTTLE FILLER

- Instant Chilled drinking water. Free-standing upright chiller with heavy duty, easy-to-clean bowl and case perfect for factories, work sites and site sheds
- Water Pressure: Min 80kPa - Max 500kPa
- Water Connection: 12.7mm BSP
- Power Rating:10 amp GPO 220-240V 50/60Hz
- Dimensions: H903mm x W350mm x D350mm
- Product Approvals: WaterMark, CE, ARC
- Warranty: 1 year



CODE
62-EM1501-1

SITE TABLE

- Plastic
- Folding trestle legs
- Size: 1800 x 750mm



CODE
69-TABLE

SITE CHAIRS - PREMIUM

- Plastic - Premium Heavy Duty Quality
- Smooth finish for easy cleaning
- Stackable for easy storage



CODE
69-PCHAIR

INDUSTRIAL PEDESTAL FAN

- 240V Heavy Duty motor
- Oscillates to 90˚
- 3 speed control
- 2m high - adjustable with cast iron base
- 750mm blades



CODE
69-IPFAN

JAYBRO FOLDING GAZEBO

- Foldable gazebo is portable and easy to set up and provides temporary shade on site
- White powder coated frame
- Polytester 210D roof
- Lightweight carry bag
- Size: 3 x 3m



CODE
GAZEBO

WHITE BOARD

- Premium quality
- 1200 x 900mm



CODE
09-129WB

WHITE BOARD KITS

- Includes: 2 x markers, 1 x eraser, 1 x cleaning fluid



CODE
09-WBKIT

WHITE BOARD MARKERS

- Premium quality
- Colour: Black
- Pack of 12



CODE
09-WBMB

CIGARETTE DISPOSAL UNIT

- Opening size allows cigarette butts, but deters litter from being dropped
- Specially designed to eliminate the flow of oxygen so the cigarette butts will extinguish
- Low maintenance heavy duty polypropylene, won't rust or dent
- Hooded opening keeps rain out
- Large diameter base for excellent stability
- Butt out spot adjacent to deposit location
- Easily opened for cleaning
- Galvanised steel liner bucket, easily removed for emptying



CODE
49-GD4

CIGARETTE ASH BIN

- Powdercoated steel bin
- Size: 305mm x 160mm x 150mm



CODE
49-CAB

RIBBED CARPET MAT

- Long lasting polypropylene ribbed mat with vinyl backing.
- Colour: Charcoal
- Size: 900 x 1500mm



CODE
67-915RCM

BAG OF COTTON RAGS


- 2nd hand cut cotton rags
- Size: 15kg



CODE
72-20RAGSC

SHOE CLEANER

- Heavy duty
- Ideal for construction sites
- Flat base plate can be fixed to the ground



CODE
68-SCSHR

8

PREMIUM BOOT CLEANER

- Heavy duty steel construction
- Thicker and more durable bristles
- Bright yellow colour for hi-visibility
- Includes holes to provide permanent fixture to the ground
- Size: 300mm x 325mm x 155mm



CODE
68-PSCSHR

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

CONTENTS

Personal Protective Equipment

Hand Protection 46-53
Eye Protection 54-57
Head Protection 58-60
Hearing Protection 61-62
Sun Protection 63-64
Hydration Products 65
Disposable Respiratory Protection 66-68
Reusable Respiratory Protection 70-75
First Aid Kits 76-79
Defibrillators & Accessories 80
Medical & Related Products 81

Workwear

Jaybro Apparel Management System 83
Clothing Sizing Chart 84
Vests, Shirts, Jumpers & Pants 85-92
Jackets & Rainwear 93-95
Ladies' Workwear & PPE Bags 96-97
Footwear & Accessories 98-101
Disposable Coveralls & PVC Aprons 102

Site Safety

Asbestos Removal Products 103
Safety Document Box 104
Spill Kits 105-107
Bunds & Spill Containment 108-109
Eye Washes, Showers & Cleaning Stations 110-111
Fire Safety 112
Emergency Rescue Products 113-114
Dangerous Goods Storage 115-118
Electrical Safety & Lockout Equipment 119-121

Access & Height Safety

Gas Detectors & Accessories 122-123
Height Safety 124
Harnesses 125
Height Safety Kits 126
Lanyards, Straps & Karabiners 127
Inertia Reels, Ropelines & Anchors 128
Davit Kits & Parts 129-130
Truck Trailer Edge Protection 131



PERSONAL PROTECTIVE EQUIPMENT. See page 46-81



SUPERIOR WORKWEAR. See pages 82-102



SITE SAFETY. See pages 103-121



ACCESS & HEIGHT SAFETY. See page 122-131

1300 885 364
Login online for your **Trade Account Pricing**



SECTION

02 SAFETY

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

GLOVE STANDARDS - EN 388:2016

According to this standard, characteristics such as abrasion resistance, cut resistance, tearing strength, puncture resistance and impact protection are tested. In conjunction with the pictogram, four numbers and one, or two letters, will be displayed.

These signs indicate the performance of the glove. It's important to understand that it's not the gloves performances that has changed, it is the way of testing the performances that has changed.

EN388:2016



1234BP

1 2 3 4 B P

1. ABRASION RESISTANCE (0 TO 4)
2. CUT RESISTANCE, COUP TEST (0 TO 5) X= N/A OR NOT TESTED
3. TEARING STRENGTH (0 TO 4)
4. PUNCTURE RESISTANCE (0 TO 4)
5. CUT RESISTANCE, TDM TEST ISO 13997 (A TO F)
6. IMPACT RESISTANCE* (P) IF NO 'P' SIGN, NO IMPACT PROTECTION IS CLAIMED

GRIPLITE ONE GLOVES

Ideal for a wide range of purposes, it is an economical solution for use in light fabrication, construction, civil, plumbing, manufacturing and warehousing applications. Available in sizes 7 to 10, the Griplite Heavy Duty Glove features a 13 gauge polyester palm coating that provides medium level grip. The full palm coating and open back ensures good protection whilst still allowing for ventilation and user comfort.

- Available in sizes 7, 8, 9, 10
- Highly visible orange colour with black polyester coating
- Tested and approved to new EN388 glove standards
- EC Directive for PPE (Directive 89/686/EEC)
- Meets the requirements of EN 420:2003+A1: 2009 and EN 388:2016

CUT 1 (COUP TEST) RATING



CODE
31-GL1H



EN388:2016



3121X

GRIPLITE EXTRAGRIP GLOVES

The Griplite EXTRAGRIP builds on the popular ONE Series, featuring a special coating with extra grip. A full palm coating made from strong polyester provides good protection for tasks such as light fabrication, construction, manufacturing and warehouse applications. Available in sizes 7 to 11 for a comfortable personalised fit.

- Highly visible BLUE colour, 13 gauge polyester liner with black latex palm coat
- Tested and approved to new EN388 glove standards
- Meets the requirements of EN 420:2003+A1: 2009 and EN 388:2016
- Available in carton quantities of 144 pairs
- Available in sizes 7, 8, 9, 10, 11

CUT 1 (COUP TEST) RATING





Wrinkle grip finish

CODE
31-GL1.5



EN388:2016



2121X

CUT LEVEL B
CUT RESISTANCE BETWEEN 5 AND 10 NEWTONS

In this category you will find thin and flexible gloves for tasks that have a lower risk for cut injuries such as personnel who pack, distribute or receive goods in warehouses.

CUT LEVEL C
CUT RESISTANCE BETWEEN 10 AND 15 NEWTONS

This category represents gloves for tasks with a medium risk for cut injuries such as personnel who handle sharp metals, plastics or similar materials in different industrial environments.

CUT LEVEL D
CUT RESISTANCE BETWEEN 15 AND 22 NEWTONS

Gloves with Cut level D offer adequate protection when there is a risk for cut injuries when handling glass, metal, tools or machinery with sharp edges.

CUT LEVEL E
CUT RESISTANCE BETWEEN 22 AND 30 NEWTONS

Cut E offers a high level of protection against cuts in work environments with sharp tools and machinery.

GRIPLITE TWO GLOVES

Griplite TWO construction work gloves offer protection against abrasions and minor cuts. These comfortable general purpose gloves feature a Nitrile HXP coating that provides excellent grip in both wet and dry situations. Griplite gloves are ideal for civil works, building, plumbing and general safety industries. A knit fabric back offers ventilation whilst the palm coating ensures hands are protected on site.

Jaybro's Griplite Nitrile coated gloves are suitable for work such as demolition, cleaning, degreasing, and for handling rough and abrasive items such as wire and steel mesh. They also give protection against cuts and abrasions common in many workplaces. Available in sizes 7 to 11, they are a great multi purpose work glove.

- Available in sizes 7, 8, 9, 10, 11
- Tested and approved to new EN388 glove standards
- Meets the requirements of EN 420:2003+A1: 2009 and EN 388:2016



CUT 1 (COUP TEST) RATING

CODE
31-GLTG

144

EN388:2016

4121X

GRIPLITE THREE GLOVES

The Griplite THREE Heavy Duty is a versatile polyurethane coated gloves with a 'B' cut rating, offering medium level protection against abrasion and tear resistance. This glove is suitable for metal fabrication, sheet metal handling, rigging, landscaping, construction and mining applications. Available in sizes 7 to 11, it provides good grip with a 13 gauge nylon HPPE coated polyurethane palm. The back of the glove is non-coated for worker comfort and ventilation.

- Cut B Hand Protection
- Available in sizes 7, 8, 9, 10, 11
- Highly visible yellow colour with black HPPE coated polyurethane
- Tested and approved to new EN388 glove standards
- EC Directive for PPE (Directive 89/686/EEC)
- Meets the requirements of EN 420:2003+A1: 2009 and EN 388:2016



CUT B (TDM TEST) RATING

CODE
31-GL3

144

EN388:2016

4X42B

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

GRIPLITE RPET GLOVES

Griplite rPET Gloves – Durable and Sustainable Hand Protection. Sold in increments of 12. The Griplite rPET gloves are an economical & sustainable solution for use in light fabrication, construction, civil, plumbing, manufacturing and warehousing.

- Available in sizes 7, 8, 9, 10, 11
- 15G recycled polyester/spandex with Nitrile foam palm
- Contains 53% recycled PET plastic (rPET)
- Tested and approved to EN388 glove standards
- EC Directive for PPE (Directive 89/686/EEC)
- Meets the requirements of EN 420:2003+A1: 2009 and EN 388:2016

CUT 1 (COUP TEST) RATING



144

EN388:2003
4121A

CODE
31-GLR

GRIPLITE FIVE GLOVES

The Griplite FIVE provides strong abrasion and tear resistance for tough jobs. This 'C' rated glove for cut resistance is suitable for applications where cut risk is higher than usual.
The breathable liner and form-fitting shape make it comfortable enough for all day wear. Available in sizes 7 to 11, it is constructed with a 13 gauge nylon, HPPE glass fibre coated polyurethane palm. The palm is fully coated with an open back ensuring user comfort and ventilation in warm environments.

- Cut C Hand Protection
- Available in sizes 7, 8, 9, 10, 11
- Mottled grey colour with grey HPPE glass fibre-coated polyurethane palm
- Tested and approved to new EN388 glove standards
- EC Directive for PPE (Directive 89/686/EEC)
- Meets the requirements of EN 420:2003+A1: 2009 and EN 388:2016

CUT C (TDM TEST) RATING
CUT 5 (COUP TEST) RATING



144

EN388:2003
4542X

EN388:2016
4X42C

CODE
31-GL5

GRIPLITE SIX HEAVY GLOVES

The Griplite SIX Heavy Duty gloves provides strong abrasion and tear resistance for tough jobs. This 'D' rated nitrile glove for cut resistance is suitable for applications where cut risk is higher than usual. The breathable liner and form-fitting shape make it comfortable enough for all day wear. Available in sizes 7 to 11, it is constructed with a 13 gauge nylon, HPPE and glass fibre coated nitrile palm. The palm is fully coated with an open back ensuring user comfort and ventilation in warm environments, and the nitrile wrinkle grip coating provides excellent grip.

- Cut D Hand Protection
- Available in sizes 7, 8, 9, 10, 11
- Bright red colour with black glass fibre-coated nitrile palm
- Tested and approved to new EN388 glove standards
- EC Directive for PPE (Directive 89/686/EEC)
- Meets the requirements of EN 420:2003+A1: 2009 and EN 388:2016

CUT C (TDM TEST) RATING





CODE
31-GL5H



Wrinkle grip finish



GRIPLITE SEVEN GLOVES

The Griplite SEVEN is the newest work glove in Jaybro's popular Griplite range, offering strong abrasion and tear resistance for heavy duty applications. Ideal for fabrication, manufacturing, sheet metal work and handling applications that require excellent abrasion and cut protection. With a grey coloured knit nylon & glass fibre liner, the Griplite SEVEN features a sandy nitrile palm coating for reliable hand protection.

- Tested and approved to new EN388 glove standards
- Meets the requirements of EN 420:2003+A1: 2009 and EN 388:2016
- Available in carton quantities of 144 pair
- Available in sizes 7, 8, 9, 10, 11

CUT F (TDM TEST) RATING





CODE
31-GL7



5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

ELECTRICAL GLOVES

GOAT SKIN OVER GLOVES

- For Class 00 & 0 Gloves
- Wear over electrical insulating gloves
- Perfect for line work or jointing tasks
- Made from ultra fine Goat Hide leather
- Fantastic dexterity - tailored fit
- Voltage Gloves sold separately
- Size: 10

CODE
31-DECOVG10



100V High Voltage Gloves

- Ausgrid Approved
- IEC 60903 Standard
- Complies to AS 2225
- Class-0-/1000V
- Length: 60mm
- Size: 10

CODE
31-HV1000



INSULATED GLOVE KIT CLASS 0 1000V

- Class 0 1000V
- Standards: IEC60903 & NFPA 70E
- Rating: Class 0 1000V Working Voltage (Dielectric)
- CAT2 >10cal/cm2 (Arc Flash)
- Colour: Red (Electrical Insulated Glove)
- Length: 360mm (Electrical Insulated Glove)
- Size: 10
- Includes: Canvas Carry Bag, Insulated Gloves, Leather Outer Gloves, 5x Cotton Gloves and 100g Glove Talc

CODE
82-HVGK10



LEATHER RIGGER GLOVES – ECONOMY

- Split Leather Style
- Sold in packs of 12
- Size: Large

CODE
31-RIGGECO

120



DELUXE COWGRAIN BEIGE RIGGERS GLOVES

- Soft feel to give greater comfort & dexterity
- Colour coded hem for size identification
- A grade leather
- Split Leather Style
- Sizes: Small – 2XL

CODE
GL101

120



LEATHER LABOURER'S GLOVES

Economy Leather Gloves
Split leather palm, finger tip & knuckle guard, denim candy back.

Sold in packs of 12.

CODE
31-CSTRIPE

120



HEAVY DUTY GLOVE CLIPS

- Glove Clips are a heavy duty design ideal for construction, councils, utilities and more
- Ensures gloves are with you at all times
- Colour: Orange

CODE
31-GC



GLASS GRIPPER GLOVES

- Soft cotton jersey lining
- Crinkle latex coating
- Flexible & wear resistant
- Excellent dry grip feature



WHILE STOCKS LAST

CODE
GL501

120

EN388:2016
2141X

WELDERS GLOVES

Traditional black and gold welders gloves. Ideal for all welding applications including pipes, structures and steel fabrications.

- Colour: Black/Gold
- One size fits all
- Size 40cm long



EN388
4143

CODE
31-40BG

48

JAYBRO PREMIUM CUT 5 ANTI-VIBRATION GLOVES

- Nitrile palm black coated with sandy finish to provide good grip power
- Black TPR gives a super anti-impact function on the back of fingers
- Anti vibration gel on palm
- Colour: Hi-Vis Yellow
- Sizes 9, 10, 11



SUITABLE FOR OIL & GAS APPLICATIONS

CODE
31-PATG

EN388:2016
4544EP

MECHANICS / ANTI-VIBRATION GLOVES

- General purpose synthetic glove with anti-vibration pads on fingers and palm.
- Fully washable, tight fitting, durable long lasting glove ideal for most construction applications including use on jackhammers, compactors and much more.
- Sizes: L, XL



WHILE STOCKS LAST

CODE
31-BGLV

POINTGUARD® ULTRA NEEDLESTICK GLOVES

- High needlestick and cut resistance
- Includes industry-changing SuperFabric®* brand material to protect against hazards
- Sandy nitrile three-quarter knuckle palm coating over polyester shell
- Seamless construction delivers high comfort and dexterity
- Sizes: 8/M, 9/L, 10/ XL

EN388:2016
4X43F



CODE	SIZE
31-NPGM	8 /M
31-NPGXL	10 / XL

HAMMERHEAD ANTI-VIBRATION GLOVES

- High visibility lime colour
- Anti-vibration and back-of-hand protection
- Velcro Strap for closure
- Sizes: L, XL



SUITABLE FOR OIL & GAS APPLICATIONS

WHILE STOCKS LAST

CODE
31-HHAV

120

HAMMERHEAD

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

PVC GLOVES

RED PVC DIPPED - 27CM

Sold in packs of 12.



EN388
4131

CODE
31-27PVC

RED PVC DIPPED - 45CM

Sold in packs of 12.



EN388
4131

CODE
31-45PVC

RED PVC COATED KNITWRIST

Lining, open back knit wrist.
Sold in packs of 12.



CODE
31-PVCKW

SILVERLINED RUBBER GLOVES

Blue rubber gloves silver lined
Size: XL
Sold as pair



CODE	
31-3520	144

CHEMPRO NITRILE CHEMICAL GLOVES

Nitrile chemical gloves, 0.38mm thick, 33cm long.
Sizes: XL, 2XL
Sold in packs of 12.



CODE	SIZE
31-37500XL	XL
31-375002XL	2XL

NITRILE LATEX GLOVES

- Thin Nitrile disposable.
- 24cm long.
- Qty: Box of 100
- Size: XL



CODE
31-92500

10

POWDER-FREE DISPOSABLE NITRILE GLOVES

- Non-sterile
- Powder free
- 100% Nitrile construction
- More robust than latex or vinyl
- Box of 100 gloves
- Sizes: S - XL



CODE
GL605-PF

LATEX SURGICAL GLOVES

- 5.3g Clear Latex
- Powdered
- Qty: Box of 100
- Size: L



CODE
31-LATEX

10

LATEX POWDER-FREE DISPOSABLE GLOVES

- 4.8g Clear Latex
- Powder Free
- Box of 100 gloves
- Sizes: L & XL



CODE
GL601-PF

BLACK NITRILE GLOVES - LARGE

- 6.7g Black Nitrile
- Lightly powdered
- Qty: Box of 100



CODE
31-BNITRILE

10

BLACK POWDER-FREE NITRILE GLOVES - EXTRA LARGE

- 6.7g Black Nitrile
- Powder-free
- Box of 100 gloves
- Size: XL



CODE
GL607.1XL.BK

10

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SAFETY GLASSES – ESSENTIALS ECONOMY

- Frameless design with extended wraparound coverage
- Scratch resistant hard coating for durability
- Popular well-known design
- Certified to AS/NZS 1337.1:2010
- Colours: Smoke, Clear



CODE	TYPE
31-ECOS-S	Smoke
31-ECOS-C	Clear

144

SAFETY GLASSES – ECLIPSE

TOP SELLER

- Low profile arms for comfort when wearing head protection
- Lightweight wraparound style
- Approved to AS1337.1:2010
- Safe yet economical option
- Colours: Smoke, Clear



CODE	TYPE
31-ELS-S	Smoke
31-ELS-C	Clear

300

ECLIPSE

SAFETY GLASSES – EXTREME

Offering protection against dust, debris and flying materials, the Extreme features a stylish one-piece design which includes a soft rubber nosepiece, with wraparound lens and soft temple arms to reduce pressure and added protection.

- Lightweight wraparound style
- Approved to AS1337.1:2010
- Low profile arms for comfort when wearing head protection
- Soft Temple arms and soft rubber nose piece for increased comfort
- Colours: Smoke, Clear, Copper



Soft Pressure Points
Provides all day comfort

CODE	TYPE
31-EXSS	Smoke
31-EXSS-C	Clear
31-EXSS-COP	Copper

300

EXTREME

SAFETY GLASSES – PLUTO³ PREMIUM

The new and improved Pluto 3 range of safety eyewear has been designed to adapt to individuals, providing a pressure free fit and excellent field of vision. Providing a total safety and comfort solution for the wearer, the Pluto clear safety specs are also available with a smoke lens. Stylish and lightweight, they offer 100% UV protection and give the wearer a comfortable fit for all day wear. The full panoramic lens enables excellent visibility with optically correct vision.

- 100% UV protection
- Approved to AS1337.1:2010
- Colours: Smoke, Clear

CODE	TYPE
31-PLUTO-C	Clear
31-PLUTO-S	Smoke

144




ANTI-FOG & ANTI-SCRATCH

SAFETY GLASSES – PLUTO³ PREMIUM FOAM PADDED

The stylish Pluto 3 premium foam padded safety glasses feature a soft, comfortable nose piece and comfortable padded arms. A fitted foam gasket comes with every pair, to keep out foreign particles. The foambound style helps prevent dust and debris and other small airborne particles from entering the eye. The foam piece is detachable if necessary.
Available in both clear lens and smoke lens, these Pluto safety glasses are comfortable enough for all day wear. Designed with heavy duty use in mind, the Pluto clear safety eyewear has an optically correct shape for minimal eye fatigue. The closed cell foam is also vented for additional user comfort in demanding conditions.

- Soft flexible nose piece
- Padded arms
- Contoured removable foam gasket
- Vented foam for all day comfort
- Colours: Clear, Smoke







Detachable Foam Gasket
Use with or without

CODE	TYPE
31-PLUTO-CF	Clear
31-PLUTO-SF	Smoke

144

ANTI-FOG & ANTI-SCRATCH

SAFETY GLASSES – OVERSPEC GLASSES

These simple and lightweight safety glasses are Standards Approved and available with clear polycarbonate lenses. Designed to be worn either as-is or as an overspec style over the top of prescription glasses, these safety glasses ensure that workers who need to wear prescription glasses are still adequately protected with medium impact eye protection.
The moulded nose bridge design suits most face profiles, and the non-slip temples ensure they stay put throughout the work day. The side vents allow airflow for wearer comfort, and the wraparound style provides excellent protection for a range of common work site applications.

- Large frame with a wraparound style
- Molded nose bridge design fits most users
- Can be worn alone or over prescription glasses
- Provides protection for prescription glasses wearers without compromising on safety
- Non-slip temple design
- Conforms to AS/NZS 1337.1:2010



CODE	TYPE
31-FOSS-C	Clear
31-FOSS-S	Smoke

12

BEST FOR USERS WITH PRESCRIPTION GLASSES

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

UVEX LENS CLEANING

Assorted uvex lens cleaning accessories







WHILE STOCKS LAST

CODE	TYPE
SP1003	Lens Cleaning Tissues (Box of 500)
SP1005	Lens Cleaning Tissues (Box of 100)
SP1007	Lens Cleaning Station
SP1009	Lens Cleaning Fluid – 500mL Bottle

ANTI-FOG LENS CLEANING WIPES

- Anti-static rated to repel dust and fine particles away from the cleansed surface
- Extra large 13 x 20cm wipe for cleaning larger items
- Use on safety eyewear, goggles, faceshield, respirators, mobile phones, tablets and computers
- Qty: 100 wipes



CODE
31-2485

10

VADER GOGGLE SHIELD COMBO

- Certified to AS/NZS 1337.1.2010 Personal Eye Protection.
- Medium impact rated.
- 99.9% UV protection for outdoor wear.
- Anti-scratch & anti-fog coating on all lenses.
- Two-in-one combination for better comfort & value.
- Wide peripheral vision & face coverage.
- Multiple vents for increased airflow & minimisation of lens fogging.
- Liquid splash protection.
- Goggles & face shield can detach.
- Clear & Smoke lens options.



CODE	TYPE
31-GVIS-C	Goggle & Visor Combo - Clear
31-GVIS-S	Goggle & Visor Combo - Smoke

SAFETY GOGGLES – PREMIUM

Ultra comfortable vented goggles. Recommended use for Manufacturing, Oil/ Gas, Pharmaceutical applications.

- Certified to AS/NZS 1337.1 : 2010



CODE	TYPE
31-PMGC	Clear

SAFETY GOGGLES – STANDARD

- Wide vision goggles.
- Economical style
- Adjustable length strap



CODE
31-BSG

CHEMICAL GOGGLES

- Medium impact, hardened 2mm anti-scratch lens
- Anti-fog, ideal for use with dust masks in humid conditions
- Good chemical splash protection
- Foam bound with wide strap for comfort



CODE
31-CHGG

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

V9 HARD HAT VENTED RATCHET HARNESS

- Lightweight, durable ABS shell
- 9 air vents for increased air circulation & comfort
- 6 point ratchet harness
- Sweatband prevents perspiration build-up
- Extended peak for added protection
- Edge gutter to deflect rain
- White in stock other colours on request



CODE	COLOUR
31-HHV9RB	Blue
31-HHV9RG	Green
31-HHV9RO	Orange
31-HHV9RR	Dark Red
31-HHV9RY	Yellow
31-HHV9RW	White

20

V6 HARD HAT VENTED PUSH LOCK HARNESS

- Lightweight, durable ABS shell
- 6 air vents for increased air circulation & comfort
- 6 point pushlock harness
- Sweatband prevents perspiration build-up
- Extended peak for added protection
- Edge gutter to deflect rain
- Colours: White, Yellow, Blue, Green, Fluoro Yellow, Dark Red, Orange



CODE	COLOUR
31-PHHV-W	White
31-PHHV-Y	Yellow
31-PHHV-B	Blue
31-PHHV-G	Green
31-PHHV-FY	Fluoro Yellow
31-PHHV-R	Dark Red
31-PHHV-O	Orange

20

PREMIUM MINERS HARD HAT

- ABS Type 1 Hard Hat
- Non-Vented with Metal Lamp Bracket
- Cable clip located on the back
- Comfortable 6 point webbed harness
- Push Lock harness adjustment



CODE	COLOUR
31-HHLB	White

WIDE BRIM HARD HAT RATCHET HARNESS

- Lightweight, durable ABS shell
- 6 air vents for increased air circulation & comfort
- 6 point ratchet harness
- Sweatband prevents perspiration build-up
- Full brim extends coverage to over the neck & ears
- Slightly shorter front peak allowing for good upward vision



CODE	COLOUR
31-PHWB	White

LIGHTWEIGHT LED CAP LAMP

A lightweight model of the Cordless Miner's Cap lamp and Torch series in 7-LEDs. Every LED has an individual concave reflector so a well focused beam can be achieved. It also features a longer operation and low cost suitable for various mining and other applications when both focused beam and low cost are demanded.

- Luminous intensity: 1000 lux for all LED's on
- Battery lifetime: 80%C after 500 full charging cycles
- Operating voltage: 3.7
- LED lifetime: 30,000 hours
- Enclosure rating: IP67
- Charging time: 7 hours
- Operation time: Up to 20 hours for all LED's on
- Battery: 2 AH Li-on
- Weight 100g
- Hard Hat not included



Kit Includes:

- 1 x LED Cap Lamp
- 1 x AC Wall Charging Adapter
- 1 x Lanyard
- 1 x Cap Strap





CODE
31-CAPL

HEAD LAMPS – LED

Waterproof Head Lamp with 7 LED's and 3 modes with adjustable head strap to fit hard hats, or to wear directly on the head. Takes 3 x AAA batteries.



CODE
31-LEDHL

HARD HAT ACCESSORIES

REPLACEMENT SWEAT BANDS

PARAMOUNT Sweat band for hard hats.



CODE
31-094

CHIN STRAPS



CODE
31-175

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

STRIKER BROWGUARD FACE SHIELD

- Certified to AS/NZS 1337.1:2010 Personal eye protection.
- One piece design offering 180 degree head protection made from Polyethylene
- Ratchet adjustment for ease of adjustment
- Fits all head sizes 53cm-66cm
- Cotton sweat band which provides greater sweat absorption
- QuickLock clips for quick and easy visor replacement
- 99.9 % UV protection.
- Flared ear cowls for use with hearing protection.



CODE	TYPE
31-ARMVS	Striker Browguard Faceshield w/ Smoke Visor

CODE	TYPE
31-ARMVM	Striker Browguard Faceshield w/ Mesh Visor

CHAINSAW HEAD PROTECTION

Includes hard hat, attachable ear muffs, mesh or clear face shield and visor holder cap.





CODE	TYPE
31-CHPKCLR	Clear Visor Kit
31-CHPKMSH	Mesh Visor Kit

CODE	TYPE
31-VHLDR	Visor Holder Cap for Hard Hat
31-MVIS	Mesh Visor Replacement
31-CVIS	Clear Visor Replacement

FACE SHIELD

- One piece design offering 180º head protection made from Polyethylene
- Cotton sweat band which provides greater sweat absorption
- QuickLock clips for quick and easy visor replacement
- Extra high impact rated
- Molten metal and hot solids resistant
- 99.9% UV protection for outdoor wear
- Complies with AS/NZS 1337.1:2010



CODE	
31-ARMV	10

Clear Replacement Visor

- AS/NZS Extra High Impact 2mm Polycarbonate
- Anti-scratch & Anti-fog
- Complies with AS/NZS 1337.1:2010



CODE
31-CVIS

EAR PLUGS TAPERED

- Disposable
- Low pressure PU foam
- SLC80 26dBa Class 5
- Tapered for easy insertion into ear canal
- 200 pairs per box





CODE
31-EPEC

EAR PLUGS – BELL SHAPE CORDED

- Disposable
- Bell shape for easy insertion into ear canal
- Low pressure PU foam
- SLC80 27dBa Class 5
- 100 pairs per box



CODE
31-CEP

PROBELL DISPOSABLE – BELL SHAPED

- Bell shape delivers maximum comfort and easy insertion into ear
- Disposable
- Non-Corded
- Individually Wrapped
- SLC80 27dB Class 5
- 200 pairs per box





CODE
31-EPP1

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

DIGITAL PORTABLE SOUND LEVEL METER

Precision dual range, ideal for measuring noise level in different environments and industries, lightweight and easy to use internally or externally.

- Measures 35 - 130db
- Takes 1 x 9V Battery



CODE
30-DSM

AXIS EAR MUFFS – COMFORT

- Adjustable reinforced headband (with an adjustable strap and two mobile buckles) which gives a more comfortable fit when worn in the over-the-head position. and the strap has many air breathing holes, more comfortable
- Flexible reinforced plastic headbands with 2-point suspension, the suspension system helps distribute cushion pressure evenly. In addition, the ear cups can pivot 2 points make circles
- Rectangle shaped foam (thickness 15mm): Inside the ABS cups, sound insulation
- Lightweight, comfortable & effective earmuff range
- Wide headband with strap for extended wear, wide ear cushions for comfort
- Meet ANSI & AS/NZS 1270(SLC(80):29 dB Class 5) standards. It is a highly effective and durable earmuff at a tremendous value, hearing protection compliant



CODE
31-CPEM

EAR MUFFS – CAP MOUNTED

- Cap attached earmuff, 26dB with adaptor (Hard Hat not included)
- Class 5, SLC80 26dB
- Hearing protection for noise levels to 110dB(A)
- Solid, lightweight ear cup construction
- High quality ear cushions
- Inner foam and soft cushions provide comfort during extended wear
- Low clamping force applies minimum pressure while maintaining a tight, snug seal
- Suits all ProChoice hard hats



CODE
31-PCAEM

SUN BRIM – ECONOMY

- Cotton Sun Brim and neck cover.
- Fits over hard hat offering sun protection and neck protection while wearing hard hat.
- Colours: Navy, Natural/White





CODE	COLOUR
57-CSBF	Navy
57-CSBFW	Natural/White

HARD HAT SUN BRIM

Durable lightweight sun brims with detachable neckflap. Made from polypropylene so they are water proof, hard wearing and the special snap-fit design ensures they fit well onto almost any hard hat.
Colours: White, Orange





CODE	COLOUR
57-SFSBW	White
57-SFSBO	Orange

SUN HAT – NATURAL STRAW

- Natural Straw
- Hi-Vis Orange Trim
- Comfortable chin strap.
- Wide brim for added protection.
- Sizes: M, L, XL



CODE	SIZE
57-NSOTM	Medium
57-NSOTL	Large
57-NSOTXL	Extra Large

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

AEROGARD INSECT REPELLENT

- Tropical strength, repels for up to 4 hours.
- Pleasant fragrance
- 135ml Spray Pack

CODE
69-AEGISO

12



"BUSHMAN" REPELLENT

- For tropical regions
- 130g aerosol

CODE
69-BUREP

12



SPF 50+ SUNBLOCK

4hr water resistant

***Sunscreen is GST exempt**

CODE	SIZE
91-LIPB	12g Lip Balm
91-10SS	125ml Tube
91-250SS	250ml Squeeze Bottle
91-500SS	500ml Pump Bottle
91-1LSS	1L Dispenser Pump Bottle
91-25LSS	2.5L Dispenser Pump Bottle



WALL BRACKETS

- Wall brackets to suit 1L and 2.5L Suncreen
- Secures your sunscreen bottle in one location
- Fixings/Screw not included

CODE	DESCRIPTION
91-SSB1	Bracket for 1L Sunscreen
91-SSB2.5	Bracket for 2.5 Sunscreen



THORZT SOLO SHOTS

Pour into a 600ml bottle of water.

- 99% sugar free
- Caffeine and gluten free
- Flavour: Blue Lemonade, Lemon Lime, Orange, Tropical, Wild Berry



CODE
62-100

THORZT ICY POLES

Flavours: Blue Lemonade, Wild Berry, Tropical, Lemon Lime, Orange

- Low in sugar
- Caffeine and gluten free



CODE
62-000

EFFERVESCENT TABLETS - HYDRATE + VITAMIN

Stay at the top of your game with our Electrolyte Balance Tablets, expertly formulated to keep you hydrated and energised. Proudly Australian and registered with the Australian Register of Therapeutic Goods (ARTG) (AUST L: 450026), these tablets are your go-to solution for maintaining optimal body electrolyte levels.



CODE
62-101

COOL NECK TIES

Water activated, lightweight and comfortable.



CODE
62-8405

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

RESPIRATORY PROTECTION



BOOK YOUR QUANTITATIVE FIT TEST

In order for a respirator to provide the intended protection it must seal tightly to the wearer's face. AS/NZS1715:2009 states; fit testing is required before a user wears a respirator on the job. Also, fit tests should be performed annually.

Booking a quantitative fit test should be part of the scheduled routine when any tight-fitting respirator is being worn. Conducting a facial fit test should be part of the best practice process when:

- Issuing a new respirator
- The respirator has been in service for a period of 12 months
- The wearer has experienced excessive weight gain or loss
- The wearer has undergone major dental work.

Once the quantitative fit test is completed, the wearer is issued with a pass certificate report. The report of a successful pass will be emailed to both the wearer and the company.

Jaybro can provide in-house and onsite respirator fit testing in NSW and QLD.

Scan QR code and book your fit test online today!

Fit Testing Requirements for Respirators

For a respirator fit test in Accordance with AS/NZS1715-2009.

- The attendee must not eat, smoke, drink coffee or chew gum for at least 1 hour prior to the testing. (Doing so may lead to excessive waiting times)
- The attendee must be cleanly shaven. (If you are not clean shaven you will not be fit tested.)
- Each appointment is for a single respirator (If you require a second fitting, please book a second appointment.)

DUST MASKS FLAT FOLD P2+ VALVE

- Suitable for use with dust, smoke, mist & fume
- ProValve for increased exhalation efficiency and comfort, reduces heat build-up under mask
- Panel design adjusts to facial movements to help you work and talk comfortably
- Easily worn with glasses & goggles. P2 Certified to AS/NZS 1716:2012 Respiratory Protective Devices
- Dual latex-free elastic straps for ease of donning & doffing
- 10 per pack, 20 packs per carton



CODE	DESCRIPTION
31-PCFFP2V	3 Ply Disposable Face Mask with Ear Loops

JAYBRO DUST MASKS

TOP SELLER

Jaybro Dust Masks provide the ultimate combination of comfort and value for money.

- Lightweight
- Contour fit
- Twin Elastic Adjustable Headbands
- Comfortable foam nose seal
- Complies to AS/NZS 1716:2012



P1 - Non Valve | P2 - Non Valve | P2 With Valve

Exhalation Valve: One way valve designed to reduce heat and moisture build up, making breathing easier and the mask more comfortable to wear.



CODE	QUANTITY	TYPE
31-1PMSK	20PK	Moulded P1 - No Valve
31-2PMSK	20PK	Moulded P2 - No Valve
31-2PVMSK	10PK	Moulded P2 - With Valve

12 PACKS

3M™ PARTICULATE RESPIRATOR 9322+P2

TOP SELLER

- Low breathing resistance
- 3M ™ Cool Flow™ valve
- Convenience
- Clear vision
- Sculpted nose panel
- Face and head comfort
- Complies to AS/NZS 1716:2012





CODE	DESCRIPTION
RP3M9322+	P2 Aura™ Flat Fold Particulate Respirator with valve (Box 10)

3M

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

P2 3-PANEL FLATFOLD VALVED RESPIRATOR

maxisafe
there's safe and there's Maxisafe.

- Unique 3-panel design fits a wide range of face shapes and sizes, accommodates facial movements and makes the respirator easy to talk through
- Sculptured nose panel provides excellent field of vision and improves compatibility with eyewear
- Hygienically packaged two masks in a sealed bag to protect from contamination prior to use
- Foldable, easy to store design
- Tested and certified to Australian Standards AS/NZS 1716:2012
- Breathable nose cushion reduces sweat levels when worn over a long period of time
- No glue used in mask construction reducing odour in hot conditions
- 20 masks per pack



CODE
31-RES510

12 PACKS | 20

3M™ AURA™ PARTICULATE RESPIRATOR 9320A+, P2

3M

- Low breathing resistance
- Convenience
- Clear vision
- Sculpted nose panel
- Face and head comfort
- Complies to AS/NZS 1716:2012



CODE	DESCRIPTION
RP3M9320+	P2 Aura™ Flat Fold Particulate Respirator (Box 20)

3M™ 9913V P1 DUST MASK RESPIRATOR WITH VALVE

3M

- Made from 3M™ Advanced Electret Filter Material for effective filtration with low breathing resistance
- Does not contain components made from natural rubber latex
- GP1 rated filtration efficiency
- Protects against hazards, such as, dusts, mists & fume
- Complies with AS/NZS 1716:2012



CODE	DESCRIPTION
RP3M9913V	GP1 Particulate, Nuisance Vapours & Odours Respirator with valve (Box 10)



REUSABLE RESPIRATORY PROTECTION

Jaybro

maxisafe®
there's safe and there's Maxisafe.

3M Science. Applied to Life.™

Sundström®

MAXIGUARD HALF MASK SILICONE GENERAL PURPOSE (SILICA KIT)

- Comfortable silicone mask
- Easy to clean and maintain
- Easy to wear, fully adjustable harness
- Low profile slim design
- Twin filter designs provides lower breathing resistance
- Balanced fit and clear field of vision
- Simple, secure bayonet filter attachment system
- Available in large and medium size
- Applications include: Asbestos, Silica Dust, Mining, Welding, Industrial, Fibreglass



CODE	SIZE
RPR7500GK-M	Medium Kit with P3 Carbon cartridges
RPR7500GK-L	Large Kit with P3 Carbon cartridges

10

MAXIGUARD SILICONE HALF FACE RESPIRATOR

- Comfortable silicone mask
- Easy to clean and maintain
- Easy to wear, fully adjustable harness
- Low profile slim design
- Twin filter designs provides lower breathing resistance
- Balanced fit and clear field of vision
- Simple, secure bayonet filter attachment system
- Available in large & medium size
- Applications include: Asbestos, Silica Dust, Mining, Welding, Industrial, Fibreglass



CODE	SIZE
RPR7500-M	Medium
RPR7500-L	Large

10

MAXIGUARD HALF MASK SILICONE PAINTERS KIT

- Comfortable silicone mask
- Easy to clean and maintain
- Easy to wear, fully adjustable harness
- Low profile slim design
- Twin filter designs provides lower breathing resistance
- Balanced fit and clear field of vision
- Simple, secure bayonet filter attachment system
- Available in large and medium size
- Certified to AS/NZS 1716:2012
- Applications: Chemical handling and manufacturing, spray painting, emergency services, handling animals, spraying pesticides, automotive and fibreglass industry, agriculture industry



CODE	SIZE
RPR7500P-M	Medium Kit with A1P2 cartridges
RPR7500P-L	Large Kit with A1P2 cartridges

10

MAXIGUARD SILICONE FULL FACE RESPIRATOR

- Low-maintenance silicone respirator
- Lightweight, well-balanced design
- Easy to wear, fully adjustable harness
- Twin A1P2 filter design provides lower breathing resistance
- Wide field of vision with scratch and chemical resistant polycarbonate lens
- Replacement tear-off lens covers available
- Simple, secure bayonet filter attachment system
- Certified to AS/NZS 1716:2012
- Applications: Chemical handling & manufacturing, Spray painting, Emergency services, Handling animals, Spraying pesticides, Automotive and Fibreglass industry, Agriculture industry, Petrochemical industry, Asbestos removal industry, Smelter plants
- Filters sold separately



CODE	SIZE
RPR690-M	Medium
RPR690-L	Large

10

MAXIGUARD PARTICULATE FILTERS & HOLDERS

- Suitable for use with R7500 MaxiGuard Silicone Half Mask, R680 & R690 MaxiGuard Silicone Half Mask

MAXIGUARD PREFILTER HOLDER

- Used to hold MaxiGuard Particulate PreFilters (RPR7N11-P2) in place on top of MaxiGuard Gas Cartridges
- Pack of 2 holders



CODE	
RPR510	10

MAXIGUARD P2 PARTICULATE FILTER

- Provides protection against Particulates (P2), including those containing oils
- Pack of 5 Pairs (10 filters)



CODE	
RPR7N11-P2	10

MAXIGUARD HARD CASE P3 PARTICULATE FILTER

- Hard case effectively deflects sparks and splashes of liquid
- Protection when working with a range of particles produced from grinding, cutting, drilling and sanding
- Packaged: 1 pair of filters



CODE	
RPR793-P3R	10

MAXIGUARD P3 CARBON PARTICULATE FILTER

- Use this filter for protection against toxic dust, lead, asbestos and organic vapors, welding fumes and polishing and grinding particles
- Packaged: 1 pair of filters



CODE	
RPR2000-P3C	30

MAXIGUARD A1 ORGANIC VAPOUR CARTRIDGE

- Suitable for use with R7500 MaxiGuard Silicone Half Mask, R680 & R690 MaxiGuard Silicone Half Mask
- Certified to AS/NZS 1716. Certified to EN4387:2000 A1
- Organic gas filter class A1
- Plastic polypropylene. No metal parts
- If environment contains both particles and gas, a particle filter must be fitted to the front of the gas filter
- Prefilter Code: RPR7N11-P2



CODE	
RPR701-A1	30

MAXIGUARD ABEK1 CHEMICAL VAPOUR CARTRIDGE

- Suitable for use with R7500 MaxiGuard Silicone Half Mask, R680 & R690 MaxiGuard Silicone Half Mask
- Certified to AS/NZS 1716. Certified to EN4387:2000 A1
- Organic gas filter class A1
- Plastic polypropylene. No metal parts
- If environment contains both particles and gas, a particle filter must be fitted to the front of the gas filter
- Prefilter Code: RPR7N11-P2



CODE	
RPR703-ABEK1	30

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

REUSABLE RESPIRATORY PROTECTION

SUNDSTRÖM ASBESTOS/SILICA KIT

- SR100 respirator
- High-efficiency P3 filter
- Include mask, filter(s), pre-filters, pre-filter holder, cleaning tissue and user manual, all contained in a rugged plastic box with a carrying handle
- Also known as a Silica Kit



CODE
31-SD100KIT

Sundström

SUNDSTRÖM HALF FACE RESPIRATOR

- Silicone mask (low allergenic, superior facial seal)
- Deep chin cup and broad nose rim
- Two exhalation valves
- Valve caps with air diffusion (no clogging during spray jobs)
- Continuous head strap or cradle harness
- Accepts all Sundström filters and compressed air attachments
- Size: Medium/Large



CODE
31-SD100

Sundström

SUNDSTRÖM SR200 SILICONE FULL FACE MASK

The Sundström SR200 full face respirator provides very high protection at heavy duty work for extended periods. The respirator offers added eye and face protection, and a higher protection factor than half masks. Use with filters, supplied air, or Sundström PAPR. Very high protection factor (NPF 2000)

- Two exhalation valves
- Valve caps with air diffusion (no clogging during spray jobs)
- Low weight
- Fabric head harness - no sticking rubber
- Unique curved visor for exceptionally wide and deep field of vision
- Part of inhalation air is channelled across the visor to minimise mist forming
- Accepts all Sundström filters and compressed air attachments, as well as PAPR



CODE
31-SD200

Sundström

SUNDSTRÖM P3 PARTICLE FILTER

- High performance particle filter class P3. The filter flange features an O-ring that optimises the seal to the front rim of Sundström gas filters.
- Size: Largest diameter 107 mm, 31 mm thick
- Weight: 44g



CODE
31-SD510

Sundström

SUNDSTRÖM A2 ORGANIC GAS FILTER

- Organic vapour filter class A2 (high capacity)
- Size: Largest diameter 106 mm, 36 mm thick
- Weight: 137g



CODE
31-SD218

Sundström

SUNDSTRÖM P2 PRE-FILTER

- Pre-filter in front of the main particle and gas filters.
- The low-cost pre-filter sorts out coarse wet and dry particles, protects the main filter and prolongs its service life.
- Size: 102 mm diameter, 1 mm thick
- Qty. 5 per pack



CODE
31-SD221

Sundström

SUNDSTRÖM ABEK1 FILTER

- Organic, inorganic, acid gas, ammonia filter class ABEK1 (regular capacity).
- Size: Largest diameter 106 mm, 36 mm thick
- Weight: 162g



CODE
31-SD297

Sundström

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

3M™ HALF FACE RESPIRATOR

- Soft silicone material for extra comfort and durability
- Proprietary 3M™ Cool Flow™ Exhalation valve and design helps reduce fogging when wearing eye protection
- Low profile and well balanced twin cartridge and filter design
- For use with 3M™ 2000, 5000 and 6000 series cartridges and filters (sold separately)
- Complies with AS/NZS 1716:2012



CODE	SIZE
RP3M7501B	S
RP3M7502B	M
RP3M7503B	L

3M™ FULL FACE RESPIRATOR 6000 SERIES

- Proprietary 3M™ Cool Flow™ Exhalation valve provides low breathing resistance and minimises heat build up in the respirator
- For use with 3M™ 2000, 5000 and 6000 series cartridges and filters (sold separately)
- Wide field of vision. Polycarbonate, high impact visor
- Low profile and well balanced twin cartridge and filter design
- Lightweight and well balanced
- Simple and easy to use
- Complies with AS/NZS 1716:2012



CODE	SIZE
RP3M6700	S
RP3M6800	M
RP3M6900	L

3M™ VERSAFLO™ POWERED AIR PURIFYING KIT

- Includes Versaflo™ powered air filter unit (air turbo, breathing tube, waist belt, battery pack and charger, airflow indicator, P3 filter and user instruction), and a M-307 Versaflo™ high impact helmet with comfort faceseal. **Miners Kit Helmet features a mount to attach lights or lamps on top**.
- Versaflo™ M-300 series high impact helmet has an in built air deflector that allows users to direct airflow inside the helmet for increased control and comfort
- PAPR system delivers comfort and integrated protection against a range of workplace hazards
- High impact polycarbonate visor combines excellent peripheral and downward vision with exceptional optical clarity
- Coated visor provides added chemical and scratch resistance
- Three filter types to cater for nearly all industry dust, mist and fume requirements
- Suitable for metalworking (surface preparation, metal fabrication), machining, polishing and grinding, smelting and foundry (coke oven work)
- Integrated respiratory, head, eye and face protection with optional helmet mounted earmuffs (sold separately)
- Visual and audible alarm for low battery or low air flow

CODE
RP3MTRM307CM



Replacement Parts:

RP3MTRM-307H	Respiratory Hardhat Assembly: includes premium visor, flame resistant faceseal, size reducing comfort pad, and peel off
RP3MM927	Premium Visor
RP3MM935	Standard Faceseal
RP3MM-936	Comfort Faceseal
RP3MM957	Forehead Comfort Pad/Sweat Pad
RP3MM928	Peel-Off Visor Covers, for M-927 Premium Visor
Other 3M replacement parts available upon request	

SERVICING AND MAINTENANCE AVAILABLE!
CONTACT US FOR MORE INFO

3M FILTER TO RESPIRATOR/MASK GUIDE


Half Face Respirator


Full Face Respirator


RP3M6035 P3


RP3M2125 P2


RP3M2135

Particulate Protection


RP3M6038 P3(HF)


RP3M2128 GP2

Particulate Protection + Nuisense Level* Organic Vapour and Acid Gas


RP3M6051B A1


RP3M6057B ABE1


RP3M6059B ABEK1

Gas & Vapour Protection only


RP3M6051B A1


RP3M6057B ABE1


RP3M6059B ABEK1


RP3M5925 P2


RP3M501

Combined Particulate + Gas & Vapour Protection


RP3M6096 A1HgP3


RP3M6098 AXP3**

3M™ VERSAFLO™ FILTER P3 WITH NUISANCE O/V

- 3M™ Versaflo™ Filter is suitable for P3 with Nuisance Level Organic Vapour environments.
- Complies with AS/NZS 1716:2012
- Pack of 5 Filters



CODE
P3MTR3800E

3M™ VERSAFLO™ FILTER PAPR-P3

A high efficiency particulate (P3) filter for use with the 3M™ Versaflo™ Powered Air Purifying Respirator (PAPR) TR-300 Series.

- High efficiency particulate filter
- Deals with dusts, mists and aerosols
- Features PAPR-P3 particulate filter
- Sold in packs of 5 filters



CODE
RP3MTR-3710E

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

FIRST AID KITS

R1 VEHICLE MAX KIT

- Loaded with ARTG Registered quality extras like splinter probes, Burn relief gel, heavy duty crepe bandage, Instant Ice Pack and more.
- Medium sized case with internal compartments ready for that unexpected road side emergency.

R1 VEHICLE KIT
1-10 PERSONS

CODE	KIT TYPE
63-VMK	Soft Case



CONTENTS LIST

1x	Adhesive strips, plastic, 72 x 19mm, pk50
2x	Antiseptic alcohol wipe/swab, sterile
4x	Burn relief gel sachet, 0.9g
1x	Cold pack instant, large, boxed
3x	Conforming bandage, 5cm, white
3x	Conforming bandage, 7.5cm, white
2x	Eye pads, sterile, pk1
4x	Eye wash ampoule, 15ml
1x	Forceps, splinter, stainless steel, 12.5cm
5x	Gauze swab, 7.5 x 7.5cm, sterile, pk2
2x	Gloves disposable large (2's)
1x	Large plastic bag, resealable, 230 x 305mm
1x	Leaflet, cpr flowchart
1x	Leaflet, emergency first aid information
1x	Medium plastic bag, resealable, 150 x 230mm
2x	Non-adherent dressing, 7.5cm x 7.5cm
2x	Non-adherent dressing, 5cm x 5cm
1x	Notebook with pencil
1x	Paper tape, 2.5cm x 9m, hypo-allergenic white
2x	Povi iodine swabs
1x	Rescue/thermal blanket silver space
1x	Resuscitation face shield, disposable
1x	Safety pins card of 12 assorted
1x	Scissors, stainless steel, 12.5cm, sharp/blunt
1x	Small plastic bag, resealable, 100 x 125mm
10x	Splinter probe, 4cm disposable
2x	Triangular bandage, cotton, large, 110cm
1x	Wound dressing, #14 sterile

R2 WORKPLACE RESPONSE – OFFICE KITS

- Standard workplace kit that contains contents specific to WHS requirements for Australian workplaces.
- Entry level kit for workplaces where additional risks do not exist.

Refill Kit Available

R2 WORKPLACE KIT
1-25 PERSONS
LOW RISK

CODE
63-R2W
63-R2WR



CONTENTS LIST

1x	Accident Report Note Book With Pencil
50x	Adhesive Strips, Plastic, 72 X 19Mm
4x	Alcohol Wipe, Sachet
1x	Antiseptic Liquid/Sting Relief, 50Ml, Spray Bottle
1x	Bowl Galipot 60Ml Clear
1x	Cold Pack, Instant, Large
1x	Combine Dressing, 10 X 20Cm, Sterile
3x	Conforming Bandage, 5Cm, White
3x	Conforming Bandage, 7.5Cm, White
100x	Cotton Tips, Double Ended, 7.5Cm
1x	Cpr Flowchart, Wallet Size
1x	Crepe Bandage, Heavy Weight, 10Cm, Brown
5x	Disposable Gloves, Large, Pair
1x	Emergency First Aid Information Booklet, Basic, Dl Size
1x	Emergency Shock Blanket, Silver Space
4x	Eye Pad, Sterile
8x	Eye Wash Solution, 30Ml Ampoule
25x	Gauze Swab, 7.5 X 7.5Cm
5x	Hydrogel Burns Gel, 3.5G Sachet
1x	Kidney Tray, Plastic,200Ml Green
1x	Non-Adherent Dressing, 10 X 10Cm, Sterile
3x	Non-Adherent Dressing, 10 X 7.5Cm, Sterile
6x	Non-Adherent Dressing, 5 X 5Cm, Sterile
1x	Paper Tape, 2.5Cm X 5M, Hypo-Allergenic, White
1x	Plastic Bag, Resealable, Large
1x	Plastic Bag, Resealable, Medium
1x	Plastic Bag, Resealable, Small
6x	Povidone Iodine Swabs
1x	Resuscitation Face Shield, Disposable With Non-Return Valve
12x	Safety Pins, Assorted
1x	Scissors, Stainless Steel, 12.5Cm
1x	Sharps Container, Plastic, 100 Ml, Yellow
1x	Splinter Forceps, Stainless Steel, 12.5Cm
10x	Splinter Probe, Disposable
2x	Triangular Bandage, Cotton, Large, White
10x	Wound Cleansing Wipe, Non-Sting, Sachet
25x	Wound Closure Strips, 3 X 75Mm
1x	Wound Dressing, No.13, Sterile
1x	Wound Dressing, No.14, Sterile
1x	Wound Dressing, No.15, Sterile

R2 TRUCK 'N' PLANT KIT

- Specially designed for the truck and plant operator that is at distance from immediate medical help.
- Valuable quality extras that are of hospital grade.

R2 TRADE KIT
1-25 PERSONS
HIGH RISK

CODE	KIT TYPE
63-SPTPO	Soft Case



CONTENTS LIST

1x	Accident Report Note Book With Pencil
50x	Adhesive Strips, Fabric, 72 X 19Mm
50x	Adhesive Strips, Plastic, 72 X 19Mm
4x	Alcohol Wipe, Sachet
1x	Antiseptic Liquid/Sting Relief, 50Ml, Spray Bottle
1x	Bowl Galipot 60Ml Clear
1x	Cold Pack, Instant, Large
1x	Combine Dressing, 10 X 20Cm, Sterile
3x	Conforming Bandage, 5Cm, White
3x	Conforming Bandage, 7.5Cm, White
100x	Cotton Tips, Double Ended, 7.5Cm
1x	Cpr Flowchart, Wallet Size
1x	Crepe Bandage, Heavy Weight, 10Cm, Brown
5x	Disposable Gloves, Large, Pair
1x	Emergency First Aid Information Booklet, Basic, Dl Size
1x	Emergency Shock Blanket, Silver Space
4x	Eye Pad, Sterile
8x	Eye Wash Solution, 30Ml Ampoule
1x	First Aid Module, Eye & Wound Dressing, Soft Pack (73 Pieces)
1x	First Aid Module, Outdoor, Soft Pack (7 Pieces)
25x	Gauze Swab, 7.5 X 7.5Cm
5x	Hydrogel Burns Gel, 3.5G Sachet
1x	Kidney Tray, Plastic,200Ml Green
1x	Non-Adherent Dressing, 10 X 10Cm, Sterile
3x	Non-Adherent Dressing, 10 X 7.5Cm, Sterile
6x	Non-Adherent Dressing, 5 X 5Cm, Sterile
1x	Paper Tape, 2.5Cm X 5M, Hypo-Allergenic, White
1x	Plastic Bag, Resealable, Large
1x	Plastic Bag, Resealable, Medium
1x	Plastic Bag, Resealable, Small
6x	Povidone Iodine Swabs
1x	Resuscitation Face Shield, Disposable With Non-Return Valve
12x	Safety Pins, Assorted
1x	Scissors, Stainless Steel, 12.5Cm
1x	Sharps Container, Plastic, 100 Ml, Yellow
1x	Shears, Universal 8", Stainless Steel Blades
1x	Splinter Forceps, Stainless Steel, 12.5Cm
10x	Splinter Probe, Disposable
2x	Triangular Bandage, Cotton, Large, White
10x	Wound Cleansing Wipe, Non-Sting, Sachet
25x	Wound Closure Strips, 3 X 75Mm
1x	Wound Dressing, No.13, Sterile
1x	Wound Dressing, No.14, Sterile
1x	Wound Dressing, No.15, Sterile

R2 CONSTRUCTA MAX – SITE KITS

- Includes 2 additional modules; Eye 'n' Wound and an Outdoor module, to suit the common injuries that occur on construction sites.
- Portable case options available making it an ideal kit for builders and tradesman who require a compliant first aid kit on site with them.
- Available in 4 case options to suit the many possible different locations on site and emergency requirements.

R2 TRADE KIT
1-25 PERSONS
HIGH RISK

Refill Kit Available

CODE	KIT TYPE
63-R2CM	Metal Case
63-R2CP	Plastic Case
63-R2CPT	Plastic - 1 Tray
63-R2CS	Soft Case
63-R2CR	Refill Kit

METAL CASE





SOFT PACK



PLASTIC KIT



PLASTIC - 1 TRAY

CONTENTS LIST

1x	Adhesive Strips, Fabric, 72 X 19Mm, Pk50
1x	Adhesive Strips, Plastic, 72 X 19Mm, Pk50
4x	Antiseptic Alcohol Wipe/Swab, Sterile
1x	Antiseptic Liquid, 50Ml Spray
10x	Antiseptic Wipe/Swab, Sterowipe, Non-Sting, Alcohol Free, Sterile
5x	Hydrogel Burn Gel Sachet, 3.5G
1x	Cold Pack, Instant, Large Boxed
1x	Combine Dressing, 10 X 20Cm, Sterile
3x	Conforming Bandage, 5Cm, White
3x	Conforming Bandage, 7.5Cm, White
1x	Crepe Bandage, Heavy, 10Cm, Brown
4x	Eye Pads, Sterile, Pkl
8x	Eyewash Ampoule, 30Ml
1x	First Aid Module, Eye & Wound Dressing, Soft Pack
1x	First Aid Module, Outdoor, Soft Pack
1x	Forceps, Splinter, Stainless Steel, 12.5Cm
5x	Gauze Swab 7.5 X 7.5Cm Pk 5
5x	Gloves, Disposable, Large (2/Pack)
1x	Large Plastic Bag, Resealable, 230 X 305Mm
1x	Cpr Flowchart. Wallet Size
1x	Emergency First Aid Information Booklet. Fold Out Dl Size
1x	Medium Plastic Bag, Resealable, 150 X 230Mm
1x	Non Adherent Dressing, 10X10cm
3x	Non-Adherent Dressing, 10Cm X 7.5Cm Sterile
6x	Non Adherent Dressing, 5X5cm
1x	Notebook With Pencil
1x	Paper Tape, 2.5Cm X 9M, Hypo-Allergenic White
6x	Povi Iodine Swabs
1x	Rescue / Thermal Blanket Silver Space
1x	Cpr Face Shield, Disposable With Non-Return Valve
1x	Safety Pins Card Of 12 Assorted
1x	Scissors, Stainless Steel, 12.5Cm, Sharp/Blunt
1x	Small Plastic Bag, Resealable, 100 X 125Mm
10x	Splinter Probe, 4Cm, Disposable
2x	Triangular Bandage, Cotton, Large, 110Cm
1x	Wound Closure Strips, 6X75mm,
1x	Wound Dressing, #14 Sterile
1x	Wound Dressing, #15 Sterile
1x	Wound Dressing, #13 Sterile

R3 CONSTRUCTA MAX PRO – LARGE SITE OFFICE KITS

- The first aid kit of choice for construction sites.
- Additional modules to specially suit the outdoor type work nature of a construction site.

R3 WORKPLACE PRO
1-50 PERSONS
LOW RISK
1-25 PERSONS
HIGH RISK

Refill Kit Available

CODE	KIT TYPE
63-R3CM	Metal Case
63-R3CR	Refill Kit



CONTENTS LIST

1x	Adhesive Strips, Fabric, 72 X 19Mm, Pk50
1x	Adhesive Strips, Plastic, 72 X 19Mm, Pk50
4x	Antiseptic Alcohol Wipe/Swab, Sterile, Pk200
1x	Antiseptic Liquid, 50Ml Spray
10x	Antiseptic Wipe/Swab, Sterowipe, Non-Sting, Alcohol Free, Sterile, Pk100
5x	Hydrogel Burn Gel Sachet, 3.5G
1x	Cold Pack, Instant, Large Boxed
3x	Combine Dressing, 10 X 20Cm, Sterile
3x	Conforming Bandage, 5Cm, White
3x	Conforming Bandage, 7.5Cm, White
1x	Cotton Balls, 60 Pack
1x	Cotton Tips, 7.5Cm, Double Ended, Pk100
1x	Cpr Mask, Pocket Size In Plastic Clam Shell Case With Oxygen Port
1x	Crepe Bandage, Heavy, 10Cm, Brown
4x	Eye Pads, Sterile, Pkl
8x	Eyewash Ampoule, 30Ml
1x	First Aid Module, Burn, Soft Pack
1x	First Aid Module, Eye & Wound Dressing, Soft Pack
1x	First Aid Module, Outdoor Dressing, Soft Pack
1x	Forceps, Splinter, Stainless Steel, 12.5Cm
5x	Gauze Swab 7.5 X 7.5Cm Pk 5
5x	Gloves, Disposable, Large (2/Pack)
1x	Large Plastic Bag, Resealable, 230 X 305Mm
1x	Cpr Flowchart. Wallet Size
1x	Emergency First Aid Information Booklet. Fold Out Dl Size First Aid Basics
1x	Medium Plastic Bag, Resealable, 150 X 230Mm
1x	Non Adherent Dressing, 10X10cm
3x	Non-Adherent Dressing, 10Cm X 7.5Cm Sterile
6x	Non Adherent Dressing, 5X5cm
1x	Notebook With Pencil
1x	Paper Tape, 2.5Cm X 9M, Hypo-Allergenic White
6x	Povi Iodine Swabs, Pk100
1x	Rescue / Thermal Blanket Silver Space
1x	Safety Pins Card Of 12 Assorted
1x	Scissors, Stainless Steel, 12.5Cm, Sharp/Blunt
1x	Small Plastic Bag, Resealable, 100 X 125Mm
10x	Splinter Probe, 4Cm, Disposable
2x	Triangular Bandage, Cotton, Large, 110Cm
1x	Wound Closure Strips, 6X75mm,
1x	Wound Dressing, #14 Sterile
1x	Wound Dressing, #15 Sterile

R3 TRAUMA EMERGENCY RESPONSE PRO KIT

- Complies with WHS 2015 Regulations for Workplaces.
- The ultimate R3 first aid kit for trauma injury management.
- Loaded with hospital quality contents for all cuts, wounds, and burns trauma injuries.
- Available in both Plastic Wall/Portable on demand and Soft Pack cases ensuring maximum portability for those rush-to-scene incidences.



PLASTIC CASE

R3 WORKPLACE PRO
1-50 PERSONS
LOW RISK
1-25 PERSONS
HIGH RISK

Refill Kit Available

CODE	KIT TYPE
63-R3TS	Soft Case
63-R3TP	Plastic Case
63-R3TR	Refill Kit



CONTENTS LIST

1x	Accident Report Note Book With Pencil
50x	Adhesive Strips, Fabric, 72 X 19mm
50x	Adhesive Strips, Plastic, 72 X 19mm
4x	Alcohol Wipe, Sachet
1x	Antiseptic Liquid/Sting Relief, 50ml, Spray Bottle
1x	Bowl Galipot 60ml Clear
1x	Cold Pack, Instant, Large
3x	Combine Dressing, 10 X 20cm, Sterile
2x	Conforming Bandage, 10cm, White
2x	Conforming Bandage, 10cm, White
3x	Conforming Bandage, 5cm, White
3x	Conforming Bandage, 7.5cm, White
60x	Cotton Balls
100x	Cotton Tips, Double Ended, 7.5cm
1x	Cpr Flowchart, Wallet Size
1x	Cpr Mask, Pocket Size In Plastic Clam Shell Case With Oxygen Port
1x	Crepe Bandage, Heavy Weight, 10cm, Brown
5x	Disposable Gloves, Large, Pair
3x	Dressing Forceps, Plastic, 11cm
1x	Dressing Pack, Basic #1, Sterile
1x	Emergency First Aid Information Booklet, Basic, Dl Size
1x	Emergency Shock Blanket, Silver Space
4x	Eye Pad, Sterile
8x	Eye Wash Solution, 30ml Ampoule
1x	Fabric Dressing Strip, 75mm X 1m
2x	First Aid Module, Burn, Soft Pack (20 Pieces)
1x	First Aid Module, Eye & Wound Dressing, Soft Pack (73 Pieces)
2x	First Aid Module, Outdoor, Soft Pack (7 Pieces)
25	Gauze Swab, 7.5 X 7.5cm
5x	Hydrogel Burns Gel, 3.5g Sachet
1x	Kidney Tray, Plastic,200ml Green
1x	Non-Adherent Dressing, 10 X 10cm, Sterile
3x	Non-Adherent Dressing, 10 X 7.5cm, Sterile
6x	Non-Adherent Dressing, 5 X 5cm, Sterile
1x	Paper Tape, 2.5cm X 5m, Hypo-Allergenic, White
1x	Plastic Bag, Resealable, Large
1x	Plastic Bag, Resealable, Medium
1x	Plastic Bag, Resealable, Small
6x	Povidone Iodine Swabs
12x	Safety Pins, Assorted
1x	Scissors, Stainless Steel, 12.5cm
1x	Sharps Container, Plastic, 100 Ml, Yellow
1x	Shears, Universal 8", Stainless Steel Blades
1x	Splinter Forceps, Stainless Steel, 12.5cm
110x	Splinter Probe, Disposable
1x	Tape, Fabric Zinc Oxide, 2.5cm X 5m Roll
2x	Triangular Bandage, Cotton, Large, White
10x	Wound Cleansing Wipe, Non-Sting, Sachet
25x	Wound Closure Strips, 3 X 75mm
1x	Wound Dressing, No.13, Sterile
2x	Wound Dressing, No.14, Sterile
2x	Wound Dressing, No.15, Sterile

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

R4 CONSTRUCTA MEDIC – FIRST AID ROOM KIT

R4 WORKPLACE MEDIC
1-50 PERSONS
LOW-HIGH RISK

- The ultimate construction site first aid response station.
- Ideal for larger sites or first aid rooms to provide a first aid solution to a wide range of injuries.

Refill Kit Available



SOFT PACK



CODE	KIT TYPE
63-R4CM	Metal Case
63-R4CS	Soft Case
63-R4CR	Refill Kit

CONTENTS LIST

1x	Adhesive Dressing Strip, Fabric, 75Mm X 1M
1x	Adhesive Strips, Fabric, 72 X 19Mm, Pk50
1x	Adhesive Strips, Plastic, 72 X 19Mm, Pk50
4x	Antiseptic Alcohol Wipe/Swab, Sterile, Pk200
1x	Antiseptic Liquid, 50Ml Spray
10x	Antiseptic Wipe/Swab, Sterowipe, Non-Sting, Alcohol Free, Sterile, Pk100
5x	Hydrogel Burn Gel Sachet, 3.5G
1x	Cold Pack, Instant, Large Boxed
3x	Combine Dressing, 10 X 20Cm, Sterile
2x	Conforming Bandage, 10Cm, White
2x	Conforming Bandage, 10Cm, White
3x	Conforming Bandage, 5Cm, White
3x	Conforming Bandage, 7.5Cm, White
1x	Cotton Balls, 60 Pack
1x	Cotton Tips, 7.5Cm, Double Ended, Pk100
1x	Cpr Mask, Pocket Size In Plastic Clam Shell Case With Oxygen Port
1x	Crepe Bandage, Heavy, 10Cm, Brown
1x	Dressing Pack,Basic #1,Sterile
4x	Eye Pads, Sterile, Pk1
8x	Eyewash Ampoule, 30Ml
2x	First Aid Module, Burn, Soft Pack
1x	First Aid Module, Eye & Wound Dressing, Soft Pack
2x	First Aid Module, Outdoor, Soft Pack
3x	Forceps, Plastic Dressing Forceps, 11Cm
1x	Forceps, Splinter, Stainless Steel, 12.5Cm
5x	Gauze Swab 7.5 X 7.5Cm Pk 5
5x	Gloves, Disposable, Large (2/Pack)
1x	Large Plastic Bag, Resealable, 230 X 305Mm
1x	Cpr Flowchart. Wallet Size
1x	Emergency First Aid Information Booklet. Fold Out Dl Size First Aid Basics
1x	Medium Plastic Bag, Resealable, 150 X 230Mm
1x	Non Adherent Dressing, 10X10cm
3x	Non-Adherent Dressing, 10Cm X 7.5Cm Sterile
6x	Non Adherent Dressing, 5X5cm
1x	Notebook With Pencil
1x	Paper Tape, 2.5Cm X 9M, Hypo-Allergenic White
6x	Povi Iodine Swabs, Pk100
1x	Rescue / Thermal Blanket Silver Space
1x	Safety Pins Card Of 12 Assorted
1x	Scissors, Stainless Steel, 12.5Cm, Sharp/Blunt
1x	Shears, Universal, 8 Inch, Stainless Steel Blades And Blue Handle
1x	Small Plastic Bag, Resealable, 100 X 125Mm
10x	Splinter Probe, 4Cm, Disposable
100x	Splinter Probe, 4Cm, Disposable
1x	Tape Fabric Zinc Oxide, 2.5Cm X 5M Brown
1x	Thermometer, Digital
2x	Triangular Bandage, Cotton, Large, 110Cm
1x	Wound Closure Strips, 6X75mm,
2x	Wound Dressing, #14 Sterile
2x	Wound Dressing, #15 Sterile
1x	Wound Dressing, #13 Sterile

PERSONAL KIT

- Compact design for portability.
- Internal compartments for fast-find of contents.
- Ideal kit where a budget protective case is required.



CODE	KIT TYPE
63-PKS	Soft Case

CONTENTS LIST

Adhesive strip, plastic, 72 x 19mm (20/pack)
Antiseptic alcohol wipe/swab, sterile
Antiseptic wipe/swab, sterowipe, non-sting, alcohol free, sterile
Combine dressing, 10 x 20cm, sterile
Conforming bandage, 5cm, white
Emergency first aid information booklet. Fold out DL size first aid basics
Eye pads, sterile, pk1
Forceps, steel 8cm
Gloves, disposable, large (2/pack)
Paper tape, 1.25cm x 9m, hypo-allergenic white
Povi iodine swabs
Safety pins card of 12 assorted
Scissors, steel 9cm
Splinter probe, 4cm, disposable
Triangular bandage, n/w disposable, 110cm

PERSONAL KIT

DELUXE BURNS STATION

- Excellent medium size 'Grab & Run' Burn Kit with carry handle
- Essential addition for plumbers, welders, refrigeration mechanics, schools, catering etc.
- Attractive plastic case with wall bracket to locate next to potential burn areas.
- Practical and organised internal compartments.



CODE	KIT TYPE
63-DBK	Soft Case

CONTENTS LIST

2x	Burn Dressing 10x10cm
2x	Burn Dressing 2.5x5cm
6x	Burn Gel 3.5g Sachet
3x	Burn Plasters Large
2x	Burn Plasters Small
1x	Conforming Bandage 5cm
1x	Conforming Bandage 7.5cm
2x	Eyewash Ampole 20ml
1x	Emergency Foil Blanket
1x	Gloves Pair
1x	First Aid Guide Leaflet
1x	Micropore Tape 2.5cm
1x	Universal Shears

EYE & BURNS STATIONS

SNAKE 'N' SPIDER BITE KIT

- Popular addition to any first aid kit.
- Compact and lightweight kit for your backpack or emergency kit.
- Quality hospital grade contents.
- Full colour Snake and Spider Identification Sheet.
- Easy to follow Symptoms and Treatment Guide.
- Flexible soft pouch presentation for excellent portability.



CODE
63-SSBK

CONTENTS LIST

1x	Leaflet snake & spider bite insert
1x	Cold pack instant, standard, boxed
2x	Triangular bandage, cotton, large, 110cm
3x	Crepe bandage, heavy, 10cm, brown
1x	Emergency first aid information booklet. Fold out

MODULES & ADDITIONAL KITS

EYE CARE STATION PREMIER

- High visibility eye wash station.
- Holds 2 x 500mL sterile saline solution eye wash bottles & 2 x eye pad dressings.
- Includes mirror for easy application.

EYE & BURNS STATIONS



CODE
63-ECS

FIRST AID REPLACEMENT ITEMS



CODE	DESCRIPTION
MDFRS100	Eyewash Ampoule 15ml (Pack of 5)
MDFRS101	Eyewash Ampoule 30ml (Pack of 8)
MDFRC460	Povidone Iodine Swabs
MDFRC450	Alcohol-Free Cleansing Wipes


PERSONAL EMERGENCY EYEWASH STATION

Personal Emergency Eyewashes are for use when acid, alkali, dirt, dust or other contaminants come into contact with the eyes. In areas where the risk of acid and alkali burns are identified, it is crucial that the correct supplemental eyewash equipment is present as flushing with water or saline does not neutralize any low pH acids or high pH alkalis.

- Neutralize any acid or alkali substance
- Restores proper pH balance
- Dual eyewash streams
- Compliments AXION® MSR technology
- Single use application
- 3 Year shelf life (stored at 5ºC - 35ºC)

DUAL PERSONAL EYEWASH WITH WALL MOUNT DUSTPROOF CASE

- 1 x 500ml pH
- 1 x 1,000ml Saline
- 1 x Wall Mount Case



CODE
MDH4810

REFILL BOTTLES



CODE	
MDH4752	pH Neutral Solution 200ml Bottle (6 Pack)
MDH4800	Refill Bottle 1000ml Saline Solution (6 Pack)
MDH4801	Refill Bottle 500ml pH Neutral Solution (6 Pack)

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

FASTAID LIFEPAK CR2 ESSENTIAL FULLY AUTOMATIC PUBLIC DEFIBRILLATOR

The FastAid Lifepak CR2 Essential is a fully automatic defibrillator designed for fast, effective emergency response. Featuring dual language support, child mode, CPR coaching, and QUIK-STEP™ electrodes, it ensures ease of use for both trained and untrained responders. With an IP55 rating for dust and water resistance, plus an 8-year warranty, this AED is built for reliability in any environment.

- 8-Year warranty
- Fully automatic
- Dual language otpions
- Adult & child modes
- IP55 Rated for tough conditions

CODE
MDLPCR2DE



AED STANDARD WALL CABINET

This indoor metal wall cabinet comes with Perspex front and complete with wall brackets. With its ARC approved AED signage, this cabinet ensures that your defibrillator is highly visible, increasing staff awareness and minimising lost time in time of an emergency. This attractive cabinet will also protect your AED from dust and grime.

- Powdercoated finish
- Lockable with a padlock or safety seal
- Size: 510mm x 370mm x 145mm


CODE
63-CC25





AED POLY SIGN

- Material: Poly
- Size: 225mm x 300mm



CODE
MDB872719

AED WALL BRACKET WITH SIGNAGE

This Cardiac AED Wall Bracket is sturdy and smart looking, suiting most AED types.

- Functional, Low-cost and Easy install
- Complete with ANZCOR-approved signage
- Size: 420mm x 380mm x 150mm
- Fixings or screws not included



CODE
63-CABR1

POINTGUARD® ULTRA NEEDLESTICK GLOVES

- High needlestick and cut resistance
- Includes industry-changing SuperFabric®* brand material to protect against hazards
- Sandy nitrile three-quarter knuckle palm coating over polyester shell
- Seamless construction delivers high comfort and dexterity
- Sizes: 8/M, 9/L, 10/ XL

CODE	SIZE
31-NPGM	8 / M
31-NPGXL	10 / XL

EN388:2016

4X43F



uvex

LITTER PLIERS

Litter Pliers are ideal for picking up things from the ground without bending your back. The easy lever action means you can pick up rubbish or other items quickly and easily, using the long handled tongs.

Size: 1m length



CODE
63-SNIP

BREATHALYSER

Handheld, reliable, easy to use breathalyser suitable for workplace & site use.

- Comes with 8 mouth pieces
- Fast 3 second testing
- Certified for workplace testing
- Range 0.00 - 0.40% BAC
- Accuracy ffl 0.01 @ 0.05% BAC

CODE
39-ALBA



Replacement Mouth Pieces

CODE
39-ABMP



CPR CHART

640 x 400mm plastic.



CODE
02-CPRC

SHARPS CONTAINERS

- Quality plastic sharps containers with finger guards and final closures.
- Providing safe and effective disposal of sharps.
- Size: 1.8L



CODE
63-SCM

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

NOW AVAILABLE

SUPERIOR WORKWEAR

Superior Women's Workwear (See pages 98-101)

Clothing designed and manufactured specific for women



Superior Women Hi-Vis Shirts
Orange – X Back and Orange & Pink with Hoop Tape



Superior Flex Rip-Stop Cuffed Pants

Superior Plus Premium Workwear (See pages 92-93)

Premium clothing range with lightweight rip-stop technology



Superior Flex Rip-Stop Cuffed Pants

Take the headaches out of purchasing clothing and PPE with JAMS



What is JAMS?

JAMS (Jaybro Apparel Management System) is Jaybro's online uniform and PPE ordering system, enabling procurement teams to allocate approved clothing and equipment for all staff.

Individual employees can then log in and order their own equipment from your preset approved lists, whilst purchasing managers have centrally managed control over uniform allocations, branding and approved PPE.

This take the stress out of placing uniform orders for staff, and gives procurement teams a centrally managed overview of budgets, orders, invoices and payments.

How does it work?



Register with Jaybro as your Supply Partner



Jaybro will setup your employees and staff



Go online and login into JAMS



Set up clothing packs and start ordering your uniforms

What are the benefits?

All in one solution

- JAMS provides one simple portal for employees to log in and order, with a simple, easy to use employee interface.

Employee Specific Clothing

- Jaybro can set up a range of employee packs for different job functions, so staff can only view equipment that is suited to their role.

Reporting

- Generate specific reports to present to Management.

Multiple Delivery Sites

- Multiple delivery addresses can be set up so that the staff member receives their order directly to the site they are working on.

Budget Control & Brand Management

- Budgets and branding are managed at a procurement level, giving purchasing managers full control to set limits, change uniform logos and embroidery, and review staff ordering habits.
- Manage your staff database and curate a centralised procurement team, as well as managing logos and uniform styles, all in the one place.
- Prevent over-ordering, incorrect size issues and budget blow-out.

How much does JAMS cost?

Standard - ($120.00 +GST per month)

If you're interested in taking the hassle out of ordering uniforms, safety footwear, PPE and other equipment for multiple staff, get in touch with our safety team for more information.

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

CLOTHING SIZING CHART

SUPERIOR WORKWEAR

OVERALLS, TROUSERS AND SHORTS (Overalls normally worn one size larger, being a one piece garment, shorts - measure by waist)

Metric Sizes	72R	77R	82R	87R	92R	97R	102R	107R	112R	74L	79L	84L	89L	94L	87ST	92ST	97ST	102ST	107ST	112ST	117ST	122ST	127ST	132ST
Imperial Sizes	2	3	4	5	6	7	8	9	10	3½	4½	5½	6½	7½	3¼	4¼	5¼	6¼	7¼	8¼	9¼	10¼	11¼	12¼
Chest (cm)	82	87	92	97	102	107	112	117	122	87	92	97	102	107	98	97	102	107	112	117	122	127	132	137
Waist (cm)	72	77	82	87	92	97	102	107	112	74	79	84	89	94	87	92	97	102	107	112	117	122	127	132
Inner Leg (cm)	71	74	77	79	82	83	84	85	87	79	80	83	85	87	69	72	74	77	79	80	80	82	83	83

JACKETS

Metric Sizes	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL
Metric Sizes	87R	92R	97R	102R	107R	112R	117R	122R	127R	132R
To Fit Chest (cm)	85-90	90-95	95-100	100-110	110-115	115-120	120-130	130-140	140-150	150-160

WORK SHIRTS/MEN'S BUSINESS SHIRTS

Metric Sizes	XS	S	M	L	XL	XXL	3XL	4XL	5XL
To Fit Neck (cm)	(34-35)	(36-37)	(38-39)	(41-42)	(43-44)	(45-46)	(47-48)	(49-50)	(51-52)
To Fit Chest (cm)	85	90	95	100	105	110	115	125	130

ELASTIC WAIST TROUSERS AND SHORTS

Metric Sizes	XS	S	M	L	XL	XXL	3XL	4XL	5XL
To Fit Waist (cm)	70-75	75-85	85-90	90-95	95-105	105-115	115-125	125-130	130-140

T-SHIRTS, POLOS AND FLEECE TOPS

Metric Sizes	XXS	XS	S	M	L	XL	XXL	3XL	4XL	5XL
To Fit Chest (cm)	80-85	85-90	90-95	95-100	100-110	110-115	115-120	120-130	130-140	140-150

WOMEN'S SIZES

Metric Sizes	6	8	10	12	14	16	18	20	22	24	26
Actual Bust (cm)	81	87	91	97	101	106	111	116	121	126	129
Actual Waist (cm)	57	62	67	72	77	82	87	92	97	102	107
Actual Hips (cm)	87	92	97	102	107	112	117	122	127	132	137

* Size charts should be used as a measuring guide only. Garments will vary according to style and fit of the garment.

HOW TO MEASURE

NECK	Measure around neck, allowing room for two fingers behind tape.
CHEST/BUST	Measure around chest, making sure tape is level at the back. A firm chest measurement should be taken.
WAIST	Make sure the trousers are sitting comfortably, and measure over the waistband of the trousers.
INSIDE LEG	Measure up from the crutch to the top of the heel of the shoe.
HIPS	Measure the fullest part of the hips,making sure tape is level.



SUPERIOR WORKWEAR
Note: Clothing will be sent on separate order to civil products

VEST – HI VIS SAFETY TAPED HOOP PATTERN

Sizes: S-5XL (Pink sizes = S - 3XL)
Colours: Yellow, Orange, Pink*

*Pink Vest does not meet Australian Standards for day use





CODE
027

YES, WE DO EMBROIDERY AND SCREENPRINTING

VIC RAIL DAY/NIGHT VEST

- Complies with AS/NZS 1906.4:2010
- Complies with AS/NZS 4602.1:2011 Day & Night
- 100% polyester tricot for durability
- Front zip closure
- Vic Rail orange with silver reflective tape
- Left hand chest pocket with pen insert
- Sizes: S - 5XL
- Colour: Orange

RAIL COMPLIANT VIC



CODE
027V

YES, WE DO EMBROIDERY AND SCREENPRINTING

VEST – HI VIS DAY ONLY

Sizes: S-5XL (Pink sizes = S - 3XL)
Colours: Yellow, Orange, Pink*



*Pink Vest does not meet Australian Standards for day use

CODE
030

YES, WE DO EMBROIDERY AND SCREENPRINTING

NSW TRAFFIC CONTROLLER VEST

YES, WE DO EMBROIDERY AND SCREENPRINTING

Hi Vis Reflective Day/ Night Vest. Labelled with 'Authorised Traffic Controller' reflective text front & back. Approved to NSW Standards.
Sizes: M - 3XL
Colour: Yellow



While stocks last

CODE
55-SVONTC

VEST – HI VIS PONCHO STYLE, TAPED 'X' PATTERN & CLEAR ID POCKET

Sizes: S/M, L/XL, 2/3XL, 4/5XL, 6/7XL
Colour: Orange



RAIL COMPLIANT NSW

CODE
038

YES, WE DO EMBROIDERY AND SCREENPRINTING

QLD TRAFFIC CONTROLLER VEST

Hi Vis Reflective Day/Night Vest. Labelled with 'Traffic Control' text front and back. Approved to QLD Standards. Available in fluoro yellow.
Sizes: S/L, XL/2XL, 3XL/5XL
Colour: Yellow



While stocks last

CODE
55-QTCV

YES, WE DO EMBROIDERY AND SCREENPRINTING

VISITOR VEST

Day vest with 'VISITOR' print on back. Suitable for job sites, factories, special events etc. Day vest non-reflective.

- Sizes: M-3XL
- Colours: Orange



YES, WE DO EMBROIDERY AND SCREENPRINTING

CODE
55-SVDVI

VIC ROADS VEST

- Cool, breathable and lightweight fabric
- Suitable for all VIC Roads traffic applications
- Approved to VIC Standards
- Sizes: M - 3XL



CODE
55-SVRV

YES, WE DO EMBROIDERY AND SCREENPRINTING

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SUPERIOR WORKWEAR

Note: Clothing will be sent on separate order to civil products

VEST – REVERSIBLE HI VIS TWO TONE REFLECTIVE FLEECE

- Features X back pattern taping (Orange), and H back taping (Yellow)
- Meets NSW Rail and Track Standards
- Class D/N for day and night use
- Elastic waist for extra warmth
- Warm and wind proof
- Front zip pockets and zip closure
- Fully reversible
- Soft fleece funnel neck
- Sizes: S - 6XL
- Colours: Yellow/Navy, Orange/Navy



CODE **068**

YES, WE DO EMBROIDERY AND SCREENPRINTING

MICROMESH HI VIS POLO – SHORT SLEEVE

- 175gsm Hi Vis Micromesh Breathable
- Lightweight 100% polyester fabric
- Sizes: S - 6XL
- Colours: Orange/Navy, Yellow/Navy



CODE **055S**

YES, WE DO EMBROIDERY AND SCREENPRINTING

MICROMESH HI VIS POLO – LONG SLEEVE

- 175gsm Hi Vis Micromesh Breathable
- Lightweight 100% polyester fabric
- Sizes: S - 6XL
- Colours: Orange/Navy, Yellow/Navy



CODE **052**

YES, WE DO EMBROIDERY AND SCREENPRINTING

MICROMESH POLO WITH REFLECTIVE – LONG SLEEVE

- 175gsm Hi Vis Micromesh Breathable
- Lightweight 100% polyester fabric
- Sizes: S - 6XL
- Colours: Orange/Navy, Yellow/Navy



RAIL COMPLIANT NSW



CODE **052T**

YES, WE DO EMBROIDERY AND SCREENPRINTING

COTTON SHIRT – 155GSM HI-VIS TWO TONE LIGHTWEIGHT

- Complies to Class F AS/NZS1906.4:2010, Class F AS/NZS 4602.1:2011
- Mesh underarms
- Vented
- Vertical back pleats
- Cotton Drill
- Long Sleeve
- Sizes: S - 6XL
- Colours: Orange/Navy, Yellow/Navy



CODE **D005**

YES, WE DO EMBROIDERY AND SCREENPRINTING

COTTON SHIRT – 155GSM HI-VIS TWO TONE SHORT SLEEVE

- Complies to Class F AS/NZS1906.4:2010, Class F AS/NZS 4602.1:2011
- Mesh underarms
- Vented
- Vertical back pleats
- Cotton Drill
- Long Sleeve
- Sizes: S - 6XL
- Colours: Orange/Navy, Yellow/Navy



CODE **D005S**

YES, WE DO EMBROIDERY AND SCREENPRINTING

SUPERIOR WORKWEAR

Note: Clothing will be sent on separate order to civil products

COTTON SHIRT – HI VIS CLOSED FRONT LONG SLEEVES

- Complies to Class F AS/NZS1906.4:2010, Class F AS/NZS 4602.1:2011
- Mesh inserts
- Sizes: S - 6XL
- Available in: Orange/Navy X-Pattern, Orange X-Pattern, Yellow/Navy and Orange/Navy



While stocks last

CODE
D003T
D003TH
D003TL

YES, WE DO EMBROIDERY AND SCREENPRINTING

COTTON SHIRT – 155GSM HI VIS TWO TONE 'H' PATTERN

- Coolsafe
- Mesh inserts
- Vented
- Open Front
- Cotton Drill
- Long Sleeve
- Sizes: S - 2XL
- Colour: Orange/Navy



155GSM LIGHTWEIGHT

While stocks last

CODE
D005TH

YES, WE DO EMBROIDERY AND SCREENPRINTING

COTTON SHIRT – 150GSM HI VIS 100% COTTON

TOP SELLER

- Complies to Class F AS/NZS1906.4:2010, Class F AS/NZS 4602.1:2011
- Full open front
- Long Sleeve
- X Pattern Taped
- Sizes: XS - 6XL
- XS Now Available
- Colour: Orange



155GSM LIGHTWEIGHT

RAIL COMPLIANT NSW

CODE
D001TO

YES, WE DO EMBROIDERY AND SCREENPRINTING

COTTON SHIRT – 155GSM HI VIS TWO TONE LIGHTWEIGHT

- Complies to Class F AS/NZS1906.4:2010, Class F AS/NZS 4602.1:2011
- Coolsafe
- Mesh inserts
- Vented
- Cotton Drill Open Front
- Long Sleeve
- X Pattern
- Sizes: S - 6XL
- Colour: Orange/Navy



While stocks last

155GSM LIGHTWEIGHT

RAIL COMPLIANT NSW

CODE
D005T

YES, WE DO EMBROIDERY AND SCREENPRINTING

COTTON SHIRT – 155GSM HI VIS TWO TONE LIGHTWEIGHT HOOP PATTERN

TOP SELLER

- Complies to Class F AS/NZS1906.4:2010, Class F AS/NZS 4602.1:2011
- Mesh underarms
- Vented
- Vertical back pleats
- Cotton Drill
- Long Sleeve
- Sizes: S - 6XL
- Colours: Orange/Navy, Yellow/Navy



CODE
D005TM

155GSM LIGHTWEIGHT

COTTON SHIRT – 155GSM HI VIS LIGHTWEIGHT HOOP PATTERN

TOP SELLER

- Complies to Class F AS/NZS1906.4:2010, Class F AS/NZS 4602.1:2011
- Mesh underarms
- Full Open Front
- Top Back Pleats
- Cotton Drill
- Long Sleeve
- Sizes: S - 6XL
- Colour: Orange



CODE
D007TM

155GSM LIGHTWEIGHT

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SUPERIOR WORKWEAR

Note: Clothing will be sent on separate order to civil products

COTTON SHIRT – 150GSM HI VIS 100% COTTON VIC RAIL STANDARD

- Complies to Class F AS/NZS1906.4:2010, Class F AS/NZS 4602.1:2011
- Full open front
- Long Sleeve
- VIC Rail Harness pattern
- Sizes: S - 6XL
- Colours: Orange



RAIL COMPLIANT VIC

While stocks last

CODE **D001TOV**

YES, WE DO EMBROIDERY AND SCREENPRINTING

COTTON SHIRT – 190GSM HI VIS TWO TONE 'X' PATTERN

- Complies to Class F AS/NZS1906.4:2010, Class F AS/NZS 4602.1:2011
- Taped X Pattern Full Open Front
- Long Sleeve Drill
- Sizes: S - 6XL
- Colours: Orange



190GSM HEAVY DUTY

RAIL COMPLIANT NSW

CODE **D001TH**

COTTON SHIRT – 190GSM HI VIS TWO TONE HEAVY DUTY

- Complies to Class F AS/NZS1906.4:2010, Class F AS/NZS 4602.1:2011
- Full Open Front Cotton Drill Shirt
- Long Sleeve
- Sizes: S - 6XL
- Colours: Orange/Navy, Yellow/Navy



190GSM HEAVY DUTY

CODE **D001**

YES, WE DO EMBROIDERY AND SCREENPRINTING

COTTON SHIRT – 190GSM HI VIS TWO TONE TAPED

- Complies to Class F AS/NZS1906.4:2010, Class F AS/NZS 4602.1:2011
- Taped Full Open Front
- Long Sleeve Drill
- Orange/Navy = X Pattern
- Yellow/Navy = H Pattern
- Sizes: S - 6XL
- Colours: Orange/Navy, Yellow/Navy



While stocks last

190GSM HEAVY DUTY

RAIL COMPLIANT NSW

CODE **D001T**

YES, WE DO EMBROIDERY AND SCREENPRINTING

COTTON SHIRT – 190GSM HI VIS TWO TONE LIGHTWEIGHT HOOP PATTERN

TOP SELLER

- Complies to Class F AS/NZS1906.4:2010, Class F AS/NZS 4602.1:2011
- Mesh underarms
- Vented
- Vertical back pleats
- Cotton Drill
- Long Sleeve
- Sizes: S - 6XL
- Colours: Orange/Navy



CODE **D001TM**

190GSM HEAVY DUTY

FLAME RESISTANT LIGHTWEIGHT SHIRT – RAIL 'X' PATTERN

- RF rated reflective tape and accessories
- Rail standard reflective tape configuration (AS/NZS 4602.1.2011)
- Retains ARC rating after unlimited amount of washes
- Composition: 50% Mod-Acrylic, 32% Cotton, 10% Kevlar, 5% Nylon, 3% Anti-Static, 200g/m²
- Gusset sleeves
- Treated FR Thread
- ATPV: 8.4 cal/cm²
- Sizes: S - 6XL



RAIL COMPLIANT NSW

CODE **D001TOFR**

ARC RATED

8.4 cal/cm2 ATPV RATING

FLAME RESISTANT LIGHTWEIGHT OPEN FRONT SHIRT – HOOP PATTERN

- RF rated reflective tape and accessories
- Hoop pattern reflective tape configuration (AS/NZS 4602.1.2011)
- Twin chest pockets with FR closure
- Open front with protected concealed FR buttons
- Gusset sleeves
- Treated FR Thread
- Blue woven navy fabric
- Fabric: HRC 2 rated light weight mod-acrylic fabric
- Composition: 50% Mod-Acrylic, 32% Cotton, 10% Kevlar, 5% Nylon, 3% Anti-Static, 200g/m^2
- ATPV: 8.4 cal/cm^2
- Sizes: S - 6XL
- Colours: Hi Vis Yellow/Navy, Orange/Navy (AS/NZS 1906.4.2010)



8.4 cal/cm2 ATPV RATING | ARC RATED

CODE
D005TMFR

YES, WE DO EMBROIDERY AND SCREENPRINTING

DAY/NIGHT REFLECTIVE WHITE OVERALLS

- Lightweight comfortable cotton drill
- Reflective for day and night works
- Class Day / Night Class N High Visibility
- Features cross-back reflective tape and tape on arms and legs
- Comfortable lightweight fit with elasticated back panel
- Sizes: 77R - 112R, 112ST - 132ST
- Colour: White



YES, WE DO EMBROIDERY AND SCREENPRINTING

CODE
55-ROWC

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

SUPERIOR WORKWEAR

Note: Clothing will be sent on separate order to civil products

SUPERIOR FLEX CUFFED RIPSTOP CARGO PANTS

Introducing our Superior Flex Cargo Pant, meticulously crafted from a blend of 98% cotton, 2% elastane, and fortified with nylon Cordura. A balance of style and superior comfort, tailored for all types of work.

The flexible fabric guarantees unrestricted movement, complemented by a contemporary cuffed design for a modern appearance. Offering ample pocket space, they provide convenience without sacrificing a professional appearance.

SUPERIOR MEN'S FLEX – STRETCH RIPSTOP CUFFED PANTS

- Stretch fabric with ripstop technology ensures flexibility, durability and comfort
- Contoured shaped legs with boot cuff for tailored fit
- Cargo pockets with protected zips for secure storage
- RHS multi-function and tool pockets
- Reinforced pocket stress wear points
- Material 98% Cotton, 2% elastane reinforced with nylon Cordura for ripstop





CODE
D047CP

SUPERIOR MEN'S FLEX – STRETCH RIPSTOP CUFFED TAPED PANTS

- Stretch fabric with ripstop technology ensures flexibility, durability and comfort
- Contoured shaped legs with boot cuff for tailored fit
- Cargo pockets with protected zips for secure storage
- RHS multi-function and tool pockets
- Reinforced pocket stress wear points
- Bio motion reflective tape for enhanced safety and visibility
- Material 98% Cotton, 2% elastane reinforced with nylon Cordura for ripstop





CODE
D047CPT

SUPERIOR WORKWEAR

Note: Clothing will be sent on separate order to civil products



SUPERIOR WOMEN'S FLEX – STRETCH RIPSTOP CUFFED PANTS

- Stretch fabric with ripstop technology ensures flexibility, durability and comfort
- Contoured shaped legs with boot cuff
- Cargo pockets with velcro cover protection for secure storage
- RHS multi-function and tool pocket
- Material 98% Cotton, 2% elastane reinforced with nylon Cordura for ripstop



CODE
D061CP

SUPERIOR WOMEN'S FLEX – STRETCH RIPSTOP CUFFED TAPED PANTS

- Stretch fabric with ripstop technology ensures flexibility, durability and comfort
- Contoured shaped legs with boot cuff for tailored fit
- Cargo pockets with protected zips for secure storage
- RHS multi-function and tool pocket
- Bio motion reflective tape for enhanced safety and visibility
- Material 98% Cotton, 2% elastane reinforced with nylon Cordura for ripstop



CODE
D061CPT

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SUPERIOR WORKWEAR
Note: Clothing will be sent on separate order to civil products

TROUSERS – COTTON DRILL CARGO

- 290gsm Ultra comfort fit
- Sizes: 77R - 132R, 82S - 112S
- Colours: Navy

CODE
D001CP



NILSEN YES, WE DO EMBROIDERY AND SCREENPRINTING

TROUSERS TAPED – COTTON DRILL CARGO

- 290gsm Ultra comfort fit
- Sizes: 77R - 132R, 82S - 112S
- Colours: Navy

CODE
D001CPT



NILSEN YES, WE DO EMBROIDERY AND SCREENPRINTING

FLAME RESISTANT TAPED CARGO PANTS

- Comfort fit design
- FR rated reflective tape and accessories
- Reflective tape hoops applied (AS/NZS 4602.1.2011)
- Cargo and phone pockets with FR closure
- Treated FR Thread
- Blue woven navy fabric
- Fabric: HRC 2 rated mid weight mod-acrylic fabric
- Composition: 50% Mod-Acrylic, 38% Cotton, 10% Kevlar, 2% Anti-Static, 240g/m^2
- ATPV: 10.2 cal/cm^2
- Sizes: 77R - 132R
- Colours: Navy

CODE
D001CPTFR



ARC RATED 10.2 cal/cm2 ATPV RATING

NILSEN YES, WE DO EMBROIDERY AND SCREENPRINTING

SLOPPY JOE – 1/4 ZIP FRONT TWO TONE

- Fleece lined
- VIC Harness Pattern
- Sizes: S - 6XL
- Colours: Orange/Navy



CODE
050
050TV

YES, WE DO EMBROIDERY AND SCREENPRINTING

SLOPPY JOE – TAPED 'X' PATTERN – 1/4 ZIP FRONT TWO TONE

- Fleece lined
- Sizes: S - 6XL
- Colours: 'X' pattern on Orange/Navy



RAIL COMPLIANT NSW

CODE
050T

YES, WE DO EMBROIDERY AND SCREENPRINTING

HOODIE – HI VIS DRAW CORD TWO TONE

- Fleece lined
- Hand warmer pouch
- Sizes: S - 6XL
- Colours: Yellow/Navy, Orange/Navy



CODE
050H

YES, WE DO EMBROIDERY AND SCREENPRINTING

SLOPPY JOE – ¼ ZIP FRONT TWO TONE

- Fleece lined
- VIC Harness Pattern
- Sizes: S - 6XL
- Colours: Orange/Navy



RAIL COMPLIANT VIC

CODE
050TV

Yes, we do embroidery and screenprinting!

JACKET – TAPED BLUEY HI VIS TWO TONE

- 90% Wool
- 10% viscose
- Showerproof
- X Pattern
- Sizes: M*, L*, XL*, 5XL*, 6XL*
- Colours: Orange/Navy



RAIL COMPLIANT NSW

CODE
161

YES, WE DO EMBROIDERY AND SCREENPRINTING

JACKET – REFLECTIVE SOFT SHELL HI VIS

- Microfleece inner
- Flexi tape
- Sizes: S - 5XL
- Colours: Yellow, Orange



RAIL COMPLIANT NSW

CODE
080T

YES, WE DO EMBROIDERY AND SCREENPRINTING

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SUPERIOR WORKWEAR
Note: Clothing will be sent on separate order to civil products

JACKET – HI VIS FLYING/BOMBER

- Waterproof outer
- Padded inner
- Flannette Lined
- Two Tone
- Sizes: S - 6XL
- Colours: Orange/Navy, Yellow/Navy



CODE **060**

YES, WE DO EMBROIDERY AND SCREENPRINTING

JACKET TAPED – HI VIS FLYING/BOMBER

- Waterproof outer
- Padded inner
- Flannette Lined
- X Pattern
- Two Tone
- Sizes: S - 6XL
- Colours: Orange



RAIL COMPLIANT NSW

CODE **060T**

YES, WE DO EMBROIDERY AND SCREENPRINTING

PREMIUM RAIN JACKET – TAPED

- Waterproof breathable polyester oxford
- Polyurethane coating Lined Jacket
- Class 'Day/Night' Hi Vis
- 3M Tape X Pattern
- Sizes: S - 6XL
- Colours: Yellow, Orange

RAIL COMPLIANT NSW

YES, WE DO EMBROIDERY AND SCREENPRINTING

CODE **149**



JACKET – CONVERTIBLE 4-IN-1 HI VIS TWO TONE ZIP OUT

- Sizes: S - 6XL
- Colours: Yellow/Navy, Orange/Navy

RAIL COMPLIANT NSW

YES, WE DO EMBROIDERY AND SCREENPRINTING

CODE **088**



Detachable Hood

Reversible Vest

RAINSET – TAPED

YES, WE DO EMBROIDERY AND SCREENPRINTING

- PVC Suit
- Jacket & Trousers
- Concealed hood
- Elastic waist on trousers
- Sizes: S - 3XL (Yellow), S - 3XL (Orange)
- Colours: Yellow = 'H' Pattern, Orange = 'X' Pattern



CODE
044T

RAINSET – PVC SUIT

- Jacket & Trousers
- Concealed hood
- Elastic waist on trousers
- Sizes: S - 5XL
- Colours: Yellow, Orange

YES, WE DO EMBROIDERY AND SCREENPRINTING

While stocks last



CODE
044

JACKET – CONVERTIBLE 4-IN-1 HI VIS TWO TONE ZIP OUT VIC RAIL STANDARD

- VIC Harness Pattern
- Sizes: S - 6XL
- Colours: Orange/Navy



Detachable Hood



Reversible Vest



RAIL COMPLIANT VIC

CODE
088V

YES, WE DO EMBROIDERY AND SCREENPRINTING

RAIN TROUSERS

- 2 rows Tape on each leg
- Waterproof Breathable Polyester
- Oxford polyurethane coating
- Lower Leg zip
- Sizes: S - 6XL
- Colours: Yellow, Orange



CODE
0782

RAIL COMPLIANT NSW
RAIL COMPLIANT VIC

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

LADIES' LIGHTWEIGHT NSW RAIL 'X' PATTERN SHIRT

- Two front pockets with button down flaps
- Twin needle stitching with reinforced stress points
- Left chest pocket with pen divide
- 50 domestic wash reflective tape
- Vented underarms & back yoke
- Bio-motion technology
- 100% Cotton Drill 155gsm
- Day/night use
- Garment complies AS/NZS 4602.1:2011
- Sizes: 6 - 24
- Colours: Safety Orange



CODE
55-WSL509-WP

LADIES' LIGHTWEIGHT HI VIS SHIRT WITH CSR TAPE

- Two front pockets with button down flaps
- Vented underarms & back yoke
- 100 domestic wash reflective tape
- 100% Cotton Drill 155gsm
- Garment complies AS/NZS 4602.1:2011
- Day/night use
- Sizes: 6 - 24
- Colours: Orange



CODE
55-WSL508-WP

SUPERIOR WORKWEAR

Note: Clothing will be sent on separate order to civil products

SUPERIOR WOMEN'S FLEX – STRETCH RIPSTOP CUFFED PANTS

- Stretch fabric with ripstop technology ensures flexibility, durability and comfort
- Contoured shaped legs with boot cuff
- Cargo pockets with velcro cover protection for secure storage
- RHS multi-function and tool pocket
- Material 98% Cotton, 2% elastane reinforced with nylon Cordura for ripstop



CODE
D061CP

SUPERIOR WOMEN'S FLEX – STRETCH RIPSTOP CUFFED TAPED PANTS

- Stretch fabric with ripstop technology ensures flexibility, durability and comfort
- Contoured shaped legs with boot cuff for tailored fit
- Cargo pockets with protected zips for secure storage
- RHS multi-function and tool pocket
- Bio motion reflective tape for enhanced safety and visibility
- Material 98% Cotton, 2% elastane reinforced with nylon Cordura for ripstop



CODE
D061CPT

HI-VIS ORANGE BACKPACK

- Two large storage compartments
- Elasticised mesh pocket on both sides
- Adjustable, padded contoured strap with chest strap for added comfort
- Reflective 'X' taped on front
- Complies to NSW Rail Standards
- Volume: Approx. 26L
- Size: 470mm (W) x 500mm (H) x 250mm (D)
- Colour: Orange



RAIL COMPLIANT NSW

CODE
BACKPACK-O

PPE KIT BAG

Durable personal protective equipment bag with a printed space to write your company and personal details on. PPE kit bags makes carrying your equipment as easy as possible, with ample rooms for a large quantity of safety equipment. This heavy duty PPE storage bag measures 470mm x 280mm x 250mm in size.



CODE
31-PPEKB

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

OLIVER AT PREMIUM ZIP SIDED BOOT

TOP SELLER

- Ankle zipper for easy and quick fitting and removal of the boot. Keep the laces done up!
- Wheat nubuck water resistant leather.
- Padded ankle, tongue and collar.
- Steel cap toe protection
- Sizes: 5-14 & 7.5-12.5

CODE
60-55332Z



OLIVER PREMIUM LACE-UP MID-CUT BOOT

TOP SELLER

- Wheat nubuck water resistant leather.
- Padded ankle, tongue and collar.
- Steel cap toe protection
- Sizes: 5-14 & 7.5-12.5

CODE
60-55332



WOMEN'S OLIVER WHEAT ZIP SIDED BOOT

- Oliver SOFTstride® for ultimate comfort and contour support.
- Water resistant Nubuck leather.
- Premium COOLstep® lining for optimum freshness.
- Convenient side zip.
- Toe bumper to protect against scuffing.
- Size: 35 - 42

CODE
60-49432Z



OLIVER SUEDE BOOT

- Dual density cushioned sole system offers exceptional comfort.
- Suede elastic sided boots.
- Steel toe protection.
- Sizes: 5-13 & 7.5-10.5

CODE
60-34624



BLUNDSTONE ROTOFLEX COMPOSITE BOOT

- Unisex
- Composite toe cap
- Water resistant
- Electrical hazard resistant
- TPU sole
- Rotation and flexion
- Sizes: 5 - 14

CODE
FB8560



Composite Toe Cap

Zip Sided

FOOTWEAR SIZE CHART

Use your foot size in millimetres to find the equivalent Australian / UK size. If you're in between sizes, it's usually safer to go up a size. Also note that for boots manufactured in Australia, the half sizes refer to a slightly wider width, but the same length as the full size. For example a size 10 and a size 10.5 will be the same length, but the half size has a fractionally wider toebox.

YOUR FOOT LENGTH IN MM	235	240	240	245	250	250	260	260	270	270	275	275	280	280	290	300	310	320
AUSTRALIAN / UK SIZE	3	4	4.5	5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	12	13	14
MENS US SIZE	4	5	5.5	6	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	13	14	15
WOMENS US SIZE	5	6	6.5	7	8	8.5	9	9.5	10	10.5	11	-	-	-	-	-	-	-

ARGYLE® ZIP BUMP CAP SAFETY BOOT

TOP SELLER

150mm lace-up and zip ankle safety boot with padded collar and tongue. Anti-static Thermoplastic Urethane (TPU) outsole, heat resistant to 130ºC.

- Sizes: 5-14 & 7.5-11.5 (Other sizes available upon request)
- Colours: Black, Wheat



CODE
FS332152

ARGYLE® BUMP CAP SAFETY BOOT

150mm lace-up ankle safety boot with padded collar and tongue. Anti-static Thermoplastic Polyurethane (TPU) outsole, heat resistant to 130ºC.

- Sizes: 5-14 & 7.5-11.5 (Other sizes available upon request)
- Colours: Black, Wheat



CODE
FS332102

ARGYLE® ZIP SIDED SAFETY BOOT

150mm lace-up and zip ankle safety boot with padded collar and tongue. Anti-static Thermoplastic Urethane (TPU) outsole, heat resistant to 130ºC.

- Sizes: 5-14 & 7.5-11.5 (Other sizes available upon request)
- Colours: Black, Sand, Wheat



CODE
FS312152

ARGYLE® LACE UP SAFETY BOOT

150mm lace-up safety boot with padded collar and tongue. Anti-static Thermoplastic Urethane (TPU) outsole, heat resistant to 130ºC.

- Sizes: 5 - 14 & 7.5 - 11.5
- Colours: Black, Whiskey, Wheat



CODE
FS312102

PARKES ZIP COMPOSITE SAFETY BOOT

AIRPORT FRIENDLY

95mm lace-up and zip hiker-style safety boot with padded collar and tongue. Anti-static Thermoplastic Urethane (TPU) outsole, heat resistant to 130ºC. 200J safety composite toe cap.

- Airport friendly
- Sizes: 6 - 12
- Colours: Black, Wheat



CODE
FS317538

LADIES' SOUTHERN CROSS ZIP SIDED BOOT

150mm lace-up and zip ankle safety boot with padded collar and tongue. Anti-static Nitrile outsole, heat resistant to 300ºC. Designed for women with a shorter ankle length and smaller instep.

- Sizes: 5-10 & 7.5-9.5 (Other sizes available upon request)
- Colour: Sand



CODE
FS522761

FOOTWEAR SIZE CHART

Use your foot size in millimetres to find the equivalent Australian / UK size. If you're in between sizes, it's usually safer to go up a size. Also note that for boots manufactured in Australia, the half sizes refer to a slightly wider width, but the same length as the full size. For example a size 10 and a size 10.5 will be the same length, but the half size has a fractionally wider toebox.

YOUR FOOT LENGTH IN MM	230	230	235	235	240	245	250	255	260	265	270	270	275	280	285	290	295	300	305	310	315	320	325
AUSTRALIAN / UK SIZE	3	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13	13.5	14
MENS US SIZE	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13	13.5	14	14.5	15
WOMENS US SIZE	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	-	-	-	-	-	-	-	-	-	-

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

HOBART SCUFF SAFETY BOOT

145mm elastic-sided pull-on ankle safety boot. Anti-static Thermoplastic Urethane (TPU) outsole, heat resistant to 130°C.

- Sizes: 5-14 & 7.5-11.5 (Other sizes available upon request)
- Colour: Black, Sand, Wheat



CODE
FS332101

STEEL BLUE

HOBART SAFETY BOOT – ELASTIC SIDED

145mm elastic-sided pull-on ankle safety boot. Anti-static Thermoplastic Urethane (TPU) outsole, heat resistant to 130°C.

- Sizes: 5-14 & 7.5-11.5 (Other sizes available upon request)
- Colour: Black



CODE
FS312101

STEEL BLUE

KING'S BLACK ELASTIC SIDED BOOT

- Dual density polyurethane sole offers a soft shock absorbing low density midsole with a hard wearing outer sole for tough working conditions.
- Outsole heat resistant to 130° Celsius surface contact.
- Sole resistant to mineral and organic oils and acids.
- Anti-static.
- Sizes: 6-13 & 6.5-10.5



CODE
FO15-480

Composite Toe Cap
Zip Sided

OX NUBRUCK ZIPPER WORK BOOT

- SRC Outsole For Slip Resistance. Anti-Static & Fuel Resistant
- Water-Resistant Oxford Nylon Mesh Panel For Comfort, Breathability & Wicking
- Heavy Duty Hexagonal Metal Eyelets
- Stainless Steel End Toe Cap
- Sizes: 6 - 13
- Colour: Sand



CODE
60-P4833

WHILE STOCKS LAST

KING'S BLACK SAFETY GUMBOOT

- Meet AS/NZS 2210.3 Standard
- Oliver COOLstep® lining to absorb moisture and odour for optimum freshness and hygiene
- Steel Safety Toe Cap
- Resistant to Organic Oil & Fats
- Waterproof Footwear
- Antistatic
- Resistant to Mineral Oils & Acids



CODE
FB024

CONTRACTOR GUMBOOT

- Steel toe cap protection
- Complies to AS 2210.3:2019 and AS 2210.5:2019
- Puncture resistant steel midsole
- Oil resistant PVC outer
- SRA slip resistant soles
- Waterproof materials
- Heel energy absorption
- Anti-static
- Sizes : 6 - 12 (No half sizes available)



CODE
60-2901

SOCKS

- Tough reinforced industrial socks with in-step support and vent holes.
- Bamboo Blend or Cotton Rich
- Size: 7 - 10



CODE
52-BSOCK
52-SOCK

SNAKE GUARDS

The snake guard gaiter has undergone rigorous testing and development resulting in a very high performance garment that has consistently proven effective in preventing snake venom from penetrating.

- Rigorously tested for performance
- Designed for protection from venomous and non-venomous snakes
- Tough, extremely durable outer material for long life under normal wear and tear
- High quality zipped fastening
- Vertical under-boot strap holds gaiter down
- Once size fits all



CODE
31-SKGU

DISPOSABLE BOOT COVERS

PVC waterproof boot/shoe cover protect boots in messy/dirty environments. Also protects clean finished environments from dirty boots.

Qty: 50/pk (25 pairs)



CODE
56-DBC

PVC WADERS PREMIUM – HI VIS


- Durable premium quality
- Steel toe cap gumboots
- Adjustable waist and shoulder straps
- High cut for extra protection
- Size: 8 - 13



CODE
60-PVCWS

PREMIUM BOOT CLEANER

- Heavy duty steel construction
- Thicker and more durable bristles
- Bright yellow colour for hi-visibility
- Includes holes to provide permanent fixture to the ground
- Size: 300mm x 325mm x 155mm



CODE
68-PSCSHR

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

102 DISPOSABLE COVERALLS & PVC APRONS

GUARDALL MICROPOROUS COVERALLS

- Lightweight & breathable
- Type 5 & 6 protection
- Double seal - heavy duty zip & adhesive tape
- Anti static non-cling & durable
- Reinforced seams for extra strength
- Sizes L, XL, 2XL, 3XL. Packaged individually, 50 per box.

Ideal for max protection when working with painting, waste, fibreglass, chemicals and cleaning.





TYPE 5 PARTICLE TIGHT CLOTHING

TYPE 6 LIMITED SPLASH

50

CODE	SIZE
56-MW56-L	Large (L)
56-MW56-XL	Extra Large (XL)
56-MW56-2XL	2 Extra Large (2XL)
56-MW56-3XL	3 Extra Large (3XL)

DISPOSABLE SMS COVERALLS

- Water resistant, lint free & lightweight
- Breathable, disposable coverall made from SMS nonwoven material.
- Type 5 & 6 Coverall
- Liquid repellent tested to Type 6 limited spray and splash.
- Dry particle tested to Type 5 hazardous dust and dry particles.
- Easy to put on and remove
- Two way zipper
- Sizes: M (Blue only), L, XL, 2XL, 3XL



TYPE 5 PARTICLE TIGHT CLOTHING

BLUE COVERALLS

TYPE 6 LIMITED SPLASH

CODE
56-CSCL
56-CSCXL
56-CSC2XL
56-CSC3XL

ORANGE COVERALLS

CODE
56-SMSOL
56-SMSOXL
56-SMSO2XL
56-SMSO3XCL

CE

ASBESTOS BAGS

Asbestos Disposal Bags measure 200 microns thick (0.2mm). Highly visible red printed warning label ensures the contents are not mistaken for something harmless. Printed asbestos bags.

- Heavy duty 200µm
- Qty: 50 per pack



52 44-ASBGM

40 44-ASBGL

CODE	SIZE
44-ASBGM	Small - 900 x 600mm

BARRIER TAPE


- Plastic Tape - "DANGER ASBESTOS DUST HAZARD"
- Size: 50m x 75mm



CODE
22-DAST

ALUMINIUM TAPE

- Grade: Standard or Reinforced
- Size: 48mm x 50m



CODE	TYPE
22-ALU	Standard
22-ALUR	Reinforced

24

DUCT TAPE

- Grey PVC joining & duct tape rolls
- Heavy Duty 150µm
- Size: 48mm x 30m
- Colour: Silver



CODE	TYPE
80-204S	Premium

60 3840

HEAVY DUTY BUILDERS PLASTIC

- For protection, asbestos removal and much more
- Printed and Orange plastic comply to AS 2870
- Thickness: 200µm
- Size: 50m x 4m



CODE	TYPE
44-BLKPLAS	Non-printed
44-BLKPLASAS	Printed

30

HAZIBAG – SMALL

- Size: 1m³
- Weight Capacity: 250kg



CODE
31-TRANS-CS

HAZIBAG – LARGE

- Perfectly for big jobs.
- Size: 2.5m x 1.5m x 0.8m
- Weight Capacity: 1000kg



CODE
31-TRANS-CL

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

SAFETY DOCUMENT BOX







SAFETY DOCBOX STORAGE BOX

It changes the way in which documentation is managed, stored and utilised on site; eliminating the confusion and uncertainty that has previously existed in this area. The SAFETYDOCBOX is aimed at reducing the probability of your firm having to incur unnecessary cost and expense.

This is achieved by the change in perspective that the SAFETYDOCBOX has brought to the industry, modifying the manner in which site-based safety is dealt with. The SAFETYDOCBOX will serve to increase productivity on-site by reducing the number of labour hours lost to administrative inefficiency.

- First Aid box and other safety consumables can be stored and monitored on the shelf.
- Dimensions: 1000mm high at front, 1200mm high at rear, 700mm wide, and 600mm deep
- Waterproof document housing unit to store JHEA/JHA's, Take 5's,
- Engineering drawings, Danger Tags, Hot Works Permits, etc.
- Highly visible on site and can be used as a Muster Point
- Space available to accommodate company logos and first aid stickers
- Australian Design and Patent
- Ballast at the base which can hold over 45kg of water making the design extremely sturdy in all weather conditions
- Injection and Blow Moulded using HDPE
- UV Resistant for up to 25 years





CODE
64-SDBOX

40L SPILL RESPONSE CAB KIT

Will contain and absorb up to 40 litres of most liquids. Made from organic material - ideal for general spills and hydrocarbons, placed in heavy duty zippered case.

Bag Size: 500mm x 400mm x 100mm

Includes:
- 2 x 1m socks
- 1 x Small organic floorsweep
- 8 x 450 x 500mm pads
- 5 x Heavy duty contaminated waste bags
- 1 x Pair Nitrile chemical gloves



CODE	DESCRIPTION
46-40CK	40L Spill Kit
46-40CKRF	40L Refill Kit Contents

90L PORTABLE SPILL RESPONSE KIT

Will contain and absorb up to 90 litres of most liquids. Made from organic material - ideal for general spills and hydrocarbons.

Includes:
- 5 x 1m socks
- 3 x Small organic floorsweep
- 20 x 450 x 500mm pads
- 5 x Heavy duty contaminated waste bags
- 1 x Pair Red PVC gloves
- 1 x Instructions



CODE	DESCRIPTION
46-90PK	90L Spill Kit
46-90PKRF	90L Refill Kit Contents

140L PORTABLE SPILL RESPONSE KIT

Will contain and absorb up to 140 litres of most liquids. Made from organic material - ideal for general spills and hydrocarbons.

Includes:
- 2 x Heavy duty contaminated waste bags
- 1 x Large organic floorsweep
- 6 x 1m socks
- 30 x 450 x 500mm pads
- 2 x Pair Nitrile gloves
- 2 x Pair safety specs
- 3 x Disposable masks
- 1 x Coverall
- 1 x Dust pan & brush set



CODE	DESCRIPTION
46-140PK	140L Spill Kit
46-140PKRF	140L Refill Kit Contents

280L PORTABLE SPILL RESPONSE KIT

Will contain and absorb up to 280 litres of most liquids. Made from organic material - ideal for general spills and hydrocarbons.

Includes:
- 5 x Heavy duty contaminated waste bags
- 10 x 1m socks
- 40 x 450 x 500mm pads
- 3 x Pair chemical nitrile gloves
- 3 x Pair safety specs
- 2 x Large organic floorsweeps
- 6 x Disposable masks
- 2 x Coveralls
- 1 x Dust pan & brush set



CODE	DESCRIPTION
46-280PK	280L Spill Kit
46-280PKRF	280L Refill Kit Contents

500L PORTABLE SPILL RESPONSE KIT

500 litre universal absorbent capacity stored in portable and versatile yellow wheelie bin.

Includes:
- 15 x 1m socks
- 4 x Large organic floorsweeps
- 100 x 450 x 500mm pads
- 3 x pair safety specs
- 3 x Pair Red PVC Gloves
- 6 x Disposable masks
- 20 x Heavy duty Contaminated waste bags
- 5 x Coveralls
- 1 x Dust pan & brush set
- 1 x Instructions



CODE
46-500PK

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

40L CHEMICAL SPILL RESPONSE CAB KIT

Designed to be compatible with acids, alkalis, coolants, paints, oils, and fuels. These inert materials ensure zero reactions with any absorbed liquids. Ideal for a wide range of applications, both within industrial and non-industrial settings.

In heavy duty zippered case.
Bag Size: 500mm x 400mm x 100mm

Includes:
- 5 x Heavy duty contaminated waste bags
- 2 x Chemical socks
- 1 x Pair PVC gloves
- 1 x Small organic floorsweep
- 8 x 450 x 500mm Chemical spill pads



CODE	DESCRIPTION
46-C40CK	40L Chemical Spill Kit
46-C40CKRF	40L Chemical Spill Refill

140L CHEMICAL SPILL RESPONSE KIT

Designed to be compatible with acids, alkalis, coolants, paints, oils, and fuels. These inert materials ensure zero reactions with any absorbed liquids. Ideal for a wide range of applications, both within industrial and non-industrial settings.

Includes:
- 2 x Heavy duty contaminated waste bags
- 6 x 1m Chemical socks
- 2 x Pair of clear safety specs
- 1 x Yellow PVC bag
- 30 x Chemical spill pads
- 3 x Disposable dust masks
- 1 x Large organic floorsweep
- 2 x Pair PVC gloves



CODE	DESCRIPTION
46-C140PK	140L Chemical Spill Kit
46-C140PKRF	140L Chemical Spill Kit Refill

280L CHEMICAL SPILL RESPONSE KIT

Designed to be compatible with acids, alkalis, coolants, paints, oils, and fuels. These inert materials ensure zero reactions with any absorbed liquids. Ideal for a wide range of applications, both within industrial and non-industrial settings.

Includes:
- 5 x Heavy duty contaminated waste bags
- 10 x 1m Chemical socks
- 3 x Pair of safety specs
- 1 x Yellow PVC bag
- 40 x Chemical spill pads
- 6 x Disposable respirator dust masks
- 2 x Large organic floorsweep
- 3 x Pair PVC gloves



CODE	DESCRIPTION
46-C280PK	280L Chemical Spill Kit
46-C280PKRF	280L Chemical Spill Kit Refill

MARINE SPILL KIT – 120L

Will absorb and contain up to 120 Litres of oil on water. Provides 12 metres containment.

Includes:
- 2 x 6m floating booms
- 30 x oil only pads
- 1 x Instructions



CODE	DESCRIPTION
46-90MR	Marine 120L Spill Kit
46-90MRRF	Marine 120L Refill kit Contents

FLOATING BOOMS

Absorbs oil off water. With rope and hooks to link them up to each section.

Size: 125mm x 6m



CODE
46-3MFB

CONTAMINATED WASTE BAGS

- Heavy Duty 100um Plastic
- Printed
- Size: 900 x 600mm



CODE
46-CNTWSB

100

SOCKS

Absorbent universal sock - absorbs approx 5lt.

- Oil absorbent
- Size: 1m long



CODE
46-IMSK

12

PADS

High strength absorbent pads. Absorbs approx. 2lt each.

- Oil absorbent
- Size: 450 x 500mm



CODE
46-APAD

400

FLOOR SWEEP

Organic cellulose absorbent that contains highly effective microbes to 'digest' oils and hydrocarbons.
It also rapidly absorbs and encapsulates a wide variety of other liquids including, fuels, solvents, cooking oils, sewerage, protein fluids and other potential pollutants



5KG BAG

CODE
46-25KFS

10KG BAG

CODE
46-10KFS

SPILL KIT SIGNS & LABELS



CODE	MATERIAL
02-E014B	Poly
04-E014C	SA

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

BUNDS & SPILL CONTAINMENT

SPILL BUND

A Spill Bund can be used for the temporary or permanent storage of drums, machines or leaking equipment. For use in both indoor and outdoor settings, they offer easy, manageable and portable incidental spill containment. Having a spill bund with you means you will be ready to respond quickly to meet EPA regulations.

- Fabricated with heavy duty UV stabilised PVC
- High quality memory foam sides
- Spill Bund can be easily cleaned and reused over and over again
- All bunds are fabricated with 100mm high walls



CODE	DESCRIPTION
46-SB18	Spill Bund 1800x1800mm - Capacity 324L
46-SB24	Spill Bund 2400x2400mm - Capacity 576L

QUICK BUND

Quick Bunds can be used for the temporary storage of fuel drums, machines or leaking equipment. For use in both indoor and outdoor settings, they provide quick incidental spill containment.
Quick Bund was designed with storage in mind, easily rolled and stored, allowing you to respond to any incidental spill in minutes.

- Available in 3 sizes
- 75mm wall height
- Easy to fold, transport and store



CODE	SIZE	SIZE (MM)
46-QB1	1 Drum	Internal: 600 (L) x 600 (W) External: 800 (L) x 800 (W)
46-QB2	2 Drum	Internal: 1200 (L) x 600 (W) External: 1420 (L) x 820 (W)
46-QB4	3 Drum	Internal: 1200 (L) x 1200 (W) External: 1420 (L) x 1420 (W)

4-DRUM SPILL PALLET

- Drum spill pallet with built-in drain
- Anti-UV, anti-corrosion and compatible with most chemicals
- Removable, easy-to-assemble and anti-skid grates
- 100% polyethylene injection moulded
- SWL: 1100kg evenly distributed
- Size: 1300 x 1300 x 300mm



CODE
46-SP4D

IBC SPILL PALLET

- Single IBC spill pallet with built-in drain
- Anti-UV, anti-corrosion and compatible with most chemicals
- Removable, easy-to-assemble and anti-skid grates
- 100% polyethylene injection moulded
- SWL: 4000kg evenly distributed
- Size: 1600 x 1600 x 700mm



CODE
46-SPIBC

DOUBLE IBC SPILL PALLET

- Double IBC spill pallet with built-in drain
- Anti-UV, anti-corrosion and compatible with most chemicals
- Removable, easy-to-assemble and anti-skid grates
- 100% polyethylene injection moulded
- SWL: 6000kg evenly distributed
- Size: 2200 x 1300 x 500mm



CODE
46-SPDIBC

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

FLOOR MOUNTED COMBINATION UNIT OF DRENCH SHOWER & EYEWASH

A hand and foot operated unit which combines eye/face wash with a deluge shower head. The unit is stainless steel, resisting corrosion and giving solid support for the shower and eyewash. Activators are easy to locate and use. A top of the range unit with quality components throughout.

- Soft Flow eye wash heads have built in automatic pressure compensating valves to assure steady flow under varying water supply conditions. Heads have instant flip-open dust covers and built-in filter to protect the users against particles in the water flow which may be damaging to the eyes
- Flowsafe eye/face washes and showers are one of the most competitive on the market
- Stainless steel pipe will outlast most other brands
- Heavy Duty, chemical resistant Bright Yellow ABS Bowl to handle the most rugged environment
- Epoxy powdercoated Bright Yellow - easy to see



MADE FROM 304 GRADE STAINLESS STEEL

WARRANTY 2 YEAR

CODE
64-CSE01

PORTABLE EYEWASH STATIONS

55L PORTABLE EYEWASH STATION

- A secure and cost effective solution for an eyewash station where plumbed water is not available.
- Built-in pinch valve to ensure positive water flow within one second of activation
- Pull down tray to turn on
- Manufactured from Polyethylene
- Complies with AS4775 & ANSI Z358.1
- Size: 572 H x 546 W x 495 D mm
- Capacity: 55L



CODE
31-55LEWS

35L PORTABLE EYEWASH STATION

- Portable and lightweight
- A secure and cost effective solution for an eyewash station where plumbed water is not available.
- Capacity: 35L
- Type: Portable
- Dimension (mm): 560L x 250W x 360H
- Material of Construction: Polyethylene
- Australian Standard: AS4775 & ANSI Z358.1



CODE
31-35LEWS

WATER PRESERVATIVE SOLUTION

- Adding Water Additive to eyewash to protect against bacteria, fungus, algae, and other micro-organisms. One bottle preserves between 23-75 litres of water for up to four months.
- Sold in box of 4 bottles
- For use in 55L and 35L portable eyewash stations



CODE
31-WPS250

EYE CARE STATION PREMIER

- High visibility eye wash station.
- Holds 2 x 500mL sterile saline solution eye wash bottles & 2 x eye pad dressings.
- Includes mirror for easy application.

EYE & BURNS STATIONS



CODE
63-ECS

FIRST AID REPLACEMENT ITEMS





CODE	DESCRIPTION
MDFRS100	Eyewash Ampoule 15ml (Pack of 5)
MDFRS101	Eyewash Ampoule 30ml (Pack of 8)
MDFRC460	Povidone Iodine Swabs
MDFRC450	Alcohol-Free Cleansing Wipes


PERSONAL EMERGENCY EYEWASH STATION

Personal Emergency Eyewashes are for use when acid, alkali, dirt, dust or other contaminants come into contact with the eyes. In areas where the risk of acid and alkali burns are identified, it is crucial that the correct supplemental eyewash equipment is present as flushing with water or saline does not neutralise any low pH acids or high pH alkalis.

- Neutralise any acid or alkali substance
- Restores proper pH balance
- Dual eyewash streams
- Compliments AXION® MSR technology
- Single use application
- 3 Year shelf life (stored at 5ºC - 35ºC)

DUAL PERSONAL EYEWASH WITH WALL MOUNT DUSTPROOF CASE

- 1 x 500ml pH
- 1 x 1000ml Saline
- 1 x Wall Mount Case



CODE
MDH4810

REFILL BOTTLES



CODE	DESCRIPTION
MDH4752	pH Neutral Solution 200ml Bottle (6 Pack)
MDH4800	Refill Bottle 1000ml Saline Solution (6 Pack)
MDH4801	Refill Bottle 500ml pH Neutral Solution (6 Pack)

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

CO_2 FIRE EXTINGUISHERS

CO_2 is used on Class B (Flammable Liquids) and is safe to use on live electrical fires.



FIRE EXTINGUISHERS ARE SUPPLIED WITH TAG. CUSTOMER TO HAVE DATE TAGGED BY COMPETENT PERSON WHEN UNIT IS PUT INTO ACTIVE SERVICE.



CODE	SIZE
81-35CO2	3.5kg
81-5CO2	5.0kg

WATER FIRE EXTINGUISHERS

9L Water type fire extinguisher with hose and wall bracket. For use on Class A fires involving materials such as wood, paper and textiles.



FIRE EXTINGUISHERS ARE SUPPLIED WITH TAG. CUSTOMER TO HAVE DATE TAGGED BY COMPETENT PERSON WHEN UNIT IS PUT INTO ACTIVE SERVICE.



CODE
81-9WATER

ABE POWDER FIRE EXTINGUISHERS

ABE Powder is a versatile multi-purpose extinguishant which is used to extinguish:

- Class A fires (solids - waste, timber, etc)
- Class B fires (flammable liquids, etc)
- Class E fires (electrical)



FIRE EXTINGUISHERS ARE SUPPLIED WITH TAG. CUSTOMER TO HAVE DATE TAGGED BY COMPETENT PERSON WHEN UNIT IS PUT INTO ACTIVE SERVICE.



CODE	SIZE
81-1ABE	ABE 1kg w/ Metal Vehicle Bracket
81-25ABE	ABE 2kg w/ Metal Vehicle Bracket & Hose
81-45ABE	ABE 4.5kg w/ Hose & Wall Mount Bracket
81-9ABE	ABE 9kg w/ Hose & Wall Mount Bracket


HEAVY DUTY VEHICLE BRACKETS WITH CLAMPS

Available in 4.5kg and 9kg sizes



CODE	TYPE
81-45VB	For 4.5kg Extinguisher
81-9VB	For 9.0kg Extinguisher

SAFETY TAGS AND RINGS



CODE	TYPE
81-STAGRNG	Ring
81-STAG	Tag

FIRE BLANKETS

In pull open case. Size: 1.2m x 1.8m



CODE
81-FBT

FIRE EXTINGUISHER SIGN KIT

Includes fire extinguisher sign and extinguisher symbol identification sign.

Kit includes 1 x 02-F001C fire extinguisher sign and one of the fire extinguisher identification signs.

CODE
81-FSKAABE
81-FSKAAE
81-FSKACO2
81-FSKAW
81-FSKAWC
81-FSKAF



02-F001C - 300 x 225mm

+




81-FSKAABE 150 x 150mm | 81-FSKAAE 150 x 150mm | 81-FSKACO2 150 x 150mm

81-FSKAW 150 x 150mm | 81-FSKAWC 150 x 150mm | 81-FSKAF 150 x 150mm

STRETCHER – FOLDING TYPE

- Lightweight aluminium
- Emergency stretcher - folding type
- Max load limit - 120kg with steel profiles, 110kg with aluminium profiles
- Length unfolded - 211.5cm with steel profiles, 218.5cm with aluminium profiles
- Width unfolded - 50cm
- Length when folded 106cm with steel profiles, 109cm with aluminium profiles
- Width when folded - 17cm
- Weight - steel version is 10kg, aluminium version is 5kg
- Shipping dimensions (folded) 110 x 17 x 11cm



CODE
63-DFST

STRETCHER – STOKES LITTER

STRETCHER COVERS AVAILABLE UPON REQUEST



- Aluminium frame with polypropylene pan
- Suitable for manual carrying or helicopter transport
- Made from tough hard wearing polypropylene
- Includes 4 patient straps and 4-way lifting sling
- 272kg load rating
- Highly visible orange colour
- Designed for professional use
- 4-way lifting sling WLL: 350kg
- Stretcher covers available upon request (MDFMCC387A)

Kit Includes:

- 1 x Stretcher
- 1 x Lifting Sling
- 1 x Feet Securing Board
- 4 x Ring Attachment Facility
- 4 x Safety Straps
- 4 x Safety Belts







CODE	DESCRIPTION
63-STOKES	Stretcher Only
63-SLAL	Stretcher & 4-Leg Sling Set

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

EMERGENCY RESCUE PRODUCTS

LIFE JACKETS

AUTOMATIC INFLATABLE LIFE JACKET

- Can be activated manually by pull tab or will inflate automatically upon touching water
- Life Jacket can be serviced & deflated after use
- CE EN 396 Approved
- Lightweight design







CODE
63-AILJ

P.F.D TYPE 2 LIFE JACKET

- Aust. Standards approved
- Hi-Vis colours with reflective strip
- Size: 2XL for 60kg+ people (other sizes available upon request)



CODE
63-PFDLJ

LIFE RING

- MED Approved
- Fitted with MED approved high intensity retro reflective tape
- Outer diameter: 751mm +/- 2%
- Inner diameter: 450mm +/- 2%
- Elliptical section: Major axis 150 +/- 7mm Minor axis 99 +/- 7mm
- Grabline made with a braid of high density polyethylene 10mm diameter
- Maximum installation height: 60m
- Not to be used to operate the quick release arrangement for the self activated smoke signal and self igniting light attached to the lifebuoy
- Floating 18mm Polypropylene rope also available - per metre



CODE
32-ROP118
63-LFRG

MEGAPHONE & SIREN

- High Powered Digital Solution
- Compact Portable PA Speaker
- Ergonomic Grip Design
- Wired Handheld Microphone for Voice Projection
- Siren Alarm mode
- Adjustable Volume Control
- Material: ABS
- Dimensions: Ø 230mm x L 350 mm
- Max Output Power: 50W
- Power Source: 8 x Type C Batteries (Not Included)
- Battery Life: Up to 8 hours
- Effective Distance: Outdoor up to 1500m



CODE
63-MPWS

AEROSOL TYPE AIR HORN

- Signal up to 1500 metres.
- No CFC emissions
- Non-flammable
- Disposable
- Size: 227g



CODE
63-ATAR

EMERGENCY AIR HORN

- Rechargeable air horn
- High sound output up to 115dB
- Can be refilled from any compressed air source
- Supplied with holster
- Size: 250g

RECHARGEABLE



CODE
63-EMAH

OUTDOOR FLAMMABLE LIQUIDS STORE

FLAMMABLE LIQUIDS STORE – 80L, 160L, 250L, 250 DRUM, 350L, 450L

- Suitable for Flammable Liquids, Class 4 Dangerous Goods, Oxidizing Agents, Organic Peroxides, Toxic or Corrosive Substances when stored separately.
- Constructed of heavy duty single walled galvanised steel.
- Door and rear panel incorporate weatherproof louvered constant ventilation.
- Manual closing door with ISO two-point latching bar
- Provision for padlock for added security
- Rubber door seal for added weather protection
- Heavy duty door hinges allowing 270º opening to aid loading and unloading
- Fixed heavy duty open mesh bottom shelf
- External static earthing connection point at base of cabinet and including metal earthing stake with connecting earthing wire.
- Durable weather and solvent resistant blue powder coated paint finish, both internal and external.
- 150mm deep liquid tight sump for spill collection
- Front accessible removal sump plug for drainage
- Heavy duty foot plates with provision for bolting to concrete footing
- Forklift channels for ease of moving by forklift
- 350L and 450L Heavy Duty galvanised steel adjustable shelves
- 450L unit can be converted to store 2 x 205L drums
- Appropriate labelling applied



Flammable Liquids Store - 80L



Flammable Liquids Store - 160L



Flammable Liquids Store - 250L



Flammable Liquids Store - 350L



Flammable Liquids Store - 450L

CODE	DESCRIPTION	EXTERNAL SIZE	INTERNAL SIZE	WEIGHT
64-POD80	Flammable Liquids Store - 80L	H 1375mm x W 785mm x D 635mm	H 1165mm x W 780mm x D 455mm	70kg
64-POD160	Flammable Liquids Store - 160L	H 1375mm x W 785mm x D 900mm	H 1165mm x W 770mm x D 770mm	90kg
64-POD250	Flammable Liquids Store - 250L	H 1375mm x W 1035mm x D 900mm	H 1165mm x W 1025mm x D 720mm	130kg
64-POD250D	Flammable Liquids Store - 250L Drum	H 1857mm x W 785mm x D 900mm	H 1647mm x W 780mm x D 720mm	140kg
64-POD350	Flammable Liquids Store - 350L	H 1870mm x W 1185mm x D 900mm	H 1660mm x W 1180mm x D 720mm	185kg
64-POD450	Flammable Liquids Store - 450L	H 1870mm x W 1535mm x D 900mm	H 1660mm x W 1530mm x D 720mm	220kg

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

AEROSOL STORAGE CAGES

- Perforated walls to provide natural ventilation and projectile protection
- Bolt down plates to provide extra stability and security
- Padlock-ready doors for controlled access
- Safety signage to warn workers of flammable gas storage
- Powdercoated steel, lockable cabinets
- Designed for the correct height of the cans, and custom-sized to house a range of standard carton sizes
- Meets the requirements Australian Standards AS4332-2004
- Fixed with mandatory placards and warning signs that complies with AS1216 and AS1319
- Manufactured in Australia

AEROSOL STORAGE CAGE - 18 CAN

- Stores 18 aerosol cans
- Internal: H 326mm x W 438mm x D 230 mm
- External: H 400mm x W 500mm x D 250 mm
- Weight: 9kg



CODE
64-AC001

AEROSOL STORAGE CAGE - 72 CAN

- Stores 72 aerosol cans
- Internal: H 2 x 268mm x W 638mm x D 270mm
- External: H 612mm x W 757mm x D 335mm
- Weight: 12kg



CODE
64-AC002

AEROSOL STORAGE CAGE - 180 CAN

- Stores 180 aerosol cans
- Internal: H 820mm x W 770mm x D 320mm
- External: H 900mm x W 850mm x D 400mm
- Weight: 34kg



CODE
64-AC003

AEROSOL STORAGE CAGE - 345 CAN

- Stores 345 aerosol cans
- Internal: H 820mm x W 1575mm x D 320mm
- External: H 900mm x W 1655mm x D 400mm
- Weight: 67kg



CODE
64-AC004

AEROSOL STORAGE CAGE - 300 CAN

- Stores 300 aerosol cans
- Internal: H 1720mm x W 770mm x D 320mm
- External: H 1800mm x W 850mm x D 400mm
- Weight: 67kg



CODE
64-AC005

AEROSOL STORAGE CAGE – 625 CAN

- Stores 625 aerosol cans
- Internal: H 1720mm x W 1575mm x D 320mm
- External: H 1800mm x W 1655mm x D 400mm
- Weight: 113kg



CODE
64-AC006

GAS CYLINDER STORAGE CAGES

The Large Gas Cylinder Storage Cage has been designed primarily as a secure storage unit for building sites and mines. The lockable gate, mesh sides and roof sheeting ensure cylinder and gear security. The Cage is fitted with a 4 point Crane lift and Forklift pockets underneath for transport. The internal load binder prevents cylinder movement during transport. The standard finish on the Cage is Zinc Plated.

- Safe Working Load (SWL): 750kg
- Unit Weight: 160kg
- Pocket Size: 165 x 65mm
- Pocket Centres: 665mm



AUSTRALIAN MADE

CODE	SIZE
64-GSBCT2020	Gas Cylinder Storage Cage 1928 x 1030 x 1030mm

GAS BOTTLE STORAGE CAGES

SMALL GAS BOTTLE CAGE

The Small Gas Bottle Storage Cage has been designed primarily as a secure storage unit for building sites and mines. The lockable gate, mesh sides and galvanised roof sheeting ensure Bottle and gear security. Forklift provision under the cage along with stacking lugs underneath for transport. The standard finish on the Cage is Zinc Plated.

- Working Load Limit (WLL): 250kg
- Unit Weight: 106kg
- Capacity to Fit: 12 x 9Kg Gas Bottles (Shelf), 6 x 18kg Gas Bottles (Without Shelf)
- Shelf Space: 540mm
- ALSO AVAILABLE with Fixed Centre Shelf



CODE	SIZE
64-GSBCT1212	Small - 1080 x 760 x 1285mm
64-GSBCT1212F	Small - 1080 x 760 x 1285mm

LARGE GAS BOTTLE STORAGE CAGE

- Stores up to 24 x 9kg small gas bottles (when using shelf)
- Stores up to 12 x 18kg forklift gas bottles when mid shelf is excluded
- Working Load Limit (WLL): 500kg
- Weighs 200kg
- Tamper-proof lock guard prevents cutting of the padlock by bolt cutters
- Anti-tamper gate hinges
- Sturdy construction with bump rails to protect the cage's mesh sides
- Stacks 3 high when empty
- Sheet metal shelves allow easy sliding of cylinders to the back of the cage
- Sheet metal roof provides weather protection
- Forklift provision is provided under the cage for transport around the worksite
- Zinc finish for long life corrosion protection



AUSTRALIAN MADE

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

DANGEROUS GOODS STORAGE



FLAMMABLE STORAGE CABINETS

- Ideal for the storage of solvents
- Adjustable shelves
- 150mm sump in the bottom
- Made to comply with AS1940

Other sizes available - please enquire. Non Stock line - allow 3 -5 days.





CODE	CAPACITY	SHELVES	SIZE
65-DGC160	160L (6 x 20L)	2	1230 x 1100 x 465mm
65-DGC250	250L (9 x 20L)	3	1760 x 1100 x 465mm
65-DGC1000	1000L (9 x 20L)	2	1380 x 1380 x 1880mm

TIGER TAILS

- Suitable for use on Power Lines & Wires as visual warning, mechanical protection and electrical insulation.
- Weather resistant
- Colour: Black/Yellow
- Inside diameter: 35mm
- Length: 2.5m



CODE
82-2535TT

LOW VOLTAGE RESCUE KIT

- 1 x non-stick burn dressing
- 1 x pair electrical gloves
- 1 x insulated crook
- 1 x 'Isolate Here' sign
- 1 x fire blanket
- 1 x torch
- 1 x container



CODE
82-LURK

SAFETY TAGS

Extremely durable "Tear-Stop" polypropylene tags. Ideal for use in harsh outdoor environments. Can be written on with pen or permanent marker.

- Stock: 150gsm Tearproof Polypropelene with 8mm eyelet & string
- Size: 75mm x 145mm
- Qty: 100/pk

DANGER TAG



CAUTION TAG

INFORMATION TAG
Green information tags also available.
Please enquire.

CODE	TYPE
83-DTSNO	DANGER TAG
83-STI	INFO TAG
83-CTOOS	CAUTION TAG

HEAVY DUTY "TEAR-STOP" MATERIAL SUITABLE FOR OUTDOOR USE

TAG STATION

- Durable, weather resistantpolycarbonate holder for Danger and Caution Tags.
- Holds up to 2 kinds of tags.
- Size: 250 x 250mm



CODE	SIZE
83-TSTN	250x250mm

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

SAFETY PADLOCKS

- Durable, lightweight, non-conductive Xenoy lock body
- Colours: Red, Blue, Yellow, White, Black, Green



CODE
83-410

ALUMINIUM SAFETY LOCKOUT HASP

- Manufactured from aluminium
- Lockout up to 6 workers at each point.
- Insulated with bright red vinyl coating.
- Keeps equipment inoperative while repairs or adjustments are being made.
- Vinyl coating allows for better grip and visibility
- Sizes: 25mm, 38mm



CODE	DESCRIPTION
83-41625	Aluminium Lockout Hasp - 25mm
83-41638	Aluminium Lockout Hasp - 38mm

CABLE LOCKOUT

- Ergonomically designed to fit palm of your hands
- Route cable through lock, squeeze the handle and apply a padlock
- Cable Length: 1m
- Colours: Vinyl Coated Steel Blue Cable, Nylon Yellow Cable



CODE	DESCRIPTION
83-8801Y	Squeezer Cable Lockout - Yellow
83-8801B	Squeezer Cable Lockout - Blue

SAFETY LOCKOUT HASP

- Keeps equipment inoperative while repairs or adjustments are being made. Lockout up to 6 workers at each point.
- Insulated with bright red vinyl coating.
- Vinyl coating allows for better grip and visibility
- Sizes: 25mm, 38mm



CODE	DESCRIPTION
83-42025	Lockout Hasp Jaws - 25mm
83-42038	Lockout Hasp Jaws - 38mm

GROUP LOCK BOXES

- Manufactured from special grade metallic sheeting
- Multiple slots in the lock box body
- Features handle for easy handling and storage
- Colour: Powder coated red finish



CODE	DESCRIPTION
83-LBOX13	Group Lock Box - Red (273mm x 184mm x 110mm)

LOCKOUT KIT – ELECTRICAL STATION

- Manufactured from special grade metallic sheeting
- Adjust shelves to different heights using designated slots
- Features a window to check lockout items easily
- Includes security lock and keys
- Four mounting holes for easy installation
- Size: 406mm H x 355mm W x 152mm D
- Colour: Powder coated yellow finish

Kit Includes:

- 1 x Slider Hasp for 4 Locks / 3 mm shackle
- 1 x Slider Hasp for 4 Locks / 6 mm shackle
- 4 x Electric Padlock with Nylon Shackle Red
- 1 x Blocking Bar Lockout Kit 9
- 1 x Electrical Panel Handle Lockout
- 1 x Combo Miniature Circuit Breaker Lockout
- 1 x 1 Piece each of all the PI / PO / POW & Tie Bar CCBL
- 1 x Large Circuit Breaker Lockout Round Handle
- 2 x Universal Circuit Breaker Lockout A & B Type
- 1 x Combo -Tool Free Circuit Breaker Lockout (Set of 2)
- 2 x Universal Multi -Functional Circuit Breaker Lockout
- 1 x 1 Piece each of all the COBL (Small, Medium & Large)+ 2 Cleats

CODE
83-LODS



LOCKOUT KIT – ELECTRICIAN PUCH

- Portable kit allows you to lockout a variety of electrical sources
- Made from waterproof heavy duty rubberised nylon cloth
- Features strap for easy handling and storage
- Colour: Yellow

Kit Includes:

- 1 x Hasp 3 holes/ 3 mm shackle
- 1 x Hasp 3 holes/ 6 mm shackle
- 1 x Hasp 6 holes/ 6 mm shackle
- 1 x Combo Miniature Circuit Breaker Lockout
- 1 x Universal Fuse Holder Lockout
- 1 x 1 Piece each of all the PI / PO / POW & Tie Bar CCBL
- 1 x Large Circuit Breaker Lockout Round Handle
- 2 x Universal Circuit Breaker Lockout A & B Type
- 1 x Padlock with Nylon Shackle - Red
- 1 x Padlock with Nylon Shackle - Yellow
- 1 x Squeezer Multipurpose Cable Lockout
- 1 x Computer Power Cord Lockout
- 5 x Lockout Tags
- 5 x Nylon Ties for Tags
- 1 x Lockout Pen for Tags
- 1 x Lockout training Booklet
- 1 x Screw Driver
- 1 x Electrician Pouch Yellow


CODE
83-LOEP



LOCKOUT STATION

- Durable wall mounted station provides a central location for safety lockout.
- Components includes: 5 x padlocks, 5 x hasps, 20 x laminated lockout tags
- Colour : Yellow
- Size: 350 x 350mm

CODE
83-1483



5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

GX-3R FOUR GAS DETECTOR

WE DO GAS CALIBRATIONS! CALL US FOR DETAILS.

The newly developed dual-sensor configuration reduces size by approximately 30% compared to previous models. It is lightweight (about 110g), so it means it won't interfere with your work.

LARGE LCD DISPLAY
Simultaneous display of all gases

BATTERY LIFE:
Up to 25 hours of operation

2 BUTTON OPERATION
Glove friendly

COLOUR CODED SENSORS
Easy to replace



REMOVABLE IMPACT RESISTANT BOOT
Dust & Water resistant, IP66/68 Rating

AUDIBLE ALARM PORTS
Audible, visual, & vibration



The GX-3R is **the world's smallest 4-gas monitor**, weighing only 110 grams and can be comfortably clipped within a worker's breathing zone. It simultaneously monitors and displays LEL combustibles, O^2, CO (Hydrogen compensated CO also available), and H2S levels.

The LEL sensor has a unique design with two active filaments in one sensor to increase it's resistance to silicone poisoning. The new O^2 sensor is electrochemical with a 5-year life span. H^2S and CO are now available in a combo micro sensor.

The instrument flashes 3 LED lights every 30 seconds, if the instrument has been exposed to a gas or has not been bump tested or calibration is due. The 3 LED lights will continuously flash once every 30 seconds until the non-compliance condition has been resolved.

OSHA defines the breathing zone as a ten-inch radius around the worker's nose and mouth, and requires that worker exposure monitoring air samples be collected in the breathing zone. The air sampling filters may be attached to the collar or lapel.

CODE
34-GX-3R

Features:

- Simultaneous detection of 4 gases LEL, O2, H2S & CO
- Smallest / Lightest 4-gas monitor on the market (55mm H x 64mm W x 26mm D), approx 110 grams
- Dual audible alarm ports (95 db @ 30 cm)
- 3 visual alarm LEDs
- Vibration alarm
- IP68 Waterproof / dustproof design
- Non-compliance indicator
- Large capacity data logging standard
  - 8 alarm trends
  - Log time range of 10 to 300 hours
  - 100 calibration records
- 25 hours of operation (Lithium-ion batteries)
- Large LCD display screen
- Automatic backlighting at alarm
- Impact resistant body, can withstand 7m drop
- STEL and TWA readouts
- Intrinsically safe, IECEx, ATEX
- 3-year warranty

Applications:

- Confined spaces
- Hazardous material
- Refineries/ chemical plants
- Personal monitoring
- Utilities
- Water/wastewater plants
- Fire services
- Pharmaceuticals
- Oil & Gas
- Construction

FOUR GAS DETECTOR CALIBRATION KIT

4GAS - QUEENSLAND URBAN UTILITIES & SYDNEY WATER APPROVED

Kit inclusions:

- GX-3R Gas Detector
- Hand pump
- 240V charger
- Alkaline compartment
- 34lt gas/bump test bottle
- Regulator, pipe and cap
- 1 x aluminium carry cases
- Instructions & quick reference guide
- First Calibration is Free

FIRST CALIBRATION IS FREE

CODE
34-PIPSEWKIT4



MSA ALTAIR 4XR MULTIGAS DETECTOR

- MSA's cutting edge log life XCell sensors
- Dependable multigas detector tests for LEL, oxygen, carbon monoxide and either hydrogen sulphide or nitrogen dioxide
- Economical construction saves users more than 50% on calibration gas, replacement sensors and maintenance
- Five-year sensor life means detector lasts 60% longer than the industry average
- Large buttons and high-contrast screen make operation easy in low-light conditions or when wearing gloves
- Ribbed rubber housing provides secure grip and high durability
- Exclusive end-of-sensor warning cautions user when unit's sensor needs to be changed
- MotionAlert option tells others that user has become immobile
- InstantAlert provides manual alarm to alert others of a dangerous situation
- MSA Link™ allows users to transmit data to a computer





CODE	TYPE
GDM10178585	Altair 4X Multigas Detector Only
GDM10178585K	Altair 4XR Multigas Detector with Calibration Equipment Kit

MSA The Safety Company

BUMP TEST KIT – 4GAS

Bump testing kits act as a quality check for gas detectors by passing challenge gas(es) over the sensors in an attempt to activate the alarm systems. By doing so you ensure that your gas detectors respond properly and are capable of keeping you and your employees OSHA compliant and safe in hazardous working environments.

Kit includes:


- 34lt gas/bump test bottle
- Regulator
- Bump cap and hose
- Bump instruction guide



CODE
34-BMPTSTKIT

34L CALIBRATION TEST GASES

- Optimised for GX-3R Gas detector
- Gas Mix: 25ppm H2S, 50ppm CO, 2.5% Methane 50% LEL), 12% Oxygen, Balance Nitrogen
- Size: 34L



DO YOUR OWN CALIBRATIONS
CALL NOW FOR DETAILS

CODE
34-34CGAS-GX

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

ROPE RESCUE KIT

Rope Rescue Kit is a robust, lightweight rescue device ideal for working in confined spaces. The kit includes a 50m rescue rope, fall arresting rescue block, double pulley, 2 anchorage karabiners and a kit bag.
This kit provides up to 15m of travel and can be used for raising, lowering, working in, or for rescue. The rope length can be varied to provide different travel capabilities.



CODE
33-50RRK

SPREADER BAR

The spreader bar assists in keeping the airways open in rescue situations - for use with confined spaces harness.

- Certified & approved to AS/NZS 1891.1



CODE
33-SBAR

RESCUE ROPE

12mm Rescue Rope is a certified rope designed for life saving devices rated to 3200kgs B.F.

- Length: 50m
- Knot Test: <14.7kN
- Min. Breaking Load: >35kN




CODE	SIZE
33-11RR50	50m

CONFINED SPACES HARNESS

Full body harness with rear 'D' and 2 shoulder loops for use with a spreader bar.


- Pebble Weave Webbing design provides maximum grip for buckles, eliminating webbing slippage and the need for continual re-adjustment
- Confined Space Rescue Loops
- Tangle free Triangle Back Mesh
- Padding under buckles
- Service Pouch on back
- Certified & Approved to AS/NZS 1891.1



CODE
32-CHSA

ESSENTIAL HARNESS

- Front Belay Loops for Fall arrest attachment
- Rear Dee Ring for Fall arrest attachment
- Functional 2 bar 3 bar buckles for chest and leg adjustment
- 30kN UV stabilised webbing with retro reflectivity
- Certified & Approved to AS/NZS 1891.1



CODE
32-ECFBH2

ELITE MULTI-PURPOSE HARNESS

- Shoulder Back and Leg Padding for shape retention and elevated comfort
- Hi-Strength Quick Release Leg and Chest buckles all with padded separation for wearer comfort
- 30kN UV stabilised webbing with retro reflectivity
- EZ-adjust Shoulder buckles
- Permanently attached Suspension Trauma Strap (medically trialled) as standard
- Retro reflective piping on Shoulder Back Padding for easy identification
- Belt with pole strap attachment points so harness can be used for tower worker harness
- Harness available in sizes L and XL
- Certified & Approved to AS/NZS 1891.1



CODE	SIZE
32-DFSGHL	Large
32-DFSGHXL	Extra Large

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

HEIGHT SAFETY KITS

SCAFFOLDERS & ELEVATED WORK PLATFORM KIT

- Full Body Essential Harness
- 2m shock absorbing lanyard with snaphook and scaffold hook.
- In heavy duty back pack.

Kit Includes:







CODE
32-SCKT

PREMIUM ROOFERS KIT – ELITE MODEL

- Components manufactured to AS/NZS1891.1:2007
- H302 Elite Multipurpose Harness x 1
- WL01SNSN Shock Absorbing Webbing
- Short Shock Absorber x 1
- RKRG015 15m Kernmantle Rope with Rope Grab and Thimble Eye x 1 (Conforms to AS/NZS 4142.3)
- HSASE2515 Anchor Strap Endless 25mm - 1.5M x 1
- KSGA Screw Gate Karabiner x 2
- HSKB710 Kit Bag x 1

Kit Includes:















Certified Product™
Australian Standard
AS/NZS 1891.1:2007
Lic:21481 SAI Global

CODE
32-DFRK

STANDARD ROOFERS KIT

- Components manufactured to AS/NZS1891.1:2007
- H101 Essential Harness x 1
- WL01SNSN Shock Absorbing Webbing
- Short Shock Absorber x 1
- RKRG015 15m Kernmantle Rope with Rope Grab and Thimble Eye x 1 (Conforms to ASNZS 4142.3)
- HSASE2515 Anchor Strap Endless 25mm - 1.5M x 1
- KSGA Screw Gate Karabiner x 2
- HSKB710 Kit Bag x 1


Kit Includes:















Certified Product™
Australian Standard
AS/NZS 1891.1:2007
Lic:21481 SAI Global

CODE
32-HDRK

2M SHOCK ABSORBING LANYARD

2m Shock absorbing lanyard with snaphooks at both ends.

- Certified & Approved to AS/NZS 1891.1



CODE
32-2MSAL

2M SCAFFOLDERS LANYARD

2m Shock absorbing lanyard with snaphook and scaffolding hook.

- Certified & Approved to AS/NZS 1891.1



CODE
32-2MSHLSH

RETRACTABLE LANYARD

- Lightweight type 2 fall arrestor.
- Retractor system acts like a seat belt.
- 2.5 metres of retracting webbing.
- Swivel hook at bottom and karabiner at top.
- High impact flexible outer casing.
- Complies with AS/NZS 1891.3



CODE
32-25RL

SHORT SHOCK ABSORBER

450mm short lanyard, ideal for use with Rope Lines, Ladder Lines etc.

- Certified & Approved to AS/NZS 1891.1
- Karabiners NOT included.



CODE
32-SHSA

"Y" LANYARDS

1.8m double shock absorbing lanyard with snaphooks and 2 scaffold hooks.

- Certified & Approved to AS/NZS 1891.1



CODE
32-18DSHLS

KARABINERS

- Alloy screwgate karabiners rated to 22Kn.
- Complies with the requirements of AS/NZS 1891.1



CODE
32-KARB

TIE OFF STRAP

Ideal tool for wrapping around anchor points and allowing attachment.

- Rated to 20kN.
- 1.2m long.



CODE
32-12TOS

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

HORIZONTAL SAFETY LINE

- The LINQ portable anchorage lifeline is engineered for extreme workplace situations. Complies with AS/NZS1891.2 and EN 795:199 Class B, the product has been developed to be durable and efficient in setup and pack down.
- The webbing temporary static line kit is a lightweight, 20m line, complete with ratchet tensioner for quick and easy installation.
- Rated for 2 people.
- Kit has an easy to use ratchet tensioning device to tighten the line
- Easy installation and removal
- Ideal for usage between 3 to 20 meters
- Includes sewn on bag for easy storage and transportation
- Equipped with two double action karabiners provided for attachment to anchor points.
- Conforms to AS/NZS1891.2
- Conforms to standard EN 795:1996
- Passed the corrosion test in accordance with ISO 9227:1990 - 24 hours



CODE
32-HZSL

ROPELINES

20m x 12mm Kermantle polyester rope.
With double action snaphook at one end.


- Length: 20m
- Knot Test: <14.7kN
- Min. Breaking Load: >35kN
- Conforms to AS4142.3



CODE
32-15MRL

ROPE ADJUSTER

Automatic rope adjuster for use with 12mm-16mm polyester rope.




CODE
32-ARAD

PERMANENT DAVIT ARM & BASE SYSTEM

The Davit arm and base are coupled together to provide a fixed anchorage point for work winches or rescue systems for entering confined spaces. The Davit arm has the ability to be removed from the base and moved from job to job, where there are other bases. The arm is able to swivel and provides easy access in many situations.

- Safe Working Load SWL: 130 kg - Davit Arm & Base Kit
- Measures 2060mm high x 710mm wide
- Base weight: 13 kg, Arm weight: 19 kg
- Packed size: 1.2 x 1.2 metres
- Meets Australian Standards AS/NZS 1891.4 (Basic Rescue Winch)
- Conforms to EN795 Class B
- Bolts hold the upper tube to the base, but these can be loosened to allow for 360 degrees swivelling
- UV resistant metal
- Must be fitted to a structural anchorage capable of withstanding 15kN working load
- Secure to ground with 8 x M20 epoxy bolts
- Base plate dimensions: 300mm x 300mm
- Note that this item should be certified after installation by a qualified engineer
- Requires certification every 12 months.



Davit Kit includes:

CODE		ITEM
33-BRW	A	Basic Rescue Winch - 20m
33-DARM	B	Davit Arm
33-DAB	C	Bracket to suit winch
33-DABS	D	Davit Base

CODE	ITEM
33-DAVKIT	Davit Kit

ARM & BASE PARTS

CODE	ITEM
33-DARM	Davit Arm
33-DABS	Davit Base

Specifications	
Safe Working Load:	130kg (Davit Arm & Base Kit)
Overall Dimensions:	2060mm x 710mm
Davit Base:	Base Plate Thickness: 8mm Hole Diameter: ø22mm Dimensions: 300mm x 300mm Weight: 13kg
Davit Arm:	Pole Height: 800mm Pole Diameter: ø90mm Out Rigger Length: 1100mm Out Rigger Dimensions: 100mm x 50mm x 5mm Weight: 19kg
Standards:	AS/NZ 1891.4 Conforms to AS 4100-1998, AS1170.2-2011 (Davit Arm & Base) Conforms to EN795 Class B Complies with AS/NZS 1891.3 (Basic Winch)
Additional Information:	Must be fitted to a structural anchorage capable of withstanding 15kn working load Should be secured to the floor with 8 x M16 epoxy bolts at a minimum depth of 145mm Should be certified after installation by qualified engineer Winch cable length - 20m Requires certification every 12 months


A


B


C


D

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

TRIBOC T WIND

Steel cable winch with 15 m cable and integrated swivel, for safe lifting and lowering without twisting the cable

- 15 m steel cable
- No twisting of the steel cable
- Incl. rope pulley



CODE	ITEM
31-AP004	Triboc
31-ACS0036-15T	Triboc T wind

SKYLOTEC JACKPOD DAVITS & TRIPODS

JACKPOD DAVITS

Flexible fall prevention for working in confined spaces is now easier than ever with the new JACKPOD DAVIT SET. The portable and stepwise adjustable systems require only a small working base area and are easy to transport and store thanks to their low weight and volume. High-quality finished aluminium and galvanised steel offer high ageing resistance.

- Easy to transport thanks to low weight and volume
- Requires small working base area
- Stepwise adjustable system
- Adjustable arm: 495-718mm
- Available heights: 2186-3015mm (with mast selection)
- Winch options: 18, 30 or 45m

Base Mount Options (Others Available):



Portable Base



Floor Mount



Flush Floor



Wall Mount



Barrel Mount



CODE	ITEM
31-JP001	Davit Upper Mast (1170-1400 or 1475-1695mm)
31-JP002	Davit Lower Mast (1016 or 1320mm)
31-JP0031	Jackpod Portable Base
31-JP0033	Jackpod Base Flush Floor
31-JP0034	Jackpod Base Floor (Bolt)
31-JP0035	Jackpod Wall Mount
31-JP0037	Jackpod Base Barrel Mount
31-JP008	Jackpod Winch - 18 or 45 metre
31-JP010	Davit Winch Brackets - 18 or 45 metre





TRUCK TRAILER EDGE PROTECTION 131



THE FLAT BED TRAILER MINI EDGE PROTECTION SYSTEM (TMEPS)

Designed to fit and lock between a wide range of truck trailer combs and tie down rails. The design allows for quick and easy fitting to allow the operator safety when accessing the back of the trucks.

Each panel is 2.0m long and 1.3m high and with a weight of approx. 9kg which allows the unit to be easily picked up by 1 operator and positioned into place. The TMEPS is compliant with relevant Australian Standards as an approved barricade.



SPECIAL BUY ONLY

CODE
33-TMEPS

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

CONTENTS

Guide Posts 134-136
Utility Marker Posts 137-138
Traffic Cones & Bollards 139-140
Specialist Traffic Control Signs 141
Traffic Control Accessories 142-143
UHF Two Way Radios 144
Vehicle Beacons & Safety Lights 145
Barrier Boards & Hazard Lamps 146-147
Multi Message Signs 148-161
Swing Stands 162-165
Boxed Edge Road Signs 166-167
Permanent Road Signage 168-169
Sign Brackets & Fixings 170-173
Sign Posts, Post Sockets & Accessories 174-177
Traffic Separators & Flexible Bollards/Posts 178-180
Road/Line Marking & Delineators 181-183
Wheel Stops, Speed Humps & Rumble Bars 184-185
Traffic Calming 186-187
Steel Bollards 188
Convex Mirrors 189
Kerb Ramps & Flip Top Cable Covers 190
Trench Covers & Safe Plates 191
Barrier & Adhesives 192
Tactiles 193
PORTABOOM Portable Boom Gate 194
Traffic Light Trailer 195
Vehicle Mounted Arrow Boards & Signs 196
Variable Message Boards (VMS) 197
Solar Light Tower 198-199





MULTI MESSAGE SIGNS. See page 148-161



PORTABOOM GATE. See page 194



GUIDE POSTS, BOLLARDS & DELINEATORS. See pages 136, 138, 140



SECTION

03

ROAD SIGNS & TRAFFIC

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

PVC GUIDE POSTS

AUSTRALIAN MADE

- Flexible strength, capable of withstanding multiple vehicle impacts, far exceeding existing standards and capabilities of any other shape of PVC guide post.
- Complies with individual specifications as they apply to flexible guide post for the following road authorities and are NATA tested in accordance with the procedures specified in AS 1742.2-2009
- Dura-Post 3.0mm uPVC Posts are suited for low impact areas and are a great contractor option.
- Dura-Post 4.0mm uPVC posts are suited for medium impact areas and are the most popular option.

DURA-FLEX PVC PRO GUIDE POST WITH DRIVABLE ANCHOR

- PVC Thickness: 4.0mm
- Colour/Size : White 1500mm
- 350mm Drivable Anchor
- Class 1A 10,000mm²
- Red/White 50mm x 200mm Delineation

CODE
FPV6510



DURA-FLEX PVC GUIDE POST

- PVC Thickness: 4.0mm
- Colour/Size : White 1400mm
- Pointed and Barbed
- Class 1A 10,000mm²
- Red/White 50mm x 200mm Delineation
- Sold individually or 1000 per pallet

CODE
FPV6100

1000



UPVC PRO GUIDE POST WITH DRIVABLE ANCHOR

- PVC Thickness: 4.0mm
- Colour/Size : White 1500mm
- 350mm Drivable Anchor
- Class 1A 10,000mm²
- Red/White 50mm x 200mm Delineation

CODE
FPV4510

UPVC GUIDE POST

- PVC Thickness: 3.0mm or 4.0mm
- Colour/Size : White 1400mm
- Pointed and Barbed
- Class 1A 10,000mm²
- Red/White 50mm x 200mm Delineation

CODE	DESCRIPTION
FPV3100	uPVC Guide Post 3mm x 1400mm
FPV4100	uPVC Guide Post 4mm x 1400mm

FLEXI360 FLEXIBLE GUIDE POSTS

AUSTRALIAN MADE

Dura-Post Flexi360 Guide Post System, is a fully flexible 360˚post with an installation option to suit all situations The Dura-Post Flexi360 Flexible Guide Post is a system within itself. A drivable anchor, connecting flexible joint and the HDPE – High Density Poly Ethylene post top, that are individual products.

Approved and accepted in all states and territories in Australia.

FLEXI360 GUIDE POST WITH DRIVABLE ANCHOR

- Colour/Size : White 1070mm
- 350mm Drivable Anchor
- Class 1A 10,000mm²
- Red/White 50mm x 200mm Delineation

CODE
FGP1137

200



FLEXI360 PRO GUIDE POST WITH DRIVABLE ANCHOR

- Flexi360 Pro Model
- Colour/Size : White 1070mm
- 350mm Drivable Anchor
- Class 1A 10,000mm²
- Red/White 50mm x 200mm Delineation

CODE
FGP1210



FLEXI360 PRO GUIDE POST TOP SLIDE ON

- Flexi360 Post Top with Class 1A Delineation and Flexible Joint Acceptor Plate, ready to slide onto Flexi360 Drivable Anchor or Surface Mount Plate.
- Colour/Size : White 1070mm
- No anchor, Post Top only
- Class 1A 10,000mm²
- Red/White 50mm x 200mm Delineation

CODE
FGP1087




FLEXI360 GUIDE POST DRIVABLE ANCHORS

- 350mm Drivable Anchor for Flexi360 Guide Posts
- For medium to hard ground types, the Picket Drivable Anchor is easily driven into the most challenging surfaces and compaction.

CODE
FPF1511



Flexi360 Plates





CODE	DESCRIPTION
FPB1605	Surface Mount Inline Plate 93 x 65 x 5mm - Bolt Down

STEEL GUIDE POSTS

Steel-Flex® is the most durable roadside delineator post available. It is roll formed from a special grade of high-performance spring steel, then protected by an ArmorGalv® thermal diffusion galvanised coating.

- Self recovers to vertical immediately after repeated impacts and wheel overs with minimal damage to the post or the vehicle.
- Approved for use by all Australian State Road Authorities
- Compliant with AS 1742.2, AS/NZS 1906.1, EN 12899-3: 2008 testing requirements. CE certified.
- Safe to handle – no sharp edges



STEEL-FLEX® GUIDE POST

- Colour/Size : White 1300mm or 1400mm
- Unsealed
- Red/White 50mm x 200mm Delineation

500

CODE	DESCRIPTION
SF13D2	Steel-Flex® Guide Post 1300mm

*Available in WA only

CODE	DESCRIPTION
SF14D2	Steel-Flex® Guide Post 1400mm

STEEL-FLEX® GUIDE POST - HAZARD

- Colour/Size : White 1400mm
- Unsealed
- 6mm x 60mm Left Directional Black Bands
- 50mm x 200mm White Delineation (Back only)



CODE
SF14-HAZ-L
SF14-HAZ-R

500

STEEL-FLEX® FLEXI-T GUIDE POST WITH DRIVABLE SPIKE

- Recommended for bitumen installations or extremely hard ground
- Colour/Size : White 1000mm
- Ground Spike/Locking Pin included
- Red/White 50mm x 200mm Delineation (Front only)



CODE
SFFT10D2

300

SEMI-RIGID STEEL GUIDE POSTS

These posts bend safely on impact and can be re-straightened many times. They are available in a wide range of lengths and colours with roadside delineation or asset identification stickers or plates fitted or supplied to suit your needs. Robust and recyclable, the one piece

Delnorth Semi Rigid post range is easy to install using either our universal ergonomic manual or mechanical drivers. All posts come with protective snap-on end caps.

- Posts are made from high tensile G450 Z350 galvanised steel to AS 1397 standard
- Straight Edged are powder-coated for a 1.6mm thickness for regular duty and 2.0mm thickness for heavy duty applications.
- Rolled Edged are powder-coated for a 1.6mm thickness for regular duty



ROLLED EDGE GUIDE POST

- Thickness: 1.6mm
- Colour/Size : White 1350mm
- Red/White 50mm x 200mm Delineation
- White End Caps included

CODE
RE135D2

250

STRAIGHT EDGE GUIDE POST

- Thickness: 1.6mm
- Colour/Size : White 1350mm
- Red/White 50mm x 200mm Delineation
- White End Caps included

CODE
SEM135D2

500

DURA-POST STEEL GUIDE POST - PREMIUM

- Suited to be driven into soft, medium and hard soil types including chip seal and bitumen
- Thickness: 2.0mm
- Colour/Size : White 1350mm
- Class 1A 10,000mm²
- Red/White 50mm x 200mm Delineation
- End Caps not inluded



CODE
FSG2143

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

CHRISTIE PETROL POWERED DRIVER COMPLETE

The high impact hammer action of 1720BPM will drive steel fence pickets into the hardest ground in a matter of seconds and the portable design allows operators to move along a fence line with ease. The driver uses an efficient Honda GX35 4-stroke motor to give the best service life possible.

- Install guide post in seconds
- For use on Steel Guide Posts
- Can also be used to install star and Y posts
- Noise Level: >100dB Hearing protection required
- Weight: 18kg
- Honda GX34 Engine



CODE	DESCRIPTION
CPDSF	Christie Petrol Powered Driver
CPDSE	Delnorth Straight Edges
FPD2680	Durapost Straight Edges

GUIDE POST INSTALLATION EQUIPMENT

Our Honda powered CPD petrol driver is the ideal automatic driver tool, installing posts in seconds.
Manual and automatic tools available for use on all posts.

UNIVERSAL MANUAL POST DRIVER

- Custom guides fitted
- Suits all steel posts
- Hand-held use
- Colour: Yellow



CODE
UPD

FLEXI360 MANUAL DRIVER

- Weight 17kg
- Length Closed: 1050mm
- Length Extended : 1150mm
- Suits FGP1137



CODE	
FPD1700	Flexi360 Manual Driver & Clamping Tool
FPD1701	Flexi360 Guide Post Clamping Tool

GUIDE POST REMOVER - JAW TYPE

- Manual use to remove guide posts
- Colour: Orange



CODE
PR-JT

PRO SERIES MANUAL DRIVER

- Weight 15kg
- Length Closed: 1130mm
- Length Extended : 1800mm
- Suits FPV4510



CODE
FPD1702

DURA-FLEX & UPVC MANUAL DRIVING SPADE

- Weight 20kg
- Length Closed 1450mm
- Length Extended 1950mm



CODE
FPD1911

PRO SERIES MANUAL DRIVER - NO HANDLES

- Weight 12kg
- Length Closed: 1130mm
- Length Extended : 1800mm

CODE
FPD1703

UTILITY MARKER POSTS – PLAIN COLOURED POST

- Colours: White, Blue, Yellow
- Length: 1350mm




CODE	TYPE
14-DSMGPRE	White
14-MPB	Blue
14-MPY	Yellow



EZY-DRIVE ROADSIDE POST PRODUCTS

CODE	TYPE
14-HTECB	End Caps - Black
14-HTECW	End Caps - White

UTILITY MARKER POSTS – CUSTOM LABELLED, CUSTOM POWDERCOATED



CUSTOM COLOURS* (CALL FOR DETAILS)

**Minimum of 50 Custom Colours*

CODE
CUSTOM

MAINTENANCE MARKER POSTS

These posts distinguish themselves from plastic or timber alternatives with a premium polyester powder coating, providing long-lasting resistance to abrasion and staining while ensuring excellent visibility. They are easy for one person to install, enabling swift deployment by road crews. Equipped with rolled safety edges compatible with snap-on end caps, they ensure no sharp edges are exposed (note: end caps sold separately). A punched depth marker hole at 350mm ensures compliance with local authority road standards. Crafted from galvanized steel with precision, these posts guarantee durability and longevity.

- Metal powdercoated posts
- Colour: Yellow/Black
- Length: 1350mm
- Caps sold separately

EZY-DRIVE ROADSIDE POST PRODUCTS



Front Back

CODE
14-TVBO-PM

CODE	TYPE
14-HTECB	End Caps - Black
14-HTECW	End Caps - White



VINYL STICKERS

- Supplied in sets: 0-9, A-Z
- Colours: Black, White, Red, Blue
- Custom sets also available
- Size: 75mm (High) x 50mm (Wide)

CODE	TYPE
09-V550A-BLK	A-Z (Black)
09-V550A-W	A-Z (White)
09-V550A-R	A-Z (Red)
09-V550A-B	A-Z (Blue)
09-V5501-BLK	0-9 (Black)
09-V5501-W	0-9 (White)
09-V5501-R	0-9 (Red)
09-V5501-B	0-9 (Blue)


5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

UTILITY MARKER POSTS

REFLECTIVE DELINEATORS

Self adhesive, Class 400 reflective delineation.

- Colours: White, Red, Yellow, Blue
- Sizes: 50 x 100mm, 50 x 200mm
- Other sizes made to order
- Specialty delineators can be made to order




CODE	COLOUR	SIZE
09-DR100	Red	50 x 100
09-DW100	White	50 x 100
09-DY100	Yellow	50 x 100
09-DB100	Blue	50 x 100
09-DR200	Red	50 x 200
09-DW200	White	50 x 200
09-DY200	Yellow	50 x 200
09-DB200	Blue	50 x 200

MARKER PLATES & STICKERS

CUSTOM OPTIONS AVAILABLE

Reflective metal and reflective adhesive vinyl.
Qty: 5pk

CODE	TYPE
09-IPRM	Reflective Metal
09-IPSA	Reflective Stick-On



Size: 75 x 250mm (For Lilac add $10.80 pk/5 (RHP, RSV)



KERB TYPE
Size: 150 x 100mm



Size: 125 x 75mm

TRAFFIC CONES

Traffic cones, otherwise known as witches hats, channelizing devices or construction cones, are a great way to mark out hazards at your site, workplace, along a road or in a public area. Commonly used during road works to temporarily redirect traffic in a safe manner, traffic cones can prompt motorists to merge lanes or avoid temporary hazards.

- Flexible fluoro PVC traffic cones.
- Colour: Orange
- Other colours available - please enquire





YES WE CAN PUT YOUR LOGO OR NAME ON TRAFFIC CONES. CALL FOR PRICES.

450MM - ORANGE WITH 150MM CL400 REFLECTIVE COLLAR

640



CODE
16-450TCR

700MM - ORANGE WITH 250MM REFLECTIVE COLLAR



CODE
16-700TCR

700MM - ORANGE WITH 250MM CL400 COLLAR (ROAD COMPLIANT)



CODE
16-700TCRQ

900MM - ORANGE WITH 250MM CL400 REFLECTIVE COLLAR



CODE
16-900TCR

COLOURED TRAFFIC CONES

- Flexible fluoro PVC traffic cones with Class 1 reflective collar
- Size: 700mm
- Colours: Yellow, Blue, Green

360



CODE	COLOUR
16-700TCRY	Yellow
16-700TCRB	Blue
16-700TCRG	Green

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

TRAFFIC CONES & BOLLARDS

T-TOP BOLLARDS

TOPS

Fluoro red post with reflective tape and heavy weight rubber base. Bases sold separately.

- Size: 1150mm H x ø100mm
- Bottom Hole: ø121mm





CODE	CLASS
16-TBOLT	Reflective Collar
16-TBOLT-G	Reflective Collar - Green
16-TBOLT-Y	Reflective Collar - Yellow
16-TBOLT-B	Reflective Collar - Blue
16-VBOLT	CL400 Collar

200

BASES

Available in 6kg and 8kg weights.
Size: 420mm W x 29mm H
Center Hole Size: ø115mm (6kg), ø118mm (8kg)



CODE	CLASS
16-TBASE6	6kg Base
16-TBASE8	8kg Base

120

YES WE CAN PUT YOUR LOGO OR NAME ON T-TOP BOLLARDS. CALL FOR PRICES.

STACKABLE "MIGHTY" BOLLARD

These stackable 'mighty cones' measure 1 metre high and are ideal for situations where visibility of smaller cones is limited. Made from strong plastic with a white reflective collar, the mighty cone is an ideal traffic management tool for road works and other temporary road or traffic changes that need to be signposted for safety. The cones and bases are sold separately, and these mighty cones can be stacked easily with the bases attached, or without. The 6kg base is sturdy enough to hold the cone in place for most applications. Bright red colouring ensures these witches hats are easily visible to motorists or pedestrians.

- Fully stackable, even with base attached
- With 'T-Top' handle
- With Class 1W Reflective tape
- Bollard Size: 1000mm H
- Base Size: 410mm W x 45mm H
- Base Center Hole Size: ø210mm
- 6kg base



CODE	TYPE
16-SMCIMB	Base
16-SMCIM	Top

100

RETRACTABLE BARRIER BAR

Barrier bars are a telescopic bar designed to be mounted by placing the ring shaped ends on witches hats. Barrier bars are designed to temporarily isolate areas or direct pedestrians, staff, contractors or vehicles away from hazards or restricted areas.
Barrier bars are easily connected over 2 traffic cones to create a quick and effective portable barrier system that can be extended or decreased in length as required.
Suitable for internal or external use, these highly visible bars extend up to 2 meters and fit all traffic cone sizes, plus they are extremely durable and lightweight.



CODE
16-RBBAR

20

SPECIALIST TRAFFIC CONTROL SIGNS 141

STOP / SLOW TRAFFIC BATS



450MM HEAD

Reflective Class 400
Aluminium Handle extends from 1.4m to 2.4m

CODE	HANDLE
12-451SS	Timber
12-451SSAL	Aluminium

600MM HEAD

Reflective Class 400
Aluminium Handle extends from 1.4m to 2.4m

CODE	HANDLE
12-601SS	Timber
12-601SSAL	Aluminium



REPLACEMENT HANDLES

Replacement Handles for Stop/Slow Bats

CODE	HANDLE
12-451SSHNB	Timber
12-451SSAHNB	Aluminium

SAFETY CONSTRUCTION WORKER SIGN CUTOUTS

Safety man figures help to draw the attention of the public and passers by, ensuring motorists slow down in construction zones and that they make the connection to the human element of construction work. This helps to keep safety front of mind in construction areas

- Material: Fluted Plastic
- Size: 1600mm (H) x 800mm (W)
- Pointing up style, other types available on request



CODE	DESCRIPTION
03-W056	Yellow Man
03-W057	Yellow Woman
03-W058	Orange Man
03-W059	Orange Woman

DIRECTION KITS -PEDESTRIANS

- Materials: Yellow fluteboard
- Adhesive PVC Arrowheads
- Size: 600 x 225mm
- Kit includes: 10 fluted plastic signs, 15 arrowheads





CODE
03-PD001K

REPEATER SIGNS

Size: 900 x 600mm. Fluted Plastic.



12-RP01



12-RP02



12-RP04



12-RP37



12-RP03



5mm
Class 400
Reflective

3mm Non
Reflective

CODE	TYPE
12-RP01CLJ	5mm Class 400 Reflective
12-RP01J	3mm Non Reflective
12-RP02CLJ	5mm Class 400 Reflective
12-RP02J	3mm Non Reflective
12-RP03CLJ	5mm Class 400 Reflective
12-RP03J	3mm Non Reflective
12-RP04CLJ	5mm Class 400 Reflective
12-RP04J	3mm Non Reflective
12-RP37J	3mm Non Reflective

5% PRICE BEAT GUARANTEE


If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

TRAFFIC CONTROL ACCESSORIES

MULTI MESSAGE FRAME


Size: 1200mm x 900mm



CODE
12-MMFR
12-MMFR-DS

SPEED AHEAD FRAME

Size: 1200mm x 900mm



CODE
39-100014

MULTI MESSAGE FRAME

Size: 1200mm x 300mm



CODE
39-100012

ROLL UP SPEED BUMP

Temporarily control vehicle speed in application including road works and emergency responses. High grade reflection with a tensile strength of 15MPA.

Size: 300 L x 23 W cm



CODE
14-RUSB

ORANGE FLAGS FOR MULTI MESSAGE SYSTEM






CODE
12-MMFLG


TEMPORARY SIGN STANDS


Temporary Sign Stands are designed to support boxed edge temporary signs. They are light weight yet very stable in high wind areas.

- Available as a bent leg frame or "Y" frame
- Colour: Yellow

HEAVY DUTY CUSTOM MADE DESIGNS AVAILABLE

















CODE	TYPE
12-TSST	Bent Leg
12-FFLBIPL	Folding
12-TSST-Y	Y-Frame
12-TSST-E	Bipod Leg Extension
12-TSST-Y-G	Y-Frame Gal

50

CODE	TYPE
12-WASST	WA Temporary Sign Stand

WA ONLY

TRAFFIC CONTROL ACCESSORIES 143

CHEVRON DELINEATOR

- Easy to setup and store
- 9kg base
- Class 1W reflective Chevron



CODE	TYPE
12-T5-Q	Chevron Blade
12-T5-10KGB	Base

FLUTED PLASTIC BOLLARD CHEVRON

- Easy to use chevron – simply slip over T Top Bollard
- Pre-cut holes
- Bollard NOT included

SEE PAGE 148 FOR BOLLARDS



CODE
40-T5-5CF

PREFILLED SAND BAGS

- Prefilled and stitched
- Ideal weights for roads including swing stand signs, boxed edge sign legs, multi message sign legs and barrier board legs.
- Colour: Safety yellow
- Size: 500 x 220mm
- Weight: 5kg



CODE
30-SNDBG

PVC SAND BAG FILLED – ORANGE 9KG

- Built to last and ensures easy handling in demanding applications
- Reinforced with doublestitched seams
- Corrosion-resistant aluminum eyelets
- Sturdy rope handle



CODE
30-SNDBOG

144

TRAFFIC WAND

This strong and lightweight wand puts out an ultra-bright signal. It is specially designed for traffic control, parking guides, construction sites & distress signalling.
Takes 2 "D" size batteries (not included).
Size: 54cm long x Ø4cm



CODE	DESCRIPTION
17-45TW	Red Flashing or Steady - 54cm Long

TRAFFIC WAND WITH TORCH LIGHT

This strong and lightweight wand puts out an ultra-bright signal. It is specially designed for traffic control, parking guides, construction sites & distress signalling. Features torch light on the end for visibility.
Takes 3 "AA" size batteries (not included).
Size: 26cm long x Ø4cm



CODE	DESCRIPTION
17-26TW	Red Flashing or Steady

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

UHF TWO WAY RADIOS

UNIDEN 5 WATT PREMIUM HANDHELD UHF RADIO

- 80 UHF Channels
- Waterproof up to 1m for 30mins
- 5 Watt Power
- 24hrs Operating Time
- 17km Range

Uniden®

MASTER SCAN®
RAPID SCAN
SMART KEY
Voice Enhancer



CODE
25-UNIPUHF

ORICOM 5 WATT PREMIUM HANDHELD UHF RADIO

- Water and dust proof IP67 rating
- Compact radio with large backlit LCD display
- Switchable RF power (high: 5 watt, low: 1 watt)
- 3 Programmable instant channel buttons
- 80 channel



CODE	COLOUR
25-UHFRP	Black
25-UHFRPL	Lime
25-UHFRPP	Pink

ECONOMY TWO WAY RADIOS – TRADIES PACK

- 80 UHF Channels
- 2 Watt Power
- 21hrs Operating Time
- 13km Range
- USB Charging

Uniden®

MASTER SCAN®
SMART KEY
Voice Enhancer



CODE
25-UNI2P

ORICOM 5 WATT TWO WAY RADIOS – TWIN TRADE PACK

- Water and dust proof IP67 rating
- Compact radio with large backlit LCD display
- Switchable RF power (high: 5 watt, low: 1 watt)
- 3 Programmable instant channel buttons
- High-capacity 2600mAh Lithium-ion battery pack (up to 30 hours operating time^)



CODE
25-UHFSTP

VEHICLE BEACONS & SAFETY LIGHTS 145

48 AMBER LED MINI LIGHT BAR

- Homologation ECE R65, ECE R10, SAE
- 48 pieces high power LED
- SAE J845 CLASS1 Double Flash
- Meets IP56 protection standards
- -30ºC to + 50ºC temperature range
- DC 12-24V



CODE
25-48MINI

MICRO BEACON

MAGNET MOUNT

- Homologation: ECE R65, ECE R10
- ECE R65 120 Flashes per Minute
- 36PCS SUPER BRIGHT LED
- DC 12-24V
- Meets IP56 protection standards
- -30ºC to +50ºC temperature range



CODE
25-MAGMICRO

MINI BEACON

MAGNET MOUNT

- Homologation: ECE R65, ECE R10
- ECE R65, TA2
- SAE J845, Class 1
- 36PCS high intensity LED
- DC 12-24V
- Meets IP66 protection standards
- -30ºC to +50ºC temperature range
- Multiple sealed against moisture & dust
- Heavy-duty aluminium mount to draw heat away, PC Lens




CODE
25-MAGMINI

MINI LED DIRECTIONAL ARROW BOARDS



- Shock resistant rubber grommet mounted lamps.
- Solid state 12 Volt controller (24V also available).
- Ideal for small vehicles as added safety feature in Road Construction
- Inexpensive & effective series of traffic signals.
- Heavy Duty construction.
- 10 x 105mm LED Lamps.
- Dim mode for night operation.
- Size: 1380 x 360mm



CODE
17-MDAB12

BBS-TEK REVERSING ALARM – "QUACKERS"

- Eliminates noise nuisance and complaints with a unique beep which dissipates at twice the rate of conventional alarms.
- Easy to tell which vehicle is reversing.
- Tough, Dustproof, Waterproof IP68.
- Solid-state, spark-free electronics.
- The sound is concentrated within the danger zone.
- Commercial vehicles & light mobile machinery. 12 - 24 V, 92dBa @ 1m, Multiple Frequency, 0.5A.



CODE
17-RAMD

RECHARGEABLE MAGNETIC FLASHING BEACON

- Homologation ECE R65 TA1, ECE R10, SAE CLASS 1
- 36 pieces high power LED
- 120 Flashes per Minute
- Meets IP66 protection standards
- -30ºC to +50ºC temperature range
- Full of charge 4 hours allows 8 hour duration
- USB Rechargeable available
- On/off for flash pattern selections



CODE
25-RMAGB

SAFETY WARNING LIGHT

- Orange ABS handle with an imported high transmittance PC lampshade
- Provides white illumination powered by 1W
- Operates within a voltage range of 2.5V to 6V
- LED lifetime exceeds 100,000 hours
- current consumption ranges from 90-450mA
- Can be powered by 4 pcs of AA batteries
- Weight (without batteries): 190 grams
- Other colour available by special order: Blue, Amber, Green, and Red & Blue



CODE	DESCRIPTION
25-SWL921-B	LED Red with base

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

BARRIER BOARDS & STANDS

CLASS 400



CLASS 100



PVC BARRIER BOARDS

Heavy Duty black PVC barrier board with yellow reflective stripes on both sides.

Size: 2.5m long.

- Class 400 and Class 100 Reflective

MEDIAN - CLASS 400



UNI-DIRECTIONAL - CLASS 400



UNI-DIRECTIONAL - CLASS 100



Class 400



CODE	PATTERN	REFLECTIVE
15-BBPLHI	Median	Class 400
15-BBPLHIUNI	Uni-Directional	Class 400


Class 100



CODE	PATTERN	REFLECTIVE
15-BBPL	Uni-Directional	Class 100

BARRIER BOARD STANDS

Metal yellow painted 'A' frame stands to suit barrier boards.



CODE
15-BBST

200

FLASHING HAZARD LAMPS

Hazard lamps are a very effective way to light and delineate Roadworks and other dangerous areas.

Once the unit is turned on the light will come on automatically at dusk or night and will go off when daylight resumes.

The light can be very easily attached to barrier board stands (requires 2 x 6 volt batteries).

- Dual switch for Flashing or Steady.
- With Heavy Duty 'U' bolt Anti-Vandal bracket to fit: Barrier Boards, Star Posts, Sign Posts etc.

Anti-vandal bracket to fit steel posts or barrier board legs





** Batteries NOT included*

CODE
17-FLHL

6

6V HEAVY DUTY BATTERIES



CODE
17-6VBAT

24

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

MULTI MESSAGE SIGNS

OVER **9000** ROAD SIGNS IN STOCK AT ALL TIMES!



6MM FLUTED PLASTIC (CF)

SIZE	TYPE
600 x 600	Class 400 (1W)
600 x 600	Class 400 (1 X Orange)
1200 x 300	Class 400 (1W)

1.6MM ALUMINIUM (AL)

SIZE	TYPE
600 x 600	Class 400 (1W)
600 x 600	Class 400 (1 X Orange)
1200 x 300	Class 400 (1W)



TC1169-AL 600 x 600
TC1169-CF 600 x 600



TC1170-AL 600 x 600
TC1170-CF 600 x 600




TC1173-AL 600 x 600
TC1173-CF 600 x 600



TC1219-AL 600 x 600
TC1219-CF 600 x 600



TC1332-AL 600 x 600
TC1332-CF 600 x 600



TC1217(40)-AL 600 x 600
TC1217-CF-40 600 x 600
TC1217(50)-AL 600 x 600
TC1217-CF-50 600 x 600
TC1217(60)-AL 600 x 600
TC1217-CF-60 600 x 600



TC1466-1-AL 600 x 600
TC1466-1-CF 600 x 600



TC1712-AL 600 x 600
TC1712-CF 600 x 600



TC1803-AL 600 x 600



TC1828-AL 600 x 600
TC1828-CF 600 x 600



TC1901-AL 600 x 600
TC1901-CF 600 x 600



TC1930-AL 600 x 600
TC1930-CF 600 x 600



TC1325-AL 1200 x 300
TC1325-CF 1200 x 300



TC1174-AL 1200 x 300
TC1174-CF 1200 x 300



TC1177-AL 1200 x 300
TC1177-CF 1200 x 300



TC1220-AL 1200 x 300
TC1220-CF 1200 x 300



TC1362-AL 1200 x 300
TC1362-CF 1200 x 300



TC1869-AL 1200 x 300
TC1869-CF 1200 x 300



TC2217-AL 600 x 600
TC2217-CF 600 x 600



TC2213-AL 600 x 600
TC2213-CF 600 x 600



TC2291_1-AL 1200 x 300
TC2291_1-CF 1200 x 300



TC2291_2-AL 1200 x 300
TC2291_2-CF 1200 x 300



TC2215_L-AL 1200 x 300
TC2215_L-CF 1200 x 300



TC2215_R-AL 1200 x 300
TC2215_R-CF 1200 x 300



TC1257-AL 600 x 600
TC1257-CF 600 x 600



TC1903-AL 600 x 600
TC1903-CF 600 x 600



TC1216-AL 600 x 600
TC1216-CF 600 x 600



TC1311-2-AL 600 x 600
TC1311-2-CF 600 x 600



TM1-V100 600 x 600

TM1-V100 1200 x 300



TC1467-AL 600 x 600
TC1467-CF 600 x 600




TC1804-AL 600 x 600
TC1804-CF 600 x 600



TC1475-1-AL 600 x 600
TC1475-1-CF 600 x 600



TC1947-AL 600 x 600
TC1947-CF 600 x 600



TC1818(L)-AL 600 x 600
TC1818(L)-CF 600 x 600
TC1818(R)-AL 600 x 600
TC1818(R)-CF 600 x 600



TC1425-AL 1200 x 300
TC1425-CF 1200 x 300

MULTI MESSAGE SIGNS

OVER **9000** ROAD SIGNS IN STOCK AT ALL TIMES!

6MM FLUTED PLASTIC

**** Specify speed when ordering***





TC1419(40)-CF
TC1419(50)-CF
TC1419(60)-CF
TC1419(80)-CF
TC1419(100)-CF
600 x 600



TC1817(40)-CF
TC1817(50)-CF
TC1817(60)-CF
TC1817(80)-CF
TC1817(100)-CF
600 x 600



TC1884-CF 600 x 600



TC2279-CF 600 x 600



TC1397-CF 600 x 600



TC2214-CF 600 x 600



TC1821_1-CF 600 x 600



TC1819-CF 600 x 600



TC1172-CF 600 x 600



TC2216-CF 600 x 600



TC1218-CF 600 x 600



TC1947-2-CF 600 x 600



TC1359-9-CF 600 x 600



TC1359-5-CF 600 x 600



TC1359-4-CF 600 x 600



TC1359-3-CF 600 x 600



TC1359-2-CF 600 x 600



TC1359-1-CF 600 x 600



TC1359-10-CF 600 x 600



TC1359-11-CF 600 x 600



TC2254-CF 600 x 600



TC1822-CF 1200 x 300



TC1359-7-CF 600 x 600



TC1359-8-CF 600 x 600



TC1359-6-CF 600 x 600



TC2291_3-CF 1200 x 300



TC1178-CF 1200 x 300



TC1821_2 1200 x 300



TC1221-CF 1200 x 300



TC1844_1-CF 1200 x 300



TC1325-CF 1200 x 300

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.


MULTI MESSAGE SIGNS

OVER **9000** ROAD SIGNS IN STOCK AT ALL TIMES!

6MM FLUTED PLASTIC

TYPE	SIZE
Class 400 (1W)	300 x 600
Class 400 (1W)	600 x 600
Class 400 (1 X Orange)	600 x 600
Class 400 (1W)	600 x 925
Class 400 (1W)	1200 x 300
Class 400 (1W)	1200 x 600





AS-TM3-16-1A
600 x 600
*Specify speed when ordering



20 Km/h: **AS-RM4-1A-20**
40 Km/h: **AS-RM4-1A-40**
50 Km/h: **AS-RM4-1A-50**
60 Km/h: **AS-RM4-1A-60**
70 Km/h: **AS-RM4-1A-70**
80 Km/h: **AS-RM4-1A-80**
90 Km/h: **AS-RM4-1A-90**
100 Km/h: **AS-RM4-1A-100**
110 Km/h: **AS-RM4-1A-110**
600 x 600



40 Km/h Ahead: **AS-GM9-79D-40**
60 Km/h Ahead: **AS-GM9-79D-60**
80 Km/h Ahead: **AS-GM9-79D-80**
600 x 900



AS-TM3-9A 600 x 600



AS-TM3-3A 600 x 600



AS-TM1-34A 600 x 600



AS-TM1-5A 600 x 600



AS-TM8-8A 600 x 600



AS-TM2-25A 600 x 600



VIC-TM10-V110 300 x 600



VIC-TM10-V11 300 x 600



VIC-TM10-V101 300 x 600




VIC-TM10-V100 300 x 600



AS-TM1-30A 600 x 600



AS-TM5-6A 600 x 600



AS-TM2-24A 600 x 600



AS-RM2-14A(L) 600 x 600



AS-RM2-14A(R) 600 x 600

MULTI MESSAGE SIGNS

OVER **9000** ROAD SIGNS IN STOCK AT ALL TIMES!



AS-RM2-6A(L) 600 x 600



AS-RM2-6A(R) 600 x 600



AS-RM2-4A 600 x 600



AS-RM6-6A 1200 x 600



AS-TM8-4A 600 x 600




AS-TM2-4A 600 x 600



AS-TM2-4C 1200 x 600



AS-TM1-35C 1200 x 600



VIC-TM1-V100-1 600 x 600



VIC-TM1-V100-2 1200 x 300



VIC-TM1-V100-3 1200 x 600



VIC-TM10-V107 300 x 600



AS-TM1-1A 600 x 600



AS-TM8-3A 600 x 600



AS-TM1-43A 600 x 600



AS-TM1-4A 600 x 600



AS-TM3-13A 600 x 600



AS-TM3-21A 600 x 600



AS-TM2-17A 600 x 600



AS-TM1-10A 600 x 600

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

MULTI MESSAGE SIGNS

OVER **9000** ROAD SIGNS IN STOCK AT ALL TIMES!



AS-TM3-14A 600 x 600



AS-TM3-17A 600 x 600



AS-TM3-7A 600 x 600



AS-TM3-6A 600 x 600



AS-TM4-6A 600 x 600



AS-TM2-41A 600 x 600



AS-TM2-38A 600 x 600



AS-TM8-7A 600 x 600



AS-TM1-39A 600 x 600



AS-TM1-3-1A 600 x 600



AS-TM1-3-1A 600 x 600



AS-TM9-3A 600 x 600



AS-TM9-1A 600 x 600



AS-TM5-9A 600 x 600



AS-TM5-7A 600 x 600



AS-TM2-23C 1200 x 600



AS-TM1-6C 1200 x 600

MULTI MESSAGE SIGNS

OVER **9000** ROAD SIGNS IN STOCK AT ALL TIMES!



AS-TM8-1C 1200 x 600



AS-TM1-1C 1200 x 600



AS-TM1-18A 600 x 600



AS-TM1-18B 1200 x 300



AS-TM2-4B 1200 x 300



AS-GM9-90B 1200 x 300



AS-TM2-17B 1200 x 300



AS-TM1-1B 1200 x 300



AS-TM2-26B 1200 x 300



VIC-TM1-V102 1200 x 300



AS-TM2-39B 1200 x 300



AS-TM2-40B 1200 x 300



AS-TM1-51B 1200 x 300



AS-TM5-9B 1200 x 300



AS-TM8-2B(L) 1200 x 300



AS-TM8-2B(R) 1200 x 300



AS-TM1-28A 1200 x 300



AS-TM5-1B(R) 1200 x 300



AS-TM5-1B(L) 1200 x 300



AS-TM5-1B(S) 1200 x 300

** Specify speed when ordering*

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

MULTI MESSAGE SIGNS

OVER **9000** ROAD SIGNS IN STOCK AT ALL TIMES!

6MM FLUTED PLASTIC

SIZE	REFLECTIVE
600 x 600	Class 400 (1W)
600 x 900	Class 400 (1W)

SIZE	REFLECTIVE
1200 x 300	Class 400 (1W)
1200 x 600	Class 400 (1W)



RM4-1_A-30
RM4-1_A-40
RM4-1_A-50
RM4-1_A-60
RM4-1_A-80
RM4-1_A-100
600 x 600



GM9-79_A-40
GM9-79_A-50
GM9-79_A-60
GM9-79_A-80
600 x 600



RM4-12_A-40
RM4-12_A-50
RM4-12_A-60
RM4-12_A-80
600 x 600



GM9-79_C-40
GM9-79_C-50
GM9-79_C-60
GM9-79_C-80
1200 x 600



RM4-12_C-40
RM4-12_C-50
RM4-12_C-60
RM4-12_C-80
1200 x 600



GM9-79_B-40
GM9-79_B-50
GM9-79_B-60
GM9-79_B-80
1200 x 300



RM4-1_D-30
RM4-1_D-40
RM4-1_D-50
RM4-1_D-60
RM4-1_D-80
RM4-1_D-100
600 x 900



RM4-212N_D-40
RM4-212N_D-50
RM4-212N_D-60
RM4-212N_D-80
600 x 900



GM9-79_D-40
GM9-79_D-50
GM9-79_D-60
GM9-79_D-80
600 x 900



RM4-12_D-40
RM4-12_D-50
RM4-12_D-60
RM4-12_D-80
600 x 900



RM4-12_B-40
RM4-12_B-50
RM4-12_B-60
RM4-12_B-80
1200 x 300



RM2-4_A 600 x 600



RM2-6N_L_D 600 x 900



RM2-6N_R_D 600 x 900



RM2-7_A 600 x 600




RM2-14L_A 600 x 600



RM2-14R_A 600 x 600



GM9-89_A 600 x 600



RM2-11_A 600 x 600



GM9-40-2_A 600 x 600



GM9-40-2_B 1200 x 300



GM9-40-2_C 1200 x 600



GM9-40-2_D 600 x 900



TM8-4_A 600 x 600



TM2-4_D 600 x 900



TM2-4_C 1200 x 600



TM2-4_B 1200 x 300



RM6-6_C 1200 x 600



RM6-6_D 600 x 900



TM2-52_A 600 x 600

1300 885 364
Login online for your **Trade Account Pricing**

MULTI MESSAGE SIGNS 155

FOR USE IN NSW


TM1-5_A 600 x 600


TM1-5_C 600 x 1200


TM1-5_D 600 x 900


TM1-34_A 600 x 600


TM1-34_D 600 x 900



TM8-5_C 1200 x 600



TM1-18_A 600 x 600



TM1-18_B 1200 x 300



TM1-1_A 600 x 600



TM1-1_B 1200 x 300




TM1-1_D 600 x 900



TM1-25_C 1200 x 600


TM1-100N_A 600 x 600


TM1-100N_B 1200 x 300


TM1-100N_D 600 x 900


TM1-30_A 600 x 600



TM1-32_A 600 x 600



TM1-10_A 600 x 600



TM1-6_A 600 x 600



TM2-17_A 600 x 600



TM2-17_B 1200 x 300



TM2-17_D 600 x 900



TM2-23_A 600 x 600



TM8-3_A 600 x 600


TM2-24_A 600 x 600


TM2-25_A 600 x 600


TM3-3_A 600 x 600


TM3-9_A 600 x 600


TM1-47_A 600 x 600



TM1-46_A 600 x 600


TM5-5_A 600 x 600


TM5-6_A 600 x 600



TM3-7_A 600 x 600



TM5-1R_B 1200 x 300



TM5-1L_B 1200 x 300



TM5-1S_B 1200 x 300



TM3-11_C 1200 x 600



TM3-11_D 600 x 900



TM3-12_C 1200 x 600



TM3-12_D 600 x 900

TM8-1_C 1200 x 600

TM8-2L_B 1200 x 300

TM8-2R_B 1200 x 300

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

6MM FLUTED PLASTIC

SIZE	REFLECTIVE
600 x 600	Class 400 (1W)
600 x 600	Class 400 (1 X Orange)
1200 x 300	Class 400 (1W)
1200 x 600	Class 400 (1W)



1.1 REGULATORY SERIES: MMS-REG



40 Km/h: **MMS-REG-1(40)**
50 Km/h: **MMS-REG-1(50)**
60 Km/h: **MMS-REG-1(60)**
70 Km/h: **MMS-REG-1(70)**
80 Km/h: **MMS-REG-1(80)**
90 Km/h: **MMS-REG-1(90)**
100 Km/h: **MMS-REG-1(100)**
110 Km/h: **MMS-REG-1(110)**
600 x 600



40 Km/h: **MMS-REG-2(40)**
50 Km/h: **MMS-REG-2(50)**
60 Km/h: **MMS-REG-2(60)**
70 Km/h: **MMS-REG-2(70)**
80 Km/h: **MMS-REG-2(80)**
90 Km/h: **MMS-REG-2(90)**
100 Km/h: **MMS-REG-2(100)**
110 Km/h: **MMS-REG-2(110)**
600 x 600



MMS-REG-3 600 x 600



MMS-REG-4(L) 600 x 600



MMS-REG-4(R) 600 x 600



MMS-REG-5 600 x 600



MMS-REG-6(L) 600 x 600



MMS-REG-6(R) 600 x 600



MMS-REG-7 600 x 600

1.2 PEDESTRIAN SERIES: MMS-PED



MMS-PED-1 600 x 600



MMS-PED-2 600 x 600



MMS-PED-3(L) 1200 x 300



MMS-PED-3(R) 1200 x 300



MMS-PED-4 600 x 600



MMS-PED-5 600 x 600



MMS-PED-6 600 x 600

1.3 EVENT SERIES: MMS-EVE



MMS-EVE-1 600 x 600



MMS-EVE-2 600 x 600



MMS-EVE-3 600 x 600



MMS-EVE-4 1200 x 300



MMS-EVE-5 1200 x 600



MMS-EVE-6 600 x 600



MMS-EVE-9 1200 x 600



MMS-EVE-7 600 x 600

1.4 TERMINATION SERIES: MMS-TER



MMS-TER-1 1200 x 300



MMS-TER-2 1200 x 600



MMS-TER-3 600 x 600



MMS-TER-4 600 x 600



MMS-TER-5 1200 x 600



MMS-TER-6 1200 x 300

1.5 TRAFFIC DIVISION SERIES: MMS-DIV



MMS-DIV-1 600 x 600



MMS-DIV-2(L) 1200 x 600



MMS-DIV-2(R) 1200 x 600



MMS-DIV-3(L) 1200 x 600



MMS-DIV-3(R) 1200 x 600



MMS-DIV-4(L) 1200 x 300



MMS-DIV-4(R) 1200 x 300



MMS-DIV-5 600 x 600



MMS-DIV-6 1200 x 300



MMS-DIV-7 600 x 600



MMS-DIV-8 1200 x 300



MMS-DIV-9 1200 x 300

1.6 ROAD CONDITION SERIES: MMS-RC



MMS-RC-1 600 x 600



MMS-RC-2 600 x 600



MMS-RC-3 1200 x 600



MMS-RC-4 600 x 600



MMS-RC-5 600 x 600



MMS-RC-6 600 x 600



MMS-RC-9 600 x 600



MMS-RC-10 600 x 600



MMS-RC-11 1200 x 600



MMS-RC-12 600 x 600



MMS-RC-13 600 x 600

1.7 POSITION SERIES: MMS-POS



MMS-POS-1(L) 600 x 600



MMS-POS-1(R) 600 x 600



MMS-POS-2(L) 600 x 600



MMS-POS-2(R) 600 x 600



MMS-POS-3(L) 600 x 600



MMS-POS-3(R) 600 x 600



MMS-POS-4 600 x 600



MMS-POS-5 600 x 600



MMS-POS-6(L) 600 x 600



MMS-POS-6(R) 600 x 600



MMS-POS-7(L) 600 x 600



MMS-POS-7(R) 600 x 600



MMS-POS-8 1200 x 300



MMS-POS-9(L) 600 x 600



MMS-POS-9(R) 600 x 600



MMS-POS-10(L) 1200 x 300



MMS-POS-10(R) 1200 x 300

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

1.7 POSITION SERIES: MMS-POS CONTINUED



MMS-POS-11 600 x 600



MMS-POS-12 600 x 600



MMS-POS-15(L) 600 x 600



MMS-POS-15(R) 600 x 600

1.8 ADVANCE WARNING SERIES: MMS-ADV



1 Km Ahead: **MMS-ADV-1-(1)**
2 Km Ahead: **MMS-ADV-1-(2)**
1200 x 300



1 Km Ahead: **MMS-ADV-2-(1)**
2 Km Ahead: **MMS-ADV-2-(2)**
1200 x 300



MMS-ADV-3(40) 600 x 600
MMS-ADV-3(60) 600 x 600
MMS-ADV-3(80) 600 x 600



MMS-ADV-4 1200 x 300



MMS-ADV-5 1200 x 300



MMS-ADV-6 1200 x 600



MMS-ADV-7 600 x 600



MMS-ADV-8 1200 x 600



MMS-ADV-9 600 x 600



MMS-ADV-10 1200 x 300



MMS-ADV-11 1200 x 300



MMS-ADV-12 600 x 600



MMS-ADV-13 600 x 600



MMS-ADV-14 600 x 600



MMS-ADV-15 600 x 600



MMS-ADV-16 1200 x 300



MMS-ADV-17 1200 x 600



1 Km: **MMS-ADV-18-(1)**
2 Km: **MMS-ADV-18-(2)**
600 x 600



1 Km: **MMS-ADV-19-(1)**
2 Km: **MMS-ADV-19-(2)**
1200 x 300



MMS-ADV-20 1200 x 300



MMS-ADV-21 1200 x 300



MMS-ADV-22 1200 x 300



**** Specify number when ordering***

MMS-ADV-23 1200 x 300



**** Specify number when ordering***

MMS-ADV-24 1200 x 300

MULTI MESSAGE SIGNS 159



MMS-ADV-25 1200 x 600



MMS-ADV-26 1200 x 300



MMS-ADV-27 600 x 600



MMS-ADV-28 1200 x 300



MMS-ADV-29 600 x 600



MMS-ADV-30 1200 x 600



MMS-ADV-31 600 x 600



MMS-ADV-32 1200 x 600



MMS-ADV-33 1200 x 600



MMS-ADV-34 600 x 600



MMS-ADV-35 1200 x 600



MMS-ADV-36 1200 x 600



MMS-ADV-37 600 x 600



MMS-ADV-38 600 x 600



MMS-ADV-39 1200 x 600



MMS-ADV-40 1200 x 300



MMS-ADV-41 1200 x 600



MMS-ADV-42 600 x 600



MMS-ADV-43 1200 x 600



MMS-ADV-44 600 x 600



MMS-ADV-45 1200 x 300



MMS-ADV-46 1200 x 300



MMS-ADV-48 600 x 600



MMS-ADV-49 600 x 600



MMS-ADV-50 600 x 600



MMS-ADV-51 600 x 600



MMS-ADV-47 600 x 600



MMS-ADV-52A 600 x 600



MMS-ADV-52B 1200 x 600

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

MULTI MESSAGE SIGNS

6MM FLUTED PLASTIC

SIZE	TYPE
600 x 600	Class 400 (1W)
600 x 600	Class 400 (1X Orange)

SIZE	TYPE
1200 x 300	Class 400 (1W)





RM4-1A-25	25km/h
RM4-1A-40	40km/h
RM4-1A-50	50km/h
RM4-1A-60	60km/h
RM4-1A-70	70km/h
RM4-1A-80	80km/h
RM4-1A-90	90km/h
RM4-1A-100	100km/h
RM4-1A-110	110km/h

600 x 600



R4-12M-50	50km/h
R4-12M-60	60km/h
R4-12M-70	70km/h
R4-12M-80	80km/h
R4-12M-90	90km/h
R4-12M-100	100km/h
R4-12M-110	110km/h

600 x 600



G9-79M-50	50km/h
G9-79M-70	70km/h
G9-79M-90	90km/h
G9-79M-100	100km/h
G9-79M-110	110km/h

600 x 600



TM3-16-1A-25	25km/h
TM3-16-1A-40	40km/h
TM3-16-1A-60	60km/h
TM3-16-1A-80	80km/h

600 x 600



RM4-12D-25	25km/h
RM4-12D-40	40km/h
RM4-12D-50	50km/h
RM4-12D-60	60km/h
RM4-12D-80	80km/h
RM4-12D-100	100km/h

600 x 900



GM9-79D-25	25km/h
GM9-79D-40	40km/h
GM9-79D-50	50km/h
GM9-79D-60	60km/h
GM9-79D-80	80km/h
GM9-79D-100	100km/h

600 x 900



TM1-1A 600 x 600



TM1-5A 600 x 600



TM8-7A 600 x 600



TM1-34A 600 x 600



TM2-25A 600 x 600



T1-28-2M-1	Next 1km
T1-28-2M-2	Next 2km
T1-28-2M-5	Next 5km
T1-28-2M-10	Next 10km

600 x 600



T1-28-1M-1	Next 1km
T1-28-1M-2	Next 2km
TM1-28B-5	Next 5km
TM1-28B-10	Next 10km

1200 x 300



TM3-7A 600 x 600



TM3-9A 600 x 600



TM3-SA106A 600 x 600



T3-14-2M 600 x 600



TM8-3A 600 x 600



TM8-4A 600 x 600



GM9-40-2A 600 x 600



G9-9-2M 600 x 600



TM5-9A 600 x 600



TM1-30A 600 x 600



TM1-32A 600 x 600



RM2-6A(L) 600 x 600



RM2-6A(R) 600 x 600



TM1-18B 1200 x 300



GM9-SA9B 1200 x 300



TM5-7B 1200 x 300



TM2-23C 1200 x 600



TM1-SA147B 1200 x 300



TM8-2BL 1200 x 300



TM8-2BR 1200 x 300



TM1-6B 1200 x 300



TM5-9B 1200 x 300



TM2-4B 1200 x 300



TM3-14B 1200 x 300



TM1-1B 1200 x 300



T3-11-1M 1200 x 300

TM1-51B 1200 x 300

GM9-90B 1200 x 300



TM10-1A 600 x 600



TM10-17A 600 x 600



TM1-10A 600 x 600



TM1-3-1A 600 x 600



T5-5M 600 x 600




TM1-6A 600 x 600



TM1-43A 600 x 600



TM1-46A 600 x 600



TM1-47A 600 x 600



TM3-17A 600 x 600



TM2-40A 600 x 600



TM2-41A 600 x 600



TM2-44A 600 x 600



TM2-52A 600 x 600



TM2-39A 600 x 600



TM10-2A 600 x 1200



TM10-6A 1200 x 300



TM10-3A 600 x 600



TM10-4A 600 x 600



TM2-40B 1200 x 300



TM10-5A 600 x 600



TM2-24A 600 x 600



TM8-18A 600 x 600



RM2-14AL 600 x 600



TM2-39B 1200 x 300



TM2-26A 600 x 600



TM2-26B 1200 x 300



TM2-26C 1200 x 600

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

SWING STANDS

SWING STANDS – DOUBLE SIDED

Swing Stands are easy to erect and compact to transport. Ideal for short term works. Stands and Signs are available single or double sided and come pre-assembled ready for use.

YES WE CAN CUSTOMISE SWING STANDS WITH YOUR COMPANY LOGO.
CALL FOR PRICES.




SIZE
1200 x 900
600 x 600



KSST5-4BDS 1200 x 900



KSST1-18-9-9BDS 1200 x 900



KSST1-5ADS 600 x 600



KSST2-2-3BDS 1200 x 900

PEDESTRIAN SIGNS

Sign on Swing Stand

- Small and easy to handle.
- Lightweight yet very stable.
- Reflective 600 x 600mm



CODE
13-SS645P1


For Magnetic Arrow, see Code: 12-CL2ARMG

SWING STANDS

Stands only, without signs.


Fixings & Screws NOT included







13-SS96E



*13-SS96E provides 200mm clearance from sign to ground

*Gal only, not yellow

CODE	FITS SIGNS UP TO
13-SS66	600 x 600mm
13-SS96	900 x 600mm
13-SS129	1200 x 900mm
13-SS96E	900 x 600mm*

COUNTERWEIGHT QUAD STAND

- Size: 600 x 600mm



CODE
39-100007

SLIP-IN SWING STAND

- Size: 600 x 600mm



CODE
39-100139

MAGNETS



Class 1 12-ARMG
Class 2 12-CL2ARMG



Class 1 12-TMG



Class 1 12-1KMG



Class 1 12-LCM6



Class 1 12-CLSD



Class 1 12-AHD



Class 1 12-MAG3



Class 1 12-MAG4



Class 1 12-MAG6



Class 1 12-MAG8

CODE	GRAPHIC	REFLECTIVE	SIZE (MM)
12-ARMG	Arrow	Class 400	600 x 240
12-TMG	Lane Blocker	Class 400	600 x 240
12-LCM6	Lane Status	Class 400	230 x 300
12-CLSD	CLOSED	Class 400	800 x 200
12-CL2ARMG	Arrow	Class 100	450 x 150
12-1KMG	1km	Class 400	350 x 170
12-AHD	AHEAD	Class 400	800 x 200
12-MAG3	3	Class 400	210 x 300
12-MAG4	4	Class 400	210 x 300
12-MAG6	6	Class 400	210 x 300
12-MAG8	8	Class 400	210 x 300

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SWING STANDS - SINGLE SIDED

Swing Stands are easy to erect and compact to transport. Ideal for short term works. Stands and Signs are available single or double sided and come pre-assembled ready for use.

YES WE CAN CUSTOMISE SWING STANDS WITH YOUR COMPANY LOGO.
CALL FOR PRICES.




SWING STANDS ONLY

SIZE	REFLE CTIVE GRADE
900 x 600	Class 400 (1W)
900 x 600	Class 400 (1X Orange)
1200 x 900	Class 400 (1W)
1200 x 900	Class 400 (1X Orange)

FITS SIGNS UP TO
600 x 600mm
900 x 600mm
1200 x 900mm
900 x 600mm*

*13-SS96E provides 200mm clearance from sign to ground



13-SS96E



KSST1-1A 900 x 600
KSST1-1B 1200 x 900
(See previous page double sided)



KSST2-16A 900 x 600
KSST2-16B 1200 x 900
(See previous page double sided)



KSST1-3-1A 900 x 600



KSST2-5A 900 x 600



KSST1-16B 1200 x 900



KSST2-4A 900 x 600



KSST1-18A 900 x 600
KSST1-18B 1200 x 900



KSST9-9A 900 x 600
KSST9-9B 1200 x 900


KSST1-5DGA 900 x 600
KSST1-5DGB 1200 x 900


KSST1-200-1A 900 x 600
KSST1-200-1B 1200 x 900



KSST1-35NA 900 x 600



KSST1-25A 900 x 600
KSST1-25B 1200 x 900





KSST-RCA 900 x 600



KSST2-25A 900 x 600
KSST2-25B 1200 x 900



KSST2-TTA 900 x 600


KSST2-1-2A 900 x 600
KSST2-1-2B 1200 x 900
(See previous page double sided)


KSST2-1-3A 900 x 600
KSST2-1-3B 1200 x 900
(See previous page double sided)



KSST1-6-BLKA 900 x 600
(For use with magnetic arrow)



KSST2-23A 900 x 600



KSST1-6A 900 x 600



KSST3-7A 900 x 600



KSST3-14A 900 x 600


KSST3-9A 900 x 600



KSST-SRCA 900 x 600



KSST8-2A 900 x 600
(For use with magnetic arrow)



KSST8-1A 900 x 600



KSST1-23A 900 x 600
KSST1-23B 1200 x 900



KSST-FPCA 900 x 600



KSST8-3A 900 x 600



KSST2-19A 900 x 600

SWING STANDS - SINGLE SIDED



KSST5-5A 600 x 600



KSST5-4B 1200 x 900



KSSR6-6A 600 x 600



KSST-RPAA 900 x 600




KSST-WSPA 900 x 600



KSST-GCPA 900 x 600



KSST4-211A 1200 x 900



KSST1-30A 900 x 600



KSST2-13A 900 x 600



KSSR2-3AL 450 x 600
KSSR2-3AR 450 x 600



KSST-TWPA 900 x 600



KSST1-10A 900 x 600



KSSR1-4A * 900 x 600
KSSR1-4B * 1200 x 900



KSSG9-79B-40 * 1200 x 900



KSSR4-212C * 1200 x 900



KSST-SORA 900 x 600



KSST-RAOA 900 x 600



KSST3-3A 900 x 600



KSST-TCOA 900 x 600



KSST-NGZA 900 x 600



KSST-MZA 900 x 600




KSST-RZUA 900 x 600



KSST-SZA 900 x 600




KSST-SZUHFA 900 x 600



*Specify speed when ordering

POWDERCOATED SWING STANDS

Galvanised & Powdercoated Steel Tube



5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

BOXED EDGE ROAD SIGNS



BOXED EDGE ROAD SIGNS

OVER **9000** ROAD SIGNS IN STOCK AT ALL TIMES!

YES, WE CAN CUSTOM MAKE ROAD SIGNS TO YOUR REQUIREMENTS. PLEASE ENQUIRE.



REFLECTIVE - CLASS 400 (1W)

SIZE	SIZE
600 x 600	1500 x 450
900 x 600	1800 x 600
1200 x 300	1800 x 900
1200 x 600	2400 x 900
1200 x 900	

REFLECTIVE - CLASS 400 (1X ORANGE)

SIZE
900 x 600
1200 x 900

40 50 60
70 80 100

** Specify speed when ordering*



T1-1A 1800 x 600
T1-1B 2400 x 900



T2-Q03 900 x 600



T1-10 1200 x 600



T1-16A 1800 x 600
T1-16B 2400 x 900



T1-18A 900 x 600
T1-18B 1200 x 900



T1-30A 900 x 600



T3-7A 900 x 600
T3-7B 1500 x 900



T1-21 1800 x 600



T1-23A 1800 x 900



T2-207B 1200 x 900



G9-9J 900 x 600
G9-9Q 1200 x 900



TC1651 1800 x 600



T1-34A 900 x 600
T1-34B 1200 x 900



T1-5A 900 x 600
T1-5B 1200 x 900



T2-5A 1500 x 600



T1-25P 2400 x 900
T1-25 1800 x 600



T2-19A 1200 x 600
T2-19B 2400 x 900



T2-4A 1800 x 300



T2-6J 900 x 600
T2-6Q 1200 x 900
(For use with laneblocker magnet)



T2-6-1A 1200 x 900
T2-6-1B 1800 x 1200



T2-6-10 1800 x 900
(For use with lane blocker magnet)



T1-Q06 600 x 900
T1-31Q 900x 1200



TC1413 900 x 600


BOXED EDGE ROAD SIGNS

REFLECTIVE - CLASS 400 (1W)

SIZE	SIZE
600 x 600	1500 x 450
900 x 600	1800 x 600
1200 x 300	1800 x 900
1200 x 600	2400 x 900
1200 x 900	

REFLECTIVE - CLASS 400 (1X ORANGE)

SIZE
900 x 600
1200 x 900



** Specify speed when ordering*



T2-6-2B 1800 x 900



T2-13A 900 x 600
T2-13B 1200 x 900



T2-16B 2400 x 900
T2-16A 1800 x 600



T2-23A 1200 x 600



T2-24A 900 x 600



T2-25B 1200 x 900
T2-25A 900 x 600



TW5-205J 900 x 600
TW5-205Q 1200 x 900



T3-3A 900 x 600



T3-9J 900 x 600
T3-9 1500 x 900



T3-11Q 1200 x 900
T3-11 1500 x 900



T3-14A 900 x 600



T4-5 1800 x 900



T4-216A 1800 x 900



T5-4A 1500 x 450



T5-5A 600 x 600



T8-1A 900 x 600



T8-2L 1200 x 300



T8-2R 1200 x 300



T5-1AL 1200 x 300



T5-1AR 1200 x 300



T5-1AS 1200 x 300



T8-3A 900 x 600



T8-4 900 x 600



T-RAOJ 900 x 600



T1-4AHQ* 1200 x 900



T1-4RWQ* 1200 x 900



T1-40Q* 1200 x 900



T9-9RWQ* 900 x 1200



T9-9Q* 900 x 1200



T9-9AHQ* 900 x 1200



T1-6A 1200 x 600
T1-6B 1800 x 900



T1-272NA 900 x 600
T1-272NB 1200 x 900



T2-17 900 x 1200



G9-40-2A 900 x 600
G9-40-2B 1200 x 900

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

REGULATORY SERIES

Class 400/1100 Reflective

SIZE
300 x 100
300 x 400
450 x 300
450 x 600
450 x 750
450 x 800
450 x 900
600 x 200
600 x 400
600 x 600
600 x 600 Octagon
600 Round
600 x 800
600 x 1000
600 x 1200
675 x 1125
750 x 750 Octagon
750 Triangle
750 Round
750 x 900
900 x 500
900 x 800
900 x 850
900 Triangle
900 x 1200
900 x 1745
1200 x 1135
1950 x 600
2150 x 800



R1-2A 750
R1-2B 900



R1-3A 750
R1-3B 900



R1-1A 600 x 600
R1-1B 750 x 750



R1-4A 450 x 450



R6-1A 750 x 900



R2-2AL 450 x 600
R2-2AR 450 x 600



R2-3AL 450 x 600
R2-3BL 600 x 800



R7-1-4B 450 x 600




R2-11A 450 x 600
R2-11B 600 x 800



R4-4A 450 x 750



R2-6AL-NSW 450 x 900
R2-6BL-NSW 600 x 1200



R2-9AL 450 x 750
R2-9AR 450 x 750



R2-4A-NSW 450 x 750
R2-4B-NSW 600 x 1000



R6-6A 450 x 750
R6-6B 675 x 1125



R4-5A 450 x 750



R2-6AR-NSW 450 x 900
R2-6BR-NSW 600 x 1200



R2-10A 600 x 600



R2-14AL 600 x 800
R2-14AR 600 x 800



R2-5A-NSW 450 x 750



R2-17A 450 x 800


WARNING SERIES

Class 400/1100 Reflective

SIZE
600 x 200
600 x 400
600 x 600
750 x 750
800 x 500



W8-5A 600 x 200



W8-2A 600 x 400
W8-2A-20 600 x 400
W8-2A-25 600 x 400



W8-207BL 800 x 500
W8-207BL-100 800 x 500
W8-207BL-200 800 x 500
W8-207BR 800 x 500
W8-207BR-100 800 x 500



W1-3AL 600 x 600
W1-3AR 600 x 600
W1-3BL 750 x 750
W1-3BR 750 x 750



W2-7A 600 x 600
W2-7B 750 x 750



W3-3A 600 x 600



W2-3A 600 x 600
W2-3B 750 x 750



W4-11A 600 x 600



W5-10A 600 x 600



W3-4A 600 x 600



W5-205A 600 x 600
W5-205B 750 x 750



W5-22A 600 x 600
W5-22B 750 x 750



W6-7A 600x600



W6-3AX 600 x 600



W6-2AX 600 x 600



W6-1AX 600 x 600
W6-1BX 750 x 750

PERMANENT ROAD SIGNAGE 169





* **R4-212A** 450 x 900
R4-212A-40 450 x 900
R4-212A-60 450 x 900
* **R4-212B** 600 x 1200
R4-212B-60 600 x 1200
* **R4-212C** 900 x 1745

Specify speed when ordering



* **R4-1A** 450 x 600 (__km/h)
R4-1A-10 450 x 600 (10km/h)
R4-1A-20 450 x 600 (20km/h)
R4-1A-40 450 x 600 (40km/h)
R4-1A-50 450 x 600 (50km/h)
* **R4-1B** 600 x 800 (__km/h)
R4-1B-60 600 x 800 (60km/h)
R4-1B-80 600 x 800 (80km/h)
* **R4-1C** 900 x 1200 (__km/h)
R4-1C-100 900 x 1200 (100km/h)

Specify speed when ordering



G9-21-1 2150 x 800



G9-22-1
200 x 1350



R3-1A Ø600
R3-1B Ø750



R4-3B 600 x 400




R4-240A 600 x 900



G9-18A 600 x 400
G9-18B 900 x 600



G9-57A 900 x 800



G9-22-1-QLD
200 x 1850



R4-231A-NSW 900 x 850
R4-231B-NSW 1200 x 1135



R4-230A-NSW 900 x 850
R4-230B-NSW 1200 x 1135



R6-10-2A 600 x 600



R7-4A 300 x 100



* **G9-79B** 600 x 1000
G9-79B-40 600 x 1000

Specify speed when ordering



G9-22-2MC1
200 x 2350



R2-4A 450 x 450
R2-4B 600 x 600



R9-203-1B 900 x 500



R6-15B 450 x 450



R8-2A 300 x 400
R8-2B 450 x 600



R6-11 1950 x 600



R2-3-Q02_1
180 x 1200


HAZARD SERIES



D4-6A 600 x 750
D4-6A-R 600 x 750
D4-6B 750 x 900



D4-6AX 600 x 750
D4-6AX-R 600 x 750
D4-6BX 750 x 900



D4-3AL 225 x 450
D4-3AR 225 x 450



D4-1-3C 1800 x 300



D4-2-1A 1800 x 300



D4-2-3A 1600 x 400



D4-V105A 450 x 300



D4-1-1A 1600 x 400
D4-1-1B 3200 x 800



D4-1-2A 450 x 450



D4-5A 1800 x 400



D4-C1 1800 x 300



G9-257L 700 x 390
G9-257R 700 x 390

SIZE
225 x 450
450 x 450
450 x 300
600 x 750
600 x 750 Ribbed
600 x 750 Fluoro
600 x 750 Fluoro Ribbed
700 x 390 Decal
750 x 900
750 x 900 Fluoro
1800 x 300
1600 x 400 Ribbed
3200x 800 Ribbed
SIZE
1800 x 400 Ribbed

PARKING SERIES

REFLECTIVE OPTIONS AVAILABLE







R5-35 225 x 450
R5-35L 225 x 450
R5-35R 225 x 450
R5-35LR 225 x 450

R5-20 225x450
R5-20L 225x450
R5-20R 225x450
R5-20LR 225x450

R5-40 225x450
R5-40L 225x450
R5-40R 225x450
R5-40LR 225x450

(Not app. in NSW)





R5-400 225 x 450
R5-400L 225 x 450
R5-400R 225 x 450
R5-400LR 225 x 450

R5-1-3 225 x 450
R5-1-3L 225 x 450
R5-1-3R 225 x 450
R5-1-3LR 225 x 450

SIZE
225 x 450

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SIGN BRACKETS & FIXINGS

SIGN BRACKETS - FOR UNBRACED SIGNS



SINGLE SIDED RING BRACKET

- 50mm NB
- Fixing bolts included

CODE
TD1SGNFX
TD3

DOUBLE SIDED BRACKET

- 50mm NB
- Fixing bolts included

CODE
TD2
TD4-SF

(TD3 and TD4-SF come with anti vandal bolt)

SINGLE BOLT UNI-CLAMP BRACKETS

- 50mm NB: **TD1UNI060**
- 60mm NB: **TD1UNI076**



CODE
TD1UNI060
TD1UNI076

SINGLE SIDED DOUBLE BOLT UNI-CLAMP


- 50mm NB: **AU060MCH-02**
- 65mm NB: **AU076MCH-02**



CODE
AU076MCH-02
AU060MCH-02

DOUBLE SIDED DOUBLE BOLT UNI-CLAMP

- 50mm NB: **AU0060BMCH-02**
- 65mm NB: **AU0076BMCH-02**




CODE
AU0060BMCH-02
AU0076BMCH-02

PARKING SIGN BRACKETS

(NSW ONLY)

- Single: **BPS1**
- Double: **BPS2**



BPS1 - Install Single Parking Signs

20

(Sold individually, not in pairs)

CODE
BPS1
BPS2




BPS2 - Install Double Parking Signs

SIGN BRACKETS - FOR BRACED SIGNS

STIRRUP BRACKET


- 50mm NB: **STRB060G**
- 65mm NB: **STRB076G**



CODE
STRB060G
STRB076G

UNISTRUT BRACKET *(VIC ONLY)*

- Size: 60mm



CODE
26-100031

SINGLE BOLT SADDLE BRACKETS

CODE	SIZE
ARC060CH	50mmNB
ARC076CH	65mmNB
ARC089CH	80mmNB
ARC102CH	90mmNB
ARC114CH	100mmNB

DOUBLE BOLT SADDLE BRACKETS


- 125mm NB: **HDTB140CH**
- 150mm NB: **HDTB165CH**



CODE
HDTB140CH
HDTB165CH

BACK TO BACK CLIPS

- 2 clips required per channel whether 1 or 2 posts



CODE	SIZE
BBC060CH	50mmNB
BBC076CH	65mmNB
BBC089CH	80mmNB
BBC102CH	102mmNB

FRISBEE HALF BRACKET


- 50mm NB



CODE
RZ200

M10 CHANNEL/BRACING RAIL


- Aluminium channel/rail for lateral support on large signs.
- Size: 25mm x 6m




CODE
M10-CHANNEL/6

HAZARD BOARD BRACKET KIT

- QLD TMR Specified



CODE
HAZ-BRACKETKIT



RHS BRACKETS

CODE	SIZE
LRH5050CH	50 x 50mm
LRH3876CH	38 x 76mm
LRH7550CH	75 x 50mm
LRH7575CH	75 x 75mm
LRH8989CH	89 x 89mm
LRH1005CH	100 x 50mm
LRH1010CH	100 x 100mm
LRH12575CH	125 x 75mm
HRH1510CH	150 x 100mm
HRH2010CH	200 x 100mm
HRH2515CH	250 x 150mm

SIGN BRACKETS - STREET NAME BLADE BRACKETS

STREET NAME BLADE - 1 WAY

- 50mm NB x 150mm: **SNB-150-50**
- 50mm NB x 150mm: **SNB-200-50**
- 65mm NB x 150mm: **SNB-150-65**
- 65mm NB x 150mm: **SNB-200-65**



CODE
SNB-150-50
SNB-200-50
SNB-150-65
SNB-200-65

STREET NAME BLADE - 2 WAY

- 50mm NB
- 150mm: **SNB2-150-50**
- 200mm: **SNB2-200-50**



CODE
SNB2-150-50
SNB2-200-50

STREET NAME BLADE - 3 WAY

- 50mm NB
- 150mm: **SNB3-150-50**
- 200mm: **SNB3-200-50**



CODE
SNB3-150-50
SNB3-200-50

MINI OFFSET BRACKET

- Comes with Two M10 Slotted Hole Angle to suit 60mm OD- 50mm NB pole



CODE
OSBMSNP-01

STREET BLADE TELEGRAPH POLE

- 150mm: **SBBT-150**
- 200mm: **SBBT-200**



CODE
SBBT-150
SBBT-200

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

SIGN BRACKETS - *Specialised Brackets and Fixings*

BANDING BUCKLES



201 and 316 Grade Steel

CODE	DESCRIPTION
RS138	10mm (201 Grade)
BUC13	13mm (201 Grade)
BUC16	16mm (201 Grade)
BUC19	19mm (201 Grade)
RS212	13mm (316 Grade)

STAINLESS STEEL BAND

- 201 and 316 Grade Steel
- 30m Coils

201 Grade Steel Bands

CODE	SIZE
RB138	10mm x 30m
STR13	13mm x 30m
STR16	16mm x 30m
STR19	19mm x 30m



316 Grade Steel Bands

CODE	SIZE
RB212	13mm x 30m
RB258	16mm x 30m

M10 UNIVERSAL CHANNEL CLAMP



For use with Bracing Rails and Buckle straps

CODE
UCC002

BUCKLESTRAP



CODE	
BS192	19 x 660mm
BS193	19 x 1120mm

BANDING TOOL



CODE
C001

BANDING BRACKETS



- 19mm H (13mm band use) **UR151**
- 27mm H (16 and 19mm band use) **UR251**

CODE
UR151
UR251

LONG BANDING BRACKET



135mm Long

CODE
MR135-9

L BANDING BRACKET



CODE
D007

MULTI MESSAGE SIGN BRACKET



Secure multi message frames and boxed edge signs to 50mm NB posts.

CODE
10-MFBK

POLAR CAP



CODE
POLCA

BSL BRACKET



CODE
26-100029

SIGN BRACKETS - *Specialised Brackets and Fixings*



WARNING SIGN BRACKET 60MM OD *(NSW ONLY)*

CODE
BWS



M10 FIXING HEX BOLTS

- Size: M10 x 16mm

CODE
M10-16HEXSET



M10 FIXING CONE POINT HEX BOLTS

- M10x21mm Gal **M10-HEXCP21**
- M10x21mm Zinc **M10-HEXCP21**

CODE
M10-HEXCP21
M10-HEXCP25



CHANNEL BOLTS

- For Channel Clamps/Brackets
- Cup Head Nut & Bolt
- Size: M10 x 32mm

CODE
M10-32CHB



SHEER NUTS

- Anti-Theft-Vandal Proof
- Size: M10

CODE
M10-SHEARNG



M10 FLAT WASHERS

- Stainless Steel: **M10-SSWASH**
- Galvanised: **M10-MGWASH**

CODE
M10-SSWASH
M10-MGWASH



RSJ M10 TOE CLAMP

- Tee Bolt, Washer and Nyloc Nut

CODE
RSJ003



TRILOBULAR SPANNER L SHAPED KEY

CODE
TRILOBSPAN



SECURITY KEY FOR TRILOBULAR SCREW

CODE
TRILOBKEY

TRILOB BOLTS - STEEL

- Anti-Theft-Vandal Proof
- Stainless Steel



CODE	DESCRIPTION
M10-TRILOB20SS	M10 x 20mm Trilobular
M10-TRILOB25SS	M10 x 25mm Trilobular

TRILOB BOLTS - ZINC

- Anti-Theft-Vandal Proof
- Zinc Yellow



CODE	DESCRIPTION
M10-TRILOB21CP	M10 x 21mm Cone Point Trilobular Zinc
M10-TRILOB25ZY	M10 x 25mm Trilobular Zinc
M10-TRILOB40	M10 x 40mm Trilob Bolt Zinc

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SIGN POSTS, POST SOCKETS & ACCESSORIES

SIGN POSTS

50mm N.B galvanised steel posts (Ø 60mm OD).
Post can be cut to length at extra cost.



CUSTOM SIZES ALSO AVAILABLE

VARIOUS LENGTHS, THICKNESS AND DIAMETERS. ***ENQUIRE TODAY!***

CODE	EXTRAS	LENGTH	NB	OUTSIDE DIAMETER	WALL THICKNESS	WEIGHT TYPE
GP24(50)XL	NA	2400mm	50	60.33mm	2.3mm	Extra Light (Green End)
GP32(50)XL	NA	3200mm	50	60.33mm	2.3mm	Extra Light (Green End)
GP32(50)XLBP	Base Plate	3200mm	50	60.33mm	2.3mm	Extra Light (Green End)
GP32(50)XL4H	4 Pre-Drilled Holes Holes RMS Stud	3200mm	50	60.33mm	2.3mm	Extra Light (Green End)
GP36(50)XL	NA	3600mm	50	60.33mm	2.3mm	Extra Light (Green End)
GP21(50)M	NA	2100mm	50	60.33mm	3.6mm	Medium (Blue End)
GP32(50)M	NA	3200mm	50	60.33mm	3.6mm	Medium (Blue End)
GP44(50)M	NA	4400mm	50	60.33mm	3.6mm	Medium (Blue End)
GP65(50)M	NA	6500mm	50	60.33mm	3.6mm	Medium (Blue End)
GP21(50)L	NA	2100mm	50	60.33mm	2.9mm	Light (Yellow End)
GP32(50)L	NA	3200mm	50	60.33mm	2.9mm	Light (Yellow End)
GP44(50)L	NA	4400mm	50	60.33mm	2.9mm	Light (Yellow End)
CODE	EXTRAS	LENGTH	NB	OUTSIDE DIAMETER	WALL THICKNESS	WEIGHT TYPE
GP39(50)XL	NA	3900mm	50	60.33mm	2.3mm	Extra Light (Green End)

CAPS FOR POSTS

- To suit 50mm N.B. gal posts.
- Available in standard or heavy duty.

CODE	TYPE
10-GC	Standard
10-GCHD	Heavy Duty

100



STANDARD



HEAVY DUTY

POWDERCOATED R.H.S SIGN POSTS


Powdercoated yellow R.H.S sign posts for use with permanent road signs.
For use in WA only.

R.H.S POST SECURITY BOLT ASSEMBLY



CODE	HEIGHT	WIDTH
RS7638SECBLT	38mm	76mm

POWDERCOATED YELLOW R.H.S SIGN POSTS



50 PER SLING

CODE	HEIGHT	LENGTH	WALL THICKNESS	WIDTH
RS763836Y	76mm	3600mm	2.0mm	38mm

WA ONLY

YELLOW R.H.S SIGN POSTS CAPS

CODE	HEIGHT
RS7638CAP	Suits 76mm x 38mm Posts

WA ONLY



SIGN POSTS, POST SOCKETS & ACCESSORIES

Signfix®



Signfix frangible poles range 60-114mm in outer diameter and hold up to 16m² road signs in Australian wind regions.



Optimast range 127-244mm in diameter and hold up to 40m² road signs in Australian wind regions

FRANGIBLE SIGN POSTS

The Signfix Aluminium frangible sign support system is approved and used extensively by Transit New Zealand, VicRoads, Transport SA, RMS, Main Roads WA, Queensland's Department of Transport and Main Roads, Tasmanian Department of State Growth, and NT Department of Infrastructure.

Signfix commissioned the Roads and Traffic Authority of NSW to carry out a series of crash tests at the RTA's Crash-Lab in Sydney.

The test results successfully proved that pole sizes 50, 65, 80, 90 & 100mm NB fell within the frangibility guidelines of the NCHRP-350 standard for open road conditions.

Sleeves are set in concrete foundations designed to meet local engineering requirements. The sleeve top acts as the shear point and combined with the molecular structure of the alloy will, under sudden impact, bend the pole at the point of impact and will ultimately shear and breakaway at the socket top.

The pole flutes are designed to further assist in the breakaway process by reducing the external surface area of the pole.

Both pole and sleeve are manufactured from high strength marine grade alloy with a typical yield strength of 240 MPa. This alloy has good age hardening qualities and will continue to strengthen over time.


- Finish: Aluminium Fluted Pole Mill
- Complies to NCHRP-350 standards for open road conditions
- Approved in Australian and New Zealand
- Marine Grade Alloy with typical yield strength of 240MPa
- Sleeve/Sockets, Caps, Wedges and Pole Restraints available

"The test results successfully proved that pole sizes 50, 65, 80, 90 & 100mm NB fell within the frangibility guidelines of the NCHRP-350 standard for open road conditions."

MASH APPROVAL

Signfix and Optimast product ranges are MASH compliant and approved by Austroads Safety Barrier Assessment Panel (ASBAP) for use on Australia and New Zealand road networks.





5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SIGN POSTS, POST SOCKETS & ACCESSORIES

FRANGIBLE POLE SOCKET SLEEVE

CODE	SIZE	TYPE
SLV060600M	60 x 600mm Alum Ground Socket	Suit 60mm OD, 50mm NB pole
SLV076600M	76 x 600mm Alum Ground Socket	Suit 76mm OD, 65mm NB pole
SLV089750M	89 x 750mm Alum Ground Socket	Suit 89mm OD, 80mm NB pole
SLV102850M	102 x 850mm Alum Ground Socket	Suit 102mm OD, 90mm NB pole
SLV1141000M	114 x 1m Alum Ground Socket	Suit 114mm OD, 100mmNB pole

WEDGES ALSO SOLD SEPARATELY

ALUMINIUM FRANGIBLE POLES

CODE	LENGTH	NB	OUTSIDE DIAMETER
AFP076/4.5M	4500mm	65mm	76mm
AFP089/5.5M	5500mm	80mm	89mm
AFP102/6M	6000mm	90mm	102mm
AFP114/6.5M	6500mm	100mm	114mm

*M indicates MASH approved for TfNSW. Additional components required contact the traffic team for pricing advice.


Sleeve with standard wedge


Sleeve with trilob 1 fastener


Sleeve with trilob fastener and transition shoe

POLE KIT FOR MASH SYSTEM

Pole seal kits + fixing bolt to suit MASH post system. Kinmar Drive Socket for install also available if required.

CODE	DESCRIPTION
POLEKIT076M	076 Pole Kit, Cap, Plug, Seal Bolt, Nut
POLEKIT089M	086 Pole Kit, Cap, Plug, Seal Bolt, Nut
POLEKIT102M	102 Pole Kit, Cap, Plug, Seal Bolt, Nut
POLEKIT114M	114 Pole Kit, Cap, Plug, Seal Bolt, Nut
KINMARSOCKETM	Kinmar Drive Socket – M12



POLY SLEEVE SEALS AND CAPS

Poly Seals and Poly Caps to suit Frangible Posts

Poly Sleeve Seals

CODE	DESCRIPTION
POLYSEAL076	65NB Poly Sleeve Seal
POLYSEAL089	80NB Poly Sleeve Seal
POLYSEAL102	90NB Poly Sleeve Seal
POLYSEAL114	100NB Poly Sleeve Seal

Poly Post Caps

CODE	DESCRIPTION
POLYCAP076	65NB Poly Post Cap
POLYCAP089	80NB Poly Post Cap
POLYCAP102	90NB Poly Post Cap
POLYCAP114	100NB Poly Post Cap



FRANGIBLE POST GROUND SLEEVES

Ground Sleeves are made from high strength marine grade alloy. The alloy has excellent resistance to corrosion and over the years has proven performance with our aluminium poles.

- The external shape ensures sleeves will not rotate when set in concrete.
- Internal dimensions of all sleeves are designed to be a snug fit with the pole.
- Sleeves are fitted with PVC end caps to prevent concrete entering the sleeve during installation.

Sleeves to suit 50mm NB/65mm NB

CODE	SIZE	TYPE
SLV060300	60 x 300mm	Suit 60mm OD,50mm NB pole
SLV060450	60 x 450mm	Suit 60mm OD,50mm NB pole
SLV060300-DT	60 x 300mm Drilled and Tapped c/w Trilob	Suit 60mm OD, 50mm NB pole
SLV060450-DT	60 x 450mm Drilled and Tapped c/w Trilob	Suit 60mm OD, 50mm NB pole
SLV060600-DT	60 x 600mm Drilled and Tapped c/w Trilob	Suit 60mm OD, 50mm NB pole
SLV076600	76 x 600mm	Suit 76mm OD, 65mm NB pole



FRANGIBLE POLE SLEEVE WEDGE

- Standard wedge zinc plated.
- Sleeves are designed to be fitted with a standard wedge, allowing sleeves to be installed flush at ground level.
- Size: 60mm




CODE
SLVWEDGE060
SLVWEDGE076

SIGN POSTS, POST SOCKETS & ACCESSORIES

GAL SOCKET SLEEVE WITH ANTI TWIST BAR


To suit 50NB Gal Posts



CODE	SIZE
25-100030	380mm
25-100031	540mm
25-100032	675mm

GIBB KEY WEDGE

To suit metal spike type post socket



CODE	TYPE
10-45SPSW	Suits 450mm & 600mm Socket
GIBBKEY8/16	Suits 600mm Socket

POST SOCKETS 'V' TYPE

- Flush to ground type for mounting in concrete
- Fully galvanised.
- Size: 275mm long

WEDGES ALSO SOLD SEPARATELY



CODE	TYPE
10-VLOCK	Socket & Wedge
10-VLOCKW	Wedge
CODE	TYPE
VLOCPULLER	V-Lock Wedge/Pin Puller

POST SOCKETS PLASTIC

Post sockets with wedge. For insertion in concrete etc, for 50mm N.B. post.


WEDGES ALSO SOLD SEPARATELY



CODE	TYPE
LOCSOC	Socket & Wedge
LOCWED	Wedge

BOLT DOWN BASE PLATE - SOCKET SLEEVE

- Suitable to attach directly to concrete.
- Drill four holes into concrete and use your choice of self-locking bolts
- Comes with post fixing wedges.
- Base Plate Thickness: 5mm
- Size: 145mm x 145mm
- Hole Size: 4 x ø13mm




CODE
OZ-BP-2

POST SOCKETS

- 450mm Extremely hard or well compacted areas such as roadside shoulders, asphalt or sandstone. 600mm Compacted soil, hard clay and natural earth conditions.

S TYPE - POST SOCKET

- Suitable for use on sign posts, chain mesh and fence supports
- 50mm Nominal Bore



CODE	DESCRIPTION
OZ-S450-SPIKE	S450 450mm Ground Spike
OZ-S600-SPIKE	S600 600mm Ground Spike

SAB TYPE - POST SOCKET

- Suitable for use on South Australian profile posts.
- 80mm x40mm Rectangular



CODE	DESCRIPTION
OZ-SAB450-SPIKE	SAB450 450mm Ground Spike
OZ-SAB600-SPIKE	SAB600 600mm Ground Spike

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

TRAFFIC SEPARATORS & FLEXIBLE BOLLARDS/POSTS



VERSIKERB™ TRAFFIC SEPARATOR

- 2 tier design means the Versikerb™ lane divider won't shift when struck by a vehicle
- Long term use in heavy traffic areas
- Flat faced Black/Yellow bollard - 990mm high with flexible base
- Steel 'Hook' to connect each segment



19-100299
VERSIKERB LIFTING TOOL

19-100301
& 19-VKSABB



19-100300
ARCH REFLECTOR

19-100227
SECTION



19-100266
MALE END



19-100228
FEMALE END



DELINEATOR

VERSIKERB SEPARATION KERB


CODE	DESCRIPTION
19-100227	1m Intermediate Section
19-100301	900mm Separation Base
CODE	DESCRIPTION
19-100228	Female End Section
19-100266	Male End Section
CODE	DESCRIPTION
19-100276	CL1 with handle - Left
19-100277	CL1 with handle - Right

CODE	DESCRIPTION
19-100278	CL1 with handle - Double Sided Right
19-100288	CL1 with handle - Double Sided Left/Right
CODE	DESCRIPTION
19-100289	CL1 with handle - Double Sided Left/Left
19-100299	Versikerb Lifting Tool
19-100300	Arch Reflector
CODE	DESCRIPTION
19-AA12300	Anchor Screw

FLEXIBLE TRAFFIC SEPARATOR

This system can be used to separate lanes or areas, preventing vehicles from entering into an area or changing lanes. Reflective posts or panels have a quick release system allowing easy removal/installation. Can be permanently fixed, or loose laid for temporary situations.

Centre module: 1000(L) x 250(W) x 80(H)mm
Post: 900mm(H) 1 post required per module
Panel: 750mm(H) 1 panel required per module
End Cap: 500(L) x 250(W) x 80(H)mm



CENTRE MODULES

1m Sections (Black or Yellow)



CODE	COLOUR
14-FTSC-B	Black
14-FTSC-Y	Yellow

END CAP SET

2 x End Cap Modules



CODE	COLOUR
14-FTSE-B	Black
14-FTSE-Y	Yellow

POST/PANEL & SOCKET

1 Post/Panel & Socket required for every centre module



CODE	TYPE
14-FSPL	Panel
14-FSPS	Post

TRAFFIC SEPARATORS & FLEXIBLE BOLLARDS/POSTS 179

LANE-FLEX® FLEXIBLE BOLLARD

- Made from premium grade polyurethane and delineated with high-quality micro-prismatic sheeting
- Bolt down or Drivable Spike base options
- Available in 300mm, 450mm, 750mm & 1000mm heights
- CE Certified MK 69246204 0001 and tested to MSZ EN 12899-3:2009
- Tested & complies with BS EN 13422:2004 / 7.8, 7.9 & 7.10



LANE-FLEX® BOLLARD WHITE

White with Yellow Reflective

CODE	DESCRIPTION
LF30	Lane-Flex Bollard 300mm Orange Bolt Down Base
LF45	Lane-Flex Bollard 450mm Orange Bolt Down Base
LF75	Lane-Flex Bollard 750mm Orange Bolt Down Base
LF1M	Lane-Flex Bollard 1000mm Orange Bolt Down Base
LF30-DSB	Lane-Flex Bollard 300mm Orange Drivable Spiked Base
LF45-DSB	Lane-Flex Bollard 450mm Orange Drivable Spiked Base
LF75-DSB	Lane-Flex Bollard 750mm Orange Drivable Spiked Base
LF1M-DSB	Lane-Flex Bollard 1000mm Orange Drivable Spiked Base

LANE-FLEX® BOLLARD WHITE

White with Yellow Reflective

CODE	DESCRIPTION
LF75W	Lane-Flex Bollard 750mm White Bolt Down Base
LF1MW	Lane-Flex Bollard 1000mm White Bolt Down Base
LF75W-DSB	Lane-Flex Bollard 750mm White Drivable Spiked Base
LF1MW-DSB	Lane-Flex Bollard 1000mm White Drivable Spiked Base

LANE-FLEX® PRO REMOVABLE FLEXIBLE BOLLARD

- Lane-Flex® Pro is designed for highway crossovers and buffer zones and is a deformable bollard that indicates a 'no-go' area and can be safely driven over as necessary by emergency or law enforcement vehicles.
- Lane-Flex® Pro are deformable bollards that have a spur to fit into a new or existing ground sleeve or socket.
- Produced from premium grade polyurethane
- Size: 450mm x ø100mm



CODE
LFP450



LANE MASTER BOLLARDS

Lane Master is ideal for applications where bollards need to be removed quickly and easily if required
Made from flexible polyurethane / PVC mix the Lane Master will stand up to regular hits in high traffic areas

- 250mm high intensity reflective collar

BOLLARD

490mm(H) x Ø100mm

CODE
14-CSLMB

INSERT

200mm(L) x Ø38mm

CODE
14-CSLMI



REBOUNDA-BOLLARD

Made from long life PVC with exceptional vertical rebound resilience. Ideal for traffic delineation and car park applications.

- Bright fluorescent orange colour with high intensity reflective bands
- Very durable



CODE	SIZE
REB-BOL450	450mm
REB-BOL	750mm

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

POLY-FLEX™ FLEXIBLE IMPACT POST

- Very strong, flexible injection moulded polyurethane
- Impact resistant posts and fixtures
- Poly-Flex™ significantly reduces your organisation's sign replacement and installation costs
- High-quality polyurethane and UV stabilisers are injection moulded to provide products with high impact resistance
- 360˚ impact range
- Bends to over 90˚
- Withstands multiple wheel overs



CODE	DESCRIPTION
PF2S1200	Poly-Flex Surface Mount Base with 1200mm Post
PF11200	Poly-Flex Socket Mount Base with 1200mm Post

BIKE RACK

- Surface mount bike hoops available in Stainless Steel (304) or Galvanised
- Size: 800x800mm
- Pipe diameter: 48mm
- Plate: 150x6mm
- Hole: 12mm



CODE	DESCRIPTION
11-BH800SS	Surface Mount Bike Hoop 800x800mm S/S
11-BH800G	Surface Mount Bike Hoop 800x800mm Galv

PEDESTRIAN REFUGE ISLAND BARRIERS

- Powder coated yellow finish
- Class 1 reflective Chevron Sign
- Double sided - Red/Yellow reflective (left/right)
- Sign Size: 600mm x 450mm
- Frame: 720mm x 1050mm





CODE
11-PRB



SCHOOL CROSSING POST SET

The posts are powder coated white with red reflective bands and come with brackets to suit the school crossing banner.






CODE	DESCRIPTION
R3-3A	Children Crossing Banner w/Dowels

CODE	DESCRIPTION
CROPOA	Crossing Post & White post 1.8m
CROPOB	Crossing Post & White post 2.4m
CROPOSET	2.4m Crossing Post (x2), 1.8m Crossing Post (x4), School Crossing Banner on Dowels (x2), Banner Brackets (x4)
21-100038	Timber Crossing Post & White post 1.8m (Available in VIC only)
21-100037	Timber Crossing Post & White post 2.4m (Available in VIC only)

HOLDING RAILS

- Powder Coat Finish.
- Size: 1300 x 800mm (Distance between outside edges)
- Class 1 Reflective Tape
- NSW only




CODE
11-HRR

STICK 'N' STOMPS - TEMPORARY PAVEMENT MARKERS

- Stick 'N' Stomps with unique "Rip-Easy"clear cover
- Class 1W Reflective both sides
- Size: 100mm (L) x 50mm (H) x 25mm (W)

CODE	TYPE
14-TRPMWW	White / White
14-TRPMYY	Yellow / Yellow
14-TRPMRW	Red / White



500

RAISED PAVEMENT MARKERS

Cats Eyes' come with reflective both sides or one side.
Colours: White, Yellow, Red, Red/White
Minimum purchase of 50 markers.

Minimum purchase of 50 markers

CODE
14-RPM



14-RPM-R



14-RPM-W



14-RPM-WW



14-RPM-Y



14-RPM-YDS

HYDRANT MARKERS

- Reflective both sides



Minimum purchase of 50 markers

CODE
14-RPMHY

50

TAR PADS


CODE
14-TPAD



360

SELF ADHESIVE BUTYL PAVEMENT MARKER PAD

CODE
37-100022



HEAVY DUTY LANE DIVIDERS

Lane Dividers are designed to withstand harsh treatment in heavy traffic areas. They are made from 2 parts - top flap is made from flexible PVC with hi-intensity reflective, base is made from hard plastic with hi-intensity reflective embedded on both sides.
Size: Base - 160 x 250mm, Height - 270mm
Colour: Yellow

CODE
14-LAND



16

VINYLESTER CHEMICAL EPOXY

This epoxy fits a standard caulking gun.
1 Tube can do 18 bolt holes.

CODE	SIZE
82-MITSE300	300ml



PLASTIC CAR PARK DOTS

- Comes with 125mm nail for installation
- Long lasting & easy to install
- Colour: White, Yellow

CODE
14-LOD-W
14-LOD-Y



100

JAYBRO COLDLAY ASPHALT

Jaybro Coldlay Asphalt is a new and innovative permanent road repair product designed to make your job easier, quicker and safer. This product eliminates backup maintenance and suits all applications.

- 20kg bag
- Can be used in all weather conditions
- Can be opened to traffic immediately
- Lasts up to 3 years
- 12 month shelf life from DOM
- Coverage: 1.1m2 at 10mm depth



1 Tonne Bulk Bag

60

CODE
14-CLA20

CODE
14-CLA1T-BB

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

LINE MARKING PAINT

- Aerosol Line Marking Paint Inverted Application
- Permanent paint for roads, car parks etc.
- Lead Free - 500g cans
- Cans also supplied with T Caps for machine use
- For machine use, the T Cap must be removed for the nozzle underneath to be used
- Available Colours: White, Blue, Yellow, Black Red, Green

Minimum purchase of 12 cans




CODE
28-500LMP

12 T Caps used for Line Marking Machine

LINE MARKING MACHINE

For use with Line Marking Paint for carparks, grass, concrete and more.

- Can be configured with cans mounted on either the front or side mounted for marking up to and against walls
- For machine use, the T Cap must be removed for the nozzle underneath to be used
- Takes cans of various heights
- Holds two extra paint cans



CODE
28-LMM

REFLECTIVE PAVEMENT TAPE - TEMPORARY

Ideal to temporarily redirect traffic on highways or around construction sites,or to temporarily mark driveways and parking lots.



CODE	COLOUR
28-RPT100	**White**
28-RPT100Y	**Yellow**
28-PTB150	**Black**

ACRYLIC ROAD/LINE MARKING PAINT

Manufactured from top quality pigments and resins which guarantees longevity once on the ground.
Colour: White



CODE	SIZE
28-ALMP4W	4L

THERMOPLASTIC

Thermoplastics deliver high retro-reflectivity through optimum pigment and glass bead levels, as well as unparalleled skid resistance through generous proportions of intermixed hard-wearing aggregate.

- Fast install
- User friendly
- LPG Burner required



CODE	DESCRIPTION
14-2_TPTENDWB	End Blue On White 300mm X 100mm
14-3_TPTA0C6	Arrow Over Cyclist Blue 600mm X 600mm
14-4_TPTSHPGW6	Shared Path Symbol Giveaway 600mm X 600mm
14-5_TPT3S14	Slow White On Blue 600mm X 600mm
14-6_TPTEXC6	Exclamation Point White On Blue 600mm X 600mm
14-7_TPTASHP6	Shared Path Symbol 600mm X 600mm
14-TPTAOP	Arrow Over Pedestrians Blue 600mm X 600mm
14-TP81W	Thermoplastic White Line 80mm X 1000mm
14-TP81Y	Thermoplastic Yellow Line 80mm X 1000mm
14-TSDS1212	Thermoplastic Disabled Symbol 1.2 X 1.2m
14-PSS11	Preform Straight Section 100mm X 1m
14-PSS31	Preform Straight Section 300mm X 1m
14-PSS36	Preform Straight Section 300mm X 600mm
14-PSS61	Preform Straight Section 600mm X 1m
14-TCP20	Thermoplastic Concrete Primer 20liters

GLASS BEADS

- Class B Glass Beads
- 20kg bag



CODE
28-GB20

STENCIL SETS

Heavy duty polypropylene can be reused many times.

CUSTOM STENCILS AVAILABLE




CODE	SIZE	TYPE
09-10009	100mm	Number Pack (0-9)
09-100AZ	100mm	Letter Pack (A-Z)

ROAD/LINE MARKING & DELINEATORS 183

GD4 DELINEATORS


- Suitable for all types of guard rail



CODE	COLOUR
GD4	Red/White
GD4-1R	Red
GD4-1W	White

CORNER CUBE REFLECTORS

Ø90mm Hi-Intensity Reflector is ideal for timber guide posts or just making an object stand out. Minimum order - 25 mixed



CODE	COLOUR
14-CCUBE-W	White
14-CCUBE-R	Red
14-CCUBE-Y	Yellow

GUARD RAIL REFLECTORS

- With 90˚ aluminium bracke.
- Double sided



CODE	COLOUR
14-GDRW	Red/White
14-GDY	Yellow/Yellow

JOINT 10 – HIGHWAY DELINEATOR

Using the existing guardrail fittings, the Joint 10 conveniently mounts onto the joining bolt on top of the guardrail. The Joint 10 is made using injection moulded nylon 6 with UV stabiliser. The shatterproof substrate is sized to display a 80mm x 125mm class 1A delineator.

- Front/Back (red/white)
- Size: 80mm x 125mm
- Guardrail use



CODE
DGRJ10

PADDLE 10 – HIGHWAY DELINEATOR

The Paddle 10 is designed for installation onto the C block of the guardrail and comes complete with pre-drilled holes and M5 fixings to secure in place. The Paddle 10 is made from UV stabilised PVC and sized to display a 10,000mm2 class 1A delineator.

- Front/Back (red/white)
- Included bolts, nuts, and washers
- Size: 80mm x 125mm
- Guardrail use



CODE
DGRP10

TWIST 10 – HIGHWAY DELINEATOR

Using existing guardrail fittings, the Twist 10 mounts behind the "W" barrier on the bolt, inside the "U" channel space. The face of the "U" channel locks it in an upright position. The Twist 10 is soft impact and made from 3mm UV stabilised PVC and sized to display a 10,000mm2 delineator.

- Front/Back (red/white)
- Guardrail use




CODE
DGRT10

ELLE 10 – HIGHWAY DELINEATOR

Designed for installation on pre-cast concrete barriers or bridge rails, the Elle 10 is fixed with adhesive onto the concrete barrier and has a slot or hole that slides under the existing bolts on bridge rails. The Elle 10 is a soft impact delineator and is made from UV stabilised PVC and sized to display a 10,000mm2 class 1A delineator.

- Front/Back (red/white)
- Concrete Barrier and Bridge Rail use



CODE
DCBE10

JERSEY KERB DELINEATORS

JERSEY KERB DELINEATORS - NYLON 6

The Hazard Barrier is designed for installation on pre-cast concrete barriers and is fixed with high strength adhesive that forms a rivet type hold when it swells into the 12mm hole. The Hazard Barrier is made from Nylon 6 with UV stabilisation and sized to display a 10,000mm² Angled Class 1A band.

- Front/Back (Black/Yellow)
- Concrete Barrier and Bridge Rail use
- Fixings not included



CODE
DGRBY

JERSEY KERB DELINEATORS – METAL

- Metal with reflective arrow or diagonal line.
- Double sided
- Size: 150 (W) x 210mm (H)
- Hole diameter: 10mm



CODE	TYPE
14-JKMDD-R	Diagonal – Right side of road
14-JKMDD-L	Diagonal – Left side of road
14-JKMDD	Median – Double sided
14-JKMDA-R	Right-facing arrow
14-JKMDA-L	Left-facing arrow
14-JKMDA-D	Median – Double-sided left-facing arrow

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

WHEEL STOPS, SPEED HUMPS & RUMBLE BARS

RUBBER WHEEL STOP

- Tough black rubber with yellow "Hazard" look reflective tape.
- Size: 160 x 100 x 1650mm
- Weight 14kg
- Easy to install. 3 fastening points.



CODE
82-WS1650

CONCRETE WHEEL STOP

- Concrete wheel stops are commonly used to prevent cars from parking too far forward in a parking area.
- Size: 190mm (W) x 100mm (H) x 1650mm (L)
- Weight: 62kg
- Fixings & Screws NOT included


Fixings & Screws NOT included



CODE	MATERIAL
13-100039	Concrete - 1650mm

YELLOW PLASTIC WHEEL STOP

- Keep vehicles in check with this reliable wheel stop
- UV stabilization promises long-lasting durability
- Engineered for safety and reliability
- Size: 150mm (W) x 100mm (H) x 1650mm (L)
- Weight: 5.15kg




CODE	MATERIAL
13-100041	Plastic - 1650mm

WHEEL STOP, KERB RAMP & HUMP FIXING

WHEEL STOP FIXING PIN

- Use to fix wheelstops & speed humps to gravel or asphalt
- Size: ø13mm x 360mm



CODE
82-WSFIX

ASPHALT ANCHOR SCREW



CODE
19-AA12300

GAL HEX HEAD SCREWBOLT

- Use to fix speed humps to concrete
- Sizes: 12 x 75mm, 12 x 150mm



CODE
36-100047


WHEEL STOPS, SPEED HUMPS & RUMBLE BARS 185

RUBBER SPEED HUMPS

- Cost effective and durable solution for control of speed
- Made from compression moulded 80% recycled rubber and 20% Virgin Rubber
- 2 x bolts & plugs included with each section and end cap
- Complies with AU Standards AS2890.1:2004 (Type 2)

Specifications


- Fitting Holes: Middle: 2 Holes x 12mm ø, End Cap: 2 Holes x 12mm ø
- Weight: 4kg
- Bearing Capacity : 20T
- Reflector: 4pcs x Cats-Eye hump section only
- Tensile Strength: 6.0MPA
- Elongation at break: 200%
- Hardness: 85A
- Impact elasticity: 37%
- Abrasion Performance: 0.28cm³/1.61km



HUMP SECTION

Size: 50mm(H) x 250mm(W) x 320mm(L)

(Sold individually, not pairs)




CODE	COLOUR
SWSH5-SECB	Black
SWSH5-SECY	Yellow

END CAPS

Size: 50mm(H) x 200mm x (W) 320mm(L)


(Sold individually, not pairs)



CODE	COLOUR
SWSH5-ENDB	Black
SWSH5-ENDY	Yellow

HEAVY DUTY SPEED HUMP

- Designed to slow traffic
- Modular
- Wider than traditional speed humps
- Yellow stripe for visibility



CODE	DESCRIPTION
82-8014A	Hx Sh 14 Or Dh-Sp-2m- Speed Hump Middle
82-8015	Hx Sh 14 Speed Hump Male End Dashes- 500mmW
82-8015A	Hx Sh 14 Speed Hump Female End Dashes- 500mmW

TRAM SEPARATOR

Modular 1m section to separate a bike/tram lane from traffic



CODE	DESCRIPTION
82-8003	Tram Seperator Middle Yellow 1m
82-8005	Tram Seperator End Yellow - 250x300mm

RUMBLE BARS

- Provides a visual delineator to motorists for traffic islands, median strips, edge markings and centre lines.
- Heavy duty, long wearing and will not crack
- Low maintenance required once installed
- Retains permanent colour
- Surface mounted
- Easy Installation
- Sizes: 300mm & 600mm



CODE	DESCRIPTION
RUM300W	300mm - White includes 2 Bolts
RUM600W	600mm - White includes 2 Bolts
RUM300Y	300mm - Yellow includes two bolts

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

RUBBER KERBING

Rubber kerbing is manufactured from recycled rubber and is effective for the use of traffic islands in conjunction with roundabouts. It is cost effective and quick to install with no excavation required. Various layout designs possible, send us your plans or measurements or give us a call.















CODE	DESCRIPTION
82-5000	1m Semi Barrier Straight - Semi Barrier
82-5001	300mm Radius- Semi Barrier
82-5002	500mm Radius - Semi Barrier
82-5003	1000mm Radius - Semi Barrier
82-5004	1m Straight - Semi Mountable

CODE	DESCRIPTION
82-5005	300mm Radius - Semi Mountable
82-5006	500mm Radius - Semi Mountable
82-5007	1000mm Radius - Semi Mountable
82-5008	1m L x 0.46m W - Bull Nose Island End

LANE MAKER

Made out of recycled rubber, the Lane Maker is an eco-friendly solution designed for durability and visibility. It includes L&M middle sections, making it perfect for car parks, road delineation, and traffic management. The high-contrast black and white stripes ensure maximum visibility, even in low-light conditions.

KEY FEATURES:
- Durable Material: Constructed from recycled rubber for long-lasting performance.
- High Visibility: Black and white stripes enhance visibility for drivers.
- Versatile Use: Ideal for car parks, road delineation, and traffic control.
- Easy Installation: Simple to install and maintain



CODE	DESCRIPTION
82-8011	Lane Maker End
82-8010	Lane Maker Middle

RILEY KERB

THE ULTIMATE TRAFFIC CALMING SOLUTION FOR SAFER CYCLING

- 2.0m long with transition at each end
- Rumble device in the vehicle lane to alert drivers they are crossing into a cycle lane
- Made from yellow recycled rubber
- Built in reflectors
- Offers protection for cyclists
- Contours to road surface and curves
- Studies have been published documenting the benefit of the bicycle delineator, Contact us for more information.

IDEALLY SUITED TO
- Squeeze points at intersections and roundabouts
- School zones – entry and exit points for cyclists & approaches to pedestrian crossings
- Locations where the pavement size increases or decreases
- On cycle paths at intersections to alert cyclists they are approaching a hazard
- Can be placed with 100mm gaps to allow for water to flow through
- A typical installation could be 2.0m of Riley Kerb with a 1m gap to allow cyclists to enter and exit the cycle lane



CODE	DESCRIPTION
82-5010	Cycle Safety Kerbing
82-9084A	Kit Component with above

TCA ACCESSORY PRODUCTS

Accessories Suitable for Traffic Calming Products

CODE	DESCRIPTION	1+
82-9083	Black Cap - Individual	**P.O.A**
82-9084	White Cap - Individual	**P.O.A**

CODE	DESCRIPTION	1+
82-MITSE300	Mungo Injection Polyester Chemical Epoxy	**P.O.A**
13-BK10150	Bolt kit - M10x150 Bolt, Washer, Nylon Plug	**P.O.A**

ROUNDABOUT



It has never been easier than this! Rubber Roundabouts have been in use in Australia for a number of years with outstanding success. These specially designed segments have been manufactured from recycled rubber. Rubber Roundabouts are a popular solution to LATM problem areas at a fraction of the cost and installed in a fraction of the time required for conventional methods, in smaller existing streets.

- Installed in 25 minutes
- Mountable
- In built reflectors for greater visibility
- Modular Design
- 100% Recycled rubber
- Fast & Easy Installation
- Various diameters available
- No Excavation Necessary
- Temporary Solution
- Superior Durability
- Can be installed in a day

CODE	DESCRIPTION
13-RB11000	11M Diameter
13-RB12000	12M Diameter
13-RB10000	10M Diameter
13-RB14000	14M Diameter
13-RB3000	3M Diameter
13-RB21400	21.4M Diameter

CODE	DESCRIPTION
13-RB3000T	3M Diameter
13-RB4000	4M Diameter
13-RB6000	6M Diameter
13-RB7500	7.5M Diameter
13-RB8000	8M Diameter
13-RB9000	9M Diameter

SPEED CUSHION KIT



Speed Cushions are a proven traffic calming device that has been performing since the early '90s. Speed Cushions give the flexibility to provide desired speed control to suit the LATM requirements for School Zones and conventional urban roads.

- Specifications & Advantages
- 75mm high, variable width to suit your target speed
- Manufactured from recycled rubber
- Cheaper than conventional methods
- Temporary alternative to concrete
- Ideal for bus routes
- Each cushion can be installed in approx. 30 minutes
- Reduce accidents with immediate results

CODE	DESCRIPTION
13-SC-CUSTOM	Custom width x 2.0 x 0.75 meters
13-SC1620	1.6 x 2.0 x 0.75 meters
13-SC1720	1.7 x 2.0 x 0.75 meters
13-SC1820	1.8 x 2.0 x 0.75 meters
13-SC1920	1.9 x 2.0 x 0.75 meters
13-SC2020	2.0 x 2.0 x 0.75 meters
13-SC2120	2.1 x 2.0 x 0.75 meters
13-SC2220	2.2 x 2.0 x 0.75 meters

CODE	DESCRIPTION
13-SC2320	2.3 x 2.0 x 0.75 meters
13-SC2420	2.4 x 2.0 x 0.75 meters
13-SC2520	2.5 x 2.0 x 0.75 meters
13-SC2620	2.6 x 2.0 x 0.75 meters
13-SC2720	2.7 x 2.0 x 0.75 meters
13-SC2820	2.8 x 2.0 x 0.75 meters
13-SC3020	3.0 x 2.0 x 0.75 meters

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***


*Conditions apply, See website for details.


STEEL BOLLARDS

SURFACE MOUNT STEEL BOLLARDS

Heavy duty control of your property or pedestrians
Colour: Safety yellow with red reflective strip

SLEEVE ANCHORS TO SUIT BOLLARDS. **SEE PAGE 340**






CODE	DESCRIPTION	SIZE
49-SMSB90	Surface Mount Steel Bollards	Ø90 x 1000mm
49-SMSB130	Surface Mount Steel Bollards	Ø140x1300mm
49-SMSB130-D	Disabled Parking SM Bollard	Ø140x1300mm
13-100089	Fixed Surface Mount Steel Bollard	Ø114 x 1000mm

ROUND FIXED INGROUND BOLLARD


- Heavy duty asset protection bollards
- Manufactured from heavy wall steel tube with welded starter bar
- Colour: Yellow with Red Reflective Strip
- Sizes: ø114 x 1380mm
- ø140 x 1700mm



CODE	TYPE
13-100090	114mm
13-100092	140mm

ROUND REMOVABLE INGROUND BOLLARD

- Removable asset protection bollards
- Post locks to sleeve cap with padlock
- Core drilled sleeve for use in existing concrete
- New concrete sleeve for use in new concrete or where concrete foundation is necessary
- Colour: Yellow Powder Coated with Red Reflective Strip
- Sizes: ø90 x 1150mm
  ø90 x 1150mm
  ø140 x 1250mm



CODE	SLEEVE HEIGHT	TYPE
13-100105	425mm	90mm with Core Drilled Sleeve
13-100165	425mm	90mm with New Concrete Sleeve
13-100133	425mm	140mm with Core Drilled Sleeve



HEAVY DUTY OUTDOOR CONVEX SAFETY MIRROR

Ideal for Councils, mining, heavy industrial and much more. With Flexi-Tuff face, this mirror is almost unbreakable, suitable for high vandal areas and adverse industrial conditions - fully backed by our 7 year written warranty. Heavy duty outdoor mirrors are supplied with mounting kit suitable for post or wall mounting,fully adjustable to almost any position.

CODE	BRACKETS	SIZE
49-600IO	Wall or 60mm OD post	Ø600mm
49-800IO	Wall or 76mm OD post	Ø800mm
49-1000IO	Wall or 76mm OD post	Ø1000mm

Size Guide
600mm up to 10m+
800mm up to 25m+

FLEXI-TUFF



INDOOR/OUTDOOR CONVEX SAFETY MIRRORS

Ideal for eliminating blind spots in warehouses, parking stations, shopping centres, offices, hospitals and much more. With Flexi-Tuff face, this mirror is suitable for high traffic areas - fully backed by our 2 year written warranty.

Supplied with mounting kit suitable for post or wall mounting and is fully adjustable to almost any position.

CODE	BRACKETS	SIZE
49-450I	Wall or 60mm OD Post	Ø450mm
49-600I	Wall or 60mm OD Post	Ø600mm
49-800I	Wall or 76mm OD post	Ø800mm

Size Guide
600mm up to 10m+
800mm up to 25m+

FLEXI-TUFF

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***


*Conditions apply, See website for details.

KERB RAMPS & FLIP TOP CABLE COVERS

HOSE RAMP

Hose ramps are designed to protect large hoses and cables from pedestrian and heavy vehicle cross overs. They are made from durable abrasion-resistant rubber to withstand heavy loads.

- Zigzag design for optimum traction
- Three embedded reflective yellow strips on each side



CODE	DESCRIPTION
49-HR9070	Hose Ramp 850x300x85mm
49-HR150120	Hose Ramp 1010x300x135mm
49-HB10090	Hose Bridge 850x300x125mm

REFLECTIVE KERB RAMP

Reflective Kerb Ramps grant safe access for vehicles and wheeled devices over road side kerbs. Recommended for use on civil and construction work sites. Effective on and around work sites for providing passageway for trolleys and wheelbarrows. The design of the ramp ensure vehicles and other devices can engage the ramp from any angle - without damage. The rounded edges and minimal incline shape allows for easy access.

- Modular section with separate ends allows for installation of longer sections
- Hi-visibility and anti-slip inserts.
- Mounting holes and cable access moulded-in.
- Heavy duty recycled rubber construction.
- Can installed with an offset from the gutter, allowing for a water/drainage channel.
- Fixing Holes: ø10mm diameter



REFLECTIVE KERB RAMP 100MM HIGH

CODE	DESCRIPTION
49-RKR100	Kerb Section - 600 x 300 x 100mm
49-RKR100EC	End Cap - 300 x 300 x 100mm (Each)

REFLECTIVE KERB RAMP 150MM HIGH

CODE	DESCRIPTION
49-RKR150	Kerb Section - 600 x 360 x 150mm
49-RKR150EC	End Cap - 360 x 360 x 150mm (Each)

KERB RAMP

DISABILITY STANDARD APPROVED

Kerb Ramp is designed to provide a safe means for wheelchair and pushchair users to reach road level where a footpath has been closed for street works.


- Lightweight & portable
- Stacks for transport & storage
- Recessed fixing points
- Tensile Strength: 15.0mpa
- Elongation at break: 500%
- Impact Elasticity: 31%
- Abrasion Performance: 0.21cm3 / 1.61km
- Size: 1300mm (L) x 700mm (W) x 85mm (H)




CODE	SIZE
49-KRRA	1300mm (L) x 85mm (H) x 700mm (W)

INTERLOCKING FLIP TOP CABLE COVER

- Incorporate three (3) 65 x 65mm cavities/channels.
- Ideal for electrical cables, hoses and much more. Interlocking design with non skid flip top designed to handle light vehicle and pedestrian traffic
- Protect multiple cables from pedestrian, car and truck traffic
- Pre-drilled screw holes allow for easy anchoring for permanent install if needed
- Made from heavy duty, commercial grade rubber
- Size: 900mm L x 75mm H x 600mm W
- Load Capacity: 20 Tonne Per Axle





CODE
84-CABC

LARGE GROUND NAILS ALSO AVAILABLE. PLEASE ENQUIRE.

TRENCH COVERS & SAFE PLATES 191


GROUND PROTECTION MATS

WARRANTY 3 YEAR
Conditions Apply

- Simple to install
- Maintenance free & easy to clean
- Size: 2000 x 500 x 10mm
- 22mm holes
- Weight: 48kg
- Colour: Black

25

CODE	RATED
49-PROMAT10	10 Tonne
49-PROMAT30	20 Tonne
49-PROMAT80	80 Tonne




SAFE PLATE/COVER

Slip-resistant surface and chamfered edges to prevent tripping.
Available in two sizes. NOT for road use.

- Flex Strength: 18-34 KPSI (120-230 MPa)
- Tensile Strength: 8-18 KPSI (55-125 MPa)
- Compressive Strength: 24-32 KPSI (165-220 MPa)
- 1200 x 800mm
- Weight: 12kg
- Max trench width: 700mm
- Colour: Yellow
- 1600 x 1200mm
- Weight: 29kg
- Max trench width: 900mm
- Colour: Yellow

CODE	SIZE (MM)
49-TCSP	1200 x 800
49-TCFB	1600 x 1200




TRENCH COVER – INTERLOCKING


HDPE trench covers are a slip resistant trench cover suitable for pedestrian and light vehicle traffic. It is ideal for trenches, manholes, uncovered pits and uneven surfaces. Cut-out handles allow for the trench cover to be easily carried and placed wherever needed for versatility.

- Cover Size: 2000mm x 800mm x 50mm
- Cover Weight: 25kg
- Physical Performance: 15mpa
- Elongation at Break: 500%
- Material: HDPE with steel reinforcement
- Handrail Weight: 4kg each
- Handrail Size: 1000mm (H) x 880mm (W)
- Groove & Tongue linking bracket system
- Connect easily and securely together
- Handrails also available (Sold in Pairs)
- Handrails can be bolted to the cover for added safety

Trench Cover



Hand Rails (x2)



CODE	DESCRIPTION
49-2MTC	Trench Cover - 2000mm x 800mm
49-2MRLS	Bridge Set (2 x Hand Rails Only)

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

HEAVY DUTY EXPANDING BARRIER

- NEW stronger design
- Compact, lightweight, expands to 2500mm.
- Made from lightweight steel, powder coated for durability.



CODE	DESCRIPTION
49-32EB	Heavy Duty Steel Expanding Barrier - 2.5 Metres

ADESILEX G19 2 PART – CONSTRUCTILE GLUE

- Extremely strong and flexible two-part polyurethane adhesive for fixing rubber and PVC flooring to concrete, asphalt, timber, metal and existing ceramic tiles
- Adhesive for Polypad tactiles
- Size: 5kg



CODE
37-100153

ANTI-SLIP POLYURETHANE COATING

Single pack, polyurethane flexible coating ideal for concrete, timber, fibreglass, etched metal and much more. This anti-slip coating is hard wearing, chemical resistant and quick curing.

- Colour: Yellow
- Size: 4L - covers approx. 3-4m^2



CODE
67-ASPCAY

KERABOND TACTILE ADHESIVE

- Cement based powder with superior bond strength suitable for all types of tiles and natural stones
- Can be used on interior and exterior floor and wall installations of every type of tile and natural stones onto rigid substrates
- Adhesive for porcelain Constructiles
- Colour: Grey
- Size: 20kg



CODE
37-100052

KAHN® PORCELAIN

- Can be installed in internal or external applications such as pedestrian walkways, stairs, ramps and bus stops.
- Box of 11 tiles per colour/ per style = 1m² approx.
- Easy to install
- Thickness: 8mm
- Size: 300 x 300mm



INTEGRATED WARNING

CODE	COLOUR
13-KP33WC	Charcoal
13-KP33WI	Ivory
13-KP33WY	Yellow



INTEGRATED DIRECTIONAL

CODE	COLOUR
13-KP33DC	Charcoal
13-KP33DI	Ivory
13-KP33DY	Yellow



RENZO® TILE


- Can be installed in internal or external applications
- Box of 11 tiles per colour/ per style = 1m² approx.
- Easy to install
- Thickness: 3mm
- Size: 300 x 300mm

PEEL & STICK APPLICATION



INTEGRATED WARNING

CODE	COLOUR
13-RT33WC	Charcoal
13-RT33WW	White
13-RT33WY	Yellow



INTEGRATED DIRECTIONAL


CODE	COLOUR
13-RT33DC	Charcoal
13-RT33DG	Grey
13-RT33DW	White
13-RT33DY	Yellow



RENZO® VANGUARD


- Can be installed in different internal or external applications
- Box of 11 tiles per colour/ per style = 1m² approx.
- Size: 600 x 300mm
- Thickness: 3mm
- Easy to install

PEEL & STICK OR ANCHOR APPLICATION



INTEGRATED WARNING

CODE	COLOUR
13-RV36WB	Charcoal
13-RV36WW	White
13-RV36WY	Yellow



INTEGRATED DIRECTIONAL

CODE	COLOUR
13-RV36DB	Charcoal
13-RV36DW	White
13-RV36DY	Yellow



5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.



INTRODUCING THE NEXT ERA



PORTABLE BOOM GATE

MODEL: PB4000 & PB4000L*



PORTABOOM® is a patented, portable boom gate specifically designed for all temporary traffic and access control scenarios.

Building on the success of its predecessors, the PB4000 series offers additional features & safety benefits, setting a new standard in Traffic & Access Control.

Features and Benefits

Shorter in Height

Removal of the top box. Smaller and more streamlined for additional ease in manoeuvring.

New Dual Battery Option

Ability to add another 40aH rechargeable battery for additional longevity. Housed within a newly designed battery cradle (recommended for 'L' Models*).

New Base Section

Upgraded stainless steel, extendable legs, levelling feet and plunge pins to enhance durability and minimise maintenance requirements. New designed stability legs, providing greater foot print that improves stability on all surfaces.

Versatile Remote Options

Now offering one, two, three and four button remotes to suit operational requirements.

New Design Control Panel

Combining the control panel and electrical panel* into one compartment Control Panel (CP). Offers a 'plug-and-play' experience as well as protected CP Housing for security and ease of maintenance. Upgraded PCB Offering advanced Radio Frequency Technology ensuring stable & extended communication range – with the option to upgrade further*.

New LED Boom Arm Strip Lights

Brighter, higher visibility and greater durability.









PORTA BOOM®

Call Jaybro at 1300 885 364 for more details.

TIPES APPROVED arrb

OPTRAFFIC TRAILER-MOUNTED TRAFFIC LIGHT SET

Ideal for semi-permanent applications for controlling traffic in road work zones, emergency situations and events.

- Sold as a set (master/slave)
- Robust waterproof & UV resistant design
- Solar powered with 12V DC battery
- Equipped with easy to use, long-distance remote control
- Ultra bright LED lamps
- 125W Solar Panel
- 120Ah Battery, 12V DC
- Signal Light Size: 750H x 250W x 210D



CODE
25-TLT-SET

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

VEHICLE MOUNTED ARROW BOARDS & SIGNS

VEHICLE MOUNTED ARROW BOARDS

OPTraffic vehicle-mounted arrow boards are made to the highest quality standards in our ISO9001 certified manufacturing facility, comply to MUTCD, allow for mounting over any vehicles with actuators and easily operated.

OPT vehicle-mounted arrow boards are built to meet CE & AS Standards, with wide angularity and superior visibility, provide an obvious solution for convoys, crash-cushion (TMA) trucks and emergency repair crews.

- Available in single sided or double sided
- Beacons and plates are not included and sold separately

SYSTEM AND OPERATION

- High-output amber LEDs provide superior visibility
- Light Sensor (Auto dimming system)
- Different light patterns
- Flash rate of 30 to 40 per minute
- Easy-to-use on-board controller

SAFETY AND ENERGY SAVING

- Low power dissipation.
- Energy-efficient operation
- Powered by battery DC 12V / 24V

MAINTENANCE AND WARRANTY

- 2 years quality warranty
- Lamps and shroud are easily replaced



Double Sided

CODE	DESCRIPTION
25-VMAB-15	Single Sided Vehicle Mounted Arrow Board - 1500x770mm (B Class)
25-VMAB-25	Single Sided Vehicle Mounted Arrow Board - 1520x760mm (C Class)
25-VMAB-26	Double Sided Vehicle Mounted Arrow Board - 1260x650mm (A Class)
25-VMAB-30	Double Sided Vehicle Mounted Arrow Board - 1500x770mm (B Class)
25-VMAB-50	Double Sided Vehicle Mounted Arrow Board - 1520x760mm (C Class)

CODE	DESCRIPTION
25-VMAB-B/P-P	Beacon Kit (2 x Beacons, 2 x Beacon Plates, 1 x Cable)

TRAILER MOUNTED ARROW BOARDS

Offers superior warning and directional guidance, making them perfect for various applications such as long-term lane closures, work zones, roadworks, construction, mining sites, and more. Our arrow boards are fully solar powered, durable, and portable, meeting CE & AS standards. They provide high visibility, low power consumption, and are quick and easy to set up and operate.



CODE	DESCRIPTION
25-TMAB-C17	Trailer Mounted Arrow Board C Size - 2400x1200mm

MOBILE SPEED LIMIT SIGNS

Complies with MUTCD regulations and feature extra-large full-matrix LED displays capable of showing any speed limit. These signs effectively enhance safety by adapting to changing road conditions, making them perfect for traffic management in various areas such as road works, industrial workplaces, school zones, neighborhoods, and high-accident areas.
When a driver exceeds the speed limit, the display flashes a "slow down" message to alert them in advance. It can also show the motorist's speed in km/h, providing convenient and costeffective daily traffic control for our customers.



CODE	DESCRIPTION
25-TMVSLS-C	Trailer Mounted Variable Speed Limit Sign

VARIABLE MESSAGE BOARDS (VMS)



VARIABLE MESSAGE BOARDS (VMS)

OPTraffic's amber and colour traffic message signs are made to the highest quality standards in our ISO9001 certified manufacturing facility, comply to MUTCD. You can design and create any colourful message with graphic symbols, text or graphics combined, make multiple message screens and even create simple animations in amber or colour. OPTraffic's amber and colour traffic variable message signs are manufactured with innovative technology popularly used for traffic management, council and constructional engineering, mining industry, store advertising and public notice of upcoming events like large meetings and sport events.



A CLASS VARIABLE MESSAGE SIGN TRAILER

- Available in Amber and 5 Colour
- Size: 1620mm x 990mm

CODE	DESCRIPTION
25-VMS-200-3	A Class Variable Message Sign Trailer - Colour

B CLASS VARIABLE MESSAGE SIGN TRAILER

- Available in Amber and 5 Colour
- Size: 2450mm x 1470mm

CODE	DESCRIPTION
25-VMS-300-3	B Class Variable Message Sign Trailer - Colour

C CLASS VARIABLE MESSAGE SIGN TRAILER

- Available in Amber and 5 Colour
- Size: 2660mm x 1600mm

CODE	DESCRIPTION
25-VMS-400-3	C Class Variable Message Sign Trailer - Colour

SPECIFICATIONS

- OPTraffic® Web System (fully remote control)
- OPTraffic® 3G/4G Controller
- No ongoing charges for software using and updating
- Colour: AMBER or 5 Colour (Amber, Red, Blue, Green, White)
- GPS Location
- Auto dimming photocells & manual brightness control
- 25-VMS-200-3 includes 1 x 150w solar panel
- 25-VMS-300-3 includes 2 x 150w solar panels
- 25-VMS-400-3 includes 2 x 150w solar panels
- 2 x 12V, 120AH gel batteries
- Solar controller
- 1 x powder coated battery boxes
- External 240 VAC battery charger and all weather outlet
- Hot Galvanized steel structure
- Anti-UV surface powder coating
- Retractable galvanized draw bar
- Hydraulic mast lifting system
- Waterproof Rating: IP65
- Safety chains
- STOP/Tail light combo
- Licence Plate light
- Wiring Switch

OPTIONS

- Touch screen tablet (PC) (wireless & USB)
- Speed radar's
- Solar Titling
- Mast Brake
- OPTraffic® VMS Boards comes with a 2-year factory warranty

STREAMS

NOW AVAILABLE ON VMS BOARDS
JAYBRO VMS SIGNS ARE NOW STREAMS COMPATIBLE

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SOLAR LIGHT TOWER



SOLAR LIGHT TOWER MEDISLT400


Jaybro Solar Light Towers offer a reliable, Eco-friendly solution and provide the optimal lighting solution that cover large areas in low visibility. The gradient distribution ensures sufficient light within certain areas. Solar light towers are ideal in various applications including construction sites for safety during night works, events, emergency response where power is not easily accessible, mining and roadwork.

- 4 x 100W LED
- DC12V, 60,000Lms light output
- Monocrystalline silicon solar panels
- 2 x 460W power rated
- Square telescopic 6M mast
- 12-hour charge time
- 19-hour running time
- Dimensions: 2750 x 2450 x 2104/6200mm




LIGHT DISTRIBUTION

2* 100W LED Lights




4* 100W LED Lights



CODE	DESCRIPTION
25-SLT-MEDI400	Solar Light Tower MediSLT400





SOLAR LIGHT TOWER MINISLT

Introducing an innovative, cutting-edge solution that redefines temporary outdoor lighting and security: a versatile, easily transportable, and eco-conscious system tailored to meet the diverse needs of outdoor environments. With this revolutionary technology, you can enjoy the assurance that your location is both well-lit and safeguarded, all while minimizing your environmental footprint.

- 2 x 100W LED
- DC12V, 30,000Lms light output
- Monocrystalline silicon solar panels
- 1 x 460W power rated
- Hydraulic Lift Mast
- 4.4-hour charge time
- 14-16 hour running time
- Dimensions: 2000 x 1050 x 4100mm

CODE	DESCRIPTION
25-SLT-MINI200	Solar Light Tower MiniSLT200

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

CONTENTS

In-House Printing 202
Sign Materials, Sizing, Sign Fixing & Stands 203
Danger Signs 204
Mandatory Signs 205
Design-Your-Own Multi-Signs 206-207
Warning Signs 208
Notice & Information Signs 209
Emergency & Exit Signage 209
Prohibition & No Smoking Signs 210
Door Signs & Stickers Series 210
Fire Signs & Dangerous Goods Handling 211
Safety Tags, Stickers & Posters 212-213
Document Holders 214
Logbooks & Floor Stands 215
Guide To Printed Fence Fabric 216-217
Premium Mesh 218
Vinyl Banner 219
Open Weave Mesh 220
Premium Mesh 0.8M x 50M 221
Custom Signs 222
Custom Stickers & Labels 223





SAFETY CONSTRUCTION WORKER SIGNS. See page 208



CUSTOM SIGNS. See page 222



CUSTOM SITE INCUDUCTION LABELS. See page 223

FENCE
BANNER MESH



SECTION

PRINTED FENCE FABRIC & SAFETY SIGNS 04

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.




Our printing is done in-house.

FENCE BANNER MESH

We have a range of printing machines including UV printers, vinyl cutting printers, screen printers, pad printers and digital printers. With control of the whole process, we can ensure your custom print orders are processed in the fastest time possible.

Past projects we've supplied



Victoria Theatre Restoration Project
Century Values, May 2024



Sydney Tennis Centre Redevelopment
AW Edwards, July 2019



Johnstons Creek Naturalisation Project
Diona/Sydney Water, February 2020



Western Sydney Airport
CPB Lendlease Joint Venture, September 2018



Caddens Corner
Mainbrace Constructions, August 2019



Wenty Leagues Stage B
ADCO Constructions, August 2019

SIGN MATERIALS, SIZING, SIGN FIXING & STANDS 203



(CODE 01) **METAL**

0.6mm steel with 7 year weather resistant coating. Standard with rounded corners and mounting holes.

(CODE 02) **POLY**

1.6mm flexible, weather-resistant polypropylene, ideal for outdoor use. It is UV stable, resists fading and cracking for up to 5 years, fully recyclable, and made from 70% recycled material. Comes with rounded corners and mounting holes.

(CODE 03) **FLUTED PLASTIC**

3mm fluted plastic.
Low cost alternative, ideal for temporary applications.

(CODE 04) **SELF ADHESIVE VINYL**

Outdoor heavy duty permanent adhesive vinyl. Simply peel backing paper off and apply to any clean smooth surface.

FOR PRICING - Visit jaybro.com.au/safety-signs

CODE	SIGN SIZE	SIGN MATERIAL
A	600 X 450	POLY
A	600 X 450	METAL
A	600 X 450	FLUTED PLASTIC
B	450 X 300	POLY
B	450 X 300	METAL
B	450 X 300	SELF ADH.
C	300 X 225	POLY
C	300 X 225	METAL
C	300 X 225	SELF ADH.
J	900 X 600	FLUTED PLASTIC
J	900 X 600	METAL
E	200mm	SELF ADH. (5/PK)
G	50mm	SELF ADH. 10/PK)
K	50 X 150	SELF ADH. (5/PK)
N	1200 X 600	METAL
T	225 X 225	POLY
H	150 X 150	PLASTIC
D	450 X 200	METAL

WHY POLY SIGNS ARE VALUE FOR MONEY!

- **Lasts longer than flute & metal (will outlast flute up to 7 times)**
- **Five year outdoor guarantee**
- **Flexible - won't dent or crease**
- **Cheaper than metal**
- **Can't be pulled off fences like flute**
- **Comes with rounded corners and mounting holes**
- **Easy to handle and put up no sharp corners**



Conditions Apply

HIGH BOND DOUBLE SIDED TAPE

EXTERIOR GRADE

High Bond Double Sided Tape is designed for mounting signs to smooth flat surfaces such as glass, backing rails, smooth concrete, metal, sealed timber, plastic, etc.


- 24mm x 33m Roll



CODE
10-VHB24

SWING STANDS

Stands only, without signs. Excluded screws and fittings



CODE	FITS SIGNS UP TO
13-SS66	600 x 600mm
13-SS96	900 x 600mm
13-SS129	1200 x 900mm

CABLE TIES





200 x 4mm - Black. Qty: 500pk.

CODE
26-CTIE2



300 x 5mm - Black. Qty: 500pk.

CODE
26-CTIE3



540 x 7.6mm - Black. Qty: 100pk.

CODE
26-CTIE5





NEW

S/STEEL CABLE TIE TENSIONING TOOL

Designed for securing stainless steel cable ties with precision and ease. Ideal for heavy-duty applications, it ensures consistent tension and clean cuts for professional results.



CODE
48-SSCTTT

NEW

200 X 4.6MM 316 S/STEEL CABLE TIE 100PK

Made from high-quality 316 stainless steel, these ties are ideal for heavy-duty applications in marine, industrial, and outdoor environments.



CODE
48-SSCT2

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

204 DANGER SIGNS



02-D001A - POLY
01-D001A - METAL
03-D001A - FLUTE
02-D001B - POLY



02-D002A - POLY
01-D002A - METAL
02-D002C - POLY
04-D002C - SA



02-D003A - POLY
01-D003A - METAL
02-D003C - POLY
04-D003C - SA



02-D004A - POLY
01-D004A - METAL



02-D005A - POLY
01-D005A - METAL
02-D005B - POLY
02-D005C - POLY



02-D006A - POLY
01-D006A - METAL
04-D006C - SA



02-D007A - POLY
01-D007A - METAL
02-D007C - POLY



02-D008A - POLY
01-D008A - METAL
03-D008A - FLUTE



02-D009A - POLY
01-D009A - METAL
03-D009A - FLUTE



02-D010A - POLY
01-D010A - METAL



02-D011A - POLY



02-D012A - POLY



02-D013A - POLY
01-D013A - METAL
03-D013A - FLUTE



02-D015A - POLY
01-D015A - METAL
03-D015A - FLUTE



02-D046A - POLY
02-D046C - POLY



02-D047A - POLY
02-D047C - POLY
04-D047C - SA



02-D016A - POLY
01-D016A - METAL
03-D016A - FLUTE



02-D017A - POLY



02-D018A - POLY
01-D018A - METAL



02-D019A - POLY



02-D020A - POLY
01-D020A - METAL



02-D042A - POLY



01-D021A - METAL
02-D021A - POLY
04-D021C - SA



02-D048A - POLY



02-D022A - POLY
04-D022C - SA



02-D023A - POLY



02-D024A - POLY
01-D024A - METAL



02-D025A - POLY



02-D026A - POLY



02-D028A - POLY
01-D028A - METAL
02-D028C - POLY
04-D028C - SA
01-D028C - METAL



02-D029A - POLY
01-D029A - METAL
02-D029B - POLY
02-D029C - POLY
04-D029C - SA



02-D030A - POLY



02-D031A - POLY



02-D032A - POLY



02-D033A - POLY



02-D034A - POLY



02-D035A - POLY



01-D043C - METAL



02-D036A - POLY



02-D037A - POLY

02-D038A - POLY

02-D039A - POLY

02-D049A - POLY

02-D044A - POLY

02-D040A - POLY

02-D055A - POLY

02-D056A - POLY

02-D057A - POLY

02-D058A - POLY

02-D059A - POLY
03-D059A- FLUTE

02-D000A - POLY
01-D000A - METAL
03-D000A - FLUTE
02-D000B - POLY
01-D000B - METAL
04-D000B - SA
02-D000C - POLY
01-D000C - METAL
04-D000C - SA

ELECTRICAL SUBSTATION SIGNS

700 x 350mm Reflective Aluminium

CODE
01-D051-REFMTL

SIGN CODE SYSTEM

02 – D 001 A – POLY

MATERIAL CODE | TITLE "DANGER" | SIGN NO. | SIZE "600 x 450mm" | MATERIAL

A = 600 x 450mm **B** = 450 x 300mm **C** = 300 x 225mm

POLY SIGNS

THEY ARE DURABLE AND ARE UV RESISTANT WHICH WILL MEAN THAT THEY WILL LAST LONGER THAN ANY OTHER OPTION, SAVING YOU TIME AND MONEY NOT HAVING TO REPLACE BROKEN, LOST OR FADED SAFETY SIGNS!

MANDATORY SIGNS 205



02-M000A - POLY
01-M000A - METAL
03-M000A - FLUTE



02-M001A - POLY
01-M001A - METAL
02-M001B - POLY
02-M001C - POLY



02-M002A - POLY
03-M002A - FLUTE



02-M003A - POLY
03-M003A - FLUTE



02-M020A - POLY
01-M020A - METAL



02-M004A - POLY
01-M004A - METAL
02-M004B - POLY
02-M004C - POLY



02-M005A - POLY
01-M005A - METAL
01-M005B - METAL
02-M005C - POLY



02-M007A - POLY
03-M007A - FLUTE



02-M008A - POLY
02-M008B - POLY



02-M009A - POLY
03-M009A - FLUTE



02-M010A - POLY
01-M010A - METAL



02-M011A - POLY
02-M011C - POLY



02-M012A - POLY
01-M012A - METAL



02-M013A - POLY



02-M014A - POLY



02-M015A - POLY



02-M016A - POLY



02-M017A - POLY



02-M018A - POLY



02-M021A - POLY



02-M022A - POLY



02-M023A - POLY

SIGN CODE SYSTEM

02	–	W	001	A	–	POLY
MATERIAL CODE		TITLE "WARNING"	SIGN NO.	SIZE "600 x 450mm"		MATERIAL

A = 600 x 450mm
B = 450 x 300mm
C = 300 x 225mm
J = 900 x 600mm
L = 600 x 225mm

MANDATORY DECALS

DECALS SOLD IN PACKS

200mm - 5 per pack, 50mm - 10 per pack

CODE	MATERIAL	SIZE
E	Vinyl (5pk)	200mm
G	Vinyl (10pk)	50mm



04-M001E - SA
04-M001G - SA



04-M002E - SA



04-M004E - SA
04-M004G-SA



04-M005E - SA
04-M005G - SA



04-M006E - SA



04-M007E - SA



04-M008E - SA



04-M010E - SA



04-M011E - SA



04-M013E - SA



04-M014E - SA



04-M019E - SA

CUSTOMISE YOUR MANDATORY SAFETY SIGNS.

SEE NEXT PAGE



STANDARD BASIC MULTI-SIGN



CODE	MATERIAL	SIZE
02-MFMULTIP	Poly	900 x 600mm
CODE	MATERIAL	SIZE
01-MFMULTI	Metal	900 x 600mm

STANDARD CORPORATE MULTI-SIGN



CODE	MATERIAL	SIZE
02-SSMSJ	Poly	900 x 600
02-SSMSQ	Poly	1200 x 900

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

PRINTED FENCE FABRIC & SAFETY SIGNS

206 DESIGN-YOUR-OWN MULTI-SIGNS



MULTI-SIGN - CORPORATE

900 x 600mm or
1200 x 900mm
Heavy Duty Outdoor Polypropylene



CODE	MATERIAL	SIZE
02-SSMSJC	Poly	900 x 600mm
02-SSMSQC	Poly	1200 x 900mm

MULTI SIGN - BASIC

900 x 600mm.
J series signs take up to 4 x Ø200mm decals.

Specify decals when ordering



Specify a caption


A) IN THIS AREA
B) ON THIS SITE
C) IN THIS FACILITY

CODE	MATERIAL	SIZE
02-M050J	Poly	900 x 600mm
01-M050J	Metal	900 x 600mm

MULTI-SIGN - PROFESSIONAL

1200 x 900mm on Heavy Duty Outdoor Polypropylene or Metal.

Your, logo, company name and contact details here



CODE	MATERIAL	SIZE (MM)
01-PROMS	Metal	1200 x 900
CODE	MATERIAL	SIZE (MM)
02-PROMS	Poly	1200 x 900

MULTI-SIGN - MEGA

1200 x 900mm on Heavy Duty Outdoor Polypropylene, Metal, or 5mm Fluted Plastic.



Your company name and contact details here

Please specify decals required when ordering

CODE	MATERIAL	SIZE (MM)
01-M075Q	Metal	1200 x 900
CODE	MATERIAL	SIZE (MM)
02-M075Q	Poly	1200 x 900
CODE	MATERIAL	SIZE (MM)
03-M075Q	5mm Fluted Plastic	1200 x 900


DESIGN-YOUR-OWN MULTI-SIGNS 207

CUSTOM MULTI-SIGNS

Do you have your own design site entry multi-sign already or do you have different site requirements to our standard range? Send us your design or call us with your requirements and we will design it with you.







CUSTOM PRINTED FENCE FABRIC MULTI-SIGNS

Sick of multiple signs on your fence? Sick of losing vital safety signs at your site entrance? Call today and let us design and print all your site entrance signs on one banner!

FOR PRINTED FENCE FABRIC SEE PAGES 216-221





5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

208 WARNING SIGNS



02-W001A - POLY
01-W001A - METAL
02-W001B - POLY



02-W002C - POLY
04-W002C - SA



02-W003B - POLY
04-W003C - SA



02-W004A - POLY
01-W004A - METAL



02-W005B - POLY



02-W007B - POLY



02-W008A - POLY
01-W008A - METAL
02-W008B - POLY



02-W009A - POLY



02-W010A - POLY
01-W010A - METAL



02-W012C - POLY
04-W012C - SA



02-W013A - POLY



02-W014A - POLY



02-W015A - POLY
01-W015A - METAL
02-W015C - POLY
04-W015C - SA



02-W016A - POLY
01-W016A - METAL



02-W017A - POLY



02-W099A - POLY



02-W019A - POLY



02-W025A - POLY



02-W026A - POLY
01-W026A - METAL



02-W027A - POLY
02-W027C - POLY



02-W028C - POLY
04-W028C - SA



02-W052A - POLY



02-W510A - POLY



03-W050J - FLUTE


02-W030A - POLY
01-W030A - METAL
03-W030A - FLUTE
02-W030B - POLY
01-W030B - METAL
04-W030B - SA
02-W030C - POLY
01-W030C - METAL
04-W030C - SA



02-W045A - POLY
03-W045A - FLUTE



02-W040A - POLY



02-W043A - POLY



02-W041A - POLY



02-W042A - POLY



02-W054A - POLY



02-W055A - POLY



02-W044A - POLY



02-W035A - POLY
01-W035A - METAL
03-W035A - FLUTE
02-W035B - POLY
01-W035B - METAL
04-W035B - SA
02-W035C - POLY
01-W035C - METAL
04-W035C - SA

SIGN CODE SYSTEM

02	–	W	001	A	–	POLY
MATERIAL CODE		TITLE "WARNING"	SIGN NO.	SIZE "600 x 450mm"		MATERIAL

A = 600 x 450mm **B** = 450 x 300mm **C** = 300 x 225mm



DIRECTION KITS -PEDESTRIANS

- Materials: Yellow fluteboard
- Adhesive PVC Arrowheads
- Size: 600 x 225mm
- Kit includes: 10 fluted plastic signs, 15 arrowheads





CODE
03-PD001K

SECURITY NOTICE SERIES



SN010



SN009



SN011

SAFETY CONSTRUCTION WORKER SIGN CUTOUTS

Safety man signs are used to draw attention to overhead powerlines, pits and other hazards on site. These life sized construction worker figures help to draw attention to underground equipment and assist plant operators to more easily see where underground monitoring equipment or settlement devices are located. Additionally, construction worker safety man figures help to draw the attention of the public and passers by, ensuring motorists slow down in construction zones and that they make the connection to the human element of construction work. This helps to keep safety front of mind in construction areas

- Material: Fluted Plastic
- Size: 1600mm (H) x 800mm (W)
- Pointing up style, other types available on request

CODE	DESCRIPTION
03-W056	Yellow Man
03-W057	Yellow Woman
03-W058	Orange Man
03-W059	Orange Woman

NOTICE & INFORMATION SIGNS 209



02-N001A - POLY
01-N001A - METAL



02-N002A - POLY
01-N002A - METAL
03-N002A - FLUTE



02-N003A - POLY
01-N003A - METAL
03-N003A - FLUTE



02-N004A - POLY
01-N004A - METAL



02-N005A - POLY
01-N005A - METAL



02-N006A - POLY
01-N006A - METAL



02-P031A - POLY
01-P031A - METAL



02-N007A - POLY
01-N007A - METAL
03-N007A - FLUTE



02-N026A - POLY
(↑,←,→)



02-N027A - POLY



02-N009A - POLY



02-N010A - POLY
01-N010A - METAL



02-N011A - POLY
01-N011A - METAL



02-N012A - POLY



02-N013A - POLY
01-N013A - METAL



02-N014A - POLY
04-N014C - SA



02-N017A - POLY



02-N024A - POLY



02-N016A - POLY
02-N016C - POLY
04-N016C - SA



02-N015A - POLY
02-N015C - POLY
04-N015C - SA



02-N019A - POLY
01-N019A - METAL



02-N020A - POLY
01-N020A - METAL



02-N021A - POLY
01-N021A - METAL



02-N022A - POLY
01-022A - METAL



01-N023A - METAL
01-N023B - METAL



02-N050A - POLY



02-N025A - POLY



02-N008A - POLY



02-N504A - POLY



02-N049A - POLY



02-N509A - POLY



01-N503A - METAL



02-N018A - POLY



02-R4-1A-POLY*




01-N040D - METAL



01-N041D - METAL


01-N057D - METAL


02-N511A - POLY



02-N051A - POLY

*Specify speed when ordering



EMERGENCY & EXIT SIGNAGE

02-E015A - POLY
L or R

02-E008A - POLY
01-E008A - METAL

02-E005A - POLY

02-E006A - POLY
01-E006C - METAL

02-E001A - POLY
01-E001A - METAL
03-E001A - FLUTE
02-E001C - POLY
01-E001C - METAL
04-E001C - SA
04-EF01 - SA

02-E007A - POLY

02-E012A - POLY

02-E013B - POLY
02-E013A - POLY

04-E009K - SA

04-E001K - SA

02-E014B - POLY
02-E014C - POLY
04-E014C - SA

02-E010A - POLY
01-E010A - METAL

02-E019A - POLY

02-E009A - POLY
02-E009B - POLY

04-E057G - SA

04-E001E - SA
04-E001G - SA

04-E056G - SA

AED POLY SIGN

- Material: Poly
- Size: 225mm x 300mm

CODE
MDB872719

EXIT SIGNS

Luminous signs are a must for all exits as they glow in the dark to ensure the exits are identified in smoke and darkness.
Size: 350 x 180mm

CODE	MATERIAL
01-EM001CB	Luminous Metal
04-EM001SA	Luminous Self Adhesive
01-EM002CB	Luminous Metal
04-EM002SA	Luminous Self Adhesive
01-EM003CB	Luminous Metal
04-EM003SA	Luminous Self Adhesive

SIGN CODE SYSTEM

02	–	E	001	A	–	POLY
MATERIAL CODE		TITLE "EMERGENCY"	SIGN NO.	SIZE "600 x 450mm"		MATERIAL

A = 600 x 450mm
B = 450 x 300mm
C = 300 x 225mm
J = 600 x 900mm
K = 50 x 150mm
E = 200mm Ø - 5/pack
N = 1200 x 600mm
T = 250 x 250mm V-Sign

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

210 PROHIBITION & NO SMOKING SIGNS



P001



P004



P002



P006



P008



P007



04-P011C-SA
02-P011C-POLY



P007



P010


P001


P005


P007


P009


P009




P020



02-P037A-POLY



02-P050J-POLY

Specify a caption

A) IN THIS AREA
B) ON THIS SITE
C) IN THIS FACILITY

Adhesive decals must be specified when ordering.
Up to 4 x 200mmØ decals.

DOOR SIGNS & STICKERS SERIES

BRAILLE SIGNS

- Comply with BCA and Aus. Stds AS1428.
- Made from durable polycarbonate with a self adhesive backing.
- Signs have raised pictograms and braille across base

Size: 180 x 210mm.
Colours: White on Blue, Black on Silver



Unisex Toilet Shower
05-100081



Unisex/ Accessible
LH: 92-BSMFDTL
RH: 92-BSMFDTR



Male Toilet
92-BSMT



Female Toilet
92-BSFT



Unisex Toilet
92-BSUST



Male Ambulant
92-BSMAT



Female Ambulant
92-BSFAT

Note: **RH/LH** Signifies the transfer side to the amenity, not the position of the sign or the position of the amenity.



Unisex Toilet RH
05-100127



Unisex Toilet LH
05-100016



Unisex / Accessible
LH: 92-BSMFDTLS
RH: 92-BSMFDTRS



Male Toilet
92-BSMTS



Female Toilet
92-BSFTS



Unisex Toilet
92-BSUSTS



Male Ambulant
92-BSMATS



Female Ambulant
92-BSFATS



Unisex Toilet Shower
05-100093



Unisex Accessible Toilet
05-100009



Unisex Accessible
05-100084



Male Accessible
05-100086



Female Accessible
05-100087



Unisex Ambulant
05-100095

CALL US FOR PRICING

BRUSHED SILVER ALUMINIUM ARCHITECTURAL SIGNS



CUSTOM MADE TO ORDER
ENQUIRE NOW

FIRE SIGNS & DANGEROUS GOODS HANDLING



F006



F007



F010



F100



F101



F102



F103



F104



F105



F009



F020



F008



FA009



F001



F002



F003



F005

A = 600 x 450mm **C** = 300 x 225mm **H** = 150 x 150mm **K** = 50 x 150mm **G** = 50mm Ø

FLAMMABLE LIQUID SIGN

- 250 x 250mm Self Adhesive Vinyl (DV)
- 250 x 250mm Polypropylene (DP)



CODE	MATERIAL
04-3FLDP	Polypropylene
04-3FLDV	Self Adhesive Vinyl


CUSTOM MADE HAZCHEM SIGNS

When ordering custom made hazchem signs we need you to supply us with the following information:

- The state where the sign is to be used
- Chemical name, U.N. Number, Hazchem code
- Specialist advice

Specify a caption

A) Chemical Name
B) UN Number
C) Hazchem Code
D) Specialist Advice



CODE	MATERIAL	SIZE
01-100DG	Metal	800 x 600mm

S.D.S./DOCUMENT STORAGE BOX

Labels include SDS, Instructions Manuals, Lockout Procedures.

- Protect Important Papers
- Weather Resistant, Durable & Rustproof

Keep important manuals and papers secure and available to users while protecting them from moisture and dirt. Features smooth area for you to add your own labels for easy identification. Comes with heavy-duty double-sided tape and built-in mounting holes for easy installation.

Size: 280mm (W) x 320mm (H) x 65mm (D)










CODE
65-DSB

S.D.S. FOLDER

Bright coloured folder to store Safety Data Sheets.



CODE
65-MSDSF

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SAFETY TAGS, STICKERS & POSTERS

SAFETY TAGS

Extremely durable "Tear-Stop" polypropylene tags. Ideal for use in harsh outdoor environments. Can be written on with pen or permanent marker.

- Stock: 150gsm Tearproof Polypropelene with 8mm eyelet & string
- Size: 75mm x 145mm
- Qty: 100/pk

HEAVY DUTY "TEAR-STOP" MATERIAL SUITABLE FOR OUTDOOR USE



CODE	TYPE
83-DTDNO	DANGER TAG
83-STI	INFO TAG
83-CTOOS	CAUTION TAG

CAUTION TAG

DANGER TAG

INFORMATION TAG

Green information tags also available. Please enquire.

SCAFFOLD CONTROL SYSTEM

Easy to use and very economical. Made from heavy duty polypropylene.



CONTROL CARD HOLDER

CODE
83-SCHDL



CONTROL CARD

Qty: 20pk

CODE
83-SCCC

TAG STATION

Durable, weather resistant polycarbonate holder for Danger and Caution Tags. Holds up to 2 kinds of tags.




CODE	SIZE
83-TSTN	250x250mm

INSPECTION TAGS

Chemical resistant plastic zip-ties. Ideal for small and large items including fall protection and prevention equipment, tools and equipment and much more. Wraps around an object as small as a 2mm wire and as large as Ø45mm. Can be written on with permanent Marker.
Colours: Blue, Green, Yellow, Purple, Red

CODE	COLOUR	PACK
83-INTG	Green	20
83-INTB	Blue	20
83-INTR	Red	20
83-INTY	Yellow	20



SAFETY TAGS, STICKERS & POSTERS 213

PREMIUM PVC POSTERS

These posters have high durability and clear, easy-to-follow instructions. Display in prominent positions around your workplace to provide adequate instruction in the event of a workplace emergency, accident and OH&S safe work practices.

Size: 600 x 320mm
Quantities may be mixed.



09-PROA



09-PES



09-PWFA



09-PSMH

CODE
09-PROA
09-PES
09-PWFA
09-PSMH

MACHINERY SAFETY STICKER SETS

CODE	STICKER TYPE
41-100001	Large Excavator Safety Sticker Set
41-100002	Grader Safety Sticker Set
41-100003	Articulated Machinery Safety Stickers
41-100004	Mini Excavator Safety Sticker Set
41-100005	X/Large Excavator Safety Sticker Set
41-100006	Backhoe Machinery Safety Sticker Set
41-100007	Water Truck Machinery Safety Sticker Set
41-100008	Wheel Loader Safety Sticker Set
41-100009	Track Loader Safety Sticker Set
41-100010	Skid Steer Safety Sticker Set
41-100011	Dozer Machinery Safety Sticker Set
41-100012	Roller Safety Sticker Set
41-100013	Compactor Machinery Safety Sticker Set
41-100014	Forklift Safety Sticker Set
41-100015	Scissorlift Safety Sticker Set
41-100016	Tipper Safety Sticker Set
41-100017	Agricultural Tractor Safety Sticker Set





MACHINERY SAFETY STICKERS

CALL US FOR PRICING



04-REG133
Size: 150 x 100mm

SWL ____ kg

04-SWL
Size: 450 x 120mm



04-ROPS Size: 200 x 90mm



04-KHDS
Size: 250 x 180mm



04-3PC
Size: 120 x 90mm



04-SBM
Size: 50 x 90mm



04-DBD
Size: 40 x 65mm



04-WHYD
Size: 90 x 50mm



04-NAB85
Size: 60 x 100mm



04-EF01
Size: 120 x 150mm



04-FA009 - SA
Size: 120 x 150mm



04-WC20
Size: 100 x 120mm



04-WLOOK
Size: 60 x 90mm



04-HYOIL
Size: 160 x 120mm



04-DIESEL
Size: 160 x 120mm



04-UNLE
Size: 160 x 120mm



04-2STK
Size: 160 x 120mm



04-LHDR
Size: 160 x 120mm

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

PRE START WATER RESISTANT DOCUMENT HOLDER

- Manufactured from tough, heavy-duty, resistant and fire retardant fabric with reinforced mounting eyelets.
- Rip, tear & water resistant vinyl fabrics for heavy duty applications.
- All of our pre start and document holders are sealed for water resistance using high frequency welding.
- High frequency sealed seams to eliminate water and contamination to machine pre start documents, log books, first aid kits and safety tags.
- Easily attached using the 3 heavy duty eyelets to secure to equipment, vehicles and machinery.
- Fully reinforced access flap to eliminate operators not closing shut the access point. This will close over on its own, keeping the rain, dirt and dust away from your documents.
- Hook and loop Velcro secures the access flap from blowing open. It also features a fully zipped enclosure to eliminate water and contamination from entering the holder due to rain or from water pressure cleaning the equipment.
- A clear identification screen is heat welded to the front of the pre start document holder. Slide in your required labelling, statutory machine document cards or clear instructions regarding that equipment.
- Hi visibility fabric across the front of the pre start document holder is a visual indictor to operators where the pre start documents or logbooks are located.
- Zip opening: 270mm
- Internal depth: 270mm x Width 300mm
- External overall length: 330mm x width 300mm



CODE	COLOUR
09-PSDH	Red
09-PSDHY	Yellow

A4 WATER RESISTANT DOCUMENT HOLDER

- High frequency sealed seams eliminate water and contamination to machine manuals, documents, log books, first aid kits and safety tags.
- Easily attached using the 3 heavy duty eyelets to secure it to vehicles and equipment.
- Fully reinforced access flap to eliminate operators not closing or shutting the access point. This will close over on its own thereby keeping the rain, dirt and dust away from your documents.
- Hook and loop Velcro also secures the access flap from blowing open. It also has a fully zipped enclosure to eliminate water and contamination entering the holder due to rainor water pressure when cleaning the equipment.
- A clear identification screen, heat welded to the front of the pre start document holder enables you to slide inside your required labelling, statutory machine document cards, first aid kit sign or clear instruction regarding that equipment.
- There is a safety benefit of hi-visibility across the front of the pre start document holder for a visual indictor to operators of the location of pre start logbooks, first aid kits, JHA and mining TARPS (Trigger Action Response Plans)
- Zip opening: 270mm
- Internal depth: 370mm x width 300mm
- External overall length: 430 mm x width 300 mm



CODE	COLOUR
09-A4DH	Red
09-A4DHY	Yellow

A3 WATER RESISTANT DOCUMENT HOLDER

- Material consists of Heavy-duty reinforced, rip tear resistant vinyl fabrics, water resistant and fire retardant with mounting eyelets for heavy duty applications.
- Fully heat welded seams to eliminate water and contamination destroying documents, and permits.
- Easily attached using the 4 heavy duty eyelets to secure it to equipment, machinery and work site Access points.
- Fully reinforced Access flap, to eliminate operators not closing shut the Access point, this will close over on its own, keeping the rain ,dirt and dust away from your documents.
- Hook and loop Velcro also secures the access flap and a fully zipped enclosure to eliminate Water and contamination entering the holder, due to rain or Pressure cleaning the equipment.
- There is a Clear identification screen, heat welded to the front of the document holder to slide inside your own required labeling, signage JHA / JSA permits etc.
- Hi visibility strip across the front of the A3 document holder for a visual indictor to all personnel.
- Zip opening 460 mm
- Internal depth 370mm x width 480 mm
- External overall length 430 x width 480mm



CODE	COLOUR
09-A3DH	Red
09-A3DHY	Yellow

COMPLIANCE LOG BOOKS

LARGE EXCAVATORS LOGBOOK

A4 size for easy storage. Details for Rego, Capacity, Make/Model, Fuel. Provisions for daily checks for 12 months, fault reporting, servicing details/recommendations, spare parts list, service providers.



CODE
09-LRGEXLB

TRUCK & TRAILER LOGBOOK

Details for Rego, Engine No, Capacity, Make/Model, Fuel and Weights. Provisions for daily checks for 12 months, fault reporting, servicing details/ recommendations, spare parts list, service providers.



CODE
09-TTLB

ELECTRICAL TEST 'N' TAG & EMERGENCY LIGHTING LOGBOOK

A5. Provision for 50 items and corresponding pages for test results, fault reporting and service/repair register. Also included is provision for Emergency Lighting details, 6 & 12 months results and service/repair register.



CODE
09-ETTLB

HEAVY DUTY PVC LOGBOOK POUCH

With clear label pouch on front.
Size: 270mm(W) x 260mm(H)



CODE
09-LBP



DELUXE FLOOR STANDS

Deluxe floor stands are very stable and are made from Heavy Duty Polyethylene to last under the harshest conditions.

- Size: 670mm High
- Double Sided

YES WE CAN MAKE FLOOR STANDS TO YOUR REQUIREMENTS. PLEASE ENQUIRE.



67-01FS



67-02FS



67-03FS




67-04FS



67-05FS



67-12FS


67-10FS



67-11FS

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

The very best quality banners at unbeatable prices!

Jaybro provides a comprehensive range of Premium Mesh, Open Weave Mesh, and Vinyl Banner to provide site privacy and advertising for buildings, construction sites or events.

We offer a number of extra-large printing options delivering truly outstanding results in both scale and quality. No matter how big or colourful your design we can find the solution that's right for you.

And if you need help with producing a creative design – *well, we can help you with that too!*

1 SELECT THE MATERIAL
THAT'S RIGHT FOR YOUR PROJECT

We have 3 types of material to choose from, each has different print and durability characteristics. We recommend Open Weave Mesh if your site is wind exposed. Where you need superior privacy, print quality and durability we recommend you get Premium Mesh.

Call us at 1300 885 364 to discuss your requirements and we'll recommend the most appropriate product for your needs.

MATERIAL	STANDARD PRINT ROLL SIZES^	FABRIC %*	DURABILITY+	PRINT QUALITY
Premium Mesh	50 x 1.6 / 1.8m	*80%*	*3 Years*	*Very High*
Open Weave Mesh	50 x 1.6 / 1.8m	*(175gsm) 50%*	*1 Year*	*High*
Vinyl Banner	25 x 2.1m	*100%*	*4 Years*	*Very High*

^ Full Ink Coverage is required to print to the full area of a roll. Where this is not required, specify Block Printing to cover up to 70% of the fabric area.


* Mesh Fabric % indicates the overall percentage of printable material, the lower the percentage the more aerated the fabric.

\+ Durability indicates expected life span of the banner material and print under average weather conditions but does not cover damage caused by high winds, extreme weather events or inappropriate installation.

WE CAN DO CUSTOM SIZING FOR ALL BANNER MESH AND VINYL TO SUIT YOUR REQUIREMENTS.

PREMIUM MESH

Best for Privacy, Print Quality & Durability



Durability
Air Flow
Print Quality
Blockout

VINYL BANNER


Best for Hoarding & High Print Quality



Durability
Air Flow
Print Quality
Blockout

OPEN WEAVE MESH

Best for High Wind Exposure



Durability
Air Flow
Print Quality
Blockout

2 SELECT FINISHING OPTIONS
FOR FIXING & FITTING

While some finishing techniques are only available with certain materials it's important to consider how your banner will be installed to determine the finishing options best for your project.

FINISH OPTIONS	PREMIUM MESH	OPEN WEAVE MESH	PVC BANNER
Hemmed & Eyeleted	●	●	●
Keder Edge			●
6mm Rope Edge		●	
No Finishing			



HEMMED & EYELETED



KEDER EDGE



6MM ROPE EDGE

FENCE BANNER MESH

GUIDE TO PRINTED FENCE FABRIC 217



3 SUPPLYING ARTWORK
SPECIFICATIONS & GUIDELINES

Whether you plan to supply us with logos and images to produce a design for you, or provide ready to print artwork, please ensure you follow our artwork guidelines to ensure we can get the best print results for your project.

SUPPLYING MATERIAL FOR US TO CREATE ARTWORK

1. Supply logos as vector files – pdf or eps formats.
2. All images supplied as high resolution jpeg files at 10% of actual print size at 300dpi.
3. All text via email or in a Word doc file.

SUPPLYING PRINT READY ARTWORK

1. Create artwork using Illustrator or CorelDraw.
2. Set artwork dimensions to 1:10 scale (10m = 1m).
3. Maximum sizes:

   All Mesh/Fabric Materials
   - Trim: 50 x 2.4m (artwork: 50,000 x 2400mm)
   - Print area: 50 x 2.36m (artwork: 50,000 x 2360mm)

   Vinyl Banner
   - Trim: 50 x 5m (artwork: 50,000 x 5000mm)
   - Print area: 48 x 5m (artwork: 48,000 x 5000mm)
4. No bleed or crop marks should be set.
5. All colours to be set to CMYK (RGB or Spot colours are not accepted)
6. All images should be embedded into artwork as CMYK tif files at a minimum of 300dpi and a maximum of 450dpi. Where possible crop the images to the desired size, avoid scaling of images in the artwork program.
7. All text should be converted to paths/outlines or fonts provided with artwork.
8. All vector logos should be pasted into the artwork (image based logo files are not accepted).
9. Avoid using complex or multiple 'effects' on text or graphics. If effects are used, 'flatten layers' before saving pdf.
10. All artwork should be saved and supplied as an editable pdf at a minimum of 300dpi if images are included, ensure all text is converted to outlines.

Please note: Any provided files not set up to the required specification will be returned with amendments and comments.

1. ***While every attempt is made to produce your artwork to match the required colours and images as supplied, there may be some variations depending on the material you choose to print on and the scale to which you print.***
2. ***If colour is critical, you need to provide a Pantone reference number, and we will colour match within CMYK limitations. Please note that not all Pantone colours can be achieved through CMYK.***
3. ***The sharpness of images is reliant on the quality of the images you supply. We take no responsibilty for the results for the quality of reproduction when images are not supplied to our required specifications.***

4 PROOF & PRINT
QUALITY CONTROL

Once your artwork has been received we can either print it directly or provide you with a proof for your approval.







CUSTOM PRINTED FENCE FABRIC MULTI-SIGNS

Sick of multiple signs on your fence? Sick of losing vital safety signs at your site entrance? Call today and let us design and print all your site entrance signs on one banner! ***1300 885 364***



5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.




PREMIUM MESH

Our flagship custom printed fence mesh combines superior print quality, durability, and privacy for outdoor fence branding. Ideal for construction sites, car yards, and events, it serves as a powerful marketing tool. Suitable for temporary site fences, cyclone and security fencing, and construction hoarding, this UV-treated polyester mesh with fire retardant properties ensures safety.

Available in 1.6m or 1.8m (high) 50m rolls with partial to full print coverage, our in-house manufacturing allows for tailored sizes, from a single fence panel to large civil projects.

Designed for longevity, our lightweight banners can be easily transported and reused. Hemmed and eyeleted for simple installation using cable ties or rope, they withstand high winds and long-term use, ensuring lasting advertising impact and site privacy.



CODE	FABRIC %	QUALITY	ROLL SIZE
48-PFFP	80%	VERY HIGH	50 X 1.6M / 1.8M







CUSTOM MADE TO ORDER
CALL FOR PRICING



VINYL BANNER

Whether you want to make a bold impression with a photo-realistic image or are building brand awareness, vinyl banners are ideal for advertising your business! Available in custom heights and lengths to suit your needs.

Fence Banner Mesh is the go-to supplier for all your signage solutions. Contact us today for a free quote or to discuss your requirements and best solutions to suit your needs.

Best for Hoarding & High Print Quality

CODE	FABRIC %	QUALITY	ROLL SIZE
48-PFFOW	50%	HIGH	50 X 1.6M / 1.8M









This UV treated polyester banner mesh can endure long hot days in the Australian sun. A 175 gsm fabric weight and eyelets every 1 m, the perfect banner for promote your business, products and services.

CUSTOM MADE
TO ORDER
CALL FOR PRICING

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

220 OPEN WEAVE MESH

FENCE BANNER MESH




OPEN WEAVE

Open weave banner mesh is ideal for high wind and coastal exposed work sites and applications. A 50% block out allows for an even stream of wind to flow through, whilst still delivering a solid print.

Wind resistance is a key factor in the durability and lifespan of banner mesh. Installing tight weave mesh in a windy environment can act like a sail, adding strain on the banner. The added pressure will increase the chance of rips, tears, and pulling around the eyelets.

The fabric prints the same as the premium mesh, but 50% weave allows for better airflow. Partial to full print coverage is available on open weave banners.



CODE	FABRIC %	QUALITY	ROLL SIZE
48-PFFOW	50%	HIGH	50 X 1.6M / 1.8M








This UV treated polyester banner mesh can endure long hot days in the Australian sun. A 175 gsm fabric weight and eyelets every 1 m, the perfect banner for promote your business, products and services.

CUSTOM MADE
TO ORDER
CALL FOR PRICING



ACCESS WAY PREMIUM MESH 0.8M X 50M

Access Way Premium Mesh 0.8m x 50m: Elevate your control game with this sleek and sturdy solution. At 0.8 meters in height and spanning 50 meters, it's your go-to for defining pathways at events or securing construction sites. Lightweight yet robust, it strikes the perfect balance between visibility and control, ensuring a hassle-free setup for any environment. Upgrade your access management with the Access Way Premium Mesh—where style meets security effortlessly.



CODE	ROLL SIZE
48-PFF0.8AWP	0.8M X 50M



EXCLUSION ZONE PREMIUM 0.8M X 50M

Exclusion Zone Premium 0.8m x 50m is a top-tier barrier designed to keep things in or out. With a length of 50 meters and a height of 0.8 meters, it's perfect for creating a secure zone tailored to your needs. Whether you're safeguarding a construction site, managing crowds, or defining boundaries, this premium exclusion zone delivers durability and reliability in a compact package.



CODE	ROLL SIZE
48-PFF0.8EXP	0.8M X 50M


5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

CUSTOM SAFETY SIGNS

Create your own artwork or have Jaybro design it for you. Full colour graphics and photos on any substrate you desire. Bulk quantities reduce your cost by small one-off signs readily available. Discuss with us our stocking and consignment options. Also have your custom designs available through your own unique online ordering program.



CUSTOM ROAD SIGNS

All sizes, reflectives and designs available. Call our experienced customer service staff that can help you design signs that meet the required standards and your requirements. Traffic Control Plan (TCP) sign listings also available.



CUSTOM SITE INDUCTION LABELS

Material: Durastick Plus (can be written on by pen & lasts up to a year)
Size: Ø50mm. Other sizes available
Quantity: 250 pack
Print Colours: Full Colour print available

CUSTOM MADE TO ORDER
CALL FOR PRICING

















GENERIC SITE INDUCTION LABELS

- Size: Ø50mm
- Material: Durastick Plus
- Roll Size: 250 Labels

CODE	COLOUR
04-SILBFP	Pink
04-SILBFY	Yellow
04-SILBW	White



04-SILBW



04-SILBFP



04-SILBFY

CUSTOM STICKERS, LABELS, TAPES & MAGNETS

All sizes, shapes and designs for any application of stickers, labels and magnets.

Call our experienced customer service staff to discuss your requirements and let us fulfill your branding needs fast!




PIPE MARKER LABELS

Pipe Markers successfully identify the contents and flow of pipes allowing workers to safety trace process problems and get production back in the line faster. Pipe markers are to be located adjacent to valves, junctions, bulkheads, service appliances & wall penetrations. Markers ought to be spaced no more then 8m apart except for long, uninterrupted straight runs of external services where spacing shall not exceed 50 metres.

All pipe markers come in a pack of 10.

Use in conjunction with our supplementary Safety Markers where additional information about the contents of a pipe is required.



Pipe Marker Size to Pipe Size Legend

PIPE MARKER SIZE	57 x 475mm	31 x 475mm	10 x 100mm
PIPE SIZE (OUTSIDE Ø)	> ø70mm	ø40 - 70mm	< ø40mm

CUSTOM MADE TO ORDER
CALL FOR PRICING

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

CONTENTS

Temporary Fencing 226-233
XT Edge Protection Barrier System 234
J-Guard Edge Protection System 235
Crowd Control Barriers 236-239
Waterfilled Barriers 240-241
Sound Barriers 242-243
Container Shelters & Portable Dome 244-245
Portable Toilet & Accessories 246-247
Eco-Hoard Sheets & Clamps 248
Printed Fence 249
Rumble Grids/Concrete Blocks 250-251
Solar CCTV Camera System 252-253
Industrial Handrails 254-255

FORTRESS FENCING





PORTABLE TOILETS & ACCESSORIES. See page 246-247



EDGE PROTECTION SYSTEM. See page 234-235



WATERFILLED BARRIERS. See page 240-241



RUMBLE GRIDS. See page 250

1300 885 364
Login online for your **Trade Account Pricing**



SECTION

05

TEMPORARY FENCING & BARRIERS

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.




Call us for package deals

2000 SERIES

PERIMETER PANELS

PANEL SIZES & SPECIFICATIONS

- 33mm Tubes (25mm NB)
- 33mm OD Verticals & Horizontals
- 2100mm High x 2400 mm Long
- Finish: Galvanised





Standard

The 2000 Series is a standard temporary fencing panel that offer exceptional value, featuring anti-climb meshing. This lightweight but sturdy fencing panel is easy to install and will keep your site secure. A heavy duty panel is also available for longevity.

✓ **Australian Standards Approved - Tested and certified to AS 4687**

BULK PACK QUANTITY

- 155 Panels for the 01-2300

Heavy Duty

An evolution of the 2000 Standard design, featuring the popular 32mm tube with a 2mm wall thickness and 4mm wire mesh, making it our sturdiest offering. It is specifically designed for demanding projects requiring maximum security.

✓ **Australian Standards Approved - Tested and certified to AS 4687**

BULK PACK QUANTITY

- 125 Panels for the 01-2700

CODE	DESCRIPTION
01-2300	Temporary Fence Panel - 2000 Series Standard
01-2700	Temporary Fence Panel - 2000 Series Heavy Duty

TESTED & APPROVED
Australian Standard
AS4687:2022





Lightweight

3000 SERIES

PERIMETER PANELS

Our most popular line, the 3000 Series is a lightweight but extremely durable, long life panel.

- ✓ Australian Standards Approved - Tested and certified to AS 4687
- ✓ Lightweight

PANEL SIZES

- 40mm Tubes (32mm NB)
- 40mm OD Verticals & Horizontals
- 2100mm High x 2400mm Long

SPECIFICATIONS

- Finish: Galvanised

BULK PACK QUANTITY

- 110 Panels

CODE	DESCRIPTION
01-3400	Temporary Fencing Panel - 3000 Series





5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

FEET SYSTEMS

WARRANTY 2 YEARS

5% PRICE BEAT GUARANTEE

CONCRETE FENCE FEET

Our plastic moulded fencing feet are filled with concrete for a sturdy and robust finish, ideal for any temporary fencing application including construction fencing, demolition sites, domestic renovations and events.

- Size: 150mm (H) x 230mm (L) x 33mm
- Weights: 25kg
- Hole size: Ø33mm



CODE	DESCRIPTION
02-C32B	32mm Concrete Filled Block - 25kg (90mm Centres)

60

POLYBLOK 17KG RECYCLED PLASTIC

"FORTRESS Polyblok" is a unique product made from recycled plastic/rubber. Due to the geometry of the base it is extremely stable. Testing has shown this product to provide a more stable base than concrete feet that are almost twice the weight.

- Size: 800mm (H) x 284mm (W) x 146mm (H)
- 40mm OD Verticals & Horizontals
- Weight: 17kg
- Hole size: Ø40mm



CODE	DESCRIPTION
02-P35B	35mm – Black Polyblok
02-P43B	43mm – Black Polyblok


26
43mm

THE PROBLEM

- **Concrete bases can be heavy to lift and require 2 people.**
- **Concrete bases break easy and need to be replaced regularly.**
- **Fence feet can be a trip hazard.**

POLYFOOT SOLUTION

- Extremely stable & almost unbreakable
- 2 year warranty
- User friendly - Weighs only 17kg's and can be safely lifted by 1 person
- Due to reduced weight more feet can be loaded on a truck
- Fast Installation
- Made from 100% recycled materials
- Stacks neatly



POLYBLOK QUICK TIP

Setting up fencing in high traffic pedestrian areas?

Polyblok gives you the capability to configure and transform your perimeter into a ***Trip Free Zone.***

This allows for all high traffic pedestrian walkways, work zones and events to be secured without the worry of creating a trip hazard.



GATES

5% PRICE BEAT GUARANTEE

PEDESTRIAN GATE

Purpose designed pedestrian gate that provides a 1.5m opening. Can also be used as a fence panel in applications where room is limited.

Note: Must be used with Hinge & Wheel set. Padbolt is not included.

VEHICLE GATE

Adapted standard fence panels. Double gate opening spans 4.9m.


Note: Must be used with Hinge & Wheel set.




01-GATE33



01-GATE40



01-VGATE33



01-VGATE40

CODE	DESCRIPTION
01-GATE33	Pedestrian Gate – 33mm OD 2.1m x 1.5m
01-GATE40	Pedestrian Gate – 40mm OD 2.1m x 1.5m

CODE	DESCRIPTION
01-VGATE33	33mm Vehicle Gate 2.55m x 2.1m
01-VGATE40	Vehicle Gate 40mm OD 2.5m x 2.1m

HINGES & WHEELS

Hinges and Wheels to suit Pedestrian Gates and Vehicles Gates



01-HC33



01-HC40



01-WP33



01-WP40

CODE	DESCRIPTION
01-HC33	Hinge clamp to suit 33mm OD
01-HC40	Hinge Clamp to suit 40mm OD


CODE	DESCRIPTION
01-WP33	Wheel with pipe – 33mm OD
01-WP40	Wheel with pipe – 40mm OD

HANDRAILS

Reduce the likelihood of trips and falls with a purpose built handrail, manufactured to fit all Fortress Fencing temp fence variants. Handrails can be useful in situations where ground is particularly uneven on the pedestrian facing side. Fortress Fencing temp fence hand rails are made from high quality steel and feature a galvanised finish.

- Measuring 2,400mm long, the hand rail weighs just 8kg and is easy to fix to Fortress 2000 and 3000 Series fence panels.
- Each handrail requires 2 or 4 x heavy duty couplers to attach to Fortress Fencing fence panels (sold separately).
- Size: 2400mm





CODE	DESCRIPTION
01-HRAIL32	Handrail to suit 2000 Series panel
01-HRAIL40	Handrail to suit 3000 Series panel

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

DOGBARS

Easy to attach, attach the couplers to the bottom horizontal tube to the fence panel to cover the clearance from the ground to the bottom horizontal tube of the fence panel.

DOG BAR (KIT)
Includes 1 dog bar (01-2000) and 2 x couplers (01-FCP33) and suits our 2000 series fence panels.

DOG BAR (INDIVIDUAL)
Dog Bar 2000mm 32mm OD




CODE	DESCRIPTION
01-DOGBARK	Kit
01-2000 DOGBAR	Individual

2700 SERIES TEMPORARY HDPE FENCE PANEL

The 2700 Series Temporary HDPE Fence Panel is a robust solution for enhanced site security. Featuring a 4 mm heavy-duty anti-climb mesh, this panel is framed in a standard 2.4 x 2.1m structure. The integrated HDPE panel provides an additional layer of blockout and security, making it ideal for construction sites, work zones, and hazardous areas. Designed for quick and easy installation, this panel meets Australian Standards and offers a stronger alternative to the 2000 series.

Feet and joining clamps are sold separately.



CODE	DESCRIPTION
01-2700HDPE	2400 mm x 2100 mm Panel

PIER HOLE PROTECTOR

The Pier Hole Protector is a cost-effective solution, reusable and aligns with WH&S regulations. This heavy-duty engineered excavation cover completely secures the top of a freshly dug pier hole until concrete is poured, eliminating the risk of falls into the pier hole, rubbish, debris entering and the hole filling with water from unexpected weather or other forms of direct water flow. With its lightweight, anti-slip, and stackable design, this durable cover guarantees safety on site with a 200kg safe workload, UV protection, and secure anchoring options.

- Anti-slip and stackable
- Made from heavy-duty PP with UV protection
- Customisable with company logo for custom orders
- Provisions to safely secure down where required with a star picket or peg
- Durable and strong with a 200kg safe workload - FEA tested and RPEQ certified
- Centre grab point and recessed strike points to secure teeth into the ground



CODE	DESCRIPTION
49-PHP600	600mm (suits holes up to 450mm in diameter) 1.2kg weight
49-PHP900	900mm (suits holes up to 750mm in diameter) 3.2kg weight

FOOT PATH PANEL

PERIMETER PANELS

Built to the same specs as the 2000 and 3000 series panel but at a smaller, more convenient size for tight areas.

- Panel Sizes:
- 40mm Tubes (32mm NB)
- 40mm OD Verticals & Horizontals
- 2100mm High x 1500mm Long
- 33mm Tubes (25mm NB)
- Specifications:
- Weight: 15kgs
- Finish: Galvanised

WARRANTY 1 YEAR
Conditions Apply



ANTI-CLIMB MESH

- 257mm x 61.25mm
- Galvanised

CODE	DESCRIPTION
01-FFPP33	Anti-Climb Foot Path Panel 33mm
01-FFPP40	Anti-Climb Foot Path Panel 40mm

COUPLINGS

HEAVY DUTY COUPLER

- Galvanised and supplied with bolt and nut
- 90mm centres, 75mm centres (33mm only), 100mm centres (33mm only)
- Specify 33mm or 40mm when ordering.



01-FCP33 (33mm)



01-FCP40 (40mm)



01-FCP33-100 (33mm)



01-HCP33 (33mm)




25 BAG

CODE	DESCRIPTION
01-HCP33	33mm - Heavy Duty (75mm Centres)
01-FCP33-100	33mm - Heavy Duty (100mm Centres)

STILLAGES

FORTRESS Panel Stillages are made from heavy duty galvanised steel. All four vertical supports are removable for easy loading and unloading. The FORTRESS Panel Stillages is stackable with access for forklift tines from front and back.

- Capacity: 54 panels (2000 Series)
- Capacity: 45 panels (3000 Series)



CODE	DESCRIPTION
01-FPST24CH	Stillage For Temporary Fencing Storage

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.


BRACING

2000 SERIES HEAVY DUTY BRACE

Ideal for fencing installed in extreme wind areas, or where shade cloth, banners or signage is installed.

Heavy Duty Brace requires 2x H/D 33mm couplers and 2x concrete filled blocks with 34mm holes. Custom Fence Bracket can fit up to a maximum of 4 concrete filled blocks with 34mm holes to provide extra stabilisation when attaching shadecloth or printed fence banners onto the fencing






CODE	DESCRIPTION
03-FBRACE33B	Heavy Duty Brace

CODE	DESCRIPTION
01-CFB	Custom Fence Bracket

3000 SERIES HEAVY DUTY BRACE

Designed for applications where a privacy mesh is used.
Up to 2 feet can be used per brace.

Suits Fortress Polyblok. Requires 1 x H/D coupler and 2 x Polybloks.



CODE	DESCRIPTION
01-BRACEH	Heavy Duty Temporary Fence Brace

F-FRAME BRACE

Used for fencing installed in extreme wind areas, or where shade cloth, banners or signage is installed.

Requires 2 x H/D couplers and up to 4 x Polybloks.




CODE	DESCRIPTION
01-FFRAME	Temp Fence F-Frame Brace



TRAFIX 2400 WATERFILLLED FENCE WEIGHT

A practical and secure solution for temporary fencing needs. Designed for efficiency, this Australian-made base is lightweight at just 18kg when empty, making transport and installation simple and cost-effective. Once filled provides stable support for fencing. Constructed from UV-resistant polyethylene, it withstands tough outdoor conditions, ensuring durability and color retention. The base can be placed at either 90 or 180 degrees, allowing for flexible positioning to suit various site layouts. Ideal for projects where convenience and strength are essential, this weight base is a top choice for temporary fencing.



CODE	DESCRIPTION
14-WFWBR	Orange - 2400 mm L x 570mm W x 500mm H - 18kg empty, 280kg full
14-WFWBW	White - 2400 mm L x 570mm W x 500mm H - 18kg empty, 280kg full

WATER FILLED BALLAST BLOCK 250KG

Water-Filled Ballast Block 250kg (Orange) - Lightweight, UV-resistant ballast block, perfect for securing temporary fencing.





CODE	DESCRIPTION
14-WFBBR	Orange - 600mm L x 600mm W x 750mm H - 250kg - 12.5kg empty, 250kg full
14-WFBBW	White - 600mm L x 600mm W x 750mm H 250kg - 12.5kg empty, 250kg full

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

234 XT EDGE PROTECTION BARRIER SYSTEM





Call us for package deals

XT EDGE PROTECTION BARRIER SYSTEM


STANDARD XT BARRIER PANEL

Tested and Approved to Australian Standards AS/NZS 4994.1:2009

The FORTRESS XT Barrier System™ is designed to create a protective barrier around hazards, voids, drop-offs, edges and other no-go areas, ideal for industries such as construction, excavation and crowd control. The Fortress XT Barrier System™ is easy and fast to install using galvanised steel post bolted to the ground.

This galvanised welded mesh panel is manufactured from 4mm steel wire at centres not exceeding 50mm x 50mm. Each panel features a rectangular rolled top and triangular bottom incorporating a galvanised kickplate that helps prevent objects falling through the panel bottom.

Size: (H) 1000mm x (W) 2400mm



CODE	DESCRIPTION
07-EPP240	XT Barrier Edge Protection System-Panel Only 1000x2400mm

XT BARRIER SYSTEM POSTS

Galvanised, 50mm RHS square, 1005mm high posts incorporates top and bottom wire panel holding lugs with slide and lock assemblies, making panel installation and removal quick and simple.


Fortress XT barriers can be fixed to concrete. The low profile, 152mm square x 5mm fixing flange has 4x13mm diameter holes for use with 4x 10x75 or 10x80mm) masonry bolts or similar, however engineering advice must be sought for requirements of concrete specifications.

Ideal for: Fixing to concrete paved areas

40



CODE	DESCRIPTION
07-EPPOST	Galvanised Square Posts



SCREW BOLTS


Zinc or Galvanised screw bolts for edge protection post installation

CODE	DESCRIPTION
40-PBT1080-PWR	Blue-Tip Screw-Bolt 10 x 80 Zinc
40-PBTG1080-PWR	Blue-Tip Screwbolt Gal 10 x 80mm

SAFETY BASE TEMPORARY HAND RAIL SOCKET

The Safety Base is a super strong temporary handrail base for use on domestic and commercial building sites. The body of the Safety Base is made of 6mm thick polyurethane plastic so it is lightweight yet strong.

- Australian designed, manufactured & owned
- Meets AS/NZ 4994.1 2009 Temporary Edge Protection
- 90mm x 90mm
- Toeboard: 20mm thick
- Baseplate: 8mm thick, 4 x 10 mm holes
- Colour: Orange
- Available in boxes of 6 or 12 units



CODE	DESCRIPTION
31-100040	Safety Base Temporary Hand Rail Socket

FORTRESS FENCING

J-GUARD EDGE PROTECTION SYSTEM 235



J-GUARD EDGE PROTECTION SYSTEM

The new J-Guard Edge Protection System from Jaybro is a temporary modular edge protection system that provides the protection you need when working near exposed edges on site.
With an installed height at over 940mm for single row or 1880mm for double row, the J-Guard Edge Protection System creates a temporary edge protection barrier tested and approved to AS/NZS 4994. Unlike other systems on the market, the J-Guard Edge Protection System does not require an accredited installer, making it quick and easy to install on the go.

FEATURES

- Completely modular and flexible to suit your individual needs
- Quick and easy installation – does not require a certified installer
- Provides a 940mm high protective barrier at single row, and 1880mm high at double row around the perimeter of the site
- Requires 12mm x 80mm blue-tip screw bolts
- Heavy duty galvanised steel components withstand harsh weather
- Compact packaging for streamlined freight and delivery to site
- Easy to dismantle for re-use on the next project

APPLICATIONS

- Concrete slab edges
- At the edges of pits and excavations
- Multi deck and high rise construction edges
- Along walkways, stairways or ramps
- Additional protection when working at height

DIMENSIONS

J-Guard Panel

- Mesh insert panels measure 2400 x 920 mm high
- 50 x 50mm galvanised steel mesh

J-Guard Post

- 940mm high galvanised steel square posts with 150 x 250 x 10mm steel base plate

J-Guard Side Mount Post

- 940mm high galvanised steel square posts for height extension

APPROVALS

- Tested, approved, and complies to AS/NZS 4994 Standards — Temporary Edge Protection





CODE	DESCRIPTION
07-JG2300	J-Guard Panel 2300mm x 845mm
07-JGPOST	J-Guard Post
07-JGSM	J-Guard Side Mount Post
40-PBT1280-PWR	Blue-Tip Screw-Bolt 12 x 80 Zinc
07-JG2300K	J-Guard Panel 2300m x 920mm w/ kickplate

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***


*Conditions apply, See website for details.

236 CROWD CONTROL BARRIERS



CROWD CONTROL BARRIERS – GALVANISED

- Fully galvanised for extended life outdoors
- Interlocking lightweight tubular steel
- Low profile - removable feet minimise trip hazard and allow easy storage
- Designed for rapid deployment
- Extremely stable
- Size: 2300mm long x 1100mm high
- Available colour options




45

CODE	DESCRIPTION
03-1000	Crowd Control Barriers - Galvanised

CROWD CONTROL BARRIERS – ORANGE POWDERCOATED

- Safety orange powdercoating for hi-visibility pedestrian demarcation.
- Ideal for night work and tunnel work
- Interlocking lightweight tubular steel.
- Low profile - removable feet minimise trip hazard and allow easy storage.
- Designed for rapid deployment.
- Extremely stable.
- Size: 2300mm (L) x 1100mm (H)



45

CODE	DESCRIPTION
03-10000	Crowd Control Barrier - Orange

1300 885 364

Login online for your **Trade Account Pricing**

CROWD CONTROL BARRIER STILLAGE

The Fortress Crowd Control Barrier Stillage is the perfect accessory for your Fortress Crowd Control Barriers. This heavy-duty, galvanized steel stillage keeps your barriers organized, protected, and readily accessible when you need them most.



CODE	DESCRIPTION
03-1000ST	Crowd Control Barrier Stillage

CROWD CONTROL BARRIER FEET

Fortress Fencing offers galvanized crowd control barrier feet and locking pins, perfect for ensuring the sturdiness, security, and ease of management of your barriers. Whether you're involved in construction, event management, or infrastructure, these add-ons provide the functionality necessary to create safe and efficient crowd control solutions.




CODE	DESCRIPTION
03-1000FG	Galvanised Crowd Control Barrier Feet
03-1000FO	Orange Crowd Control Barrier Feet
03-RPC	Crowd Control Barrier R-Pins

CROWD CONTROL BARRIER GATE

Crowd Control Barrier - Orange with a unique two-point locking system ensuring panels come together with ease and remain secure. Ideal for managing and directing pedestrian and patrons around constructions sites, at events and festival or as a visual warning of hazards.

- Two-point locking system
- High visibility orange powder coat finish
- Rugged steel construction
- Hinges and feet designed for easy set up and pack down





CODE	DESCRIPTION
03-CCBGATEO	Crowd Control Barrier Gate - Orange
03-CCBGATE	Crowd Control Barrier Gate - Galvanised

CODE	DESCRIPTION
03-CCBGATEOT	Crowd Control Barrier Gate - Orange 2.1mH
03-CCBGAET	Crowd Control Barrier Gate Galvanised 2.1mH

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

238 CROWD CONTROL BARRIERS



COLOURED CROWD CONTROL BARRIERS



Interlocking and free standing, ideal for civil & construction projects and public events. The sturdy design of our crowd control barriers, durable galvanised finish and bolt-down feet makes this the ideal choice in temporary crowd control.


- Each barrier measures 1.1m high and 2.3m wide
- Fully galvanised for extended life outdoors
- Low profile: removable feet minimise trip hazard and allows easy storage
- Designed for rapid deployment
- Extremely stable

CODE	DESCRIPTION
03-1000G	Crowd Control Barriers - Green
03-1000R	Crowd Control Barriers - Red

45

CODE	DESCRIPTION
03-1000B	Crowd Control Barriers - Blue
03-1000Y	Crowd Control Barriers - Yellow

CROWD CONTROL BARRIER ORANGE 1.2M X 1.1M



A unique two-point locking system ensuring panels come together with ease and remain secure. Ideal for managing and directing pedestrian and patrons around constructions sites, at events and festival or as a visual warning of hazards.

CODE	DESCRIPTION
03-12000IF	Crowd Control Barrier Orange 1.2m x 1.1m

HEAVY DUTY EXPANDING BARRIER



- NEW stronger design
- Compact, lightweight, expands to 2500mm.
- Made from lightweight steel, powder coated for durability.

CODE	DESCRIPTION
49-32EB	Heavy Duty Steel Expanding Barrier - 2.5 Metres



WORKZONE BARRIER

- The Workzone Barrier consists of a tough single piece thermoplastic frame fitted with self weighted feet that rotate for storage and transport each panel.
- Weight: 15.2kgs
- Size: 2000mm x 1000mm
- Colour: Safety Orange



We can put your logo or name on the Barrier. **Call for prices.**



CODE	DESCRIPTION
15-WZB	Work Zone Folding Pedestrian Crowd Control B

25

A-FRAME BARRIERS

- Assembled in place and all components are under 20kg, which means fast installation on your site with no injuries
- Barriers are tough, which means once purchased they will last multiple projects saving you money
- 5.8 metre lengths enable barriers to be rapidly deployed, saving time and money on site.
- Shipped in kit form saving space in transport, which means we can ship large quantities efficiently
- Provide excellent stability and protection for your pedestrians
- Swivel top attachment rotates 360˚ degrees allowing to create bends or cross section configurations with the barrier
- Tube Length: 5.85m
- Tube Diameter: 42mm



Swivel Top creates bends & cross sections



CODE	DESCRIPTION
03-AFRAME-ST	A-Frame Stand 1.5m H
03-AFRAMET	A-Frame Tube 5.85m x ø42mm
03-FRAME-ST-ASS	A-Frame Swivel Top Attachment

42

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

240 WATERFILLED BARRIERS



TRAFIX 2000 WATERFILLED BARRIER

This innovative Australian Designed and Manufactured barrier has been built for the toughest conditions.

Strong UV protected polyethylene to resist the harsh Australian sun. Rounded corners and light weight makes this barrier safer for your personnel to move. Built in handles help with the interlocking process and can be used for anti-theft purposes.
The functionality doesn't stop there: 2 metres long, Water fill of 200Kg, Packable, Wear/Grip Treads, Insect proof Lights and Signage can be attached to give 24 hour traffic control.

- 2m Long Treads
- No loose pins
- 70mm Filler, Over Flow and 50mm Drain centrally located
- Red barriers are made in Australia from 25% recycled material.
- Complies with AS 3845 for vehicle speeds to 15 km/h
- Material Strength Tested to AS/NZS 4766:2006
- UV20 Protection to ASTM D2565
- Lights & Signage can be fitted
- Recyclable - Eco Friendly
- Strong and user friendly
- Anti-Gawk Screens also available

Size: 2000mm(L) x 900mm(H) x 500mm(W)
Weight: 20kgs (EMPTY) 220kgs (FULL)
Colours: Red, White
Material: Contains 25% recycled material (Red)

MADE IN AUSTRALIA
2 METRE USABLE LENGTH
RECYCLED MATERIAL
5 YEAR WARRANTY
15 km/h SPEED RATED
UV PROTECTED






CODE	DESCRIPTION
14-TWFBR	Trafix 2000 Water Filled Barrier - Red
14-TWFBW	Trafix 2000 Water Filled Barrier - White

6 DOUBLE
84 PER TRUCK



TRAFIX 2000 ANTI-GAWK SCREENS

This anti-gawk screen is purpose designed to suit the Trafix 2000 water filled barriers. The Trafix is perfect for pedestrian delineation, carparks, work sites and cordoning off no-go zones and with the addition of this fence panel, it provides additional security and privacy. Plus, if you add fence mesh to the gawk screen, you can have an all in one safety, privacy, security and anti-gawking solution.



CODE	DESCRIPTION
14-TWFBPOST	Trafix 2000 Single Barrier Post with base
14-TWFBS	Trafix 2000 Water Filled Barrier Screen

ACCESSORIES

Tool to remove bung from water barriers.
Works with Lo-Ro, Armorzone, Waterwall and Trafix water barrier.

CODE	DESCRIPTION
14-TWFBC	Trafix Black Fill Cap
14-TWFBBP	Water barrier drain plug
14-TWFBBPT	Bung tool for water barriers

TRAFIX 1500 LITE WATER FILLED BARRIER

1650MM L X 500MM W X 900MM H

- Lightweight cost effective solution for pedestrian and work area delineation
- UV Stabilised
- Made from 25% recyclable material
- Australian made
- Overall length 1650mm, Usable length 1500mm, 70mm filler
- Insect Proof Over Flow
- 9kg empty, 160kg full



CODE	DESCRIPTION
14-15TWFBR	Orange
14-15TWFBW	White

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

242 FORTRESS SOUND BARRIERS



FORTRESS ACOUSTIC CURTAIN SOUND BARRIER

A cost-effective solution for mitigating airborne noise, the Fortress Sound Barrier acoustic curtains are lightweight and easy to install. This product has been rigorously tested and provides a noise reduction of up to 24dB.
Each panel measures 1.3m x 2m and is constructed from a layered noise dampening materials, resulting in a tough, durable acoustic barrier that is extremely effective at attenuating noise. With Velcro strips on each long side and a neat hemmed and eyeletted finish top and bottom, the panels form a solid barrier when clipped together.
The Fortress Sound Barrier acoustic curtains are easy to fit to temporary fencing, hoarding, scaffolding and other construction walling. They are UV resistant, fire resistant and waterproof, giving them a long life span. Additionally, they can be custom printed with your brand, turning them into an effective advertising medium.
Whilst Fortress Sound Barrier acoustic curtains are easily attached to temporary fencing around construction sites, they are also effective as an indoor solution to surround particularly noisy work processes, for example in factory or production environments. Acoustic barriers are commonly used to reduce noise to pedestrians and surrounding residential areas while construction is being undertaken. Conversely, they can be used to protect workers from noise pollution in high traffic environments and noisy plant and equipment. When a series of panels are firmly attached together using the strong Velcro closures, the system forms a compliant clip together kit form noise barrier.

FEATURES

- Size: 1.3m x 2m
- Weight: approx 8kg per panel
- 24dB noise reduction
- Noise reduction coefficient (NRC) of 0.80 in absorption test
- Easily transported between construction sites
- Quick and easy to erect
- Waterproof and UV resistant material
- Robust and durable fire resistant construction
- Versatile – can be installed indoors and outdoors
- Also effective in controlling dust & fumes
- Vision panels and access doors can be incorporated
- Custom branding available
- Testing results can be provided on request







CODE	DESCRIPTION	WEIGHT
04-FPS6459	Fortress Noise Barrier Acoustic Curtain 2x1.3m	8kg

Custom branding also available



FORTRESS SOUND BLOCK ACOUSTIC BARRIER

The Fortress Sound Block Acoustic Barrier is ideal for reducing noise in the domestic, commercial, industrial and automotive markets. To achieve this high performance, the Fortress Sound Block Acoustic Barrier has been developed to be dense, thin, highly-flexible, tear-resistant and strong.

These properties give the product high transmission loss across a range of frequencies from 100 up to 5000Hz. A lightweight and affordable mass loaded vinyl, it has a multitude of uses in the construction, civil, building and commercial industries.

The sound barrier is easy to install, easy to cut, and is UV & weather resistant. This Mass Loaded Vinyl (MLV) is a specialist noise reducing vinyl impregnated with materials to increase its mass without increasing thickness. This results in an effective sound dampening material that can be used in construction, automotive applications, or as a portable acoustic screen. It provides an average sound reduction of 25dB.

FEATURES

- Size: 1.38m wide x 10m roll
- Weight: 4 kg/m² (48kg total)
- 25dB average noise reduction
- Long lasting
- Free from lead, odour-producing oils and bitumen
- Easy to install
- Easy to cut, sew, and mechanically fasten
- Resistant to most chemicals, solvents, and petrol
- UV & weather resistant
- Testing results can be provided upon request

APPLICATIONS

- Use as a noise reducing layer in walls, slabs, and roofs
- Use on acoustic doors to improve performance
- As a portable acoustic screen or curtain – drape over fencing
- Automotive cabin noise insulation applications
- MLV can be laminated onto lightweight structures to dampen and reduce airborne noise

CODE	DESCRIPTION	WEIGHT
04-FSBC4KG	Fortress Sound Block Acoustic Barrier 1.2m x 10m	4kg/m2 (total 48kg)

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.



EXPRESS SHELTER

Guaranteed 2 week lead-time

Compact and easy to ship, Express Shelters have a guaranteed two week delivery across Australia, and most can be installed in one day.

DIY Installation

Express Shelters come in kit form with layout plans, parts lists and step-by-step assembly instructions so they are straightforward to install. Professional installation is also available.

Modular configuration

Multiple Express Shelters can be connected with joining strips to form one big shelter, then in future they can be split back into the individual shelters.

Durable & Relocatable

Engineered to be permanent, designed to be relocatable. Meet strict Australian quality standards equipped for up to wind region C.

Flexible

Can be mounted on the inside or outside of the containers to suit the width of your space and storage requirements. The layout plans include both mounting options.

Rental Options

If you want to save on working capital while still getting the equipment you need to operate, ask about our cost-effective rental or rent-to-own solutions.







APPROVED TO WIND REGION A

CODE	DESCRIPTION
03-SSA661	6m Wide X 6.06m Long X 4.99m High
03-SSA6122	6m Wide X 12.19m Long X 4.99m High
03-SSA861	8m Wide X 6.06m Long X 5.74m High
03-SSA8122	8m Wide X 12.19m Long X 5.74m High
03-SSA1061	10m Wide X 6.06m Long X 5.52m High
03-SSA10122	10m Wide X 12.19m Long X 5.52m High
03-SSA1261	12m Wide X 6.06m Long X 6.10m High
03-SSA12122	12m Wide X 12.19m Long X 6.10m High
03-SSA1461	14m Wide X 6.06m Long X 6.03m High
03-SSA14122	14m Wide X 12.19m Long X 6.03m High
03-SSA1761	17m Wide X 6.06m Long X 7.27m High
03-SSA17122	17m Wide X 12.19m Long X 7.27m High

APPROVED TO WIND REGION C

CODE	DESCRIPTION
03-SSC661	6m Wide x 6.06m Long x 4.99m High
03-SSC6122	6m Wide x 12.19m Long x 4.99m High
03-SSC861	8m Wide x 6.06m Long x 5.74m High
03-SSC8122	8m Wide x 12.19m Long x 5.74m High
03-SSC1061	10m Wide x 6.06m Long x 5.52m High
03-SSC10122	10m Wide x 12.19m Long x 5.52m High
03-SSC1261	12m Wide x 6.06m Long x 6.10m High
03-SSC12122	12m Wide x 12.19m Long x 6.10m High
03-SSC1461	14m Wide x 6.06m Long x 6.03m High
03-SSC14122	14m Wide x 12.19m Long x 6.03m High
03-SSC1761	17m Wide x 6.06m Long x 7.27m High
03-SSC17122	17m Wide x 12.19m Long x 7.27m High





5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.



PORTABLE TOILET

Introducing the portable toilet, the ideal sanitation solution for any occasion. With its twin skin walls, reinforced roof, keyed access door, and extra-large waste and freshwater tanks, this toilet is built to last and meet the needs of even the most demanding users. The hygienic, fresh water flush system is operated by a reliable foot pump, ensuring efficient waste removal and a clean, fresh toilet every time. Easy to clean and move, this portable toilet is a great investment for anyone who values cleanliness, convenience, and comfort.

SPECIFICATIONS

- Size: 1.15m x 1.15m x 2.3m
- Water Tank: 130L
- Waste Tank: 390L
- Weight: 170kg

Contact us for custom colour options.

CODE	DESCRIPTION
03-PORT	2300mm (H) x 1150mm (W) x 1150mm (D)

TRAILER TO SUIT PORTABLE TOILET

NEW

Introducing the ultimate solution for construction sites, road projects, and outdoor gatherings – our Portable Toilet Trailer. Designed to revolutionize your approach to sanitation needs, this innovative trailer offers unmatched convenience, durability, and mobility. Say goodbye to the hassle of heavy lifting equipment and embrace a seamless setup process.



Trailer for Double also available

CODE	DESCRIPTION
03-TRAILER	Trailer to suit Portable Toilet (single)

NEW

PORTABLE TOILET - SEWER CONNECT

A sewer-connect portable toilet offers a superior solution for extended building projects or home renovations due to the absence of a tank.

In this type of unit, waste from both the toilet and sink flows directly into the sewerage system, functioning more akin to a standard permanent toilet than other portable options.

Available colours: Blue, Red, Grey



MATERIALS

- HDPE
- UV-proof

FEATURES

- Ceramic toilet
- SS Basin
- In-use indicator
- Gender sign
- Mirror
- Skid feet
- Toilet paper roller
- Coat hook
- Floor drain
- Hot/cold water inlet

CODE	DESCRIPTION
03-PORTSEWER	1.15m x 1.15m x 2.3m

NEW

PORTABLE SHOWER

- Durable, lightweight HDPE construction for outdoor use.
- Compact and portable: 115cm x 123cm x 230cm; 105kg.
- Includes mirror, coat hook, in-use indicator, gender sign, and skid feet.
- Equipped with mixer, shower head, and slider.



CODE
03-PORTSHOWER

NEW

PORTABLE HAND WASH DUAL

- Lightweight, mobile hand wash station with 85L water and 90L waste tanks.
- Dimensions: 77cm x 45cm x 126cm; Weight: 28kg.
- Made from durable HDPE for outdoor use.
- Includes liquid soap dispenser and paper towel box.
- Features a ball valve for easy control and wheels for mobility.



CODE	DESCRIPTION
03-PORTHAND	Portable Hand Wash Dual

REAR EVACUATION VALVE

Our innovative rear evacuation valves enable effortless waste tank emptying for your toilet, eliminating the need for pumps or sucker trucks.



CODE	DESCRIPTION
03-PTV	Rear Evacuation Valve For Portable Toilets

LED SOLAR LIGHT

Illuminate your portable toilet with our solar powered motion sensor portable toilet LED light. Easily mountable, this super bright LED light is motionactivated for a hygienic and hands-free lighting solution. No extra wiring or electricity is required, making it an energy-efficient and cost-effective option. Ideal for outdoor events, camping trips or construction sites.



CODE	DESCRIPTION
03-PTL	LED Solar Light – Motion sensor & portable

HYDROPOWER HOT WATER SYSTEM 10L

Hot water system to suit 03-PORTSHOWER, hydro power ignition so no power required, External LPG, No battery replacement required, No water flow restrictors required Efficient continuous flow technology – only heats water when required



CODE	DESCRIPTION
03- GWH10HOLP	HydroPower Hot Water System 10L

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

248 ECO-HOARD SHEETS & CLAMPS



ECO-HOARD FOR SCAFFOLDING

Eco-hoard is a recyclable plastic hoarding panel system, made from lightweight modular panels for quick and easy installation. It is made for rapid installation and removal, and can be re-sited quickly, making it ideal for phased projects or rapidly changing worksites. With no nails or screws involved, there is no damage to the panels so you can use it time and time again. The clean, smooth exterior helps you maintain a professional identity, allowing for an attractive customer-facing facade on which graphics can be printed or vinyl attached. The thin 500mm wide panels enable easy contouring around corners, recesses and odd shapes. They are easy to fit and very light to handle compared to timber or traditional hoarding panels. The panels are robust and UV resistant.

FEATURES

- Approved to Australian Standards
- Lightweight
- Fast install
- UV resistant
- Recyclable plastic

Contact us regarding printed panels or custom printed vinyl wraps.

ECO-HOARD SHEETS - STANDARD

- Suits 48mm OD Tube

CODE	DESCRIPTION
03-HRDSHT10	White Eco-Hoarding Sheet (1.0 x 0.5m)
03-HRDSHT20	White Eco-Hoarding Sheet (2.0 x 0.5m)
03-HRDSHT30	White Eco-Hoarding Sheet (3.0 x 0.5m)

RPP FIXING CLAMPS

- Suits 48mm OD Tube



CODE	DESCRIPTION
03-HRDRPP	Eco-Hoard RPP Fixing Clip








PLYWOOD HOARDING: Clumsy & inconsistent



ECO-HOARD: Clever & economical





The very best quality banners at unbeatable prices!

Jaybro provides a comprehensive range of Premium Mesh, Open Weave Mesh, and Vinyl Banner to provide site privacy and advertising for buildings, construction sites or events.

We offer a number of extra-large printing options delivering truly outstanding results in both scale and quality. No matter how big or colourful your design we can find the solution that's right for you.


And if you need help with producing a creative design – *well, we can help you with that too!*

SHADECLOTH

STANDARD SHADE CLOTH

- Shadecloth and Fire resistant shadecloth
- Size: 50m x 1.8m
- Colours: Green, Blue, Beige, Black, Red, White

CODE	COLOUR
43-SHCLTHG	Green
43-SHCTHBL	Blue
43-SHCTHBE	Beige
43-SHCTHBLK	Black
43-SHCTHWH	White
43-SHCTHR	Red



***We recommend the use of bracing when applying the shadecloth or printed banner mesh. Please call us to discuss your requirements.**







CUSTOM PRINTED FENCE FABRIC MULTI-SIGNS

Sick of multiple signs on your fence? Sick of losing vital safety signs at your site entrance? Call today and let us design and print all your site entrance signs on one banner! 1300 885 364






5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

250 SITE SET UP - RUMBLE GRIDS




RUMBLE GRID

- Designed to clean a wheel in one full rotation
- Custom sizes are available
- Made to withstand 18 tonnes per axle
- Size: 4000mm long x 2000mm wide x 200mm high

Clean Wheels in a Single Rotation

Say goodbye to scrubbing and time-consuming cleaning methods. The Rumble Grid's innovative design utilises a unique grid pattern and high-quality materials to thoroughly clean an entire wheel in just one full rotation, saving you valuable time and labor costs.




10-RG4020

Perfect Fit, Guaranteed

Fortress Fencing understands the diverse needs of the construction, infrastructure, and events industries. That's why we offer custom sizes to perfectly fit any wheel size or vehicle type, ensuring optimal cleaning performance for your specific needs.

Unbeatable Flexibility and Ease of Use

Constructed with the highest quality materials, the Rumble Grid is built to withstand even the most demanding environments. It boasts an impressive weight capacity of 18 tonnes per axle, making it ideal for heavy-duty construction equipment, trucks, and other large vehicles.



10-RG3020


CODE	LENGTH	WEIGHT CAPACITY
10-RG4020	4000mm	18 tonnes per axle
10-RG3020	3100mm	18 tonnes per axle



PRECAST CONCRETE BLOCK

- Build strong and fast with our new precast blocks.
- Featuring a Lego-like design,
- Available in 3 sizes: 600mm, 900mm and 1200mm.

CODE	DESCRIPTION
03-CB1040	1 Tonne with 2.5t lifting point (NSW Only)
03-CB780	¾ Tonne (780kg) with 2.5t lifting point (NSW Only)
03-CB520	½ Tonne (520kg) with 2.5t lifting point (NSW Only)
03-CONCRETE-ML	Concrete Interlocking Lego Block 1200x600x600 (NSW Only)
03-CB060612	Concrete Interlocking Lego Block 1200x600x600 (QLD Only)
03-ECOBLOX	Sustainable Retaining Blocks (VIC Only)









5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.



- **All in one surveillance solution**
- **View multiple sites at once**
- **Receive instant mobile alerts**

SOLAR CCTV SURVEILLANCE CAMERA SYSTEM

Deliver surveillance to any location with the SLR-B Series Solar CCTV Surveillance Systems from Fortress Fencing. These remote-view-enabled, standalone surveillance solutions are perfect in areas without network/power infrastructure. This may include black spot monitoring, on farms, or in temporary CCTV applications such as construction sites or events.

- Standalone powered and networked IP surveillance
- Efficient monocrystalline silicon solar panel technology
- 4G or long range WiFi integration for remote view
- 4.0MP Mini AI PTZ Dome CCTV Camera
- Surveillance grade 128GB microSD card for CCTV
- High capacity lithium iron phosphate battery (LiFePO4)
- Adjustable microwave motion sensor LED area light
- Ø50-60mm pole mount diameter

Cover the whole scene with pan-tilt-zoom.

Capture incredible images with the PTZ camera. This camera can easily cover entire sites and makes setting up a breeze. The 4 x lossless optical zoom lens allows you to capture finer details when required.

The camera can be controlled remotely, allowing for easy image adjustment via smartphone or desktop application.



See more detail with 4x lossless optical zoom.

Remotely adjust the camera from wide angle view to a narrower view, to see enhanced image detail when required.

24/7 Recording

The camera features 24/7 continuous edge recording & uses a surveillance grade micro SD card, automatically overwriting the oldest footage. A 256GB card can record up to 7 days of footage at full resolution (the use of motion activation only can far extend this period.)




Receive accurate alerts with Artificial Intelligence.

Our systems are capable of advanced intelligent features, including tripwire & intrusion detection with the ability to identify people & vehicles from other moving objects using motion detection.

With the free app, you can live view and play back at any time. If an alarm event is triggered, push notifications or emails with snapshots can be automatically sent to multiple recipients.



Our standard solar surveillance model includes:



Concrete Base
Heavy 500kg concrete base. Reinforced with steel for extra strength.

LED Flood + Sensor
50W LED light (9400lm) with 360° motion & daylight sensors. Can be configured to only light up when needed, be dimmed or disabled entirely.

CCTV & Router Assembly
Camera junction box and pole bracket with internal 4G modem.

4MP PTZ Camera
Look around your entire site when required with pan, tilt & 4x optical zoom functions. See in total darkness up to 15m away with built-in infrared illumination (B/W)

Pole & Base
Sturdy, galvanised hinged 4.5m metal pole with approx. 500kg concrete base.

Custom Configurations Available



SPECIFICATIONS

4.0MP Mini AI PTZ Dome CCTV Camera
- 2.8 ~ 12mm Motorised lens
- 31.6° ~ 96.9° (4x optical zoom)
- Pan: 0° ~ 355° / Tilt: 5° ~ 90°
- IP66 weather resistant
- IK08 vandal resistant
- Video analytics (tripwire etc.)
- Perimeter protection to identify people & vehicles

SLR-B Solar Panel
- Panel Type: 120W monocrystalline
- Silicon panel
- Conversion Rate: Up to 21% efficiency
- Battery: 500Wh Lithium Iron Phosphate (LiFePO4)
- Panel Adjustment: -60º ~ 60º tilt adjustable with angle compass
- Ingress Protection: IP65
- Wind Resistance: Up to 65m/s
- Dimensions: 1321 x 525 x 161mm
- Pole Diameter Ø50 ~ 60mm

Solar CCTV Assembly
- Mounting kit with backing box and triple-clamp pole mount (pole not included).

3G/4G LTE Modem Router
- LTE connectivity up to 150Mbps speeds 4G: FDD 700/900/1800/2100/2600;TDD 2300Mhz

Solar Mount Pole
- 4.5m tall hinged galvanized pole
- No need for a ladder or working at heights

Solar Mount Concrete Base
- Large heavy duty base ~500kg
- Reinforcement for extra strength
- 1 x Base, 4 x Mounting Bolts, 1 x Bolt Template, 1 x Steel Reinforcement Cage & Concrete

CODE	DESCRIPTION
03-SLRB120	4.0MP Mini AI PTZ Dome CCTV Camera
03-SLRPOLH	4.5m Hinged Galvanised Pole for CCTV Camera
03-SLRPOLCNC	Hinged Pole Concrete Base for CCTV Camera

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***
*Conditions apply, See website for details.

INDUSTRIAL HANDRAIL - 48MM

A rapid assembly and cost effective solution for industrial and workplace safety barriers. Ideal for machinery guardrails, zone segregation and personnel safety.

- Suitable for: Pedestrian walkways, Water treatment plants, Zone segregation, Machinery guardrails, Coastal areas, Car parks, Warehousing and Headwalls

CODE	DESCRIPTION
03-4020D48-FL-01	Standard Double Rail 4020-D48 End Post with D-Return - Gal
03-4020D48-FL-01Y	Standard Double Rail 4020-D48 End Post with D-Return - Yellow
03-4020D48-FL-02	Standard Double Rail 4020-D48 End Post - Gal
03-4020D48-FL-02Y	Standard Double Rail 4020-D48 End Post - Yellow
03-4020D48-FL-03	Standard Double Rail 4020-D48 Mid Post - Gal
03-4020D48-FL-03Y	Standard Double Rail 4020-D48 Mid Post - Yellow
03-4020D48-FL-04	Standard Double Rail 4020-D48 Corner Post - Gal
03-4020D48-FL-04Y	Standard Double Rail 4020-D48 Corner Post - Yellow
03-4030D48-FL-01	Std Double Rail with Toeboard 4030-D48 End Post with D-Return - Gal
03-4030D48-FL-01Y	Std Double Rail with Toeboard 4030-D48 End Post with D-Return - Yellow
03-4030D48-FL-02	Std Double Rail with Toeboard 4030-D48 End Post - Gal
03-4030D48-FL-02Y	Std Double Rail with Toeboard 4030-D48 End Post - Yellow
03-4030D48-FL-03	Std Double Rail with Toeboard 4030-D48 Mid Post - Gal
03-4030D48-FL-03Y	Std Double Rail with Toeboard 4030-D48 Mid Post - Yellow





STANDARD PEDESTRIAN BARRIER - 48MM - GALVANISED

The Interclamp Galvanised Pedestrian Barrier is designed to integrate fully with the Interclamp handrail system and provide rapid construction of pedestrian control structures.

- Suitable applications: Pedestrian walkways, Culverts, Ramps and stairs, Disability handrails, Mezzanines, Loading bays and Zone segregation



CODE	DESCRIPTION
03-8010D48-FL-02	Standard Pedestrian Barrier 8010-D48 Mid Post - Gal
03-8010D48-FL-03	Standard Pedestrian Barrier 8010-D48 Mid Post - Gal
03-8010D48-FL-04	Standard Pedestrian Barrier 8010-D48 Corner Post - Gal
03-8010D48-392-2000	Standard Pedestrian Barrier 8010-D48 - 2000mm barrier



STD PEDESTRIAN BARRIER WITH TOEBOARD

The Interclamp Galvanised Pedestrian Barrier is designed to integrate fully with the Interclamp handrail system and provide rapid construction of pedestrian control structures.

- Suitable applications: Pedestrian walkways, Culverts, Ramps and stairs, Disability handrails, Mezzanines, Culverts, Loading bays and Zone segregation

CODE	DESCRIPTION
03-8020D48-FL-02	8020-D48 End Post - Gal
03-8020D48-FL-03	8020-D48 Mid Post - Gal
03-8020D48-392-2000	Toeboard 8020-D48 2000mm barrier



SELF CLOSING SAFETY GATE

Interclamp Self Closing Safety Gates feature a robust and durable spring-loaded self-closing hinge to automatically close the gate for personnel protection. The sprung hinges are tension adjustable and can be set to the required amount of closing force.

- Multiple configuration options
- Compatible with the standard Interclamp range
- Self closing hinges
- Zone segregation



CODE	DESCRIPTION
03-GI395D48	1200 mm - Gal
03-GI395D48Y	1200 mm - Yello

AUSTRALIAN MADE




INDUSTRIAL HANDRAILS 255



HANDRAIL TUBE

Galvanised Medium Weight tube to AS 1074:1989 is available in cut lengths



CODE	DESCRIPTION
03-GMTPD48X1950	Galvanised 48.3mm x 1950mm (D48)
03-GMTPD48X1950Y	Yellow 48.33mm x 1950mm (D48)
03-GMTPD48X2000	Galvanised 48.3mm x 2000mm (D48)
03-GMTPD48X2000Y	Yellow 48.33mm x 2000mm (D48)

HANDRAIL TOE BOARD

Toe boards to suit industrial handrails




CODE	DESCRIPTION
03-GIKP	100mm x 6mm x 6000mm

INDUSTRIAL HANDRAIL BOARD

Industrial handrail parts

CODE	DESCRIPTION
03-GI345	Handrail 345 Toe Board Joiner Straight
03-GI346	Handrail 346 Toe Board Joiner - Internal Corner
03-GI347	Handrail 347 Toe Board Joiner - External Corner
03-GI348	Handrail 348 Toe Board Saddle Fitting



INDUSTRIAL HANDRAIL PARTS

Accessories for industrial handrails

CODE	DESCRIPTION
03-GI300.4-CDE	Setscrew 300 CDE
03-GI300.4-CDEL	Setscrew 300 CDE Long
03-GI301.4-CDE	Hex Key 301 CDE
03-GI302	Flexi Ratchet & Bit Set
03-GI303-CDE	Securtity Setscrew 303 CDE
03-GI303-CDEL	Security Setscrew 303 CDE Long
03-GI304-CDE	Security Hex Key 304CDE



5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

CONTENTS

Waterfilled Barriers 258-261
F-Xclusion System 262
Concrete Barriers 263-273
Crash Barrier End Treatment 274-276
Asset Tracking Management 277-278
Steel Crash Barriers 279-283
Gravity Bar 284-285
Road Plates & Plate Locks System 285- 287
Block Axess Barrier 287



WATER-WALL™ CRASH BARRIER. See page 260



DELTABLOC® K150. See page 269



SAFEZONE. See page 279-283





SECTION

06 CRASH BARRIERS

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***


*Conditions apply, See website for details.

LO-RO WATER CABLE BARRIER

The Lo-Ro has a stout design for maximum stability and durability. This reduces the clear zone requirement which provides an additional margin of safety for workers in the work zone. When full of water it weighs an impressive 726kg, and the lower profile 876mm height provides increased visibility for motorists in urban areas.

Features:

- Availabe in white or red.
- MASH Tested TL-1 (50km/h) & TL-2 (70km/h)
- 3.6 metres deflection at 70km/h
- 1.8 metres deflection at 50km/h
- Weighs 726kg when full
- Weighs 72.58kg when empty
- 1830mm long x 876mm high x 570mm width
- 200mm diameter water fill-hole located on the top surface of each module section



Austroads approved and complies with AS/NZS 3845. Approved for use by:

- NSW TFNSW
- QLD TMR
- VicRoads
- MainRoads WA
- SA DPTI
- NT DIPL

CODE	DESCRIPTION
15-LOROR	Lo-Ro Water Cable Barrier, MASH TL-1 TL-2 - Red
15-LOROW	Lo-Ro Water Cable Barrier, MASH TL-1 TL-2 - White



LO-RO SCREEN

The Lo-Ro anti-gawk screen to suit Lo-Ro water filled crash barriers. Fits easily to the Lo-Ro barrier to provide a more thorough protection around the work site. With the addition of the fence panels, these barriers provide good protection for temporary worksites and other miscellaneous roadside activities.

Features:

- 1880mm x 1066mm
- Mesh Infill
- Galvanised
- Quick Install
- Light weight
- Can attach shade cloth

CODE	DESCRIPTION
03-LOROAGS	Lo-Ro Anti Gawk Screen

LO-RO SLED

The Lo-Ro SLED End Treatment is the end treatment for the TL-1 and TL-2 Lo-Ro water barrier system. This is a water-filled module with a containment impact sled which helps to contain the ruptured modules upon impact.

Features:

- MASH compliant Lo-Ro TL-2 SLED end treatment
- Contains containment impact sled
- Easily connects to Lo-Ro water barrier
- Fast install

Lo-Ro Barrier System Design Requirements

Containment Level	MASH TL1	MASH TL2
Accepted Impact Speed	50 km/h	70 km/h
Point of Redirection – Leading & Trailing (m)	24	24
Tested Article Length (m)	48	48
Anchor/Post Spacing (m)	Freestanding	Freestanding
Dynamic Deflection (m)	1.80	3.60
Working Width (m)	2.30	4.10
System Width (m)	0.57	0.57
Unit Length (m)	1.92	1.92
Minimum Support Width (m)	Requires site specific analysis. Refer to Austroads Technical Advice SBTA 22-001.	
Minimum Installation Length (m) *between crash cushions/terminals – tested article*	41	41
System Conditions	Installation on top of a kerb is not recommended. However, if installed on top of a kerb, all system components must be free to operate.	



CODE	DESCRIPTION
15-LOROSLED	SLED Lo-Ro End Treatment

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.



WATERWALL WATER FILLED BARRIER

The Water-Wall is a brand new product to Australia, crash tested to 50km/h and at only 41kg empty it is your safest choice for rapid installation and ease of handling on your next road project.

The Water-Wall barrier is manufactured from durable polyethylene plastic and has three integrally molded corrosion resistant steel cables and six (6) bushings connecting the barrier sections to prevent vehicle breaching.

The Water-Wall barrier system recently passed MASH testing in the USA to test level 1-11 (TL-1) and complies to Australian & New Zealand Standards AS/NZS 3845.1:2015 - Road Safety Barrier Systems.

This product is designed & crash tested for use on all private, local & Council roads. Please note that this product is not approved by Austroads for use on state road networks.

Features:

- 1800 x 450 x 810 mm
- Double wall knuckle design minimizes breakage at pivoting hinge points
- Hinge design allows for a 30-degree pivot between each of the barriers
- Large 200mm fill hole speeds filling process, includes large 8" twist-lock plastic cap
- New tamper resistant, corner offset drain plug with coarse buttress thread — screws in or out in only 2½ turns
- Includes one steel connection pin that allows sections to be locked together
- Forklift and pallet jack through holes and recesses for easy movement of barriers
- Complies to Australian Standards



CODE	DESCRIPTION
15-WWBRNC	Water Wall - Water Filled Barriers TL-1 Crash Tested


WATERWALL ANTI-GAWK SCREEN

Waterwall anti-gawk screen to suit Waterwall water filled crash barriers. Fits easily to the Waterwall barrier to provide a more thorough protection around the work site. With the addition of the fence panels, these barriers provide good protection for temporary worksites and other miscellaneous roadside activities.

Anti-Gawk Screens are available for many of Jaybro's water filled barriers including the Waterwall. This anti-gawk fence panel is easy to fit to the MASH tested Water-Wall barrier, using a simple steel pin connection.



CODE	DESCRIPTION
03-WWAGS	Waterwall Anti-Gawk Screen



WATER BARRIER SCREEN


Water barrier anti-gawk screen to suit water filled crash barriers. Fits easily to water barriers to provide a more thorough protection around the work site. With the addition of the fence panels, these barriers provide good protection for temporary worksites and other miscellaneous roadside activities.

Features:

- 1965mm x 1200mm
- Galvanised
- Mash and NCHRP 350 screens available
- Can be fitted with shade cloth

CODE	DESCRIPTION
03-MAZAGS	Water Barrier Anti-Gawk Screen

END CLIP FOR LAST ANTI GAWK PANEL



Clips to suit the end of a water barrier run with screens. This clip requires an additional barrier pin to sit in. The prongs on the last panel then fit into this clip securing it in place.

Features:

- Barrier pin required
- 46mm x 125mm
- Used to stop last anti gawk panel swinging
- Available for all water barriers

CODE	DESCRIPTION
15-WBEC	End panel bracket

WATER BARRIER DRAIN PLUG




Replacement drain plug for Waterwall, Armorzone, Lo-Ro and Trafix 2000 Waterfilled barriers.

Features:

- Barrier Drain Plug - Replacement drain
- Plug for Waterwall, Armorzone, Lo-Ro & Trafix 2000 Waterfilled barriers

CODE	DESCRIPTION
15-WWBPLUG	Water barrier drain plug

LIDS FOR WATERWALL & LO-RO



Black lid to suit Lo-Ro or Waterwall barrier.

CODE	DESCRIPTION
15-WWBLID	Black lid to suit Lo-Ro & Waterwall barriers

BUNG TOOL TO SUIT ALL BARRIERS



Tool to remove bung from water barriers.

Works with Lo-Ro, Armorzone, Waterwall and Trafix water barrier.

CODE	DESCRIPTION
15-MAZCBBT	Bung tool for water barriers

PINS FOR ALL BARRIERS



Pins to suit water barriers.

Features:

- Pins to suit Lo-Ro, Armorzone, Waterwall barriers
- Galvanised

CODE	DESCRIPTION
03-WBPIN	Pin to suit water barriers

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

F-XCLUSION SYSTEM



F-XCLUSION™ DEMARCATION SYSTEM

Key Benefits of the F-Xclusion™ System:

- Consistent & Accurate Delineation
- Dynamic Safety Feature
- Rapid Deployment & Pack-Up
- Seamless Relocation
- Versatile Installation
- Easy Identification of Gaps
- Enhanced Portability & Accessibility
- Facilitated Access for Work
- Off-Site Pre-Fitment

The F-Xclusion™ System provides a robust, reliable, and efficient solution that directly addresses the critical need for accurate and consistent No-Go Zone delineation, significantly enhancing worker safety on worksites.



CODE	DESCRIPTION
03-F-XCL	F-XCLUSION™ Demarcation System

1300 885 364
Login online for your **Trade Account Pricing**



This innovative system is essential for traffic management, featuring many unique characteristics:

- Australian First Concrete Barrier offering CO_2 Reduction.
- 41.2% reduction in CO_2 emissions
- 100% reduction possible with Ecopact ZERO carbon offset program

ECO DB80 K150 MASH TL3

ECO-FRIENDLY DB80 K150 ROAD BARRIER

Discover Jaybro's environmentally conscious road barriers, a significant leap forward in sustainable infrastructure, jointly developed by Jaybro, SVC, and Holcim, merging safety with environmental consciousness.

Sustainability meets eco-friendly design with the Australian first DB80 K150 Road Barrier. A major advancement in sustainable infrastructure, developed collaboratively by Jaybro, SVC Products Pty Ltd and Holcim Australia, the ground-breaking DB80 K150 Road Barrier combines safety with environmental awareness.

Our new DB80 K150 Road Safety Barrier System is expertly engineered for the critical task of restraining and redirecting vehicles that have strayed off-course in various circulation areas. MASH compliant, the DB80 K150 Road Barrier is an essential safety component for any traffic management and control strategy.

This innovative system serves as a fundamental component in every traffic management and control strategy, highlighting numerous distinctive characteristics:

- Australian first temporary concrete barrier to offer CO2 carbon emission reductions from using cement reduced concrete.
- The ECOPact mix has a 41.2% CO2 emission reduction from the current AUS LCI baseline for MPa concrete.
- A full 100% carbon reduction is possible by using the ECOPact concrete mix-in combination with a certified eligible carbon offset – ECOPact ZERO.

Contact our experienced team to discover the advantages of our Eco-Friendly DB80 K150 road barriers. Find out how these cutting-edge solutions can transform your approach to traffic management, seamlessly blending safety with a dedication to environmental sustainability.

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

DB80 K150 6M

The Deltabloc DB80 is an F-shape steel reinforced MASH approved concrete barrier. With the patented Deltabloc coupling system, the DB80 allows a slight tilting of the impact energy in case of a heavy impact. Elastomer bearings between the single barriers ensure controlled damping of peak loads. This guarantees reliable breakthrough prevention for heavy vehicles and soft impact behaviour for small cars

Features:

- 6 metre length
- Rated to 100km/h in NSW, TAS, SA, NT, VIC and 80km/h in QLD & WA
- Weighs 525kg per metre
- Easy coupling design
- Can be bolted or pinned in place
- This precast barrier is compatible with all crash cushions available in the market

MASH Tested:

The Deltabloc DB80 units are demonstrated to meet the requirements of MASH test level TL-3. This means a 2270kg Ute travelling at 100km/h impacting the barrier at an angle of 25 degrees achieves a dynamic deflection of 1.44 metres. Deltabloc technology has been optimised in more than 130 full-scale crash tests, allowing Deltabloc DB80 barriers to deliver the best impact severity results available.



CODE	DESCRIPTION
03-DB80	6m Concrete Crash Barrier Deltabloc DB80

Available with eco concrete mix!



DB80 K150 4M

Available with eco concrete mix!

Features:

- 4 metre length
- Rated to 100km/h in NSW, VIC, NT, SA, TAS, NZ
- Rated to 80km/hour in QLD and WA
- Weighs 600kg per metre
- Easy coupling design
- Can be bolted or pinned in place
- This precast barrier is compatible with all crash cushions available in the market.

MASH Tested:

The Deltabloc DB80 units are demonstrated to meet the requirements of MASH test level TL-3. This means a 2270kg Ute travelling at 100km/h impacting the barrier at an angle of 25 degrees achieves a dynamic deflection of 1.44 metres.

CODE	DESCRIPTION
03-DB80-4M	4m Concrete Crash Barrier Deltabloc DB80



DB80 K150 2M

Available with eco concrete mix!

Features:

- 2 metre length
- Utlising an extension coupler to allow 2m barrier to achieve 16 metre radius
- Rated to 100km/h in NSW, VIC, NT, SA, TAS, NZ
- Rated to 80km/hour in QLD & WA
- Weighs 600kg per metre
- Easy coupling design
- Can be bolted or pinned in place
- This precast barrier is compatible with all crash cushions available in the market.

MASH Tested:

The Deltabloc DB80 units are demonstrated to meet the requirements of MASH test level TL-3. This means a 2270kg Ute travelling at 100km/h impacting the barrier at an angle of 25 degrees achieves a dynamic deflection of 1.44 metres.

CODE	DESCRIPTION
03-DB80-2M	2m Concrete Crash Barrier Deltabloc DB80

‘DOG BONE’ COUPLING – K150 97MM

Used to connect concrete barriers. Extended coupler allows for bends and curves when installing longer lengths of concrete barriers.

Features:

- 97mm Dogbone Coupler



CODE	DESCRIPTION
DB80CPL	DB80 Jersey Barrier Coupling K150 97mm – Standard Coupler

EXTENDED COUPLER

Used to connect concrete barriers. Extended coupler allows for bends and curves when installing longer lengths of concrete barriers.

Features:

- 117mm dogbone coupler
- To create tighter radius



CODE	DESCRIPTION
03-DB80C117	DB80 Jersey Barrier Extended Coupling K150 117mm – Extended Coupler

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

DB80 K150 Design Requirements


Containment Level	MASH TL3
Accepted Impact Speed	100 km/h
Point of Redirection – Leading (m)	29.2
Point of Redirection – Trailiing (m)	32.5
Tested Article Length (m)	61.17
Anchor/Post Spacing (m)	Freestanding
Dynamic Deflection (m)	1.44
Working Width (m)	1.94
System Width (m)	0.57
Unit Length (m)	4 or 6
Minimum Support Width (m)	Requires site specific analysis. Refer to Austroads Technical Advice SBTA 22-001.
Minimum Installation Length (m) *between crash cushions/terminals – tested article*	60
System Conditions	• Use of 2 metre units is restricted to tight radius curves and emergency openings. • Installation on top of a kerb is not recommended. However, if installed on top of a kerb, all system components must be free to operate.

Calculated Deflection Chart

DYNAMIC DEFLECTION WITH VARIOUS SPEED LIMITS					
Test Vehicle: Pick-up Truck, 2,270kg					
Angle of Impact	**5º**	**10º**	**15º**	**20º**	**25º**
Design Speed (km/h)	**Deflection (m)**	**Deflection (m)**	**Deflection (m)**	**Deflection (m)**	**Deflection (m)**
40km/h / 25mph	0.01	0.04	0.08	0.14	0.21
50km/h / 31mph	0.01	0.06	0.12	0.21	0.31
60km/h / 37mph	0.02	0.08	0.17	0.29	0.45
70km/h / 43.5mph	0.03	0.11	0.24	0.42	0.64
80km/h / 50mph	0.04	0.15	0.33	0.57	0.87
60km/h / 37mph	0.05	0.19	0.43	0.75	1.14
70km/h / 43.5mph	0.06	0.24	0.54	0.95	1.44*
80km/h / 50mph	0.07	0.29	0.65	1.16	1.74
90km/h / 56mph	0.08	0.35	0.78	1.40	2.10

Curve radius for safety facilities

BARRIER TYPE	DB 80 K150 F-Shape		
Barrier Length	2m	4m	6m
Curve radius with standard coupling 97mm	40m	80m	120m
Curve radius with extra long coupling 117mm	16m	32m	48m





DB80 T150S CONCRETE SAFETY BARRIER TL-3 & TL-4

The Deltabloc DB80 T150 is the generation 2 to the DB80 Concrete Barrier Range, By utilising smarter steel reinforcement, Male & Female end barrier connection which brings you greater performance.

Remaining Low in weight while still having the ability to utilise 2m & 4m barriers for those inner urban jobs which require tight bends, the DB80 T150 is a breath of fresh air for the road safety industry!

The T150 Barrier is the First ASBAP approved TL-3 & TL-4 approved concrete barrier meaning you can now receive TL-4 Performance from Concrete Barriers rather then having to always needing to go for Anchored Steel Barriers. With an extremely low deflection for concrete barriers (81cm) which is worth boasting about!

Available with eco concrete mix!

Features:

- TL-3 & TL-4 compliant
- Height - 800 mm
- Width - 570 mm
- Length - 6000mm
- Weight - 3,125kg
- Dynamic Deflection TL-3 & TL-4 - 81cm
- Minimum Length - 92 metres

CODE	DESCRIPTION
03-T1506M	6m DB80 T150 Concrete Barrier
03-T1504M	4m DB80 T150 Concrete Barrier
03-T1502M	2m DB80 T150 Concrete Barrier

DB80 T150S Design Requirements

Containment Level	MASH TL3	MASH TL4
Accepted Impact Speed	100 km/h	100 km/h
Point of Redirection – Leading (m)	Interface between the barrier and the end treatment	32.30
Point of Redirection – Trailing (m)		59.70
Tested Article Length (m)	92	
Anchor/Post Spacing (m)	Anchored at the ends only	
Dynamic Deflection (m)	0.81	
Working Width (m)	1.36	2.50
System Width (m)	0.57	
Unit Length (m)	6	
Minimum Support Width (m)	Requires site specific analysis. Refer to Austroads Technical Advice SBTA 22-001.	
Minimum Installation Length (m) *between crash cushions/terminals – tested article*	92	

System Conditions

- The system is anchored at the ends only.
- Installation on top of a kerb is not recommended. However, if installed on top of a kerb, all system components must be free to operate.

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

Calculated Deflection Chart


DB 80 F-Shape 6m T150S

TL3: TABLE OF DYNAMIC DEFLECTION WITH VARIOUS SPEED LIMITS					
Test Vehicle: Pick-up Truck, 2,270kg					
Angle of Impact	**5º**	**10º**	**15º**	**20º**	**25º**
Design Speed (km/h)	**Deflection (m)**	**Deflection (m)**	**Deflection (m)**	**Deflection (m)**	**Deflection (m)**
50km/h / 31mph	0.01	0.03	0.07	0.13	0.20
60km/h / 37mph	0.01	0.05	0.11	0.19	0.29
70km/h / 43.5mph	0.02	0.07	0.15	0.26	0.39
80km/h / 50mph	0.02	0.09	0.19	0.33	0.51
90km/h / 56mph	0.03	0.11	0.24	0.42	0.65
100km/h / 62mph	0.03	0.13	0.30	0.52	0.81
110km/h / 68mph	0.04	0.16	0.36	0.63	0.97
120km/h / 75mph	0.05	0.19	0.43	0.75	1.15

TL4: TABLE OF DYNAMIC DEFLECTION WITH VARIOUS SPEED LIMITS				
Test Vehicle: Truck, 10,000kg				
Angle of Impact	**5º**	**10º**	**15º**	**20º**
Design Speed (km/h)	**Deflection (m)**	**Deflection (m)**	**Deflection (m)**	**Deflection (m)**
50km/h / 31mph	0.03	0.11	0.25	0.43
60km/h / 37mph	0.04	0.16	0.36	0.62
70km/h / 43.5mph	0.05	0.22	0.48	0.85
80km/h / 50mph	0.07	0.28	0.63	1.11
90km/h / 56mph	0.09	0.36	0.81	1.40

Curve radius for safety facilities

BARRIER TYPE	DB 80 K150 F-Shape		
Barrier Length	2m	4m	6m
Curve radius	52m	103m	135m



DB80A/PT150S

The Deltabloc DB80 is an F-shape steel reinforced MASH approved concrete barrier. With the patented Deltabloc coupling system, the DB80 allows a slight tilting of the impact energy in case of a heavy impact.

Elastomer bearings between the single barriers ensure controlled damping of peak loads. This guarantees reliable breakthrough prevention for heavy vehicles and soft impact behaviour for small cars

Features:

- 6 metre length
- Rated to 100km/h in NSW, TAS, SA, NT, VIC and 80km/h in QLD & WA
- Weighs 525kg per metre
- Easy coupling design
- Can be bolted or pinned in place
- This precast barrier is compatible with all crash cushions available in the market

MASH Tested:

The Deltabloc DB80 units are demonstrated to meet the requirements of MASH test level TL-3. This means a 2270kg Ute travelling at 100km/h impacting the barrier at an angle of 25 degrees achieves a dynamic deflection of 1.44 metres. Deltabloc technology has been optimised in more than 130 full-scale crash tests, allowing Deltabloc DB80 barriers to deliver the best impact severity results available.

Available with eco concrete mix!

CODE	DESCRIPTION
03-DB80AT150-2M DB80 T150A/P	Concrete Barrier 2m
03-DB80AT150-4M DB80 T150A/P	Concrete Barrier 4m
03-DB80AT150-6M DB80 T150A/P	Concrete Barrier 6m

SYSTEM	Element Length	Curve Radius
DB 80A/P F-Shape	6m	135m
	4m	103m
	2m	52m

DB80A/P T150S Design Requirements

Containment Level	MASH TL3 (Concrete Installations)	MASH TL3[1] (Asphalt Installations)
Accepted Impact Speed	100 km/h	100 km/h
Point of Redirection – Leading & Trailing (m)	Interface between the barrier and the end treatment	
Tested Article Length (m)	68	68
Anchor/Post Spacing (m)	3.0	3.0
Dynamic Deflection (m)	0.34	0.55
Working Width (m)	0.91	0.91
System Width (m)	0.57	0.57
Unit Length (m)	6	6
Minimum Support Width (m)	Requires site specific analysis. Refer to Austroads Technical Advice SBTA 22-001.	
Minimum Installation Length (m) *between crash cushions/terminals – tested article*	68	68



5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.



LIFTING CLAMP FOR CONCRETE BARRIER

The Jaybro – M220160 Concrete Barrier Lifting Clamp is designed to be attached to a crane, forklift, excavator or similar lifting device to facilitate the lifting of concrete barriers. The unit is a 'grab type' device which secures the load by application of force to the sides of the load. The function of the unit does not require manual interaction of the operator therefore removing personnel from the lifting operation.



Features:

- These lifting Clamps are manufactured to comply with AS4991
- Designed for the lifting and transferring of road concrete barriers between 150mm and 300mm in a wide variety of industries such as: shipbuilding, construction, aircraft and offshore applications.
- The Global vertical and horizontal plate clamps are suitable for the lifting and transfer in vertical and horizontal position of non-sagging steel plates.
- These plate clamps are manufactured from high quality steel to guarantee the safety and durability required by industrial applications.
- All clamps have been ergonomically designed to be user-friendly (smaller, lighter and more compact) while not sacrificing strength and durability.

Specifications:

- The lifting clamp is made of steel in the form double tongs.
- The arms and jaws of the device are finished with a polyurethane cover to increase friction.
- When device is clamped on the load during lifting, the loads centre of gravity should be directly under carrier ear, to provide stability.
- Device is equipped with automatic lock

CODE	DESCRIPTION
01-LCLAMP	Lifting Clamp - 250kg, 150 - 300mm (Clamping Range), 4500kg (Working Load Limit)




SCREEN NSW STYLE

Screen kits to suit 6m, 4m and 2m Deltabloc barriers available.
Available in NSW, QLD, WA, ACT

Features:

- Easy anti-gawk system
- Posts bolt to cast in ferrules
- Panels slide over the top of posts

CODE	DESCRIPTION
03-HDAG	Mesh anti-gawk system. Can also suit various concrete barriers



SCREEN VIC STYLE

Screen kits to suit 6m, 4m and 2m Deltabloc barriers available.
Available in VIC, SA

Features:

- HD anti-gawk system
- Posts bolt to cast in ferrules
- Panels slide the into posts

CODE	DESCRIPTION
03-HDAG	Mesh anti-gawk system. Can also suit various concrete barriers

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.



HOLYPAN FOR DB80 AND STEEL BARRIERS

100% blockout anti gawk system.

Features:

- Holypan sandwich panel providing 100% block out
- Available to suit 6m , 4m and 2m Deltablocs

CODE	DESCRIPTION
03-RHSHP-2M	Holypan Kit for 2m Concrete Barrier
03-RHSHP-4M	Holypan Kit for 4m Concrete Barrier
03-RHSHP-6M	Holypan Kit for 6m Concrete Barrier



BRANDED HOLYPAN

Holypan that can be printed with customers logo or message.

Features:

- Custom branded Holypan
- To suit 6m, 4m and 2m Deltablocs

CODE	DESCRIPTION
01-Barrier	Custom Printing Branding for Holypan Screen

DB 80 F-SHAPE – DB FLEXCORNER

The DB Flexcorner was developed as an optional accessory to the DB 80 F-Shape, which enables a safe, flexible connection between elements.



CODE	DESCRIPTION
03-DBFLEX	DB 80 F-Shape DB FlexCorner

NON-DRILL POST FOR CONCRETE BARRIER

Non-invasive post handrail system for concrete barriers, jersey kerbs and more. Ideal for use during and after construction. Complies to AS/NZS 1170.1 and AS 1657



CODE	DESCRIPTION
03-NDGRPOST	Non-Drill Guardrail System for Jersey Barriers – Post

BOLT DOWN PLATE FOR DB80

Utilised to fix a barrier to the pavement to either reduce deflection or when fitted adjacent to a re-directive crash cushion.



CODE	DESCRIPTION
03-CBGP	Concrete Barrier Ground Plate for DB80 Barrier

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

CRASH BARRIER END TREATMENT



ABSORB-M CRASH CUSHION

The ABSORB-M™ is a non-redirective, gating, crash cushion designed to meet the latest test standards defined in the Manual for Assessing Safety Hardware (MASH), Second Edition, 2016. The ABSORB-M™ system utilises Tension Straps, a Midnose, a Transition, and water-filled Element Assemblies (Elements) to absorb kinetic energy and safely contain or control the penetration trajectory of impacting vehicles.

The system is comprised of a Nose Plate, Elements, Pin Assemblies (Pins), a Midnose, a Transition, and mechanical anchors. The front Element is always empty with remaining Element(s) full of water. Each Element is pre-assembled with Tension Straps secured with bolts and a thread locking compound.

ABSORB-M™ is designed to accommodate a variety of portable safety shape, constant slope, and other shapes of barrier up to 1067mm height.

Features:

- 2 Element system rated to 70km/h , 3 Element system rated to 50km/h
- TL-2 Length - 4.46m, TL-3 Length - 6.39m
- Rapid deployment and retrieval
- No ground anchoring required
- Universal transition
- Narrow footprint
- Can be deployed on almost any road surface
- Can be repositioned while filled with water via integrated fork lift ports
- Shortest MASH TL-3 tested non-redirective, anchorless crash cushion
- Durable long-life parts
- Approved for use in work zone locations

CODE	DESCRIPTION
03-ABM70AU	Absorb M TL2
03-ABM80AU	Absorb M TL3

Absorb-M Crash Cushion Design Requirements

Containment Level	MASH TL2	MASH TL3
Accepted Impact Speed	70 km/h	80 km/h
Point of Redirection – Leading & Trailing (m)	Non-redirective	
System Length (m)	5.29m (2 units) *Inclusive of side straps, 4.46m from adjacent barrier*	7.22m (3 units) *Inclusive of side straps, 6.39m from adjacent barrier*
Anchor/Post Spacing (m)	Freestanding	
System Width (m)	0.67	
System Conditions	• **TL2 - Speed restricted to 60km/h on anchored steel barrier systems.** • **TL3 - Speed restricted product to 80km/h.** • Exhibits behaviour similar to a gating terminal. • 18.5 metre x 6 metre clear run-out area is required, measured from the connection to the longitudinal barrier. • Installation on top of a kerb is not recommended. However, if installed on top of a kerb, all system components must be free to operate.	

CRASH BARRIER END TREATMENT 275



UNIVERSAL TAU-M CRASH CUSHION (MASH)

The Redirective, Non-Gating, Universal TAU-M Crash Cushion is designed to meet MASH TL-3 and TL-2 testing requirements in a compact, partially reusable design. The system is available for concrete and asphalt applications and can shield hazards with widths up to 880 mm.
Ease of installation, fast on-site repairs, and numerous transition options make the TAU-M system an ideal crash cushion to shield most roadside and median hazards. The TAU-M system is also available as an upgrade kit to retrofit existing NCHRP 350 TAU-II Systems into MASH TAU-M Systems.

Features:

- MASH TL-2 (70 km/h) & TL-3 (100 km/h) compliant
- AS/NZS 3845.1:2015 compliant
- Approved for recommendation by the Austroads Safety Barrier Assessment Panel (ASBAP)
- Classification - Redirective, Non-Gating, Partially Reusable (R-NG-PR) Impact Attenuator
- TL-3 Length - 6.93 m / 22' 9"
- TL-2 Length - 4.33 m / 14' 2"
- Width - 762 mm / 30"
- Height - 8030 mm / 32 5/8"
- Test Level - MASH TL 2 / 3
- Minimum number of anchors needed to secure the system
- Reduced length vs. NCHRP 350 TL-3 system
- Upgraded slider panels for increased durability
- Can be installed over bridge expansion joints
- Concrete and asphalt systems available
- Numerous non-proprietary transition options
- NCHRP 350 to MASH Retrofit kits available

Universal Tau-M Crash Cushion Design Requirements

Containment Level	MASH TL2	MASH TL3
Accepted Impact Speed	70 km/h	100 km/h
Point of Redirection – Leading & Trailing (m)	Entirely redirective	
System Length (m)	4.33	6.93
Anchor/Post Spacing (m)	Refer drawings	
System Width (m)	0.76	
System Conditions	Installation on top of a kerb is not recommended. However, if installed on top of a kerb, all system components must be free to operate.	

CODE	DESCRIPTION
03-TAUM	TAU-M End Treatment

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

CRASH BARRIER END TREATMENT



TAU-XR (EXPRESS REPAIR)

REDIRECTIVE LOW MAINTENANCE CRASH CUSHION

The TAU-XR crash cushion is a next-generation, **low-maintenance solution** designed to meet the demands of modern roadway safety.

As a newly launched system, the TAU-XR has been tested to MASH Test Level 3 and is fully compliant with the latest standards for crash attenuation. It's a redirective, non-gating system specifically engineered for high-impact, high-frequency crash zones, with a strong focus on reducing risks for maintenance personnel.

One of the TAU-XR's standout features is its **exceptionally low maintenance requirements.** The system uses crushable, energy-absorbing aluminium tubes that are simple and intuitive to replace. After a head-on or side impact, the TAU-XR can be **fully repaired in under 30 minutes**, significantly reducing road closure times and minimising worker exposure to live traffic.

Features:

- Xpress Repair: less than 30 minutes to reset and repair after impact
- Easy Install: delivered fully assembled for quick installation
- Durable: double-rail system and non-flaring side panels for maximum performance and minimal damage
- Remote Monitoring: fully tested with ImpactAlert and RoadConnect


Built for severe-duty environments, the TAU-XR incorporates robust structural steel rails and mid supports to absorb and withstand repeated impacts with minimal damage. This durability, combined with its **fast and easy repair process**, gives the TAU-XR one of **the lowest life cycle costs in its class**, making it an ideal choice for agencies focused on long-term value and operational efficiency.

As a new addition to the industry's crash cushion lineup, the TAU-XR sets a new standard for **safety, speed of repair, and cost-effective performance.**

TUA-XR Redirective Non-Gating Crash Cushion Specifications

TUA-XR Dimensions	MASH TL3	
Length	23'6"	7.16 m
Width	36"	914 mm
Height	32¼"	820 mm

CODE	DESCRIPTION
03-TAUXR	TAU-XR Non-Gating Crash Cushion



Sentinel™ IMPACT TRACKER




SENTINEL™ IMPACT TRACKER

Immediate Notification of Impacted Attenuators

With the Sentinel's asset tracking and management capabilities, users are able to track and record the attenuator, end terminal, guard rail, sign or any other asset's installation date, manufacturer's make and model, site location, installer's information, impact and inspection history – all from your computer or mobile device with only a small monthly subscription.





CODE	DESCRIPTION
03-SENTINEL	Sentinel Impact Tracker

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.


ASSET TRACKING MANAGEMENT

Features:

- 24/7 Monitoring of permanent and temporary attenuators
- Easily attaches to most attenuators
- Powered by a 5 year lifespan battery
- Weatherproof & durable
- Updated remotely via cellular download
- Immediate notification via text and/or e-mail, upon impact
- Self-contained compact device
- Reports accelerations above a set threshold
- Tune-able to work with most common permanent & temporary attenuators
- Map of all monitored devices with colored pins.
- Zoom in to specific devices to get: Date of install, Type of device, Serial Number, Maintenance and repair history, Picture of device as installed
- Real Time reporting of incidents / impacts
- Data provided to assist in revenue recovery

SENTINEL™ DASHBOARD


- Map of all monitored devices with colored pins.
- Zoom In" to specific devices to get: Date of install,
- Type of device, Serial Number, Maintenance and
- repair history, Picture of device as installed
- Real Time reporting of incidents / impacts
- Data provided to assist in Revenue Recovery











SAFEZONE

SafeZone offers superior protection and maximum performance. It is smartly designed to absorb high levels of impact energy within its deflection range.

Its unique and patented system was tested according to the AASHTO MASH (American Association of State Highway and Transportation Officials Manual for Assessing Safety Hardware) 2016 standards.

The barrier successfully passed performance tests at MASH TL-3 up to MASH TL-4 Limited Deflection. This means that SafeZone responds well to the impact velocity of a 10-ton truck traveling at 56mph (90km/h) and impacting the barrier at a 15º angle.

Rigid standard steel or reinforced concrete transmits impact forces back into the vehicle, rather than absorbing them, which is a possible risk factor for severe or hidden damages or injuries. SafeZone is built to dissolve and absorb vehicle impact forces. It can be applied as a temporary or permanent barrier on bridges, workzones, edges of roads, as well as median barriers on highways.

The small footprint is also an important benefit. SafeZone's simple, lightweight yet solid design means that it can also be easily transported.

Features:

- Smartly designed to absorb a maximum of impact energy within a built-in deflection range
- Estimated 20-year lifespan
- Removable anchor shoe utilised to reduced damage to the safety barrier
- Easy connection system allows for ultra-quick placement
- Damaged sections can easily be removed or replaced
- Available in Standard Deflection TL3 & TL4, LDS TL3 & TL4, and MDS TL3
- Dimensions: 639mm x 800mm x 5800mm
- Lightweight: only 92kg/m (62 lb/ft)
- Modular elements
- Radius pieces available 5 - 90 degrees
- Standard, limited and minimum deflection
- Lowest deflecting TL4 barrier approved by ASBAT

CODE	DESCRIPTION
03-SAFEZONE	Safezone Steel Barrier

SAFEZONE STANDARD

Safezone Standard Safety Barrier Design Requirements

Containment Level	MASH TL3	MASH TL4
Accepted Impact Speed	100 km/h	100 km/h
Point of Redirection – Leading (m)	Interface between the barrier and the end treatment	27.4
Point of Redirection – Trailing (m)		42.2
Tested Article Length (m)	69.6	
Anchor/Post Spacing (m)	69.6	
Dynamic Deflection (m)	1.70	2.07
Working Width (m)	2.06	2.96
System Width (m)	0.45	
Unit Length (m)	5.80	
Minimum Support Width (m)	Requires site specific analysis. Refer to Austroads Technical Advice SBTA 22-001.	
Minimum Installation Length (m) *between crash cushions/terminals – tested article*	6.96	

System Conditions

- Installation on top of a kerb is not recommended. However, if installed on top of a kerb, all system components must be free to operate.
- All offsets are to be measured from the relevant outer edge of the foot. The foot is not trafficable.

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

SAFEZONE LDS

Safezone LDS Safety Barrier Design Requirements

Containment Level	MASH TL3	MASH TL4
Accepted Impact Speed	100 km/h	100 km/h
Point of Redirection – Leading (m)	Interface between the barrier and the end treatment	15.8
Point of Redirection – Trailing (m)		24.8
Tested Article Length (m)	40.6	
Anchor/Post Spacing (m)	11.6	
Dynamic Deflection (m)	0.42 *measured from the outer edge of the anchor shoe on the works side*	0.45 *measured from the outer edge of the anchor shoe on the works side*
Working Width (m)	1.06	2.17
System Width (m)	0.64 *Includes anchor shoes*	
Unit Length (m)	5.80	
Minimum Support Width (m)	Requires site specific analysis. Refer to Austroads Technical Advice SBTA 22-001.	
Minimum Installation Length (m) *between crash cushions/terminals – tested article*	40.6	
System Conditions	• Installation on top of a kerb is not recommended. However, if installed on top of a kerb, all system components must be free to operate. • All offsets are to be measured from the relevant outer edge of the foot. The foot is not trafficable.	


SAFEZONE MDS

Safezone MDS Safety Barrier Design Requirements

Containment Level	MASH TL3
Accepted Impact Speed	100 km/h
Point of Redirection – Leading (m)	Interface between the barrier and the end treatment
Point of Redirection – Trailiing (m)	
Tested Article Length (m)	40.6
Anchor/Post Spacing (m)	5.8
Dynamic Deflection (m)	0.17
Working Width (m)	0.81
System Width (m)	0.64
Unit Length (m)	5.80
Minimum Support Width (m)	Requires site specific analysis. Refer to Austroads Technical Advice SBTA 22-001.
Minimum Installation Length (m) *between crash cushions/terminals – tested article*	40.6
System Conditions	• Installation on top of a kerb is not recommended. However, if installed on top of a kerb, all system components must be free to operate. • All offsets are to be measured from the relevant outer edge of the foot. The foot is not trafficable. • This product is designed for constrained sites ONLY that cannot accommodate the working widths of more flexible systems. While providing lower working width, this product increases the potential for vehicle occupant risk during high-speed impacts. • Throughout the installation it is recommended to revert to greater pin spacing (LDS, Standard) where there is the accepted working width behind the installation. • A risk assessment of using this product must be undertaken. Where the risk of high-speed impacts is high, the speed must be limited to not greater than 80 km/h.

STANDARD BARRIER COMPLETE


SafeZone 5.8 metres section, male/female QuickLink



CODE	DESCRIPTION
AS31840000	Standard Safezone 5.8m Barrier

MALE-MALE BARRIER


Incorporated into the barrier run to alternate connections and remove barriers easier.



CODE	DESCRIPTION
AS31840900	Male to Male Safezone Barrier 5.8m Long

FEMALE-FEMALE BARRIER


Incorporated into the barrier run to alternate connections and remove barriers easier.



CODE	DESCRIPTION
AS31840920	Female to Female Safezone Barrier 5.8m Long

VARIABLE LENGTH BARRIER ELEMENT

Built for Bridge Decks to allow for expansions the pavement gradually increases and decreases in size.



CODE	DESCRIPTION
AS31840202	Variable-length Safezone Barrier


5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

VARIABLE ANGLE BARRIER


The SafeZone Variable angle barrier connected on a hinge has been developed for those areas on site requiring a greater radius then our standard 5 & 10 degree pieces can achieve. This barrier can achieve up to a 90-degree bend.



CODE	DESCRIPTION
AS31840300	Safezone Variable Angle Emement

INTERCHANGEABLE ANGLE PIECE 2.5º


Collapsible barrier to be either used as a 2.5 degree left or right.



CODE	DESCRIPTION
AS31840359	2.5-Degree Interchangeable Safezone Barrier

INTERCHANGEABLE ANGLE PIECE 5º


Collapsible barrier to be either used as a 5 degree left or right.



CODE	DESCRIPTION
AS31840350	5-Degree Interchangeable Safezone Barrier

INTERCHANGEABLE ANGLE PIECE 7.5º


Collapsible barrier to be either used as a 7.5 degree left or right.



CODE	DESCRIPTION
AS31840365	7.5-Degree Interchangeable Safezone Barrier

INTERCHANGEABLE ANGLE PIECE 10º


Collapsible barrier to be either used as a 10 degree left or right.



CODE	DESCRIPTION
AS31840351	Safezone 10 Degree Box


SAFEZONE UNIVERSAL RADIUS KIT

SafeZone Universal 2.5, 5, 7.5, 10 Degree Radius Kit




CODE	DESCRIPTION
AS31840366	Safezone 2.5 Degree Box
AS31840352	Safezone 5 Degree Box
AS31840360	Safezone 7.5 Degree Box
AS31840351	Safezone 10 Degree Box

SAFEZONE MALE TRANSITION BARRIER



CODE	DESCRIPTION
AS31840600	SafeZone Male Transition Barrier


SAFEZONE FEMALE TRANSITION BARRIER



CODE	DESCRIPTION
AS31840602	SafeZone Female Transition Barrier

SHOE INSERT


Slides into barrier to anchor to pavement, rather than the generic way of anchoring barriers that are part of the barrier structure.
This shoe allows to minimise barrier damage upon impact as it is a separate part to the Safezone Barrier.



CODE	DESCRIPTION
AS31840020	Safezone Standard Insert

ANTI-GAWK SCREEN PANEL


5750mm x 1250mm x 25mm



CODE	DESCRIPTION
KE31841104	Anti-Gawk Screen to suit Safezone

THREADED ROD


M30 Threaded bar kit which includes Nut & Bolt.



CODE	DESCRIPTION
KE31840030	M30 Threaded Bar Kit

ANTI-GAWK SCREEN POST


Unique Post to suit SafeZone Anti-Gawk Screens



CODE	DESCRIPTION
AS31841101	Anti-Gawk Screen Post to suit Safezone

SAFEZONE CONNECTING BOLTS

M20 x 80mm Bolt



CODE	DESCRIPTION
KE31840017	Bolt Hexagon DIN933

GRAVITY BAR

M30 x 250mm Embedment including 2 nuts and washer



CODE	DESCRIPTION
03-GB30330	M30 x 250mm Embedment Gravity Bar

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

GRAVITY BAR

Extractable Road Anchoring System

Designed and engineered for use with MASH TL3 and TL4 temporary barrier systems and end treatments, the Gravity Bar Extractable Road Anchor is Australia's premium road anchoring product produced from high-quality materials to deliver superior function and performance.

M20 and M24

- 250mm long for 200mm embedment
- 396mm long for 330mm embedment
- 450mm long for 400mm embedment

M30

- 315mm long for 250mm embedment
- 395mm long for 330mm embedment
- 465mm long for 400mm embedment

Features

- Reduced footprint
- Australian made
- Easy installation
- Enviromentally friendly
- Workplace safe
- Easy extraction
- Durable (non-corroding)

CODE	DESCRIPTION
03-GRAVITYB	Type 2 Gravity Bar



Hold. Stuff. Down.

Gravity Bar has been designed to alleviate all of the common issues associated with conventional road anchors. The primary objective was to achieve maximum efficiency and productivity by minimising manual handling and time.

Manufactured from 304 Stainless Steel, Gravity Bar Extractable Road Anchors do not corrode, and are designed to persist where other road anchors fail.

Easy Installation

Higher productivity, lower cost to install. Gravity Bar is designed to go in fast and easy and expedite system maintenance and alterations by being reusable and functional.

Excellent thread quality at both ends of the anchor means they are easy and fast to assemble and can be wound in and out of the same holes after setting without compromised holding capacity.

No bond breaker is required for installation.

Gravity Bar anchors can be hammered into place without detriment to function where ground conditions warrant some degree of force during installation.

No exposed thread and no sharp or square edges mean they do not pose a tyre puncture risk to traffic.

Easy Extraction

The average extraction time for a Type 2 Gravity Bar Extractable Road Anchor is 5 seconds.

Due to their superior surface finish, Gravity Bar anchors will retract with minimal rotary friction, making extraction easy and quick, with the least possible amount of manual handling and no undue wear and tear to tools.

Reduced Footprint, Less Holes

Superior holding capacity means less Gravity Bar anchors per linear metre than alternative products which equates to considerably higher productivity and significantly lower handling and remediation costs. Less holes to drill, less holes to fill.

Gravity Bar

GRAVITY BAR 285

M20 GRAVITY BAR EXTRACTABLE ANCHOR

Embedment Depth	200mm	330mm	400mm
Overall Anchor Length	250mm	396mm	450mm
Right Hand Thread Length	31.0mm		
Shank	19.0mm x 18.2mm		
Nut Dimensions	AF30.0mm x H16.0mm (α)		
Required Drill Size	22.0mm		

M24 GRAVITY BAR EXTRACTABLE ANCHOR

Embedment Depth	200mm	330mm	400mm
Overall Anchor Length	250mm	396mm	450mm
Right Hand Thread Length	37.0mm		
Shank	13.0mm x 21.9mm		
Nut Dimensions	AF36.0mm x H19.0mm (α)		
Required Drill Size	28.0mm		

M30 GRAVITY BAR EXTRACTABLE ANCHOR

Embedment Depth	250mm	330mm	400mm
Overall Anchor Length	315mm	395mm	465mm
Right Hand Thread Length	48mm		
Shank	17.0mm x 27.5mm		
Nut Dimensions	AF46.0mm x H24.0mm (α)		
Required Drill Size	35.0mm		

DIABLO INDUSTRIAL SERVICES
DIABLO INDUSTRIAL SERVICES PTY LTD
ABN 75 611 335 436

Australian Made

Gravity Bar is designed and made in Australia, by people who actually install barrier systems. Beware of second-rate, sr rious imitations produced offshore.

Accepted for use in:

- BarrierGuard800
- HighwayGuard800
- SafeZone
- SMART Cushion
- Universal TAU-M
- ZoneGuard
- ZoneBloc



AUSTRALIAN MADE AND OWNED

ROAD PLATES & PLATE LOCKS SYSTEM

EPOXY

Superbond Mortar

Thanks to its high bond strength, Superbond mortar achieves a very high load level for safe use in cracked and non-cracked concrete. The Superbond mortar can even be used at extremely high temperatures of up to +150 °C. This opens up new application fields, where no chemical anchor could be used previously. The Superbond mortar is approved for seismic applications, which ensures safety even under extreme conditions.



CODE	DESCRIPTION
03-sZEPOXY	High Bond Strength Epoxy

ROAD PLATE LIFTER

Jaybro's Plate Lifter is designed specifically for road plates which guarantees stability and precision when lifting and positioning them. By employing the single-point centre lifting principle, you gain absolute control over the process, ensuring the safety of your crew on the construction site.



CODE	DESCRIPTION
RPLOZ050	Road Plate Lifter

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

ROAD PLATES & PLATE LOCKS SYSTEM


ROAD PLATES

Road Plates can be used for a huge variety of applications, such as driveway access, trench crossings, ground protection, end shoring panels, and much, much more. Jaybro's Road Plates are designed to meet the highest standards of performance and safety. They are versatile, durable, and perfect for temporary or long-term projects in construction, utilities, or event settings.

Jaybro's Road Plates can be paired with a Road Plate Lifter, which promotes efficient and safe Road Plate installation and removal. The use of the lifting device negates manual handling or the need to use a crowbar to gain access for lifting, reducing the risk of injury and increasing productivity.

Additional Features:

- Range of sizes to suit any project – Available in various dimensions to accommodate diverse project requirements.
- Centre lifter for safety and ease of use while handling – The centre lifter ensures balanced handling, reducing the risk of accidents.
- Manufactured and certified to meet Australian Standards – Guarantees superior quality and compliance with local regulations, ensuring safety and reliability.
- Lifting holes in long and short ends – Provides flexibility in lifting and placing, offering multiple options for securing the plate.
- Deck pin holes in corners – Enhances stability and security when the plates are joined, reducing the potential for shifting during use. • Heavy-duty steel construction – Built to withstand harsh weather conditions and heavy traffic, providing long-lasting durability.




Whether you're managing construction zones, protecting delicate ground surfaces, or ensuring safe access across trenches, Jaybro's Road Plates provide a practical solution that combines strength, safety, and ease of use for a wide range of projects.

CVCODE	DESCRIPTION	WEIGHT
03-RP121225	1200mm x 1200mm x 25mm	283 kg
03-RP241225	2400mmx1200mmx25mm	566 kg
03-RP301225	3000mmx1200mmx25mm	707 kg
03-RP301825	3000mmx1800mmx25mm	1060 kg
03-RP301832	3000mmx1800mmx32mm	1356 kg

CVCODE	DESCRIPTION	WEIGHT
03-RP401825	4000mmx1800mmx25mm	1413 kg
03-RP401832	4000mmx1800mmx32mm	1809 kg
03-RP301850	3000mmx1800mx50mm	2120kg
03-RP401850	4000mmx1800mx50mm	2826kg

PLATE LOCKS

Plate Locks serve as an effective alternative to traditional methods such as cold patch asphalt or flush mounting for securing road construction plates. By implementing Plate Locks, contractors can reduce costs, minimize work zone accidents and injuries, and decrease liabilities associated with road plate installations. These safety-enhancing devices are designed to consistently mark, identify, and secure road construction plates, ensuring a safer work environment.



Key Features of Plate Locks:

- Rapid Installation: Plate Locks provide a fast and reusable solution for securing road plates, significantly reducing installation time compared to traditional methods.
- Enhanced Safety: By preventing shifting, creeping, and walking of road plates, Plate Locks maintain a flush and aligned surface, eliminating gaps that could pose hazards to cyclists, pedestrians, and vehicles.
- Clean and Efficient: Unlike cold mix asphalt, Plate Locks eliminate the need for messy cleanup, as there is no hardened residue left behind. This feature contributes to a cleaner worksite and reduces maintenance efforts.
- Cost-Effective and Reusable: Plate Locks are designed for multiple uses, offering a sustainable and economical alternative to disposable materials like cold mix asphalt. Their durability leads to cost savings over time.

Benefits of Using Plate Locks:

- Improved Worksite Safety: By ensuring that road plates remain securely in place and aligned, Plate Locks help prevent accidents and injuries associated with shifting or misaligned plates.
- Operational Efficiency: The quick and straightforward installation process of Plate Locks reduces labor time and minimizes disruptions to traffic flow, contributing to overall project efficiency.
- Environmental Responsibility: As a reusable system, Plate Locks reduce the need for disposable materials, supporting sustainable construction practices.


By integrating Plate Locks into your road plate installations, you can enhance safety, streamline operations, and achieve cost savings, all while ensuring compliance with industry standards.

CODE	DESCRIPTION
PLK40	Plate locks System - 12m
PLC	Plate Locks corner

ROAD PLATES & PLATE LOCKS SYSTEM 287

ROAD PLATE SHIMS

6mm, 12mm & 20mm Packing shim for Road Plate



CODE	DESCRIPTION
PS14	6mm Plate Shim
PS12	12mm Plate Shim
PS34	20mm Plate Shim

INCLUDED IN 12M PLATE LOCK KIT


FIXINGS FOR PLATE LOCKS



INCLUDED IN 12M PLATE LOCK KIT

CODE	DESCRIPTION
AW38	Pack washers Anchors Plate washers

BLOCK AXESS BARRIER



BLOCK AXESS HVM BARRIER

Ensure the security of all your public gatherings with the Block'Axess Barrier, offering enhanced protection for events, demonstrations, and high-risk areas. Our scalable barriers, certified at 3.5T for Blax V2 and 7.5T for Blax V3, provide effective defense against terrorist threats, malicious activities, and attacks. Choose peace of mind with our barriers, engineered to withstand speeds of up to 50 km/h.

Block Axess V2 Barrier

3.5 T - 50km/h Certified N1

Assembly & Disassembly In 5 Minutes

- Add items by modular length
- Thick galvanised steel – Rust resistant
- Removable only with special tools
- Installation without machinery
- Installation can be complete in only 5 minutes by one person
- Easy to store
- Customisable to location

Dimensions of the Assembled Barrier

- 640mm Space between elements (step)
- 4m Length for 7 elements (standard)
- 250 kgs Weight every 4 meters
- 772mm Height
- 1100mm Width
- 120mm Thickness
- 25kg Weight per block

Block Axess V3 Barrier

7.5 T - 50km/h Certified N2A

Assembly & Disassembly In 7 Minutes

- Add items by modular length
- No fixed support needed
- Rust resistant
- Removable only with special tools
- Extra set of reinforced supports
- Installation can be complete in only 7 minutes by one person
- Easy to store

Dimensions of the Assembled Barrier

- 520mm Space between elements (step)
- 4.8m Length for 14 elements (standard)
- 450 kgs Weight every 4.8 meters
- 772mm Height
- 1100mm Width
- 120mm Thickness



CODE	DESCRIPTION
03-BLAXV2	Block Axess V2 Barrier
03-BLAXV3	Block Axess V3 Barrier

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

CONTENTS

Epoxy & Chemical Anchoring 290-293
Filler Foam 293
Adhesives & Sealants 294-296
Floor Leveller 297
Mortar & Primer 398-300
Grout & Primer 301-302
Form Release Agents & Curing Compound 303
Curing Compound & Retarder 304-307
Waterstop 308-310
Expansion Joint, Backing Rod & Dowel Bars 311-315
Waterproofing 315
Concrete Mix & Concrete Removal 316-317

BUILDING PROTECTION & CONCRETE CONSUMABLES

Underlay & Building/Floor Protection 318-321
Bar Chairs & Spacers 322
Fence Posts, String Line & Tie Wire 323
Pressure Sprayers, Buckets & Mixing Paddles 324
Builders Props & Reinforcing Mesh 325

PRECAST, TILT UP & FORMWORK

Z Bar Products 326
Plastic Fillet, Conduit & Grout Tube 327
Fence Mesh, Form Ply, LVL & Plastic Shims 328-330
Pecaform Formwork Systems 331
Max Frank Formwork Systems 332-333

FASTENERS & FIXINGS

Anchors, Screws & Bolts 334-335
Hangers, Threaded Rods, Nuts & Washers 336
Nails & Brads 337-338
Screws 339-340
Hoop Iron, Butt Hinges & Hooks 340
SDS Drill Bits & Chisel Bits 341
Drill Bits, Driver Bits & Hole Saws 342-343
Cutting, Grinding & Abrasives 344-347
Impact Sockets 348-349

TOOLS & EQUIPMENT

Spirit Levels, Tape Measures & Wheels 350-351
Laser Levels & Cable Height Meters 352-352
Tool Lanyards & Anchor Points 354
Hand Tools 355-360
Brooms, Squeegees & Scrapers 361
Concrete Hand Tools 362-363
Painting, Marking Supplies & Adhesive Tapes 364-365
Strapping & Accessories 366
Ladders 367
Site Boxes, Handling Equipment & Security 368-372
Electrical Equipment & Torches 373-377
Washers, Vacuums & Petrol Generators 378
Power Tools 379-382
Construction Power Equipment 383-387
Welding Equipment 388
Lubricants & Cleaners 389-390
Solvents, Anti-Seize & Threadlocker 391



MILWAUKEE POWER TOOLS. See page 379-382


High Impact Underlay
Complies to AS 2870



HIGH IMPACT BUILDER PLASTIC. See page 318



ARMORGARD SITE BOXES & STATIONS. See page 368



PRECAST, TILT UP & FORMWORK. See pages 327-333

1300 885 364
Login online for your **Trade Account Pricing**

DBF
Tools & Construction Supplies



SECTION 07

TOOLS, HARDWARE & CHEMICALS

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

FortiAnchor



FORTIANCHOR FA-E400 EPOXY ANCHOR

ETA Approved for Post installed on Rebar Connections

FA-E400 Pure Injection Epoxy is a two component non-sag, high performance, solvent-free, epoxy anchoring adhesive.

Recommended Uses

FortiAnchor FA-E400 is ideal for anchoring rebar, threaded rod and fasteners into concrete and other substrates, including hard stone, solid rock and masonry products.

Substrates include:

- Concrete
- Hard natural and reconstituted stone
- Solid rock
- Hollow and solid masonry
- Steel
- Wood

Features & Benefits

- ETA Approved for Post installed rebar connections diameter 12mm to 40 mm
- For use in vertical down and horizontal installations
- Non-sagging in overhead applications
- Fast curing time
- Low odour, styrene free
- Ability to be used in wet/damp areas
- High load capacity
- For use with 40-FAMEPA31 FortiAnchor 3:1 applicator gun

SIMILAR PRODUCTS
Powers Pure 150-Pro
Ramset Chem-Set 101
Hilti Equivalent RE-500

CODE	SIZE
40-FAE400	400ml

20

DEWALT PURE500-PRO PURE EPOXY INJECTION

The PURE500+™ is a two-component epoxy adhesive anchoring system. The system includes injection adhesive in plastic cartridges, mixing nozzles, dispensing tools and hole cleaning equipment. The PURE500+ is a high strength adhesive designed for various applications and hole drilling techniques, including diamond coring, and cleaning techniques. It is suitable for anchoring threaded rods and reinforcing bars in cracked and uncracked concrete, and also approved for water filled holes. PURE500+ is also very suitable for bonding rebars to concrete as post-installed rebar application.

APPLICATION

Structural steel connections, bridges, tunnels, dams & water infrastructure, seismic upgrades, starter bars, railway, roads, post installed reinforcing connections.



CODE	SIZE
40-PURE500DFC1110500	585ml

6

RAMSET REO 502™ PLUS

High performance Pure Epoxy anchoring adhesive specially designed for concrete structura connections.

- Fast dispensing in cold conditions
- Extra Heavy Duty Pure Epoxy
- Long working time for deep holes and hot climates
- Oversized holes up to 2.25 x bar diameter
- Dry, damp, wet or flooded holes
- For use with 40-CP380A Chemset Applicator Gun
- 1 x nozzle included



15

CODE	SIZE
40-REO502EF600	600ml

RAMSET CHEMSET™ 101 PLUS

CHEMSET 101 PLUS is a multi-purpose Polyester adhesive for anchoring threaded studs and starter bars in solid and hollow substrates.
CHEMSET™ 101 PLUS is formulated using high performance, marine grade resin, which allows full load capacity in flooded holes to be attained as assessed to ETAG 001-5 Option 7.
For use with 40-CP380A Chemset Applicator Gun
1 x nozzle included



20

CODE	SIZE
40-C101C	380ml

Anchors & Bolts
See pages 334-335



CHEMSET™ UNIVERSAL APPLICATOR GUN

- Dispenses all of the products in the ChemSet™ Injection Range
- Robust all-metal construction
- Twin drive for powerful dispensing



CODE
40-CP380A

FORTIANCHOR MANUAL EPOXY APPLICATOR GUN

- The FortiAnchor manual epoxy applicator gun suits substances such as FortiAnchor Epoxy Anchor with a mix ratio of 3:1.
- Aluminium alloy handle
- Heavy duty steel construction
- Suits 3:1 Epoxy tubes / cartridges Forti-Anchor,Powers PURE150, ICCONS BIS-PE585 and HILTI RE-500



CODE	SIZE
40-FAMEPA31	FortiAnchor Manual Epoxy Applicator 3:1

FortiAnchor

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

MEGAPOXY 36

MEGAPOXY 36 is a two component epoxy composition for bonding ceramic and reflective markers to bitumen and concrete surfaces. Megapoxy has a working time of 3 min (at 23˚C) and reaches cohesive strength in 30mins.
The advantage of the 600mL Dispensing Gun is the high efficiency and accuracy when applying to smaller objects. Also, the consistent mix at the correct ratio and minimal exposure of the product to the air means less waste product.

- Easy to use, mixes at a ratio of 1:1 Part A resin to B hardener
- Size: 600ml twin tubes.



CODE	SIZE
40-MP36-600ML	600ml

MEGAPOXY PM

Megapoxy PM is specially formulated structural non-sag epoxy filling paste and adhesive. This easy to use two-part epoxy sets after mixing to an extremely durable adhesive ideal for bonding natural stone, concrete, steel, timber, glass and masonry. Its easy to use 1:1 mixing make it suitable for onsite applications



CODE	SIZE
40-MPPMW-20	Megapoxy PM White Epoxy Paste 20L Kit

MEGAPOXY P1

MEGAPOXY P1 is a two component gap filling adhesive based on DGEBA epoxy resin and carbonate free filler. Easy to use, this product sets after mixing with excellent properties for a wide range of applications.





CODE	SIZE
40-MPP1-4L	Megapoxy P1 Epoxy Paste 4L Kit
40-MPP1-20L	Megapoxy P1 Epoxy Paste 20L Kit

2
4L Kit

FORTIANCHOR 7.2V LI-ION CORDLESS EPOXY APPLICATOR GUN

- Compact and lightweight
- Variable speed trigger
- Top speed dial
- Voltage: 7.2V Li-ion battery
- Max thrust: 600kgf ffl 60
- Load speed: 4.0mm/second
- Available for 3:1 and 1:1 catridges
- 1 Battery and Charger included



CODE	DESCRIPTION
40-FACEPA31	Fortianchor Cordless Epoxy Applicator 3:1
40-FACEPA11	Fortianchor Cordless Applicator 1:1

FortiAnchor

EPOXY & CHEMICAL ANCHORING 293

MANUAL EPOXY APPLICATOR GUN

- Mix ratio: 1:1
- Heavy duty steel construction



CODE	SIZE
40-DM2PE	Manual 2 Part Epoxy Gun 300:300mL

MIXING HEAD FOR EPOXY TUBES



CODE
14-EPOMH

HOLE CLEANING ACCESSORIES

Hole cleaning brushes and pumps.



CODE	SIZE
40-HCB13	Hole Cleaning Wire Brush 13mm
40-HCB20	Hole Cleaning Wire Brush 20mm
40-HCB26	Hole Cleaning Wire Brush 26mm
40-HCB36	Hole Cleaning Wire Brush 36mm
40-HCP	Hole Cleaning Pump (Blower)
40-HCPHV	Hole Cleaning Pump (High Volume)

FILLER FOAM

SOUDAFOAM FRV

- Fire resistant in a joint (EN 1366-4)
- High filling capacity
- High insulation value, thermal and acoustic
- Very good bonding properties
- Good adhesion on all surfaces (except PE, PP and PTFE)

Consult a fire engineer before use in a fire rated application.



CODE	SIZE
40-FOFR750	750ml

12

STRAW GAP FILLING EXPANDING FOAM

- Excellent adhesion on most substrates (except Teflon, PE and PP)
- High thermal and acoustical insulation
- Very good filling capacities
- Excellent mounting capacities
- Excellent stability (no shrink or post expansion)



CODE	SIZE
40-FO750	750ml

12

SOUDAFOAM GUN

- High filling capacity
- Excellent bond onto all surfaces
- can be applied to moist surfaces



CODE	SIZE
40-FOPRO	750ml

12

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SIKAFLEX® PRO SEALANT

Other colours also available

Sikaflex-PRO is a one component, thixotropic, polyurethane based joint sealant. It cures under the influence of atmospheric moisture to form an elastomeric material with adhesive properties, in some cases without the need for priming of the substrate.



CODE	COLOUR	SIZE
40-519842	Grey	600ml
40-519850	Black	600ml
40-519873	White	600ml
40-520315	Dark Grey	600ml
40-520351	Off White	600ml
40-520379	Sandstone	600ml
40-520450	Redwood	600ml

20

880

SIKAFLEX® 11 FC SEALANT

Sikaflex 11 FC is a fast curing one-component polyurethane sealant/adhesive with permanent elasticity. It can be used as a joint sealant for vertical and horizontal joints, soundproofing of pipes, caulking, sealing seams, and also as a multipurpose adhesive for indoor and outdoor bonding. It is easy to use, can be painted over, and comes in a range of neutral colors in a sausage size of 600ml. Sikaflex 11FC is approved for use with potable water according to AS4020.

Optimum bonding will be obtained after complete curing of Sikaflex 11 FC, i.e. after 24 to 48 hours at +23°C for a thickness between 2 to 3 mm.



CODE	COLOUR	SIZE
40-519871	Grey	600ml
40-520355	White	600ml
40-520366	Black	600ml

20
600ml

SIKAFLEX® CONSTRUCTION (AP)

Sikaflex Construction (AP) is a polyurethane for sealing joints in building construction such as movement and construction/isolation joints around windows and doors, facades, claddings etc. in concrete, brick, wood, metal and PVC sections and structures etc.



CODE	COLOUR	SIZE
40-538822	Black	600ml
40-519847	Grey	600ml
40-538823	White	600ml

20

HB FULLER FIRESOUND™

Fire rated acoustic sealant.
FIRESOUND™ is formulated primarily to perform as a barrier to the incursion of fire through expansion joints and wall penetrations such as pipes or cables. FIRESOUND™ is also an effective acoustic sealant.

Consult a fire engineer before use in a fire rated application.



CODE	COLOUR	SIZE
40-FS600	Grey	600ml

15

FULAFLEX™ 550 PU LM

One component moisture-curing low modulus Class A polyurethane sealant with excellent joint movement capabilities

Uses:

- Building joints with high movement
- Joints in pre-cast and tilt-up concrete elements
- Connection joints between windows, doorframes and walls
- Joints in brickwork, masonry and blockwork
- Perimeter fillets in waterproofing membrane systems

Benefits:

- Cures into a flexible, durable and weather resistant sealant and exhibits excellent adhesion to a wide range of substrates.
- Low in VOC (<30g/L) and satisfies the requirements for the Green Building Council of Australia (GBCA)



CODE	COLOUR	SIZE
40-FF600G	Grey	600ml

20

DOW CORNING 888 SILICONE JOINT SEALANT

One part joint sealant for concrete road, pavement and general concrete expansion joints.

- For use in new construction, repair or remedial applications. DOWSIL 888 Silicone Joint Sealant may be used to seal joints that are not uniform in width provided the movement capability of the sealant is not exceeded. May also be used in joints with minor spalling
- All-temperature gunnability
- Unprimed adhesion
- Seals irregular surfaces
- High movement capability
- Low modulus
- Fully elastic
- Resilient with good weatherability
- Fast cure – typically tackfree surface in one hour or less
- Long-life reliability



CODE	COLOUR	SIZE
40-DS888	Grey	600ml

768

16

AFTEK FLEX-PRO PU SEALANT

One component high performance construction joint, thixotropic moisture curing polyurethane sealant/adhesive with high mechanical strength & excellent resistance to weathering.

- Designed for use in construction joints & expansion joints on heavy & light pre-cast concrete panels, expansion joints in buildings, perimeter sealing around window & door frames, curtain walls & sealing of penetrations in walls, floor & retaining walls.
- Class A sealant
- Low VOC 35 G/L
- Paintable when cured
- Joint movement total of 50% (ffl 25%).



20
900

CODE	SIZE
40-AFFPPU	600ml

AFTEK FLEX-PRO 50FC SEALANT

One part polyurethane elastomeric sealant that cures via humidity in the air to form a flexible joint for weatherproofing.

- Adhesive in building & construction applications
- Sealing construction and expansion joints, Sealing floor & wall joints, Precast and tilt up panels, Block and brickwork
- Class A Sealant – Total Joint movement total 50% (ffl25%)
- Low VOC, Non Hazardous classification (NOHSC & ADG code / Aust Safety and compensation council)
- Good adhesion on both porous and nonporous substrates
- Excellent durability and good weathering resistance
- Non-sag on vertical and expansion joints up to 30 mm width



20
900

CODE	COLOUR	SIZE
40-AFFP50FCG	Grey	600ml

FOSROC® NITOSEAL PU400 CONCRETE GREY 600ML

Trafficable, polyurethane joint sealant.
Nitoseal PU400 is a medium modulus elastomeric polyurethane joint sealant/ adhesive forms a waterproof and durable seal, which makes it ideal for exterior applications such as sealing joints and bonding between most construction materials, where a high bond strength and abrasion resistance is required. Complies to AS4020:2018



CODE	SIZE
FC920121-600ML	600ml

12

FOSROC® NITOSEAL SC800 CONCRETE GREY 600ML

High movement accommodation silicone rubber joint sealant.
Nitoseal SC800 is a low modulus, hight joint movement accommodation, one component silicone rubber joint sealant, with Roadseal® technology.



CODE	SIZE
FC920130-600ML	600ml

12
600ml

COMPACT PU FOAM GUN

- Heavy duty and strong
- Smooth operation
- Applicator gun for PU foam



CODE
41-FT-DISPTOOL

SIKABOND®-105 CONTACTFIX

FAST CONTACT ADHESIVE

SikaBond®-105 ContactFix is a premium sprayable contact adhesive that has been formulated to meet varied needs for laminate fabrication. This adhesive gives fast drying time, and a strong heat resistant and water resistant bond.

- One-component adhesive
- Very short flash-off time
- High initial strength



CODE	DESCRIPTION
40-629135	Sikabond 105 Contact Fix 4 ltr

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

FORTIANCHOR GENERAL PURPOSE FORMWORK SILICONE SEALANT

FortiAnchor

FortiAnchor general purpose formwork silicone sealant is a single component, neutral curing formwork silicone. It has high tensile srength and high cementation ability. FortiAnchor silicone is non-corrosive to marble, glass, concrete and metal (not copper). It has good compatibility with other neutral silicone sealants.

- Flexible with high strength elasticity
- Waterproof sealant
- Excellent adhesion to wood, stone and metal
- Single-component, neutral curing - good compatibility with other neutral sealants
- Non-corrosive
- Sealing gaps within formwork
- Sealing gaps when formwork butts up against other materials
- Sealing formply sheet edges and joints
- Creating a watertight seal on the formed face
- Helps prevents ragged edges, honeycombing and colour variation in concrete
- Non-structural glazing
- Roofing applications
- Sealing external cladding
- Weatherproof
- Clear/Translucent



CODE	SIZE
41-GPFWSIL	300ml

24

FULASEAL™ 780 PLUMBERS

A neutral cure silicone sealant which does not corrode materials commonly used in roofs and gutters

- Complies to AS4020 for potable water (drinking)
- Permanently flexible: +/- 25% joint movement capability
- Interior/exterior
- Neutral cure – will not corrode steel or galvanised iron
- Water resistant



CODE
40-FPG300
40-FPG400

FULLER TRADE™ CONSTRUCTION ADHESIVE

A multipurpose construction adhesive ideal for bonding most common construction materials.

- Repositionable for up to 20 mins after application
- High bond strength
- One part - no mixing
- Reduces squeaking associated with nail ride
- Paintable
- ATFA approved product



CODE	COLOUR	SIZE
40-FCAD	Brown	300g

20

CAULKING GUNS

TUBULAR SEALANT CAULKING GUN

- Sealant Type - 380mm
- To suit 600ml Sausages
- Includes Nozzle



CODE
40-CGTT6

HEAVY DUTY CAULKING GUN

- Robust steel frame
- Size: 230mm
- Fits 310ml (9") tubes



CODE
40-TOOG703

CAULKING GUN

Skeleton Type - 230mm



CODE
40-CGST

CAULKING GUN NOZZLES

Nozzles to suit Sealant Type Caulking Guns



CODE	SIZE
40-CGNOZ	6 Pack

BOND BREAKER TAPE

Used in joint sealing applications to ensure sealant only adheres to two faces of the joint.



CODE	SIZE
40-FC0716061-UNIT	15mm X 66m Roll
40-FC0716062-UNIT	20mm X 66m Roll
40-FC0716064-UNIT	50mm X 66m Roll

ECONOPRO

Tru Level Econo Pro is a specially formulated floor levelling compound designed to achieve a smooth flat surface for application of carpet, tiles, vinyl and floating floor systems.

- Primer required = Aftek Universal Primer
- Foot traffic ready in 3-4 hrs
- Floor covering ready in 24 hrs
- Can be applied 2-30mm in a single application
- Large area can be reinstated in relatibely short time periods
- No cracking or delamination
- Eliminates the need for sand/cement screeds
- Ready to use, just add water
- Suitable for commerical, domestic and light industrial applications



PROPERTIES

Appearance		Light Grey Powder			
Set Time (Minutes at 20˚C)					
Initial					30-40
Final					55
Foot Traffic					3-4 hrs
Floor Cover Ready					18 hrs
Application (mm)					2 (min) - 30 (max)
Yield					
Per bag in litres					12
Bags required per m³		5mm: 2.6	15mm: 0.87		30mm: 0.43
Strength (MPa)	Day	1	3	7	28
Compressive		10	15	25	30
Flexural		3	5	8	9.5

CODE
40-AFTLEP

64

Aftek

AFTEK TRULEVEL TUFF TOP

Tuff Top is a specially formulated floor leveling cementious overlay that is self smoothing and creates a flat surface suitable for the application of tiles, vinyl, timber and floating floor systems.

- Primer required = Aftek Universal Primer
- Rapid drying, foot traffic ready in 2-4 hrs
- Floor coverings and coatings can be applied after 24 hrs
- Large areas can be reinstated in relatively short time periods
- No cracking or delamination
- Durable and high abrasion resistant
- Eliminates the need for sand and cement screed
- Suitable for internal and external applications
- Ready to use, just add water



PROPERTIES

Appearance		Light Grey Powder			
Set Time (at 20˚C)					
Initial (minutes)					40
Final (minutes)					55
Traffic (hours)				Foot: 3-4 hrs	Vehicle: 4-8
Floor Cover Ready (hours)					16
Application (mm)					5 (min) - 30 (max)
Yield					
Per bag in litres					13
Bags required per m³		5mm: 2.6	15mm: 0.87	30mm: 0.43	
Strength (MPa)	Day	1	3	7	28
Compressive		12	18	27	35
Flexural		4	5	9	10.5

CODE
40-AFTLTT

64

Aftek

SIKAFLOOR® LEVEL TOP

Level Top is an economical self levelling underlayment compound that can be laid 2mm to 30mm thick in one application. Specialised formula designed to level uneven concrete substrates prior to the application of commercial & domestic flooring.

- Primer required = Sikafloor 01
- Suitable for commercial & domestic applications
- Low shrinkage
- Suitable for large floor areas
- Great workability
- 2 – 30mm in one application
- Manual or pump application



PROPERTIES

Appearance		Grey Powder		
Set Time (hours at 21˚C)				
Initial				2
Final				3.5
Foot Traffic				12-14
Floor Cover Ready				24
Application (mm)				2 (min) - 30 (max)
Yield				
Per bag in litres				12
Bags required per m²				3mm: 4
Strength (MPa)	Day	1		28
Compressive		16		30
Flexural		-		7

CODE	SIZE
40-529468	20kg

48

Sika®

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.


AFTEK FAIRING COAT MORTAR

Fairing Coat Mortar is a fine textured, fast setting and formulated for repairing damaged concrete where only a thin layer is required. The specially selected cement and polymer contain Fairing Coat Mortar produce a fast setting mortar with exceptional adhesion to concrete and masonry materials with negligible shrinkage.

- Easy to use, just add water
- Fast setting
- Smooth textured surface, a smooth finish can be achieved
- High bond strength to concrete
- Can be left exposed as finished final coat
- Excellent workability
- Durable repair
- Suitable for internal and external applications

CODE	COLOUR
40-AFFCMOW	Off White
40-AFFCMG	Grey

64



PROPERTIES

Appearance	**Grey/Off-White/White Powder**
Set Times (minutes)	**Inital: 25 Final: 50**
Application Vertical (mm)	**up to 5mm per application**
Yield per bag in litres	**14**
Bags required per m³	**71**
Strength (MPa)	
Compressive	**Day 28 20**
Bond	**>5**
Similar Products	**Parchem Renderoc FC, BASF Master Emaco N 5100, Sika Monotop FC**

AFTEK PENAPATCH HIGH BUILD HB

High Build HB is a high strength, high build shrinkage compensated polymer modified repair mortar. Designed to be used for vertical and overhead applications.

- Easy to use, just add water
- High build repairs achievable in a single application
- Low permeability, protects against chloride attack and carbonation
- Medium strength/abrasion resistant
- Exceptional bond strength to concrete substrates
- Eliminates the need for formwork
- Suitable for internal and external applications
- Shrinkage compensated for long term dimensional stability
- Apply dry or wet process

CODE
40-AFPHB

64



PROPERTIES

Appearance				**Grey Powder**
Set Times (hours)				**Inital: 2 Final: 4.5**
Traffic Time (at 20˚C)				**48**
Application Vertical (mm)				**10 (min) - 70 (max)**
Yield per bag in litres				**14**
Bags required per m³				**72**
Strength (MPa)	Day	1	7	28
Compressive		**>7**	**>15**	**>27**
Bond				**>3.5**
Similar Products				**Parchem HB**

AFTEK PENAPATCH STRUCTURAL HB50

HB50 is a high strength, high build, medium weight shrinkage compensated structural repair mortar designed to be used for vertical or horizontal applications. It has high, ultimate compressive strength and high abrasion resistance.

- Easy to use, just add water
- High build repairs achievable in a single application
- High ultimate compressive strength
- Low permeability, protects against chloride attack and carbonation
- High strength/abrasion resistant
- Exceptional bond strength to concrete substrates
- Eliminates the need for formwork
- Suitable for internal and external applications
- Shrinkage compensated for long term dimensional stability
- Contains no chlorides

CODE
40-AFPHB50

64



PROPERTIES

Appearance				**Dark Grey Powder**
Set Times (hours)				**Inital: 3 Final: 5**
Traffic Time (at 20˚C)				**48**
Application Horizontal (mm)				**5 (min) - 120 (max)**
Application Vertical (mm)				**5 (min) - 80 (max)**
Yield per bag in litres				**12.9**
Bags required per m³				**78**
Strength (MPa)	Day	1	7	28
Compressive		**22**	**33**	**55**
Flexural		**4.5**	**6.5**	**7.5**
Bond				**>5**
Similar Products				**Parchem Renderoc HB70, BASF Master Emaco S488CI, Sika Monotop 412NFG/612N**

AFTEK PENAPATCH STRUCTURAL HB80

Structural HB50 is a high strength, high build, shrinkage compensated structural repair mortar designed to be used for vertical or horizontal applications. It has high, ultimate compressive strength and high abrasion resistance.

- Easy to use, just add water
- High build repairs achievable in a single application
- High ultimate compressive strength
- Low permeability, protects against chloride attack and carbonation
- High strength/abrasion resistant
- Exceptional bond strength to concrete substrates
- Eliminates the need for formwork
- Suitable for internal and external applications
- Shrinkage compensated for long term dimensional stability
- Apply dry or wet process

CODE
40-AFPHB80

64



PROPERTIES

Appearance				**Dark Grey Powder**
Set Times (hours)				**Inital: 3 Final: 5**
Traffic Time (at 20˚C)				**48**
Application Horizontal (mm)				**10 (min) - 180 (max)**
Application Vertical (mm)				**5 (min) - 100 (max)**
Yield per bag in litres				**10.5**
Bags required per m³				**95**
Strength (MPa)	Day	1	7	28
Compressive		**22**	**68**	**80**
Flexural		**5.5**	**7.5**	**9.5**
Bond				**>5**
Similar Products				**BASF Master Emaco S488CI, Sika Monotop 412NFG/612N**

AFTEK PENAPATCH PANEL LW

Penapatch Panel LW is a fine filled fire rated , polymer modified, cementitious mortar, specifically formulated to provide cover for joiner plates in tilt slab or pre-cast construction. Panel LW is also used for repair of damaged concrete. The light weight aggregates used in Panel LW allow for a build up to 100mm in one application.

- High build application up to 100mm for vertical applications
- Good adhesion to substrates, high bond strength
- High build repairs can be completed in one application
- Eliminates the need for formwork
- Shrinkage compensated resulting in long term dimensional stability
- Excellent workability
- May be coated with the Aftek range of protective and decorative coatings
- Fast drying
- Finishes off to a smooth surface
- Easy to use- just add water
- Australian made
- Fire rated
- 4 hour fire rating to AS1530.4



CODE
40-AFPLW

64

FOSROC® RENDEROC LA55 - 20KG

Renderoc LA55 is a high strength, free-flowing micro-concrete reinstatement mortar for form and pour applications up to 200mm thick. Renderoc LA55 meets the requirements of EN1504-3 Class R4. Suitable for use with Galvashield anode protection systems.

- Maximum compatibility with concrete compressive strength, 30-60 MPa
- Unique dual expansion system offers an extremely high level of control of plastic and long-term drying shrinkage
- Low alkali content minimises risk of alkali-silica reaction
- Excellent bond to concrete substrates without independent primer
- Very low permeability provides excellent protection against carbon dioxide and chlorides
- Exceptional flow allows pumping or pouring into restricted locations
- Self-compacting nature eliminates honeycombing and displaces air without vibration
- Suitable for electro-chemical repairs
- Pre-bagged to overcome site-batched variations - only the site addition of clean water is required
- Contains no chloride admixture



CODE	SIZE
40-FC302030-20KG	20kg

50

FOSROC® RENDEROC FC - 20KG

Fairing Mortar

Renderoc FC cementitious fairing coat is designed for application in thin layers up to 3 mm, to produce a fair-faced appearance to concrete surfaces or masonry surfaces in readiness to receive a protective/decorative coating. Renderoc FC is RCS (Respirable Crystalline Silica) Hazard Free. Not hazardous in accordance with Australian Inventory of Industrial Chemicals. Contains <0.1% RCS.



CODE	SIZE
FC302001-20KG	20kg

50

FOSROC® CONBEXTRA GP - 20KG

General purpose, high flow, shrinkage compensated grout. Conbextra GP is a general purpose shrinkage compensated (Class A) cementitious, flowable or trowellable grout for gap thicknesses from 10 mm up to 100 mm. Conbextra GP has a 28 day compressive strength of 65 MPa when mixed at trowellable consistency.



CODE	SIZE
FC501020-20KG	20kg

50

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

300 MORTAR & PRIMER

FOSROC® RENDEROC HB40 - 20KG

High build repair mortar, conforms to EN1504-3 class R3. Renderoc HB40 is a high build repair mortar for localised repair of reinforced concrete up to 45MPa. Meets the requirements of EN1504-3 Class R3.It can be applied Vertical or Horizontal, 10-30mm overhead and wet spray to 85mm 10-40 Verticle and wet spray 110mm AS4020



CODE	SIZE
FC302020-20KG	20kg

50

FOSROC® RENDEROC HB70 - 20KG

High build repair mortar, conforms to EN1504-3 class R4. Renderoc HB70 is a high build repair mortar for localised repair of reinforced concrete > 45MPa. Meets the requirements of EN1504-3 Class R4. Verticle or horizontal, 10-40mm verticle and 10 - 150mm horizontal. AS4020



CODE	SIZE
FC303030-20KG	20kg

50

PRIMER

PRIMER 3 N

Sika® Primer-3 N is a solvent-based, one-part primer and adhesion promoter for porous substrates and metals.

- Easy to apply
- Water-repellent
- Isocyanate-free
- Short flash-off time

PRIMER 13

Primer 13 is a two component epoxy primer used on porous surfaces with Nitoseal PU400 and Nitoseal SC600 in immersed conditions

CODE	SIZE
40-122239	1L
40-PRIMER13	1L



FOSROC® NITOBOND HAR

Nitobond HAR is the recommended primer for the Renderoc repair system.

- Single component - no site mixing
- Easy to use - ready to use straight from container
- High bond strength - excellent bond strength between
- Renderoc systems and concrete
- Non-flammable

CODE
40-FC322070-5L



AFTEK CRETE BOND

Cretebond is a bonding agent for new to old concrete and as an admixture to improve adhesive and cohesive properties for site mixed motars, renders and toppings. Suitable for use on concrete, hard plaster, compressed fibre cement sheet, plasterboard and timber. It can also be used as a woodworking adhesive when applied undiluted.

- Premium grade PVA bonding agent and admixture
- High solid content 50% joint movement capability
- Suitable for interiors and exteriors
- Water based
- Concentrated formula



CODE	SIZE
40-AFCB20	20L

CODE	SIZE
40-AFCB4	4L

- **PROPERTIES**

Appearance	**Liquid**
Colour	**White**
Viscosity (cPs)	**4500-5500**
Viscosity (cPs)	**1.06±.01**
Total solids content	**49-51%**

AFTEK PENATECH HS GROUT

Aftek Penatech HS Grout is a high strength, precision Class C grout. Non shrink dual expansion compensates for shrinkage in both the plastic and hardened state.



- High early and ultimate strength
- Exceptional flow characteristics, good flow retention
- High ultimate strength (28 days)
- Shrinkage compensated in both plastic and hardened states
- Non metallic
- Can be dry packed
- Complies with ASTM C1107-91 and CRDC-621-82
- Good impact and thermal resistance
- Ready to use, just add water

PROPERTIES

Appearance				**Grey Powder**
Set Time (Hours)			Trowellable	Flowable
Initial			**2**	**2.5**
Final			**3.5**	**4**
Application (mm)				**10 (min) - 200 (max)**
Yield			Trowellable	Flowable
Per bag in litres			**10.2**	**11**
Bags required per m³			**98**	**91**
Strength (MPa)	Day	1	7	28
Compressive Trowellable		**>35**	**>75**	**>85**
Compressive Flowable		**>25**	**>50**	**>65**
Flexural Trowellable		**>4**	**>8.8**	**>9.8**
Flexural Flowable		**>3.9**	**>7**	**>9.5**
Similar Products				**Parchem Conbextra BB, Dayton Sure Grip Precision Grout**

CODE
40-AFPTHSG

64 Aftek

AFTEK PENAFLOW PANEL GROUT

Panel Grout is a a Class A construction grout based on a blend of Portland cement, high quality graded aggregates and additives, which control expansion whilst the grout is in a plastic state.



- Shrinkage compensated
- Gaseous expansion while in plastic state eliminates shrinkage and settlement
- Non metallic
- Can be dry packed, rammed, towelled, poured or pumped
- General purpose grout
- Ready to use, just add water

PROPERTIES

Appearance				**Grey Powder**
Set Time (Hours)		Dry Pack	Trowellable	Flowable
Initial		**1.5**	**3**	**4.5**
Final		**2.5**	**4.5**	**6.5**
Application (mm)				**20 (min) - 150 (max)**
Yield		Dry Pack	Trowellable	Flowable
Per bag in litres		**10.3**	**10.6**	**11**
Bags required per m³		**97**	**94**	**91**
Strength (MPa)	Day	1	7	28
Compressive ASTM C-109		**>20**	**>40**	**>55**
Flexural		**>1.5**	**>8.5**	**>9.5**
Similar Products				**Parchem Conbextra GP, BASF Masterflow 700, Sika Grout GP**

CODE
40-AFPFPG

64 Aftek

AFTEK PENATECH GP GROUT

Aftek Penatech GP Grout is a high strength, precision Class C grout. Non shrink dual expansion compensates for shrinkage in both the plastic and hardened state.

- High early and ultimate strength
- Exceptional flow characteristics, good flow retention
- High ultimate strength (28 days)
- Shrinkage compensated in both plastic and hardened states
- Non-metallic
- Can be dry packed
- Complies with ASTM C1107-91 and CRDC-621-82
- Good impact and thermal resistance

CODE
40-AFPTGP



PROPERTIES

Appearance				**Grey Powder**
Set Time (Hours)			Trowellable	Flowable
Initial			**2**	**2.5**
Final			**3.5**	**4**
Application (mm)				**20 (min) - 150 (max)**
Yield		Dry Pack	Trowellable	Flowable
Per bag in litres		**10.3**	**10.6**	**11**
Bags required per m³		**97**	**94**	**91**
Strength (MPa)	Day	1	7	28
Compressive Trowellable		**>30**	**>70**	**>80**
Compressive Flowable		**>20**	**>45**	**>60**
Flexural Trowellable		**>3**	**>6**	**>7**
Flexural Flowable		**>4**	**>6**	**>7**
Bond Strength Trowellable				**>7**
Bond Strength Flowable				**>8**
Similar Products				**Parchem Conbextra GP**

64 Aftek

AFTEK PENATECH HES GROUT

A high early strength gain, flowable, shrinkage compensated, Class C grout for use where rapid strength gain is required. It is a blend of Portland cements, graded fillers and chemical additives which impart controlled expansion in the plastic and hardened states whilst minimising water demand and maximizing early compressive strength gain.

- Rapid strength gain and set times even at low temperatures
- Dual stage expansion compensates for shrinkage
- in both plastic and hardened states
- Exceptional flow characteristics and variable consistencies obtainable
- High ultimate strength (28 days)
- Equipment/machinery can be reinstated after 24 hours
- Complies with ASTM C1107-91 for expansion
- Good impact and thermal resistance

CODE
40-AFPTHESG



PROPERTIES

Appearance						**Grey Powder**
Set Time (Minutes)				Trowellable		Flowable
Initial				**20**		**25**
Final				**35**		**40**
Application (mm)						**20 (min) - 200 (max)**
Yield			Dry Pack	Trowellable		Flowable
Per bag in litres			**10.3**	**10.6**		**11**
Bags required per m³			**97**	**94**		**91**
Strength (MPa)	2hrs	4hrs	8hrs	Day 1	Day 7	Day 28
Compressive Trowellable	**>35**	**>45**	**>50**	**>60**	**>75**	**>85**
Compressive Flowable	**>25**	**>30**	**>36**	**>44**	**>50**	**>65**
Flexural Trowellable	-	-	-	**>5.3**	**>8.8**	**>9.8**
Flexural Flowable	-	-	-	**>3.6**	**>7**	**>10**
Bond Strength Trowellable	-	-	-	-	-	**>9.5**
Bond Strength Flowable	-	-	-	-	-	**>10**
Similar Products						**Parchem Conbextra CB, Dayton Turbo Grout HP12, BASF Masterflow 92, Sika Grout HES**

64 Aftek

5% PRICE BEAT GUARANTEE


If you find a lower price for an equivalent to any product in our catalogue or website, **WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SIKA® GROUT 212 HP

Sika Grout 212 HP is a blend of Portland cement that achieves high strengths in short times, making it suitable for grouting fixing bolts and anchors or bedding machinery in the most demanding of circumstances.

- Non shrink
- High early strengths
- Good flow characteristics
- Adjustable consistency
- Does not segregate or bleed
- Good impact and thermal resistance
- Non corrosive to steel or iron
- Lab tested in accordance with AS 1478.2



PROPERTIES


Appearance				Grey Powder
Set Time (Hours at 20˚C)		Plastic		Flowable
Initial		3.25		5.5
Final		3.75		6.25
Application (mm)				10 (min) - 100 (max)
Yield		Plastic		Flowable
Per bag in litres		10		11
Bags required per m^3		96		88
Strength (MPa at 20˚C)	Day	1	3	7 28
Compressive Plastic		25	40	60 75
Compressive Flowable		20	35	60 75
Flexural Plastic		1.5	2.5	8 9
Flexural Flowable		2	4	9 10


CODE
40-411020

48

CRACK MEASURE GAUGE - 80MM

- Handy tool designed to check the width of cracks in concrete walls and foundations
- Small pocket size allows for complete and easy portability
- Built in 80mm rule
- Hardened Japanese stainless steel
- Made in Japan
- Crack Range: 0.1 - 1.4mm
- Rule Length: 80mm
- Rule Graduation: 0.5mm
- Overall Width: 55mm
- Overall Thickness: 0.3mm





CODE
40-321066

AFTEK UNIVERSAL PRIMER

Universal Primer is a rapid drying solvent free, low VOC, water based acrylic primer. Suitable for use over porous and non-porous substrates such as old tiles, old arcylic paint, vinyl adhesives, vinyl tiles, carpet adhesive residue, metal surfaces and sealed or burnished concrete floors.

- Rapid drying solvent free
- Water based acrylic
- Compatible with cement and ceramic tile adhesives
- Suitable fo r internal and external applications
- Low VOC
- Dilution rate of the Universal primer is 3 :1 as a primer for levelling





CODE	SIZE
40-AFUP5	5L
40-AFUP20	20L

4
5L

FORM RELEASE AGENTS & CURING COMPOUND 303

SIKA® FORMOL ECO

- Recycled Mineral Oil-based Formwork
- Release AgentEqually effective on steel or timber
- Allows for fast and easy striking of formwork
- Economical and easy to apply
- Extremely stable during placement and vibration of concrete
- Does not stain or contaminate the finished concrete surface
- Reduces rust build up on steel moulds



CODE	SIZE
40-493047	10L

JAY-CURE BONDBREAKER

Jaycure Bondbreaker is a complex blend of solvents and naturally occurring long chain aliphatic acids, which form a gel when reacted with damp fresh concrete. Designed for use in prefabricated concrete structures, tilt-up panel construction, debonding new to old concrete members.



CODE	SIZE
40-CCJBB20	20L
40-CCJBB200	200L

LANOTEC® RELEASE AGENT

CONCENTRATED

A concentrated, lanolin-based concrete release agent. Formwork, precast, tilt panel concrete release agent derived from natural, sustainable ingredients.

- Breaks concrete bonds
- Protects tubes, jacks and fittings from corrosion
- Lubricates jacks and fittings
- Extends the life of timber and metal moulds
- Protects equipment from concrete and paint overspray
- Safe for use on PVC, fibreglass, polypropylene, rubbers and polystyrene





CODE	SIZE
40-LRA2.9	2.9L
40-LRA20	20L

6
2.9L

Lanotec

JAYCURE W30

WAX EMULSION CURING COMPOUND

Surface Cure W30 is a low viscosity wax emulsion curing compound which consists of a processed blend of paraffin waxes. When applied at the recommended application rate Surface Cure W-30 minimizes moisture loss in freshly laid concrete thus improving the curing of the concrete providing increased strength and durability and improved resistance to surface dusting. Meets QTMR and RTA specifications.



CODE	SIZE
40-CHSCW3020	20L
40-CHSCW30200	200L

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

304 CURING COMPOUND & RETARDER

JAY-FILM ALIPHATIC

JAY-FILM is a water based aliphatic alcohol finishing compound designed for use on plastic (freshly poured and screeded) concrete, to reduce the evaporation of water during finishing operations. JAY-FILM conforms AS3799 and is QTMR approved.

- 80% moisture retention efficiency
- JAY-FILM is designed to assist in the control of plastic shrinkage
- JAY-FILM should always be used when the temperature of the conditions (air & ground) are greater than 5ºC different from the temperature of the concrete being placed
- Windy conditions (dry particularly) can accentuate this variance, accelerating the moisture loss from the slab
- JAY-FILM should be pre-diluted as described and then sprayed on freshly poured and screeded concrete. Each time the surface is worked the diluted JAY-FILM should be applied
- JAY-FILM helps to control the evaporation of water from the slab and thereby plastic shrinkage
- JAY-FILM will not normally interfere with subsequent toppings, tiling, render, surface coatings etc



CODE	SIZE
40-CCJFAA20	20L
40-CCJCAF200	200L
40-CCJCAF1000	1000L

JAY-CURE A

Jay-Cure A water based acrylic curing compound is a Class D, Type 1 curing compound for use on new concrete that facilitates maximum moisture retention through the curing period to maximise concrete strength & durability. Jay-Cure A is certified to comply with Australian Standard AS 3799 and conforms to RMS specification R80 (as Class Z) R82, R83, R84 & listed on QTMR as an approved curing compound.

- 94% moisture retention efficiency
- Reduces the likelihood of surface cracking or dusting
- Easy to use, eliminates messy water curing or polythene film
- Complies with Green Star Office Design V3 IEQ-13
- Low odour, no ventilation requirement
- No stringent safety requirements

PROPERTIES

Appearance	**Milky Liquid**
Drying Time (25˚C)	**1.5-2 hrs**
Application	**Spray/Roller**
Coverage per Litre	**5m²**
Class	**1D, Class D**



CODE	SIZE
40-CCJCA20	20L
40-CCJCA200	200L
40-CCJCA1000	1000L

JAY-FILM

ALIPHATIC ALCOHOL 20 LITRE

JAY-FILM is a water based aliphatic alcohol finishing compound designed for use on plastic (freshly poured and screeded) concrete, to reduce the evaporation of water during finishing operations.



CODE	SIZE
40-CCJFAA20	20L
40-CCJFAA200	200L
40-CCJFAA1000	1000L

JAY-CURE R30

Jay-Cure R-30 is a liquid applied curing compound which consists of a processed blend of petroleum and resin based hydrocarbons.
When applied at the recommended application rate Jay-Cure R-30 minimizes moisture loss in freshly laid concrete thus improving the curing of the concrete providing increased strength and durability and improved resistance to surface dusting. JAY-CURE R30 conforms to RMS specification R82, R83, R84 & listed on QTMR as an approved curing compound.

- 92% moisture retention efficiency
- Hydrocarbon Resin - Water Based - Type 1 D Class Z
- Rapid film formation time
- Water resistant film formed
- Utilises low VOC formula



CODE	SIZE
40-CCJCR3020	20L
40-CCJCR30200	200L
40-CCJCR301000	1000L

CURING COMPOUND & RETARDER 305

SIKA® RUGASOL® C

Rugasol C is a liquid retarder for horizontal construction joints and surfaces for use in cooler conditions or low retardation conditions. Rugasol C is an easy to use, economical product applied to obtain a mechanical key for "kicker" joints, renderings and screeds on horizontal surfaces of freshly placed concrete.

- Rugasol C can provide decorative finishes to concrete and can be used in conjunction with many natural aggregates
- It can provide an exposed aggregate finish leaving excellent anti-skid properties
- Rugasol C leaves an excellent key for further concreting, screeding or rendering



CODE	SIZE
40-493043	10L

FOSROC® CONCURE A99 20L

Waterbased acrylic concrete curing compound. Concure A99 is water based acrylic curing compound which conforms to AS3799. It is suitable for curing concrete and cement renders where aftertrades such as painting with acrylic paints is likely (test recommended).



CODE
40-FC600909-20L

SIKA® RUGASOL® 90

Rugasol 90 is a specially formulated liquid surface retarder for summer condition. Rugasol 90 will cause retardation to the surface of the freshly laid concrete, and will result in an exposed aggregate type finish.


- Rugasol 90 can be used undiluted or in diluted version, depending on the degree of the surface penetration required
- Depth of penetration is controlled and constant
- Surface retardation of up to 24 hours can be achieved
- Extremely cost effective



CODE	SIZE
40-493044	10L Yellow

FOSROC® CONCURE WB30 CLEAR 20L

Water based wax emulsion, curing compound - conforms to AS3799. Concure WB30 is a water based wax emulsion used to retain moisture in concrete for effective curing. Used for concreting generally but especially useful for large areas of concrete construction such as runways, motorways or bridgeworks. Conforms to AS3799.efficient cement hydration thus reducing shrinkage and increasing durability.



CODE
40-FC663050-20L

SIKA® RUGASOL® MH

Rugasol MH is a gel retarder used mainly for on site exposed aggregate work. Rugasol MH surface retarder is used to expose aggregate on formed Portland cement based concrete surfaces, both vertical and horizontal.

- It can provide a decorative architectural finish to precast or insitu concrete surfaces
- Can be applied to most type of clean formworksuch as steel, timber, plywood, etc
- Can be used in conjunction with Rugasol® C to provide constant aggregate
- Exposure to both vertical and horizontal surfaces



CODE	SIZE
40-493092	10L

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

306 CURING COMPOUND & RETARDER

AFTEK CURECON A

CURECON A acrylic, water based curing compound is a Class D, Type 1 curing compound for use on new concrete that facilitates maximum moisture retention through the curing period to maximise concrete strength & durability. Curecon A is certified to comply with Australian Standard AS 3799.

- Reduces the likelihood of surface cracking or dusting
- Easy to use, eliminates messy water curing or polythene film
- Complies with Green Star Office Design V3 IEQ-13
- Low odour, no ventilation requirement
- No stringent safety requirements

CODE	SIZE
40-CCA20	20L
40-CCA200	200L



PROPERTIES

Appearance	**Milky Liquid**
Drying Time (25˚C)	**1.5-2 hrs**
Application	**Spray/Roller**
Coverage per Litre	**5m²**
Class	**1D, Class D**

AFTEK CURECON AA

- Water based
- Reduces shrinkage cracking by slowing the evapouration of water from the concrete surface
- Improves finishing properties in adverse weather conditions
- Does not interfere with following trades

CURECON AA is a water based, aliphatic alcohol finishing compound designed for use on plastic (freshly poured and screeded) concrete, to reduce the evaporation of water during finishing operations. CURECON AA will not normally interfere with subsequent toppings, tiling, render, surface coatings etc. that are often used in industry.

Please note: Curecon AA is NOT a curing compound.

CODE	SIZE
40-CCAA20	20L
40-CCAA200	200L



PROPERTIES

Appearance	**Blue Liquid, Dries Clear**
Dilute Curecon AA:Water	**1:9**
Application	**Spray**
Coverage per Litre	**5-7m²**

AFTEK CURECON W RESIN

Curecon W is a Type 1D, Class B, hydrocarbon based resin curing compound, used to retain moisture in concrete for effective curing. Used for all concrete but specifically designed for use in mass concrete structures such as road work, bridgework and runways. Curecon W is certified to comply with Australian Standard AS 3799.

- Reduces surface shrinkage and cracking by eliminating moisture loss from exposed surfaces.
- Volatile ingredients comply with air pollution requirements of photo-reactive compounds
- Increases concrete strength & dusting resistance
- Rapid film formation and tack free when dry
- Green Star rating, complies Office Design V3 IEQ-13
- Eliminates the need for damp hessian, sand or polythene

CODE	SIZE
40-CCWRE20	20L
40-CCWRE200	200L



PROPERTIES

Appearance	**Light Green Liquid, Dries Clear**
Drying Time (25˚C)	**1.5-2 hrs**
Application	**Spray/Roller**
Coverage per Litre	**5m²**
Class	**1D, Class B**

AFTEK CURECON BE

Curecon BE is a Class Z, Type 3, water based bitumen membrane curing compound used to retain moisture in concrete for effective curing. Curecon BE can be used for all concrete but is specifically intended for use in mass concrete structures such as roadwork and bridgework, on/ off ramps and airport runways. Curecon BE is certified as compliant with the Australian Standard AS3799-1998.

- Reduces surface shrinkage and cracking by eliminating moisture loss from exposed surfaces.
- Rapid film formation resists wash off by rain about 30 minutes after application. Tack free when dry.
- Use as a pre-coat for finishing with an asphalt black top surface
- Increases concrete strength and dusting resistance
- Meets Low VOC formulation



PROPERTIES

Appearance	**Dark Brown Liquid, Dries Black**
Drying Time (25˚C)	**25-30 mins**
Coverage per Litre	**5m²**
Water Retention Efficiency	**>90%**
Class	**Z, Type 3**

Call for pricing

CODE	SIZE
40-CCBE1000	1000L

Aftek

AFTEK CURECON PW SMARTWAX

Curecon PW is a Class A water based wax curing compound used to retain moisture in concrete for effective curing. Used for all concrete but specifically designed for use in mass concrete structures such as roadwork, bridgework, civil construction and runways. Curecon PW Smartwax dries rapidly and becomes resistant to wash off in about 15 minutes after application.

- Reduces surface shrinkage and cracking by eliminating moisture loss from exposed surfaces.
- Increases concrete strength & dusting resistance
- Rapid film formation
- Shower resistant at 15 minutes
- Meets Green Star rating complies with Office Design V3 IEQ-13 Low VOC, non-flammable; non toxic
- Eliminates the need for damp hessian, sand or polythene



PROPERTIES

Appearance	**Pink Milky Liquid, Dries Clear**
Drying Time (25˚C)	**15-20 mins**
Application	**Spray/Roller**
Coverage per Litre	**5m²**
Class	**1D, Class D**

CODE	SIZE
40-CCSW20	20L
40-CCSW200	200L
40-CCSW1000	1000L

Aftek

CONCURE AV

Concure AV is an aliphatic alcohol evaporative retarder used during the placement of fresh concrete to greatly reduce cracking caused by unfavourable weather conditions. Supplied as a concentrate which is diluted on site with water.

- Reduces and often eliminates the formation of shrinkage cracks in plastic concrete
- Gives superior finishing properties during unfavourable weather conditions
- Maintains a plastic and workable surface
- Prevents surfaces crusting



CODE	SIZE
40-FC644444-20L	20L

FOSROC

5% PRICE BEAT GUARANTEE


If you find a lower price for an equivalent to any product in our catalogue or website, **WILL BEAT THAT PRICE BY 5%***


*Conditions apply, See website for details.


HYDROTITE - HYDROPHILIC CHLOROPRENE RUBBER WATERSTOP


ADVANTAGES

- Easy to handle and install
- Excellent adhesion to concrete surfaces
- Outstanding physical properties
- Profiles with self-adhesive backing allow for simple and fast installation processes
- Co-extruded design means expansion is directed across the joint for maximum seal
- Unaffected by repeated wet and dry cycles
- No site welding is required for joining processes
- Has a delay coating to help prevent premature expansion
- Extra delay coating is available for very wet conditions, if required
- Changes colour as a visual alert to let you know it has expanded
- No need for special intersections, joining is by simple butt joins
- Can be applied to rough surfaces using Leakmaster gun grade waterstop
- Can be joined to traditional PVC waterstop
- No compaction or displacement problems
  Non toxic and non hazardous







Before Expansion


After Expansion

Areas of application

- Sewerage Treatment Plants
- Water Treatment Plants
- Reservoirs
- Water Tanks
- Swimming Pools
- Tunnels
- Subway Stations
- Basements
- Pits
- Pipe Penetrations

Typical Application



CODE	SIZE
40-CJ1020-2K	10m/roll
40-CJ0725-3K	10m/roll
40-DSS-0220	25m/roll



40-DSS-0220
40-CJ0725-3K
40-CJ1020-2K

SUPERSWELL 47B - HYDROPHILIC BUTYL WATERSTOP SEAL

Superswell 47B is a high expansion butyl bentonite based hydrophilic waterstop for sealing joints between concrete.




Typical applications

- Non-movement joints eg. horizontalconstruction joints between floor slabs
- Cast in situ walls such as lift overrun pits,retaining walls and similar

Advantages

- Requires no site welding
- Easy to handle
- Conforms easily to irregular surfaces
- Does not require split-forming or splicing
- Superswell 47B is non-toxic and requires no special handling instructions

CODE
40-FC002205-UNIT
40-FC002200-UNIT
40-BENWSP
40-629135



40-FC002200-UNIT
40-FC02205-UNIT

FORTIANCHOR WATERSTOP

Hydrophilic Rubber Waterstop 7mm x 25mm is a high-performance sealing solution designed for narrow construction joints where water ingress is a concern. Manufactured with a dual-layer structure—featuring a swelling hydrophilic outer layer and a stable non-expanding rubber core—this waterstop forms a reliable, watertight compression seal upon contact with moisture.



40-FA-HPU600

CODE	DESCRIPTION
40-FA-H0725	Hydrophilic Rubber 7mm x 25mm
40-FA-H1020	Hydrophilic Rubber 10mm x 20mm
40-FA-HPU600	Hydrophilic PU Sealant - 600ml

SUPERCAST PVC WATERSTOP

PVC Waterstop is a specially designed profile for use in construction or expansion/ isolation joints in concrete where you require a waterstop in the joint between an existing structure to a new structure.

Areas of Application
All types of construction or expansion/isolation joints in concrete where an existing structure and new structure meet and require a waterstop.


CENTRE BULB

Rearguard available on request


CODE	DESCRIPTION
40-FC020301-UNIT	Fosroc Supercast Hydrofoil 150mm x 15M Roll
40-FC020302-UNIT	Fosroc Supercast Hydrofoil 200mm x 15M Roll
40-FC020303-UNIT	Fosroc Supercast Hydrofoil 250mm x 15M Roll

HYDRO-STOP TPER WATERSTOPS

TPER (Thermoplastic Elastomeric Rubber) Waterstops lead the way in high technology waterstops that have been designed for use in primary and secondary containment structures where a highly chemical resistant waterstop is required to prevent the flow or migration of fluid through joints in concrete.

Areas of Application

- Petrochemical Plants
- Chemical Plants
- Fuel Storage Containment
- Refineries
- Pulp & Paper Mills
- Train & Vehicular Tunnels
- Desalination Plants
- Pharmaceutical Plants
- Waste Water Treatment Plants
- Sewage Treatment Plants
- Airports & Seaports
- Bridges & Highways
- Reservoirs & Dams
- Swimming Pools


Call for pricing

LEAKMASTER - HYDROPHILIC GUN GRADE WATERSTOP

Areas of application

- Water sealing joints of cast-in-situ concrete
- Water sealing around "H" section steel posts/columns
- Rough surfaces
- Shotcrete joints
- Box culverts
- Can support 20m head of water
- Water sealing around pipes for pipe penetrations through concrete
- Form tie holes and form ties
- Pipe Penetrations
- Tunnels
- Subway Stations
- Basements
- Pits



CODE	SIZE
40-LMLV-2	320mL

24

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

VANDEX® BB75-Z

Vandex BB75-Z is a ready-mixed, cementitious waterproofing membrane made of grey sulphate-resistant cement, graded quartz sands, and inorganic additives. It's been tested up to 7.0 bar pressure (70m water head), with excellent initial and final bonding capabilities for both vertical and horizontal surfaces. Durable and frost-resistant after setting, it maintains water vapor permeability.

Advantages

- Abrasion resistant
- Applied to either the positive or negative pressure face of concrete
- Based on sulphate resisting cement making it suitable
- for use in open sewerage processing tanks
- Works on masonry, brick, stone and concrete blocks where crystal growth treatments are not effective
- Suitable for permanent sunlight exposure after curing
- Tested to withstand a positive water pressure head of 70 metres
- Colour compatible with the host concrete an be applied to damp concrete



CODE	SIZE
40-VANDEX	25kg

VANDEX® CEMELAST

Flexible, surface applied, cement based waterproofing barrier for positive and negative water pressure applications.

Advantages

- Permanently flexible and accommodates dynamic crack
- movement up to 0.4 mm
- Applied to either the positive pressure or negative
- pressure face of concrete
- Tested to withstand a water head of 15 metres
- Based on sulphate resisting cement making it suitable for
- use in tanks containing pH aggressive water
- Works on masonry, brick, stone and concrete blocks
- where crystal growth treatments are not effective
- Applied to damp concrete
- Suitable for use in potable water



CODE	SIZE
FC051003	10kg

PROOFEX S

Proofex S is an externally applied woven polypropylene tape coated with a modified bituminous self-adhesive compound. Proofex S is normally used in conjunction with internally placed Conseal CS231 sealing strip.

Advantages

- Sticks and bonds rapidly and permanently to clean, dry surfaces
- Fast and simple application
- No special tools, heating or drying required
- Flexible, long lasting, self-sealing to minor substrate blemishes
- Can help prevent mould by ealing out moisture
- High puncture resistance and joint water pressure resistance
- Low water vapour transmission
- Withstands hot asphalt overlays on roadways and car parks



CODE
40-FC700370-UNIT
40-FC700371-UNIT
40-FC700372-UNIT
40-FC700373-UNIT

BITUMEN EXPANSION JOINT

- Compressible, non-extruding, bitumen impregnated fibreboard expansion joint filler
- 35% Bitumen content
- Easy to handle, cut and tamp
- Resilient
- Will not extrude under compression
- Length: 2400mm



CODE	SIZE
40-BB24509	Bitumen Board 2400x50x9.5mm
40-BB24759	Bitumen Board 2400x75x9.5mm
40-BB241009	Bitumen Board 2400x100x9.5mm
40-BB241509	Bitumen Board 2400x150x9.5mm
40-BB242009	Bitumen Board 2400x200x9.5mm
40-BB243009	Bitumen Board 2400x300x9.5mm
40-BB249009	Bitumen Board 2400x900x9.5mm

EXPANSION JOINT FOAM STRIP - NON ADHESIVE

- Good recovery after being compressed
- Helps seal gaps against dirt ingress
- Easy to cut and shape
- Lightweight and easy to handle
- Use with most sealants and silicones
- Supplied in a 25 metre roll



CODE	SIZE
40-EJF075	75x10mm x 25m
40-EJF100	100x10mm x 25m
40-EJF150	150x10mm x 25m
40-EJF200	200x10mm x 25m
40-EJF300	300x10mm x 25m

EXPANSION JOINT FOAM STRIP - SELF ADHESIVE

- Adhesive backed foam expansion joint
- Good recovery after being compressed
- Helps seal gaps against dirt ingress
- Easy to cut and shape
- Lightweight and easy to handle
- Use with most sealants and silicones
- Supplied in a 25 metre roll





CODE	SIZE
40-EJF075A	75 x 10mm x 25m
40-EJF100A	100 x 10mm x 25m
40-EJF125A	125 x 10mm x 25m
40-EJF150A	150 x 10mm x 25m

CODE	SIZE
40-EJF20150A	150 x 20mm x 15m
40-EJF20200A	200 x 20mm x 15m
40-EJF20300A	300 x 20mm x 15m
40-EJF200A	200 x 10mm x 25m
40-EJF250A	250 x 10mm x 25m
40-EJF300A	300 x 10mm x 25m

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

CONNOLLY KEY JOINT

Connolly Key Joints are a continuous pour solution for contraction joints in slab on ground applications.
Connolly Key Joints are a roll formed galvanised steel section used as a leave-inplace formwork to control shrinkage induced cracking. The profile is fixed in place using the patented peg and wedge system.
Our unique tongue profile provides positive load transfer with minimal stepping.
For higher load applications the preformed knock-outs allow Key Joints to be used in conjunction with Connolly Universal Dowel Sleeves (UDS). The Universal Dowel Sleeves are installed in the steel section using the patented Connolly twist-fix feature.
Key Joints are available in 3 and 6m lengths for slab thicknesses from 100mm to 300mm.



CODE	DESCRIPTION
40-KJ100X3	Keyjoint Galv 100mm 3 Mtr (incl. 1 x 4 pack 350mm peg & wedges)
40-KJ150X3	Keyjoint Galv 150mm 3 Mtr (incl. 1 x 4 pack 390mm peg & wedges)
40-KJ200X3	Keyjoint Galv 200mm 3 Mtr (incl. 1 x 4 pack 500mm peg & wedges)
40-KJ300X3	Keyjoint Galv 300mm 3 Mtr (incl. 1 x 4 pack 700mm peg & wedges)

CONNOLLY EXJ EXPANSION JOINT

The Connolly Expansion Joint (EXJ) is a continuous pour solution for expansion joints in slab on ground applications.

Connolly Expansion Joints are a roll formed galvanised steel section with 10mm cross linked foam to provide a leave in place formwork that allows for joint expansion. The profile is fixed in place using the patented peg and wedge system.

The EXJ has pre-formed holes which allow it to be used in conjunction with Connolly Universal Dowel Sleeves (UDS).


The Universal Dowel Sleeves are installed in the steel section using the patented Connolly twist-fix feature.

The EXJ profile is available in 3m length for slab thicknesses from 100mm to 200mm.



EXJ EXPANSION JOINT

Includes Joints, Pegs and wedges



CODE	DESCRIPTION
40-EXJ10030	Expansion Joint / 10mm foam 100mm x 3Mtr (incl. 1 x 4 pack 350mm peg & wedges)
40-EXJ12530	Expansion Joint / 10mm foam 125mm x 3Mtr (incl. 1 x 4 pack 350mm peg & wedges)
40-EXJ15030	Expansion Joint / 10mm foam 150mm x 3Mtr (incl. 1 x 4 pack 350mm peg & wedges)
40-EXJ20030	Expansion Joint / 10mm foam 200mm x 3Mtr (incl. 1 x 4 pack 390mm peg & wedges)
40-EXJJ	Expansion Joint Joiners for Butt Joining Expansion Joint

EXJ EXPANSION JOINT SYSTEM KITS

Includes Joints, Dowels, Dowel Sleeves, Pegs and Wedges





CODE	DESCRIPTION
40-EXJ10030-SYSTEM	10 x EXJ10030 / 90 x 12x400 Gal Dowel / 90 x 12mm Dowel Sleeve / 40 X Pegs & Wedge
40-EXJ12530-SYSTEM	10 x EXJ12530 / 70 x 16X450 Gal Dowel / 70 x 16mm Dowel Sleeve / 40 X Pegs & Wedge
40-EXJ15030-SYSTEM	10 x EXJ15030 / 70 x 16X450 Gal Dowel / 70 x 16mm Dowel Sleeve / 40 X Pegs & Wedge
40-EXJ20030-SYSTEM	6 x EXJ20030 / 42 x 24x450 Gal Dowel / 42 x 24mm Dowel Sleeve / 24 x Peg & Wedge

PEGS & WEDGES




CODE	DESCRIPTION
40-PW1004	4 Pack of Wedges and 350mm Long Pegs - Suits EXJ100, EXJ125, EXJ150 & KJ100
40-PW1504	4 Pack of Wedges and 390mm Long Pegs - Suits EXJ200 & KJ150
40-PW2004	4 Pack of Wedges and 500mm Long Pegs -Suits KJ200

KEYJOINT PERMANENT PVC CAPPING

CONNOLLY PERMANENT PVC CAPPING

Flexible plastic capping to protect and enhance the finished joint.

- UV Treated PVC material ensures long life
- Available in a range of colours to match most finishes
- Provides an architectural finish to the joint
- Prevents foreign particles entering the joint
- Provides a compression area at the top of the joint where it is most needed
- Resistant to oils and petroleum based products
- No post pour operations are needed unless the joint is to be sealed
- Optional tear-off capping strip also available
- Quickly and easily installed
- Economical
- One size fits all Connolly Key Joint profiles
- Narrow width to minimise edge damage
- Provides a bevelled edge to the joint for increased strength
- Suitable for joints where concrete shrinkage is not excessive



CODE	DESCRIPTION
40-KJCAPRB	Retained/permanent black capping for Keyjoint - 24m roll
40-KJCAPRG	Retained/permanent grey capping for Keyjoint - 24m roll
40-KJCAPRS	Retained/permanent sandstone capping for Keyjoint - 24m roll
40-KJCAPRT	Retained/permanent terracotta capping for Keyjoint - 24m roll
40-KJCAPTB	PVC tear-off capping for Keyjoint - 13mm x 9.5mm x 24Mtr Black
40-KJCAPTG	PVC tear-off capping for Keyjoint - 13mm x 9.5mm x 24Mtr Grey

KEYJOINT REMOVEABLE PVC CAPPING

Plastic capping used to form a void along the joint for the application of flexible sealants.


- Available in two sizes
- Simple stripping and installation of sealants
- Sealant can be used to colour match any project
- Quickly and easily installed
- Economical void former
- One size fits all sizes of Connolly Key Joint
- Narrow width to minimise edge damage
- Provides a bevelled edge to the joint for increased strength

CODE	DESCRIPTION
40-KJCAP	Small removable grey capping for keyjoint - 24m roll
40-KJCAPL	Large removable grey capping for keyjoint - 6m roll

EXPANSION JOINT PERMANENT CAPPING

- Available in black or gray
- Size: 17mm x 4mm x 3m


CODE	DESCRIPTION
40-EXJPERMCB	EXJ Expansion Joint Permanent capping Black
40-EXJPERMCG	EXJ Expansion Joint Permanent capping Grey



REBATE MOULDS

Used to form dimensionally correct rebates in joints for correct application of specialised sealants and fillers.

- Forms a true square or rectangular rebate
- Parallel sides ensure sealant achieves maximum bond strength
- Horizontal joint bottom gives maximum support to hard fillers
- Application of bond breaker tape ensures elastic sealants flex properly
- Rigid PVC material ensures joints are straight
- Accurate calculation of sealant quantity
- Quick and easy to install
- No need for expensive saw cutting
- Job is kept cleaner
- Two sizes to suit most sealant types and varying joint specifications



CODE	DESCRIPTION
40-KJRM12X12X3	Keyjoint PVC Rebate Mould Yellow 12x12mm x 3 Mtr
40-KJRM20X10X3	Keyjoint PVC Rebate Mould Grey 20x10mm x 3 Mtr
40-EXJRBM1610	EXJ Removable Mould Capping PVC 16mm x 10mm x 3m

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, WILL BEAT THAT PRICE BY 5%*


*Conditions apply, See website for details.

UNIVERSAL DOWEL SLEEVES

- Full length sleeve ensures no concrete to dowel bonding
- Provision for longitudinal expansion in the ends of all sleeves
- Rectangular sleeves for square dowels allow for lateral expansion
- Injection moulded for accurate tolerances and maximum straightness
- Stiffening ribs to minimise distortion
- Simply twist & turn into knock-outs in Connolly Key Joint
- Can be used as a face fixing sleeve on conventional timber or steel formwork
- Can be used as part of a dowel cradle or basket
- Length can be trimmed to suit any dowel length
- Support leg/stand allows extra support to ensure correct alignment is maintained during pour
- Unique end closure prevents slurry entering around square dowels
- All UDS's (excepting 33mm round) have legs/stands that can be easily snapped off for height adjustment

ROUND SLEEVE

CODE	DESCRIPTION
40-EXJDS12R150	Dowel Sleeve Round 12mm x 150mm
40-UDS16R230	Dowel Sleeve Round 16mm x 230mm
40-UDS16R300	Dowel Sleeve Round 16mm x 300mm
40-UDS20R230	Dowel Sleeve Round 20mm x 230mm
40-UDS20R300	Dowel Sleeve Round 20mm x 300mm
40-UDS24R225	Dowel Sleeve Round 24mm x 225mm
40-UDS33R230	Dowel Sleeve Round 33mm x 230mm
40-UDS33R300	Dowel Sleeve Round 33mm x 300mm
40-UDS36R230	Dowel Sleeve Round 36mm x 230mm
40-UDS36R300	Dowel Sleeve Round 36mm x 300mm



SQUARE SLEEVE

CODE	DESCRIPTION
40-UDS16SQ230	Universal Dowel Sleeve Square 16mm x 230mm
40-UDS16SQ300	Universal Dowel Sleeve Square 16mm x 300mm
40-UDS20SQ230	Universal Dowel Sleeve Square 20mm x 230mm
40-UDS20SQ300	Universal Dowel Sleeve Square 20mm x 300mm



DOWEL BARS

Dowel Bars are used for the purpose of spreading positive load across joints. They provide a mechanical connection between concrete slabs without restricting horizontal movement.

- Friction Cut

Other sizes available on request



DOWEL BAR ROUND

CODE	DESCRIPTION
40-DBHDG16R450	Dowel Round 16 x 450mm - Galvanised
40-DBHDG20R450	Dowel Round 20 x 450mm - Galvanised
40-DBHDG24R450	Dowel Round 24 x 450mm - Galvanised



DOWEL BAR SQUARE

CODE	DESCRIPTION
40-DBHDG20R500	Dowel Round 20 x 500mm - Galvanised
40-DBHDG20R600	Dowel Round 20 x 600mm - Galvanised
40-DBHDG24R500	Dowel Round 24 x 500mm - Galvanised

DOWEL BAR GRADE

Dowel Bars are used for the purpose of spreading positive load across joints. They provide a mechanical connection between concrete slabs without restricting horizontal movement.

- Friction Cut



CODE	SIZE
40-A316DBSS16400	R16 x 400mm Stainless 316
40-A316DBSS16600	R16 x 600mm Stainless 316
40-A316DBSS20600	R20 x 600mm Stainless 316
40-A316DBSS20800	R20 x 800mm Stainless 316
40-A316DBSS24600	R24 x 600mm Stainless 316
40-A316DBSS30600	R30 x 600mm Stainless 316


EXPANSIONS JOINT, BACKING ROD & DOWEL BARS 315

SQUARE FOAM CAULKING STRIPS (BACKING ROD)

- Compressible and conformable
- Lightweight
- Supplied in bundles for ease of use
- Also known as backing rod or backer rod

SQUARE FOAM NON-ADHESIVE CAULKING STRIPS

Size: 20mm x 30mm x 2m (500m per pack)



CODE
40-SBR2030500

SQUARE FOAM ADHESIVE CAULKING STRIPS

Size: 40mm x 40mm x 2m (100m per pack)



CODE
40-SBR4040100A

FOAM BACKING ROD

Compressible, closed cell polyethylene foam tube with an outer skin. It is used as a backing for cold applied sealants in expansion/ construction joints and building seal applications.



CLOSED CELL

CODE	SIZE
40-BRCC06	Backer Rod Closed Cell 6mm x 250m
40-BRCC10	Backer Rod Closed Cell 10mm x 250m
40-BRCC15	Backer Rod Closed Cell 15mm x 50m
40-BRCC20	Backer Rod Closed Cell 20mm x 50m
40-BRCC25	Backer Rod Closed Cell 25mm x 50m
40-BRCC30	Backer Rod Closed Cell 30mm x 50m

OPEN CELL

CODE	SIZE
40-BROC20	Open Cell Backer Rod 20mm x 100m
40-BROC50	Open Cell Backer Rod 50mm x 20m

MALTHOID BITUMEN IMPREGNATED

- 2 ply felt material impregnated with bitumen which is also covered in a fine sand to prevent sticking when rolled
- Insulates wood from water ingression
- wthrough wicking
- Waterproofing of roofs, flat tiled, corrugated, etc

CODE	SIZE
40-MT15020	Malthoid 150mm 20m
40-MT23020	Malthoid 230mm x 20m
40-MT30020	Malthoid 300mm x 20m



WATERPROOFING

BITUMINOUS PAINT WATERPROOFING MEMBRANE

- Repairing and waterproofing the inside of iron and concrete tanks and troughs.
- Re-surfacing old Malthoid, iron and cement reinforced roofs and gutters.
- Stopping leaks in roofs and gutters; sealing leaks in tanks, troughs, flashings and cappings, under screws and washers and downpipes. Must be applied to internal surfaces.
- Size: 20L
- Covers approx. 1.5m²/L



CODE
40-WM20

Colours:

Black

SIKATITE® BE BITUMEN WATERPROOFER

SikaTite BE is a water based bitumen emulsion modified with acrylic latex polymers. It can be applied as a waterproof membrane, sealant, protective coating or adhesive. It is designed for use underground, internal and immersed areas.

- Water based, free of solvents and toxins
- Can be used in varying thicknesses
- Excellent bonding capabilities
- Can be applied to damp surfaces
- Can be mixed with sand/cement to improve adhesion, tensile strength, flexibility, sound dampening and to create falls
- Can be painted or coated over
- Approved for use in potable water (AS4020:1999)
- Easy to apply and work with
- Can be applied to a wide range of substrates
- Size: 15L



CODE
40-524570

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

RAPID SET CONCRETE

- Rapid Set Concrete will harden in 15 minutes when used as directed, within desired temperature range
- It requires no mixing on site and is ready to use with the addition of cleanwater
- Reduces required job time
- Good for small jobs
- Convenient & easy to use
- Helps when job site accessibility is an issue
- Eliminates use of wheel barrows & mixing tools
- Weight: 20kg

Call for specifications & technical data sheet.



60 NSW Pallet Size
84 VIC/QLD Pallet Size

CODE
41-RSC

GENERAL PURPOSE CEMENT

- Complies to AS3972
- Weight: 20kg

Call for specifications & technical data sheet



GP Cement Bulka Bags are also available



60 NSW Pallet Size
48 VIC/QLD Pallet Size

CODE	DESCRIPTION
41-GPC	GP Cement 20kg Bag
40-GPC-BB12	Bulka Bag GP Cement 1200kg

CONCRETE MIX

- Just add water
- Weight: 20kg

Call for specifications & technical data sheet.



60 NSW Pallet Size
84 VIC/QLD Pallet Size

CODE
41-CMGP

SAND & CEMENT MIX

Weight: 20kg

Call for specifications & technical data sheet.




84

CODE
41-SCM

BUILDERS CEMENT

Weight: 20kg

Call for specifications & technical data sheet.



60 NSW Pallet Size
48 VIC/QLD Pallet Size

CODE
41-BCG20

CONCRETE MIX & CONCRETE REMOVAL 317


HYDRATED LIME

- Enhances bond strength when used in cement/ sand mortar/ render
- Weight: 20kg

Call for specifications & technical data sheet.



Hydrated Lime Bulka Bags are also available



CODE
41-HL20

60 NSW/QLD Pallet Size

54 VIC Pallet Size

EXTRA STRENGTH CONCRETE MIX

- Twice the strength of a standard concrete mix
- Weight: 20kg

Call for specifications & technical data sheet.



CODE
41-ESC

48

LIQUID HAMMER CONCRETE REMOVER

Liquid Hammer is non corrosive, biodegradeable and safe to use on virtually all surfaces. Liquid Hammer can remove concrete, cement, grout, hard water deposits, mortar, plaster, lime and scale buildup- from small machines, bathrooms all the way to large machinery and buildings. The unique formula is absorbed by the concrete surface and breaks it back down into a paste that you can brush or wash off.



Before



After

- Liquid Hammer is non-corrosive, so it's user and equipment safe
- The unique formula is absorbed by the concrete surface and breaks it back down into a paste that you can brush or wash off
- Clean concrete and mortar off your tools, machinery vehicles - AND DO IT SAFELY!
- 100% Biodegradable



LIQUID HAMMER - CONCENTRATE

CODE	SIZE
40-LH200	200ml
40-LHCON5	5 Litre
40-LHCON20	20 Litre



CONCRETE WASHOUT BAGS

The Concrete Washout Bag provides a quick and convenient solution to contain all concrete washout waste. The bag is simply placed under the chute or hopper and the slurry is contained in the plastic/ polyethylene inner liner in the bag.
The bag is forkliftable with built in loops for safe and easy transportation to an offsite location. It is strong enough to withstand heavy loads and is tested to a load rating of 2470kg. All bags are fully tested and compliant with Australian Standard AS3668-1989.

- Size: 175cm L x 104cm W x 37cm H
- Capacity: 0.70 cubic metres
- Max Load: 2470kg
- Complies to AS3668-1989



CODE
42-WASHOUT

1.5T – 0.85CU.M CONCRETE COLLECTION TRAY

Efficiently collect concrete waste and washout water with our durable 1.5T Concrete Collection Tray, designed to minimise environmental impact on job sites.



CODE
40-CCN215

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

318 UNDERLAY & BUILDING/FLOOR PROTECTION

HEAVY DUTY BUILDERS PLASTIC

- For protection, asbestos removal and much more
- Printed and Orange plastic comply to AS 2870
- Thickness: 200µm
- Size: 50m x 4m



CODE	TYPE
44-BLKPLAS	Non-printed
44-CLRPLAS4	Clear
44-BLKPLASAS	Printed

30

MDF BOARD

- Ideal for protecting new flooring, windows, concrete, paint work and much more
- Size: 2400 x 1200mm
- Thickness: 3mm



CODE
03-MDF31224

150

HIGH IMPACT BUILDERS PLASTIC

- High impact vapour barrier used for concrete underlay, wall/surface protection and much more
- Complies to AS 2870
- Size: 25m x 4m
- Thickness: 300µm
- Colour: Orange




CODE
44-ORGPLAS-300

36

UNDERLAY & BUILDING/FLOOR PROTECTION 319

POLYWEAVE CONTAINMENT FABRIC BLUE


- Laminated both sides
- Tear resistant and Water resistant
- Floor protection
- Weight: 180gsm
- Size: 2m x 50m
- Colour: Blue



CODE
44-BPWF

POLYWEAVE FABRIC - HEAVY DUTY

- Woven polyethylene fabric coated both sides. Ideal for ground cover, temporary protection of carpet, tiles and walls, drop sheets & much more
- 8 x 10 weave
- 100gsm weight
- Size: 1.8m x 100m
- Colour: White



CODE
44-PWF18

TARPS - HEAVY DUTY

Heavy Duty Tarpaulins made from 14 x 14 weave Reinforced polyethylene, with rope in hem and reinforced corners for extra strength and durability.
Weight: 205gsm
Colour: Silver/Black






CODE	SIZE
44-3654T	3.6m x 5.4m
44-4873T	4.8m x 7.3m

FLUTED PLASTIC SHEETS

- Ideal for protecting new flooring, windows, concrete, paint work and much more
- Thickness: 2.5mm

Protect flooring, windows, walls, concrete and much more!







CODE	SIZE (mm)	COLOUR
03-2412CF	2440 x 1220 x 2.5	White
03-2412BCF	2440 x 1220 x 2.5	Black
03-1812CF	1830 x 1220 x 2.5	White

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

320 UNDERLAY & BUILDING/FLOOR PROTECTION

CLEAR PLASTIC FLOOR APPLICATOR

- For use with Carpet Plastic Protection and Hard Floor Plastic Protection
- Use to apply 500mm - 1m wide adhesive film



CODE
44-CSAP

HEAVY DUTY RECYCLABLE FLOOR PROTECTION 0.96M X 30M

Eco-friendly and durable, this heavy-duty floor protection board safeguards surfaces from scratches, dents, and spills. Made from 100% recycled pulp, it features a breathable design to prevent moisture buildup and lays flat easily on any surface.



CODE
40-HDRFP

9

REINFORCED FLOOR PROTECTION JOINT TAPE

Reinforced Floor Protection Joint Tape offers strong adhesion and clean removal for securing floor protection boards, reducing plastic waste while delivering reliable performance.



CODE
40-HDFRP-JT

SELF ADHESIVE CLEAR PLASTIC FLOOR PROTECTION

CLEAR PLASTIC PROTECTION

- Self adhesive protection for carpeted surfaces
- Size: 1m x 100m
- Colour: Clear

CODE	TYPE
44-PS150	Carpet
44-HPS15	Hard Floor

HARD FLOOR CLEAR PLASTIC PROTECTION

- Reverse rolled self adhesive film allows for fast and effortless installation
- Medium high adhesive strength
- Anti-slip surface for safety
- Cost effective protection for easy clean up
- Customised adhesive that will not leave any glue residue when removed (when manufacturers instructions are followed)

56



UNDERLAY & BUILDING/FLOOR PROTECTION 321



WINDOW FILM

- Window Film will protect valuable glass surfaces during construction or renovations
- UV Resistant for up to 6 months
- Medium high adhesive strength - 370-430g/50mm
- Cost effective protection for easy clean up after construction
- Customised adhesive that will not leave any glue residue when removed
- Thickness: 50µm
- Colour: Blue



CODE	SIZE
80-WF1220	1220mm x 100m



BUBBLE WRAP

- Protects all surfaces from damage
- Size: 1.5m x 100m



CODE
80-100BW

9

STRETCH WRAP

STRETCH WRAP ROLL

- Durable and puncture resistant plastic wrap
- High clarity film for visibility and scanning of products through packaging
- Low noise unwinding & extra high punch/ tear resistance
- Good cling and ultra high stretchability.
- Thickness: 20um
- Size: 500mm x 350m (Clear), 500mm x 450m (Black)



CODE	COLOUR
80-25SW	Clear
80-25SWB	Black

4

128

STRETCH WRAP DISPENSER

- Heavy duty construction
- Easily adjustable tension
- Reduces strain on hands and back
- Quality bearings ensure smooth and continuous application of wrap



CODE
80-SWD

BULKA BAGS

Commonly used in industries such as cement, chemicals, fertilizers, mining, waste management, aggregates, food, polymers and stock feeds.

- Size: 900x 900x900mm
- Non laminated, 140GSM
- Circular woven
- Open Top, Flat Bottom
- 1000kg capacity (SWL)
- 4 x 30cm cross corner lifting loops



CODE
42-BUBAG

425

COMPRESSED CARDBOARD CORNER PROTECTORS

- Ideal for protecting packaging goods against potential surface damage and strapping cuts
- Size: Angled 60 x 60 x 4 x 1000



CODE
44-CC664

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

BAR CHAIRS & SPACERS

PLASTIC BAR CHAIRS - COMBINATION

Plastic bar chairs are reinforcement supports that are routinely used in concreting applications to support reo bar and mesh. Additionally, bar chairs help to ensure the correct concrete coverage over the reinforcing mesh.

They help position and hold the mesh in place in the slab during concrete pour. The simple yet effective clip in system means they are quick to install and will hold fast, preventing any unwanted movement when walking on or moving the reinforcing mesh.

- Plastic
- Pack of 100





Clip On

CODE	DESCRIPTION
40-CBC2540	Combination Bar Chair 25/40mm (100 Pack)
40-CBC5065	Combination Bar Chair 50/65mm Clip On (100 Pack)
40-CBC85100	Combination Bar Chair 85/100mm (100 Pack)
40-CBC7590	Combination Bar Chair 75/90mm (100 Pack)



Tall Combination


CODE	DESCRIPTION
40-CBC115120	Tall Combination Bar Chair 115/120mm (100 Pack)
40-CBC145150	Tall Combination Bar Chair 145/150mm (100 Pack)

TILT PANEL CHAIR FOR CENTRAL MESH PANELS

Plastic tilt panel chairs are reinforcement supports that are routinely used in concreting applications to support reo bar and mesh. They help to ensure the correct concrete coverage over the reinforcing mesh, and position and hold the mesh in place in the slab or tilt up panel during pour. These simple yet effective chairs are quick to install and will hold fast, preventing any unwanted movement when working with the reinforcing mesh.

The size of the bar chair determines the mesh height during pour. Each combination bar chair suits two mesh heights - either 25mm and 40mm, or 50mm and 65mm, 75mm and 90mm, or 85mm and 100mm. Tall combination bar chairs are also available to suit 115mm and 120mm, or 145mm and 150mm.

- Plastic tilt panel chair
- Used to hold up single layered mesh in tilt up panels
- Combination 50mm and 65mm or 65mm and 75mm height
- Pack of 100



*Illustrative purpose only, actual product may vary

CODE	DESCRIPTION	PACK
40-PC5060	Panel Chair 50/65	100
40-PC6575	Panel Chair 65/75	100

SQUARE SPACERS - CONCRETE

Square concrete spacers also known as aspros have high load capacities and are corrosion resistant. These concrete spacers provide support for both reinforcing mesh and reo bar, ensuring the correct cover is achieved.

Concrete block spacers are available in sizes from 30 mm to 80 mm cover. Their high load capacity means they are ideal for construction of roads, bridges and external balconies. Sizes 30 to 80 mm come with tie wire

- High load capacity concrete
- Available with standard tie wire in 30 to 80mm
- Ideal for concrete elements in roads, bridges and other infrastructure




CODE	DESCRIPTION
40-AB30QFOEDAU	Square Spacers - 30mm - Tie Wire
40-AB40QFOEDAU	Square Spacers - 40mm - Tie Wire
40-AB50QFOEDAU	Square Spacers - 50mm - Tie Wire
40-AB55QFOEDAU	Square Spacers - 55mm - Tie Wire
40-AB65QFOEDAU	Square Spacers - 65mm - Tie Wire
40-AB75QFOEDAU	Square Spacers - 75mm - Tie Wire
40-AB80QFOEDAU	Square Spacers - 80mm - Tie Wire

STEEL FENCE POSTS (DROPPERS)

CODE	LENGTH
26-60SP	600mm
26-240SP	2400mm
26-90SP	900mm
26-135SP	1300mm
26-165SP	1500mm
26-180SP	1700mm

400 POSTS



CONNOLLY SAFETY CUSHION CAPS

- Designed to reduce the risk on injury on site
- Supporting internal web design minimises injury by absorbing impact



CODE	DESCRIPTION
40-CSCC12-20	Connolly Safety Cap 12-20mm (Pack of 50)
40-CSCC20-33	Connolly Safety Cap w/Yellow Reflective Strip 20-33mm (Pack of 50)

250

REO BAR GUARD CAPS

Connolly

Protect your workers from extruding hazardous reo bars & steel posts.

Reo Bar Guard Caps provide the best high visual warning and protection from extruding or exposed reo bars and steel posts. They are manufactured from heavy duty polypropylene which makes them durable and reusable.

- Provides high visibility to reo bars and posts
- Manufactured from heavy duty polypropylene
- Protects and prevents scratches and impalement
- Reusable and durable
- Quick & easy to install
- Available in boxes of 100











CODE	SIZE
26-RECAPS	16 - 20mm
26-RECAPL	24 - 36mm
26-RBCAP	1m Rebar Cap w/steel insert - Yellow

100

FENCE POST/ REO BAR CAPS

Round type - visual warning and protects from sharp edges for starter bars or steel fence posts.

CODE
26-SPCY

100



FENCE POST CAPS

Safety yellow, with holes for easy attachment, fits perfectly on steel fence posts.
Qty: 40/pack

CODE
26-SPCTR

40 BAG



STRING LINES (BUILDERS LINES)

No. 8 Nylon - 100m



CODE	COLOUR
45-100NSL	Natural
45-100FSL	Fluoro

10

TIE WIRE

Black annealed belt pack.
Size: 1.57mm x 95m
Min purchase 10 rolls

720 ROLLS

10



CODE
26-95W

TIE WIRE REEL

Aluminium reel for use by steel fixers. Allows for quick & easy tie wire dispensing.



CODE
26-TW-REEL

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

324 PRESSURE SPRAYERS, BUCKETS & MIXING PADDLES

STAINLESS STEEL PRESSURE SPRAYER

- 13.2L capacity stainless steel tank
- A-grade stainless steel AISI-304
- Viton® seals throughout the pump and shut-off
- Pump automatically releases pressures above 85 psi to prevent over-compression
- 1270mm chemically resistant rubber hose is reinforced with nylon for greater wear resistance
- 2 Brass Flat Fan nozzles included for multiple flow rates
- Accepts TeeJet® nozzles
- Four-prong lock seals the pump tightly against an internal O-ring



CODE	DESCRIPTION
40-SSCS13L	Smith HD Stainless Steel Sprayer 13.25L

5L PRESSURE SPRAYER

- Durable 5L PE Bottle with Stable Base
- Equipped with Viton Seals
- Pressure Release Valve for added safety
- Brass wand for extra performance & strength



CODE
40-SPV5

BUCKETS


Flat base designed for use on wet concrete



CODE	SIZE
45-BUK15	15L - Black
10-100006	20L Plastic Bucket w/Wire Handle


MIXING PADDLES

Used for Mixing Tile Glue, Grout, Cement Etc - Use on High Viscosity Materials




CODE	DESCRIPTION
40-OX-P120535	Mixing Paddle 135mm x 650mm - Positive (M14 Thread)
40-OX-P120612	120 x 600mm Mixing Paddle (Hex Shank)
40-OX-P120809	85 x 500mm Dual Fin Mixing Paddle (Hex Shank)

BUILDERS PROPS & REINFORCING MESH 325



PENO MESH



- Square mesh used for reinforcing flat concrete such as walls and floor slabs
- Thickness: 2.5mm
- Also known a reinforcing steel mesh
- 100 sheets per bundle

CODE	SIZE
40-WM2525252430	Peno Mesh 25 x 25 x 2.5mm Galvanised Sheet 2.4x3.0m



BUILDERS PROPS

- Heavy Duty Galvanised
- Tested and certified to Australian Standards
- Compact design for easy storage
- No loose parts
- Stillages NOT included

SIZE	ADJUSTABLE LENGTH (M)		LOAD CARRYING CAP. (T)		NET WEIGHT (KG)
	MIN.	MAX.	CLOSED	EXTENDED	
0	1.07	1.82	4.0	4.0	14.02
1	1.75	3.12	3.7	2.0	20.22
2	1.98	3.35	3.9	1.7	21.22
3	2.50	3.95	3.5	1.2	23.89
4	3.20	4.87	2.9	0.6	28.67



CODE	SIZE
41-BP00	0
41-BP01	1
41-BP02	2
41-BP03	3
41-BP04	4

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

326 Z BAR PRODUCTS



Z BAR PRODUCTS


15-17MM Z BAR

- Used to support formwork




CODE	DESCRIPTION
40-ZBA05800	Zbar 15-17mm x 8mm

Z BAR PLATE



CODE	DESCRIPTION
40-ZBP1020-EA	Z Bar Plate 100x125x10mm

Z BAR WATERSTOP CHAIR



CODE	DESCRIPTION
40-ZBWSC-EA	Z Bar Waterstop Chair

Z BAR JOINERS

Not weldable



CODE	DESCRIPTION
40-ZBJ050MS-EA	Z Bar Joiners 50mm Machine Steel
40-ZBJ050B-EA	Z Bar Joiners 50mm Cast Iron
40-ZBJ100B-EA	Z Bar Joiners 100mm Cast Iron
40-ZBJ100MS-EA	Z Bar Joiners 100mm Machine Steel

Z BAR NUT



CODE	DESCRIPTION
40-ZBN140G-EA	Z Bar Nut Single Arm

Z BAR NUT - DOUBLE ARM - 40/PK



CODE	DESCRIPTION
40-ZBN240	Z Bar Nut Double Arm

Z BAR TIE NUT



CODE	DESCRIPTION
40-ZBTN220-EA	Z Bar Tie Nut

Z BAR WATERSTOP GALVANISED



CODE	DESCRIPTION
40-ZBWS002-G-EA	Z Bar Waterstop Galvanised

PLASTIC FILLET, CONDUIT & GROUT TUBE 327

RIGID CONDUIT & CONDUIT CONES

Used to provide accurate clearance in formwork



CODE	DESCRIPTION
40-RC203	Rigid Conduit 20mm x 3m (25/pack)
40-RCC20	Conduit Cones 20mm (500/pack)

GROUT TUBE (SPIRAL DUCT TUBING)


- Used widely in special precast applications like casting bridge beams and other commercial concrete segments
- Also known as Spiral Duct Tubing



CODE	DESCRIPTION
40-SDGT5025	Grout Tube Spiral Duct 50mm x 2.5m
40-SDGT7025	Grout Tube Spiral Duct 70mm x 2.5m

PLASTIC FILLET

Used to create moulding which is installed onto the top of formwork to create an angled edge between precast and tilt-up concrete panels.



CODE	DESCRIPTION
40-PLF191925C	Plastic Fillet 19mm x 3m (25/pack, 75lm)

PLASTIC REPAIR PLUGS

- Used in conjunction with Coil Ties & Conduit
- Size: 19mm
- Sold in packs of 1000 only



CODE
40-PRP19-EA

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

328 FENCE MESH, FORM PLY, LVL & PLASTIC SHIMS

SHADECLOTH

- Shadecloth and Fire resistant shadecloth
- Size: 50m x 1.8m
- Colours: Green, Blue, Beige, Black, Red, White







STANDARD SHADECLOTH

CODE	COLOUR
43-SHCLTHG	Green
43-SHCTHBL	Blue
43-SHCTHBE	Beige
43-SHCTHBLK	Black
43-SHCTHWH	White
43-SHCTHR	Red


FIRE RESISTANT SHADECLOTH

CODE	COLOUR
43-SHCTHBL-FR	Blue
43-SHCTHBLK-FR	Black

FRC FIRE RETARDANT CONTAINMENT MESH

Fire-Retardant Containment Mesh is a unique design and patented fire-retardant containment system used to enclose scaffolding from the inside. It is used to prevent falling objects and provide safety for workers using the scaffold at height. This product has been extensively tested against similar products on the market and has shown to be stronger and lighter. FRC-MESH Gen1 has a flammability index of 8, while FRC-MESH Gen2 has a significant decrease with a flammability index of 2.

- Fire-retardant containment system
- Significant saving in labor installation and dismantle times
- The wire is eliminated completely with no wire tangles or lacerations
- Reduction of trip hazards
- Decreased product weight compared to chain and shade system
- Highly durable, can be re-used multiple times
- Easy to use
- Can be cut and shaded easily



CODE	DESCRIPTION
40-DFRC2-0010-185BLU	FRC Mesh Gen 2 Blue 1.85x10m (Index 2)
40-DFRC2-0010-185BLK	FRC Mesh Gen 2 Black 1.85x10m (Index 2)

FIRE RETARDANT SCAFFOLD NETTING WITH CHAIN WIRE MESH

Scaffold netting, commonly referred to as debris netting and construction netting has a wide variety of applications for your construction site.
Scaffold netting is an effective tool to help reduce the risk of dropped objects falling from height on the building site. In addition, it can be used to cover temporary fencing and increase privacy, and reduce dust and debris from escaping the area.

- 130gsm Fire-retardant shadecloth
- Diamond pattern chain wire mesh
- Ideal for scaffolding and containment
- Size: 1.8m x 15m
- Colour: Blue



CODE
05-CHSH1815BL

FENCE MESH, FORM PLY, LVL & PLASTIC SHIMS 329

SCAFFOLD NETTING HEAVY DUTY

- Size: 50m x 1.8m
- Blockout: 50%
- Colour: Green, Blue



50% Blockout

CODE
43-SCAFNET
43-SCAFNETB

TURBO RING FASTENER SYSTEM


- Ideal for installing silt fence and barrier mesh/shadecloth etc.
- Saves Time
- Easy to use and load

TURBO RING FASTENING GUN



CODE
26-FSG

TURBO RINGS - 1000/PK




CODE
26-FSJ

FORM PLY F17 CERTIFIED

- Tested against AS/NZS 2269
- Complies to AS 6669





CODE	DESCRIPTION
40-F17PLY1812	Form Ply F17 Certified 1800x1200mm

CODE	DESCRIPTION
40-F17PLY2412	Form Ply F17 Certified 2400x1200mm

40 — 40-F17PLY1812

35 — 40-F17PLY2412

PLYWOOD - UTILITY GRADE

- Ideal for hoardings and general construction
- Size: 2400 x 1200mm
- Thickness: 17mm





CODE	DESCRIPTION
40-PLY12	Plywood 12mm 1200x2400 Utility Grade
40-PLY17	Plywood 17mm 1200x2400 Utility Grade

48

5% PRICE BEAT GUARANTEE


If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

330 FENCE MESH, FORM PLY, LVL & PLASTIC SHIMS

LVL FORMWORK TIMBER

LVL (Laminated Veneer Lumber) is an engineered product used mainly for formwork. LVL is stronger, straighter and lighter than traditionally milled timber.






CODE	DESCRIPTION
40-LVL95656	LVL Structural Timber 95x65mm x 6m (60 Pack)
40-LVL150776	LVL Structural Timber 150x77mm x 6m (32 Pack)
40-EBLVL100366	Edgeboard LVL 100x36mm x 6m (54 Pack)
40-EBLVL150366	Edgeboard LVL 150x36mm x 6m (36 Pack)
40-EBLVL200366	Edgeboard LVL 200x36mm x 6m (36 Pack)

FULL PACKING SHIMS


Used for precast concrete panels, levelling door or window frames, packing studs in the cladding market or stumping applications.
Size: 150mm (L) x 100mm (W)



CODE	DESCRIPTION
42-PPS01	Panel Shim 100x150 x 1mm Brown 200pk
42-PPS02	Panel Shim 100x150 x 2mm Blue 200pk
42-PPS03	Panel Shim 100x150 x 3mm Green 100pk
42-PPS05	Panel Shim 100x150 x 5mm Yellow 100pk
42-PPS10	Panel Shim 100x150 x 10mm Black 40pk
42-PPS15	Panel Shim 100x150 x 15mm Grey 40pk
42-PPS20	Panel Shim 100x150 x 20mm White 30pk

HALF PACKING SHIMS

Used for precast concrete panels, levelling door or window frames, packing studs in the cladding market or stumping applications.
Size: 75mm x 100mm




CODE	DESCRIPTION
42-PHPS01	Half Panel Shim 75x100x 1mm Brown 400pk
42-PHPS02	Half Panel Shim 75x100x 2mm Blue 400pk
42-PHPS03	Half Panel Shim 75x100x 3mm Green 200pk
42-PHPS05	Half Panel Shim 75x100x 5mm Yellow 200pk
42-PHPS10	Half Panel Shim 75x100x 10mm Black 80pk
42-PHPS15	Half Panel Shim 75x100x 15mm Grey 80pk
42-PHPS20	Half Panel Shim 75x100x 20mm White 60pk

HORSE SHOE PACKERS


Used for precast concrete panels, levelling door or window frames, packing studs in the cladding market or stumping applications.
Size: 75mm



CODE	DESCRIPTION
42-HSP1.5	Horse Shoe Window Packer 1.5 x 75mm White 800pk
42-HSP3.2	Horse Shoe Window Packer 3.2 x 75mm Blue 500pk
42-HSP5.0	Horse Shoe Window Packer 5 x 75mm Red 400pk
42-HSP10.0	Horse Shoe Window Packer 10 x 75mm Black 200pk
42-PHPS15	Half Panel Shim 75x100x 15mm Grey 80pk
42-HSPMIX	Horse Shoe Window Packer 1.5 x 75mm Mix 400pk










PECAFORM™

Pecaform™ is a flexible and versatile form-working material perfect for those radius specifications. The strength and versatility of Pecaform makes it the natural choice for applications such as ground beams, footings and bases, pile caps, construction joints (stop ends), special shapes or curves, void formation, ribbed and waffle slabs, penetrations, recesses, temporary fencing and safety screens.



Features and Benefits

- Ideal for contractors engaged in civil and ground excavation work.
- Suits difficult soil conditions and tight time-frames for concrete pours
- Uses steel inner-cage for Pecaform support
- Backfilled with sub-grade against earth and pecaform.
- Allows for immediate concrete pour – NO DOWNTIME.
- Allows for same day finish – UP TO 50% TIME SAVING
- Uses NON-SKILLED labour – SAVE LABOUR COSTS
- No wastage – No timber
- Fast and Clean

CODE	DESCRIPTION
40-PF6002250	Pecaform™ Sacraficial Formwork Sheet 600mm x 2250mm
40-PF9002250	Pecaform™ Sacraficial Formwork Sheet 900mm x 2250mm
40-PF12002250	Pecaform™ Sacraficial Formwork Sheet 1200mm x 2250mm
40-PF15002250	Pecaform™ Sacraficial Formwork Sheet 1500mm x 2250mm
40-PF18002250	Pecaform™ Sacraficial Formwork Sheet 1800mm x 2250mm

pecaform™

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

332 MAX FRANK FORMWORK SYSTEMS




MAX FRANK STREMAFORM®

Stremaform® flat is used for medium-sized structural components, installed between the upper and lower reinforcement layers. Stremaform® in the concrete gives a rough surface that satisfies the requirements of an indented joint according to DIN 1045-1 and/or Eurocode 2 and does not need scabbling. A metal water stop or a pvc/rubber waterbar support cage can be integrated in our factory if required. Delivery is made precisely in accordance with your layout specifications. Stremaform® formwork elements are used as lost formwork in floor slabs, ceilings and walls. The expanded metal that is welded between the bars of a specially designed reinforcing steel mesh gives rise to a rough surface The reinforcement can be continued without a break into the second concrete pour.

Stremaform® is suited for all types of working joints


Benefits include:

- Site drawings are quickly transformed into factory produced elements
- The formwork lies between the continuous reinforcement layers so that there is no need to interrupt the reinforcement
- Elements manufactured to your specifications
- No stripping or reworking necessary
- Available with or without metal waterstops, or PVC/rubber water bar cages
- Full range of accessories available including spacers with fibre-reinforced concrete rail, support anchors, upright elements, box out, shutters, and kickers for use between base slab/wall and wall/roof slab






Kicker form-work



Stremaform® "A-Bock" - free standing



Stremaform® Spacer



Box-Out




CODE	DESCRIPTION
40-PV300000100	Stremaform - Metal Pour Break System 100 x 2400mm
40-PV300000200	Stremaform - Metal Pour Break System 200 x 2400mm
40-PV300000250	Stremaform - Metal Pour Break System 250 x 2400mm
40-PV300000300	Stremaform - Metal Pour Break System 300 x 2400mm
40-PV300000350	Stremaform - Metal Pour Break System 350 x 2400mm
40-PV300000400	Stremaform - Metal Pour Break System 400 x 2400mm
40-PV300000450	Stremaform - Metal Pour Break System 450 x 2400mm
40-PV300000500	Stremaform - Metal Pour Break System 500 x 2400mm
40-PV300000600	Stremaform - Metal Pour Break System 600 x 2400mm
40-PV3000001000	Stremaform - Metal Pour Break System 1000 x 2400mm
40-PV300FM02AU	Stremaform Fine Mesh - Metal Pour Break System 200 x 2400mm
40-PV300FM05AU	Stremaform Fine Mesh - Metal Pour Break System 500 x 2400mm
40-PV300FM06AU	Stremaform Fine Mesh - Metal Pour Break System 600 x 2400mm
40-PV300FM10AU	Stremaform Fine Mesh - Metal Pour Break System 1000 x 2400mm

Call for pricing

MAX FRANK®

MAX FRANK FORMWORK SYSTEMS 333





MAX FRANK FIBRE CONCRETE SPACERS

Getting the right amount of concrete cover is essential for the durability of reinforced concrete structures. Fibre concrete spacers ensure correct concrete cover before and during concreting. They are characterized by high compressive strength and excellent chemical and physical resistance.

Spacers made of extruded fibre-reinforced concrete are dimensionally accurate and have a constant high quality and outstanding chemical and physical resistance. The good bond with the structural concrete prevents the formation of hairline cracks. Spacers made of fibre-reinforced concrete fulfil the requirements of all exposure classes. All concrete mixes used have been tested by independent testing institutes with regard to the required properties

Advantages:

- High density with low porosity
- High load-bearing capacity
- Same material properties as the structural concrete
- Excellent bond with the structural concrete, no hairline cracks

Bar Spacers

- High compressive strength, no deformation in heat or cold, concrete cover accurately maintained.
- Ideal for impermeable concrete, no hairline cracks between the spacer and the concrete
- Large support area- reduced pressure on the formwork
- Substantial labour cost savings due to rapid and simple laying
- Fire resistant to the highest requirements specified in EN13501-1:2002 - Class A1 (non combustible)
- All bar spacers over 330 mm long have increased resistance to breakage due to a reinforcing thread.

Block Spacers

- High compressive strength, no deformation in heat or cold, concrete cover accurately maintained.
- Spacers remain in position during formwork erection and concreting
- Ideal for impermeable concrete, no hairline cracks between the spacer and the concrete

Call for pricing

MAX FRANK®

SHEAR FORCE DOWEL EGCODORN®

- The Egcodorn® shear force dowel transfers maximum loads whilst having a minimal component thickness and is mainly used for static loads.
- Our Egcodorn® range offers numerous standard types. Also using our modular component system it allows you to combine various components according to your specific requirements The use of high quality materials and the unique corrosion protection system guarantee the highest safety and reliability.



Call for pricing

STABOX® S

Stabox® S standard reinforcement connection meets the highest transverse force requirements for an indented working joint.

Practical example of the formation of a concrete working joint with rebendable reinforcing steel in a reinforcement box when building a vehicle ramp.



Call for pricing

CPF LINER ZEMFRASA

The controlled permeability formwork (CPF) liner Zemdrain® drains the water from the edge concrete. This makes it harder, denser and more resistant, which significantly increases the service life of the concrete surface.

ZEMFRASA CPF Liner is Self Adhesive SIngle Use

Call for pricing



5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

BLUE-TIP SCREW BOLTS

- ETA approved for cracked and uncracked concrete
- ETA approved for seismc loading
- ETA approved for redundant non-structrul applications (6mm)
- F120 fire rated
- Ratchet teeth on the underside of the hex washer head lock against the fixture
- Removable and vibration resistant
- Low installation torque
- Fast installation with Immediate high strength loading
- No expansion forces
- Can be installed closer to the edge than traditional mechanical anchors

BLUE-TIP SCREW BOLTS - ZINC



CODE	DESCRIPTION	PACK	SOCKET SIZE
40-PBT680-PWR	Blue-Tip Screw-Bolt 6.5 x 80 Zinc	50	10mm
40-PBT850-PWR	Blue-Tip Screw-Bolt 8 x 55 Zinc	50	13mm
40-PBT865-PWR	Blue-Tip Screw-Bolt 8 x 65 Zinc	50	13mm
40-PBT875-PWR	Blue-Tip Screw-Bolt 8 x 75 Zinc	50	13mm
40-PBT8100-PWR	Blue-Tip Screw-Bolt 8 x 100 Zinc	25	13mm
40-PBT1060-PWR	Blue-Tip Screw-Bolt 10 x 60 Zinc	50	17mm
40-PBT1080-PWR	Blue-Tip Screw-Bolt 10 x 80 Zinc	25	17mm
40-PBT10100-PWR	Blue-Tip Screw-Bolt 10 x 100 Zinc	25	17mm
40-PBT10120-PWR	Blue-Tip Screw-Bolt 10 x 120 Zinc	25	17mm
40-PBT1280-PWR	Blue-Tip Screw-Bolt 12 x 80 Zinc	25	19mm
40-PBT12100-PWR	Blue-Tip Screw-Bolt 12 x 100 Zinc	25	19mm
40-PBT12150-PWR	Blue-Tip Screw-Bolt 12 x 150 Zinc	20	19mm
40-PBT16100-PWR	Blue-Tip Screw-Bolt 16 x 100 Zinc	10	24mm
40-PBT16150-PWR	Blue-Tip Screw-Bolt 16 x 150 Zinc	10	24mm

BLUE-TIP SCREW BOLTS - GALVANISED



CODE	DESCRIPTION	PACK	SOCKET SIZE
40-PBTG875-PWR	Blue-Tip Screwbolt Gal 8 x 75mm	50	13mm
40-PBTG8100-PWR	Blue-Tip Screwbolt Gal 8 x 100mm	25	13mm
40-PBTG1080-PWR	Blue-Tip Screwbolt Gal 10 x 80mm	25	17mm
40-PBTG10100-PWR	Blue-Tip Screwbolt Gal 10 x 100mm	25	17mm
40-PBTG1280-PWR	Blue-Tip Screwbolt Gal 12 x 80mm	25	19mm
40-PBTG12100-PWR	Blue-Tip Screwbolt Gal 12 x 100mm	25	19mm
40-PBTG12150-PWR	Blue-Tip Screwbolt Gal 12 x 150mm	20	19mm
40-PBTG16100-PWR	Blue-Tip Screwbolt Gal 16 x 100mm	10	24mm
40-PBTG16150-PWR	Blue-Tip Screwbolt Gal 16 x 150mm	10	24mm

SLEEVE ANCHORS - ZINC

- Pre-assembled Carbon Steel single unit sleeve anchor
- The Sleeve Anchor diameter is the same as that for the hole which eliminates layout or hole spotting
- Hex nut head style anchors consist of a threaded plow bolt which has a cone shape at the bottom end
- Precision stamped tubular expansion sleeve
- Can be used in concrete, block, brick, and stone
- Coating: Zinc Yellow



CODE	DESCRIPTION	PACK
40-HS1050-PWR	Sleeve Anchor Hex Nut 10mm x 50mm	50
40-HS1060-PWR	Sleeve Anchor Hex Nut 10mm x 60mm	50
40-HS1075-PWR	Sleeve Anchor Hex Nut 10mm x 75mm	50
40-HS10100-PWR	Sleeve Anchor Hex Nut 10mm x 100mm	50
40-HS1260-PWR	Sleeve Anchor Hex Nut 12mm x 60mm	50
40-HS1275-PWR	Sleeve Anchor Hex Nut 12mm x 75mm	25
40-HS12100-PWR	Sleeve Anchor Hex Nut 12mm x 100mm	25
40-HS12130-PWR	Sleeve Anchor Hex Nut 12mm x 130mm	25

BLUE-TIP EYE BOLTS - ZINC

- Removable and vibration resistant
- Low installation torque
- Fast installation with Immediate high strength loading
- No expansion forces
- Can be installed closer to the edge than traditional mechanical anchors



CODE	DESCRIPTION	PACK
40-PBTEYE650-PWR	Blue-Tip Eye Bolts 6 x 50mm	100
40-PBTEYE855-PWR	Blue-Tip Eye Bolts 8 x 55mm	50
40-PBTEYE1065-PWR	Blue-Tip Eye Bolts 10 x 65mm	50
40-PBTEYE1275-PWR	Blue-Tip Eye Bolts 12 x 75mm	50

PBI ANCHORS - PANEL BRACING ANCHOR

- High performance load torque- controlled, thick sleeve expansion anchor
- Used for bracing props on concrete panels
- Tested to AS3850-2015
- Pack of 25



CODE	DESCRIPTION
40-PBI20-20/ 115LH-PWR	Bracing Anchor PBI 20mm / M14 x 115mm (30mm Large Head) 10pk

LIPPED DROP-IN ANCHOR BUCKET

Lipped Drop-In Anchor features a flared end at the top of the anchor body that allows the anchor to be set flush with the concrete surface.

- Bucket of 300
- Supplied with 2 x ACCU Drill Bits
- Supplied with 1 x Setting Tool



CODE	SIZE
40-LPD12M-BUCKET-PWR	Drop-In Anchor M12 x 50mm Lipped (300pcs, 2 drill Bits, 1 Setting tool)

DROP IN ANCHORS

Drop-In is an internally threaded expansion anchor complete with a pre-assembled integral expander plug. Suitable for electrical, mechanical and plumbing services.



CODE	PACK	SIZE
40-24604-PWR	100	M10
40-24606-PWR	100	M12
40-24610-PWR	25	M20

CHISEL POINT STUDS - ZINC

- Coating: Zinc Yellow
- Grade: 5.8



CODE	PACK	SIZE
40-STM10130-PWR	10	M10 x 130mm 5.8 Grade
40-STM12160-PWR	10	M12 x 160mm 5.8 Grade
40-STM16190-PWR	10	M16 x 190mm 5.8 Grade
40-STM20260-PWR	5	M20 x 260mm 5.8 Grade

CHISEL POINT STUDS - GALVANISED

Special Order


- Coating: Galvanised
- Grade: 5.8



CODE	PACK	SIZE
40-STM12160G-PWR	10	M12 x 160mm 5.8 Grade
40-STM16190G-PWR	10	M16 x 190mm 5.8 Grade
40-STM20260G-PWR	5	M20 x 260mm 5.8 Grade

M10 FOOT PLATE ANCHOR

- M10 Foot Plate Anchor
- Dual Threaded Back Plate



CODE	SIZE
40-FPLAM10	M10 Foot Plate Anchor 100pk

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***


*Conditions apply, See website for details.

336 HANGERS, THREADED RODS, NUTS & WASHERS

VERTIGO HANGERS FOR TIMBER

Vertigo™ Vertical Hangers are a one-piece, all steel threaded fastening system for suspending steel threaded rod vertically overhead in pipe hanging, fire protection, electrical conduit and cable-tray applications.


- FM Approvals
- Self drilling into metal / steel joists
- Ease and speed of installation and attachment
- Pack of 100
- M 10 T17-1/4 x 25mm



CODE
40-28125-PWR

THREADED ROD

- All thread
- Hot dip galvanised or Zinc plated
- Galvanised M20/M24 8.8 can be used with concrete barriers



CODE	SIZE
40-ASMSZCM101000	Allthread Rod M10 x 1m G4.6 Zinc
40-ASMSZCM103000	Allthread Rod M10 x 3m G4.6 Zinc
40-ASMSZCM121000	Allthread Rod M12 x 1m G4.6 Zinc
40-ASMSZCM161000	Allthread Rod M16 x 1m G4.6 Zinc
40-ASMSZCM201000	Allthread Rod M20 x 1m G4.6 Zinc
40-AS88GCM201000	Allthread Rod M20 x 1M G8.8 Galvanised
40-ASMSGCM201000	Allthread Rod M20 x 1m G4.6 Galvanised
40-AS88GCM241000	Allthread Rod M24 x 1M G8.8 Galvanised

HEX NUTS - METRIC

- HEX head
- Class 8 AS1112.1
- Available in Galvanised and Zinc Plated



CODE	SIZE
40-NH08GCM12	M12 Class 8 Gal Nuts 200pk
40-NH08GCM16	M16 Class 8 Gal Nuts 200pk
40-NH08GCM20	M20 Class 8 Gal Nuts 100pk
40-NH08GCM24	M24 Class 8 Gal Nuts 100pk
40-NH08ZCM10	M10 Class 8 ZP Nuts 200pk
40-NH08ZCM16	M16 Class 8 ZP Nuts 200pk
40-NH08ZCM20	M20 Class 8 ZP Nuts 100pk
40-NH08ZCM24	M24 Class 8 ZP Nuts 100pk

WASHERS - METRIC FLAT ROUND

Available in Galvanised and Zinc Plated (ZP)



CODE	SIZE
40-WRMSGM10	M10 Gal Washers 500pk
40-WRMSGM12	M12 Gal Washers 200pk
40-WRMSGM16	M16 Gal Washers 200pk
40-WRMSGM20	M20 Gal Washers 150pk
40-WRMSZM10	M10 ZP Washers 500pk
40-WRMSZM16	M16 ZP Washers 200pk
40-WRMSZM20	M20 ZP Washers 150pk
40-WRMSZM24	M24 ZP Washers 25pk

MASONRY NAIL MICKEY PINS (CONCRETE NAILS)


- Suitable for fastening all manner of fixtures in place on conrete/masonry applications.
- Pre-assembled with metal washers
- Metal washers providing resistance to pullover
- Known as Masonry Nails/Concrete Nails



CODE	SIZE
40-MPW315	Masonry Nail Mickey Pin 2.5mm x 15mm Washered 500pk
40-MPW320-PWR	Masonry Nail Mickey Pin 2.5mm x 20mm Washered 300pk
40-MPW325-PWR	Masonry Nail Mickey Pin 2.5mm x 25mm Washered 300pk
40-MPW330-PWR	Masonry Nail Mickey Pin 2.5mm x 30mm Washered 500pk

PLASTIC SPAGHETTI WALL ANCHOR ROLL

Spaghetti is a secure, continuous plug suitable for fixing into concrete, solid brick, block work or stone.
Size: 5.5mm x 50m Roll (Red)



CODE
40-R5550-PWR

BULLET HEAD NAILS (FORMWORK NAILS)

- Sizes: 30mm to 100mm
- Available in 2kg, 5kg, 15kg packs



CODE	SIZE
41-BHB3016-2	30 x 1.60 Bullet Head Nails Bright 2kg
41-BHB3016-5	30 x 1.60 Bullet Head Nails Bright 5kg
40-BHB3016B	30 x 1.60 Bullet Head Nails Bright 15kg

CODE	SIZE
40-BHB3020B	30 x 2.00 Bullet Head Nails Bright 15kg
40-BHB5028B	50 x 2.80 Bullet Head Nails Bright 15kg
40-BHB7537B	75 x 3.75 Bullet Head Nails Bright 15kg
40-BHB10045B	100 x 4.50 Bullet Head Nails Bright 15kg

ROOFING NAILS


- Used to fix Corrugated Iron to Timber.
- Shank Type: Twisted Shank
- Finish: Galvanised
- Sold in 10kg buckets



CODE	SIZE
40-13RTGB60	3.75x60mm Galvanised Roofing Nails 10kg

GALVANISED CLOUT NAILS

- Used to fix Sheet Metal components to timber. Non-Structural
- Available in 5kg, 15kg packs



CODE	SIZE
40-CLG2528C	25 X 2.80 Clouts Galvanised 5kg
40-CLG3028B	30 X 2.80 Clouts Galvanised 15kg
40-CLG3028C	30 X 2.80 Clouts Galvanised 5kg
40-CLG5028B	50 X 2.80 Clouts Galvanised 15kg
40-CLG5028C	50 X 2.80 Clouts Galvanised 5kg
40-CLG6028B	65 X 2.80 Clouts Galvanised 15kg


5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

PASLODE IMPULSE FRAMEMASTER-LI POWERVENT FRAMING NAILER

- PowerVent Technology (15% more power) Driving 50-90mm nails in the timber including hardwood and LVL
- Innovative Power + Fuel Cell
- New 2.2Ah Lithium-Ion battery drives 9,000 shots per 1 hour charge time
- Applications: Framing, Cladding, Decking, Flooring, Roofing, Eaves, Trusses/afters, Joints, Formwork



CODE
40-B20543P

Paslode

PASLODE IMPULSE IM250A-LI 1.6MM (16GA) TRIMMASTER ANGLED LI-ION BRADDER

- Lithium Ion Battery Technology - 50% more shots per charge allowing you to complete the job faster
- Lithium-Ion battery drives 9,000 shots per 1 hour charge time.
- Applications: Architraves, Beading, Mouldings, Skirting Boards, Quads, Panelling, Stair Rails
- Battery Life: 9,000 shots per charge
- Fastener Range: 32 - 63mm
- PowerVent Technology (15% more power) Driving 50-90mm nails in the timber including hardwood and LVL
- Innovative Power + Fuel Cell
- New 2.2Ah Lithium-Ion battery drives 9,000 shots per 1 hour charge time
- Applications: Framing, Cladding, Decking, Flooring, Roofing, Eaves, Trusses/ Rafters, Joints, Formwork
- Cycle Rate: 2-3 brads/second intermittently
- Magazine Capacity: 100 approx
- Fuel Cell Life: 1000 approx
- Collation Angle" 20°
- Weight: 2.0kg



Paslode

CODE	DESCRIPTION
40-B20721	Paslode Lithium-Ion Cordless Impulse TrimMaster Nail Gun

PASLODE IMPULSE NAILS

- Pack of 3,000 nails and 3 fuel cells
- Bright D Steel Head
- Shank type: Smooth
- Finish: Bright



CODE	SIZE
40-B20544V	Paslode 50 x 2.87mm
40-B20547V	Paslode 75 x 3.06mm

PASLODE FRAMING NAILS

- Pack of 3,000
- Compatible with Pneumatic PF350 & PF350S Framing Nailer
- Bright D Steel Head
- Shank type: Smooth
- Finish: Bright



Paslode

CODE	SIZE
40-B20463	Paslode B20463 50mm x 2.87mm

PASLODE BRAD NAILS

Paslode brads are perfect for a wide range of finishing applications.



Paslode

Angled Brad and Fuel Packs - C Series (16ga)

- Pack of 2,000 nails and 2 fuel cells
- Compatible with Impulse TrimMaster IM250A-Li Angled Bradder
- Shank type: Smooth
- Finish: Electro Galv

CODE	SIZE
40-B20732	Paslode B20732 2000 Pack 32mm 16 Gauge Galvanised Angled Brad Nails with Fuel
40-B20738	Paslode B20738 2000 Pack 38mm 16 Gauge Galvanised Angled Brad Nails with Fuel
40-B20750	Paslode B20750 2000 Pack 50mm 16 Gauge Galvanised Angled Brad Nails with Fuel

CHIPBOARD SCREWS - TIMBER

- Self drilling into timber
- Coating: Zinc yellow (ZY)
- Countersunk head



CODE	COATING	GAUGE SIZE	PACK
40-CBSZY0825-PWR	ZY	8-9x25	1000
40-CBSZY0828-PWR	ZY	8-9x28	1000
40-CBSZY0832-PWR	ZY	8-9x32	1000
40-CBSZY0835-PWR	ZY	8-9x35	1000
40-CBSZY0840-PWR	ZY	8-9x40	1000
40-CBSZY0845-PWR	ZY	8-9x45	1000
40-CBSZY0850-PWR	ZY	8-9x50	1000
40-CBSZY0857-PWR	ZY	8-9x57	500
40-CBSZY10065-PWR	ZY	10-8x65	500
40-CBSZY10075-PWR	ZY	10-8x75	1000
40-CBSZY10100-PWR	ZY	10-8x100	500

TIMBER BUGLE SCREWS

- Self drilling into timber
- Coating: Zinc yellow (ZY)
- Countersunk head



CODE	GAUGE SIZE	PACK
40-NPBUZYF0620-PWR	6-18x20	1000
40-NPBUZYF0625-PWR	6-18x25	1000
40-NPBUZYF0632-PWR	6-18x32	1000
40-NPBUZYF0641-PWR	6-18x41	1000
40-NPBUZYF0645-PWR	6-18x45	1000
40-NPBUZYF0750-PWR	6-18x50	1000
40-NPBUZYF0865-PWR	6-18x65	1000

SELF DRILLING COUNTERSUNK WING SCREWS - METAL/TIMBER

- Class 3 Galvanised
- Countersunk head



CODE	COATING	GAUGE SIZE
40-SDCWC31040-PWR	Class 3	10-16x40
40-SDCWC31045-PWR	Class 3	10-16x45
40-SDCWC31075-PWR	Class 3	10-16x75

SELF DRILLING BUGLE BATTEN SCREWS - TIMBER

- For use with 5mm Hex Driver Bit
- Self drilling into timber
- Bugle Batten
- Gauge: 14ga

CLASS 3 GALVANISED



CODE	GAUGE SIZE	PACK
40-T17BBC314050-PWR	14-10x50	1000
40-T17BBC314075-PWR	14-10x75	1000
40-T17BBC314100-PWR	14-10x100	500
40-T17BBC314150-PWR	14-10x150	250
40-T17BBC314125-PWR	14-10x125	250

ZINC YELLOW



CODE	GAUGE SIZE	PACK
40-T17BBZY14050-PWR	14-10x50	1000
40-T17BBZY14075-PWR	14-10x75	1000
40-T17BBZY14100-PWR	14-10x100	500

SELF DRILLING BUTTON HEAD SCREWS - METAL


- Self drilling for metal
- Button head
- Coating: Zinc yellow (ZY)



CODE	COATING	GAUGE SIZE	PACK
40-SDBHZY812-PWR	ZY	8-18x12	1000
40-SDBHZY816-PWR	ZY	8-18x16	1000
40-SDBHZY820-PWR	ZY	8-18x20	1000
40-SDBHZY825-PWR	ZY	8-18x25	1000

SELF DRILLING T17 HEX SCREWS - TIMBER

- Self drilling into timber
- Coarse thread
- Slot at end reduces splitting of timber



CODE	COATING	DRIVER SIZE	GAUGE SIZE	PACK
40-T17HZY1225-PWR	ZY	5/16	12-11x25	500
40-T17HZY1240-PWR	ZY	5/16	12-11x40	1000
40-T17HZY1250-PWR	ZY	5/16	12-11x50	1000
40-T17HZY1265-PWR	ZY	5/16	12-11x65	1000
40-T17HC414025-PWR	Class4	3/8	14-10x25	500
40-C4T17H14040	Class4	3/8	14-10x40	1000
40-C4T17H14050	Class4	3/8	14-10x50	1000

CODE	COATING	DRIVER SIZE	GAUGE SIZE	PACK
40-C4T17H14065	Class4	3/8	14-10x65	1000
40-C4T17H14075	Class4	3/8	14-10x75	500
40-T17HC414090-PWR	Class4	3/8	14-10x90	500
40-C4T17H14100	Class4	3/8	14-10x100	250
40-C4T17H14125	Class4	3/8	14-10x125	250
40-C4T17H14150	Class4	3/8	14-10x150	250

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

340 SCREWS

HEX HEAD SELF DRILLING SCREWS - METAL

- Self drilling into metal
- HEX head
- Excellent corrosion resistance
- 10 gauge / 12 guage
- Takes 5/16 Nut setter (40-NS51665 Driver bit)



CODE	COATING	GAUGE SIZE	PACK
40-SDHCC31016-PWR	Class 3	10-16x16	1000
40-SDHCC31220-PWR	Class 3	12-14x20	500
40-SDHCC41235-PWR	Class 4	12-14x35	500
40-SDHCC41245-PWR	Class 4	12-14x45	1000

HEX HEAD NO.5 POINT SELF DRILLING SCREWS - METAL

- For use on 3mm to 12mm metal
- Self drilling into metal
- Fine thread
- 12 gauge
- Takes 5/16 Nut setter (40-NS51665 Driver bit)




CODE	COATING	GAUGE SIZE	PACK
40-SDH5FC41232-PWR	Class 4	12-24x32	500
40-SDH5FC41250-PWR	Class 4	12-24x50	1000
40-SDH5FC41265-PWR	Class 4	12-24x65	1000
40-SDH5FC41285-PWR	Class 4	12-24x85	500

HOOP IRON, BUTT HINGES & HOOKS

HOOP IRON (BUILDERS STRAPPING)

- Used in the building and construction industry and is suitable for a wide variety of bracing applications
- This product can be used for tie-down and other joints in timber-framed construction
- Easy to use as steel bracing for roofs, walls ceilings and floors
- Finish: Z275 Galvabond



CODE	SIZE
40-HI30MX0.8X30Z	Hoop Iron Punched 0.8x30mm x 30m Offset

HINGE STEEL BUTT FIXED PIN

- Zinc plated
- Size: 100mm (L) x 75mm (W)



CODE
41-HBS

HOOKS - HATS & COAT

- Square Base Hat and Coat Hook
- Diecast metal with a chrome plated finish
- Size: 75mm



CODE
040283

SDS PLUS DRILL BITS

- Smooth, Effortless Drilling in Concrete
- Breaker Points: 3 offset aggressive power breakers which produce a "Demolition" effect and create micro cracks in the drilled material Up to 25% FASTER.
- Centering tip: Ensures immediate spot drilling with pin point accuracy. Prevents skidding on smooth surface.
- Enlarged rebar chamfers: Prevents side tip damage when hitting rebar. Reduces the risk of the drill bit jamming when hitting rebar.



CODE	SIZE
40-4932399315	SDS-Plus Drill Bit 5x160mm
40-4932307069	SDS-Plus Drill Bit 6x160mm
40-4932344293	SDS-Plus Drill Bit 6.5x160mm
40-4932307072	SDS-Plus Drill Bit 8x210mm
40-4932307073	SDS-Plus Drill Bit 10x160mm
40-4932307074	SDS-Plus Drill Bit 10x210mm
40-4932307076	SDS-Plus Drill Bit 12x210mm
40-4932344297	SDS-Plus Drill Bit 12x260mm
40-4932307079	SDS-Plus Drill Bit 14x260mm
40-4932307081	SDS-Plus Drill Bit 16x210mm
40-4932399027	SDS-Plus Drill Bit 20x300mm
40-4932307087	SDS-Plus Drill Bit 24x450mm
40-4932344308	SDS-Plus Drill Bit 25x250mm
40-4932344309	SDS-Plus Drill Bit 25x450mm

SDS MAX DRILL BITS - 4 CUT

SDS Max 4 Cut Drill Bits, Ideal for use at the highest drilling speeds

Other sizes also available



CODE	SIZE
40-4932352750	SDS-Max Drill Bit 12x340mm
40-4932352751	SDS-Max Drill Bit 12x540mm
40-4932352752	SDS-Max Drill Bit 14x340mm
40-4932352753	SDS-Max Drill Bit 14x540mm
40-4932352756	SDS-Max Drill Bit 16x340mm
40-4932352757	SDS-Max Drill Bit 16x540mm
40-4932352760	SDS-Max Drill Bit 18x340mm
40-4932352761	SDS-Max Drill Bit 18x540mm
40-4932352764	SDS-Max Drill Bit 20x320mm
40-4932352765	SDS-Max Drill Bit 20x520mm
40-4932352769	SDS-Max Drill Bit 22x520mm
40-4932352773	SDS-Max Drill Bit 24x520mm
40-4932352779	SDS-Max Drill Bit 28x520mm
40-4932352783	SDS-Max Drill Bit 30x370mm
40-4932352784	SDS-Max Drill Bit 30x570mm
40-4932352786	SDS-Max Drill Bit 32x570mm
40-4932352789	SDS-Max Drill Bit 35x370mm
40-4932352790	SDS-Max Drill Bit 35x570mm
40-4932352793	SDS-Max Drill Bit 38x570mm
40-4932352795	SDS-Max Drill Bit 40x570mm

SDS PLUS CHISEL BITS

Deliver a high material removal rate in masonry and mortar.



CODE	DESCRIPTION
40-2608690131	SDS-Plus Flat Chisel 20x250mm
40-2608690145	SDS-Plus Pointed Chisel 250mm
40-2608690146	SDS-Plus Spade Chisel 40x250mm

SDS MAX TO SDS PLUS ADAPTOR



CODE
40-1618598159

SDS MAX CHISEL BITS

- Ideal for chiselling into concrete an masonry
- Delivers a 30% higher high material removal rate than standard chisels
- Self-sharpening

Flat Chisel



Pointed Chisel



Tile Chisels



Spade Chisel



CODE	DESCRIPTION
40-2608690166	SDS-Max Flat Chisel 25x400mm
40-1618600203	SDS-Max Flat Chisel 25x600mm
40-2608690167	SDS-Max Pointed Chisel 400mm
40-1618601019	SDS-Max Tile Chisel 80x300mm
40-2608690097	SDS-Max Spade Chisel 50x350mm

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

342 DRILL BITS, DRIVER BITS & HOLE SAWS

DRILL SET METRIC

- HSS 25 Piece Twist Drill Set
- Tough plastic case
- Rugged rubber grips
- Genuine alpha gold series jobber drill bits
- Strong locking catch
- Feeds & speeds chart inside every drill set
- Titanium Nitride Coated



.CODE	SIZE
40-DBSM25P	Drill Bit Set Metric - 25 pce 1 - 13mm

JOBBER DRILL BITS

METRIC JOBBER DRILL BITS



CODE	SIZE
40-JD103	Jobber HD HSS Drill Bit 3mm 10pk
40-JD104	Jobber HD HSS Drill Bit 4mm 10pk
40-JD104.5	Jobber HD HSS Drill Bit 4.5mm 10pk
40-JD105	Jobber HD HSS Drill Bit 5mm 10pk
40-JD105.5	Jobber HD HSS Drill Bit 5.5mm 10pk
40-JD106	Jobber HD HSS Drill Bit 6mm 10pk
40-JD106.5	Jobber HD HSS Drill Bit 6.5mm 10pk
40-JD107	Jobber HD HSS Drill Bit 7mm 10pk
40-JD107.5	Jobber HD HSS Drill Bit 7.5mm 5pk
40-JD108	Jobber HD HSS Drill Bit 8mm 5pk
40-JD108.5	Jobber HD HSS Drill Bit 8.5mm 5pk
40-JD109	Jobber HD HSS Drill Bit 9mm 5pk
40-JD109.5	Jobber HD HSS Drill Bit 9.5mm 1pk
40-JD1010	Jobber HD HSS Drill Bit 10mm 1pk
40-JD1010.5	Jobber HD HSS Drill Bit 10.5mm 1pk
40-JD1011	Jobber HD HSS Drill Bit 11mm 1pk
40-JD1011.5	Jobber HD HSS Drill Bit 11.5mm 1pk
40-JD1012	Jobber HD HSS Drill Bit 12mm 1pk
40-JD1012.5	Jobber HD HSS Drill Bit 12.5mm 1pk
40-JD1013	Jobber HD HSS Drill Bit 13mm 1pk

REDUCED SHANK DRILL BITS


- Titanium Nitride coating reduces heat and increases lubricity for extended life



CODE	SIZE
40-RSD13	Reduced Shank HSS Drill Bit 13mm
40-RSD14	Reduced Shank HSS Drill Bit 14mm
40-RSD16	Reduced Shank HSS Drill Bit 16mm
40-RSD18	Reduced Shank HSS Drill Bit 18mm
40-RSD20	Reduced Shank HSS Drill Bit 20mm

DRIVER BITS

POWER BITS & INSERT BITS





CODE
40-HEX550S
40-HEX575S
40-PH350S
40-PH250S
40-PH275S
40-PH2100S

NUTSETTERS

Used to drive hex head nuts and screws in a wide variety of applications.





CODE	APERTURE SIZE
40-NS1465	Nutsetter 1/4in x 65mm Magnetic
40-NS3865	Nutsetter 3/8in x 65mm Magnetic
40-NS51665	Nutsetter 5/16in x 65mm Magnetic
40-NS38150	Nutsetter 3/8in x 150mm Magnetic
40-NS516150	Nutsetter 5/16in x 150mm Magnetic

STEP DRILL BITS

- Single Cutting Edge provides true round holes every time
- High Speed Steel Make-up is ideal for cutting into stainless steel, aluminium, brass, copper, plastic and more



CODE	SIZE
40-48899320	Step Drill Bit 4mm - 20mm
40-48899335	Step Drill Bit 6mm - 35mm
40-48899399	3 PC Metric Step Drill Bit Set

DRILL BITS, DRIVER BITS & HOLE SAWS 343

SPADE DRILL BITS

Suitable for soft and hard wood, light building material and plasterboard.



CODE	DESCRIPTION
40-SB12150	Spade Bit 12 x 150mm
40-SB14150	Spade Bit 14 x 150mm
40-SB16150	Spade Bit 16 x 150mm
40-SB18150	Spade Bit 18 x 150mm
40-SB19150	Spade Bit 19 x 150mm
40-SB20150	Spade Bit 20 x 150mm
40-SB22150	Spade Bit 22 x 150mm
40-SB24150	Spade Bit 24 x 150mm
40-SB25150	Spade Bit 25 x 150mm
40-SB26150	Spade Bit 26 x 150mm
40-SB28150	Spade Bit 28 x 150mm
40-SB30150	Spade Bit 30 x 150mm
40-SB32150	Spade Bit 32 x 150mm
40-SB35150	Spade Bit 35 x 150mm

CRC TREFOLEX CDT CUTTING OIL

Cutting lubricant for use in reaming, tapping, drilling and other metal cutting operations

- Superior lubricant
- Extreme pressure resistant – increases tool life and improves cutting
- Viscosity modifier – allows work at any angle due to increased 'cling'
- Soft metal safe – formula safe on soft metals such as brass, copper and aluminium.
- Size: 300g Spray



CODE
41-3063

SPADE DRILL BIT SET METRIC

- Overall Length: 150 mm
- 9pcs set - 1/4 hex shank
- 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm



CODE	DESCRIPTION
40-SB9PS	Spade Bit 9pc Set

SPARKYS HOLE SAW KIT

16mm, 20mm, 25mm, 32mm, 40mm, 50mm hole saws – 3/8" Hex Shank Mandrel, 7/16" Hex Shank Posi-Lock Mandrel, 1/4 x 3.1/2" Pilot Drill



CODE
40-7010-S4

CHIPPYS MASTER HOLE SAW KIT

- 16mm, 20mm, 25mm, 32mm, 40mm, 50mm, 54mm, 64mm, 92mm, 114mm hole saws – 300mm
- Quick Change Extension 3/8" and 7/16" hex
- 11/32 Hex Shank Mandrel - suits 14-30mm Saw
- 7/16 Hex Shank Mandrel - suits 32-210mm Saw
- 89mm Pilot Drill



CODE
40-7010-S2


5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.


RECIPROCATING & JIGSAW BLADES

RECIPROCATING BLADE KITS



CODE	SIZE
41-49222229	Milwaukee 12pce Demo Reciprocating Blade Kit 12pce
41-49222211	Milwaukee 10pce GP Reciprocating Blades Kit 10pce

WOOD & METAL RECIPROCATING BLADES



CODE	SIZE
40-DW4803	Reciprocating Saw Blade 228mm 6TPI Timber - 5 pack
40-DW4804	Reciprocating Saw Blade 305mm 6TPI Timber - 5 pack
40-DW4811	Reciprocating Saw Blade 150mm 18TPI Metal - 5 pack
40-DT2408L	Reciprocating Blades 14/18TPI x 203mm - 5 pack

POWERS DIAMOND CUP GRINDING WHEELS


- Designed for grinding and shaping of concrete and pavers
- Turbo style cup for better cooling and long lasting on non abrasive materials
- Suitable for use on Cured Concrete / Reinforced, Paver, Clay bricks and General masonry Products

TURBO GRINDING CUP WHEEL

CODE	SIZE
40-PGCT100-PWR	100mm (Red)
40-PGCT178-PWR	178mm (Red)
40-TDGC125	125mm (Red)

DOUBLE ROW GRINDING CUP WHEEL

CODE	SIZE
40-PGCDR125-PWR	125mm (Blue)
40-PGCDR178-PWR	178mm (Blue)



POWERS TURBO DIAMOND BLADES

- Suitable for Cured Concrete/Reinforced, Clay Bricks, Granite, Steel Pipe/Tube, Terracotta Roof Tiles
- Bluestone, and Hebel Block
- Can be used wet or dry



CODE	SIZE
40-PTR100-PWR	100mm
40-PTR115-PWR	115mm
40-PTR178-PWR	178mm
40-PTR230-PWR	230mm
40-TDB125	125mm

BOSCH METAL GRINDING WHEELS

- Ideal for general purpose metal grinding
- Suitable for use on hand-held angle grinders



CODE	SIZE
40-2608603058	115 x 6mm
40-2608603060	178 x 6mm
40-2608603061	230 x 6mm
40-MG12560	125 x 6mm

CIRCULAR SAW BLADES


- Best used on soft & hardwoods, plywood, chipboard & MDF
- Carbide teeth for sharper clean cuts
- Hardened steel for precise accuracy



CODE	SIZE
41-SKYSAW614	DBF Circ. Saw Blade 160 x 2.5 x 25.4 mm, 20 Teetht
41-SKYSAW914	DBF Circ. Saw Blade 235 x 2.5 x 25.4 mm, 24 Teeth

BOSCH CIRCULAR SAW BLADES

- The perfect cutting solution for soft & hardwoods, plywood, chipboard & MDF
- Long life blade
- High strength construction carbide
- Precision ground tip



CODE	SIZE
40-2608644560	160 x 2.5 x 25.4 mm - 24 Teeth
40-2608644561	160 x 2.5 x 25.4 mm - 40 Teeth
40-2608644563	184 x 2.5 x 20 mm - 20 Teeth
40-2608644564	184 x 2.5 x 20 mm - 40 Teeth
40-2608644573	235 x 2.5 x 25 mm - 60 Teeth
40-2608644575	254 x 2.5 x 30 mm - 40 Teeth
40-2608644579	305 x 2.8 x 30 mm - 40 Teeth
40-2608644580	305 x 2.8 x 30 mm - 60 Teeth

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

BOSCH DIAMOND DISCS

Best used for Cement Bonded Fibre board, Concrete Old, Exposed Concrete, Porous Concrete, Pumice Stone, Screed Concrete



CODE	SIZE
40-CDD350	Concrete Diamond Disc 50x20/25.4x3.2mm
40-CDD400	Concrete Diamond Disc 400x25.4x3.2mm
40-2608602625	Asphalt Diamond Disc 350x20/25.4mm
40-2608602626	Asphalt Diamond Disc 400x20/25.4mm

METAL CUTOFF WHEELS/DISCS

Perfect for general purpose cutting of ferrous metals including structural steel.



CODE	SIZE
40-2608601263	Bosch Stainless Cut Off Disc 105 x 1.0 x 16.0mm
40-2608601264	Bosch Stainless Cut Off Disc 115 x 1.0 x 22.2mm
40-2608603036	Bosch Metal Cut Off Wheel 115 x 2.5 x 22.2mm

CODE	SIZE
40-MC12510	Metal Cut Off Wheel 125 X 1.0 X 22.2mm
40-MC12525	Metal Cut Off Wheel 125 X 2.5 X 22.2mm
40-MC18025	Metal Cut Off Wheel 180 X 2.5 X 22.2mm

CODE	SIZE
40-MC12520	Metal Cut Off Wheel 125 X 2.0 X 22.2mm
40-MC23025	Metal Cut Off Wheel 230x 2.5 x 22.2mm

DEMOLITION CUT OFF WHEELS

High cutting performance and long tool life for use on hand-held cut-off machine.



CODE	SIZE
40-61329520	High Speed Cut Off Wheel 356 x 3.8 x 20mm
40-61329525	High Speed Cut off Wheel 356 x 3.8 x 25.4mm
40-69902463	High Speed Rail Cut off Wheel 400 x 4.5 x 25.4mm
40-61329825	High Speed Demo Cut off Wheel 400 x 4.8 x 25.4mm

MAKITA WIRE BRUSHES

- 0.3 to 0.5mm wire gauge
- Max RPM: 12,500
- For use on 115mm/125mm grinders



CODE	SIZE
40-D-55223	Makita Knot Cup Wire Brush 100mm M14
40-D-55407	Makita Bevel Wire Brush 100mm M14

ABRASIVE SANDPAPER ROLLS

- Ideal for dry sanding on a range surfaces
- Available from 40 to 120 grit
- Size: 120mmx 50m Roll



CODE	SIZE
41-P38196	Sandpaper 120mm x 50m Roll - 40 Grit
41-P38205	Sandpaper 120mm x 50m Roll - 60 Grit
41-P38211	Sandpaper 120mm x 50m Roll - 80 Grit
41-P38227	Sandpaper 120mm x 50m Roll - 100 Grit
41-P38233	Sandpaper 120mm x 50m Roll - 120 Grit

ZIRCONIUM FLAP DISC

For sanding and grinding metals and stainless steel. Sands flat, contoured or curved surfaces like a sanding disc.
High-quality zirconia alumina/semi-friable aluminium oxide grit is tough and wear-resistant for extensive metalwork.



CODE	SIZE
40-2608621767	Flap Disc X-LOCK, 125mm Zirconia G40
40-2608621768	Flap Disc X-LOCK, 125mm Zirconia G60
40-2608621769	Flap Disc X-LOCK, 125mm Zirconia G80

ABRASIVE SANDING DISCS

- Ideal for dry sanding on a range surfaces.
- Available in 125mm and 150mm sizes
- Pack of 50 discs



50

CODE	SIZE
40-66623320498	125mm Sanding Disc 40 Grit - 50 Pack
40-66623320499	125mm Sanding Disc 60 Grit - 50 Pack
40-66623320500	125mm Sanding Disc 80 Grit - 50 Pack
40-66623320502	125mm Sanding Disc 120 Grit - 50 Pack
40-66623320720	150mm Sanding Disc 40 Grit - 50 Pack
40-66623320721	150mm Sanding Disc 60 Grit - 50 Pack
40-66623320722	150mm Sanding Disc 80 Grit - 50 Pack
40-66623320724	150mm Sanding Disc 120 Grit - 50 Pack

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

IMPACT SOCKETS

- Designed to be used with pneumatic and power tools where higher torque and force is required
- Short and Long Sockets available
- Metric sizes

3/4" Drive Impact Sockets also available.





IMPACT SOCKET EXTENSIONS - 1/2" DRIVE

CODE	SIZE
40-72459	1/2" Drive Extension 125mm
40-72460	1/2" Drive Extension 250mm





1/2" DRIVE IMPACT SOCKET - SHORT

CODE	SIZE
40-72010	1/2" Drive Impact Socket Short 10mm
40-72013	1/2" Drive Impact Socket Short 13mm
40-72015	1/2" Drive Impact Socket Short 15mm
40-72016	1/2" Drive Impact Socket Short 16mm
40-72017	1/2" Drive Impact Socket Short 17mm
40-72018	1/2" Drive Impact Socket Short 18mm
40-72019	1/2" Drive Impact Socket Short 19mm
40-72021	1/2" Drive Impact Socket Short 21mm
40-72024	1/2" Drive Impact Socket Short 24mm
40-72027	1/2" Drive Impact Socket Short 27mm
40-72030	1/2" Drive Impact Socket Short 30mm
40-72032	1/2" Drive Impact Socket Short 32mm
40-72036	1/2" Drive Impact Socket Short 36mm

1/2" DRIVE IMPACT SOCKET - LONG

CODE	SIZE
40-72113	1/2" Drive Impact Socket Long 13mm
40-72115	1/2" Drive Impact Socket Long 15mm
40-72116	1/2" Drive Impact Socket Long 16mm
40-72117	1/2" Drive Impact Socket Long 17mm
40-72118	1/2" Drive Impact Socket Long 18mm
40-71229	1/2" Drive Impact Socket Long 19mm
40-72124	1/2" Drive Impact Socket Long 24mm
40-72126	1/2" Drive Impact Socket Long 26mm
40-72127	1/2" Drive Impact Socket Long 27mm
40-72130	1/2" Drive Impact Socket Long 30mm
40-72132	1/2" Drive Impact Socket Long 32mm
40-72136	1/2" Drive Impact Socket Long 36mm

IMPACT SOCKET ADAPTERS & UNIVERSAL JOINTS

Designed to be used with pneumatic and power tools where higher torque and force is required



CODE	SIZE
40-72454	1/2" Drive to 3/4" Drive Adaptor
40-72455	3/4" Drive to 1/2" Drive Adaptor
40-72450	1/2" Drive Universal Joint

IMPACT SOCKET SETS









1/2" DRIVE IMPACT SOCKET SETS

CODE	SIZE
40-72500	1/2" Drive Standard Impact Socket Set 14pce Metric
40-72501	1/2" Drive Deep Impact Socket Set 14pce Metric
40-72506	1/2" Drive 28pc Metric Standard & Deep Set 10-27mm

3/4" DRIVE IMPACT SOCKET SETS

CODE	SIZE
40-72510	3/4" Drive Standard Impact Socket Set 8pce Metric
40-72511	3/4" Drive Deep Impact Socket Set 8pce Metric

SOCKET SETS

50PC 1/4" & 1/2" DRIVE METRIC & A/F SOCKET SET

- 1/4" Drive Sockets & Accessories
- Metric Sockets: 4, 5, 6, 7, 8, 9, 10mm
- A/F Sockets: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- Socket Accessories: Ratchet, 50 & 150mm Extensions, Universal Joint
- 1/2" Drive Sockets & Accessories
- Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27mm
- A/F Sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"
- Spark Plug Sockets: 5/8, 13/16"
- Socket Accessories: Ratchet, 75 & 125mm Extensions, Universal Joint



CODE
40-89-535

41PC 1/2" DRIVE METRIC & A/F SOCKET SET

- Manufactured from high grade chrome vanadium steel for greater strength and durability.
- Sockets feature the MaxDriveTM fastening system which concentrates force away from the corners of fasteners.
- Quick-Release button on the ratchet
- Metric Sockets: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- A/F Sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- Spark Plug Sockets: 5/8, 13/16"
- Socket Accessories: Ratchet, 125 & 250mm Extensions, Off set Handle, Universal Joint, Ball Type



CODE
40-SCMT14104

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

BOSCH GIM PROFESSIONAL INCLINOMETER (SPIRIT LEVEL)

- Measures precise tilts in degrees, percent or millimetres/metres
- Direction arrows and audible signals at 0° and 90° for easy alignment
- Measured values automatically turn on the display when working overhead
- Measurement accuracy, vials: ffl 0.057° = ffl 1 mm/m
- Includes 4 x AA Batteries and protective bag





CODE	DESCRIPTION
40-0601076700	Bosch GIM 60 Professional Inclinometer - 600mm
40-0601076800	Bosch GIM 120 Professional Inclinometer - 1200mm

OX TORPEDO SPIRIT LEVEL

- Professional die cast aluminium torpedo level
- Strong lightweight aluminium profile for longer life
- Easy to read solid block uv resistant acrylic vials with a lifetime warranty
- Accurracy <0.0005"/" (0.5mm/m)
- 250mm



CODE	DESCRIPTION
40-P027625	OX Torpedo Spirit Level 250mm

OX PRO SPIRIT LEVEL

- Professional quality aluminium spirit level
- Shock-proof polypropylene & TPR end caps with air cushioned PVC shock absorbers
- Magnified vial with illumination
- Two milled surfaces for more precise measurements
- Two plumb site dual-view vials
- Air cushioned ergogrip handles for added comfort use
- Accurracy <0.0005"/" (0.5mm/m)



CODE	DESCRIPTION
40-P024406	OX Professional 600mm Spirit Level
40-P024412	OX Professional 1200mm Spirit Level
40-P024418	OX Professional 1800mm Spirit Level
40-P024420	OX Professional 2000mm Spirit Level
40-P024424	OX Professional 2400mm Spirit Level

TAPE MEASURES

8M MEASURING TAPE - JAYBRO

- Rubber moulded case with 32mm extra wide blade
- Belt clip and blade lock



CODE	
45-8TM	10

STANLEY 8M FATMAX MEASURING TAPE

- Rubber moulded case with 32mm extra wide blade
- Belt clip and blade lock



CODE
45-FATMAX

STERLING ULTIMAX PRO TAPE MEASURE EASYREAD - 8M

- 27mm wide double sided blade printing with nylon coating
- High impact resistant ABS casing with non-slip grip
- Superior internal mechanism provides smooth operation
- Layered SuperBlade for maximum durability
- Clear metric millimetre markings
- Reinforced 4 rivet dual-hook with magnet
- Strong end hook to keep true zero



CODE	
45-ULTIMAX	6

IMEX HEAVY DUTY MEASURING WHEEL WITH CARRY CASE

- 99.9% accuracy
- Folds up for easy storage
- 318mm wheel
- Heavy duty design
- Trigger brake
- Dirt scraper
- Heavy duty kickstand
- 2 counter reset buttons
- Measures up to 9,999 metres

WARRANTY 2 YEAR
Conditions Apply



CODE
45-HPMWR1000

6

OPEN REEL TAPE MEASURE

- Sturdy plastic case with reinforced winding mechanism
- Open reel fibreglass lay flat tape
- 13mm reinforced tape - 50m long



CODE
45-50TM

HEAVY DUTY MEASURING WHEEL

- Measures up to 9999 metres
- 99.9% accuracy
- Folds up for easy storage
- 318mm wheel
- Heavy duty design
- Heavy duty detachable kickstand
- Counter reset button
- Light switch to illuminate counter readout



CODE
45-RSMW

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

TOPCON RL-H5A LASER LEVEL

- Long-range operation (800m)
- Smart long-range receiver
- Simple, intuitive manual slope capability
- -/+ 10 Arc second horizontal accuracy
- -/+ 5 Degrees self-levelling range
- Up to 100 hours battery life

Kit includes:
- RL-H5A laser
- LS-80L or LS-100D receiver
- Sensor holder
- Batteries (Alkaline or rechargeable)
- Chargers
- Carry case



LS-80L Kit



LS100D Kit

CODE	DESCRIPTION
40-1021200-45	RL-H5A LASER Standard - Inc. LS-80L Receiver, Holder 6
40-1021200-46	RL-H5A LASER Rechargeable Standard Inc. - LS-80L Receiver, Holder 6
40-313540702	LS-80L Hand Held Receiver Only
40-312890112	Holder to suit LS80A & L Receiver
40-1021200-11	RL-H5A LASER Dry Battery Premium - Inc. LS100D Receiver
40-1021200-10	RL-H5A LASER Rechargeable Premium - Inc. LS100D Receiver
40-1026030-01	LS100 Digital (mm) Receiver – includes bracket



LS-80L Receiver


Holder to suit LS80A/LS80L Receivers

BOSCH LASER MEASURES

Measuring tools from Bosch offer outstanding precision and the greatest ease of use. Due to their robustness, the digital measuring tools guarantee the most accurate results also in day-to-day construction site applications – whether it be levelling, measuring distances, angles and inclines, or detecting all different kinds of materials.

LASER RANGE FINDERS

- Easy and Fun - Colour display for high user intuition
- Precise - Measuring range of up to 50, 100 or 250 metres
- Versatile - 2-in-1 distance and inclination measurer

CODE	DESCRIPTION
41-0601072VK0	GLM 50-23G Bosch 50m Green Beam Range Finder
41-0601072FK0	GLM 150 Bosch 150m Range Finder with camera



GLM 50-23G



GLM 150

BOSCH GPL 5 G POINT LASER



The tough and compact 5-point laser with highly visible green laser points
- Green laser points provide up to four times better visibility than red points
- Durable design resists tough conditions: rubberised housing with recessed glasses, IP65 dust and water jets protection
- Fast and secure mounting thanks to integrated rotation mount with strong magnets

CODE
41-0601066P00

BOSCH GCL 2-15 G COMBINATION LASER



Four times better visibility thanks to green laser lines
- Green horizontal and vertical lines for maximal visibility
- Red plumb points for precise transfer application Multifunctional rotating mount for easy alignment of the laser lines around the plumb points

CODE
41-0601066J00

BOSCH GLL 3-80 CG LINE LASER



Green supreme visibility in 3 x 360°. Simply connected.
- Up to four times better visibility due to the green laser lines
- Bluetooth® connection to your smartphone for remote control use and contactless adjustment of the tool
- High work efficiency due to 3 x 360° lines: Simultaneous performance of horizontal and vertical levelling applications in the entire room with only one tool

CODE
40-0601063U80

LASER LEVELS & CABLE HEIGHT METERS 353

COMPLETE DUMPY KIT

Includes IMEX Dumpy Level, Tripod & Stave



CODE
45-DUMKIT

DUMPY LEVELS

IMEX HEAVY DUTY SERIES

VISIT JAYBRO.COM.AU FOR FULL RANGE OF IMEX PRODUCTS

- Heavy Duty Contractor Level
- Great for building sites, this 20X level provides the accuracy & durability that you can rely on
- Heavy duty case



CODE
45-20XDU

WARRANTY 2 YEAR

Conditions Apply

DOMED TOP TRIPOD & 5M STAVE COMBO

Topcon Domed Tripod and 5m Stave Kit



CODE	DESCRIPTION
40-BUILD_COMBO2	Standard Dome Aluminium Tripod & 5m Stave

DOMED TOP TRIPOD

Heavy Duty, extendable, aluminium - domed top



CODE
45-DUTRI

STAVES

Telescopic, aluminium, 'E' face, 5m - 5 stage, with carry case



CODE
45-STAVE

CABLE HEIGHT METER

- Specially designed for non-contact and fast measurement for cable height and horizontal distance
- Measurement range up to 23m
- Inherently safe operation, easy to operate
- Metric/imperial system selectable
- Measurement of up to 6 wires at a time
- Auto temperature compensation for measurement results
- Auto power-off after 2 minutes
- Low battery indicator



CODE
45-AR600E

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

354 TOOL LANYARDS & ANCHOR POINTS

TOOL LANYARDS

- Swivel Snap Hooks To Loop Tail
- Tool Lanyard rated to maximum load limit of 1.86kg
- 80cm length extends to 120cm
- Sliding loop lock keeps tools in place and connected
- Hi-Vis orange lanyard for easy visual location
- 3 Bar stitch pattern for increased strength
- Swivel Snap Hook to reduce tangling



CODE	SIZE
31-TLSH	80cm

MILWAUKEE LOCKING TOOL LANYARD

- Designed to reduce risks of dropped tools
- Shock absorbing design gradually slows tool
- Locking carabiner
- Integrated Swivel
- Colour coded by weight rating



CODE	DESCRIPTION
40-48228810	Mil Locking Tool Lanyard 4.5kg (10 lbs)
40-48228815	Mil Locking Tool Lanyard 6.8kg (15 lbs)
40-48228850	Mil Locking Tool Lanyard 15kg (35lbs)

TOOL TETHERS & ANCHOR POINTS

WEB TOOL TAIL

- Hi-Vis orange tail for easy visual location
- D-Ring Material: Electroplated zinc alloy
- Webbing Material: Polyester
- Weight: 15 grams



CODE	SIZE
31-WTT	15cm

WRIST STRAP WITH D CONNECTION

- Elastic wrist strap to provide tight fitting comfort
- Velcro adhesion for ease of access
- D-Ring attached for use with lanyards and tool connectors
- Maximum tool weight not to exceed 0.58kg



CODE
31-WSD

HARD HAT LANYARD

- Clips on either end attach to hard hat and collar to prevent loss of headwear when working at heights
- Hi-Vis orange elastic lanyard for easy visual location



CODE
31-HHLY

WRIST STRAP TO TOOL CONNECTION

- Coiled tool connector provides compact tool retention
- Plastic coating for durability and comfort
- 2 x Swivel Snap Hooks to reduce tangling
- Maximum tool weight not to exceed 0.8 kg



CODE
31-WSTC

SELF FUSING SILICONE TAPE

- Self fusing silicon tape for easy adhesion, no heat required
- Hi-Vis Orange tape for easy visual location
- Durable silicone provides long lasting adhesion and grip



CODE	SIZE
31-SFST	10m x 25mm

RATCHET PODGER SPANNERS

Available in various sizes



CODE	DESCRIPTION
40-74702	19 x 21mm Ratchet Podger Spanner
40-74703	19 x 24mm Ratchet Podger Spanner
40-74704	21 x 24mm Ratchet Podger Spanner
40-74706	24 x 30mm Ratchet Podger Spanner
40-74708	27 x 32mm Ratchet Podger Spanner
40-74700	17 x 19mm Ratchet Podger Spanner
40-74701	18 x 24mm Ratchet Podger Spanner
40-74705	24 x 27mm Ratchet Podger Spanner
40-74707	27 x 30mm Ratchet Podger Spanner
40-74709	32 x 36mm Ratchet Podger Spanner

ADJUSTABLE WRENCHES

- Chrome Vanadium
- Available in various sizes



CODE	DESCRIPTION
40-70060	Adjustable Wrench 150mm/6"
40-70061	Adjustable Wrench 200mm/8"
40-70062	Adjustable Wrench 250mm/10"
40-70063	Adjustable Wrench 300mm/12"
40-70064	Adjustable Wrench 375mm/15"
40-70065	Adjustable Wrench 450mm/18"
40-70066	Adjustable Wrench 600mm/24"

28 PCE COMBINATION SPANNER SET AF & METRIC

Ring & Open End Spanners feature the TorquePlus fastening system, fastening is made easier and tighter, unique drive designs allow greater contact with the flats of fasteners, providing greater torque.

Metric: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21mm

AF Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 3/16", 7/8", 15/16, 1"



CODE	DESCRIPTION
40-70020	28 Pce Combination Spanner Set AF & Metric

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

COMBINATION PLIERS

- 200mm/8″
- Chrome Nickel
- Insulated Handle



CODE	DESCRIPTION
40-70701	Pliers - Combination 8"

DIAGONAL PLIERS

- 175mm/7″
- Chrome Nickel
- Insulated Handle



CODE	DESCRIPTION
40-70710	Pliers - Diagonal Insulated Handle 7"

LONG NOSE PLIERS

- 200mm/8″
- Chrome Nickel
- Insulated Handle



CODE	DESCRIPTION
40-70720	Pliers - Longnose Insulated Handle 8"

MULTIGRIPS PLIERS

- 12"/300mm
- Chrome Nickel
- Insulated Handle



CODE	DESCRIPTION
40-70741	Pliers - Multigrips Insulated Handle 12"

STERLING AVIATION SNIPS

- Drop forged molybdenum alloy blades induction hardened for long life
- Cuts up to 1.5mm cold rolled steel or 1.0mm Stainless Steel
- Hi-Tensile pivot bolt for maximum durability
- Squeeze quick-release handle catch
- TPR rubber grip handles for extra comfort



CODE	DESCRIPTION
40-29-853	Straight Cut - Yellow

END CUTTING NIPS

- Cutting edges additionally hardened- cutting edge hardness approx. 61 HRC
- High-grade special tool steel, forged, oil-hardened
- Soft handle grip



CODE	DESCRIPTION
40-6801200B	Knipex End Cutting Nipper 200mm
26-ECNIP	Narrow Head End Cutting Nip 250mm
40-6801280B	Knipex End Cutting Nipper 280mm

WALL STRIPPER

Size: 100mm



CODE	DESCRIPTION
40-20609	Stripper - 100mm
40-08071	Replacement Blades

BOLT CUTTERS

- Professional quality
- Rated to cut HRC40



CODE	SIZE
40-900BC	900mm

3PC DYNAGRIP CHISEL SET

- 12, 18 &25 mm chisels.
- Ergonomic soft grip CAB handle
- Full length blade guard for added safety
- Forged high Chrome - Carbon steel for superior edge retention
- Lacquered blade for corrosion protection
- Steel strikecap
- Pre-sharpened - ready to use



CODE
40-2-16-883

BLACK PANTHER INDUSTRIAL SNIPS

- Comfort grip ergonomically designed handles
- Stainless Steel serrated edge blades for increased cutting capacity
- Ideal for multiple applications from thin wire to Kevlar®
- Ideal knife replacement tool
- Size: 185mm



CODE
40-29-701

WIRE BRUSH

- Steel bristles
- 4 rows
- Plastic handle



CODE
40-09332

PAINT SCRAPERS

Sizes: 50mm to 100mm



CODE	SIZE
40-PSC50	50mm
40-PSC75	75mm
40-PSC100	100mm

9PC METRIC HEX KEY SET

69-9000 Metric 9pc Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

- Long arm ball end for angled Mor straight driving
- Complete with plastic holder



CODE
40-69-9000

14PC INDUSTRIAL ACETATE HANDLE SCREW DRIVER SET

- Premium grade Nickel Chrome vanadium steel
- Cellulose acetate handles for impact resistance
- Precision ground and hardened tips for usability and a longer working life
- Magnetised tips



CODE
40-65-750

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

CUTTING KNIVES

UTILITY KNIFE

Metal extendable cutting knife



CODE
40-VCKG

FATMAX RETRACTABLE KNIFE

- Auto rise blade storage holder
- Blade clamp for heavy duty applications
- Ideal for flooring application



CODE
40-10-778

HEAVY DUTY AUTO RETRACTABLE KNIFE

Heavy Duty Auto- Retracting Orange
Safety Knife with Rubber Grip



CODE
31-ARSK

100 PIECE HEAVY DUTY REPLACEMENT BLADES



CODE
40-KBR100

HAND SAWS

HAND SAW - 22" (560MM)

Hardened tri-bevel
triple ground teeth



CODE	SIZE
40-HS22	22" (560mm)

10

HACKSAW

- Strong, steel box section frame
- Tension screw holds blade tightly
- Rubber grip handle
- Spare blade storage in top section



CODE	DESCRIPTION
40-HF506	Aluminium Hacksaw Frame

HACKSAW BLADES

- Teeth: 18TPI
- Size: 300mm
- Pack of 10



CODE	DESCRIPTION
40-18S4	18TPI

1000 VOLT CERTIFIED NON-CONDUCTIVE DIGGING TOOLS

- 100% Testing at 10000 volts to exceed IEC 60900 & ASTM F1505 standards
- Each tool stamped with traceable test serial number
- Manufactured in Safety Orange for easy identification of electrical protection
- Handles marked with 1000V high voltage double diamond
- Used by Utilities, Railroads, Councils and Electrical Contractors.



CODE		DESCRIPTION
40-FCB6	A	Digging Bar - Comes with Wedge - 6ft/1.8m
82-IPL12	B	Soil Probe - Comes with Metal Tip - 4ft/1.2m
40-IRMS	C	Shovel Round Mouth - Long Handle - 48/1220mm

HAMMERS

CLAW HAMMER

- Fibreglass Handle
- Weight: 24oz (680g)



CODE
41-24CHF

CLUB HAMMER

- Heavy Duty Club Hammer
- Fibreglass Handle
- Weight: 3lb (1.36kg)



CODE
40-3LH

DEMOLITION HAMMER

- Heavy Duty Demolition Style Club (Mash) Hammer
- Fibreglass Handle
- Weight: 4lb (1.8kg)



CODE
40-4MH

SLEDGE HAMMER - FIBREGLASS HANDLE

- Fibreglass Handle
- Weight: 10lb (4.55kg)



CODE
40-10LBSLF

4

SLEDGE HAMMER - TIMBER HANDLE

- Drop Forged Carbon Steel Head
- Cylindrical Wedges for added Safety and Stability



CODE	DESCRIPTION
40-SJ-4LBWH	Sledge Hammer Timber Handle 4lb (1.8kg)
40-SJ-7LBWH	Sledge Hammer Timber Handle 7lb (3.1kg)
40-SJ-10LBWH	Sledge Hammer Timber Handle 10lb (4.5kg)
40-SJ-14LBWH	Sledge Hammer Timber Handle 14lb (6.3kg)

OX BRICK BOLSTER

- Drop Forged Steel
- Rubber Hand Grip
- Size: 115mm



CODE
40-T090945

STANLEY WONDER BAR

- Bevelled nail slot at both ends
- Contoured bar for pulling nails, prying and lifting
- Heat treated, forged high carbon steel for increased durability
- 12" / 305mm



CODE
40-55-515

WRECKING BAR

For prying and demolition



CODE	SIZE
41-900WB	900mm
41-600WB	600mm

FENCING BAR - ROUND

With chisel one end and round head on the other end 1830mm long.



CODE
40-4225

HEAVY DUTY PRY BAR (BURKE BAR)

- Used for guiding and levering pre-cast concrete panels
- Forged and heat treated spring steel blade for optimum strength
- Lightweight 6kg bar for ease of use
- Internally reinforced



CODE	SIZE
40-HDPB	1560 x 80 x 70mm

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

360 HAND TOOLS

SHORT HANDLE SHOVEL

- D-Handle Square Mouth
- Ideal for mixing and shovelling concrete, spreading and general work.
- All metal shovel



CODE
40-SDHSM

LONG HANDLE SHOVEL

- All steel with long handle
- Soft grip handle



CODE
40-SSM

MATTOCK


Ideal for grubbing out stumps, trenching and breaking up soil.



CODE
40-4475

RAKES

Long timber handle



CODE
40-6516

PELICAN PICK



CODE
40-PELP

CONCRETE RAKE

- One piece lightweight aluminium
- Double braced



CODE	SIZE
40-CR102	500 x 100mm

ASPHALT RAKE

Timber Handle



CODE
57-100166

CODE	DESCRIPTION
40-RKHEAD	Rake Head Only

LONG HANDLE SHOVELS

SQUARE MOUTH POST HOLE SHOVEL - TIMBER

Long timber handle - ideal for digging post holes, drains, cleaning and trenching.



CODE
40-6401

"CYCLONE" - TIMBER HANDLE THE PROFESSIONAL CHOICE



CODE
40-CY6401

SQUARE MOUTH POST HOLE SHOVEL - FIBREGLASS

Long fibreglass handle - ideal for digging post holes, drains, cleaning and trenching.



CODE
40-66449

"CYCLONE" - FIBREGLASS HANDLE THE PROFESSIONAL CHOICE



CODE
40-CY6424

LONG HANDLE PLUMBERS SHOVEL - FIBREGLASS

Long fibreglass handle - ideal for digging drains, holes and general work.



CODE
40-6396

BROOMS, SQUEEGEES & SCRAPERS 361

ROAD BROOMS

- 1.8m timber handle.
- Polypropylene filling bristles
- Available in Timber and Metal heads



CODE	ITEM
68-35RB	35cm Timber
68-RBMH	45cm Metal

INDUSTRIAL BROOM

- 60cm plastic head
- Polypropylene filling bristles.
- 1.5m timber handle.



CODE
68-65INB

SOFT HAIR BROOM

- 90cm timber head
- Soft hair/fibre filling
- 1.8m timber handle
- Ideal for fine dust etc.



CODE
68-90TSB

PLASTIC BROOM

- Site shed tidy broom plastic head
- 1.5m handle
- Soft fill 30cm



CODE
68-BSTB

SQUEEGEE

- Promotes quick drying of floors
- Suitable for smooth to semi smooth surfaces
- Black neoprene
- Takes ø25mm handle



CODE	SIZE
40-250691	900mm
41-S900H	Squeegee 900mm head only with handle
68-2518H	Timber 1.8m x 25mm

FLOOR SCRAPERS

- Ideal for cleaning up floors after cement or mortar work
- Long handle with blade
- Replacement blades available separately



Floor Scrapers

CODE	SIZE
40-200FS	Floor Scraper 200mm with handle
40-FS300	Floor Scraper 300x125mm with steel handle
40-FS356	Floor Scraper 356x125mm with steel handle



Floor Scraper Replacement Blades

CODE	SIZE
40-200FSB	Floor Scraper Blade 200mm
40-356FSB	Floor Scraper Blade 356mm

DRY FORM SQUEEGEE

Removes surface water from paved building site slabs and newly paved concrete

- Lightweight, durable wheels. Only two moving parts
- Dries your court much faster than any other method. Works with superb efficiency on cement,asphalt, plexipave, and synthetic surfaces
- Removes leaves and debris simultaneously
- Replaceable rubber sponge, no scraping or damage surface
- Adjustable rubber sponge
- One spare rubber sponge included in each kit



CODE	SIZE
40-DCSG	Dry Form Squeegee Kit
40-SPARDSG	Replacement Rubber Strip for Dry Form Squeegee

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

FLEXTOOL CONCRETE EDGERS

- Used to trowel a smooth finish to the edge of concrete slabs
- Rubber handle for extra grip
- 45˚ angle edger



CODE	DESCRIPTION
40-FT44013S-UNIT	Flextool Edger - ProSoft Handle 100x150-45 DEG

FLEXTOOL MAGNESIUM FLOATS

- Magnesium Floats are used in the early stages of concrete placement for working the concrete and bringing moisture to the surface
- They can also be used again in the late stages of concrete finishing to create a fine textured finish similar to a steel or wood float



CODE	DESCRIPTION
40-MHF400	Magnesium Hand Float 400mm x 80mm
40-FT4P2052-UNIT	Flextool Magnesium Float - ProSoft Handle 80x510mm

FLEXTOOL STEEL FLOATS

Steel Floats or "Sides Up" trowels as they are sometimes referred to are used for creating a non-slip finish on the concrete surface, also known as a stippled or coved finish.
They are also used for trowelling dry shake materials into the top surface of the concrete. Steel floats produce a finer texture to wood floats and are more durable and longer wearing due to their solid steel blade. Available with ProSoft rubber handle for user comfort.



CODE	DESCRIPTION
40-FT42009S-UNIT	Flextool Stainless Steel Float - ProSoft Handle 160x210mm

FLEXTOOL BULLFLOATS

- Bullfloats are used immediately after screeding to level the surface and bring bleed water to the surface
- Tilt mechanism allows you to push and pull easily when used with telescopic handle or clip handle



CODE	DESCRIPTION
40-FT401802-UNIT	Flextool Aluminium Bullfloat 900x150mm
40-FT4B1200-UNIT	Flextool Aluminium Bullfloat 1200x150mm

TELESCOPIC EXTENSION HANDLE

- Lock nut handle length adjustment
- Size: 2.75m to 5m



CODE
40-FT401805-UNIT

FLEXTOOL KNEELING BOARD

- Heavy duty foam for protection and comfort
- Can be used for various applications where kneeling is required
- Size: 350mm x 490mm



CODE	DESCRIPTION
40-FT410209-UNIT	Flextool Concrete Kneeling Board 350x490mm

OX PROFESSIONAL GAUGING TROWEL

- Duragrip Handle
- Welded Shank
- Precision Taper Ground Blade
- 'S' Style Shank - Will hang on the side of a bucket
- Size: 200mm



CODE
40-P011408

FLEXTOOL BROOMS & RAKES

CONCRETE FINISHING BROOM

- Provides a broom finish on driveways and footpaths
- Provides a non-slip finish to concrete
- For use with telescopic handle or clip handle



CODE	DESCRIPTION
40-FT4B1573-UNIT	Flextool Concrete Finishing Broom Head 750mm

CONCRETE PLACING RAKE

- Lightweight design -Push/Pull Style
- Blade size: 500mm
- Handle: 1650mm



CODE	DESCRIPTION
40-CR102	Aluminum Concrete Rake 500 x 100mm

FLEXTOOL POINTED TROWELS

- Pointed trowels are used for trowelling concrete floors and other general concrete work
- The pointed nose of the trowel provides flexibility when trowelling around corners and protrusions in the concrete whilst also reducing marks left
- Made from high carbon steel to optimise blade flexibility and durability

CODE	DESCRIPTION
40-FT4P1009-UNIT	Flextool Pointed Trowel - ProSoft Handle 100x355mm
40-FT4P1091-UNIT	Flextool Pointed Trowel - ProSoft Handle 115x405mm
40-FT4P1092-UNIT	Flextool Pointed Trowel - ProSoft Handle 115x450mm
40-FT4P1093-UNIT	Flextool Pointed Trowel - ProSoft Handle 115x500mm
40-FT4P1001-UNIT	Flextool Pointed Trowel - ProSoft Handle 120x365mm



FLEXTOOL WALKING TROWELS

- Walking Trowels enable the operator to trowel concrete in a standing position.
- For use with telescopic handle or clip handle

CODE	DESCRIPTION
40-FT4FW555-UNIT	Flextool Walking Trowel - Round Ends - Carbon Steel 120x600mm
40-FT4FF607-UNIT	Flextool Fresno Trowel 115x600mm



FLEXTOOL SQUARE TROWELS

- Square trowels are used where pointed trowels are not suitable and for general concrete work
- Suitable for use on concrete stairs and other vertical applications
- Made from high carbon steel to optimise blade flexibility and durability

CODE	DESCRIPTION
40-FT4P1081-UNIT	Flextool Square Trowel - ProSoft Handle 115x405mm
40-FT4P1002-UNIT	Flextool Square Trowel - ProSoft Handle 120x280mm



FLEXTOOL HAND SCREEDS

- Clamp on style handle which may be reversed to the working face for second use.
- Fitted with end plugs as well as powder coated for easy clean up.
- Includes vial to check levels
- Sizes: 1.2m to 3.6m



CODE	DESCRIPTION
40-FT4S0012-UNIT	Flextool Aluminium Concrete Screed 1.2m
40-FT4S0015-UNIT	Flextool Aluminium Concrete Screed 1.5m
40-FT4S0018-UNIT	Flextool Aluminium Concrete Screed 1.8m
40-FT4S0021-UNIT	Flextool Aluminium Concrete Screed 2.1m
40-FT4S0024-UNIT	Flextool Aluminium Concrete Screed 2.4m
40-FT4S0027-UNIT	Flextool Aluminium Concrete Screed 2.7m
40-FT4S0030-UNIT	Flextool Aluminium Concrete Screed 3.0m
40-FT4S0036-UNIT	Flextool Aluminium Concrete Screed 3.6m

CONCRETE RUBBING BRICK

- Used to smooth away rough spots in concrete
- Fluted silicone carbide



CODE	DESCRIPTION
41-MHRB60H	Rubbing Brick with Handle
41-BE205761	Rubbing Brick Only, No Handle

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

364 PAINTING, MARKING SUPPLIES & ADHESIVE TAPES

COLD GALVANISING SPRAY 350G

- Epoxy-based zinc-rich coating
- Fast-drying with excellent adhesion
- Dual use as primer and top coat
- Ideal for repairing welds and damaged galvanised areas
- Suitable silver finish coat over Grey Zinc for harsher environments
- Convenient 350g aerosol can
- Provides long-lasting rust and corrosion protection
- Ages to match standard galvanised finishes



CODE
28-CGM

JAYBRO SUPER ZINC SPRAY

- Cold Galvanising Coating, ideal for structural steelwork in industrial environments
- Size: 400g



CODE
28-CGZ

Spot Marking Paint See page 20



PAINT ROLLER KIT

- Includes tray, roller and roller cover.
- Roller Size: 230mm



CODE
40-PRK

20

PURE BRISTLE PAINT BRUSH

Bristles are specially heat treated for improved performance and resin set for added durability



CODE
40-PBP100

ECONOMY PAINT BRUSH



CODE	SIZE
40-PB50	50mm

PAINT MARKERS

- Writes on almost any surface
- Fast drying permanent ink
- Bold opaque and weather resistant

CODE	COLOUR
45-PMPBK	Black
45-PMPWT	White
45-PMPY	Yellow
45-PMPR	Red



CARPENTERS PENCIL

For marking timber



CODE	TYPE
020019	Medium - Timber

PERMANENT MARKERS

- Bullet point, waterproof and fade resistant permanent markers
- Qty: 12/box

CODE
45-PMBP



CRAYONS

- Size: No. 3.
- Colours: Yellow, Red, Blue
- Box of 12

CODE	COLOUR
45-CRAYONB	Blue
45-CRAYONR	Red
45-CRAYONY	Yellow



PAINTING, MARKING SUPPLIES & ADHESIVE TAPES 365

HIGH BOND DOUBLE SIDED TAPE

EXTERIOR GRADE

High Bond Double Sided Tape is designed for mounting signs to smooth flat surfaces such as glass, backing rails, smooth concrete, metal, sealed timber, plastic, etc.

- 24mm x 33m Roll



CODE
10-VHB24

BLUE PAINTERS TAPE

- UV resistant for up to 14 days.
- Resistant to humidity.
- Creped paper is easily conformable.
- Excellent resistance to paint and thinners.
- Easy removal without adhesive residue.
- Compatible with most common paints and lacquers.
- Length: 50m



CODE	SIZE
40-MASK56924	24mm x 50m
40-MASK56936	36mm x 50m
40-MASK56948	48mm x 50m

CLOTH TAPE

- Strong polyethylene coated cloth tape is water proof to withstand outdoor conditions - ideal for sealing tarps, etc.
- Size: 48mm x 25m
- Colour: Black, White



CODE	COLOUR
80-CLTB	Black
82-CW4825	White

36

DUCT TAPE

- Grey PVC joining & duct tape rolls
- Heavy Duty 150µm
- Size: 48mm x 30m
- Colour: Silver

Min. purchase 10 rolls.

60 3840



CODE	TYPE
80-204S	Duct Tape Silver 48mmx30m
80-204P	Premium Duct Tape Silver Silver 48mmx30m

FLOOR MARKING TAPE

Durable high bond PVC floor marking tape. Ideal for factory floors, halls, marking hazards etc.
Size: 33m x 48mm
Colour: Black/Yellow



CODE
67-48FMT

MASKING TAPE

- Size: 48mm x 50m
- Colour: White



CODE
80-MTW48

24

ALUMINIUM TAPE

- Grade: Standard or Reinforced
- Size: 48mm x 50m



CODE	TYPE
22-ALU	Standard
22-ALUR	Reinforced

24

PARCHEM BOND BREAKER TAPES

BOND BREAKER TAPE


Used in joint sealing applications to ensure sealant only adheres to two faces of the joint.



CODE	SIZE
40-FC0716061-UNIT	15mm X 66m Roll
40-FC0716062-UNIT	20mm X 66m Roll
40-FC0716064-UNIT	50mm X 66m Roll

PACKAGING TAPE

- Premium quality packaging tape.
- Size: 48mm x 75m



CODE	COLOUR
80-48PTB	Brown
80-48PTC	Clear/Transparent

36

ANTI-SLIP TAPE

- Heavy duty, self adhesive tape with grit surface and high bond adhesive.
- Length: 18m rolls



CODE	SIZE
67-50AS	50mm - Black
67-100AS	100mm - Black
67-ASCOLBY	50mm - Black/Yellow
67-ASCOLY	50mm - Yellow

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

366 STRAPPING & ACCESSORIES

HEAVY DUTY WIRE BUCKLES



- To be used with composite and woven strapping
- Any system is only as strong as it's weakest link
- This makes quality buckles extremely important

CODE	DESCRIPTION
80-19PWB	19mm Polywoven Wire Buckles 1000/ctn

1000

STEEL STRAPPING COMBINATION TOOL



- Eliminates the need for a separate tensioner, sealer and cutter
- Reversible dies for double life and triple-notch, highly efficient sealless joint
- Simple, ergonomic design minimizes operator fatigue.
- For use with 12 x 0.4 to 19 x 0.63mm and 12 to 19mm x up to 0.5mm strapping

CODE	DESCRIPTION
80-MUL16	Steel Strapping Combination Tool

POLY WOVEN TENSIONER



Quality, robust tool available for medium and high level users
For use with Polywoven strapping

CODE
80-19PWT

POLY WOVEN STRAPPING DISPENSER



Strap dispenser allows easy dispensing and keeps your workplace clear.

CODE
80-19PWD

POLY WOVEN STRAPPING



- Strapping retains its tension for long periods of time and can be re-tensioned at any time.
- Lightweight, safe and re-usable
- Safe alternative to metal strap


CODE	DESCRIPTION
80-19PWS	Poly Woven Strap 19mm x 500m

STEEL STRAPPING KIT

Kit includes one of each item:

- Strapping
- Dispenser
- Seals
- Cutter
- Tensioner
- Crimper

CODE
80-SSKIT



STEEL STRAPPING

STRAPPING SEALS




For 19mm strapping
Qty: 1000/box

CODE
80-19SSE

1000

ZINC COATED STRAPPING



Size: 19mm x 0.56mm - 15kg roll
Approx 230 L/M

CODE
80-19SS

STEEL STRAPPING DISPENSER



Dispenses 19mm strapping

CODE
80-SSD

STEEL STRAP CRIMPER



For 19mm strapping

CODE
80-19SSC

STEEL STRAPPING TENSIONER



CODE
80-19SST

STEEL STRAP CUTTER



CODE
80-SSCUT

PLATFORM LADDER ALUMINUM

Aluminium platform ladders are designed to provide a self-supporting, stable and portable work platform. They are ideal for service and maintenance applications or picking and packing situations, where a stable base is required whilst in use.
Our range of platform ladders are non-adjustable: the platform is provided at the highest intended standing level. The ladders are hinged, creating a design allows for ease of storage. These ladders are intended for use by one person at a time.

- Industrial rated to 150kg
- Suitable for use on industrial work sites
- 900mm hand rail meets OH&S requirements
- Non-slip treads and platform surface
- Patented resin bracing system


Handrail & Safety Gate



CODE	SIZE
PL003-PRO	Aluminium Platform Ladder - 3 Step 0.9m (15.1kg)
PL004-PRO	Aluminium Platform Ladder - 4 Step 1.2m (16.6kg)
PL005-PRO	Aluminium Platform Ladder - 5 Step 1.5m (19.8kg)
PL006-PRO	Aluminium Platform Ladder - 6 Step 1.8m (22.2kg)
PL008-PRO	Aluminium Platform Ladder - 8 Step 1.8m (30.9kg)
41-PL-BOOM2	Platform Ladder Handrail & Safety Gate

FIBRE GLASS PLATFORM LADDER

- 900mm hand rail meets OH&S requirements
- Non-slip treads and platform surface
- Patented Resin Bracing System
- Wheel Kits available on request



CODE	SIZE
FLP002-I	0.6m (12.3kg)
FLP003-I	0.9m (15.9kg)
FLP004-I	1.2m (17.05kg)
FLP006-I	1.8m (22.3kg)
FLP008-I	2.4m (36kg)

SAFETY STEP

- Anti-slip treads with rubber stoppers.
- Max Load Rating: 150kg
- Size: 510mm (W) x 370mm (H)
- Weight: 3.3kg



CODE
47-SSTEP

SINGLE BUILDERS LADDER

- Aluminium 'D' Style rung
- Fits securely into scaffold coupler



CODE	SIZE
40-SBL008-I	1.4mtr
40-SBL009-I	2.7mtr
40-SBL010-I	3.0mtr
40-SBL012-I	3.7mtr
40-SBL014-I	4.3mtr
40-SBL015-I	4.6mtr
40-SBL016-I	4.9mtr
40-SBL020-I	6.1mtr

EXTENSION LADDER - ALUMINIUM

- Single-Rope Pull and Release
- Strong Roll-Locked D-Rungs
- Stabiliser Ready
- 150kg rating



CODE	HEIGHT
40-EL14/25-IH	7600
40-EL12/21-IH	3700
40-EL10/17-IH	5300

EXTENSION LADDER - FIBREGLASS

- Sliding fibreglass
- 150kg rating



CODE
47-31ELF
47-FEL12

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***


*Conditions apply, See website for details.

ARMORGARD TUFFBANK™ TBC4

- Our most popular range of secure tool vaults -excellent value for money
- Sold Secure and Secured by Design accreditation
- TuffBanks adhere to rigorous test standards required by the police
- Robust, 5-lever deadlocks with extra reinforced protection
- Unique internal anti-jemmy system helps prevent the lid from being forced open
- Multiple external anti-jemmy plates
- Robust construction using 2 and 3mm steel
- Hydraulic gas arms assist with the lid opening
- Unique SlamStop lid stay prevents the lid closing unexpectedl.
- Cable pass-through for secure tool charging
- Ergonomically designed recessed handles
- Forklift skids for easy transportation
- Internal dimensions: 1120x590x1175mm
- External dimensions (including protrusions): 1150x615x1265mm
- Weight: 127kg
- Finished coating: Powder coated steel
- Material: Steel
- Castor wheels sold separately



CODE	DESCRIPTION
40-TBC4	Armorgard TuffBank TBC4



Armorgard Castor Wheel Kit

- 2 x Fixed 2 x Braked Swivel

CODE	DESCRIPTION
40-CAS	Armorgard 6" Castor Wheel Kit only

ARMORGARD SITESTATION™ SS2

- Secure on-site workstation providing a compact site office and central hub
- Split into two compartments with separate lockable doors, both containing full width shelving for easy organisation of contents
- Slanted working shelf in top section also acts as a lockable lid for the compartment behind
- Ideal for storing anything from PPE to fixings and power tools
- Allows project managers to stay close to the work and workers on site, while reducing the requirement for temporary site offices
- Robust design and 5-lever deadlocks ensure the
- SiteStation is secure
- LED work light and 2x 110V sockets are built in
- Lifting eyes, fork pockets and castors mean the unit is very mobile and easy to move around site
- Weather resistant – rubber gaskets around the openings help prevent water ingress
- Internal dimensions: Top: 1300x800x1065mm, Bottom:1300x800x610mm
- External dimensions (including protrusions): 1400x845x1970mm
- Weight: 223kg
- Colour: Charcoal grey RAL7021
- Finished coating: Powder coated steel
- Material: Steel
- Material thickness: 1.5mm
- Locking mechanism 3x highly secure, keyed-alike 5-lever deadlocks



CODE	DESCRIPTION
64-SS2	Armorgard SiteStation SS2 includes castor wheels

SITE BOXES, HANDLING EQUIPMENT & SECURITY 369

JAYBRO TOOL BAG

- Keeps all your tools organised
- Features pockets lining the inside of the bag
- Side pockets on the exterior
- Carrying handle and shoulder strap
- Durable zipped closure
- Rugged outer polyster material
- Material: 100% Polyester
- Volume: Approx. 80L
- Colour: Blue/Yellow
- Size: 600mm x 350mm x 380mm





CODE
32-JTBAG

PLASTERBOARD TROLLEY

- Great for plywood, MDF, plasterboard, Gyprock, wallboard, and other panels, sheets, boards and sheeting materials
- Size: 1.25m (L) x 0.55m (W) x 1.2m (H)
- Packaged size: 1.25m (L) x 0.61m (W) x 0.2m (H)
- Tubular steel frame
- SWL1350kgs (base)
- The handle can only support 100kgs of the weight for the span of the trolley (1.25m)
- 8 Inch heavy-duty rubber wheels



CODE	DESCRIPTION
40-PTROL	Plasterboard Trolley

WHEEL BARROWS

- 100 litre UV stabilised high density poly or galvanised tray
- Galvanised steel handles
- Strong frame, legs and front stays



CODE	TYPE
40-WBPT	Wheel Barrow - Poly Tray 100L
40-WBST	Wheel Barrow - Steel Tray 100L
40-WBMTFTB	Wheel Barrow Metal Concealed Fix Tub Blue - Fat 4Ply Wheel

PALLET JACK/TRUCK

- High quality pallet jack is ideal for use in warehousing, transport & logistics
- Suitable for moving larger size pallets around the warehouse or factory
- Grease nipples at pivot points make maintenance a breeze
- 1120mm forks suit all standard size pallets
- Robust & reliable
- Easy pump handle
- 2.5 Tonne capacity
- Frame Material: Steel
- Tyre/Wheel Material: Urethane
- Height: Min 85mm, Max 195mm
- Handle Height: 1200mm
- Size: 1200mm x 680mm



*Colours may vary

CODE	SIZE
41-PT2500	1.22m x 685mm

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

GOODS STORAGE CAGE WITH LIFTING LUGS

AUSTRALIAN MADE

- Wide opening front gate for easy loading and unloading of palletised goods
- Stacking feet allow the cage to be stacked 3 high when empty (or 2 high when loaded)
- Suits a 1200mm square pallet (1250mm front opening)
- Suitable for use with loose or palletised goods
- Fitted with 4 point lift crane lugs and fork stirrups
- Working Load Limit (WLL) 1000kg & 2000kgs
- Zinc finish for corrosion resistance
- Top and bottom lock-latches
- Supplied fully assembled
- Measures 1350 x 1350 x 1153mm
- Forklift pocket size 160 x 40mm
- Unit Weight: 175kg
- Zinc plated



CODE	SIZE
08-CSPN1	Goods Storage Cage WLL 1000kg
08-CSPN2	Goods Storage Cage WLL 2000kg

SITE BOX - HEAVY DUTY

- Heavy duty side handles
- Forklift lugs allow for it to be lifted and moved easily
- Manufactured from steel
- Flip up door lid with gas strutes
- Castor wheels for manoeuvrability
- Colour: Yellow



CODE	DESCRIPTION
40-HDSBOXL	1200mm W x 760mm D x 800mm H
40-HDSBOXM	965mm W x 575mm D x 570mm H

HEAVY DUTY CRANE BIN

- Heavy duty construction suits waste in manufacturing and construction sites
- 4-way entry fork pockets
- Crane lugs for both lifting and upending load
- Multiple bins can be nested for storage and transport when not in use
- Galvanised finish
- Working Load Limit (WLL) 2000kg, 5000kg
- Fork Pocket Size: 160mm x 75mm, 175mm x 95mm (64-WCH23X9)
- Fork Pocket Centres: 450mm (64-WCB9X11, 64-WCB9X17), 790mm (64-WCB9X23, 64-WCH23X9)





CODE	DESCRIPTION
64-WCB9X11	2T Heavy Duty Crane Bin - 0.85m³ (1156mm W x 1156mm L) - 162kg
64-WCB9X17	2T Heavy Duty Crane Bin - 1.3m³ (1716mm W x 1156mm L) - 240kg
64-WCB9X23	2T Heavy Duty Crane Bin - 2.5m³ (2316mm W x 1516mm L) - 335kg
64-WCH23X9	5T Heavy Duty Crane Bin - 2.4m³ (2300mm W x 1500mm L) - 585kg

SELF DUMPING BIN

- Heavy duty construction suits waste in manufacturing and construction sites
- Multiple bins can be nested for storage and transport when not in use
- Optional wheel kit (2 swivel, 2 fixed 150mm diameter wheels) on request
- 4-way entry fork pockets
- Crane lugs for both lifting and upending load
- Galvanised finish
- Working Load Limit (WLL) 1500kg
- Size: 1310mm (L) x 1200mm(W) - 64-SDB12, 1910mm (L) x 1800mm(W) - 64-SDB18
- Fork Pocket Size: 180mm x 75mm
- Fork Pocket Centres: 630mm



CODE	DESCRIPTION
64-SDB12	Galvanized Self Dumping Bin - 1.25m³ (205kg)
64-SDB18	Galvanized Self Dumping Bin - 1.85m³ (245kg)

WHEELIE BIN - 660L

WHEELIE BIN

- 660 litre wheelie bin suits high volume waste and recycling
- 4 swivel wheels, 2 fitted with brakes for manoeuvrability around the workplace
- 2 large handles on each side
- Strong and sturdy design
- Smooth inner walls for ease in emptying & cleaning
- Resistant to acid, alkali, corrosion and durable to withstand impact
- Size: 1370mm (L) x 780mm(D) x 1240mm (H)
- Weight: 42kg
- Colour: Green



CODE
64-W660B

WHEELIE BIN WITH ROTATOR BASE

- Ideal for building site clean up as it fits through standard doorways
- 660 litre wheelie bin suits high volume waste and recycling
- Fork pockets allow emptying by a forklift with rotator attached
- 4 swivel wheels, 2 fitted with brakes for manoeuvrability around the workplace
- 2 large handles on each side
- Resistant to acid, alkali, corrosion and durable to withstand impact
- Zinc finish rotator base / HDPE Bin
- Size: 1370mm (L) x 780mm(D) x 1246mm (H)
- Weight: 72kg
- Colour: Green
- Fork Pocket Size: 160mm x 60mm
- Fork Pocket Centres: 365mm



CODE
64-660PRB

ARMORGARD RUBBLE TRUCK

Ergonomically designed for maximum performance and efficiency, the Rubble Truck pulls on an array of unique features to create an indispensable onsite companion.

Our multi-purpose Rubble Truck features an in-built tipping feature, ideal for handling waste and rubble, a huge 400 litre capacity scoop, extra strength crane lift eyes and solid rubber wheels. When the day's over the Rubble Truck's unique stackable design means you can maintain a working space that's safe and clutter free.





ARMORGARD TRUCK RT400

- Multi-purpose Rubble Truck features an in-built tipping feature.
- Ideal for handling materials, waste and rubble
- Durable welded crane lifting eyes
- Unique stackable design
- Solid rubber wheels
- Robust construction using 2mm steel, engineered for heavy use.
- Huge 400 litre capacity scoop
- Close attention to detail sets it apart
- 750kg weight loading capacity
- Rubber side protection buffer.
- Internal dimensions: 675x1330x650mm
- External dimensions (including protrusions): 760x1460x855mm
- Weight: 88.5kg
- Colour : Black GreyRAL 7021
- Finished coating: Powder coated steel
- Material: Steel
- Material thickness 2mm
- Sump capacity 400L

CODE	DESCRIPTION
40-RT400	Armorgard Rubble Truck RT400

ARMORGARD RUBBLE TRUCK LID ONLY

- Heaped lid to fit the Rubble Truck RT400 to prevent items inside falling out
- Slots for lifting eyes allow the RubbleT ruck to be safely lifted with the lid on
- The lid can't be removed while hooks are attached to the lifting eyes.
- Increases capacity by 160 litres
- Internal dimensions: 210x580x1400mm
- External dimensions (including protrusions): 260x770x1405mm
- Weight: 19kg
- Colour: Pillar Box Red RAL 3020
- Finished coating: Powder coated steel
- Material: Steel
- Material thickness: 1.5mm

CODE	DESCRIPTION
40-RTHL	Armorgard Rubble Truck Lid only

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

372 SITE BOXES, HANDLING EQUIPMENT & SECURITY

BRASS PADLOCK

- Comes with 2 keys
- Hardened chrome shank
- Keyed alike
- Size: 50mm
- Qty: 6 per pack

Note: Every pack of 6 Locks are keyed alike, but uniquely keyed to the 6 locks only



CODE	SIZE
41-50HDPLKA	50mm - 6 pack

SECURITY CHAIN

- Galvanised
- 10mm link thickness x 12m
- Weight: Approx. 25kg



CODE	SIZE
41-10SC	10mm gauge

PLAN ORGANISERS

PLAN TROLLEYS

- 20 clamp capacity
- With heavy duty castors



CODE	SIZE
09-PTRA0	A0 Size - 1350(H) x 760(W) x 620(D)
09-PTRA1	A1 Size - 1050(H) x 760(W) x 620(D)

PLAN CLAMPS

- Capacity - 100 sheets
- Combined carry handle/hanging hook in cast alloy
- Handle is balanced at pivot point for ease of placement in trolley
- Clamps are anodised aluminium



CODE	SIZE
09-PCA0	A0 965mm Length
09-PCB1	B1 800mm Length
09-PCA1	A1 665mm Length

TEMPORARY SITE POWER BOARDS

Temporary site power boards deliver safe and reliable temporary power to construction and demolition contractors on site, where no existing usable power source exists. Available in a range of outlet configurations, these portable electrical boards come with 10A or 15A outlets in single phase or 3 phase versions, and are fully compliant with compliant with:

- AS/NZS 3000 Electrical installations (Australian/New Zealand Wiring Rules)
- AS/NZS 3012:2010 Electrical installations: construction and demolition sites
- AS/NZS 61009 Residual current operated circuit-breakers with integral overcurrent protection

This provides the electrical contractor peace of mind that they are satisfying their regulatory requirements. With highly visible and lockable orange powder coated housings, these temporary electrical power boards help to ensure safe connections on site.

TEMPORARY INDOOR POWER BOARD WITH 6 OUTLETS


- Auxiliary socket outlet panel (ASOP) supplied with 6 individual 10A plug outlets
- Designed for indoor use. IP22 rated box protects against objects larger than 12.5mm, and dripping water up to 15 degrees from the vertical
- Steel enclosure powder coated in X15 orange ripple finish
- Prewired and labelled (no neutral and earth bar fitted – includes earth stud)
- Wall mountable design
- 20A 30mA 2P RCD - residual circuit breaker with overcurrent protection
- Supplied with padlock for circuit breaker
- Dimensions: 460mm wide x 235mm high x 100mm deep



CODE	DESCRIPTION
82-ISOU	Temporary Indoor Power Board with 6 Outlets

TEMPORARY OUTDOOR POWER BOARD WITH 6 OUTLETS

- Auxiliary socket outlet panel (ASOP) supplied with 6 individual 10A plug outlets
- Designed for outdoor use. IP23 rated box protects against objects larger than 12.5mm, and rain/water spray at angles up to60 degrees from the vertical
- Steel enclosure powder coated in X15 orange ripple finish
- Prewired and labelled (no neutral and earth bar fitted – includes earth stud)
- Wall mountable design
- 20A 30mA 2P RCD - residual circuit breaker with overcurrent protection
- Supplied with padlock for circuit breaker
- Dimensions: 400mm wide x 230mm high x 125mm deep



CODE	DESCRIPTION
82-OSOU	Temporary Outdoor Power Board with 6 Outlets

SINGLE PHASE TEMPORARY SITE POWER BOARD WITH 4 X 10A OUTLETS

- Supplied with 4 individual 10A plug outlets configured as 2 x 10A double outlet panels
- Heavy duty lockable metal enclosure with mounting brackets, powder coated in X15 orange ripple finish
- IP23 rated box protects against objects larger than 12.5mm, and rain/water spray at angles up to 60 degrees from the vertical
- Workcover compliant
- Complies with AS/NZS 3000 Wiring Rules, AS/NZS 3012, AS/NZS 61009
- Nominal operational voltage 240V AC
- Fully wired and labelled with Australian industry standard text
- Battery tray and cable supports included with provision for wall mounting if desired
- Supplied with sturdy metal stand for easy access on site
- Enclosure dimensions 300mm wide x 300mm high x 250 mm deep
- Overall dimensions including stand 500mm wide x 1800mm high x 250 mm deep
- Weight: 18kg



Special order only

CODE	DESCRIPTION
82-HTPSB2*	Hinged Type 300 Includes 2X10A DGPO. Fitted to stand

3 PHASE TEMPORARY SITE POWER BOARD WITH 10 X 10A OUTLETS, 1 X 15A OUTLET, 1 X 32A OUTLET

- Supplied with 4 individual 10A plug outlets configured as 2 x 10A double outlet panels
- Heavy duty lockable metal enclosure with mounting brackets, powder coated in X15 orange ripple finish
- IP23 rated box protects against objects larger than 12.5mm, and rain/water spray at angles up to 60 degrees from the vertical
- Workcover compliant
- Complies with AS/NZS 3000 Wiring Rules, AS/NZS 3012, AS/NZS 61009
- Nominal operational voltage 240V AC
- Fully wired and labelled with Australian industry standard text
- Battery tray and cable supports included with provision for wall mounting if desired
- Supplied with sturdy metal stand for easy access on site
- Enclosure dimensions 300mm wide x 300mm high x 250 mm deep
- Overall dimensions including stand 500mm wide x 1800mm high x 250 mm deep
- Weight: 18kg



CODE	DESCRIPTION
82-HTPSB6	Hinged Type 500 Includes 5X10A DGPO, 1XSGPO 15A. Fitted to stand

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

374 ELECTRICAL EQUIPMENT & TORCHES

LED TWIN WORKLIGHT WITH TRIPOD



- Pair of LED Worklights
- Height: 1.6m tripod
- Available in 30W and 50W

CODE	DESCRIPTION
40-WL30WT	Ultracharge Worklight 2x30W LED on 1.6m Tripod
40-WL50WT	Ultracharge Worklight 2x50W LED on 1.6m Tripod

10AMP PORTABLE POWER OUTLET



- 4 outlet Power block
- Individual switches
- Safety switch and circuit breaker protected

CODE
82-PPOT

15AMP PORTABLE POWER OUTLET



- Impact resistant plastic construction
- RCD protection
- 3 X 10A - 2 x 15a sockets and 15A plug
- USB port x 2 (2.1A total)
- Individual switches for all sockets
- AC silicone socket covers
- Plug fastener

CODE
40-PP015A

HEAVY DUTY EXTENSION LEADS

- 15 Amp lead, 10 Amp pin and plug.
- Core thickness 3 x 1.5mm flexible heavy duty lead
- SAA approved
- Length: 30m



CODE
82-30EL15/10

TWIN FLOODLIGHT ON STAND



- 500W
- Waterproof with safety guard
- Height: extends up to 1.8m

CODE
82-TF500

PORTABLE FLOODLIGHT



- 500W
- Waterproof with safety guard

CODE
82-PF500

500W HALOGEN GLOBE REPLACEMENT

- 240 Volt - 500W
- Tungsten Halogen Lamp



CODE
82-500WHG





ZAP CAP EXTENSION LEAD WATERPROOF SAFETY COVER

- Meets and exceeds the industry standards for maintaining a watertight seal when in use Clear cover with rubber gasket for an excellent seal
- Measures 275 mm long x 165 mm wide x 63 mm high
- Ideal for pressure washing and wet power tools
- Bright orange is easily visible on site
- Made from engineered thermoplastic
- Prevents unintentional disconnects
- International IP66 Approved



CODE
82-ZAPC

ELECTRICAL LEAD STANDS

The Lead Stand is adjustable, portable, highly visible and very stable. The polypropylene top is non-conductive and can hold up to 10 leads.

Essential for keeping power leads out of the way on site, lead stands are ideal for areas where extension cords can present a trip hazard or electrical hazard. This lead stand adjusts up to 2.5 metres on a telescopic stem, and carries up to ten leads.

Adjustable

From 1.3m to 2.5m

Portable


Stem is telescopic and base can be removed for easy handling
Round shaped base for maximum mobility on site.

Visible

Highly visible yellow powder coated colour for easy identification on site.

Multipurpose hook

Polypropylene hook is non conductive and can take up to cables/hoses up to 30mmØ.




CODE
82-LESTDM

LEAD HOOKS

The Multipurpose hook is a non-conductive, strong plastic lead hook, ideal for electrical leads, cables, hoses and much more.
Versatile design fits over doors, walls and almost anything.
Holds up to 8 leads and up to 50mm cables.
Qty: 20/pack

- Hook Dimensions:
- Width: 100mm
- Height: 10mm
- Length: 240mm






CODE
82-LHOR

LEAD STAND REPLACEMENT TOPS

- Polypropylene top is non-conductive
- Holds up to 10 leads
- Pack of 5



CODE	PACK
82-LESRT	Pack of 5

6KG RUBBER BASES

Rubber bases used to weigh down Electrical Stands and T-Top bollards



CODE	TYPE
16-TBASE6	6kg Base

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

BATTERIES

ENERGIZER INDUSTRIAL ALKALINE BATTERIES



CODE	QUANTITY	SIZE
17-AAAB	24 Pack	AAA
17-AAB	24 Pack	AA
17-CB	12 Pack	C
17-DBE	12 Pack	D
17-9VB	12 Pack	9V

6 VOLT BATTERY



CODE	
17-6VBAT	24

PORTABLE APPLIANCE TESTER

- 1 touch button
- Fully portable - mains or battery operated
- Continuous self test monitoring
- Single press DC testing
- Drop proof/weather proof housing
- 2 year warranty





CODE
82-PAPT

INTERLOCKING FLIP TOP CABLE COVER

- Incorporate three (3) 65 x 65mm cavities/channels.
- Ideal for electrical cables, hoses and much more. Interlocking design with non skid flip top designed to handle light vehicle and pedestrian traffic
- Protect multiple cables from pedestrian, car and truck traffic
- Pre-drilled screw holes allow for easy anchoring for permanent install if needed
- Made from heavy duty, commercial grade rubber
- Size: 900mm L x 75mm H x 600mm W
- Load Capacity: 20 Tonne Per Axle







Large ground nails also available. Please enquire.

CODE
84-CABC

APPLIANCE TEST TAGS

- Mixed colours or one colour
- Heavy Duty outdoor vinyl
- Easy to write on and writing is protected by clear over laminate

Custom tags Available.

MONTH	COLOUR	CODE
JANUARY	RED	82-ATTGR
FEBRUARY	BLUE	82-ATTGB
MARCH	ORANGE	82-ATTGO
APRIL	GREEN	82-ATTGG
MAY	WHITE	82-ATTGW
JUNE	YELLOW	82-ATTGY
JULY	BLUE	82-ATTGB
AUGUST	GREEN	82-ATTGG
SEPTEMBER	RED	82-ATTGR
OCTOBER	YELLOW	82-ATTGY
NOVEMBER	ORANGE	82-ATTGO
DECEMBER	WHITE	82-ATTGW

CODE	COLOUR
82-ATTG	Individual Colours
82-ATTGM	Mixed Colours



TORCHES

LED Lantern delivers a light output of 200 lumens and a beam distance of 250 metres. It has improved battery efficiency with over 65 hours runtime. It's tough, waterproof and floats.

- Impact resistant
- Waterproof
- Tough: polyethylene construction survives a 1 metre drop test
- Floats: for easy recovery
- Convenient: Anti-roll shape; recessed push button to avoid switching on the lantern accidentally
- Comfortable: rubber handle for firmer grip and improved comfort
- 200m+ beam distance
- 200 Lumens (twice as bright as previous MK6 LED model)
- 65 hours run time
- Power Source: 6V battery (not included)
- Weighs 535g without batteries
- Dimensions 130 x 130 x 200 mm



CODE
17-DOLPHIN

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

POWERLITE PETROL GENERATORS

Quality generators using low harmonic distortion alternators, mounted in a powder coated heavy duty frame, which provides an attractive low maintenance solution to your power needs. Powered by genuine Honda engines.

5,600W PETROL POWERLITE GENERATOR


- Industry rating: 6 kVA
- Real Power: 5,600 watts
- 11hp Honda, petrol engine
- Single phase
- Recoil start
- Earth leakage/main circuit breaker (RCD) protection
- 2 weatherproof socket outlets
- Powder coated heavy duty wheel and handle
- Tank Litres: 6.5
- Fuel litres per hour: 2.5
- Weight: 79 kg
- Dimensions: 760x500x540



CODE
41-GPH60

6,800W PETROL POWERLITE GENERATOR

- Industry rating: 8 kVA
- Real Power: 6,800 watts
- 13hp Honda petrol engine
- Single phase
- Recoil start
- Earth leakage/main circuit breaker (RCD) protection
- 2 weatherproof socket outlets
- Powder coated heavy duty wheel and handle
- Tank Litres: 6.5
- Fuel litres per hour: 2.5
- Weight: 76 kg
- Dimensions: 860 x 500 x 540mm



CODE
41-GPH80

CROMTECH GENERATOR 6.0KW DIESEL AVR E-START

General use for onsite power for tradies. An automatic voltage regulator (AVR) automatically maintains power output for stable performance. The large fuel tanks provide hours of operation before refuelling.



CODE	DESCRIPTION
41-CDG6	Cromtech Generator 6.0kW Diesel AVR E-Start

M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT

What's included:
- (1) M18 FUEL™ 1/2" High Torque Impact Wrench with Pin Detent (Tool Only)
- (Not included) Battery and charger



What's included:
- M18 FUEL™ 1/2" High Torque Impact Wrench with Pin Detent (Tool Only)
- (2) M18™ 5.0Ah REDLITHIUM™-ION Extended Capacity Battery
- M12™ & M18™ Rapid Charger



CODE	DESCRIPTION
41-M18FHIW2P120	M18 High Torque Impact Wrench Tool Only

CODE	DESCRIPTION
41-M18FHIW2P12502C	M18 FUEL Impct Wrench Detent 5Ah Kit

M18 FUEL™ 1/2" IMPACT WRENCH WITH FRICTION RING

What's included:
- 1) M18 FUEL™ 1/2" Impact Wrench w/ Friction Ring (Tool only)
- (1) Belt Clip
- (Not included) Battery and charge



What's included:
- M18 FUEL™ 1/2" Impact Wrench with Friction Ring (Tool only)
- (2) M18™ 5.0Ah REDLITHIUM™-ION Extended Capacity Battery
- M12™ & M18™ Rapid Charger



CODE	DESCRIPTION
41-M18FIW2F12-0	M18 FUEL 1/2 Square Drive Impact Wrench

CODE	DESCRIPTION
41-M18FIWP12-502C	M18 FUEL Impct Wrench Detent 5Ah Kit

M18 FUEL™ 1/4" HEX IMPACT DRIVER

What's included:
- (1) M18 FUEL™ 1/4" Hex Impact Driver (Tool Only)
- (1) Belt Clip
- (1) Bit Holder
- (Not included) Battery and charger



What's included:
- (1) M18 FUEL™ 1/4" Hex Impact Driver (Tool Only)
- (2) M18™ 5.0Ah REDLITHIUM™-ION Battery
- (1) M18™ & M12™ Rapid Charger
- (1) Carrying Case
- (1) Belt Clip
- (1) Bit Holder



CODE	DESCRIPTION
41-M18FID30	M18 GEN3 FUEL 1/4 HEX Impact Driver

CODE	DESCRIPTION
41-M18FID3502C	M18 GEN3 FUEL 1/4 HEX Impact Driver 5.0 Kit

M18 FUEL™ 13MM HAMMER DRILL/DRIVER

What's included:
- (1) M18 FUEL™ 13mm Hammer Drill/Driver (Tool Only)
- (1) Belt Clip
- (1) Bit Holder
- (1) Side Handle
- (Not included) Battery and charger



What's included:
- M18 FUEL™ 13mm Hammer Drill/Driver (Tool only)
- M18 FUEL™ 1/4" Hex Impact Driver (Tool Only)
- (2) M18™ 5.0Ah REDLITHIUM™-ION Extended Capacity Battery
- M12™ 2.0Ah REDLITHIUM™-ION Compact Battery Pack
- M12™ & M18™ Rapid Charger



CODE	DESCRIPTION
41-M18FPD2-0	M18 FUEL 13mm Hammer Drill/Driver Tool only

CODE	DESCRIPTION
41-M18FPP2AA3-502C	M18 FUEL™ 2 Piece Power Pack

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

M18 FUEL™ 26MM SDS PLUS ROTARY HAMMER

What's included:
- (1) M18 FUEL™ 26mm SDS Plus Rotary Hammer Kit
- (1) Side Handle
- (1) Depth Rod



Tool Only

What's included:
- M18 FUEL™ 26mm SDS Plus Rotary Hammer (Tool Only)
- (2) M18™ 5.0Ah REDLITHIUM™-ION Extended Capacity Battery
- M12™ & M18™ Rapid Charger



Hammer Kit

CODE	DESCRIPTION
41-M18FH-0	M18 FUEL™ Rotary Hammer 2.7J Maxmm - Tool only
41-M18FH-602C	M18 FUEL™ Rotary Hammer 26mm 6.0ah Kit
41-M18FHP-0	M18 FUEL™ 28 mm SDS Plus Rotary Hammer with ONE-KEY™ Skin
41-M18FHP-802C	M18 FUEL™ 28 mm SDS Plus Rotary Hammer with ONE-KEY™ Kit

M18 FUEL™ 125MM (5") ANGLE GRINDER WITH DEADMAN PADDLE SWITCH

What's included:
- (1) M18 FUEL™ 125 mm (5") Angle Grinder with Deadman Paddle Switch
- (1) Anti-Vibration Side Handle
- (1) 125 mm (5") Type 27 Guard
- (1) Type 1 Clip-On Guard
- (1) Backing Flange
- (1) Spanner Wrench
- (2) Vent Clips
- (Not included) Battery and charger



Tool Only

What's included:
- M18 FUEL™ 125 mm (5") Angle Grinder with Deadman Paddle Switch (Tool Only)
- (2) M18™ 5.0Ah REDLITHIUM™-ION Battery
- M12™ & M18™ Rapid Charger



Grinder Kit

CODE	DESCRIPTION
41-M18FAG125XPD-0	M18 FUEL 125mm Angle Grinder w/ Switch Tool Only

CODE	DESCRIPTION
41-M18FAG125XPD-502	M18 FUEL 125mm Angle Grinder w/ Switch Kit

M18™ JOBSITE RADIO/CHARGER (TOOL ONLY)

What's included:
- (1) M18™ Jobsite Radio/Charger (Tool only)
- (2) AAA Batteries
- (1) Auxiliary Input Cord
- (Not included) M12™/M18™ Battery and charger



CODE	DESCRIPTION
41-M18RC-0	M18 Milw Radio Charger Tool only

M18™ DUAL POWER TOWER LIGHT (TOOL ONLY)

What's included:
- (1) M18™ Dual Power Tower Light (Tool Only)
- (Not included) Battery and charger



CODE	DESCRIPTION
41-M18DSAL-0	M18 Dual Powered Stand Light 2500 lumens

M18 FUEL™ 3 PIECE POWER PACK 3A2

- **What's included:**
- M18 FUEL™ 13mm Hammer Drill/Driver (Tool only)
- M18 FUEL™ 1/4" Hex Impact Driver (Tool Only)
- M18 FUEL™ 125mm (5") Angle Grinder (Tool only)
- (2) M18™ 5.0Ah REDLITHIUM™-ION Extended Capacity Battery
- M12™ & M18™ Rapid Charger



CODE	DESCRIPTION
M18FPP3L2-502B	M18 GEN3 FUEL 3Pc - Kit

M18™ FUEL™ 8 PIECE POWER PACK 8A2

- **What's included:**
- M18 FUEL™ 13mm Hammer Drill/Driver (Tool only)
- M18 FUEL™ 1/4" Hex Impact Driver (Tool Only)
- M18 FUEL™ 26mm SDS Plus Rotary Hammer (Tool Only)
- M18 FUEL™ 125mm (5") Angle Grinder (Tool only)
- M18 FUEL™ 165mm Circular Saw (Tool only)
- M18 FUEL™ SAWZALL™ Reciprocating Saw (Tool only)
- M18™ LED Work Light (Tool only)
- M18™ Jobsite Radio/Charger (Tool only)
- (3) M18™ 5.0Ah REDLITHIUM™-ION Extended Capacity Battery
- M12™ & M18™ Rapid Charger



CODEV	DESCRIPTION
41-M18FPP8A4503B	M18 FUEL 8 Piece Power Pack 8A2 Kit

M18 FUEL™ 6 PIECE POWER PACK 6A2

What's included:

- M18 FUEL™ 13mm Hammer Drill/Driver (Tool only)
- M18 FUEL™ 1/4" Hex Impact Driver (Tool Only)
- M18 FUEL™ HACKZALL™ Reciprocating Saw (Tool Only)
- M18 FUEL™ 125mm (5") Angle Grinder (Tool only)
- M18 FUEL™ 165mm Circular Saw (Tool only)
- M18™ Cordless Compact Blower (Tool only)
- (3) M18™ 5.0Ah REDLITHIUM™-ION Extended Capacity Battery
- M12™ & M18™ Rapid Charger
- TICK™ Tool and Equipment Tracker



CODE	DESCRIPTION
41-M18FPP6A3-503B	M18 FUEL 6Pce Kit

M18 CORDLESS COMPACT BLOWER (TOOL ONLY)

What's included:

- (1) M18 BBL M18™ Compact Blower (Tool only)
- (1) 200mm Nozzle
- (1) 230mm Nozzle extension
- (1) Universal inflator/deflator attachment



CODE	DESCRIPTION
40-M18BBL-0	M18 Milw Cordless Blower - Tool only

M18™ FUEL™ BLOWER (TOOL ONLY)

What's included:

- (1) M18™ Fuel™ Blower (Tool only)



CODE	DESCRIPTION
41-M18FBLG30	M18 FUEL Gen 2 Blower Skin

M18™ SIX PACK SEQUENTIAL CHARGER

What's included:

- (1) M18™ Six Pack Sequential Charger
- (Not included) Battery



CODE	DESCRIPTION
41-M1418C6	Milw 18V 6 Bay Charger Pack

M12™ & M18™ RAPID CHARGER

What's included:

- (1) M12™ & M18™ Rapid Charger
- (Not included) Battery



CODE	DESCRIPTION
41-M12-18FC	Milw 12V/18V Dual FAST Charger Tool only

M18™ REDLITHIUM™-ION HIGH OUTPUT BATTERY



CODE	DESCRIPTION
41-M18FBL-0	Mil M18 12.0Ah HP REDLITHIUM-ION Battery
41- M18FB8	Mil M18 8.0Ah HP REDLITHIUM-ION Battery
41-M18HB6	Mil M18 6.0Ah HP REDLITHIUM-ION Battery
41-M18B5	Mil M18 5.0Ah HP REDLITHIUM-ION Battery

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

M18 FUEL SAWZALL™ RECIPROCATING SAW (TOOL ONLY)

What's included:

- (1) M18 FUEL™ SAWZALL™ Reciprocating Saw (Tool only)
- (1) Blade
- (Not included) Battery and charger



CODE	DESCRIPTION
M18CSX2-0	M18 FUEL B/less Sawzall Recip Saw skin

M18 FUEL BARREL GRIP JIGSAW (TOOL ONLY)

What's included:

- (1) M18 FUEL™ Barrel Grip Jigsaw (Tool Only)
- (1) Anti-Splinter Guard
- (1) Dust Collection Tube
- (1) Dust Cover
- (1) General Purpose Jigsaw Blade
- (1) Hex Wrench
- (1) LED Cover
- (1) Shoe Guard
- (Not included) Battery and charger



CODE	DESCRIPTION
41-M18FBJS-0	M18 FUEL Barrel Grip Jigsaw- Tool Only

M18 184MM CIRCULAR SAW (TOOL ONLY)

What's included:

- (1) M18 FUEL™ 184mm Circular Saw (Tool Only)
- (1) Blade
- (1) Rip Fence
- (1) Wrench
- (Not included)
- Battery and charger



CODE	DESCRIPTION
41-M18FCS66-0	M18 FUEL High Performance 184mm Circular Saw

M18 FUEL™ 165MM CIRCULAR SAW (TOOL ONLY)

What's included:

- (1) M18 FUEL™ 165mm Circular Saw (Tool only)
- (1) 165mm Circular Saw Blade
- (1) Blade Wrench
- (Not included) Battery and charger



CODE	DESCRIPTION
41-M18FCS552-0	M18 FUEL High Performance 184mm Circular Saw

M18 CORDLESS 2-SPEED GREASE GUN (TOOL ONLY)

What's included:

- (1) M18™ Cordless 2-Speed Grease Gun (Tool only)
- (1) High Pressure Grease Coupler
- (Not included) Battery and charger



CODE	DESCRIPTION
41-M18GG-0	M18 2 Speed Cordless Grease Gun - Skin
41-M18GG-201B	M18 2 Speed Grease Gun Kit

M18 CORDLESS 600ML SAUSAGE STYLE CAULK GUN KIT

What's included:

- M18™ Cordless 600ml Aluminium Barrel Caulk and Adhesive Gun
- M18™ 2.0Ah REDLITHIUM™-ION Compact Battery
- M12™ & M18™ Rapid Charger



CODE	DESCRIPTION
41-C18PCG600A-201B	M18 Milw 600ml Caulking Gun - Kit

HUSQVARNA K970 DEMOLITION SAW

The ultimate choice when you need an all-round cutter performing in the toughest conditions, withstanding climate and fuel variations.

- Max cutting depth 155mm
- Max blade diameter 400 mm
- Max arbor diameter 25.4 mm
- Max blade thickness 5 mm
- Max peripheral speed 90 m/s
- Weighs 11.6kg
- Output power 4.8 kW, cylinder displacement 93.6 cm3
- Exhaust emissions (CO2 EU V)736 g/kWh
- Sound power level, guaranteed (LWA)115 dB(A)
- Vibrations left/front handle3.5 m/s2
- Vibrations right/rear handle4 m/s2
- Euro Test Certificate SEC/10/2286
- Blades sold separately



CODE	DESCRIPTION
41-K970	Husqvarna Demolition Saw 16 Inch - 94cc
41-967682101	K770 14" Power Cutter

MASTERPAC PETROL DRIVE

Masterpac Petrol Drive unit is fitted with a quick action coupling for quick and easy connection of a wide range of flexible shaft submersible pumps and concrete vibrators. Fitted with a Honda GX160 4 stroke motor.

Features:

- Honda GX160 petrol engine provides hassle-free operation
- 3-tooth drive coupling
- Compatible with most submersible pumps and concrete vibrators
- Dished steel base plate
- Longer service life
- Quick change vibrator coupling for easy operation



MASTERPAC®

CODE	DESCRIPTION
F01620	Drive Unit

MASTERPAC SUBMERSIBLE PUMP

Masterpac Submersible Pump is ideal for applications such as excavation pits, construction sites, dams, trenches, pier holes and swimming pools.

Features:

- 6 meters shaft
- Camlock hose fitting for tool-free and quick connection
- 3-Tooth Drive Coupling



MASTERPAC®

CODE	DESCRIPTION
MSPGP	Casing and Pump Head

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

18VX2 BRUSHLESS 230MM (9") POWERCUT KIT

Makita

The DCE090 is powered by an 18Vx2 Brushless Motor, combining cordless mobility with powerful performance. The DCE090 eliminates fumes and noise which are both health issues and risks faced by users when operating traditionally petrol powered Powercuts. The powerful 18Vx2 Brushless Motor provides a massive max. cutting depth of 88mm at a rapid 6,600rpm.

- Includes 2x 5.0Ah batteries & dual port rapid charger
- Active feedback sensors, shuts down the tool in the event of kickback
- Advanced safety protection with the electric brake and soft start
- Massive max. cutting depth of 88mm at a rapid 6,000rpm
- Water supply adaptor for water suppression during masonry cuts



SPECIFICATIONS

Max. Cutting Depth	**88mm**
No Load Speed	**6,600rpm**
Noise dB	**103dB**
Overall Length	**554mm**
Skin Weight	**5.1kg**
Vibration	**5.9m/s²**
Voltage	**18Vx2 (36v)**
Weight (with battery)	**6.3kg**
Wheel Diameter	**230mm (9")**

CODE
41-DCE090PT2

80V MAX (40VX2) BRUSHLESS 355MM (14") POWER CUT KIT

Makita

It's powered by two 40V Max XGT batteries for powerful performance. Makita's XGT technology provides a cordless solution for the jobsite, eliminating the noise and fumes of petrol alternatives, whilst providing heavy duty performance cutting up to 25% faster than the petrol equivalent.

- Includes: 2x 40V Max 8.0Ah Batteries (BL4080F) & Dual port rapid charger (DC40RB)
- Active feedback sensors, shuts down the tool in the event of kickback
- Advanced safety protection with the electric brake and extremely low vibration of only 2.0m/s²
- Massive max. cutting depth of 127mm at a rapid 5,300rpm
- Water resistance of IPX4 for increased protection against moisture ingress
- Water supply adaptor for water suppression during masonry cuts



SPECIFICATIONS

Max. Cutting Depth	**127mm**
No Load Speed	**5,300rpm**
Noise dB	**108.7dB**
Overall Length	**786mm**
Skin Weight	**10.3kg**
Vibration	**2.0m/s²**
Voltage	**80V Max (40Vx2)**
Weight (with battery)	**14.1kg (2x BL4080F)**
Wheel Diameter	**355mm (14")**

CODE
41-CE001GL203

40V MAX DUAL PORT RAPID CHARGER

- Rapid simultaneous charging of 2x 40V max XGT batteries
- Rapid charging system communicates data between battery and charger for optimum charging
- Equipped with dual cooling fans, cooling the battery & charging circuit for rapid charging
- Compatible with ADP10 adaptor (optional accessory) for charging 18V LXT batteries
- Large charging status indicator light & selectable full charge melody



SPECIFICATIONS

Charge Time	**50mins (BL4050F)**
	45mins (BL4040)
	28mins (BL4025)
	40mins (BL1860B using APD10)
Net Weight	**2.0kg**
Voltage	**40V Max**

CODE
41-191N15-3

40V MAX HIGH OUTPUT 8.0AH BATTERY

- Digital communication between the tool & battery for optimised performance
- Heavy duty cell casing significantly improves the batteries impact resistance
- Battery ventilation system maximises battery life
- Short circuit prevention structure protects terminals from dust and moisture
- 3-layer moisture protection shields cells from water ingress



SPECIFICATIONS

Cell Capacity	**8.0 Ah**
Charge Time	**76mins**
Energy Capacity	**288Wh**
Net Weight	**1.9kg**
Voltage	**40V Max**

CODE
41-191X65-8

FLEXTOOL PORTAVIBE® PORTABLE VIBRATOR

- The PortaVibe provides the solution to vibrating concrete with an easy to use portable unit. There is no need for electricity supply or separate drive units. The Honda four stroke motor provides hassle free operation and in comparison to a two-stroke motor uses less fuel, has reduced engine emissions and no need for mixed fuel.
- The unit is light and balanced, and is fitted with an adjustable handle and carry strap for user comfort and complete control.
- For vibrating slabs, footings, stairways and footpaths
- A convenient on/off switch and throttle control built into the handle.



CODE	DESCRIPTION
40-FT201807-UNIT	Flextool Portavibe Concrete Vibrator GX35 Honda

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

FLEXTOOL PETROL DRIVE UNIT

- Durable heavy duty motor protection frame.
- Dished steel base for easy mobility over concrete reinforcing mesh
- Petrol drive units are available with Honda four stroke motors. An oil level sensor is fitted to protect the motor from a lack of crankcase oil.
- Compatible with Flextool Submersible Pumps & Flexshaft Concrete Vibrators
- Lifting Hook for easy and safe on site handling
- Vibration Isolating Mounts
- Operating weight: 32kg
- Engine speed: 3,000rpm
- Engine model: Honda GX160
- Max rated power: 5.5HP
- Fuel type: Petrol



CODE	DESCRIPTION
40-FT201798-UNIT	Flextool Petrol Drive Unit 5.5hp Super

FLEXTOOL DIESEL DRIVE UNIT

- Fitted with a quick action coupling for quick and easy connection of a wide range of flexible shaft submersible pumps and concrete vibrators fitted with a 3-tooth drive coupling
- Heavy duty engine protection frames
- Crane lifting hook for easy and safe onsite handle
- Dished steel base for easy mobility over concrete reinforcing mesh
- Spring and rubber mounts for vibration isolation
- Quick action coupling
- Operating weight: 38kg
- Engine speed: 3,000rpm
- Engine model: Yanmar L48
- Max rated power: 4.8HP
- Fuel type: Diesel



CODE	DESCRIPTION
40-FT201800-UNIT	Flextool Diesel Drive Unit 4.8hp

FLEXTOOL GENERAL PURPOSE PUMP

- Flextool Pumps are highly efficient underwater units which are operated by a variety of portable drive units powered by petrol, diesel and electric motors.
- General purpose use on Excavations pits, Construction sites, Pier holes, Dams, Swimming pools, Trenches



CODE	DESCRIPTION
40-FT201801-UNIT	Flextool Flexdrive Pump GP 6m

FLEXTOOL CONCRETE VIBRATORS

The Flextool VP Series of Immersion Concrete Vibrators produce high frequency vibration allowing for the efficient compaction of low slump concrete mixes.

CONCRETE VIBRATOR - STEEL TIP



CODE	DESCRIPTION
40-FT201795-UNIT	Flextool Concrete Vibe Shaft 40mm X 6m
40-FT201796-UNIT	Flextool Concrete Vibe Shaft 50mm X 6m
40-FT201797-UNIT	Flextool Concrete Vibe Shaft 60mm X 6m
40-FT201791-UNIT	Flextool Concrete Vibe Shaft 60mm X 9m

CONCRETE VIBRATOR - RUBBER TIP



CODE	DESCRIPTION
40-FT201790-UNIT	Flextool Concrete Vibe Shaft RT 60mm X 9m

FLEXTOOL FORWARD PLATE COMPACTOR

The FCP-87B Forward Plate Compactor is suitable for a wide range of compaction applications. It is highly portable, easily manoeuvrable and delivers excellent compaction results.

- Solid, high strength steel base plates with curved edges
- Heavy duty handle mounts reduce operator fatigue
- Central lifting hook for easy and safe onsite handling
- Side lifting handles conveniently placed on steel base
- Fold over handles for easy transport and storage



CODE	DESCRIPTION
40-FT201806-UNIT	Flextool Forward Plate Compactor 87kg

MIKASA RAMMER

- Reliable 4-stroke engines deliver low emissions and noise
- Superior four stage air filtration system for engine protection
- Heavy duty handle mounts reduce operator fatigue
- Handle roller for easy loading into vehicles
- Central lifting hook for easy and safe onsite handling
- Ability to lie down to 90˚ for transport
- Side guards for engine protection
- Hour meter and Rev meter
- Larger fuel tanks
- Cylonic Air Filtration
- Shock resistant plastic covers for engine protection
- Generates 13.6kN impact force



CODE	DESCRIPTION
40-FT2TX60E-UNIT	Mikasa Upright Rammer 64kg Honda GX100

FLEXTOOL TROWEL BLADES - COMBINATION

Combination blades are designed for operators who wish to use one blade for both floating and finishing applications. During the initial stages of power trowelling the blade is set flat and is used for floating, as the slab firms up the blade pitch is increased to produce a smooth finish.



CODE	DESCRIPTION
40-FT201821-UNIT	Flextool Combination Blade 185x320mm
40-FT201822-UNIT	Flextool Combination Blade 195x370mm
40-FT220479-UNIT	Flextool Power Trowel Combination Blades 205x355mm
40-FT220480-UNIT	Flextool Power Trowel Combination Blades 205x455mm

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

OXYGEN/ACETYLENE COMPLETE KIT

Complete kit for Oxy/Acetylene gas cutting & brazing.

- 1 x Robust Stainless Steel Tool Box
- 1 x Oxygen Regulator
- 1 x Acetylene Regulator
- 1 x Set of 4 Flashback Arrestors
- 1 x 10m Hose Set
- 1 x Blowpipe handle
- 1 x Cutting Attachment
- 3 x Cutting Tips
- 1 x Brazing Mixer
- 3 x Brazing Tips
- 1 x Tip Cleaners set
- 1 x Flint Lighter
- 1 x Combination Circle/Roller Guide
- 1 x Shade 5 Oxy Specs
- 1 x Multi-purpose Spanner

CODE	SIZE
40-OXYK	Oxygen/Acetylene Kit



WELDING RODS (ELECTRODES)

Suitable to use in welding of dynamically loaded machinery, steel construction, bridge, pipe and pipeline construction, tank, pressure vessel and shipbuilding. Welds are of X-ray quality.

- All Position
- Stable Arc
- Minimal Spatter
- Easy to Control Weld Deposition
- Easy Slag Removal

CODE	SIZE
40-16TC25	Welding Rods 2.5mm 16TC
40-16TC32	Welding Rods 3.2mm 16TC
40-16TC40	Welding Rods 4.0mm 16TC



WELDERS GLOVES

Traditional black and gold welders gloves. Ideal for all welding applications including pipes, structures and steel fabrications.

- Colour: Black/Gold
- One size fits all
- Size 40cm long

CODE
31-40BG



WELDING SCREEN CURTAIN ONLY

Protect your co-workers and passers by from accidental welding flash, sparks and other hazardous welding by products. Welding screens provide good protection against the hazards generated by welders whether on the job site or in the workshop or depot.

- Curtain only (also available as a kit with a frame, see code 40-03235K)
- Measures 1.8 metres x 2 metres
- Eyelets for easy fitting to a frame
- Great for maintenance work and other temporary applications
- Tough and designed for industrial applications
- Red is easily visible on site

CODE	SIZE
40-1820R	Welding Screen Curtain Only| 1.8 x 2m Red



LPG BURNER TORCH KIT

- Unique hose/handle swivel connection eliminates hose torsion/ twisting & improves operator comfort
- On/off/control needle valve Lever/ trigger valve
- Pilot flame adjustment
- Metal and pre-weld heating
- Heating bitument/ashphelt, line marking, curing concrete
- Drying, thawing
- Vegetation burn-off, weed burning
- Shrink-wrapping Roofing & water-proofing, etc

CODE
40-LPGBT



CRC 5.56 MULTI-PURPOSE

Superior penetrating power that breaks through rust and corrosion, freeing components bonded scale and dirt.

- Eliminates the need for many disassembly operations.
- Silences annoying squeaks and squeals
- Protects metals against corrosion including high humidity/salt air due to environmental exposure
- Moisture eliminator for wet equipment
- 400g



CODE
37-100003

LUBRICANTS

MULTI-USE

- Water dispersing, lubricating and penetration fluid
- 300g Net



CODE
41-300WD

12

WD-40 HIGH PERFORMANCE SILICONE

- Non-staining
- Won't attract dirt
- Protects against moisture
- Suitable for metal, plastic, wood and rubber
- Can be used on pressure equipment
- Suitable in extreme temperatures -40˚C to 200˚C
- 300g with Smart Straw



CODE
41-300HPS

LUBEX GREASE EP2

- NL GI Grade - 2
- Thickener type - Lithium Complex
- Very good water resistance
- 450g

BLACK EP2

Molybdenum fortified extreme pressure grease for shock, vibration and high load. Also used in CV joints.



CODE	SIZE
41-LUBK450	450gsm

20

BLUE EP2

High performance extreme pressure, multi-purpose and high temperature wheel bearings/chassis.



CODE	SIZE
41-LUBL450	450gsm

20

LANOTEC HEAVY DUTY LANOLIN

- Long-lasting lubrication of moving parts in highly-corrosive environments
- Biodegradable, non-toxic and marine grade
- Suitable for wire ropes slings, cable pulling, high-speed and load-bearing chains (X & O ring), pulleys, blocks and swivels
- Protects electrical components and connectors including battery terminals
- • 750mL spray



CODE
41-LHDL

ARMORALL MULTI-PURPOSE CLEANER

- Powerful cleaning for automotive surfaces including mats, carpet, door panels, dashboards, vinyl/fabric seats
- Tough on grease, ground-in dirt and road grime on bumpers, grills and engine surfaces
- Will not dry or fade automotive surfaces
- Size: 500mL



CODE
74-AAC

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

390 LUBRICANTS & CLEANERS

TRUCK WASH

Truck Wash is a blue liquid detergent based on a blend of biodegradable surfactants and metal complexing agents. It is capable of grease cutting, soil removal and cleaning most washable surfaces effectively at a low cost price. Truck Wash is biodegradable, low phosphate, non-corrosive, non-caustic, residual-free and non-flammable.
Truck Wash is suitable for Trucks, cars and Boats: Truck cabs, Fibreglass, outside panels, tabletops, inside garbage trucks, taut liners, etc.

- No Solvent, No Ammonia
- Neutral pH
- QUICK BREAK formula - grease cutting efficiency
- Non Corrosive, non-flammable
- Size: 20L



CODE
40-TW20

QUICK BREAK SOLVENT DEGREASER

QB Solvent Degreaser is a yellow thin liquid with a paraffinic odour. This formula contains a blend of aliphatic petroleum and high aromatic solvents together which enables product to penetrates to the very bottom of concrete pores. The product will then dissolve and soften the oil and grease. By using non-ionic surfactants in the formula, this product will emulsify away all traces of oil, grease and dirt leaving a clean surface. QB Solvent Degreaser is an industrial degreaser and is suitable for use in garages and machinery sites.

- Fast emulsion breaking in less than 20 minutes
- Suitable for garages and machinery cleaning sites
- Quick and effective
- Size: 20L



CODE
40-DG20

METHYLATED SPIRITS

Useful for drying auto hydraulic and electrical components and for dewatering auto fuel systems.

- Dilute 1:4 with water to use as a cleaner for glass, ceramic, metal and laminated surfaces.
- Suitable fuel for spirit stoves and lamps
- Size: 4L



CODE
41-MS4

MINERAL TURPENTINE

Used for thinning oil based paints, linseed oil and cleaning paint brushes. Widely used as a degreaser and cleaner for industrial and domestic applications.

- Size: 4L



CODE
41-MT4

ULTRAGRIME INDUSTRIAL WIPES

- Removes grease, paint, silicone, foam and adhesives
- Super-soft, strong and absorbent
- Very low foaming
- Unique grease-busting ability
- Eats through oil, grease and grime
- Super-size wipes 38cm x 25cm for speedy cleaning
- Safe to use on all surfaces
- Dispenses one wipe at a time
- Dermatologically tested
- Alcohol-free with Vitamin E and Aloe extract
- Large absorbency capacity
- Super-strong pouches that stand up to any environment
- Ultragrime collects the dirt like microfibre fabric and keeps it on
- Contains antibacterial agents



CODE
72-IWIPE

LUBEX PETROLEUM JELLY

- Odourless, opaque white, chemically inert grease
- Suitable for pharmaceutical and food grade applications



CODE	SIZE
41-LXPJ20	20kg

LUBEX RED GREASE (LITHIUM COMPLEX)

- Superior extreme pressure (EP) and anti-wear performance.
- Extra tacky
- Multi-purpose grease
- High shear stability
- Semi-synthetic
- Rust and corrosion inhibited to protect metal surfaces
- Stays put – reduce relubrication intervals



CODE	SIZE
41-LXRED20	20kg

PVC SOLVENT CEMENT BLUE

- High bond strength PVC pipe cement for non-pressure applications
- Size: 500ml



CODE
40-PLG500

PVC PRIMER RED

Used in conjunction with high bond strength PVC pipe cement

- Size: 500ml



CODE
40-PFR500

LOCTITE LB 767 SILVER GRADE ANTI-SEIZE

LOCTITE® LB 767 (also known as LB 8150 Silver Grade Anti-Sieze) is a heavy-duty, high temperature, anti-seize lubricant that resists galling and corrosion and reduces wear in heavy pressure applications. This product is used to lubricate and to permit easy disassembly of assemblies exposed to high temperatures, heavy contact pressures in mines, power generation plants, pulp and paper plants, chemical plants, quarries, transportation, water treatment plants and general industry. Typical applications include boiler and oven parts, jet engines, studs, pumps, couplings, splines, bolts, bushings, pipes, flanges and industrial turbines. This product is typically used in applications up to 870 ºC.

- Lubricates at high temperatures and allows easy dismantling.
- Permit easy disassembly of assemblies exposed to high temperatures
- Meets the performance requirements of Military Specification MIL-PRF-907
- This is a Non-curing product
- Size: 500g



CODE
41-LOC767

LOCTITE 406 INSTANT ADHESIVE

Designed for bonding of plastics and elastomeric materials where very fast fixturing is required.

- Bonds most plastics, elastomers & rubbers, including EPDM, NBR, SBR, & nitrile
- Low viscosity
- Very fast fixture speed
- Size: 25mL



CODE
41-LOC406

LOCTITE 243 THREADLOCKER

Designed for the locking and sealing of threaded fasteners to prevent loosening due to vibration while still allowing for normal disassembly with standard hand tools

- Prevents loosening on vibrating assemblies, e.g. pumps, gear boxes or presses
- Works on all metals, including passive substrates e.g. stainless steel, aluminium, plated surfaces
- Proven to tolerate minor contamination by industrial oils, e.g. motor oils, corrosion prevention oils and cutting fluids
- Permits disassembly with hand tools for servicing
- Size: 50mL



CODE
41-LOC243

5% PRICE BEAT GUARANTEE


If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

CONTENTS

Underground Mains Marker Tapes 394
Grates & Frames 395-398
MEA Drainage Channels 399
Access & Service Covers 400
Batter Outlets & Subsoil Boxes 401
Plastic Pits & Risers 402
Pit Lids & Lid Lifters 403
Pipe Accessories 404
Hoses Kits 405
Hoses 406-407
Hose Fittings 408-411
Pumps & Dewatering Kits 413





GRATES, FRAMES & COVERS. See pages 395-401



PLASTIC PITS & RISERS. See page 402



VIPSEAL™ COUPLINGS & BUSHES. See page 404



SECTION

08 UNDERGROUND UTILITIES

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

MAINS MARKER TAPES - DETECTABLE

Custom tapes available

Plastic tape with stainless steel tracer wire. 22-100MMDW-B - For use in QLD
Size: 100mm x 250m



CODE	TEXT & COLOUR
22-100MMDC	DANGER - BURIED COMMUNICATION MAIN BELOW
22-100MMDE	DANGER - BURIED ELECTRICITY MAIN BELOW
22-100MMDF	DANGER - FIRE FIGHTING MAIN BELOW
22-100MMDG	DANGER - BURIED GAS MAIN BELOW
22-100MMDPW	DANGER - BURIED POTABLE WATER MAIN BELOW
22-100MMDRW	DANGER - BURIED RECYCLED WATER MAIN BELOW
22-100MMDS	DANGER - BURIED SEWER MAIN BELOW
22-100MMDST	DANGER - BURIED STORM WATER MAIN BELOW
22-100MMDW	DANGER - BURIED WATER MAIN BELOW
CODE	TEXT & COLOUR
22-100MMDW-B	DANGER - BURIED WATER MAIN BELOW

MAINS MARKER TAPES

- Non-detectable
- Underground Mains Marker Tape.
- Size: 150mm x 500m roll

See table below for full range.



CODE	TEXT & COLOUR
22-150MMC	DANGER - BURIED COMMUNICATION MAIN BELOW
22-150MME	DANGER - BURIED ELECTRICITY MAIN BELOW
CODE	TEXT & COLOUR
22-150MMF	DANGER - FIRE FIGHTING MAIN BELOW
CODE	TEXT & COLOUR
22-150MMG	DANGER - BURIED GAS MAIN BELOW
CODE	TEXT & COLOUR
22-150MMPW	DANGER - BURIED POTABLE WATER MAIN BELOW
CODE	TEXT & COLOUR
22-150MMRW	DANGER - BURIED RECYCLED WATER MAIN BELOW
22-150MMS	DANGER - BURIED SEWER MAIN BELOW
CODE	TEXT & COLOUR
22-150MMST	DANGER - BURIED STORMWATER MAIN BELOW
CODE	TEXT & COLOUR
22-150MMW	DANGER - BURIED WATER MAIN BELOW

MAINS MARKER TAPE - SEWER CONNECTION

- Sewer Connection with Water Corporation Logo
- Size: 125mm x 330m Roll
- For use in WA only



CODE	DESCRIPTION
22-125MMS	SEWER CONNECTION

WA ONLY

GAS MAINS MARKER TAPE

"Warning Natural Gas Ph 131909"
Size: 100mm x 500m



CODE
22-100AGL

3 WAY MAINS MARKER TAPES


Tape for shared trenches
'Comms, Gas, Electricity'.
Size: 200mm x 500m



CODE
22-3WMM

CABLE COVER

- Complies to AS/NZS4702-2000
- Single sided
- Colour: Orange




CODE	SIZE
22-CC150	150mm x 25m
22-CC300	300mm x 20m

HGF – CAST IN HINGED GRATE AND FRAME

Designed for a range for drainage applications from subdivision allotment drainage through to major roads and heavy trafficable areas. They come with casting handles to allow them to be easily cast into pavement areas above the pit. Manufactured and tested to meet AS3996-2019, this range of grates are available in Light duty Class B as well as Heavy duty Class D.

- Bicycle safe and Heel guard options available
- Lockable




Call us for pricing

CODE	DESCRIPTION	AS3996 LOAD CLASS
HGF4545B	450x450mm - Class B Galvanised Hinged Grate & Frame	B
HGF0606B	600x600mm - Class B Galvanised Hinged Grate & Frame	B
HGF0906B	900x600mm - Class B Galvanised Hinged Grate & Frame	B
HGF0909B	900x900mm - Class B Galvanised Hinged Grate & Frame	B
HGF1212B	1200x1200mm - Class B Galvanised Hinged Grate & Frame	B
HGF4545D	450x450mm - Class D Galvanised Hinged Grate & Frame	D
HGF0606D	600x600mm - Class D Galvanised Hinged Grate & Frame	D
HGF0906D	900x600mm - Class D Galvanised Hinged Grate & Frame	D
HGF0909D	900x900mm - Class D Galvanised Hinged Grate & Frame	D
HGF1212D	1200x1200mm - Class D Galvanised Hinged Grate & Frame	D

SGH – SUMP GRATE & FRAME

Designed for use in areas with high pedestrian traffic. The gap between bearing bars is manufactured to be safe for high heel shoes. They come with casting handles to allow them to be easily cast into pavement areas above the pit. Manufactured and tested to meet AS3996-2019, this range of grates are available in Class B as well as Class D.

- Heel Safe
- Lock Down



Call us for pricing

CODE	DESCRIPTION	AS3996 LOAD CLASS
ACP-SGH4545B	450x450 HG Galvanised Lockable Sump Grate & Frame	B
ACP-SGH6060B	600x600 HG Galvanised Lockable Sump Grate & Frame	B
ACP-SGH6090B	600x900 HG Galvanised Lockable Sump Grate & Frame	B
ACP-SGH9090B	900x900 HG Galvanised Lockable Sump Grate & Frame	B
ACP-SGH9012B	1200x900 HG Galvanised Lockable Sump Grate & Frame	B
ACP-SGH1212B	1200x1200 HG Galvanised Lockable Sump Grate & Frame	B

CODE	DESCRIPTION	AS3996 LOAD CLASS
ACP-SGH3030D	300x300 HG Galvanised Lockable Sump Grate & Frame	D
ACP-SGH4545D	450x450 HG Galvanised Lockable Sump Grate & Frame	D
ACP-SGH6060D	600x600 HG Galvanised Lockable Sump Grate & Frame	D
ACP-SGH6090D	600x900 HG Galvanised Lockable Sump Grate & Frame	D
ACP-SGH9090D	900x900 HG Galvanised Lockable Sump Grate & Frame	D
ACP-SGH9012D	1200x900 HG Galvanised Lockable Sump Grate & Frame	D
ACP-SGH1212D	1200x1200 HG Galvanised Lockable Sump Grate & Frame	D

SG – SUMP GRATE & FRAME

Designed for a range for drainage applications from subdivision allotment drainage through to major roads and heavy trafficable areas. They come with casting handles to allow them to be easily cast into pavement areas above the pit. Manufactured and tested to meet AS3996-2019, this range of grates are available in Class B as well as Class D.

- Bicycle Safe
- Lock Down



Call us for pricing

CODE	DESCRIPTION	AS3996 LOAD CLASS
ACP-SG4545B	450x450 Galvanised Lockable Sump Grate & Frame	B
ACP-SG6060B	600x600 Galvanised Lockable Sump Grate & Frame	B
ACP-SG6090B	600x900 Galvanised Lockable Sump Grate & Frame	B
ACP-SG9090B	900x900 Galvanised Lockable Sump Grate & Frame	B
ACP-SG9012B	1200x900 Galvanised Lockable Sump Grate & Frame	B
ACP-SG1212B	1200x1200 Galvanised Lockable Sump Grate & Frame	B

CODE	DESCRIPTION	AS3996 LOAD CLASS
ACP-SG3030D	300x300 Galvanised Lockable Sump Grate & Frame	D
ACP-SG4545D	450x450 Galvanised Lockable Sump Grate & Frame	D
ACP-SG6060D	600x600 Galvanised Lockable Sump Grate & Frame	D
ACP-SG6090D	600x900 Galvanised Lockable Sump Grate & Frame	D
ACP-SG9090D	900x900 Galvanised Lockable Sump Grate & Frame	D
ACP-SG9012D	1200x900 Galvanised Lockable Sump Grate & Frame	D
ACP-SG1212D	1200x1200 Galvanised Lockable Sump Grate & Frame	D


5% PRICE BEAT GUARANTEE


If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

NGGF – HINGED GULLY GRATE AND FRAME

Designed for NSW council roads and subdivisions where a kerb gully pit is required. Available with and without skirts to meet the standard required. For use with Jaybro's precast Kerb Lintel and is also available in a complete kerb entry unit. Manufactured and tested to meet AS3996-2019.





Skirted

CODE	DESCRIPTION	AS3996 LOAD CLASS
NGGF0904D	900x450mm - Class D Hinged Gully Grate & Frame	D
NGGF0904DSKH	900x400mm - Class D High Skirted Gully Grate & Frame	D

QGGF – QLD GULLY GRATE AND FRAME


Designed for QLD council roads and subdivisions where a kerb gully pit is required. Available with and without skirts to meet the standard required. For use with Jaybro's precast Kerb Lintel and is also available in a complete kerb entry unit. Manufactured and tested to meet AS3996-2019.



CODE	DESCRIPTION	AS3996 LOAD CLASS
QGGF0906D	900x600mm Class D Queensland Gully Grate & Frame	D

VGGF – VEE GULLY GRATE AND FRAME

Designed for channels and gullies in trafficable areas the VGGF range of grates is lockable as well as bicycle safe. The grates come with bolts to reduce noise when driven over. Manufactured and tested to meet AS3996-2019, this range of grates is available Heavy Duty Class D.



CODE	DESCRIPTION	AS3996LOAD CLASS
VGGF0606D	600x600mm - Class D Vee Gully Grate & Frame	D
VGGF0906D	900x600mm - Class D Vee Gully Grate & Frame	D
VGGF0606D-3	600x600mm - Class D Vee Gully Grate & Frame 3 Degree	D
VGGF0906D-3	900x600mm - Class D Vee Gully Grate & Frame 3 Degree	D
VGGF0909D-3	900x900mm - Class D Vee Gully Grate & Frame 3 Degree	D

CODE	DESCRIPTION	AS3996 LOAD CLASS
VGGF0909D	900x900mm - Class D Vee Gully Grate & Frame	D
VGGFRK0906D	900x600mm - Class D Roll Kerb Vee Gully Grate & Frame	D

DIGH – DROP IN HINGED GRATE AND FRAMES

Designed for a range for drainage applications ranging from residential inter allotment drainage through to commercial complexes. The drop in grate and frames are manufactured to suit the rebate of Jaybro's precast stormwater pits. Manufactured and tested to meet AS3996-2019, this range of grates are available in Light duty Class B as well as Heavy duty Class D.

- Bicycle Safe
- Lockable




CODE	DESCRIPTION	AS3996 LOAD CLASS
DIGH4545B	450x450mm - Class B Galvanised Hinged Grate & Frame Drop In	B
DIGH0606B	600x600mm - Class B Galvanised Hinged Grate & Frame Drop In	B
DIGH0906B	900x600mm - Class B Galvanised Hinged Grate & Frame Drop In	B
DIGH0909B	900x900mm - Class B Galvanised Hinged Grate & Frame Drop In	B

CODE	DESCRIPTION	AS3996 LOAD CLASS
DIGH4545D	450x450mm - Class D Galvanised Hinged Grate & Frame Drop In	D
DIGH0606D	600x600mm - Class D Galvanised Hinged Grate & Frame Drop In	D
DIGH0906D	900x600mm - Class D Galvanised Hinged Grate & Frame Drop In	D
DIGH0909D	900x900mm - Class D Galvanised Hinged Grate & Frame Drop In	D

DIG – DROP IN GRATE

Light duty drop in grates manufactured to suit the rebate of Jaybro's Precast stormwater pits. Designed for slow moving light traffic and garden areas. Manufactured and tested to meet AS3996-2019.

- Bicycle Safe
- Not Lockable




CODE	DESCRIPTION	AS3996 LOAD CLASS
DIG4545B	450x450mm - Class B Drop In Grate	B
DIG0606B	600x600mm - Class B Drop In Grate	B
DIG0906B	900x600mm - Class B Drop In Grate	B
DIG0909B	900x900mm - Class B Drop In Grate	B

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

TG/TGH - TRENCH GRATE & FRAME

Designed for driveways and carparks our range of trench grate and frames is available in both bicycle safe and heel safe options. The grates come with lockdown bolts to reduce noise when driven over. Manufactured and tested to meet AS3996-2019 this range of trench grates are available in Class B as well as Class D.

- Bicycle Safe & Heel Safe options available
- Lock Down




CODE	DESCRIPTION	AS3996 LOAD CLASS
ACP-TG200B	200mm C/O Trench Grate & Frame - Lockable (2m length)	B
ACP-TG300B	300mm C/O Trench Grate & Frame - Lockable (2m length)	B
ACP-TG200D	200mm C/O Trench Grate & Frame - Lockable (2m length)	D
ACP-TG300D	300mm C/O Trench Grate & Frame - Lockable (2m length)	D
ACP-TGH200B	200mm C/O HG Trench Grate & Frame - Lockable (2m length)	B
ACP-TGH300B	300mm C/O HG Trench Grate & Frame - Lockable (2m length)	B
ACP-TGH200D	200mm C/O HG Trench Grate & Frame - Lockable (2m length)	D
ACP-TGH300D	300mm C/O HG Trench Grate & Frame - Lockable (2m length)	D

SGF - SURCHARGE GRATE AND FRAMES

The SGF range of light duty raised surcharge grate and frames are perfect for landscaped areas subject to high volumes of storm water. Designed to be lockable and bicycle safe the grates come with bolt down legs to easily fit to the top of Jaybro's precast storm water pits.

- Bicycle Safe
- Lockable



CODE	DESCRIPTION	AS3996 LOAD CLASS
SGF0606A	600x600mm - Light Duty Surcharge Grate & Frame	A
SGF0906A	900x600mm - Light Duty Surcharge Grate & Frame	A
SGF0909A	900x900mm - Light Duty Surcharge Grate & Frame	A
SGF1212A	1200x1200mm - Light Duty Surcharge Grate & Frame	A

Concrete Pits ready to order in Sydney

Jaybro now manufacture Precast Concrete Pits, Risers and Lintels for sale in Sydney*

Call us for a quote 1300 885 364





MEA

Drainage Solutions for Civil Engineering and Landscape

MEAGARD GRP EDGE CHANNEL

- Ductile Iron Slotted Grate
- Galvanised Steel Mesh Grate
- Galvanised Steel Slotted Grate

MEA SUPREME

- Cast Iron Edge Range
- Galvanised Edge Range
- Stainless Steel Edge Range

JAYBRO HAS A RANGE OF MEA DRAINAGE CHANNELS



Call us today for a quote!

Jaybro
CONSIDER IT DONE.

jaybro.com.au | 1300 885 364

INDI – DUCTILE IRON INFILL COVER AND FRAME

Commonly used for junction pits and onsite detention tanks the range of infill covers are designed to allow access for maintenance. The frame is designed to be cast into concrete slab in the tank or above the pit and the cover is filled with concrete making the pit or tank sealed for gas, air and water. Manufactured and tested to meet AS3996-2019, this range of covers are available Class D and Class B.



CODE	DESCRIPTION	AS3996 LOAD CLASS
INDICF4545B	450x450mm - Class B Ductile Iron Infill Cover & Frame	B
INDICF0606B	600x600mm - Class B Ductile Iron Infill Cover & Frame	B
INDICF0906B	900x600mm - Class B Ductile Iron Infill Cover & Frame	B
INDICF1212B	1200x1200mm - Class B Ductile Iron Infill Cover & Frame	B
INDICF4545D	450x450mm - Class D Ductile Iron Infill Cover & Frame	D
INDICF0606D	600x600mm - Class D Ductile Iron Infill Cover & Frame	D
INDICF0906D	900x600mm - Class D Ductile Iron Infill Cover & Frame	D
INDICF1212D	1200x1200mm - Class D Ductile Iron Infill Cover & Frame	D

STDIC – SOLID TOP COVER AND FRAME

Commonly used to seal electricity pits as well as storm water pits and onsite detention tanks the range of Solid covers are designed to allow access for maintenance. The frame is designed to be cast into concrete slab in the tank or above the pit and the cover is filled with concrete making the pit or tank sealed for gas, air and water. Manufactured and tested to meet AS3996-2019, this range of covers are available Class D and Class B.



CODE	DESCRIPTION	AS3996 LOAD CLASS
STDICF4545B	450x450mm - Class B Ductile Iron Solid Cover & Frame	B
STDICF0606B	600x600mm - Class B Ductile Iron Solid Cover & Frame	B
STDICF0906B	900x600mm - Class B Ductile Iron Solid Cover & Frame	B
STDICF0909B	900x900mm - Class B Ductile Iron Solid Cover & Frame	B
STDICF4545D	450x450mm - Class D Ductile Iron Solid Cover & Frame	D
STDICF0606D	600x600mm - Class D Ductile Iron Solid Cover & Frame	D
STDICF0906D	900x600mm - Class D Ductile Iron Solid Cover & Frame	D
STDICF0909D	900x900mm - Class D Ductile Iron Solid Cover & Frame	D

STDI - SOLID TOP COVER AND FRAME SEWER

Manufactured from ductile iron these covers are available with either SEWER or STORMWATER markings. Rated to Class B or D and tested to AS3996-2019.



CODE	DESCRIPTION	AS3996 LOAD CLASS
STDI06SEWERB	Class B "SEWER" Iron Cover & Frame DN600	B
STDI06SEWERD	Class D "SEWER" Iron Cover & Frame DN600	D
STDI06WATERB	Class B "WATER" Iron Cover & Frame DN600	B
STDI06WATERD	Class D "WATER" Iron Cover & Frame DN600	D

BHW - PRECAST BATTER OUTLET

Precast batter outlets are designed as a headwall for subsoil drainage pipe. Available in flat and steep options to meet the specification.





CODE	DESCRIPTION
RTAFLHW	Flat Batter Headwall
RTASBHW	Steep Batter Headwall

CAST IRON GAS, WATER & SUBSOIL BOXES



CODE	DESCRIPTION
05-GASB	Round Gas Box 100mm - 140 x 135 x 97mm
05-WTRB	Round Water Box 100mm - 140 x 135 x 97mm
05-RTASS	RTA Subsoil Box 100mm - 140 x 135 x 97mm

SS - SUBSOIL BOX

Subsoil box in concrete surround are manufactured to cap flushing points in subsoil drainage lines. For use in subsoil drainage and RMS Roads.



CODE	DESCRIPTION
05-SSBS300	Subsoil Box in Precast Concrete Surround 300x300mm

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

PLASTIC PITS & RISERS

The CUBIS Systems range of plastic pits and rises provide a unique side wall design that offers the necessary structural integrity to withstand the loads applied by the compaction of the surrounding soil while still supporting the vertical loads required in general use.



P5 Plastic Pit



P6 Plastic Riser



P6 Plastic Pit





P2 Plastic Pit



P5 Plastic Riser





P6/P8/P9 Crossarm Bar

CODE	DESCRIPTION
ACP02-1003	P5 Plastic Riser
ACP02-1004	P6 Plastic Riser
ACP02-1000	P2 Plastic Pit
ACP02-1001	P5 Plastic Pit

CODE	DESCRIPTION
AC02-1002	P6 Plastic Pit
AC02-1017	P6/P8/P9 Steel Crossarm Bar
AC02-1009	P5 Gasket
AC02-1010	P6/P8/P9 Gasket

COMPOSITE PIT LIDS

Jaybro carries a range of CUBIS Systems pit lids,fitting within the preformed rebate at the top of the pit or pit riser. Pit lids sit flush with the top of the pit making it strong and safe. Our pit lids come in electricity, communications, Telstra and Optus, in all sizes.

- Equipped with Radio Frequency Identification (RFID)
- Telstra, NBN & TPG Approved
- Class B load rating - AS/NZ 3996
- Lightweight to meet OH&S requirements 20kg (P5) and 25kg (P6-8-9)
- UV Stabilised
- Highest slip resistance rating against AS 4586
- Abrasion - wears at 50% rate of concrete
- No moisture absorption
- Will not float
- Can be found with a metal detector if required

CODE	DESCRIPTION
ACP01-1024	P2 Composite Pit Lid Telstra - 610mm (L) x 240mm (W)
ACP01-1025	P5 Telstra Composite Pit Lid - 648mm (L) x 398mm (W)
ACP01-1026	P6 Telstra Composite Pit Lid - 651mm (L) x 499mm (W) Pair (2x Lids)



CONCRETE PIT LIDS

Jaybro carries a range of CUBIS Systems pit lids,fitting within the preformed rebate at the top of the pit or pit riser. Pit lids sit flush with the top of the pit making it strong and safe. Our pit lids come in electricity, communications, Telstra and Optus, in all sizes.

CODE	DESCRIPTION
ACP01-1027	P5 Communication Concrete Pit Lid - 650mm (L) x 395mm (W)
ACP01-1028	P6 Communication Concrete Pit Lid (2) - 650mm (L) x 500mm (W) Pair (2x Lids)



LIFTING CLUTCHES

Lifting Clutches used for precast concrete products, particularly in civil engineering applications.
These clutches are typically used for lifting panels, pipes, pits, manholes, box culverts, road barriers, bridge beams, planks, sound walls, culverts etc.

CODE	DESCRIPTION
40-13SWL	1.3 tn
40-25SWL	2.5 tn
40-50SWL	5.0 tn

- Individually Serialised
- Includes testing certificate
- Available in 3 sizes



LID LIFTERS

Long Handle Lid Lifter MUST NOT be used to crack seal (inital lift). Use small D-Handle Lifter.

Jaybro recommend that lifters be used in pairs.

WARRANTY 2 YEAR Conditions Apply

HEAVY DUTY LONG HANDLE LID LIFTER

CODE
38-100021

LONG HANDLE LID LIFTER

CODE
40-LHGL

SMALL D-HANDLE LID LIFTER

CODE
40-SHGL



ERGONOMIC STYLE GATIC LID LIFTER

With wheels.

CODE
40-ERGL

COMMUNICATIONS PIT LID LIFTER

For lifting Telstra Pit Lids.

CODE
40-TPLF

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

STANDARD COUPLING (VSC)

Constructed from the highest quality elastomeric rubber, the standard coupling provides shear resistance under heavy earth loads and is bolstered by stainless steel tension bands that create a leak proof seal.
All couplings comply with BS EN295-4, WIS 4-41-01 and BS EN16397 standards.
Suitable for Sydney Water Networks.



CODE	SIZE RANGE	WIDTH
VSC115A	100-115mm 316 SS	100mm
VSC165A	140-165mm 316 SS	120mm
VSC180A	150-175mm 316 SS	120mm
VSC200A	175-200mm 316 SS	150mm
VSC250A	225-250mm 316 SS	150mm
VSC275A	250-275mm 316 SS	150mm
VSC290A	265-290mm 316 SS	150mm
VSC320A	295-320mm 316 SS	190mm
VSC360A	340-360mm 316 SS	190mm
VSC365A	345-365mm 316 SS	190mm
VSC385A	355-385mm 316 SS	190mm
VSC410A	385-410mm 316 SS	190mm
VSC430A	405-430mm 316 SS	190mm
VSC550A	520-550mm 316 SS	190mm
VSC620A	590-620mm 316 SS	190mm
VLC703	703mm OD 316 SS	190mm

FABRICATED & MOULDED BUSHES (VBC)


For use where pipe diameters differ significantly, VIPSeal™ bushes are engineered from the same high quality elastomeric rubber as our seals.



CODE	DESCRIPTION
VBC0801/160	8mm Bush to Suit 160mm Pipe
VBC0801/180	8mm Bush to Suit 180mm Pipe
VBC1601/164	16mm Bush to Suit 250mm Pipe
VBC0802/250	8mm Bush To Suit 250mm Pipe
VBC0802/265	8mm Bush To Suit 265mm Pipe
VBC1602/250	16mm Bush To Suit 250mm Pipe
VBC2403/315	24mm Bush To Suit 315mm Pipe
VBC3203/315	32mm Bush To Suit 315mm Pipe
VBC1603/315	16mm Bush To Suit 315mm Pipe
VBC2404/401	24mm Bush To Suit 401mm Pipe
VBC1204/401	12mm Bush to Suit 401mm Pipe

HEAVY DUTY PLASTIC STEP IRONS

For use in sewer, communication & water, concrete drainage manhole pits. Manufactured from high strength steel bar & fully coated in yellow plastic with a non-slip tread, this makes them durable, visible & anti-slip. Tested in accordance with AS4198-1994, with an ability to withstand 180kg in tension pull-out position & 360kg in cantilever bending, with no affect.



CODE	DIAMETER	HOLE CENTRE	INSERTION DEPTH	PROJECTION	WEIGHT	WIDTH
41-SI175	25	175mm	65mm	168mm	760g	150mm
41-SI225	25	225mm	65mm	175mm	892g	238mm
41-SI375	25	375mm	65mm	175mm	1104g	383mm

SEALANT MASTIC

- Used for sealing manholes
- Size: 3.6m x 17mm
- Box of 15

15

CODE
MHSEAL3



PVC SOLVENT CEMENT BLUE

- High bond strength PVC pipe cement for non-pressure applications
- Size: 500ml

CODE
40-PLG500



PVC PRIMER RED

Used in conjunction with high bond strength PVC pipe cement

- Size: 500ml

CODE
40-PFR500



TIMBER WEDGE

- Size: 400(L) x 150(W) x 75(H)mm
- Ideal for supporting and blocking pipes

CODE
26-TW400

252



TIMBER BLOCK

- Size: 400(L) x 150(W) x 75(H)mm
- Ideal for supporting and blocking pipes

CODE
26-TB400

168



BLUE LAYFLAT HOSE KIT

- General purpose layflat hose kit for agriculture and industrial applications
- Fitted with male and female camlocks
- Temperature: -10˚C to +60˚C



CODE	PSI	SIZE
BLHK-1000	100	ø25mm x 20m
BLHK-1001	75	ø38mm x 20m
BLHK-1002	65	ø50mm x 20m
BLHK-1004	60	ø75mm x 20m
BLHK-1005	60	ø100mm x 20m
BLHK-1006	45	ø150mm x 20m

BLACK LAYFLAT HOSE KIT

- Heavy duty dewatering hose kit ideal for irrigation, construction and high wall dewatering projects
- Fitted with male and female bauer fittings
- Temperature: -20˚C to +80˚C



CODE	PSI	SIZE
HLHK-1300	150	ø75mm x 20m
HLHK-1301	150	ø100mm x 20m
HLHK-1302	150	ø150mm x 20m
HLHK-1303	150	ø200mm x 20m

JACK AIR HOSE KIT

- Heavy duty hose kit for jackhammer and air compressor use
- Ideal for civil and piling contractors
- Fitted with claw couplings
- Temperature: -25˚C to +80˚C



CODE	PSI	SIZE
JAHK-1700	300	ø19mm x 20m
JAHK-1701	300	ø25mm x 20m

ACE SUCTION HOSE KIT

- Highly flexible hose for negative pressure water transfer applications
- Safety Factor: <= 127mm 3:1 152 - 254mm 2.5:1
- Temperature: -30ºC +80ºC



CODE	PSI	SIZE
ASHK-1600	150	ø100mm x 3m
ASHK-1601	150	ø100mm x 6m
ASHK-1602	150	ø150mm x 3m
ASHK-1603	150	ø150mm x 6m
ASHK-1604	150	ø200mm x 3m
ASHK-1605	150	ø200mm x 6m

RED LAYFLAT HOSE KIT WITH CAMLOCKS

- Heavy duty layflat kit suitable for mining and construction use.
- Fitted with male and female camlocks
- Temperature: -10˚C to +60˚C



CODE	PSI	SIZE
RLHK-1100	150	ø50mm x 20m
RLHK-1101	150	ø65mm x 20m
RLHK-1102	125	ø75mm x 20m
RLHK-1103	100	ø100mm x 20m
RLHK-1104	75	ø150mm x 20m

RED LAYFLAT HOSE WITH BAUERS

- Fitted with male and female bauers
- Temperature: -10˚C to +60˚C



CODE	PSI	SIZE
RLHK-1200	130	ø100mm x 20m
RLHK-1201	100	ø150mm x 20m

TUNNELLING AIR HOSE KIT

- Ideal for tunnelling contractors
- 300psi rated
- Fitted with claw couplings
- Temperature: -25˚C to +80˚C



CODE	PSI	SIZE
AWHK-1001	300	25mm x 20m
AWHK-1002	300	50mm x 20m

GARDEN HOSE KIT

- General purpose garden hose with nozzle and fittings
- UV stabilised



CODE	PSI	SIZE
GHFK-1000	100	12mm x 30m

5% PRICE BEAT GUARANTEE


If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

GREY SUCTION HOSE

- Suitable for conveyance of water, slurries, sludge, waste matter, some chemicals, granules, sand and gravel. Commonly used for liquid waste and pump suction hose.
- Construction: Grey PVC
- Reinforcing: Rigid PVC Gelix
- Temperature: -5˚C to +60˚C
- Mirror smooth bore for increased pumping and pumping efficiency


CODE	INSIDE Ø	OUTSIDE Ø	PSI	WEIGHT
WU-HS-2000M	25mm	32mm	100	0.38kg/m
WU-HS-2001M	32mm	40mm	90	0.51kg/m
WU-HS-2002M	38mm	46mm	90	0.67kg/m
WU-HS-2003M	50mm	60mm	75	1.03kg/m
WU-HS-2004M	65mm	73mm	60	1.45kg/m
WU-HS-2005M	75mm	87mm	60	2.25kg/m
WU-HS-2006M	100mm	115mm	45	3.04kg/m
WU-HS-2007M	125mm	141mm	45	4.16kg/m
WU-HS-2008M	150mm	168mm	30	6.46kg/m



BLUEOIL SUCTION HOSE

- Suitable for Collection of liquid waste, pumping grease pits, sewerage collection, fuels, lubricants and most chemicals
- Construction: Blue PVC
- Reinforcing: Rigid PVC Gelix
- Temperature: -5˚C to +60˚C
- Highly flexible at low temperatures and a mirror smooth bore for increased pumping and pumping efficiency.


CODE	INSIDE Ø	OUTSIDE Ø	PSI	WEIGHT
WU-HS-4800M	25mm	32mm	100	0.41kg/m
WU-HS-4802M	38mm	46mm	90	0.70kg/m
WU-HS-4803M	50mm	60mm	75	1.07kg/m
WU-HS-4804M	65mm	73mm	60	1.50kg/m
WU-HS-4805M	75mm	87mm	60	2.25kg/m
WU-HS-4806M	100mm	115mm	45	3.04kg/m



TIGERTAIL HOSE

- Suitable for flexible and lightweight suction hose suitable for chemicals, fuel and waste. Specially designed for abrasive material like gravel, cement etc. and used in vacuum excavation.
- Construction: PVC
- Reinforcing: Rigid PVC Gelix
- Temperature: -5˚C to +60˚C
- Highly abrasion resistant


CODE	INSIDE Ø	OUTSIDE Ø	PSI	WEIGHT
WU-HS-220020M	50mm	61mm	40	0.88kg/m
WU-HS-220021M	65mm	77mm	40	1.27kg/m
WU-HS-220022M	75mm	91mm	40	1.62kg/m
WU-HS-220023M	100mm	118mm	40	2.43kg/m
WU-HS-220024M	125mm	125mm	40	3.99kg/m
WU-HS-220025M	150mm	172mm	40	5.10kg/m
WU-HS-220026M	200mm	224mm	40	7.55kg/m



KANAFLEX HOSE

- Excellent in handling abrasive material, specifically for use in vacuum excavation industry where a heavy suction hose required for the suction of rocks, sand, slurry etc.
- Reinforcement: Rigid PVC Helix Anti-Shock.
- Inner Tube: Black SBR Rubber Conductive.
- Cover: Black Corrugated SBR.
- Temperature: -40ºC To +60ºC
- Safety Factor: 3:1


CODE	INSIDE Ø	OUTSIDE Ø	PSI	WEIGHT
WU-HS-3701K	51mm	59.7mm	40	0.74kg/m
WU-HS-3703K	76mm	89.9mm	30	1.64kg/m
WU-HS-3704K	102mm	117.6mm	30	2.63kg/m
WU-HS-3705K	127mm	146.3mm	30	3.86kg/m
WU-HS-3706K	152mm	170.9mm	30	4.58kg/m



ACE WATER SUCTION HOSE

- General water suction and delivery
- Tube: Black EPDM
- Reinforcing: High Tensile Textile Cords with Embedded Steel Helix Wire
- Cover: Black EPDM - Abrasion and Ozone Resistant
- Temperature: -15ºC +60ºC
- Highly flexible
- Safety Factor: 3:1

CODE	INSIDE Ø	OUTSIDE Ø	PSI	WEIGHT
WU-HS-1803M	50mm	61mm	150	1.24kg/m
WU-HS-1805M	75mm	88mm	150	2.14kg/m
WU-HS-1806M	100mm	114mm	150	3.01kg/m
WU-HS-1808M	150mm	166mm	150	5.96kg/m
WU-HS-1809M	200mm	221mm	150	9.81kg/m



WINUNITED

BLUE LAYFLAT HOSE

- General discharge of water, chemicals and fluids for agriculture and industrial use
- Available in 100m coils
- Safety Factor: 3:1
- Temperature: -10˚C to +60˚C



CODE	INSIDE Ø	OUTSIDE Ø	PSI
WU-HS-6002M	38mm	46.6mm	75
WU-HS-6003M	50mm	52.6mm	65
WU-HS-6004M	65mm	68mm	60
WU-HS-6005M	75mm	78.4mm	60
WU-HS-6006M	100mm	103.6mm	60
WU-HS-6007M	150mm	154mm	45

Note: Custom lengths will incur cutting fees

RED LAYFLAT HOSE

- Heavy duty layflat for mining and construction use
- Available in 100m coils
- Safety Factor: 3:1
- Temperature: -10˚C to +60˚C



CODE	INSIDE Ø	OUTSIDE Ø	PSI
WU-HS-6100M	25mm	28mm	150
WU-HS-6101M	38mm	40.6mm	150
WU-HS-6102M	50mm	52.6mm	150
WU-HS-6103M	65mm	68mm	150
WU-HS-6104M	75mm	78.4mm	130
WU-HS-6105M	100mm	103.6mm	130
WU-HS-6106M	150mm	154mm	100

Note: Custom lengths will incur cutting fees

BLACK LAYFLAT HOSE

- Heavy duty layflat for mining and construction use
- Available in 20m & 100m coils
- Safety Factor: 3:1
- Temperature: -10˚C to +80˚C



CODE	INSIDE Ø	OUTSIDE Ø	PSI
WU-HS-6200M	50mm	54mm	150
WU-HS-6201M	65mm	69mm	150
WU-HS-6202M	75mm	80mm	150
WU-HS-6203M	100mm	105mm	150
WU-HS-6204M	150mm	156mm	150
WU-HS-6205M	200mm	206mm	150

Note: Custom lengths will incur cutting fees

Call us for our full range of WinUnited Products



5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

CAMLOCK KIT

Aluminium male & female camlock hose tails with Supa Clamps to suit

CODE	SIZE
SCK-WU-1001	50mm





ALUMINIUM CAMLOCKS

- Also available in stainless steel, brass, nyglass & polypropylene


TYPE A

CODE	SIZE (IN)	SIZE (MM)
AL-AC-1001	1	25
AL-AC-1002	1 1/4	32
AL-AC-1003	1 1/2	38
AL-AC-1004	2	50
AL-AC-1005	2 1/2	65
AL-AC-1006	3	75
AL-AC-1007	4	100
AL-AC-1008	6	150




TYPE B

CODE	SIZE (IN)	SIZE (MM)
AL-BC-1101	1	25
AL-BC-1102	1 1/4	32
AL-BC-1103	1 1/2	38
AL-BC-1104	2	50
AL-BC-1105	2 1/2	65
AL-BC-1106	3	75
AL-BC-1107	4	100
AL-BC-1108	6	150




TYPE C

CODE	SIZE (IN)	SIZE (MM)
AL-CC-1200	3/4	19
AL-CC-1201	1	25
AL-CC-1202	1 1/4	32
AL-CC-1203	1 1/2	38
AL-CC-1204	2	50
AL-CC-1205	2 1/2	65
AL-CC-1206	3	75
AL-CC-1207	4	100
AL-CC-1208	6	150



TYPE D

CODE	SIZE (IN)	SIZE (MM)
AL-DC-1300	3/4	19
AL-DC-1301	1	25
AL-DC-1302	1 1/4	32
AL-DC-1303	1 1/2	38
AL-DC-1304	2	50
AL-DC-1305	2 1/2	65
AL-DC-1306	3	75
AL-DC-1307	4	100
AL-DC-1308	6	150



TYPE E

CODE	SIZE (IN)	SIZE (MM)
AL-EC-1400	3/4	19
AL-EC-1401	1	25
AL-EC-1402	1 1/4	32
AL-EC-1403	1 1/2	38
AL-EC-1404	2	50
AL-EC-1405	2 1/2	65
AL-EC-1406	3	75
AL-EC-1407	4	100
AL-EC-1408	6	150



TYPE F


CODE	SIZE (IN)	SIZE (MM)
AL-FC-1500	3/4	19
AL-FC-1501	1	25
AL-FC-1502	1 1/4	32
AL-FC-1503	1 1/2	38
AL-FC-1504	2	50
AL-FC-1505	2 1/2	65
AL-FC-1506	3	75
AL-FC-1507	4	100
AL-FC-1508	6	150



TYPE DC

CODE	SIZE (IN)	SIZE (MM)
AL-DC-1601	1	25
AL-DC-1604	2	50
AL-DC-1605	2 1/2	65

CODE	SIZE (IN)	SIZE (MM)
AL-DC-1606	3	75
AL-DC-1607	4	100
AL-DC-1608	6	150



TYPE DP

CODE	SIZE (IN)	SIZE (MM)
AL-DP-1704	2	50
AL-DP-1705	2 1/2	65
AL-DP-1706	3	75

CODE	SIZE (IN)	SIZE (MM)
AL-DP-1707	4	100
AL-DP-1708	6	150



GALVANISED TRAVIS FITTING SET

Galvanised male and female spigots, fitting clamp and seals



CODE	SIZE (IN)	SIZE (MM)
HF-WU-2100	3	75
HF-WU-2101	4	100
HF-WU-2102	5	125
HF-WU-2103	6	150
HF-WU-2104	8	200

WHIP CHECKS

- Safety cables to help prevent injury if a hose connection separates
- Max W.P. - 200psi



CODE	DESCRIPTION	LENGTH	THICKNESS
WU-HR-1100	13-32mm Whip check	515mm	3mm
WU-HR-1101	13-50mm Whip check	712mm	5mm
WU-HR-1102	30-75mm Whip check	956mm	6mm
WU-HR-1103	100mm+ Whip check	1118mm	10mm

GALVANISED MALE TRAVIS FITTING WITH HOSE SPIGOT



CODE	SIZE (IN)	SIZE (MM)
HF-WU-2201	4	100
HF-WU-2202	5	125
HF-WU-2203	6	150
HF-WU-2204	8	200

GALVANISED MALE TRAVIS FITTING SEAL



CODE	SIZE (IN)	SIZE (MM)
HF-WU-2500	3	75
HF-WU-2501	4	100
HF-WU-2502	5	125
HF-WU-2503	6	150
HF-WU-2504	8	200

GALVANISED FEMALE TRAVIS FITTING WITH HOSE SPIGOT



CODE	SIZE (IN)	SIZE (MM)
HF-WU-2300	3	75
HF-WU-2301	4	100
HF-WU-2302	5	125
HF-WU-2303	6	150
HF-WU-2304	8	200

GALVANISED FEMALE TRAVIS FITTING SEAL



CODE	SIZE (IN)	SIZE (MM)
HF-WU-2600	3	75
HF-WU-2601	4	100
HF-WU-2602	5	125
HF-WU-2603	6	150
HF-WU-2604	8	200

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

410 HOSE FITTINGS

GALVANISED TRAVIS FITTING CLAMP




CODE	SIZE (IN)	SIZE (MM)
HF-WU-2400	3	75
HF-WU-2401	4	100
HF-WU-2402	8	125
HF-WU-2403	5	150
HF-WU-2404	6	200

TYPE A CLAW FITTINGS



Seals




Locking Pin



3 Way Adaptor (1" / 25mm)


CODE	TYPE
HF-WU-3103	3 Way
HF-WU-3203	Seal
HF-WU-3303	Pin

TYPE A CLAW FITTING TO HOSE TAIL



CODE	SIZE (IN)	SIZE (MM)
HF-WU-2700	3/8	10
HF-WU-2701	1/2	12
HF-WU-2702	3/4	19
HF-WU-2703	1	25
HF-WU-2704	11/8	32

TYPE A CLAW FITTING CLAMP




CODE	SIZE (IN)	SIZE (MM)
HF-WU-3000	3/8	10
HF-WU-3001	1/2	12
HF-WU-3002	3/4	19
HF-WU-3003	1	25
HF-WU-3004	11/8	32

TYPE A CLAW FITTING TO MALE BSP



CODE	SIZE (IN)	SIZE (MM)
HF-WU-2800	3/8	10
HF-WU-2801	1/2	12
HF-WU-2802	3/4	19
HF-WU-2803	1	25
HF-WU-2804	11/8	32

TYPE A CLAW FITTING TO FEMALE BSP



CODE	SIZE (IN)	SIZE (MM)
HF-WU-2900	3/8	10
HF-WU-2901	1/2	12
HF-WU-2902	3/4	19
HF-WU-2903	1	25
HF-WU-2904	11/8	32

BAUER KIT

Galvanized male & female Bauers with closure ring & seal

CODE	SIZE (IN)	SIZE (MM)
HF-WU-1200	3	75
HF-WU-1201	4	100
HF-WU-1202	6	150
HF-WU-1203	8	200



GALVANISED MALE BAUER TO MALE BSP

CODE	SIZE (IN)	SIZE (MM)
HF-WU-1700	3	75
HF-WU-1701	4	100
HF-WU-1702	6	150



GALVANISED FEMALE BAUER TO MALE BSP

CODE	SIZE (IN)	SIZE (MM)
HF-WU-1800	3	75
HF-WU-1801	4	100
HF-WU-1802	6	150



GALVANISED MALE BAUER TO FLANGE

CODE	SIZE (IN)
HF-WU-1901	4
HF-WU-1902	6
HF-WU-1903	8



GALVANISED FEMALE BAUER TO FLANGE

CODE	SIZE (IN)	SIZE (MM)
HF-WU-2000	3	75
HF-WU-2001	4	100
HF-WU-2002	6	150
HF-WU-2003	8	200



GALVANISED MALE BAUER SPIGOT

CODE	SIZE (IN)	SIZE (MM)
HF-WU-1300	3	75
HF-WU-1301	4	100
HF-WU-1302	6	150
HF-WU-1303	8	200
HF-WU-1304	10	250



GALVANISED FEMALE BAUER SPIGOT

CODE	SIZE (IN)	SIZE (MM)
HF-WU-1400	3	75
HF-WU-1401	4	100
HF-WU-1402	6	150
HF-WU-1403	8	200
HF-WU-1404	10	250



GALVANISED MALE CLOSURE RING

CODE	SIZE (IN)	SIZE (MM)
HF-WU-1500	3	75
HF-WU-1501	4	100
HF-WU-1502	6	150
HF-WU-1503	8	200
HF-WU-1504	10	250



BAUER RUBBER 'O' RINGS

CODE	SIZE (IN)	SIZE (MM)
HF-WU-1600	3	75
HF-WU-1601	4	100
HF-WU-1602	6	150
HF-WU-1603	8	200
HF-WU-1604	10	250



PART STAINLESS STEEL SUPA CLAMPS

- Heavy duty part stainless steel single bolt clamp



CODE	SIZE (MM)
SS-ST-1300	17-19
SS-ST-1301	20-22
SS-ST-1302	23-25
SS-ST-1303	26-28
SS-ST-1304	29-31
SS-ST-1305	32-35
SS-ST-1306	36-39
SS-ST-1307	40-43
SS-ST-1308	44-47
SS-ST-1309	48-51
SS-ST-1310	52-55
SS-ST-1311	56-59

CODE	SIZE (MM)
SS-ST-1312	60-63
SS-ST-1313	64-67
SS-ST-1314	68-73
SS-ST-1315	74-79
SS-ST-1316	80-85
SS-ST-1317	86-91
SS-ST-1318	92-97
SS-ST-1319	98-103
SS-ST-1320	104-112
SS-ST-1321	113-121
SS-ST-1322	122-130

CODE	SIZE (MM)
SS-ST-1323	131-139
SS-ST-1324	140-148
SS-ST-1325	149-161
SS-ST-1326	162-174
SS-ST-1327	175-187
SS-ST-1329	201-213
SS-ST-1330	214-226
SS-ST-1331	227-239
SS-ST-1332	240-252
SS-ST-1333	253-265
SS-ST-1335	279-291

5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

WINUNITED

Call us for more details on the full range

HOSES

- LIQUID WASTE & VACUUM EVACUATION
- WATER & GENERAL LIQUIDS
- COMPRESSED AIR
- HOT WATER & STEAM
- FOOD HANDLING
- COMPOSITE
- CONCRETE
- AGRICULTURE
- CHEMICAL, FUELS & MULTIPURPOSE

HOSE FITTINGS, CLAMPS & RESTRAINTS

- FITTINGS
- CLAMPS
- RESTRAINTS

PIPE FITTINGS, VALVES, GAUGES, WASH DOWN & HOSE REELS

- PIPE FITTINGS
- VALVES & GAUGES
- WASH DOWN & HOSE REELS

FORT-I-PAC SUBMERSIBLE PUMPS

Applications include: site de-watering, basement and sump drainage, fountains and water features, horticulture, aquaculture, grey water transfer, trade waste disposal, water transfer, aeration of wastewater and abrasive water removal.

- Discharge port 50mm
- Side discharge
- Stainless Steel motor base
- Cast iron body
- Auto operation with float switch
- Spiral design to pass sand, silt and other solids
- 12 month warranty

TECHNICAL DATA

Code	41-SVQ450FK	41-SVQ750FK
Motor Output	0.40kW	0.75kW
Max Head	8.5 m	10m
Max Flow	200 L/min	300 L/min
Rope Length	6m	
Max Solid	25mm	
Start Type	Automatic	

CODE
41-SVQ450FK
41-SVQ750FK

Kit Includes:
NG-TF-1709 (Reducer)
HF-WU-2803 (1" Claw fitting)
AL-FC-1504 (2" Camlock)



FORT-I-PAC 50MM (2") 450W PUDDLE SUCKER PUMP

Puddle sucker pumps are able to pump water down to 5mm, which makes it suitable for pumping large or smaller volumes of nuisance water found on flat surfaces in areas such as carparks, hallways and manholes.

- Top discharge
- Cast iron body
- Manual operation
- 12 month warranty

TECHNICAL DATA

Motor Output	0.45Kw
Max Head	11m
Max Flow	260L/min
Rope Length	6m
Start Type	Manual
Outlet Diameter	50mm

Kit Includes:
NG-TF-1709 (Reducer)
HF-WU-2803 (1" Claw fitting)
AL-FC-1504 (2" Camlock)

CODE
41-SPK450AK



FORT-I-PAC
POWER EQUIPMENT

PACER PUMP

- Electric Start
- 7.5m Suction
- 12 month warranty
- Available in 2" and 3"

TECHNICAL DATA

Engine Model	Kohler KD225
Fuel Type	Diesel
Power	4.5kW
Capacity	224cc
Speed	3600rpm



CODE	SIZE
41-PAC2	2" Pacer Pump
41-PAC3	3" Pacer Pump

PETROL GUSHER PUMPS

- Petrol driven – Diesel pumps available upon enquiry
- Recoil Start – Electric Start available upon enquiry.
- 12 month warranty
- Available in 2", 3" and 4"

TECHNICAL DATA

Engine Model	Honda GX Series
Fuel Type	4 Stroke Petrol
Power	4HP, 5.5HP, 8HP
Max Flow	550L/min, 950L/min, 1700L/min



CODE	DESCRIPTION
41-PGP2	Petrol Gusher Pump 2" - 4HP 550L/min
41-PGP3	Petrol Gusher Pump 3" - 5.5HP 950L/min
41-PGP4	Petrol Gusher Pump 4" - 8HP 1700L/min

GENUINE HONDA ENGINE

DEWATERING KITS

- Electric Start
- 7.5m Suction
- 12 month warranty
- Available in 2" and 3"
- Includes: 7.5m Grey suction hose and 20m Blue layflat kit

TECHNICAL DATA

Engine Model	Kohler KD225
Fuel Type	Diesel
Power	4.5kW
Capacity	224cc
Speed	3600rpm

CODE	SIZE
41-PAC2K	2" Kit
41-PAC3K	3" Kit



5% PRICE BEAT GUARANTEE
If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*
*Conditions apply, See website for details.

CONTENTS

Erosion Control 416-423
Drainage Systems 424-425
Geotextiles 426-427
Geogrid 428
Sediment Control 429-431



Concrete Canvas CCX. Call us to find out more about it.



Concrete Mattress . Call us to find out more about it.



COIR LOGS. See page 421




EROmasta™ FastRock. Call us to find out more about it.



Polyfabrics

Reliability you can build on



URBANTREE. See page 427

1300 885 364

Login online for your **Trade Account Pricing**




SECTION

GEOSYNTHETICS 09

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.



EROMASTA™ HDPE EROWEB

EROmasta™ HDPE EroWeb is constructed of lightweight and flexible three dimensional, expandable perforated panels made from high-density polyethylene (HDPE) strips which are ultrasonically bonded together to form an extremely strong configuration. EROmasta™ HDPE EroWeb System can be filled with a wide range of material: aggregate, concrete, sand, soil, etc. EROmasta™ HDPE EroWeb is engineered for soil stabilisation applications, it's used to help improve the performance of standard construction materials and erosion control treatments.

CODE	WIDTH	LENGTH	HEIGHT	MATERIAL
EC445-100	25.6m	8.35m	100	HDPE
EC445-200	25.6m	8.35m	200	HDPE
EC445-150	25.6m	8.35m	150	HDPE

EROWEB® KEY

EROWeb® Keys are used to connect geo webbing and geocell, stabilising a more secure and permanent connection during installation. These Keys eliminate the need for geocell stapling, allowing one worker to efficiently install Polyfabrics EROweb® geocell with ease.



CODE
SW-KEY

EROWEB® MULTI HEAD

EROWeb® Multi Head pin head attachments are used along with pins for installing EROweb and other erosion control fabrics.



CODE
SW-MHEAD

EROWEB® PINS


EROWeb® Pins are strong pins used for installing EROWeb and other erosion control fabrics. These anchor pins are designed to work with our EROWeb multi head, fitting securely over the geocell wall, providing full-length support over the height of the cell wall.



CODE
SW-SPIN450



EROMASTA™ SEED MAT



EROmasta™ SeedMat is a synthetic turf reinforcement mat, designed and engineered to protect soil from erosion and provide an environment that encourages rapid vegetative root development. It is a three dimensional tri-layered mat manufactured from polyethylene. It is constructed using a base of high tensile layers of net bonded to upper layers to form a cuspated surface designed to trap soil particles and seeds.
EROmasta™ SeedMat creates an immediate and long term defence against natural erosion due to wind, rain and flooding. Top soil and seed is applied on top of EROmasta™ SeedMat.
Synthetic erosion mats and blankets have become a practical choice for cost efficient, immediate and permanent solutions to help stabilisation and control erosion. EROmasta™ products offer ecologically sensitive substitutes to alternate solutions.

CODE	APPLICATION	LAYERS	MAX FLOW	MAX GRADIENT
TRM5-2/30	Turf Reinforcement	5	5.8 m/s	1:0.8
TRM3-2/50	Turf Reinforcement	3	3.9 m/s	1:0.6



JUTE MAT

Made from Jute, this matting is ideal for weed and erosion control. 100% biodegradable.


- 1.83m x 25m (45.75m²)

CODE	PRE-SLITTED	WEIGHT
30-JM280	No	280gsm
30-JM750	No	750gsm
30-JM750S	Yes	750gsm

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.



JUTE MESH



EROmasta™ Jute Mesh is a fully biodegradable organic product made from Jute, which is a derivative of Hessian. Specifically designed to act as an erosion control mat, Jute Mesh creates an environment which promotes rapid natural plant growth.

- 1.2m x 549m (Bale), 1.2m x 68m (Biscuit)
- 485gsm

CODE	SIZE
JM12-BALEJAY	1.2x549m
JM12-68M	1.2x68m
JM2.0-50MR	2.0 x 50m



COIR MESH

EROmasta™ CoirMesh is an open weave organic fibre mat made from 100% coconut fibre. Coir Mesh has a longer effective life than other biodegradable erosion control materials and can last up to 3 years. Coir products hold water efficiently, ensuring a moist environment to promote faster plant growth. EROmasta™ CoirMesh has a higher tensile strength than the more common Jute Mesh products, allowing it to be installed on steeper batters, or areas with a higher water flow.

CODE	SIZE	WEIGHT
COIRM4/2/50	2mx50m	400gsm
COIRM7/2/25	2mx25m	700gsm
COIRM9/2/25	2mx25m	900gsm

RIFLE M100 STAPLE GUN

NEW

The Rifle Staple Gun is an efficient tool for securing erosion control blankets, geotextiles, sod, and landscape fabrics in construction and landscaping. Made from precision-cut steel, it can drive up to 12,000 staples daily, saving time and reducing labor costs and strain. It operates effectively on various soil types, including rocky ground, and ensures staples remain straight during installation to withstand wind. The tool features interchangeable wearable parts, with replacement options readily available.

Rifle Staple Gun Packaging Properties

- Weight: 13kg
- Factor T Staples (Box of 1000) Weight: 12kg
- Pallet Quantity: 50 boxes of staples per pallet

Factor T Staples Properties

- Staple Dimensions: 152.4x25.4x152.4mm, U-shaped
- Gauge: 13 gauge
- Stiffness: 1018 or stiffer
- Galvanised: Not allowed
- Number of staples per cartridge/per box: 50/1000



CODE	DESCRIPTION
30-SGUN	Rifle Stape Gun M100
30-SG150	150mm Staples to suit RSG M100



COIR LOGS

COIRmasta™ CoirLogs are an environmentally friendly alternative to hay bales and expensive rip-raps or cement stabilisation techniques, COIRmasta™ CoirLogs are ideal for constructing check structures, managing changes in stream flow velocity, shaping channels and stabilising shorelines.

A natural planting medium for vegetation and made from 100% coir (coconut) fibre compacted into an outer mesh of bristle coir twine, COIRmasta™ CoirLogs are a totally biodegradable material that last up to three to five years and are biodegradable within 5-10 years. They are easily installed and will blend naturally into the environment over time.

CODE	SIZE
30-COIRL2-1.5	Ø200mmx1.5m
30-COIRL2JAY	Ø200mm x 3m
30-COIRL3JAY	Ø300mm x 3m



JUTE SQUARES

Jute Mat Tree Squares mats can absorb up to three times their original mass, ensuring trees get all the required nutrition and enabling stable growth. The key benefit of them is longevity.
While other natural fibre mats will withstand weed growth for up to 1-2 years depending on environmental conditions, Jute Mat Tree Squares has already surpassed weed growth for 3 years and is still going strong.

CODE	SIZE
30-JMSQ370JAY	370mmx370mm
30-JMSQ600JAY	600mmx600mm

HESSIAN ROLLS

- Heavyweight - 170gsm
- Size: 50m x 1.8m



CODE
43-HESRLJAY

21

NATURAL GYPSUM

- Soil Conditioner & clay breaker
- 100% organic and natural
- Improve soil structure, increase water penetration and increase aeration
- Will not alter pH
- No heavy metal concentrations
- Valuable source of sulphur & calcium
- 20kg bags



CODE
41-GYPS

EROSEAL DUST SUPRESSANT

EROSEAL Bio is a plant-derived, bio-based dust suppressant designed for long-term control with a single application. It effectively prevents dust from becoming airborne, even in harsh weather and heavy traffic, making it ideal for mines, road maintenance, and construction sites.

- Long-lasting dust control in all weather
- Non-toxic, non-flammable, neutral pH
- Non-carcinogenic, safe for workers and environment
- Remains bonded under heavy traffic, won't affect traction
- Fully biodegradable, non-hazardous, non-corrosive
- Superior wetting for optimal performance, binds dust after drying

CODE	DESCRIPTION
ES-B-1000L	EROSeal Dust Suppression Fluid Bio 1000L
ES-P-1000L	EROSeal Dust Suppression Fluid Polymer 1000L



5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

PREMIUM HARDWOOD STAKES

Premium hardwood stakes is suited specifically to Landscaping Contractors



TREE GUARD PEG

- Premium Australian hardwood
- Suitable for commercial and residential purposes
- Sold in packs of 10

CODE	SIZE
30-3811750JAY	38x11x750mm
30-3811900JAY	25x16x900mm

PREMIUM HARDWOOD STAKES

- Premium Australian hardwood
- Suitable for commercial and residential purposes




CODE	PACK	SIZE
30-38381500	6	38x38x1500mm
30-38381800	6	38x38x1800mm
30-50501800	6	50x50x1800mm
30-50502100	6	50x50x2100mm
30-50502400	6	50x50x2400mm

HARDWOOD STAKES

- Imported Hardwood
- Available in Tomato stakes, Silt Fence stakes & Unpainted stakes

Min. purchase 12 stakes


CODE	DESCRIPTION
30-25251200	25 x 25 x 1200mm (Tomato Stakes)
30-25251800	25 x 25 x 1800mm (Tomato Stakes)
30-3838900	38 x 38 x 900mm (Silt Fence Stakes)
30-38381200	38 x 38 x 1200mm (Silt Fence Stakes)
30-5025600JAY	50 x 25 x 600mm (Unpainted)
30-50251200JAY	50 x 25 x 1200mm (Unpainted)
30-5025900JAY	50 x 25 x 900mm (Unpainted)



DUMPY PEGS

- Imported Hardwood
- Size: 50 x 50mm
- Min. purchase 15 pegs


Min. purchase 15 pegs



CODE	FINISH	LENGTH
26-505045JAY	Unpainted	450mm
26-505060JAY	Unpainted	600mm
26-505090JAY	Unpainted	900mm

SURVEYORS PEGS - PAINTED

- Hardwood
- Size: 50 x 25mm
- Sold in packs of 25



IMPORTED HARDWOOD

CODE	FINISH	LENGTH
30-5025450PJAY	Painted	450mm
30-5025600PJAY	Painted	600mm
30-5025900PJAY	Painted	900mm
30-50251200PJAY	Painted	1200mm
30-5050230P	Painted	230mm

TREE GUARDS

GEOmasta® Corflute Tree Guards are a heavy duty rigid plastic shelter for young trees, designed to protect against damaging winds, herbicide overspray and animal damage.
They are very durable, quick and easy to install requiring only 1 tree stake, and can be reused if required.
Designed to last 2-3 seasons in Australian conditions, meeting local council requirements.
GEOmasta® Tree Guards have small holes designed to allow plant breathability, while still offering superior protection. While they are suitable for many plant types, these guards are ideal for small native plants.
Stake Size required; 750mm x 11mm x 38mm. (30-3811750). 1 stake per guard.

CODE	DESCRIPTION
30-TG450	150 x 450mm
30-TG450-2JAY	200 x 450mm
30-TG600-2JAY	600 x 200mm



*Black also available.



HESSIAN TREE TIE

- For use with stakes, tree ties limit the movement and support newly planted trees and plants
- Biodegradable
- Lasts up to 12 months
- Size: 50mm x 33m Roll



CODE
30-HTTJAY



POLY TREE TIE

- For use with stakes and tree ties to limit the movement and support newly planted trees and plants
- UV Stabilized
- Made from polypropylene
- Can be cut to any length to suit application
- Size: 50mm x 100m Roll

CODE
30-BTTJAY



INTERLOCKING TREE TIE

- For use with stakes and tree ties to limit the movement and support newly planted trees and plants
- UV Stabilized
- Made from recyclable plastic
- Can be cut to any length to suit application
- Size: 12mm x 100m Roll

CODE
30-ITTJAY



ROOT BARRIER HDPE


GEOmasta® Root Barrier is designed to prevent the intrusion of tree root systems into sensitive areas. Tree Roots can aggressively spread and cause costly damage to buildings, pipes, foot paths and roadways, becoming both dangerous and expensive to repair. Made of virgin HDPE (High Density Polyethylene), GEOmasta Root Barrier offers superior performance and is more cost effective than traditional methods such as CFC Sheeting or Sheet Metal.

Care should be taken to install Root Barrier from surface level to 25% below the nominal root depth of the tree species being planted to ensure the roots do not grow under or around the barrier.

Smooth sided Root Barrier is generally the preferred option for root deflection due to the limited hold offered for young roots.




CODE	SIZE
RBPE06	600mmx30mx1mm
RBPE09	900mmx30mx1mm
RBPE12	1200mmx30mx1mm



MASTAHEX PERMEABLE PAVING SYSTEM

mastaHEX Permeable Paving System (MHPPS) has been engineered for use across a multitude of soil & turf stabilisation applications. With a load rating of 1200 tonnes per square metre the mastaHEX system is a safe and cost-effective substitute for traditional paving systems in many applications.
It is environmentally friendly and designed to reduce maintenance and logistic costs while at the same time increasing safety and water conservation.



CODE	SIZE
MHPPS	1000mm x 500mm x 42mm

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.




CONCRETE CANVAS CCX

CCX™ is an innovative Geosynthetic Cementitious Composite Mat (GCCM) that provides a flexible, concrete-filled geosynthetic solution. It hardens upon hydration to form a durable, waterproof concrete layer, eliminating the need for mixing equipment. Just unroll and add water—either by spraying or immersion. Designed for efficiency, it reduces vehicle movements and contractor burden while exceeding ASTM D8364 standards. An LLDPE geomembrane backing ensures low permeability, making CCX™ a reliable, hassle-free construction material.

Properties of CCX™

- High Impermeability: CCX™ has an LLDPE geomembrane backing ensuring the material has very low permeability, significantly reducing or eliminating see page losses.
- Durable: CCX™ has a high degree of durability with abrasion resistance more than 3.5 times that of standard OPC concrete.
- Long-Term Performance: CCX™ has very good long-term performance with a life expectancy in excess of 50 years.
- Lower Carbon: CCX™ is a carbon efficient concrete solution that offers significant embodied carbon reduction compared to conventional concrete linings.



Call for pricing

CODE	SIZE
MTCCX-M	1.9/25 Concrete Canvas









CONCRETE MATTRESS

The complete system for armouring surfaces in multiple applications including:

- Access driveways
- Construction site entrance shaker pads
- Water channels and dam spillways
- Dissipator aprons to pipe outlets
- Creek crossings

TerraGrid® Concrete Mattress system consists of:

- High strength concrete pyramids moulded onto a geocomposite geogrid and geotextile
- TerraTex® non-woven underlay geotextile
- 144kg per panel (14 panels per pallet)

Suggested Standard Accessories

- 300 – 450mm heavy duty galvanised U-anchors (55 per pallet)
- Pair of disposable lifting slings min 500kg (2 per pallet)



CODE	SIZE
TGCM	Concrete Mattress 1.2×2.4m/14P

Call for pricing



5% PRICE BEAT GUARANTEE


If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

FREDRAIN® STRIP FILTER

FREDrain® Strip Filter is a composite drain and collection system consisting of a three dimensional, high-flow drainage core which is wrapped with a non-woven filtration geotextile. It is designed to replace a conventional sand or gravel covered pipe drains by providing a far greater surface area for water to pass, resulting in faster more efficient drainage. Available in 100mm, 200mm and 300mm widths, either 25 or 40mm thick and come in 50m Rolls. A full range of fittings are available with the system for fast and easy installation.





CODE	LENGTH	THICKNESS	WIDTH
30-SD100	50m	40mm	100mm
30-SD200	50m	40mm	200mm
30-SD300	50m	40mm	300mm
SD25100	50m	25mm	100mm
SD25200	50m	25mm	200mm
SD25300	50m	25mm	300mm

FLEXIBLE DRAINAGE PIPE (AGG PIPE)

Flexible Drainage Pipe comes in unslotted and slotted both in socked and unsocked for every civil application. Suitable for all drainage types: light, medium and heavy duty.



CODE	DESCRIPTION
FDP04-S100	100mm x 100m Class 400 Slotted
FDP04-SK100	100mm x 100m Class 400 with RTA Sock SN8
FDP10-S100	100mm x 100m Class 1000 Slotted
FDP10-SK100	100mm x 100m Class 1000 with RTA Sock SN20

TERRADRAIN® SHEET DRAIN

TerraDrain® is a dimpled plastic sheet that provides effective drainage and waterproof membrane protection on foundation walls and other underground structures.

The integrated non-woven geotextile covering the dimples prevents soil particles blocking the drainage sheet, creates an air gap for reliable ventilation and allows inflow and with its dimple structure effectively captures and transports high water volumes and resists high loads from earth and formwork.




CODE	THICKNESS	LENGTH	WIDTH
SDS-TD10	10mm	20m	1.1m
SDS-TD18	18mm	30m	1.13m
SDS-TD20	20mm	30m	1.1m

DRAINMASTA® DRAINCEL®

DRAINmasta® DrainCel® creates a permanent non-clogging void between the concrete slab and the soil profile that will not collapse or distort. The 30mm void enables a direct flow of water to designated outlets avoiding the risk of water build-up and penetration.

The large surface and capacity void space enables superior drainage efficiency compared to the small voids created by using a gravel system. The lightweight nature of this product reduces weight on the structure by 98% over gravel making it the perfect choice for planter boxes, of gardens and landscaped podiums.




CODE	HEIGHT	LENGTH	PANEL SIZE	WIDTH
DMC20-M2	20	600mm	Supplied as 1.2m2	500mm
DMC30-M2	30	600mm	Supplied as 1.2m2	500mm
DMC50-M2	40	600mm	Supplied as 1.2m2	500mm

URBANTREE

mastaVAULT Urban Tree are modular units that assemble to form a skeletal matrix that supports relevant pavement loads while providing large volumes of un-compacted soil within the structure for free root growth.

The open, skeletal matrix provides a maximum growth zone for tree roots. More than 95% of the Internal Void volume is available for un-compacted soil and root growth.




CODE	HEIGHT	LENGTH	WIDTH
UTREE-430	430	770mm	385mm
UTREE-830	830	770mm	385mm
UTREE-1230	1230	770mm	385mm

MASTATANK™ STORMVAULT MODULE

mastaTANK Stormwater Modules are suited to any subsurface infiltration, retention or detention Stormwater applications. Manufactured using recycled materials, the Tank Modules are lightweight, engineered design, structural component developed through research & development.

It is ideally used for the construction of underground Infiltration, Reuse, Detention Tanks, Grass Swale, Subsurface interception channels, Septic Leach Drains and light weight void fillers for roof gardens and planter boxes applications.



CODE	HEIGHT	LENGTH	WIDTH
STVAULT-400	430	770mm	385mm
STVAULT-800	830	770mm	385mm
STVAULT-1200	1230	770mm	385mm
STVAULT-1600	1600	770mm	385mm

85% RECYCLED
85% RECYCLED

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.



MASTATEX™ NONWOVEN

mastaTEX™ Nonwoven is a continuous filament geotextile made from highly durable polyester fibres, which are resistant to all naturally occurring soil acids and alkalis. The textile is formed through needle punching in order to produce a product suitable for use in road & rail work, separation, drainage, protection and filtration works. mastaTEX™ Nonwoven geotextiles are manufactured to ISO 9001 quality assurance procedures. Properties of mastaTEX™ Nonwoven geotextiles are averages derived from in house and independent laboratory testing overtime.

Non Woven PET Filament
RMS R63 / MRTS27

CODE	Strength	Filtration Class
PF14	Class A	1 to 5
PF24	Class B	1 to 5
PF34	Class C	1 to 5

CODE	Strength	Filtration Class
PF44	Class D	1 to 5
PF54	Class E	1 to 5

	Method	Unit	PF14	PF24	PF34	PF44	PF54	PF64
RMS R63 / TMR MRTS27 Class:	-	-	A	B	C	D	E	-
Typical Mechanical Properties Q Value								
Grab Tensile Strength	AS 3706.2B	N	650	805	1440	1504	1870	2430
Trapezoidal Tear Strength	AS 3706.3	N	270	355	540	595	690	759
G-Rating	Austroads	-	1600	1900	2800	3600	5300	5890
Grab Elongation	AS 2001.2.3	%	68.8	63.5	58.9	59.5	54.3	54.3
UV Resistance	AS 3706.11	%	80	80	80	80	80	80
Typical Hydraulic Properties Mean								
Pore Size	AS 3706.7	µm	110	110	90	90	80	75
Nominal Flow Rate	AS 3706.9	l/m² /s	219	203	176	165	93	81
Dimensions								
Length	-	m	250, 100	200, 100	150, 100	100	75	75
Width	-	m	2, 3, 4, 6	2, 3, 4, 6	2, 3, 4, 6	2, 4, 6	3, 6	6

MASTATEX™ HANDY ROLL

mastaTEX™ FiltaFab is a high quality staple fibre geotextile, designed for landscaping and small civil works. Due to the 3 dimensional structure, it provides an effective drainage material both through the pores, or within the fabric itself. mastaTEX™ FiltaFab is most commonly used as a filtration layer in trenches, as a pipe and aggregate wrap or behind retaining walls. mastaTEX™ FiltaFab is not approved to be used on road or railways due to the mechanical properties of a short fibre material.



CODE	GRADE	LENGTH	MATERIAL	WIDTH
PF12-06-50JAY	FW	50m	PET Staple Fibre	600mm
PF12-1-50JAY	FW	50m	PET Staple Fibre	1000mm
PF12-2-50JAY	FW	50m	PET Staple Fibre	2000mm
PF12-2-100BJAY	FW	100m	PET Staple Fibre	2000mm
PF12-4-100BJAY	FW	100m	PET Staple Fibre	4000mm





MASTATEX™ ORANGE

mastaTEX™ Orange is a high quality staple fibre geotextile, designed for separating contaminated and non-contaminated soils. Due to its bright Orange colouring, mastaTEX™ Orange is most commonly used as a warning layer in areas which are liable to future excavations. mastaTEX™ Orange provides the same performance as other geotextiles in the mastaTEX™ range.

CODE	APPLICATION	LENGTH	MATERIAL	WIDTH
GFO-3-200	Capping/Warning Layer	200m	PET Staple Fibre	3000mm
GFO-6-200	Capping/Warning Layer	200m	PET Staple Fibre	6000mm

GEOMASTA™ RETAINING PINS

GEOmasta retaining pins, used to fix geotextile fabric or erosion control matting to the soil ground. Chisel tipped ends allow the pin to pierce through geo fabrics for a quick and easy installation.

- 150mm U-shape - Qty: 500 / pack
- 300mm U-shape - Qty: 250 / pack



CODE	QUANTITY
30-PINS150-500	500
30-PINS300-250	250

ROAD TAPE BITUMEN

strabaTEX™ Road Tape is a non-woven polyester geotextile which is laminated onto a bitumen compound polymer. It is resistant to high temperatures allowing hot asphalt to be laid directly onto the product. strabaTEX™ Road Tape has exceptional adhesion to bitumen and concrete.

Its flexibility, high tensile strength, as well it's puncture and heat resistance define it as the best solution in treating road and bridges.
It is used to treat cracking in road pavements and can also be used to seal concrete culvert joints.

**Primer may be required. Please contact us for details.*



CODE	MATERIAL	SIZE
RTB166-10	Non Woven Polyester	166mm x 10m
RTB250-10	Non Woven Polyester	250mm x 10m
RTB330-10	Non Woven Polyester	330mm x 10m
RTB500-10	Non Woven Polyester	500mm x 10m

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

428 GEOGRID

Polyfabrics
Reliability you can build on



MASTAGRID™ POLY


mastaGRID™ Poly is an engineered polypropylene geogrid designed for soil stabilisation, separation and reinforcement applications. This is done through the process of extruding, polypropylene sheets then both stretching in both longitudinal and transverse directions.

mastaGRID™ Poly rigid biaxial geogrids perform best in granular, angular fills and are used under roads, railways, loading platforms for sub-base soil reinforcement & stabilisation.

CODE	APERTURE SIZE	GRID TYPE	MATERIAL	ROLL SIZE	STRENGTH
GGPB2020	38 x 38 mm	Rigid Bi-axial	Extruded Polypropylene	3.95 x 50m	20 / 20 KN/M
GGPB3030	38 x 38 mm	Rigid Bi-axial	Extruded Polypropylene	3.95 x 50m	30/30 KN/M
GGPB4040	38 x 38 mm	Rigid Bi-axial	Extruded Polypropylene	3.95 x 50m	40 / 40 KN/M



DISCLAIMER: Consult Jaybro Group or a certified Engineer for site specific installation instructions. Jaybro Group reserves the right to change its product specification at any time. It is the responsibility of the specifier and purchaser to ensure that product specifications used for design and procurement purposes are current and consistent with the products used in each instance. E&OE



MASTAGRID™ COMPOSITE

mastaGRID™ Composite is an engineered geogrid designed for soil stabilisation, separation and reinforcement applications. mastaGRID™ Composite is manufactured from Polypropylene through the process of extruding, longitudinal and transverse heat stretching. mastaTEX™ is then heat bonded to the grid to form a sound composite structure.
It is designed to prevent reflection cracking, water damage and improve load capacity in road construction and renovation. It has the property of high temperature resistance and anti-fatigue cracking and therefore extending the life and time of asphalt pavements.

CODE	GRID TYPE	MATERIAL	ROLL SIZE	STRENGTH	BOND TYPE
GGCB2020	Rigid Bi-axial	Non Woven PET Filament	3.95 x 50m	20 / 20 KN/M	Thermal
GGCB2020-5.9	Rigid Bi-axial	Non Woven PET Filament	5.95 x 50m	20 / 20 KN/M	Thermal
GGCB3030	Rigid Bi-axial	Non Woven PET Filament	3.95 x 50m	30/30 KN/M	Thermal
GGCB3030-5.9	Rigid Bi-axial	Non Woven PET Filament	5.95 x 50m	30/30 KN/M	Thermal
GGCB4040	Rigid Bi-axial	Non Woven PET Filament	3.95 x 50m	40 / 40 KN/M	Thermal

SILT CURTAIN

The Siltmasta™ SiltCurtain controls silt run off in streams by acting as a floating barrier. The curtain is made from geotextile material with closed cell foam flotation and a ballast pocket at the bottom for chain.

Silt Curtains, also known as Sediment Curtains or Flotation Curtains are designed and used to control sediment, algae or debris movement in waterways. Silt Curtains consist of a high visibility reinforced plastic flotation pocket, a non woven needle punched geotextile skirt to act as the filter and ballast pocket.

Standard Size
Size: 15m x 1.5m (Deep) including chain

Custom Length (Per Metre)
2 weeks lead time required

CODE
30-SICR15JAY
30-SICRT2-2/25



SILT WARDEN

GEOmasta™ Silt Warden uses a high tensile, UV stabilised HDPE shade cloth to provide storm water inlet protection. SiltWarden fits inside an existing drain pit while the drain grate holds this inlet protection device in place.



CODE	SIZE
30-SW12JAY	1.3m(L) x 1.3m(W) Basin: 600m

DRAIN WARDEN

The drain warden is made from fabric. The polypropylene nonwoven geotextile fabric is the filter medium – any particulate greater than 90 microns will be trapped by the fabric.

An absorbent polypropylene mini boom in the basin of the drain warden traps hydrocarbons, oils and fuels.
Size: 1300x1300x600mm



CODE
30-DW12JAY

DEWATERING BAGS

Dewatering and Sediment Filter bags are perfect for pumping and filtering sediment laden water. The dewatering bags provide a simple yet effective method of removing heavy particles (>90 microns) from excavation water allowing silt free water to be released from the bag.

- 270gsm geotextile fabric
- Double thickness neck for strength
- 90 micron pore size
- Double stitching
- Male camlock connector



CODE	SIZE
30-DB15JAY	1.5m (L) x 0.5m (W)
30-DB25JAY	2.5m (L) x 1.5m (W)
30-DB60JAY	6.0m (L) x 4.0m (W)

WEEDMAT

- The tight weave prevents light reaching the soil
- Allows air and water to pass through the weave
- Prevents weed growth
- Size: 50m x 1.8m



CODE
43-WMAT

STRAW HAY BALES

- Often used on site as a permeable barrier across minor drainage paths, swales and channels.
- Size: 800 (L) x 400 (H) x 500 (W)

CODE
30-HAYJAY

20



HAY BALE BAGS

Hay bale bags extend the life of hay bales and dramatically increases the filter capabilities of a hay bale.

- Size: 1000mm x1 600mm
- UV resistant material

CODE
30-HBBSJAY



5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

SILT BAGS

PREMIUM SILT BAG - 1M

Heavyweight UV Resistant with tie strap. Ideal for preventing sediment entering drains. Made from heavy duty polypropylene mesh to last up to 6 years outdoors. Prefilled with blue-metal.

- Prefilled with sand not available.
- Size: 300mm x 800-1000mm
- Flow rate: 23Lt/m2/min



50 VIC Pallet
100 NSW Pallet

CODE	CONTENTS
30-SIBGJAY	Empty
30-SIBGPFJAY	Prefilled

SILT SAUSAGES - EMPTY



CODE	SIZE
30-50MSSJAY	50m Roll
30-4MSSJAY	4m Roll

SILT SOCKS

High Strength Design allows traffic to go over the silt sock and not burst it open

PREFILLED SILT SAUSAGE

- Made from high strength U.V. resistant filter fabric, designed to go around drains and trap any sediment but allow water to flow through.
- Prefilled with blue-metal.
- Prefilled with sand not available.
- Size: 200mm x 1300mm
- Size: Ø150mm (when filled)



CODE
15-100031JAY

ECONOMY SILT BAG

- Economy Silt Bags with tie strap.
- Qty: 50pk.
- Size: 230 x 860mm
- Flow rate: 15Lt/m2/min



CODE
30-ECSBJAY


SILT FENCES

SILTMASTA SF5000 - PREMIUM SILT FENCE

Premium SF5000 Silt Fence is a special, high quality, permeable, technical filter fabric that can be installed as an entrenched vertical barrier fence, and is designed to intercept and detain runoff, trapping harmful silt through settlement and filtration before it leaves the site.

Roll Height: 750mm
Roll Length: 100m

Ideal for long term applications.



62

CODE
30-SF5000JAY

SILTMASTA SF3000 - STANDARD SILT FENCE

Premium Woven Silt Stop with a high flow rate and very long lasting. With woven edges to resist fraying. U.V. resistant.

Roll Height: 850mm
Roll Length: 100m

Ideal for long term applications.



40


CODE
30-SF3000JAY

SILTMASTA SF2000 - ECONOMY SILT FENCE

Woven Silt Stop. Green - U.V. resistant.

Roll Height: 770mm
Roll Length: 100m

Ideal for short term applications.



CODE
30-SF2000JAY

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

434 INDEX

0~9

1.5T – 0.85Cu.M Concrete Collection Tray 317
1.7L Electric Kettle 40
1/2" Drive Impact Socket - Long 348
1/2" Drive Impact Socket - Short 348
1/2" Drive Impact Socket Sets 349
100 Piece Heavy Duty Replacement Blades 358
1000 Volt Certified Non-Conductive Digging Tools 358
10Amp Portable Power Outlet 374
125L Bar Fridge & Freezer 41
140L Chemical Spill Response Kit 106
140L Portable Spill Response Kit 105
14Pc Industrial Acetate Handle Screw Driver Set 357
15-17Mm Z Bar 326
15Amp Portable Power Outlet 374
18L Drink Cooler 39
18Vx2 Brushless 230Mm (9") Powercut Kit 384
1kg Sugar - White 38
1L Long Life Milk 38
2 Tonne Slings 28
2.5L Jug 39
200 X 4.6Mm 316 S/Steel Cable Tie 100Pk 203
2000 Series Heavy Duty Brace 232
201 Grade Steel Bands 172
205L Rotary Drum Pump 27
20L Microwave 40
240L Green Wheelie Bin 37
240L Heavy Duty Bags 37
240L Yellow Wheelie Bins 37
25L Swing Top Tidy Bin 37
2700 Series Temporary HDPE Fence Panel 230
28 Pce Combination Spanner Set Af & Metric 355
280L Chemical Spill Response Kit 106
2M Drum Pump Hose 27
2M Scaffolders Lanyard 127
2M Shock Absorbing Lanyard 127
3 Phase Temporary Site Power Board 373
3 Way Mains Marker Tapes 23
3 Way Mains Marker Tapes 394
3/4" Drive Impact Socket Sets 349
3000 Series Heavy Duty Brace 232
316 Grade Steel Bands 172
32mm Concrete Fence Foot - 25kg 36
34L Calibration Test Gases 123
36L Kitchen Tidy Bags 37
3M™ 9913V P1 Dust Mask Respirator With Valve 68
3M™ Aura™ Particulate Respirator 9320A+, P2 68
3M™ Full Face Respirator 6000 Series 74
3M™ Half Face Respirator 74
3M™ Particulate Respirator 9322+P2 67
3M™ Versaflo™ Filter P3 With Nuisance O/V 75
3M™ Versaflo™ Filter Papr-P3 75
3M™ Versaflo™ Powered Air Purifying Kit 74
3Pc Dynagrip Chisel Set 357
4 Slice Toaster 40
4 Tonne Slings 28
40L Chemical Spill Response Cab Kit 106
40L Spill Response Cab Kit 105
40V Max Dual Port Rapid Charger 385
40V Max High Output 8.0Ah Battery 385
41Pc 1/2" Drive Metric & A/F Socket Set 349
450mm - Orange with 150mm CL400 Reflective Collar 139
48 Amber LED Mini Light Bar 145
48L Bar Fridge & Freezer 41
4-Drum Spill Pallet 109
5,600W Petrol Powerlite Generator 378
5.68L Jug 39
500L Portable Spill Response Kit 105
500W Halogen Globe Replacement 374

INDEX 435

50Pc 1/4" & 1/2" Drive Metric & A/F Socket Set 349

5L Instant Hand Sanitiser Gel 36

5L Pressure Sprayer 324

6 Volt Battery 20, 376

6,800W Petrol Powerlite Generator 378

600ml Bottled Water 38

60L Garbage Bin with Lid 37

6Kg Rubber Bases 375

6V Heavy Duty Batteries 147

700mm - Orange with 250mm CL400 Collar (Road Compliant) 139

700mm - Orange with 250mm Reflective Collar 139

72L Heavy Duty Bags 37

80V Max (40Vx2) Brushless 355Mm (14") Power Cut Kit 384

900mm - Orange with 250mm CL400 Reflective Collar 139

90L Portable Spill Response Kit 105

9Pc Metric Hex Key Set 357

A

A3 Water Resistant Document Holder 214

A4 Water Resistant Document Holder 214

Abe Powder Fire Extinguishers 112

Abnti-Gawk Screen Post 283

Abrasive Sanding Discs 347

Abrasive Sandpaper Rolls 347

Absorbent Wipes 34

Absorb-M Crash Cushion 274

Access Way Premium Mesh 0.8M X 50M 221

Accessories 241

Ace Suction Hose Kit 405

Ace Water Suction Hose 406

Acrylic Road/Line Marking Paint 182

Adesilex G19 2 Part - Constructile Glue 192

Adjustable Wrenches 355

Aed Poly Sign 80, 209

Aed Standard Wall Cabinet 80

Aed Wall Bracket With Signage 80

Aerogard Insect Repellent 64

Aerosol Storage Cages (Aerosol Storage Cage - 18 Can) 116

Aerosol Storage Cages (Aerosol Storage Cage - 180 Can) 116

Aerosol Storage Cages (Aerosol Storage Cage - 300 Can) 116

Aerosol Storage Cages (Aerosol Storage Cage - 345 Can) 116

Aerosol Storage Cages (Aerosol Storage Cage – 625 Can) 116

Aerosol Storage Cages (Aerosol Storage Cage - 72 Can) 116

Aerosol Type Air Horn 114

A-Frame Barriers 239

Aftek Crete Bond 300

Aftek Curecon A 306

Aftek Curecon Aa 306

Aftek Curecon Be 307

Aftek Curecon Pw Smartwax 307

Aftek Curecon W Resin 306

Aftek Fairing Coat Mortar 298

Aftek Flex-Pro 50Fc Sealant 295

Aftek Flex-Pro Pu Sealant 295

Aftek Penaflow Panel Grout 301

Aftek Penapatch High Build Hb 298

Aftek Penapatch Panel Lw 299

Aftek Penapatch Structural Hb50 298

Aftek Penapatch Structural Hb80 298

Aftek Penatech Gp Grout 301

Aftek Penatech Hes Grout 301

Aftek Penatech Hs Grout 301

Aftek Trulevel Tuff Top 297

Aftek Universal Primer 302

Aluminium Camlocks 408

Aluminium Frangible Poles 176

Aluminium Safety Lockout Hasp 120

Aluminium Tape 103

Aluminium Tape 365

Anti-Bac Wipes 34

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, JAYBRO WILL BEAT THAT PRICE BY 5%*

*Conditions apply, See website for details.

436 INDEX

Anti-Bacterial Liquid Soap	36
Anti-Fog Lens Cleaning Wipes	56
Anti-Gawk Screen Panel	283
Anti-Slip Polyurethane Coating	192
Anti-Slip Tape	365
Appliance Test Tags	377
Argyle Bump Cap Safety Boot	99
Argyle Lace Up Safety Boot	99
Argyle Zip Bump Cap Safety Boot	99
Argyle Zip Sided Safety Boot	99
Armorall Multi- Purpose Cleaner	389
Armorgard Rubble Truck Lid Only	371
Armorgard Sitestation™ Ss2	368
Armorgard Truck RT400	371
Armorgard Tuffbank™ Tbc4	368
Asbestos Bags	103
Asphalt Anchor Screw	184
Asphalt Rake	360
Automatic Hand Sanitiser	36
Axis Ear Muffs – Comfort	62
B	
Back to Back Clips	170
Backsaver Spotting Handle	19
Bag of Cotton Rags	43
Banding Brackets	172
Banding Buckles	172
Banding Tool	172
Barrier Board Stands	147
Barrier Boards & Stands	146
Barrier Mesh - #8 - Plastic Type	8
Barrier Mesh - Fabric Type	8
Barrier Tape	103
Bauer Kit	411
BBS-TEK Reversing Alarm - "Quackers"	145
Bhw - Precast Batter Outlet	401
Bike Rack	180
Bitumen Expansion Joint	311
Bituminous Paint Waterproofing Membrane	315
Black Layflat Hose	407
Black Layflat Hose Kit	405
Black Nitrile Gloves - Large	53
Black Panther Industrial Snips	357
Black Powder-Free Nitrile Gloves - Extra Large	53
Block Axess HVM Barrier	287
Block Axess V2 Barrier	287
Block Axess V3 Barrier	287
Blue Layflat Hose	407
Blue Layflat Hose Kit	405
Blue Painters Tape	365
Blueoil Suction Hose	406
Blue-Tip Eye Bolts - Zinc	334
Blue-Tip Screw Bolts - Galvanised	334
Blue-Tip Screw Bolts - Zinc	334
Blundstone Rotoflex Composite Boot	98
Bolt Cutters	357
Bolt Down Base Plate - Socket Sleeve	177
Bolt Down Plate for DB80	273
Bond Breaker Tape	296
Boot Cleaner and Hand Sanitiser Station	36
Bosch Circular Saw Blades	345
Bosch Diamond Discs	346
Bosch Gcl 2-15 G Combination Laser	352
Bosch Gim Professional Inclinometer (Spirit Level)	350
Bosch Gll 3-80 Cg Line Laser	352
Bosch Gpl 5 G Point Laser	352
Bosch Metal Grinding Wheels	345
Boxed Edge Road Signs	166 - 167
Braille Signs	210
Branded Holypan	272

INDEX 437

Brass Padlock	372
Breakdown Traingles	29
Breathalyser	81
Brushed Silver Aluminium Architectural Signs	210
BSL Bracket	172
Bubble Wrap	321
Buckets	324
Bucklestrap	172
Builders Cement	27, 316
Builders Props	325
Bulka Bags	15, 321
Bullet Head Nails (Formwork Nails)	337
Bump Test Kit – 4Gas	123
Bung Tool to Suit All Barriers	261
"Bushman" Repellent	64
C	
Cable Cover	23
Cable Cover	394
Cable Hauling Rope - Blue (Parramatta Rope)	24
Cable Height Meter	353
Cable Lube	24
Cable Ties	13, 203
Camlock Kit	408
Caps For Posts	174
Carpenters Pencil	364
Cast Iron Gas, Water & Subsoil Boxes	401
Caulking Gun Nozzles	296
Caulking Guns	296
Chainsaw Head Protection	60
Chalk Lines	20
Channel Bolts	173
Chemical Goggles	57
Chempro Nitrile Chemical Gloves	52
Chemset Universal Applicator Gun	291
Chevron Delineator	143
Chilled Water Bubbler with Bottle Filler	42
Chipboard Screws - Timber	339
Chippys Master Hole Saw Kit	343
Chisel Point Studs - Galvanised	335
Chisel Point Studs - Zinc	335
Christie Petrol Powered Driver Complete	136
Cigarette Ash Bin	43
Cigarette Disposal Unit	43
Circular Saw Blades	345
Claw Hammer	359
Clear Plastic Floor Applicator	320
Cloth Tape	365
Club Hammer	359
Co2 Fire Extinguishers	112
Coir Logs	14, 419
Coir Mesh	418
Cold Galvanising Spray 350G	364
Coloured Crowd Control Barriers	238
Coloured Traffic Cones	139
Combination Pliers	356
Compact Pu Foam Gun	295
Complete Dumpy Kit	353
Composite Pit Lids	403
Compressed Cardboard Corner Protectors	321
Concrete Canvas Ccx	422
Concrete Fence Feet	228
Concrete Finishing Broom	363
Concrete Mattress	423
Concrete Mix	27, 316
Concrete Pit Lids	403
Concrete Placing Rake	363
Concrete Rake	360
Concrete Rubbing Brick	363
Concrete Washout Bags	317

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

438 INDEX

Concrete Wheel Stop	184
Concure Av	307
Confined Spaces Harness	124
Connolly Key Joint	312
Connolly Permanent Pvc Capping	313
Connolly Safety Cushion Caps	323
Conomy Silt Bag	430
Contaminated Waste Bags	107
Contractor Gumboot	100
Cool Neck Ties	65
Corner Cube Reflectors	183
Cotton Shirt – 150Gsm Hi Vis 100% Cotton	87
Cotton Shirt – 150Gsm Hi Vis 100% Cotton Vic Rail Standard	88
Cotton Shirt – 155Gsm Hi Vis Lightweight Hoop Pattern	87
Cotton Shirt – 155Gsm Hi Vis Two Tone 'H' Pattern	87
Cotton Shirt – 155Gsm Hi Vis Two Tone Lightweight	87
Cotton Shirt – 155Gsm Hi Vis Two Tone Lightweight Hoop Pattern	87
Cotton Shirt – 155Gsm Hi-Vis Two Tone Lightweight	86
Cotton Shirt – 155Gsm Hi-Vis Two Tone Short Sleeve	86
Cotton Shirt – 190Gsm Hi Vis Two Tone 'X' Pattern	88
Cotton Shirt – 190Gsm Hi Vis Two Tone Heavy Duty	88
Cotton Shirt – 190Gsm Hi Vis Two Tone Lightweight Hoop Pattern	88
Cotton Shirt – 190Gsm Hi Vis Two Tone Taped	88
Cotton Shirt – Hi Vis Closed Front Long Sleeves	87
Counterweight Quad Stand	163
Couplings - Heavy Duty Coupler	231
Cpf Liner Zemfrasa	333
Cpr Chart	81
Crack Measure Gauge - 80Mm	302
Crayons	20, 364
Crc 5.56 Multi-Purpose	389
Crc Trefolex Cdt Cutting Oil	343
Cromtech Generator 6.0Kw Diesel Avr E-Start	378
Crowd Control Barrier Feet	237
Crowd Control Barrier Gate	237
Crowd Control Barrier Orange 1.2m x 1.1m	238
Crowd Control Barrier Stillage	237
Crowd Control Barriers - Galvanised	236
Crowd Control Barriers - Orange Powdercoated	236
Custom Made Hazchem Signs	211
Custom Multi-Signs	207
Custom Printed Fence Fabric Multi-Signs	207
Custom Road Signs	222
Custom Safety Signs	222
Custom Site Induction Labels	223
Custom Stickers, Labels, Tapes & Magnets	223
Cutting Knives (Utility Knife)	358
"Cyclone" - Fibreglass Handle The Professional Choice	360
"Cyclone" - Timber Handle The Professional Choice	360

D

D Shackle Galvanised 19mm/4.7T	28
Danger Signs	204
Day/Night Reflective White Overalls	89
DB 80 F-Shape - DB Flexcorner	273
DB80 K150 2M	264
DB80 K150 6M	264
DB80 kK150 4M	264
DB80 T150S Concrete Safety Barrier TL-3 & TL-4	267
DB80A/PT150S	269
Deluxe Burns Station	78
Deluxe Cowgrain Beige Riggers Gloves	50
Deluxe Floor Stands	215
Demolition Cut Off Wheels	346
Demolition Hammer	359
Dewalt Pure500-Pro Pure Epoxy Injection	290
Dewatering Bags	14, 429
Dewatering Kits	413
Diagonal Pliers	356
Dig – Drop In Grate	397

INDEX 439

Digh – Drop In Hinged Grate And Frames	397
Digital Portable Sound Level Meter	62
Direction Kits - Pedestrains	141, 208
Dishwashing Liquid	32
Disinfectant	32
Disposable Boot Covers	101
Disposable Sms Coveralls	103
Dog Bar	230
Dog Bone' Coupling - K150 97mm	265
Domed Top Tripod	353
Domed Top Tripod & 5M Stave Combo	353
Double Bolt Saddle Brackets	170
Double Ibc Spill Pallet	109
Double Sided Bracket	170
Double Sided Double Bolt Uni-Clamp	170
Dow Corning 888 Silicone Joint Sealant	294
Dowel Bar Grade	314
Dowel Bars	314
Drain Warden	429
Drainmasta® Draincel®	425
Drill Set Metric	342
Driver Bits (Power Bits & Insert Bits)	342
Drop In Anchors	335
Dry Form Squeegee	361
Duct Tape	103, 365
Dumpy Levels (Imex Heavy Duty Series)	353
Dumpy Pegs	13, 420
Dura-Flex & UPVC Manual Driving Spade	136
Dura-Flex PVC Guide Post	134
Dura-Flex PVC Pro Guide Post with Drivable Anchor	134
Dura-Post Steel Guide Post - Premium	135
Dust Masks Flat Fold P2+ Valve	66
Dustpan/Brush Set	33
E	
Ear Muffs – Cap Mounted	62
Ear Plugs – Bell Shape Corded	61
Ear Plugs Tapered	61
Eco-Friendly DB80 K150 Road Barrier	263
Eco-Hoard for Scaffolding	248
Eco-Hoard Sheets - Standard	248
Economy Paint Brush	364
Economy Silt Bag	15
Economy Two Way Radios - Tradies Pack	144
EconoPro	297
Effervescent Tablets - Hydrate + Vitamin	65
Electrical Gloves	50
Electrical Lead Stands	375
Electrical Test 'N' Tag & Emergency Lighting Logbook	215
Elite Multi-Purpose Harness	125
Elle 10 - Highway Delineator	183
Emergency & Exit Signage	209
Emergency Air Horn	114
End Clip for Last Anti Gawk Panel	261
End Cutting Nips	13, 356
Energizer Industrial Alkaline Batteries	20
Energizer Industrial Alkaline Batteries	376
Epoxy	285
Eromasta™ Hdpe Eroweb	416
Eromasta™ Seed Mat	417
Eroseal Dust Supressant	419
Eroweb® Key	416
Eroweb® Multi Head	416
Eroweb® Pins	416
Essential Harness	125
Exclusion Zone Premium 0.8M X 50M	221
Exit Signs	209
Exj Expansion Joint	312
Exj Expansion Joint System Kits	312
Expansion Joint Foam Strip - Non Adhesive	311

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

440 INDEX

Expansion Joint Foam Strip - Self Adhesive 311
Expansion Joint Permanent Capping 313
Express Shelter 244
Extended Coupler 265
Extension Ladder - Aluminium 367
Extension Ladder - Fibreglass 367
Extra Strength Concrete Mix 26, 317
Eye Care Station Premier 79, 111

F

Fabricated & Moulded Bushes (Vbc 404
Face Shield 60
Facial Tissues 30
Fastaid Lifepak Cr2 Essential Fully Automatic Public Defibrillator 80
Fatmax Retractable Knife 358
Female-Female Barrier 281
Fence Post / Reo Bar Caps 10, 323
Fence Post Caps 10, 323
Fence Post Remover / Lifter 11
Fencing Bar - Round 359
F-Frame Brace 232
Fibre Glass Platform Ladder 367
Fire Blankets 112
Fire Extinguisher Sign Kit 112
Fire Resistant Shadecloth 328
Fire Retardant Scaffold Netting With Chain Wire Mesh 328
First Aid Replacement Items 79
First Aid Replacement Items 111
Fixings for Plate Locks 287
Flagging Tape 20
Flame Resistant Lightweight Open Front Shirt – Hoop Pattern 89
Flame Resistant Lightweight Shirt – Rail 'X' Pattern 88
Flame Resistant Taped Cargo Pants 92
Flammable Liquid Sign 211
Flammable Storage Cabinets 118
Flashing Hazard Lamps 147
Flexi360 Guide Post Drivable Anchors 134
Flexi360 Guide Post with Drivable Anchor 134
Flexi360 Manual Driver 136
Flexi360 Plates 134
Flexi360 Pro Guide Post Top Slide On 134
Flexi360 Pro Guide Post with Drivable Anchor 134
Flexible Drainage Pipe (Agg Pipe) 424
Flexible Traffic Separator 178
Flextool Bullfloats 362
Flextool Concrete Edgers 362
Flextool Concrete Vibrators 386
Flextool Diesel Drive Unit 386
Flextool Forward Plate Compactor 387
Flextool General Purpose Pump 386
Flextool Hand Screeds 363
Flextool Kneeling Board 362
Flextool Magnesium Floats 362
Flextool Petrol Drive Unit 386
Flextool Pointed Trowels 363
Flextool Portavibe® Portable Vibrator 385
Flextool Square Trowels 363
Flextool Steel Floats 362
Flextool Trowel Blades - Combination 387
Flextool Walking Trowels 363
Floating Booms 107
Floor Marking Tape 365
Floor Mounted Combination Unit Of Drench Shower & Eyewash 110
Floor Scraper 33, 361
Floor Sweep 107
Fluted Plastic Bollard Chevron 143
Fluted Plastic Sheets 319
Flyspray 31
Foam Backing Rod 315
Folded Towel Dispenser 31

INDEX 441

Foot Path Panel	231
Form Ply F17 Certified	329
Fortianchor 7.2V Li-Ion Cordless Epoxy Applicator Gun	292
Fortianchor Fa-E400 Epoxy Anchor	290
Fortianchor General Purpose Formwork Silicone Sealant	296
Fortianchor Manual Epoxy Applicator Gun	291
Fortianchor Waterstop	309
Fort-I-Pac 50Mm (2") 450W Puddle Sucker Pump	413
Fort-I-Pac Submersible Pumps	413
Fortress Acoustic Curtain Sound Barrier	242
Fortress Sound Block Acoustic Barrier	243
Fosroc Nitobond Har	300
Fosroc Conbextra Gp - 20Kg	299
Fosroc Concure A99 20L	305
Fosroc Concure Wb30 Clear 20L	305
Fosroc Nitoseal Pu400 Concrete Grey 600Ml	295
Fosroc Nitoseal Sc800 Concrete Grey 600Ml	295
Fosroc Renderoc Fc - 20Kg	299
Fosroc Renderoc Hb40 - 20Kg	300
Fosroc Renderoc Hb70 - 20Kg	300
Fosroc Renderoc La55 - 20Kg	299
Four Gas Detector Calibration Kit	122
Frangible Pole Ground Sleeves	176
Frangible Pole Sleeve Wedge	176
Frangible Pole Socket Sleeve	176
Frangible Sign Post	175
Frc Fire Retardant Containment Mesh	328
Fredrain® Strip Filter	424
Frisbee Half Bracket	171
Fulaflex 550 Pu Lm	294
Fulaseal 780 Plumbers	296
Full Packing Shims	330
Fuller Trade™ Construction Adhesive	296
F-Xclusion™ Demarcation System	262
G	
Gal Hex Head Scewbolt	184
Gal Socket Sleeve with Anti Twist Bar	177
Galvanised Clout Nails	337
Galvanised Female Travis Fitting Seal	409
Galvanised Female Travis Fitting With Hose Spigot	409
Galvanised Male Travis Fitting Seal	409
Galvanised Male Travis Fitting With Hose Spigot	409
Galvanised Steel Fence Post / Droppers	11
Galvanised Tie Wire	10
Galvanised Travis Fitting Clamp	410
Galvanised Travis Fitting Set	409
Garden Hose Kit	405
Gas Bottle Storage Cages (Large Gas Bottle Storage Cage)	117
Gas Bottle Storage Cages (Small Gas Bottle Cage)	117
Gas Cylinder Storage Cages	117
Gas Mains Marker Tape	23, 394
GD4 Delineators	183
General Purpose Cement	26, 316
Generic Site Induction Labels	223
Genuine SILTMASTA SF5000 - Premium Silt Fence	12
Genuine SILTMASTA SF5000 - Standard Silt Fence	12
GEOMASTA Flocculant Blocks & Coagulants	16
Geomasta™ Retaining Pins	427
Gibb Key Wedge	177
Glass Beads	182
Glass Gripper Gloves	51
Goods Storage Cage With Lifting Lugs	370
Graffiti Remover Safewipes	32
Gravity Bar	283 - 285
Grey Suction Hose	406
Griplite Extragrip Gloves	46
Griplite Five Gloves	48
Griplite One Gloves	46
Griplite Rpet Gloves	48

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

442 INDEX

Griplite Seven Gloves	49
Griplite Six Heavy Gloves	49
Griplite Three Gloves	47
Griplite Two Gloves	47
Gritty Hand Cleaner	35
Ground Protection Mat Holding Pins	25
Ground Protection Mats	25, 191
Group Lock Boxes	120
Grout Tube (Spiral Duct Tubing)	327
Guard Rail Reflectors	183
Guardall Microporous Coveralls	103
Guide Post Installation Equipment	136
Guide Post Remover - Jaw Type	136
Gx-3R Four Gas Detector	122
H	
Hacksaw	358
Hacksaw Blades	358
Half Packing Shims	330
Hammerhead Anti Vibration Gloves	51
Hand Saw - 22" (560Mm)	358
Handrail	229
Handrail Toe Board	255
Handrail Tube	255
Hard Hat Accessories	59
Hard Hat Sun Brim	63
Hardwood Stakes	13, 420
Hay Bale Bags	429
Hazard Board Bracket Kit	171
Hazard Series	169
Hazard Tapes - Extra Heavy Duty	22
Hazard Tapes - Standard	22
Hazibag – Large	103
Hazibag – Small	103
Hb Fuller Firesound	294
Head Lamps – Led	59
Heavy Duty Auto Retractable Knife	358
Heavy Duty Builders Plastic	318
Heavy Duty Caulking Gun	296
Heavy Duty Crane Bin	370
Heavy Duty Expanding Barrier	192, 238
Heavy Duty Extension Leads	374
Heavy Duty Inspection Mirror	29
Heavy Duty Lane Dividers	181
Heavy Duty Measuring Wheel	351
Heavy Duty Outdoor Convex Safety Mirror	189
Heavy Duty Plastic Step Irons	404
Heavy Duty Pry Bar (Burke Bar)	359
Heavy Duty Pvc Logbook Pouch	215
Heavy Duty Recyclable Floor Protection 0.96M X 30M	320
Heavy Duty Speed Hump	185
Heavy Duty Vehicle Brackets With Clamps	112
Heavy Duty Wire Buckles	366
Hessian Rolls	14, 419
Hessian Tree Tie	421
Hex Head No.5 Point Self Drilling Screws - Metal	340
Hex Head Self Drilling Screws - Metal	340
Hex Nuts - Metric	336
Hgf – Cast In Hinged Grate And Frame	395
High Bond Double Sided Tape (Exterior Grade)	203, 365
High Impact Builders Plastic	318
Hi-Intensity Reflective Tape - Class 1	22
Hinge Steel Butt Fixed Pin	340
Hinges & Wheels	229
Hi-Vis Fluoro Door Numbers	29
Hi-Vis Fluoro Tape	22, 29
Hi-Vis Orange Backpack	97
Hobart Safety Boot – Elastic Sided	100
Hobart Scuff Safety Boot	100
Holding Rails	180

INDEX 443

Hole Cleaning Accessories 293

Holypan for DB80 and Steel Barriers 272

Hoodie – Hi Vis Draw Cord Two Tone 93

Hooks - Hats & Coat 340

Hoop Iron (Builders Strapping) 340

Horizontal Safety Line 128

Horse Shoe Packers 330

Hose Fittings, Clamps & Restraints 412

Hose Ramp 190

Hoses 412

Husqvarna K970 Demolition Saw 383

Hydrant Markers 181

Hydrated Lime 26, 317

Hydropower Hot Water System 10L 247

Hydro-Stop Tper Waterstops 309

Hydrotite - Hydrophilic Chloroprene Rubber Waterstop 308

Hygenifoam Luxury Foaming Soap System 35

I

Ibc Spill Pallet 109

Imex Heavy Duty Measuring Wheel With Carry Case 351

Impact Socket Adapters & Universal Joints 348

Impact Socket Extensions - 1/2" Drive 348

Imported Hardwood 420

Indi – Ductile Iron Infill Cover And Frame 400

Indoor/Outdoor Convex Safety Mirrors 189

Industrial Broom 33, 361

Industrial Handrail - 48mm 254

Industrial Handrail Board 255

Industrial Handrail Parts 255

Industrial Pedestal Fan 42

Inspection Tags 212

Instant Hand Sanitiser 36

Insulated Glove Kit Class 0 1000V 50

Interchangeable Angle Piece 2.5º 282

Interchangeable Angle Piece 5º 282

Interchangeable Angle Piece 10º 282

Interchangeable Angle Piece 7.5º 282

Interlocking Flip Top Cable Cover 190, 376

Interlocking Tree Tie 421

Isopropyl Wipes 34

J

Jack Air Hose Kit 405

Jacket – Convertible 4-In-1 Hi Vis Two Tone Zip Out 94

Jacket – Convertible 4-In-1 Hi Vis Two Tone Zip Out Vic Rail Standard 95

Jacket – Hi Vis Flying/Bomber 94

Jacket – Reflective Soft Shell Hi Vis 93

Jacket – Taped Bluey Hi Vis Two Tone 93

Jacket Taped – Hi Vis Flying/Bomber 94

Jaybro Coldlay Asphalt 26, 181

Jaybro Dust Masks 67

Jaybro Folding Gazebo 42

Jaybro Premium Cut 5 Anti-Vibration Gloves 51

Jaybro Roll Towel 30

Jaybro Roll Towel - Premium 30

Jaybro Roll Towel - Standard 30

Jaybro Site Marker Paint 19

Jaybro Slimline Folded Towel 30

Jaybro Super Zinc Spray 364

Jaybro Toilet Paper Rolls - Deluxe 30

Jaybro Toilet Paper Rolls - Premium 30

Jaybro Toilet Paper Rolls - Standard 30

Jaybro Tool Bag 369

Jay-Cure A 304

Jay-Cure Bondbreaker 303

Jay-Cure R30 304

Jaycure W30 303

Jay-Film (Aliphatic Alcohol 20 Litre) 304

Jay-Film Aliphatic 304

Jersey Kerb Delineators 183

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

444 INDEX

Jersey Kerb Delineators - Metal 183
J-Guard Edge Protection System 235
Jobber Drill Bits (Metric Jobber Drill Bits) 342
Joint 10 - Highway Delineator 183
Jumbo Roll Toilet Tissue 30
Jute Mat 14, 417
Jute Mesh 14, 418
Jute Squares 419

K

KAHN® Porcelain 193
Kanaflex Hose 406
Karabiners 127
Karcher NT 30/1 Me Classic Wet & Dry Vacuum Cleaner 37
Karcher NT 65/2 Tact Wet & Dry Vacuum Cleaner 37
Kerabond Tactile Adhesive 192
Kerb Ramp 190
Keyjoint Removeable Pvc Capping 313
King'S Black Elastic Sided Boot 100
King'S Black Safety Gumboot 100

L

L Banding Bracket 172
Ladies' Lightweight Hi Vis Shirt With Csr Tape 96
Ladies' Lightweight Nsw Rail 'X' Pattern Shirt 96
Ladies' Southern Cross Zip Sided Boot 99
Lane Maker 186
Lane Master Bollards 179
LANE-FLEX® Flexible Bollard 179
LANE-FLEX® Pro Removable Flexible Bollard 179
Lanotec Heavy Duty Lanolin 389
Lanotec Release Agent 303
Large Excavators Logbook 215
Large Fibreglass Snake 21
Laser Range Finders 352
Latex Powder-Free Disposable Gloves 53
Latex Surgical Gloves 53
Lead Hooks 375
Lead Stand Replacement Tops 375
Leakmaster - Hydrophilic Gun Grade Waterstop 309
Leather Labourer'S Gloves 50
Leather Labourer'S Gloves 50
Leather Rigger Gloves – Economy 50
LED Solar Light 247
Led Twin Worklight With Tripod 374
Lid Lifters 403
Lids for Waterwall & Lo-Ro 261
Life Jackets (Automatic Inflatable Life Jacket) 114
Life Jackets (P.F.D Type 2 Life Jacket) 114
Life Ring 114
Lifting Chain Slings 28
Lifting Clamp for Concrete Barrier 270
Lifting Clutches 28, 403
Lightweight Led Cap Lamp 59
Line Marking Chalk Blue - 226G 20
Line Marking Machine 182
Line Marking Paint 182
Lipped Drop-In Anchor Bucket 335
Liquid Hammer Concrete Remover 317
Liquid Soap Dispenser 36
Litter Pliers 81
Lockout Kit – Electrical Station 121
Lockout Kit – Electrician Puch 121
Lockout Station 121
Loctite 243 Threadlocker 391
Loctite 406 Instant Adhesive 391
Loctite Lb 767 Silver Grade Anti-Seize 391
Long Banding Bracket 172
Long Handle Plumbers Shovel - Fibreglass 360
Long Handle Shovel 360
Long Nose Pliers 356

1300 885 364
Login online for your **Trade Account Pricing**

INDEX 445

Lo-Ro Screen 258

Lo-Ro Sled 259

Lo-Ro Water Cable Barrier 258

Low Voltage Rescue Kit (Caution Tag) 119

Low Voltage Rescue Kit (Danger Tag) 119

Low Voltage Rescue Kit (Information Tag) 119

Lpg Burner Torch Kit 388

Lubex Grease Ep2 389

Lubex Grease EP2 - Black 27

Lubex Grease EP2 - Blue 27

Lubex Petroleum Jelly 390

Lubex Red Grease (Lithium Complex) 390

Lubricants (Multi-Use) 389

Lubricants (Wd-40 High Performance Silicone) 389

Lvl Formwork Timber 330

M

M10 Channel/Bracing Rail 171

M10 Fixing Cone Point Hex Bolts 173

M10 Fixing Hex Bolts 173

M10 Flat Washers 173

M10 Foot Plate Anchor 335

M10 Universal Channel Clamp 172

M12™ & M18™ Rapid Charger 381

M18 184Mm Circular Saw (Tool Only) 382

M18 Cordless 2-Speed Grease Gun (Tool Only) 382

M18 Cordless 600Ml Sausage Style Caulk Gun Kit 382

M18 Cordless Compact Blower (Tool Only) 381

M18 Fuel Barrel Grip Jigsaw (Tool Only) 382

M18 Fuel Sawzall™ Reciprocating Saw (Tool Only) 382

M18 Fuel™ 1/2" High Torque Impact Wrench With Pin Detent 379

M18 Fuel™ 1/2" Impact Wrench With Friction Ring 379

M18 FUEL™ 1/4" Hex Impact Driver 379

M18 Fuel™ 125Mm (5") Angle Grinder With Deadman Paddle Switch 380

M18 Fuel™ 13Mm Hammer Drill/Driver 379

M18 Fuel™ 165Mm Circular Saw (Tool Only) 382

M18 Fuel™ 26Mm Sds Plus Rotary Hammer 380

M18 Fuel™ 3 Piece Power Pack 3A2 381

M18 Fuel™ 6 Piece Power Pack 6A2 381

M18™ Dual Power Tower Light (Tool Only) 380

M18™ Fuel™ 8 Piece Power Pack 8A2 381

M18™ Fuel™ Blower (Tool Only) 381

M18™ Jobsite Radio/Charger (Tool Only) 380

M18™ Redlithium™-Ion High Output Battery 381

M18™ Six Pack Sequential Charger 381

Machinery Safety Sticker Sets 213

Machinery Safety Stickers 213

Magnets 163

Mains Marker Tape - Sewer Connection 23

Mains Marker Tape - Sewer Connection 394

Mains Marker Tapes 23, 394

Mains Marker Tapes - Detectable 23, 394

Maintenance Marker Posts 137

Makita Wire Brushes 347

Male-Male Barrier 281

Malthoid Bitumen Impregnated 315

Mandatory Decals 205

Mandatory Signs 205

Manual Epoxy Applicator Gun 293

Marine Spill Kit – 120L 106

Marker Plates & Stickers 138

Masking Tape 365

Masonry Nail Mickey Pins (Concrete Nails) 337

Mastagrid™ Composite 428

Mastagrid™ Poly 428

Mastahex Permeable Paving System 421

Mastatank™ Stormvault Module 425

Mastatex™ Handy Roll 426

Mastatex™ Nonwoven 426

Mastatex™ Orange 427

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

446 INDEX

Masterpac Petrol Drive	383
Masterpac Submersible Pump	383
Mattock	360
Max Frank Fibre Concrete Spacers	333
Max Frank Stremaform®	332
Maxiguard A1 Organic Vapour Cartridge	71
Maxiguard Abek1 Chemical Vapour Cartridge	71
Maxiguard Half Mask Silicone General Purpose (Silica Kit)	70
Maxiguard Half Mask Silicone Painters Kit	70
Maxiguard Hard Case P3 Particulate Filter	71
Maxiguard P2 Particulate Filter	71
Maxiguard P3 Carbon Particulate Filter	71
Maxiguard Prefilter Holder	71
Maxiguard Silicone Full Face Respirator	70
Maxiguard Silicone Half Face Respirator	70
Mdf Board	318
Mechanics / Anti Vibration Gloves	51
Mediq Antibacterial Wipes	34
Medium Fibreglass Snake	21
Megaphone & Siren	114
Megapoxy 36	292
Megapoxy P1	292
Megapoxy Pm	292
Metal Cutoff Wheels/Discs	346
Methylated Spirits	390
Micro Beacon	145
Micromesh Hi Vis Polo – Long Sleeve	86
Micromesh Hi Vis Polo – Short Sleeve	86
Micromesh Polo With Reflective – Long Sleeve	86
Mikasa Rammer	387
Milo	38
Milwaukee Locking Tool Lanyard	354
Mineral Turpentine	390
Mini Beacon	145
Mini LED Directional Arrow Boards	145
Mini Offset Bracket	171
Mixing Head For Epoxy Tubes	293
Mixing Paddles	324
Mobile Speed Light Signs	196
Mops & Buckets	33
Msa Altair 4Xr Multigas Detector	123
Multi Message Frame - 1200mm x 300mm	142
Multi Message Frame - 1200mm x 900mm	142
Multi Message Sign Bracket	172
Multi Message Signs (NSW)	154 - 155
Multi Message Signs (QLD)	148 - 149
Multi Message Signs (SA)	160 - 161
Multi Message Signs (VIC)	150 - 153
Multi Message Signs (WA)	156 -159
Multi Sign - Basic	206
Multigrips Pliers	356
Multi-Sign - Corporate	206
Multi-Sign - Mega	206
Multi-Sign - Professional	206
N	
Natural Gypsum	419
Nescafe Blend 43 Coffee	38
Nescafe Single Serve Portions	38
Nggf – Hinged Gully Grate And Frame	396
Nitrile Latex Gloves	53
Non-drill Post for Concrete Barrier	273
Notice & Information Signs	209
Nsw Traffic Controller Vest	85
O	
Oliver At Premium Zip Sided Boot	98
Oliver Premium Lace-Up Mid-Cut Boot	98
Oliver Suede Boot	98
Open Reel Tape Measure	351
Open Weave	220

1300 885 364
Login online for your **Trade Account Pricing**

INDEX 447

Orange Barrier Guard Mesh	8
Orange Cable Hauling Rope	24
Orange Flags for Multi Message System	142
Oricom 5 Watt Premium Handheld UHF Radio	144
Oricom 5 Watt Two Way Radios - Twin Trade Pack	144
Outdoor Flammable Liquids Store	115
Ox Brick Bolster	359
Ox Nubruck Zipper Work Boot	100
Ox Pro Spirit Level	350
Ox Professional Gauging Trowel	362
Ox Torpedo Spirit Level	350
Oxygen/Acetylene Complete Kit	388
P	
P2 3-Panel Flatfold Valved Respirator	68
Pacer Pump	413
Packaging Tape	365
Paddle 10 - Highway Delineator	183
Pads	107
Paint Markers	20, 364
Paint Roller Kit	364
Paint Scrapers	357
Pallet Jack/Truck	369
Paper Cups	38
Parchem Bond Breaker Tapes	365
Parkes Zip Composite Safety Boot	99
Parking Series	169
Parking Sign Brackets	170
Paslode Brad Nails	338
Paslode Framing Nails	338
Paslode Impulse Framemaster-Li Powervent Framing Nailer	338
Paslode Impulse Im250A-Li 1.6Mm (16Ga) Trimmaster Angled Li-Ion Bradder	338
Paslode Impulse Nails	338
Pbi Anchors - Panel Bracing Anchor	334
Pecaform™	331
Pedestrian Gate	229
Pedestrian Refuge Island Barriers	180
Pedestrian Signs	162
Pegs & Wedges	312
Pelican Pick	360
Peno Mesh	325
Permanent Davit Arm & Base System	129
Permanent Markers	20, 364
Personal Emergency Eyewash Station	79, 111
Personal Kit	78
Petrol Gusher Pumps	413
Petrolatum Mastic	17
Petrolatum Multi-Purpose Primer	17
Petrolatum Outer Wrap	17
Petrolatum Tape	17
Pie Warmer	42
Pier Hole Protector	230
Pins for All Barriers	261
Pipe Fittings, Vaves, Gauges, Washdown & Hose Reels	412
Pipe Marker Labels	223
Pistol Grip Grease Gun	27
Plan Organisers (Plan Clamps)	372
Plan Organisers (Plan Trolleys)	372
Plasterboard Trolley	369
Plastic Bar Chairs - Combination	322
Plastic Broom	33, 361
Plastic Car Park Dots	181
Plastic Chain	22
Plastic Fillet	327
Plastic Pits & Risers	402
Plastic Repair Plugs	327
Plastic Spaghetti Wall Anchor Roll	337
Plate Locks	286
Platform Ladder Aluminum	367
Plywood - Utility Grade	329

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

448 INDEX

Pod Coffee Machine	40
Pointguard Ultra Needlestick Gloves	51, 81
Polar Cap	172
Pole Kit For Mash System	176
Poly Sleeve Seals and Caps	176
Poly Tree Tie	421
Poly Woven Strapping	366
Poly Woven Strapping Dispenser	366
Poly Woven Tensioner	366
Polyblok 17kg Recycled Plastic	228
POLY-FLEX™ Flexible Impact Post	180
Polyweave Containment Fabric Blue	319
Polyweave Fabric - Heavy Duty	319
Portable Appliance Tester	376
Portable Eyewash Stations (35L Portable Eyewash Station)	110
Portable Eyewash Stations (55L Portable Eyewash Station)	110
Portable Eyewash Stations (Water Preservative Solution)	110
Portable Floodlight	374
Portable Shower	247
Portable Toilet	246
Portable Toilet - Sewer Connect	247
Portable Wash Dual	247
Post Sockets Plastic	177
Post Sockets 'V' Type	177
Potraffic Trailer - Mounted Traffic Light Set	195
Powdercoated Yellow R.H.S Sign Posts	174
Powder-Free Disposable Nitrile Gloves	53
Powers Diamond Cup Grinding Wheels	344
Powers Turbo Diamond Blades	345
Ppe Kit Bag	97
Pre Start Water Resistant Document Holder	214
Precast Concrete Block	251
Prefilled Hessian Sand Bags	15
Prefilled Sand Bags	143
Prefilled Silt Sausage	430
Premium Boot Cleaner	43, 101
Premium Cargo Net - Large	29
Premium Hardwook Stakes	420
Premium Heavyweight Barber Pole Mesh	9
Premium Heavyweight Barrier Mesh - #14	8
Premium Heavyweight Rail Mesh	9
Premium Industrial Soap	35
Premium Mesh	218
Premium Miners Hard Hat	58
Premium Pvc Posters	213
Premium Rain Jacket – Taped	94
Premium Roofers Kit – Elite Model	126
Premium Silt Bag - 1M	430
Premium Silt Bags - 1M	15
Premium Window Cleaner	32
Primer 13	300
Primer 3 N	300
Pro Series Manual Driver	136
Pro Series Manual Driver - No Handles	136
Probell Disposable – Bell Shaped	61
Professional Jaybro Spot Paint	18
Prohibition & No Smoking Signs	210
Proofex S	310
Pure Bristle Paint Brush	364
PVC Barrier Boards	146
Pvc Gloves (Red Pvc Coated Knitwrist)	52
Pvc Gloves (Red Pvc Dipped - 27Cm)	52
Pvc Gloves (Red Pvc Dipped - 45Cm)	52
Pvc Primer Red	391, 404
PVC Sand Bag Filled - Orange 9kg	143
Pvc Solvent Cement Blue	391, 404
Pvc Waders Premium – Hi Vis	101
Q	
Qggf – Qld Gully Grate And Frame	396

INDEX 449

Qld Traffic Controller Vest 85

Quick Break Solvent Degreaser 390

Quick Bund 108

R

R.H.S Post Security Bolt Assembly 174

R1 Vehicle Max Kit 76

R2 Constructa Max – Site Kits 77

R2 Truck 'N' Plant Kit 76

R2 Workplace Response – Office Kits 76

R3 Constructa Max Pro – Large Site Office Kits 77

R3 Trauma Emergency Response Pro Kit 77

R4 Constructa Medic – First Aid Room Kit 78

Rain Trousers 95

Rainset – Pvc Suit 95

Rainset – Taped 95

Raised Pavement Markers 181

Rakes 360

Ramset Chemset 101 Plus 291

Ramset Reo 502 Plus 291

Rapid Set Concrete 27, 316

Rapid Staple Gun 13

Ratchet Podger Spanners 355

Ratchet Tie Down - Truck Type 28

Ratchet Tie Down - UTE Type 28

Rear Evacuation Valve 247

Rebate Moulds 313

Rebounda-Bollard 179

Rechargable Magnetic Flashing Beacon 145

Reciprocating Blade Kits 344

Red Layflat Hose 407

Red Layflat Hose With Bauers 405

Red Layflat Hose Kit With Camlocks 405

Reduced Shank Drill Bits 342

Reflective Delineators 138

Reflective Kerb Ramp 190

Reflective Pavement Tape - Temporary 182

Reflective Tape - 100mm Extra Wide 22

Reflective Tape - Class 2 22

Reflector Line 9

Regulatory Series 168

Reinforced Floor Protection Joint Tape 320

RENZO® Tile 193

RENZO® Vanguard 193

Reo Bar Guard Caps 10

Reo Bar Guard Caps 323

Repeater Signs 142

Rescue Rope 124

Retractable Barrier Bar 140

Retractable Lanyard 127

RHS Brackets 171

Ribbed Carpet Mat 43

Rifle M100 Staple Gun 418

Rigid Conduit & Conduit Cones 327

Riley Kerb 186

Road Brooms 33, 361

Road Plate Lifter 285

Road Plate Shims 287

Road Plates 286

Road Tape Bitumen 427

Roll Towel Dispenser 31

Roll Up Speed Bump 142

Rolled Edge Guide Post 135

Roofing Nails 337

Root Barrier Hdpe 421

Rope Adjuster 128

Rope Rescue Kit 124

Ropelines 128

Round Fixed Inground Bollard 188

Round Removable Inground Bollard 188

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

450 INDEX

Roundabout 187

RPP Fixing Clamps 248

RSJ M10 Toe Clamp 173

Rubber Kerbing 186

Rubber Speed Humps 185

Rubber Wheel Chock 29

Rubber Wheel Stop 184

Rumble Bars 185

Rumble Grid 250

S

S Type - Post Socket 177

S.D.S./Document Storage Box 211

S/Steel Cable Tie Tensioning Tool 203

SAB Type - Post Socket 177

Safe Plate/Cover 191

Safety Base Temporary Handrail Socket 234

Safety Construction Worker Sign Cutouts 142, 208

Safety Docbox Storage Box 104

Safety Flagging / Bunting 9

Safety Flags with Pole 29

Safety Glasses – Eclipse 54

Safety Glasses – Essentials Economy 54

Safety Glasses – Extreme 54

Safety Glasses – Overspec Glasses 55

Safety Glasses – Pluto Premium 55

Safety Glasses – Pluto Premium Foam Padded 55

Safety Goggles – Premium 57

Safety Goggles – Standard 57

Safety Lockout Hasp 120

Safety Padlocks 120

Safety Step 367

Safety Tags 212

Safety Tags And Rings 112

Safety Warning Light 145

Safezone 279

Safezone Connecting Bolts 283

Safezone Female Transition Barrier 283

Safezone Male Transition Barrier 283

Safezone Universal Radius Kit 282

Sand & Cement Mix 27, 316

Sand Bag Filler 15

Sand Bags Ready to Fill Hessian 830mm x 340mm 15

Sand Bags Ready to Fill Poly 830mm x 340mm 15

Sandwich Press 41

Scaffold Control System 212

Scaffold Netting Heavy Duty 329

Scaffolders & Elevated Work Platform Kit 126

School Crossing Post Set 180

Scouring Sponges 32

Screen NSW Style 271

Screen VIC Style 271

Screw Bolts 234

Sds Max Chisel Bits 341

Sds Max Drill Bits - 4 Cut 341

Sds Max To Sds Plus Adaptor 341

Sds Plus Chisel Bits 341

Sds Plus Drill Bits 341

Sealant Mastic 404

Security Chain 372

Security Key For Trilobular Screw 173

Security Notice Series 208

Self Adhesive Butyl Pavement Marker Pad 181

Self Adhesive Clear Plastic Floor Protection 320

Self Closing Safety Gate 254

Self Drilling Bugle Batten Screws - Timber 339

Self Drilling Button Head Screws - Metal 339

Self Drilling Countersunk Wing Screws - Metal/ Timber 339

Self Drilling T17 Hex Screws - Timber 339

Self Dumping Bin 370

1300 885 364

Login online for your **Trade Account Pricing**

INDEX 451

Semi-Rigid Steel Guide Posts	135
SENTINEL™ Impact Tracker	277
Sg – Sump Grate & Frame	395
Sgf - Surcharge Grate And Frames	398
Sgh – Sump Grate & Frame	395
Sharps Containers	81
Shear Force Dowel Egcodorn®	333
Sheer Nuts	173
Shoe Cleaner	43
Shoe Insert	283
Short Handle Shovel	360
Short Shock Absorber	127
Sign Posts	174
Sika Formol Eco	303
Sika Grout 212 Hp	302
Sika Rugasol 90	305
Sika Rugasol C	305
Sika Rugasol Mh	305
Sikabond-105 Contactfix (Fast Contact Adhesive)	295
Sikaflex 11 Fc Sealant	294
Sikaflex Construction (Ap)	294
Sikaflex Pro Sealant	294
Sikafloor Level Top	297
Sikatite Be Bitumen Waterproofer	315
Silt Curtain	14, 429
Silt Fence Stapler	13
Silt Sausages - Empty	430
Silt Socks - Prefilled Silt Sausage	15
Silt Warden	429
SILTMASTA SF2000 - Economy Silt Fence	12
Siltmasta Sf2000 - Economy Silt Fence	431
Siltmasta Sf3000 - Standard Silt Fence	431
Siltmasta Sf5000 - Premium Silt Fence	431
Silverlined Rubber Gloves	52
Single Bolt Saddle Brackets	170
Single Bolt Uni-Clamp Brackets	170
Single Builders Ladder	367
Single Phase Temporary Site Power Board	373
Single Serve Milk Portions	38
Single Sided Double Bolt Uni-Clamp	170
Single Sided Ring Bracket	170
Site Box - Heavy Duty	370
Site Chairs - Premium	42
Site Table	42
Skylotec Jackpod Davits & Tripods (Jackpod Davits)	130
Sledge Hammer - Fibreglass Handle	359
Sledge Hammer - Timber Handle	359
Sleeve Anchors - Zinc	334
Slip-In Swing Stand	163
Sloppy Joe – 1/4 Zip Front Two Tone	93
Sloppy Joe – 1/4 Zip Front Two Tone (Vic)	93
Sloppy Joe – Taped 'X' Pattern – 1/4 Zip Front Two Tone	93
Small Fibreglass Snake	21
Snake 'N' Spider Bite Kit	78
Snake Guards	101
Socks	101
Socks	107
Soft Hair Broom	33, 361
Solar CCTV Surveillance Camera System	252
Solar Light Tower Medislt400	198
Solar Light Tower Minislt	199
Soudafoam Frv	293
Soudafoam Gun	293
Spade Drill Bit Set Metric	343
Spade Drill Bits	343
Sparkys Hole Saw Kit	343
Speed Ahead Frame	142
Speed Cushion Kit	187
Spf 50+ Sunblock	64

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

452 INDEX

Spill Bund	108
Spill Kit Signs & Labels	107
Spray Bottles	34
Spray N' Wipe	32
Spreader Bar	124
Square Foam Caulking Strips (Backing Rod)	315
Square Mouth Post Hole Shovel - Fibreglass	360
Square Mouth Post Hole Shovel - Timber	360
Square Spacers - Concrete	322
Squeegee	33, 361
Ss - Subsoil Box	401
Stabox® S	333
Stackable "Mighty" Bollard	140
Stainless Steel Pressure Sprayer	324
Stake / Post Rammer	11
Standard Barrier Complete	281
Standard Basic Multi-Sign	205
Standard Corporate Multi-Sign	205
Standard Coupling (Vsc)	404
Standard Duct Tape	22
Standard Mesh Pit Guard - 4 Sided	24
Standard Pedestrian Barrier - 48mm - Galvanised	254
Standard Roofers Kit	126
Standard Shade Cloth	249, 328
STANDARD XT BARRIER PANEL	234
Stanley Wonder Bar	359
Staves	353
STD Pedestrian Barrier with Toeboard	254
Stdi - Solid Top Cover And Frame Sewer	400
Stdic – Solid Top Cover And Frame	400
Steel Fence Posts (Droppers)	11, 323
Steel Post Driver	11
Steel Strapping	366
Steel Strapping Combination Tool	366
Steel Strapping Kit	366
STEEL-FLEX® Flexi-T Guide Post with Drivable Spike	135
STEEL-FLEX® Guide Post	135
STEEL-FLEX® Guide Post - Hazard	135
Stencil Sets	182
Step Drill Bits	342
Sterling Aviation Snips	356
Stick N' Stomps - Temporary Pavement Markers	181
Stillages	231
Stirrup Bracket	170
Stop / Slow Traffic Bats	141
Straight Edge Guide Post	135
Strand Wire	10
Straw Gap Filling Expanding Foam	293
Straw Hay Bales	429
Street Blade Telegraph Pole	171
Street Name Blade - 1 Way	171
Street Name Blade - 2 Way	171
Street Name Blade - 3 Way	171
Stretch Wrap Dispenser	321
Stretch Wrap Roll	321
Stretcher – Folding Type	113
Stretcher – Stokes Litter	113
Striker Browguard Face Shield	60
String Lines (Builders Lines)	323
Sugar Portions	38
Sun Brim – Economy	63
Sun Hat – Natural Straw	63
Sundström A2 Organic Gas Filter	73
Sundström A2 P2 Pre-Filter	73
Sundström Abek1 Filter	73
Sundström Asbestos/Silica Kit	72
Sundström Half Face Respirator	72
Sundström P3 Particle Filter	73
Sundström Sr200 Silicone Full Face Mask	72

INDEX 453

Supercast Pvc Waterstop 309

Superga Industrial Hand Cleaner 35

Superior Flex Cuffed Ripstop Cargo Pants 90

Superior Men'S Flex – Stretch Ripstop Cuffed Pants 90

Superior Men'S Flex – Stretch Ripstop Cuffed Taped Pants 90

Superior Women'S Flex – Stretch Ripstop Cuffed Pants 91

Superior Women'S Flex – Stretch Ripstop Cuffed Pants 97

Superior Women'S Flex – Stretch Ripstop Cuffed Taped Pants 91

Superior Women'S Flex – Stretch Ripstop Cuffed Taped Pants 97

Superswell 47B - Hydrophilic Butyl Waterstop Seal 308

Superwipes 34

Surface Mount Steel Bollards 188

Surface Spray Disinfectant 31

Surveyors Pegs - Painted 13

Surveyors Pegs - Painted 420

Swing Stands 162, 203

Swing Stands - Double Stands 162

Swings Stands - Single Sided 164-165

T

Tag Station 119, 212

Tape Measures 350

Tar Pads 181

TAU-XR (Express Repair) 276

TCA Accessory Products 187

Tea Bags 38

Telescopic Extension Handle 362

Temporary Fence Panel - 2000 Series Heavy Duty 226

Temporary Fence Panel - 2000 Series Standard 226

Temporary Fence Panel - 3000 Series 227

Temporary Indoor Power Board With 6 Outlets 373

Temporary Outdoor Power Board With 6 Outlets 373

Temporary Sign Stands 142

Terradrain® Sheet Drain 424

Tg/Tgh - Trench Grate & Frame 398

The Flat Bed Trailer Mini Edge Protection System (Tmeps) 131

The Wire Reel 10

Thermomplastic 182

Thorzt 600ml Concentrate 39

Thorzt Hydration Backpack 39

Thorzt Ice Shots 39

Thorzt Icy Poles 65

Thorzt Solo Shots 39, 65

Threaded Rod 283, 336

Tie Off Strap 127

Tie Wire 10, 323

Tie Wire Reel 323

Tiger Tails 119

Tigertail Hose 406

Tilt Panel Chair For Central Mesh Panels 322

Timber Block 16, 404

Timber Bugle Screws 339

Timber Handles 33

Timber Wedge 16, 404

Toilet Bowl Cleaner 31

Toilet Plunger 31

Toilet Roll Dispenser 30

Toilet Tidy Set 33

Tool Lanyards 354

Tool Tether & Anchor Points 354

Topcon Rl-H5A Laser Level 352

Torches 377

Traffic Cones 139

Traffic Wand 143

Traffic Wand with Torch Light 143

Trafix 1500 Lite Water Filled Barrier 241

Trafix 2000 Anti-Gawk Screens 241

Trafix 2000 Waterfilled Barrier 240

Trafix 2400 Waterfilled Fence Weight 233

Trailer Mini Edge Protection System 29

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

454 INDEX

Trailer Mounted Arrow Boards 196
Trailer to Suit Portable Toilet 246
Tram Separator 185
Tree Guard Peg 420
Tree Guards 420
Trench Cover - Interlocking 191
Triboc T Wind 130
Trilob Bolts - Steel 173
Trilob Bolts - Zinc 173
Trilobular Spanner L Shaped Key 173
Trousers – Cotton Drill Cargo 92
Trousers Taped – Cotton Drill Cargo 92
Truck & Trailer Logbook 215
Truck Wash 390
T-Top Bollards 140
Tubular Sealant Caulking Gun 296
Tunnelling Air Hose Kit 405
Turbo Ring Fastening Gun 13, 329
Turbo Rings - 1000/Pk 13, 329
Twin Floodlight On Stand 374
Twist 10 - Highway Delineator 183
Type A Claw Fitting Clamp 410
Type A Claw Fitting To Female Bsp 410
Type A Claw Fitting To Hose Tail 410
Type A Claw Fitting To Male Bsp 410
Type A Claw Fittings 410

U

Ultragrime Industrial Wipes 34
Ultragrime Industrial Wipes 390
Uniden 5 Watt Premium Handheld UHF Radio 144
Unistrut Bracket (VIC only) 170
Universal Dowel Sleeves 314
Universal Manual Post Driver 136
Universal TAU-M Crash Cushion (MASH) 275
UPVC Guide Post 134
UPVC Pro Guide Post with Drivable Anchor 134
Urbantree 425
Urinal Blocks 31
Utility Marker Posts - Custom Labelled, Customer Powdercoated 137
Utility Marker Posts - Plain Coloured Post 137
Uvex Lens Cleaning 56

V

V6 Hard Hat Vented Push Lock Harness 58
V9 Hard Hat Vented Ratchet Harness 58
Vader Goggle Shield Combo 56
Vandex Bb75-Z 310
Vandex Cemelast 310
Variable Angle Barrier 282
Variable Length Barrier Element 281
Variable Message Boards (VMS) 197
Vehicle Gate 229
Vehicle Mounted Arrow Boards 196
Vehicle Safety Flags 29
VERSIKERB Separation Kerb 178
VERSIKERB™ Traffic Separator 178
Vertigo Hangers For Timber 336
Vest – Hi Vis Day Only 85
Vest – Hi Vis Poncho Style, Taped 'X' Pattern & Clear Id Pocket 85
Vest – Hi Vis Safety Taped Hoop Pattern 85
Vest – Reversible Hi Vis Two Tone Reflective Fleece 86
Vggf – Vee Gully Grate And Frame 397
Vic Rail Day/Night Vest 85
Vic Roads Vest 85
Vinyl Banner 219
Vinyl Stickers 137
Vinylester Chemical Epoxy 181
Visitor Vest 85
Vtarps - Heavy Duty 319

W

1300 885 364
Login online for your **Trade Account Pricing**

INDEX 455

Wall Brackets 64
Wall Stripper 356
Warning Series 168
Warning Sign Bracket 60mm OD (NSW only) 173
Warning Signs 208
Washers - Metric Flat Round 336
Water Barrier Drain Plug 261
Water Barrier Screen 260
Water Filled Ballast Block 250kg 233
Water Fire Extinguishers 112
Waterwall Anti-Gawk Screen 260
Waterwall water Filled Barrier 260
Weedmat 14, 429
Welders Gloves 51, 388
Welding Rods (Electrodes) 388
Welding Screen Curtain Only 388
Wheel Barrows 369
Wheel Stop Fixing Pin 184
Wheelie Bin - 660L 371
Whip Checks 409
White Board 43
White Board Kits 43
White Board Markers 43
White Paper Plate 9-inch/225mm 38
Wide Brim Hard Hat Ratchet Harness 58
Window Cleaner Double Strength 32
Window Film 321
Wire Brush 357
Women'S Oliver Wheat Zip Sided Boot 98
Wood & Metal Reciprocating Blades 344
Wooden Forks 38
Wooden Knives 38
Wooden Teaspoon 38
Workzone Barrier 239
Wrecking Bar 359

X

XT Barrier System Posts 234

Y

Yellow Plastic Wheel Stop 184
Yellow R.H.S Sign Posts Caps 174
"Y" Lanyards 127

Z

Z Bar Joiners 326
Z Bar Nut 326
Z Bar Nut -Double Arm - 40/Pk 326
Z Bar Plate 326
Z Bar Tie Nut 326
Z Bar Waterstop Chair 326
Z Bar Waterstop Galvanised 326
Zap Cap Extension Lead Waterproof Safety Cover 374
Zirconium Flap Disc 347

5% PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue or website, **JAYBRO WILL BEAT THAT PRICE BY 5%***

*Conditions apply, See website for details.

Our locations

New South Wales

Sydney
Address: 29 Penelope Crescent, Arndell Park NSW 2148
Email: salesNSW@jaybro.com.au

Newcastle
Address: 100 Glenwood Drive, Thornton NSW 2322
Email: salesNSW@jaybro.com.au

Victoria

Altona
Address: 26–34 Aylesbury Drive, Altona VIC 3018
Email: salesVIC@jaybro.com.au

Geelong
Address: 16–24 Gregory Avenue, Newtown VIC 3220
Email: salesVIC@jaybro.com.au

Australian Capital Territory

Canberra
Address: 28 & 29, 105 Newcastle Street,
Fyshwick ACT 2609
Email: salesNSW@jaybro.com.au

Queensland

Carole Park
Address: 55–59 Boundary Road, Carole Park QLD 4300
Email: salesQLD@jaybro.com.au

Townsville
Address: 27–31 Taryn Street, Mount St John QLD 4818
Email: salesQLD@jaybro.com.au

South Australia

Adelaide
Address: Unit 1/17 Ceafield Road, Parra Hills SA 5096
Email: salesSA@jaybro.com.au

Western Australia

Perth
Address: 5–7 Hopewell Street, Canning Vale WA 6155
Email: salesWA@jaybro.com.au

1300 885 364

jaybro.com.au

ISO 9001 certified Equal Assurance
ISO 14001 certified Equal Assurance
ISO 45001 certified Equal Assurance
CCF MEMBER
Supply Nation MEMBER

Jaybro
CONSIDER IT **DONE**.

Jaybro Group Pty Ltd (ABN: 48 159 122 488) trading as Jaybro, we supply goods and provide services to you, solely in accordance with our terms and conditions. Our terms and conditions can be found at jaybro.com.au/jaybro-policies. As we do not provide advice, it is your responsibility to satisfy yourself that any product or service you receive from us meets your particular needs and requirements.